Usenet Newsgroup Archive: rec.radio.amateur.equipment

1999-02 - 1999-03

These Usenet messages were preserved as a plain-text archive. This PDF was generated by Digital Library of Amateur Radio & Communications from the source text file in 2026.

Date span: 1999-02-01 through 1999-03-31

Source text: rec.radio.amateur.equipment.txt

Source item: https://archive.org/details/usenet-rec

Messages included in this PDF: 5,881

Messages are presented chronologically by archived date.

Binary or encoded payloads are not printed as blocks of encoded text; a placeholder appears where such material was detected. The original source text is unchanged.

1. Two Meter Amps.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Newsgroups <w7prv@teleport.com>
Message-ID: <1mqt2.14630$202.7266921@news1.teleport.com>
Source record: 117970

Have a pair of Motorola model M-1274A solid state amps. Size 6"L x 5"W x
21/2" H with fully enclose shiny aluminum cases. Carrier operated 2 watts
in 60 watts out. Will go higher with more input. Jones plug 12V. input.
Cord and plug included. SO 239 male connecters. Very clean. Satisfaction
guaranteed. $60 ea. Answer to : w7prv@juno.com
Shipping extra.

2. Help on Knwood 261 & 7950

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <36B64193.5265@erols.com>
Source record: 117971

Need the part number of the final output amp module for the Kenwood 2 meter transceivers model's 261 and 7950. (I believe, but not certain that the 7950 uses part M57726.) Both are maximum 50 watt output. Lacking schematics. Appreciate input. Thanks. 73 Murray, K3BEQ

3. What are the factory updates for the FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Pacific Crest <pcrest@teleport.com>
Message-ID: <tyqt2.14656$202.7272612@news1.teleport.com>
Source record: 117972

I have an FT-847 (G series). I have heard that Yaesu will do factory upgrades for free. Does anyone know what these are?

Thanks,

Dan
NX9C

4. Re: yaesu or icom

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: "\\Dave\" Davis <verbose@aviastar.net>"
Message-ID: <36B63A77.D0B77CC1@aviastar.net>
Source record: 117973

Yeah, BUT!
Icom service & parts availability STINKS and I'm still happy with Yaesu (they are a little late on one manual though.) Add this into your equation.
Dave KC6OLD

5. Re: Proper ground for rigs?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: tracy glenn <tglenn@imt.net>
Message-ID: <36B63144.5286@imt.net>
Source record: 117974
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc

```
ti2dll@iname.com wrote:
>
> Well, Christmas this year was good to me and I was able to get that HF rig I
> wanted, along with a tuner and a power supply. It seems I'm all set to go,
> except for one thing: I see that both the radio and the tuner have GND screws
> for connecting them to a ground source, I suppose it must be to get rid of
> unwanted RF and currents.
>
> My equipment is located on a second floor, and the nearest point where I can
> bring in a ground cable is about 10-12 feet from the ground, so between the
> equipment and the copper rod there'll be at least a 10 feet of wire. Will
> grounding still be efficient under these conditions? What caliber wire should
> I use to maximize ground efficiency? Any other grounding strategies which
> might work better than the one I have planned?
>
> 73's
>
> -----
> //\/\ario //\/\elendez
> ti2dll@iname.com
> http://radioplaneta.cjb.net
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
I live in a similar arrangement and found that grounding only gave me
problems but didn't solve any.AB7RS
```

6. FT-50 Mod Revisited

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: lyons1101@aol.com
Message-ID: <19990201185549.09534.00003632@ng-cg1.aol.com>
Source record: 117975

I bought and did the mods to make my FT-50 (with a serial # starting 6L120) a year ago. It went out of band fine. I then traded it away after a couple of months (dumb move!). I erased the software and RDF files thinking I would never need them.

Today I got the original FT-50 back in trade! The person that had it probably pushed and pressed every combination of buttons. It wouldn't go out of band anymore. I tried the original "hold the knob, PTT and lamp" process but didn't get the BAND XXXX message. The radio will except the "Hold the knob and lamp key" mod for CAP\Mars. But the TX from 120 to 220 and 350 to 505 doesn't work anymore. I have the original ADMS disk and loaded it back on the computer. I tried the other mod that calls for pulling out the cable half way through... Still no-workey! Any suggestions?

There used to be a website for the FT-50 and I don't have the address anymore, does anybody still have it?

7. Re: Newbie VX-1R Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: &NM7U <&NM7U@hevanet.com>
Message-ID: <36B63D92.683A1B23@hevanet.com>
Source record: 117976
Cross-posted to: "rec.radio.swap;","rec.radio.amateur.antenna;",rec.radio.amateur.equipment

Max and/or Cindy wrote:

> What antenna is best for my Yaesu VX-1R? The one it came with or one of
> the following:
> Comet SMA 503
> Diamond SRH815
> Comet SMA24
> MFJ 1715S
>
> Many thanks,
> Max, K2MSG

Really depends on what you want to do.
For range, I use a BNC adapter and an old Larson duck. Adds about 18" to the height of the
handheld. I stick it in my shirt pocket and use a big rubber band, made from an old tire inner tube,
to hold the antenna against the side of my head. Makes me look "real cool", but it's hard to take it out
to use it, so I have a modified speaker-mic that I clip to my belt. The whole system is only slightly
larger than my DJ-580 and works almost as well. :-)

I didn't buy mine for range, I bought it for small. You can stick a 1/4 wavelength of (very flexible) wire (at 440)
into an SMA plug. Works about as well as the stock duck, on 440, and you can hide it in your shirt pocket
without poking your eye out. You can do this on 2m, but the wire gets way long. Just turn it upside-down
when you transmit and let the wire hang down.
miker

--
Big list of WANTS and FORSALES at link below.
Return Address is Bogus.
TO REPLY CLICK HERE http://www.hevanet.com/nm7u
Or you can DELETE the & in the "from" address.

8. For Sale - Parts/Projects

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990201185747.01215.00002505@ng-ft1.aol.com>
Source record: 117977

For Sale: Parts and Projects for the Builder
RF decks / Final Pas
Motorola
6 Meter RF Deck Pair 8560ï¿½s in push-pull
with 95% of power supply parts
Bud cabinet 14" $300.00

2 Meter RF Deck single 8560 $ 175.00

RCA
6 Meter pair 4-250ï¿½s in push-pull
Tank coil, filament transformer, Grid coil $250.00

6 Meter 4-125"s same as above $225.00

Home Brewed projects

6 Meter, 2 X 4CX250B / Power Supply / Cabinet
Need wiring, Meters, TR switch
Will make about 700 watts P.E.P. $ 380.00

6 Meter, single 4-400 / Power Supply / Bud cabinet
Needs TR switch / LPF / 650 watts P.E.P. $450.00

Tubes, Sockets, RF chokes, Coil stock, Meters, Transformers Filament / Plate

9. Re: Lithium-Ion Battery tech info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: MG <nospam@nospam.spam>
Message-ID: <795gqi$kn4$1@news1.rmi.net>
Source record: 117978
Cross-posted to:
alt.ham-radio,alt.radio.amateur,rec.ham-radio,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc

I have a VX-5r and tried to use it while plugged into AC. It's a no-no. The radio will shut off. Then, I read the manual and it says +ACI-AC RX only+ACI- I haven't contacted Yaesu yet to find out why.

Using the DC adapter, RX and TX both work.

-73
+ADw-snip+AD4-

10. REALLY NEED - HP 87 Desktop PC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Ron Harshbarger <rnharsh@visi.com>
Message-ID: <a_rt2.2453$NN.114141@ptah.visi.com>
Source record: 117979
Cross-posted to: de.sci.electronics,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.misc,sci.electronics.equipment

I really need an HP 87!!! I'll buy one in almost any condition short of a burned up piece of charcoal.......

73 K3PID
rnharsh@visi.com

11. Re: Proper ground for rigs?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Edward Legenza <n6xa@email.msn.com>
Message-ID: <OwQQidkT#GA.224@upnetnews05>
Source record: 117980
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc

You will get a lot of different opinions, but this does not sound too dificult a situation. There are some exotic RF ground tuners and such to help out with problems, but first just try a 6 or 8 gauge solid copper wire run to a 8 deep foot copper clad ground rod. That should get your on the air safely. If you don't get any rf bites, probably from the tuner if it does happen, then all is well. If you do, then write back for more info.

tracy glenn wrote in message <36B63144.5286@imt.net>...
>ti2dll@iname.com wrote:
>>
>> Well, Christmas this year was good to me and I was able to get that HF rig I
>> wanted, along with a tuner and a power supply. It seems I'm all set to go,
>> except for one thing: I see that both the radio and the tuner have GND screws
>> for connecting them to a ground source, I suppose it must be to get rid of
>> unwanted RF and currents.
>>
>> My equipment is located on a second floor, and the nearest point where I can
>> bring in a ground cable is about 10-12 feet from the ground, so between the
>> equipment and the copper rod there'll be at least a 10 feet of wire. Will
>> grounding still be efficient under these conditions? What caliber wire should
>> I use to maximize ground efficiency? Any other grounding strategies which
>> might work better than the one I have planned?
>>
>> 73's
>>
>> -----
>> //\/\ario //\/\elendez
>> ti2dll@iname.com
>> http://radioplaneta.cjb.net
>>
>> ----------== Posted via Deja News, The Discussion Network ==----------
>> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>I live in a similar arrangement and found that grounding only gave me
>problems but didn't solve any.AB7RS

12. Re: 232c Interface for TS-850S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Marty <martyk@naples.infi.net>
Message-ID: <36B64AFF.8E071F27@naples.infi.net>
Source record: 117981
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

There were two simple, low cost circuits shown in recent ARRL handbooks, one of which would probably work with the 850. I think they used the MAX232 chip. Substituting the MAX233 will eliminate some of the external components

Marty K1FHR

Allan Koenigsberg wrote:
>
> Does anyone have information about homebrewing a 232C interface for the
> TS-850S. $120 seems awfully steep for what I imagine is a relatively
> simple item. I'd appreciate any info . Tnx AE2J

13. Re: 232c Interface for TS-850S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Marty <martyk@naples.infi.net>
Message-ID: <36B64B3A.6240DE77@naples.infi.net>
Source record: 117982
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

There were two simple, low cost circuits shown in recent ARRL handbooks, one of which would probably work with the 850. I think they used the MAX232 chip. Substituting the MAX233 will eliminate some of the external components

Marty K1FHR

Allan Koenigsberg wrote:
>
> Does anyone have information about homebrewing a 232C interface for the
> TS-850S. $120 seems awfully steep for what I imagine is a relatively
> simple item. I'd appreciate any info . Tnx AE2J

14. Re: VX-5R: price ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Paul <pgs@northnet.org>
Message-ID: <36B65426.C33DB4AF@northnet.org>
Source record: 117983

This guy at http://www.denverradio.com/ usually but not always blows the sh#t out of all the biggies prices on most ammeter radio equipment.
Never had a problem and he always treats me good.
Paul

Gavin Scott wrote:

> Sils (sils@polbox.com) wrote:
> : Does anyone know the price of Yaesu VX-5R ?
>
> $359.95 at HRO currently.
>
> G.

15. Re: SOS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: AC6V <ac6v@ix.netcom.com>
Message-ID: <36B656B5.C51@ix.netcom.com>
Source record: 117984

William Erhardt wrote:
>
> I caught an announcement that the CW SOS is no longer effective for Maritime
> Services effective 0000 GMT 1 February, 1999. Can any one direct me more
> information as would like to put an article in local ham news letter with a
> bit of history on SOS. If this is true its and end of an ERA....
>
> Bill KA7YAO

Hi Bill see End of road for Morse Code's dots and dashes under Custom
News at url:
http://www.cnn.com/

For some history -- see URL:
http://www.ac6v.com/pageal.html

But we shall keep the dits and dahs a coming!!

73 from Rod in San Diego
--
AC6V INDEX TO DX AND HAM RADIO
FEATURING 88 PAGES, 400 INDEXED TOPICS, AND 3000 LINKS
Over 285,000 visits on the counter
http://www.ac6v.com/pageas.html -- Alphabetical Index
http://www.ac6v.com/ -- Home Page

16. FS***President Lincoln all mode 26-30mhz.mobile***

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <27573-36B65734-116@newsd-141.iap.bryant.webtv.net>
Source record: 117985
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb

As new President Lincoln(same as a HR2510).Has a relay for keying an amp,and a IF xtal filter (ch.guard).Never used in original box and all the paper work.Covers 26-30mhz.AM,FM,SSB,and CW.Great mobile rig.Puts out about 40 watts PEP.$300.00 + shipping.

Take care,
Stan (530)241-0843

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

17. WTB***ORIGINAL TRAM D201 MANUAL***

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <27575-36B65AD8-29@newsd-141.iap.bryant.webtv.net>
Source record: 117986
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb

Looking for an original Tram D201 NOT the D201A manual.If you have one to sell please e-mail me at kf6ikc@webtv.net

Thanks,
Stan

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

18. FS***Galaxy Saturn base w/extras $400.00***

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <27574-36B655B2-51@newsd-141.iap.bryant.webtv.net>
Source record: 117987
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb

Have a "new" Saturn base.It has only been out of the box for the following mods: Beefed up P/S (2nd pass transistor added,25 amp rectifier,and 20Kmfd.filter cap.),relay for keying an amp,speech processor,ch.guard,fan on AM regulator,fine control on clairifier opened up,modulation and power tune up. This is a radio that I ordered for a "gent" and he never picked up.Just trying to get some of my money back.Radio is NEW. Price is $400.00 + shipping.

Take care,
Stan (530)241-0843

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

19. Re: @@@ LOTS OF RF PARTS & RARE ELECTRONIC COMPONENTS @@@

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: John Lundgren <NOlundgrejSPAM@mail.rsccd.org>
Message-ID: <36B6638A.C20@mail.rsccd.org>
Source record: 117988
Cross-posted to: de.sci.electronics,hacktic.electronics,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,sci.electronics.basics,sci.electronics.components,sci.electronics.design,sci.electronics.misc

guess_who@wxs.nl wrote:

> On Sat, 23 Jan 1999 10:52:49 +0100, radio_man@usa.net (radio_man)
> wrote:

> >http://www.xs4all.nl/~barendh

> REDUCE YOUR PRICES!!!! YOU'RE TOO EXPENSIVE!

If they are in U.S. dollars, yeah, but then maybe they're not, they may
be in Dutch guilders or whatever.

--
Please remove NO and SPAM from my email addr to reply.
--
@@@@@@@@@@T@h@e@@I@n@t@e@r@n@e@t@@w@a@s@@c@o@o@l@@u@n@t@i@l@@@@@@@@@
@ John Lundgren Elec. Tech, Info. Tech. Svcs.| lundgrej <AT> mail @
@ Rancho Santiago Community College District | .rsccd.org @
@ 17th St. at Bristol \ Santa Ana, CA 92706 | www.rsccd.org @
@ My opinions are mine, NOT my employer's. |PGP key avail on req@
@ "Everything is InterTwingled" - Ted Nelson in ComputerLib @
@@@@@@@@@@e@v@e@r@y@o@n@e@@f@o@u@n@d@@o@u@t@@a@b@o@u@t@@i@t@@@@@@@@@@
I am a California Resident and ALL California Junk Email laws apply.
You must meet _all_ Calif Anti-SPAM laws. See www.leginfo.ca.gov
and search for 17538.4 in the business and professions code.

20. HELP - need matching dimentions for Telrex TH3jr-S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Joe K7JOE <k7joe@yahoo.com>
Message-ID: <36B6656C.9DF1AF7F@yahoo.com>
Source record: 117989
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Hi,

Picked up a Telrex TH3jr-S via the net a few weeks ago. Antenna
was almost complete -- seems to be missing the matching wire
for the driven element. Looks like a "Y" (hairpin?) match:

```
={}==={}============[ ]================{}==={}=
\ /
\ /
| |
| |
-
```

Need dimentions to build my own, or part number to try to order
for Telrex.

thanks,
Joe K7JOE
Portland OR

21. Re: Radio selection help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Dave Steele <clndstrom@teleport.com>
Message-ID: <Jstt2.14913$202.7366917@news1.teleport.com>
Source record: 117990

I have the TH-G71 and have been very happy with its performance. It has
great audio, is very intuitive to use and is built very tough. I got a good
deal at HRO.

DeShawn Smith wrote in message <36B5E270.BA003EF0@dentrix.com>...
>Hello!
>
>I have been looking into dual-band HT's and a local shop has two in
>stock that I have been seriously considering.
>
>Yaesu FT-51
>Kenwood TH-G71
>
>I have read reviews on both of these radios, and I would appreciate any
>information from people that are using these radios. If anyone has both
>of them, which would you recommend?
>
>If there are better ones (in the sub-$500 range) than these that you
>would recommend, please let me know! I can wait a few days if it means
>getting a better radio.
>
>73,
>
>DeShawn Smith
>KC7MVF
>
>

22. fs: HTX-212 2M 45W $150

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Joe K7JOE <k7joe@yahoo.com>
Message-ID: <36B66C54.443E0A85@yahoo.com>
Source record: 117991
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi,
Have a radio shack HTX-212 2M, 45W mobile rig. Looks great. Works great. All accessories including box and manual, bracket, mic, and power cord. A nice rig. $150+shipping.

email if interested
Joe K7JOE

23. WTB*****GOOD 4-1000A TUBE*****

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <27573-36B66430-124@newsd-141.iap.bryant.webtv.net>
Source record: 117992
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

My friend who does'nt have acces to the internet ask me to post his want. He needs a good,full otput 4-1000A or 4PR1000A tube.Please state cond., price and phone # and I will pass it on to him.

73's
Stan

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

24. Re: 6146B:pair needed!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: turner@safety.ics.uci.edu
Message-ID: <795qg3$9qk@safety.ics.uci.edu>
Source record: 117993

In <795nui$2ql$5@news.junction.net> erpi@junction.net writes:

> Hi! my name is Eric,I am looking for a pair of 6146B new,
> if you have those tubes please email me with the price
> in canadian $ if possible.also looking for 1 (6D10) and
> 1 (6AV11) Thanks in advance.....Eric
>Net-Tamer V 1.11.2 - Test Drive

Go to RFparts on the web. They sell new GE's for about $20
each, less than a lot of private parties want. You can also
get 6146W's for lots less from commercial dealers these days.
Good luck.

Clark
WA3JPG

25. FS: complete Icom HF mobile setup $500 + shipping

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Joe K7JOE <k7joe@yahoo.com>
Message-ID: <36B66DD4.7A1286AA@yahoo.com>
Source record: 117994
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi,
I have an Icom HF setup including radio, auto tuner, cw filter, mobile
bracket, hand microphone, power cord, and operator/service manual.
Rig is the Icom 730 -- all solid state, 80-10M including WARC.
Antenna matcher is the ICOM AH-1, which tunes any random whip or wire
remotely controlled by the Icom radio. Both tuner and radio
are in very nice cosmetic/electrical shape.
Entire package $500 + shipping.

thanks,
Joe K7JOE

26. HELP ICOM IC-25H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: pstein@measurement.com
Message-ID: <pstein-0102992228010001@ip49.princeton.nj.pub-ip.psi.net>
Source record: 117995

I have an ICOM IC-25H on the bench that loses its memory when power is interrupted. Is this normal? Is there an internal backup battery? Is this what the 'backup' jack on the back ponel is for?

Thanks,

Phil K2RCG

Also look at http://www.hamvention.org

27. Re: FT-50 Mod Revisited

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Patrick Rice <ricep@erols.com>
Message-ID: <36B67125.77A41C59@erols.com>
Source record: 117996

First, if there are any memories that you want to save download them into the computer. Then do the ALL RESET POWER ON function from the manual. After this you can go into the "Knob, PTT, and lamp" power on sequence...you can do the mars/cap power-on (extended-RX in the Manual) before or after this. Then simply create a template file from the modded radio and make sure that when you send the .rdf back to the 50R you use the new template. Good Luck!

-73 Patrick Rice
KC2BEG

Lyons 1101 wrote:

> I bought and did the mods to make my FT-50 (with a serial # starting 6L120) a
> year ago. It went out of band fine. I then traded it away after a couple of
> months (dumb move!). I erased the software and RDF files thinking I would never
> need them.
>
> Today I got the original FT-50 back in trade! The person that had it probably
> pushed and pressed every combination of buttons. It wouldn't go out of band
> anymore. I tried the original "hold the knob, PTT and lamp" process but didn't
> get the BAND XXXX message. The radio will except the "Hold the knob and lamp
> key" mod for CAP\Mars. But the TX from 120 to 220 and 350 to 505 doesn't work
> anymore. I have the original ADMS disk and loaded it back on the
> computer. I tried the other mod that calls for pulling out the cable half way
> through... Still no-workey! Any suggestions?
>
> There used to be a website for the FT-50 and I don't have the address anymore,
> does anybody still have it?

28. Looking for a few good Kenwood tk-350& tk-370 HT's

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Bill & Patricia <buffaloe@ipa.net>
Message-ID: <795tmroap1@news.ipa.net>
Source record: 117997
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

looking for kenwood tk-350 & tk-370 ht's
450-470
Please E-mail with what you have

buffaloe@ipa.net

29. Re: Which 2 meter FM to buy?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: tedmclgn <tedmclgn@brunnet.net>
Message-ID: <36B67630.11B92C8@brunnet.net>
Source record: 117998

I HIGHLY recomend the FT-2500. It is a commercial grade tranceiver that will not leave you disappointed. The same radio (Innerds) is Identical to their vertex commercial radio. I currently have a FT-2500 installed in my car. The case is 90% metal and the unit is mostly a hink seat. I ran mine for approx 1hour using 50 watts with moderate heating. The unit meats Military specs for shock, temperature and water. The audio on TX is excellent from the reports that I have. The unit also has a very sensitive receiver. The unit is also intermod proof. I guess I can't say enough....

VE9TPM

Wink wrote:

> Hi,
> There are currently four 2 meter FM mobiles on the
> market, all going for $200 or less. There are they the
> Yaesu FT-2500, the Icom IC-2100H , the Kenwood TM-261A and
> the Alinco DR-140TQ. They all have just about the same
> features except that the Alinco and Icom have CTCSS
> decoders. All appear to be fine radios.
>
> What are your experiences with these radios? Have you
> heard or experienced anything such as poor receiver, power
> module blew out in a week or other problems with any of
> them. I read the reviews in QST and whereas they are much
> more critical now days than in the past, they usually don't
> run the user tests long enough to make something break.
>
> I look forward to any input and will repost it for all
> to see.(if you want your opinion publicized)
>
> Thanks and 73,
> Gary / N2UM

30. Re: Hallicrafters Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Howard Petersen <delta@emeraldnet.net>
Message-ID: <36B676C4.5BFB@emeraldnet.net>
Source record: 117999

Ill sell you a complete SR 160 for 300 dollars, inclludes power supply
and i think i can find the mobile supply also, has book

howard
in seattle

31. Re: Help Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Kevin OConnell/KL0RG <koconnel@ptialaska.net>
Message-ID: <36B67929.53D823D5@ptialaska.net>
Source record: 118000

http://www.qrz.com

ST1055 wrote:

> What is the web sight that post all of the mods?

32. Someone Had 2 VX1r FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Ian McCloy <ian_mccloy@bc.sympatico.ca>
Message-ID: <w2vt2.73$5L4.380545@news.bctel.net>
Source record: 118001

Someone had advertised 2 VX1r for sale ,i lost the info. so if anyone has the info . Please let me know.

Thanks Ian Ve7ira

33. Re: General Electric Phoenix radio schematic needed.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Dan <n7wpd@xxmission.com>
Message-ID: <795vm2$ni4$1@news.xmission.com>
Source record: 118002

The S at the end of Phoenix stands for synthesized. Programmed eprom with a special programmer. They work great for packet. I have four of them both in VHF and UHF and 1200 and 9600 baud rates. They work well.

Dan / N7WPD
Collins, Brian (EXCHANGE:WDC:2X41) <bcollins@americasm01.nt.com> wrote in message news:36B5D5EB.4CA4F26D@americasm01.nt.com...
>I recently acquired a General Electric Phoenix-S commercial type radio.
>it appears to be a two-channel VHF rig currently crystalled for ~152.??
>MHz and ~153.?? MHz according to a slip of paper inside the cover. A
>socketed crystal on the bottom PCB is somewhere around 102 MHz IIRC. The
>IF crystal is 10.7 MHz. I would like to use it for packet or TCP/IP work
>and I will need a schematic, manual and re-crystalling instructions.
>
>Does anyone have any comments regarding the suitability of this radio
>for this or any ham related purposes? I could obtain another 4 of them
>for about $10 - $15 CDN each if they are of any use.
>
>The same dealer has several of the old style mobile telephones. Are they
>suitable for modification for any ham use? I cannot remember the
>frequency that they operate at.
>
>73 de VE6APR
>--
>Brian Collins | In a war of ignorance | The opinions expressed
>PCB Designer | no one wins. | here are the result of
>Nortel Calgary AB | There is no concept of | my own misconceptions,
>Wireless Solutions | "race", we are all humans. | not those of my
>employer.

34. FS FT-50R dual band HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Ron Jones <rjones@inquo.net>
Message-ID: <7963mapeu1@quartz.inquo.net>
Source record: 118003

Yaesu FT-50R dual band HT
with optional alkaline battery case
hardly ever used
about a year old
asking $260
never been modified, but there are a slug of things you can modify on these gems!

Ron K7RJ
rjones@inquo.net

35. Re: @@@ LOTS OF RF PARTS & RARE ELECTRONIC COMPONENTS @@@

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Richard Steven Walz <rstevew@armory.com>
Message-ID: <36B69782.6CFC@armory.com>
Source record: 118004
Cross-posted to: de.sci.electronics,hacktic.electronics,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,sci.electronics.basics,sci.electronics.components,sci.electronics.design,sci.electronics.misc

John Lundgren wrote:
>
> guess_who@wxs.nl wrote:
>
> > On Sat, 23 Jan 1999 10:52:49 +0100, radio_man@usa.net (radio_man)
> > wrote:
>
> > >http://www.xs4all.nl/~barendh
>
> > REDUCE YOUR PRICES!!!! YOU'RE TOO EXPENSIVE!
>
> If they are in U.S. dollars, yeah, but then maybe they're not, they may
> be in Dutch guilders or whatever.

Even in NLD, which I take to be Dutch Guilders, this guy has everything
priced two to four TIMES the price of everyone else, and I checked three
major catalogs!! 8.50 NDG for a P8031AN ?? This is a sub-US$1.00 part!!
27C256 12.90 NDG ?? I don't think so!! This guy is an opportunistic
rip-off!! I hope people who see his site shop around first!!
-Steve
--
-Steve Walz rstevew@armory.com ftp://ftp.armory.com:/pub/user/rstevew
-Electronics Site!! 1000 Files/50 Dirs!! http://www.armory.com/~rstevew
Europe:(Italy) http://ftp.cised.unina.it/pub/electronics/ftp.armory.com

36. Re: HC-6 Crystals for sale $2.00 each plus usps and Heath Crystal Filter....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: GARY <bierbier@ix.netcom.com>
Message-ID: <7966c3$pur@dfw-ixnews4.ix.netcom.com>
Source record: 118005
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap

```
...
>I was a little hasty on the original price since I did not sort the
>crystals, hell it was hard enough reading the frequency off the things and
I
>have 20/20 vision. So I decided to change the price to $2.00 a piece plus
>USPS. On the Heath Crystal Filter make me an offer and it is yours. I
just
>hate to throw these things away.
>7935r1$pb1@dfw-ixnews5.ix.netcom.com>...
>>I have a load of crystals I would like to get rid of. These are the HC-6
>>crystal type with pins. They are pulls from some old Collins aviation
>>equipment (almost positive about that one). I am asking $2.00 (see above)
>a piece plus
>>USPS. I also have a Heathkit Crystal Filter, Part Number 404-548. Specs.
>>are as follows: Cf-3395.7 khz z IN - OUT 2K
>>
>>400 hz @ 6db 2khz @ 60 db
>>
>>Make me and offer on the Heath Crystal Filter.
>>
>>The crystal frequencies for the pulls are as follows:
>>
>>2704.000 khz
>>2179.250 khz
>>3481.500 khz
>>3130.000 khz
>>6612.000 khz
>>3432.000 khz
>>8828.500 khz
>>2995.000 khz
>>5506.500 khz
>>8959.000 khz
>>1932.000 khz
>>3144.000 khz
>>2910.000 khz
>>8913.500 khz
>>3067.000 khz
>>2257.500 khz
>>4696.500 khz
>>4731.500 khz
>>2159.500 khz
>>6557.000 khz
```

>>6664.500 khz
>>5841.500 khz
>>2643.250 khz
>>2730.000 khz
>>3568.500 khz
>>3080.000 khz
>>8845.300 khz
>>3467.500 khz
>>6758.500 khz
>>3854.000 khz
>>3905.000 khz
>>6567.000 khz
>>11228.000 khz
>>13294.500 khz
>>13354.500 khz
>>13344.500 khz
>>13304.500 khz
>>11180.500 khz
>>13284.500 khz
>>13215.500 khz
>>13314.500 khz
>>13324.500 khz
>>13274.500 khz
>>13334.500 khz
>>
>> Email me if you are interested at bierbier@ix.netcom.com
>>
>> Thanks for your
>time,
>>
>> Gary Caire
>> Brea, CA
>>
>>
>>
>>
>
>

37. FS:Ameco Preamp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: swldd@proaxis.com
Message-ID: <36B69CCD.4187@proaxis.com>
Source record: 118006

I have an Ameco model PT preamplifier that is extra to my needs,
It can be used with a transceiver and an extra receiver. If you
are interested, please e-mail me direct. Tnx--Doug--
swldd@proaxis.com

38. Re: Help Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: WW - KB9TMP <JESUS_@_work_on_.me>
Message-ID: <36B5CE5E.26870BB6@_work_on_.me>
Source record: 118007

ST1055 wrote:
>
> What is the web sight that post all of the mods?

One at Radio Amateur is http://radioamateur.com/mods.htm and the one at
QRZ is http://www.qrz.com/mods/

--

"73" from the cornfields of Indiana!

<'))>< WW - KB9TMP <'))><
email me at kb9tmp<AT>usa.net
home page http://www.qsl.net/kb9tmp/
http://www.angelfire.com/in/orleanschristian/

39. Re: More newbie questions (again)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Tom Repstad <kb1cga@starc.org>
Message-ID: <36B618C1.22C5A769@starc.org>
Source record: 118008

Hi Ed,

My first suggestion is to locate a local amateur radio club. They can give you the scoop on local repeaters, which bands are "used"... a 220Mhz repeater with no activity is not worth the price of a tri-band radio, unless you plan on getting a bunch of activity going.

Buy used... set a budget for yourself and try to stick to it. You can do quite nicely with $300-$400 to start up a VHF/UHF station. I would recommend the Arrow J-Pole dual-band antenna for your base, it's very reasonably priced, has excellent SWR across both 144Mhz and 440MHZ bands and requires no tuning.

Again, get in touch with local hams to get a picture of VHF/UHF operations in the area.. you might even find a bargain or two there... you can also ask about local swap meets etc., and I'm sure they will help you study for your exam. You can also practice taking the exam on-line at:

http://www.biochem.mcw.edu/Postdocs/Simon/radio/exam.html

--Tom
KB1CGA

The Dude wrote:

> Hi Guys!
>
> Great NG! I am studying for my first ham license (Tech/Tech+) and am
> researching like crazy online to get a handle on what I want to start
> out with. Obviously, minimal cost is a prime factor and it appears
> that the 2 meter, 6 meter, 440mhz and 1.25 meter bands are where I
> want to go firstly.
>
> With this in mind -
>
> - I have found a $20 ground plane antenna for 2 meter at MFJ. Looks
> decent and good price. Any comments on it?
>
> - I LOVE the idea of a HT, but the lower power bothers me. I want
> something that can go from base to mobile easily, and a HT would
> easily fit the bill. I am just concerned that the low power will
> drastically limit my ability to get out, even to local repeaters. I
> l.ive in the San Fernando Valley (North Hills/North Van Nuys) area of
> Southern California. Alot of mountains with repeaters on them (from
> what I have been able to find online), but not sure if they;d be in
> range of my HT with a base and mobile antenna.

>
> Also going for HT's is the dual/tri banders. I can get a 2/3 band HT
> for a little more than the IC-2100h, which iws the mobile I am looking
> at hard: has everything I need to get started (I think) and the p4rice
> is right. $200 for a new unit and offers 55 watts in it's highest
> power mode.
>
> - Finally, I've seen some real good deals online - this looks like it
> will have some bucks - the units are broken in, cheaper, etc. but I am
> not familair enough with some of the units to understand what short
> comings they may have, what is good and bad about them, etc.
>
> Anyone bought via the net - is it safe? Are the deals as good as they
> seem, etc.?
>
> Thanks for the replies - I have a CB but it's alot different than 25
> years ago when I had one as a kid. Not bad, but not as polite as I
> recall.
>
> Like everyone else, I want to reach as many and as far as I can. What
> must I look into as a tech/tech+ to do this in the above bands?
>
> Satellite comm looks attractive to me. What kind of power and extra
> gear would you suggest for expermienting with this mode?
>
> Thanks again,
>
> Ed Parry - studying like crazy!

40. HC-6 Crystals for sale $2.00 each plus usps and Heath Crystal Filter....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: GARY <bierbier@ix.netcom.com>
Message-ID: <795df0$bjg@dfw-ixnews7.ix.netcom.com>
Source record: 118009
Cross-posted to: alt.ham-radio.mods,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap

I was a little hasty on the original price since I did not sort the
crystals, hell it was hard enough reading the frequency off the things and I
have 20/20 vision. So I decided to change the price to $2.00 a piece plus
USPS. On the Heath Crystal Filter make me an offer and it is yours. I just
hate to throw these things away.
7935r1$pb1@dfw-ixnews5.ix.netcom.com>...
>I have a load of crystals I would like to get rid of. These are the HC-6
>crystal type with pins. They are pulls from some old Collins aviation
>equipment (almost positive about that one). I am asking $2.00 (see above)
a piece plus
>USPS. I also have a Heathkit Crystal Filter, Part Number 404-548. Specs.
>are as follows: Cf-3395.7 khz z IN - OUT 2K
>
>400 hz @ 6db 2khz @ 60 db
>
>Make me and offer on the Heath Crystal Filter.
>
>The crystal frequencies for the pulls are as follows:
>
>2704.000 khz
>2179.250 khz
>3481.500 khz
>3130.000 khz
>6612.000 khz
>3432.000 khz
>8828.500 khz
>2995.000 khz
>5506.500 khz
>8959.000 khz
>1932.000 khz
>3144.000 khz
>2910.000 khz
>8913.500 khz
>3067.000 khz
>2257.500 khz
>4696.500 khz
>4731.500 khz
>2159.500 khz
>6557.000 khz
>6664.500 khz
>5841.500 khz
>2643.250 khz

>2730.000 khz
>3568.500 khz
>3080.000 khz
>8845.300 khz
>3467.500 khz
>6758.500 khz
>3854.000 khz
>3905.000 khz
>6567.000 khz
>11228.000 khz
>13294.500 khz
>13354.500 khz
>13344.500 khz
>13304.500 khz
>11180.500 khz
>13284.500 khz
>13215.500 khz
>13314.500 khz
>13324.500 khz
>13274.500 khz
>13334.500 khz
>
> Email me if you are interested at bierbier@ix.netcom.com
>
> Thanks for your
time,
>
> Gary Caire
> Brea, CA
>
>
>
>

41. FS: SB220

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: dapiper@one.net
Message-ID: <36b4d91e.0@news.one.net>
Source record: 118047

I have a SB220 with spare 500Z's that is currently apart. It worked fine before I disassembled it in '92 prior to moving. I intended to update with the Richard Measures mods from QST. I fear that this project will never happen. It is time to move again and I worry if it will survive intact. Please help me find a home for this old classic.

TurboDave

42. FS:Drake TR7/RV7

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: dapiper@one.net
Message-ID: <36b4d927.0@news.one.net>
Source record: 118048

This gen coverage Xcvr has Aux7, 500Hz and 1.8 KHz filters. Been to Drake for servicing. Has new finals and HD PS.

TurboDave

43. FS:CD Ham IV T2X Rotor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: dapiper@one.net
Message-ID: <36b4d930.0@news.one.net>
Source record: 118049

Rotor and control box like new.

TurboDave

44. FS: MFJ 962C 1.5KW Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: dapiper@one.net
Message-ID: <36b4d936.0@news.one.net>
Source record: 118050

This unit has provision for both balanced and single wire feed. Has Daiwa style SWR meter (dual needes read both FWD and REFL Power) with illum. Like new condition.

TurboDave

45. FT-11 Yaesu Manual Needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: dbbadge@aol.com
Message-ID: <19990131190301.01057.00002157@ng-cr1.aol.com>
Source record: 118051

Anyone have on of these manuals? Dennis Weal swapped a radio with me but forgot to send the manual, plus other agreed materials, Don't deal with this jerk !

46. Re: Business Radio Newsgroup???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <0v6t2.71$h_2.461522@sapphire.mtt.net>
Source record: 118052

In article <36B4E911.4509@prodigy.net>
RHUNT <RHUNT@prodigy.net> wrote:

> Mike Thompson wrote:
>>
>> I was just wondering if there were any Business Radio newsgroups for
>> commercial 2 way radio's, etc... I need to find some good prices
>> on commercial radios. (The Motorola SM50 450-, etc 40watt one)
>

Mike,

Also try rec.radio.commercial-lmr

Some ISP will carry this N/G. If not ask.

dave

47. Re: Do receivers develop memory???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: sphipps@my-dejanews.com
Message-ID: <7932c7sam1@nnrp1.dejanews.com>
Source record: 118053

In article <77do7o$69i$1@alice.walrus.com>, marc_k@walrus.com (marc_k) wrote:

> Touch lamps cause TERRIBLE interference problems!

Amen! I went for a year thinking the cause of my severe MW and SW interference problems stemmed from some old power lines down our alley. I did some further checking to find out it all stemmed from an old touch lamp. The lamp had to be turned on manually since the touch module had been broke for years, but the module was still emitting radio interference all over the house! I bypassed the module and am now back to enjoying MW DX'ing!

SP

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

48. FS: Yaesu VX-1R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: tom@any.net
Message-ID: <36b50313.89727869@nntp.ix.netcom.com>
Source record: 118054

Yaesu VX-1R, ADMS-1D software & cable. Excellent Condition - $ 200.

Includes UPS. Email for details chjoch@ix.netcom.com

Thanks, Charles Ferguson, NQ5O

49. ICOM HT Stuff

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: rhermanNOSPAM@xtdl.com
Message-ID: <GT7t2.250$O4.1029@eagle.america.net>
Source record: 118055

ICOM HT and accessories:

IC-4GAT with wall charger, BP-70, BP-4 (converted to DC Power Adaptor)
6 watt output at 13 volts. In original box. $150.

HM-46 speaker mic. $13.

HM-9 speaker mic. $18.

HM-9 speaker mic. Modified (dual connector replaced with separate mic and
and speaker connectors.) $15.

IC-02AT service manual $15.

Money order or bank teller check. I'll pay the shipping.

Remove "NOSPAM" from address before replying.

50. FS: ICOM HT Stuff

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: rhermanNOSPAM@xtdl.com
Message-ID: <zU7t2.251$O4.1029@eagle.america.net>
Source record: 118056

ICOM HT and accessories:

IC-4GAT with wall charger, BP-70, BP-4 (converted to DC Power Adaptor)
6 watt output at 13 volts. In original box. $150.

HM-46 speaker mic. $13.

HM-9 speaker mic. $18.

HM-9 speaker mic. Modified (dual connector replaced with separate mic and
and speaker connectors.) $15.

IC-02AT service manual $15.

Money order or bank teller check. I'll pay the shipping.

Remove "NOSPAM" from address before replying.

51. FS: HTX-100 10M transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: rhermanNOSPAM@xtdl.com
Message-ID: <vV7t2.252$O4.1029@eagle.america.net>
Source record: 118057

Ten meters is coming back! I have a Radio Shack HTX-100 ten meter mobile.
25W SSB/CW and hardly ever used. I worked several DX stations from the car
with a Radio Shack 10 meter mag mount! This unit sold for $260. I'll let it
go for $120. It even comes with the service manual and original box!
Money order or bank teller check. I'll pay the shipping.

Remove "NOSPAM" from address before replying.

52. FS: MFJ Grandmaster II Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: rhermanNOSPAM@xtdl.com
Message-ID: <eW7t2.253$O4.1029@eagle.america.net>
Source record: 118058

MJF Grandmaster II Contest Keyer (Model MFS-486). Like new condition. $65.
Money order or bank teller check. I'll pay the shipping.

Remove "NOSPAM" from address before replying.

53. Palomar R-X Bridge

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Rich <wu6t@earthlink.net>
Message-ID: <79318qdjb1@ash.prod.itd.earthlink.net>
Source record: 118059
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap

Palomar Noise Bridge. Perfect condition, not a scratch. Used just a few times. Asking $40.00 plus shipping via Priority Mail. Postal Money Order or Cashier's Check please. Contact Rich here or at 818/997-1217.

54. Re: ANTI-CW people are liberals and would want to see Clinton go free too!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Richard Carroll <w0ex@scan.missouri.org>
Message-ID: <7933anhbj0@208.207.71.142>
Source record: 118060
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy

```
Jim Wayda wrote:
>
> Why is so much importance placed on CW? It is just another mode!!
> The testing process should be revised to to permit demonstration
> of proficiency in a number of areas rather than CW. For example,
> passing a more difficult theory test.
>
> It is time for change. CW is nothing more than a hazing ritual that
> facilitates admittance into the "good old boys club".

[Yawn] 'Nuther trolling CBer scab.......
```

55. VX-5R spectrum analyser question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: eric_fre@hotmail.com
Message-ID: <7938du$12h$1@nnrp1.dejanews.com>
Source record: 118061

All other bugs, problems, out standing issues and gripes asside, what does the spectrum analyser function work like?

cheers
Eric.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

56. ---> SEALED LEAD-ACID BATTERIES FOR SALE <---

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: TOM <tjshannon@my-dejanews.com>
Message-ID: <793a9m$2ge$1@nnrp1.dejanews.com>
Source record: 118062

SEALED LEAD-ACID BATTERIES (GEL-CELLS)

Manufactured by POWERSONIC. 26 Amp-Hour capacity. 12 Volt.

NEW, UNUSED in original factory cartons. Fully charged and 100% operational.

Size is approximately 6.5W x 6.5D x 5H

Weight is 21 pounds per battery.

$56 per battery (I pay UPS shipping to any CONUS address)

Tom

```
oo\
(__)\ _
\ \ .' `.
==================
```

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

57. WTB: ICOM R10

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: kovar <kovar@ia.net>
Message-ID: <01be4d96$e5778100$5bd0a0cd@kovar.inav.net>
Source record: 118063

Please state price and condition.
Phone number if you wish to be put toward the top of the list.
Thanks,--
Jack Kovar
k0var
Iowa

58. Looking for TH-26 info.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: "Rodrigo E. Rodriguez R" <rod@rdc.cl>
Message-ID: <36B537FA.7B3141F@rdc.cl>
Source record: 118064
Body handling: Binary attachment payload not displayed: rod.vcf

'lo world.
I'm looking for some info about Kenwood TH-26A.
1.- Max. Current at 13.8 V HI power TX.
2.- Charging time for normal bat. and KSC-8 compact charger. (I
have no idea what code
does battery has 'cause it's gone due to use :( )

Thanks in advance.

Rod.
CE 6 NUG

[One or more binary attachments are retained only in the source text.]

59. yeasu for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: dalej1965@aol.com
Message-ID: <19990131233355.01113.00002113@ng-cb1.aol.com>
Source record: 118065

```
fet-101 160xtal,full 11 meters,am filter,fan, dc converter, silver
eagle,$250.00+ship, email at dalej1965@aol.com
```

60. WTB:Trakbox

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: dustman_5@hotmail.com
Message-ID: <793eup$644$1@nnrp1.dejanews.com>
Source record: 118066

Hi all :

Im looking for a trakbox thats in good working order , has the software bundle and cable for the FT736R to go with it. Will be happy to pay for shipping ....Just drop me a line and we can talk price .

Thanks
Dusty
KB7ULT
dustman_5@hotmail.com

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

61. VX5r/VX1r/Q7a computer cable?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-0102990016170001@192.168.1.4>
Source record: 118067

Does anyone know where i can find the cable for a cheap price for those radio to hook them with the computer, i dont want to pay for the software i only need it for the VX-5R editor and the IC-Q7a editor...(which are free..)

thanks,

alex

62. Nice Heathkit GR-64 Receiver FA

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990201002940.27029.00002611@ng123.aol.com>
Source record: 118068

http://www.aade.com/hampedia/heath/heath4.htm#gr64

General Coverage Heath receiver cheap! Now on eBay at $35.00

No Reserve!!

63. Re: FS Yaseu XF-115C Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: RICHARD FLORES <RICHARD_FLORES@prodigy.net>
Message-ID: <793gb3$2sig$1@newssvr04-int.news.prodigy.com>
Source record: 118069

Is this related to my original request.

64. Help Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: st1055@aol.com
Message-ID: <19990201015050.01115.00002276@ng-cd1.aol.com>
Source record: 118070

What is the web sight that post all of the mods?

65. WTB:Daiwa CS-401 switches

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: kb9sikk@aol.com
Message-ID: <19990201020639.04314.00003097@ng37.aol.com>
Source record: 118071

Looking for the 4 pos coax switch with UHF connectors. Need at least one maybe two. If you have one for sale please let me know.

Thanks,
K-K
KB9SI

66. 7768 tube help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: ALEX KOSMAN <cerakak@tx.technion.ac.il>
Message-ID: <793kle$2a1$1@techftp.technion.ac.il>
Source record: 118072

hello,

searching 7768 planar triode...

alex
cerakak@tx.technion.ac.il

67. motorola dual-banders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: rsimpson@cherryvale.org
Message-ID: <36b5599f.6316547@nntp.netcruiser>
Source record: 118073

Does Motorola make dual-band commercial HTs?

I'm looking for something like the HT or MT 1000s, but dual band.

Any info would be great!

Ross Simpson
NREMT-B
Cherryvale Fire Protection District
Boulder County, Colorado
rsimpson@cherryvale.org

68. Re: DSP Audio Filters?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: tlcwow@aol.com
Message-ID: <19990201030755.28785.00002652@ng110.aol.com>
Source record: 118074

I own the Timewave 59+ and the zzx. If you are working some SSB and CW then the 59+ will be an escellent choice. However if you do digital or satallite work then the new zzx is a much better choice.

I did a lot of comparison and research before I bought, hope this helps.

Terry, W0TLC

69. Re: yaesu or icom

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: tlcwow@aol.com
Message-ID: <19990201031059.28785.00002655@ng110.aol.com>
Source record: 118075

Tom,

I went through the same delima several months ago. I think you will be happier with the Icom. It seems to function better, and is easier to operate than the Yeasu.

Hope this helps.

Terry, W0TLC

70. More newbie questions (again)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: TheDude@lebowski.big
Message-ID: <793ngp$sa4$1@news-2.news.gte.net>
Source record: 118076

Hi Guys!

Great NG! I am studying for my first ham license (Tech/Tech+) and am researching like crazy online to get a handle on what I want to start out with. Obviously, minimal cost is a prime factor and it appears that the 2 meter, 6 meter, 440mhz and 1.25 meter bands are where I want to go firstly.

With this in mind -

- I have found a $20 ground plane antenna for 2 meter at MFJ. Looks decent and good price. Any comments on it?

- I LOVE the idea of a HT, but the lower power bothers me. I want something that can go from base to mobile easily, and a HT would easily fit the bill. I am just concerned that the low power will drastically limit my ability to get out, even to local repeaters. I l.ive in the San Fernando Valley (North Hills/North Van Nuys) area of Southern California. Alot of mountains with repeaters on them (from what I have been able to find online), but not sure if they;d be in range of my HT with a base and mobile antenna.

Also going for HT's is the dual/tri banders. I can get a 2/3 band HT for a little more than the IC-2100h, which iws the mobile I am looking at hard: has everything I need to get started (I think) and the p4rice is right. $200 for a new unit and offers 55 watts in it's highest power mode.

- Finally, I've seen some real good deals online - this looks like it will have some bucks - the units are broken in, cheaper, etc. but I am not familair enough with some of the units to understand what short comings they may have, what is good and bad about them, etc.

Anyone bought via the net - is it safe? Are the deals as good as they seem, etc.?

Thanks for the replies - I have a CB but it's alot different than 25 years ago when I had one as a kid. Not bad, but not as polite as I recall.

Like everyone else, I want to reach as many and as far as I can. What must I look into as a tech/tech+ to do this in the above bands?

Satellite comm looks attractive to me. What kind of power and extra gear would you suggest for expermienting with this mode?

Thanks again,

Ed Parry - studying like crazy!

71. Re: VHF XTALS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: tlcwow@aol.com
Message-ID: <19990201032527.28785.00002657@ng110.aol.com>
Source record: 118077

INternational Crystal in Oklahoma City can make crystals for almost any radio.
Sorry I do not have the phone number handy.

Hope this helps

Terry, W0TLC

72. Crossband repeat - what is it?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: TheDude@lebowski.big
Message-ID: <793qep$d05$1@news-2.news.gte.net>
Source record: 118078

Hi guys!

I see this as a feature on some rigs. Can anyone explain what this does - and/or what it be used for?

Thanks, Ed

73. Re: FS 4CX-1500B Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Keith Brigode <brigode@ibm.net>
Message-ID: <36B595E8.70A67B35@ibm.net>
Source record: 118079
Cross-posted to:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap,sci.electronics.equipment

```
Still for Sale?

Jerry Kissack wrote:

> New and slightly used 4CX-1500B tubes for sale.
> $150 each.
>
> Jerry
> jerry@oz.net
```

74. Re: IC2100H Failure?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: JIm Irons <jirons@prodigy.net>
Message-ID: <79453f$28i6$1@newssvr03-int.news.prodigy.com>
Source record: 118080

I have owned 2 Icom 2100H models both had to be sent back in 1 week, one started putting out about 70 watts on all 3 output modes. The other just quit working.
No swr or anything like that to cause the problem. Lots of luck if you own one of
these. I'm going to Kentwood for my next 2 meter radio!!

k9kz@indy.net wrote in message <78q561gdd1@nnrp1.dejanews.com>...
>In article <19990127214252.02573.00000161@ng-fw1.aol.com>,
> dlr18sh@aol.com (DLR18SH) wrote:
>> I have had a Ic-2100 for about 4 months now
>> and use it all day long (long winded too) and no problems . I also lowered the
>> power from 55 watts to 40 watts on high power to conserve the finals. Maybe
>> that is what saved me. I felt the Heat sink got to hot at 55 watts.
>> 73's Tim
>>
>
>Tim,
>How do you turn down the power? Have you done anything else to your 2100H? I
>was wondering if it might be good to turn up the audio a bit.
>Bill K9KZ
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

75. Re: IC2100H Failure?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: AC6V <ac6v@ix.netcom.com>
Message-ID: <36B599B7.7BB9@ix.netcom.com>
Source record: 118081

Semi-Boneless Ham wrote:
>
> Icom admits to having a problem with this unit . Either Q17 or Q18 blows in
> new units to a high degree. Some areas are experiencing up to 50% failure
> rates. Others, less than 10%. In some units the power unit runs rampant and
> the PA blows too. Icom says they have no response back from the home office
> yet concerning this problem. In my area, I know of 10 owners and 4 have had
> the transistor blown. Once replaced, everything seems okay. Knowing all
> this, I bought one anyway and so far , so good. Has anyone else had this
> problem and was it Q17 or Q18 that blew?

Yep my IC-2100H has blown twice now -- and I always ran it on low
power!!
VSWR has been fine. Since the radio was $199.00 new and it costs $95.00
to repair it -- its questionable if I will fix it again!!
--
73 from Rod in San Diego

AC6V INDEX TO DX AND HAM RADIO
FEATURING 88 PAGES, 400 INDEXED TOPICS, AND 3000 LINKS
Over 282,000 visits on the counter
http://www.ac6v.com/pageas.html -- Alphabetical Index
http://www.ac6v.com/ -- Home Page

76. Re: motorola dual-banders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Dan <n7wpd@xxmission.com>
Message-ID: <7949ad$797$1@news.xmission.com>
Source record: 118082

Wouldn't a dualband Jt1000 be nice?
Maybe if Motorola had been as big into Amateur radio as Kenwood, Icom, and Yaesu we might've seen a duo from them.
I guess the closest you'll get is taping a UHF and a VHF HT1000 together...
Now with the Spectra that's a little different. With the remote mounted head on a Spectra you could install two radios packs in the trunk and attach them to the same control head for dualband opreation. Of course, not simultanious reception of both bands.

73 Dan / N7WPD
Ross <rsimpson@cherryvale.org> wrote in message news:36b5599f.6316547@nntp.netcruiser...
>Does Motorola make dual-band commercial HTs?
>
>I'm looking for something like the HT or MT 1000s, but dual band.
>
>Any info would be great!
>
>
>
>----
>Ross Simpson
>NREMT-B
>Cherryvale Fire Protection District
>Boulder County, Colorado
>rsimpson@cherryvale.org

77. Re: yaesu or icom

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Cregger <ecregger@mindspring.com>
Message-ID: <794a00aim1@camel0.mindspring.com>
Source record: 118083

TLCWOW wrote

>Tom,
>
>I went through the same delima several months ago. I think you will be
happier
>with the Icom. It seems to function better, and is easier to operate than
the
>Yeasu.

While ease of operation is important, no doubt, other factors enter the picture as well. Icom's Tx and Rx audio is irritating and fatigueing to these old ears of mine. No bass, just tinny sounding squawks are the norm for Icom. Yaesu traditionally provides a bit fuller audio with lots of punch. Typically, he resale value of your Icom rig will be approximately fifty percent of what you paid for the rig in just one year. Why? Because Icom will have brought out two "improved" models in that year's time.

Everyone has a right to an opinion. This has been mine. No more Icom's for this ham.

Ed Cregger, NM2K
ecregger@mindspring.com

78. Newbie VX-1R Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Max and/or Cindy <cindymax@prodigy.net>
Message-ID: <36B5BA3E.2783@prodigy.net>
Source record: 118084
Cross-posted to: rec.radio.swap;,rec.radio.amateur.antenna;,rec.radio.amateur.equipment

What antenna is best for my Yaesu VX-1R? The one it came with or one of
the following:
Comet SMA 503
Diamond SRH815
Comet SMA24
MFJ 1715S

Many thanks,
Max, K2MSG

79. Re: Crossband repeat - what is it?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: "Chad Johnston, KI8CU" <webmaster@nuwaysupply.com>
Message-ID: <794e57$jhk@news.freeway.net>
Source record: 118085

The Dude wrote in message <793qep$d05$1@news-2.news.gte.net>...
>Hi guys!
>
>I see this as a feature on some rigs. Can anyone explain what this
>does - and/or what it be used for?
>
>Thanks, Ed

Hi Ed!

Cross-band repeater (henceforth reffered to as CBR) is a fantastic feature which many dual-band mobile rigs, and some HTs have the ability to perform. This feature is restricted to rigs with dual-receivers, rather than the dual-watch feature (single receiver which is time-shared using a "watch" feature).

What this feature does, is allow you to use your mobile rig (for instance) as a range extender for your HT. Suppose you've got your HT with your, but you're in a place with maybe 5 watts from a duckie isn't going to get you into your local repeater. Now, there are two ways to set this up:

ONE WAY CBR:

In this situation, you can still receive the repeater from your duckie, but cannot transmit to it. In this case you only need the mobile to transmit TO the repeater, and not FROM it. Let's assume a 2-meter repeater, also. You'd set a UHF simplex frequency on your mobile rig, and set the VHF side to the INPUT frequency of the repeater, along with CTCSS decode, so that other local stations don't key your mobile rig up. (This is how you do it on a rig with general CBR capability; there are some with selectable one- or two-way CBR, and you wouldn't need to use CTCSS decode on the VHF side, in that case.)

Now, on your HT, you must be able to either set up cross-band split (VHF receive freq w/ UHF transmit freq, stored in a single memory), or enable both bands VHF & UHF, and set the UHF as transmit band. Let's assume the first scenario (on my Yaesu FT-50RD) and I use 446.675 as the transmit frequency, and my local repeater's output frequency, 146.82, as the receive frequency.

Now, once CBR is enabled, which can be done via your HT on many of the rigs, When I transmit on my HT, it transmits on 446.675, which my mobile rig hears, and automatically keys up the VHF side (which is set to 146.220, the input to the repeater. So the mobile actually does the transmitting to the repeater, not my HT. This allows me to run 10mW on 446.675, and effectively get into the repeater with up to 50 watts on my mobile antenna. My HT

batter will last forever, and I ALWAYS have a great signal into the repater. When I un-key, the HT switches back to 146.82, and I hear the repeater courtesy tone, and the other people talking on the repeater.

TWO-WAY CBR:

Now, this assumes that you can't receive the repeater on your HT, but you can from your mobile rig with a bigger antenna/more power.

The HT is set to UHF 446.675 (for instance). This will be used for both transmit and receive. The mobile is set to 146.82- (must be duplex) on the VHF side, and 446.675 (for instance) on the UHF side. Once CBR is enable, anything from the repeater on 146.82 will be heard by the VHF side of the mobile, and repeated out on 446.675, which you hear on your HT. When you key the HT on 446.675, the mobile automatically uses the duplex offset on the VHF side to switch to 146.22 and transmit out on that (to the repeater). When you unkey the HT, the repeater repeats back thru the mobile to your HT. This is FULL range extending, at its best!

Hope this helps!

Chad Johnston, KI8CU
ki8cu@arrl.net
ki8cu@qsl.net

80. WTS IC-775DSP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: John <jal@sinosa.com>
Message-ID: <_9jt2.5055$3J3.1055@news2.giganews.com>
Source record: 118086

I have a mint IC-775 DSP I would like to sell, I has no opt filters in it and works just fine. Its has had all the current ECP's done to it. $2,200 firm u-ship. contact me by e-mail jal@sinosa.com.

Thanks in Advance

John
KC7IM

81. Which 2 meter FM to buy?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Wink <wink@rpa.net>
Message-ID: <36B5AFF2.F504CA8C@rpa.net>
Source record: 118087

Hi,
There are currently four 2 meter FM mobiles on the market, all going for $200 or less. There are they the Yaesu FT-2500, the Icom IC-2100H , the Kenwood TM-261A and the Alinco DR-140TQ. They all have just about the same features except that the Alinco and Icom have CTCSS decoders. All appear to be fine radios.

What are your experiences with these radios? Have you heard or experienced anything such as poor receiver, power module blew out in a week or other problems with any of them. I read the reviews in QST and whereas they are much more critical now days than in the past, they usually don't run the user tests long enough to make something break.

I look forward to any input and will repost it for all to see.(if you want your opinion publicized)

Thanks and 73,
Gary / N2UM

82. Re: WTS IC-775DSP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: dick468359@aol.com
Message-ID: <19990201100613.10020.00002479@ng136.aol.com>
Source record: 118088

Hi John Do you still have the 775????
Dick Ka1kla in New Bedford,Ma

83. List of the rec.radio newsgroups

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <794g0b$dd9@news.Hawaii.Edu>
Source record: 118089
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

```
Archive-name: radio/personal-brief-introduction

In an effort help ensure a poster's article reaches the appropriate
audience, below is a list of the rec.radio newsgroups. In most cases,
a group's name will explain its purpose. Cross-posting should rarely
be necessary.

rec.radio.broadcasting (devoted to the broadcast industry; moderated)
rec.radio.cb
rec.radio.info (periodic informational bulletins; moderated)
rec.radio.scanner
rec.radio.shortwave
rec.radio.swap (for buying, selling, and trading; not a discussion group)

rec.radio.amateur.antenna
rec.radio.amateur.boatanchors (tube-type communications equipment)
rec.radio.amateur.digital.misc (packet, pactor and other digital modes)
rec.radio.amateur.dx (long-distance amateur communications)
rec.radio.amateur.equipment (questions, comments regarding commercially-
built amateur gear; not for buying/selling)
rec.radio.amateur.homebrew (devoted to home-building ham gear)
rec.radio.amateur.policy (issues include code, restructuring, local
restrictions in conflict with FCC R&R)
rec.radio.amateur.space (satellites, meteor scatter, EME)
rec.radio.amateur.misc (any topic not covered in the above groups)

(At least two other English language radio hierarchies exist, prefixed
with "uk" (United Kingdom), and "aus" (Australia), in place of "rec.")

Again, cross-posting should rarely be necessary. Many times, a long-
running thread results from a single cross-posted article, and the
contents of such a thread drift further and further away from being
"on-topic" in the various NGs that receive each and every followup.

For more detailed information, see "Guide to the Rec.radio Newsgroups"
posted on the 15th of each month.

Jeffrey Herman, WH6U
(rec.radio.amateur working-group)
```

84. Fw: cb/ham equipt

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: n4xcv@rfci.NET
Message-ID: <01fa01be4df7$7e503880$f8d619ce@andyrupp>
Source record: 118090

My friend asked me to post this message on here for him.
73's and enjoy
-----Original Message-----
From: RH3333@aol.com <RH3333@aol.com>
Date: Sunday, January 31, 1999 10:29 AM
Subject: Re: cb/ham equipt

>
>EQUIPMENT FOR SALE
>PRICES REDUCED
>1/99
>
>Browning 23/27$225
>Browning Mark III SSB-$325
>Browning Mark III SSB needs repair-$150
>DAK X-$450 with D-104 Dak mic
>Tram D201-$275-(2)
>Cobra 142-with upper/lower channel-$150
>Navaho-$90
>Tram Titan II AM & SSB-$225
>Executive-$100
>Kenwood HW104-$200 Needs minor repair
>Hammerlund HQ145X-$225 Completely refurbished
>Teaberry Staker II-$100
>
>Cobra 29 Classic-$80 - used
>Cobra 29 LTD Classic-$95 - New in the box
>Cobra 29 Classic SP- $120 - New in the box-W/Speech Processor
>Cobra 29 Night Hawk-New in the boc - latest model-$130
>Cobra 146GTL-Used with extra channel-$125
>Ranger 2970-$300 USED
>RCI 2510-$200 USED
>Realistic TRC-492-$100 40 channel AM
>Midland 40 channel with 3 weather bands-Factory warranty-Factory
refurbished
>in Factory boxes-Originally sold for $149.95 - will sell for $30
each
>(2 available)
>MACO Super 300-recent retubed 5 each-6LX6 500+ watts Chrome
cabinet-nice-$300
>Raider High Input Driver--$250-custom made driver for 100 watts in with
>300-400 watts out for use with high wattage radio such as Galaxy Saturn
Turbo
>

>Heathkit SB200-$400 with 2 each 572B tubes 700 watts/AM 900/SS
>Heathkir SB201-$450 Later version of SB200
>Eagle 200-- 350-400 watts -variable output, preamp, new tubes-$225
>
>Home-brew base modulator/amp-$140 very nice 130 watts
>MOBILE used 125-150 watt used amp-$130 (2 available)
>MOBILE NEW 150 variable modulator-$140
>Galaxy 350-mobile NEW amp-2 pills-4 power settings-preamp-$170
>8 pill (2879's) mobile amp-used-$525 good shape
>100 Amp Base Power Supply-110 AC volts in-13.6 DC volts 300 amps
out-computer
>grade-used-$250
>
>All radio and amps have been checked by my tech. All tubes have been
checked
>by me and replaced as needed.
>Also have tube testers and tube caddies for sale.
>Various good used desk mics such as D104's, Turners, Shurr, etc.
>Over 300,000 tubes in stock including sweep, amateur, CB, TV, receiving,
>transmitting, glass & ceramic tubes---
>
>CALL/FAX/EMAIL FOR QUOTE
>Richard Hale
>THE TUBE MAN
>850 386-2729 Phone
>850 386-2560 Fax
>RH3333@aol.com
>
>
>
>
>
>EXTRA SPECIAL OFFERING
>
>I am offering my private Browning Eagle collection-it tooks years of
looking,
>buying, selling, trading to acquire this outstanding collection. Alll
units
>are in excellent condition inside and out. THIS IS A LOT DEAL-ALL OR
NONE-I
>will not break the collection up. Please Serious Inquries Only!
Collection
>consists of:
>
>R23/S27
>Mark II
>Mark III SSB w/matching 180 amp
>Mark IV
>Mark IVA
>Assorted Browning desk mics-D104's/Banana mics/Turner mics

>Assorted literature & manuals
>$2500 - cash only no trades
>Email or phone
>RH3333@aol.com
>850 386-2729
>Ask for Richard
>
>
>
>For Sale-DAK X in good working condition-$500 Firm -Cash Only no trades
Comes
>with
>matching Dak D104 mic
>Serious inquiries only please
>Email or phone
>RH3333@aol.com
>850 386-2729
>Ask for Richard
>
>
>
>For Sale-my private collection of a Tram D201 & D201A. Both in excellent
>condition...units come with D104 mics-Selling both units together-will not
>sell
>seperate-$900 Firm-Cash only no trades. Please Serious Inquiries Only
>Email or phone
>RH3333@aol.com
>850 386-2729
>Ask for Richard
>
>
>

85. Re: IC2100H Failure?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990201103233.00916.00001762@ng-fb1.aol.com>
Source record: 118091

If you remove the top cover there are 3 or potentiometers. they say: MIC ..for mic gain
PWR.... for power, DEV for deviation

go to the PWR (power) and turn so the power
drops from say 55 watts to 40 watts on high power. The heat sink will not get so hot and the power difference is barely noticable.
However, this pot also turns down the other two setting so the mid rang will be 5 watts
and the low will now be 2 1/2 watts.
The lowest power I can get on the high setting is 30 watts and the highest is 65 watts
ONLY turn the Pwer down !!
take care, TIM

86. re: SOS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: William Erhardt <erhardt@mt.net>
Message-ID: <Pkkt2.1$nL5.111@news2.randori.com>
Source record: 118092

I caught an announcement that the CW SOS is no longer effective for Maritime Services effective 0000 GMT 1 February, 1999. Can any one direct me more information as would like to put an article in local ham news letter with a bit of history on SOS. If this is true its and end of an ERA....

Bill KA7YAO

87. ForSale 2 Vx-1 Yaesu Radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: norc <djs@bellatlantic.net>
Message-ID: <36B5D2E6.E8289CED@bellatlantic.net>
Source record: 118093

I have two Brand New Yaesu Vx-1 mini dual band transciever.
In the box with manual, warranty, stickers and leather protector
included.
The radios only used once, have been mars/cap enabled. Off band
operation
, the whole works. Firmware ver 1.6. Cannot recieve Cell phone
frequencies.

200.00 dollars for each. plus 10.00 shipping and handling

email me here : "djs@bellatlantic.net
and a character "1" between the s and the @.

like this "djs1@.bell".ect

my name is Faust.

88. General Electric Phoenix radio schematic needed.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: "Collins, Brian (EXCHANGE:WDC:2X41)" <bcollins@americasm01.nt.com>
Message-ID: <36B5D5EB.4CA4F26D@americasm01.nt.com>
Source record: 118094

I recently acquired a General Electric Phoenix-S commercial type radio. it appears to be a two-channel VHF rig currently crystalled for ~152.?? MHz and ~153.?? MHz according to a slip of paper inside the cover. A socketed crystal on the bottom PCB is somewhere around 102 MHz IIRC. The IF crystal is 10.7 MHz. I would like to use it for packet or TCP/IP work and I will need a schematic, manual and re-crystalling instructions.

Does anyone have any comments regarding the suitability of this radio for this or any ham related purposes? I could obtain another 4 of them for about $10 - $15 CDN each if they are of any use.

The same dealer has several of the old style mobile telephones. Are they suitable for modification for any ham use? I cannot remember the frequency that they operate at.

73 de VE6APR
--
Brian Collins | In a war of ignorance | The opinions expressed
PCB Designer | no one wins. | here are the result of
Nortel Calgary AB | There is no concept of | my own misconceptions,
Wireless Solutions | "race", we are all humans. | not those of my
employer.

89. For Sale: Pac-Comm packet Modem TNC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: joelong@ugcs.caltech.edu
Message-ID: <794kl6$b4g@gap.cco.caltech.edu>
Source record: 118095

If you are interested in a Pac-Comm packet modem TNC, please
check out this link...

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=62483755

Thank you,
Joe

90. Getting CTCSS/COR out of Kenwood TM-series mobiles?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: rodell@my-dejanews.com
Message-ID: <794ri5$9qr$1@nnrp1.dejanews.com>
Source record: 118096

Does anyone know how to get CTCSS and/or COR outputs from the Kenwood TM series radios? There is some kind of protocol that makes it available through the microphone jack, but Kenwood won't help. (Claims the protocol is proprietary.)

I'd like to use a few of these mobiles in an unmodified form for temporary links, so I don't want to go in and hack, especially when I know it is available, somehow. Doug Hall Electronics obviously does it, but their box is overkill for this application.

Any net.pointers are appreciated.

-Bob
W2IO

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

91. FA: LAST DAY!!! RARE HEATHKIT and MORE!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Jordan Arndt <jordana@nucleus.com>
Message-ID: <36B5F26D.69A5@nucleus.com>
Source record: 118097

Hi I have HEATHKIT AK-5 (Matches Mohawk Receiver!!!) Speaker In Great condition and Many other HEATHKIT Items Morse keys and Much More...ending today!!!

to see goto:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=jordana@nucleus.com&sort=3&since=-1

Thanks for your interest...

92. wtb robot 1200c

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: JM BRM <cmb@mail.telepac.pt>
Message-ID: <794o2r$6rb$2@duke.telepac.pt>
Source record: 118098

WTB Robot 1200C, must be in very good condition with manuals.

73 CT1BRM

JM NUNES

93. Radio selection help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: DeShawn Smith <dsmith@dentrix.com>
Message-ID: <36B5E270.BA003EF0@dentrix.com>
Source record: 118099

Hello!

I have been looking into dual-band HT's and a local shop has two in stock that I have been seriously considering.

Yaesu FT-51
Kenwood TH-G71

I have read reviews on both of these radios, and I would appreciate any information from people that are using these radios. If anyone has both of them, which would you recommend?

If there are better ones (in the sub-$500 range) than these that you would recommend, please let me know! I can wait a few days if it means getting a better radio.

73,

DeShawn Smith
KC7MVF

94. FS 811 NOS JAN Sylvania electron tubes.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: KEN CHAIT <atsi@herald.infi.net>
Message-ID: <36B5E578.88D564B1@herald.infi.net>
Source record: 118100
Cross-posted to: rec.audio.tubes,rec.audio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

We have a small quantity of NOS, OB, JAN/Sylvania 811/VT217 military tubes, 1940's mfg. $25.00 ea. + shipping.

Ken Chait
Advantage Tube Services
See products page special offer.

http://www.electron-tubes-audio.com

95. TenTec OMNI VI low sensitivity

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Lars Erik Tveita <larstv@stud.ntnu.no>
Message-ID: <917890983.883467@halvan.trd.sintef.no>
Source record: 118101

Our OMNI VI's receiving has for some time had low (almost zero) sensibility
a few minutes just after power on. After a couple of minutes reception
returns to normal. Recently this problem has increased, and now
the OMNI VI has permanently very low sensitivity.

Has anyone else experienced problems like this with the OMNI VI?
Anyone know how what might be wrong?

73s de LA7UJA
Station manager LA1K

96. 232c Interface for TS-850S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Allan Koenigsberg <ae2j@worldnet.att.net>
Message-ID: <36B5E9B8.497276BB@worldnet.att.net>
Source record: 118102
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Does anyone have information about homebrewing a 232C interface for the TS-850S. $120 seems awfully steep for what I imagine is a relatively simple item. I'd appreciate any info . Tnx AE2J

97. Re: Newbie VX-1R Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Steve <mr_transistor@hotmail.com>
Message-ID: <pRlt2.6$DC1.607@newscene.newscene.com>
Source record: 118103
Cross-posted to: rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateur.equipment

My money is on the Comet SMA 503. It makes for a huge improvement over the stock antenna. But that one isn't much to begin with anyway!
Max and/or Cindy wrote in message <36B5BA3E.2783@prodigy.net>...
>What antenna is best for my Yaesu VX-1R? The one it came with or one of
>the following:
>Comet SMA 503
>Diamond SRH815
>Comet SMA24
>MFJ 1715S
>
>Many thanks,
>Max, K2MSG

98. Re: yaesu or icom

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: k0hb@my-dejanews.com
Message-ID: <794vngddp1@nnrp1.dejanews.com>
Source record: 118104

Thomas McCain wrote:

> I have started looking around for a new radio, and was wondering of
> anyones experiences with the Yaesu ft-8100r or the Icom IC-2710H. Good
> or bad.

I have no experience with the IC-2710H.

I have had an FT-8100R for just over year. I've cursed at this radio every day that I've owned it. It's so bad, I'd be ashamed to sell it, and have simply taken it out of service and thrown it in the bottom of my junk-box, hoping maybe some day I can salvage some parts.

Hans, K0HB

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

99. Alkaline Packs for Motorola HTs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: curtisccr@netscape.net
Message-ID: <7953ne$gm2$1@nnrp1.dejanews.com>
Source record: 118105

Anyone know of someone that makes alkaline battery packs for Motorola handhelds? I would like them for the HT600 and Saber.

I know that I can buy, single use, alkaline batteries for these radios, But I like the type that I can reuse with AA cells.

Thanks

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

100. Re: FS: ADI AT-600 dualbander, $300/obo shipped.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: fishbags@aol.com
Message-ID: <19990201132803.20453.00002640@ng150.aol.com>
Source record: 118106

```
?????????????????? they currently sell for about $250 brand new w/warranty
5W batt, antenna & charger ??????????
```

101. VX-5R: price ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Sils <sils@polbox.com>
Message-ID: <aJmt2.24262$014.1870731@news.tpnet.pl>
Source record: 118107

Does anyone know the price of Yaesu VX-5R ?
Sils

102. Re: HT-202 Parts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: "Leslie H. Loftin" <lhl@flash.net>
Message-ID: <36B5FC56.395F@flash.net>
Source record: 118108

Here is what the service manual shows

Q4 SRFH1900, TO-220Ab, NPN MFR. Part 203-043-6

Hope this helps. I have the service manual, if that will help you.

Les WD5BYQ

103. p.c. dsp?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Simon <simon.zencom@cwcom.net>
Message-ID: <794uqdven2@news7.svr.pol.co.uk>
Source record: 118109

does anyone know of a dsp program to work with a pc via the soundcard?
thanks simon g0zen

104. Re: VX-5R: price ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-0102991441580001@192.168.1.4>
Source record: 118110

In article <aJmt2.24262$014.1870731@news.tpnet.pl>, "Sils"
<sils@polbox.com> wrote:

> Does anyone know the price of Yaesu VX-5R ?
> Sils

569$ canadian...350$ us i think...
alex

105. Re: HT-202 Parts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: ma_locksmith <ma_locksmith@email.msn.com>
Message-ID: <#KTznthT#GA.132@upnetnews03>
Source record: 118111

It's available from RF Parts for $15.45 (97 catalog).

Contact info:

rfp@rfparts.com
1-800-737-2787

Ed
Alan <~aln@any.net> wrote in message <36B4A8BC.CA5596ED@any.net>...
>I need to find a cross ref. part # for the PA transistor in Radio Shack
>HT-202
>the part # on the xistor is SRFH1900 ....
>It opened up on me for no aparent reason (running APRS dirving a KLM 70
>Watt Amp).
>aln@any.net
>KE400I
>

106. NEW MOTO 1/2 wave 800 DUCKIES $5 EA!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <795743jes1@nnrp1.dejanews.com>
Source record: 118112

NEW IN BOX MOTOROLA 800 MEG 1/2 WAVE DUCKIES. these are similar in design to 440 whips, they are not the "side stabbers" that came with stx rigs. these are leftover NOS from the first nextel system. they are "red dot" 800 meg, sma conector on bottom and "ball" tip on end. work fine for 800 public service freqs. aprox 6" long $5 ea. shpng is $3.50 for 1-10 antennas. robert ke4mcl

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

107. Re: For Sale: test gear

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Derek Dauncey <dsd@rallycomponents.swinternet.co.uk>
Message-ID: <7952j6$4l1$1@news6.svr.pol.co.uk>
Source record: 118113

Hello I am looking for a general ham radio receiver, i have just
starting looking at equipment and have not got a larger budget.
i would like to receive 20m and general overseas. any information
would be a great help.

derek

mark beutler wrote in message <369F5D8E.15D37C13@tds.net>...
>For Sale:
>
>Fluke 8020A 4 1/2 digit DVM. (still the most accurate handheld they
>make) Measures AC & DC volts, amps (2 amps max); ohms, frequency (to
>about 200Khz, I believe), and db.
>VG condition, case, leads, no manual. $200 OBO.
>
>Valhalla Scientific 2010 digital power analyzer. Measures volts, amps,
>power from DC to 40Khz. Always shows true rms watts + either volts or
>amps. Will handle 300V and 20A max to 6000watts max from DC to 10KHz.
>(2 amps max from 10Khz-20Khz for 600watts max) Calibration verified
>Sept 97 by lab. Primarily intended for measuring true rms power usage
>on AC equipment. Great for finding out what the various things plugged
>into the wall Really use in the way of power. Have manual and homebrew
>AC test jig. $600 OBO.
>
>--
>-
>Regards,
>mark beutler
>-
>
>

108. Some questions about radios and computers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Mark Pelts <anubis@dc.net>
Message-ID: <36B6102F.AB760450@dc.net>
Source record: 118114
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace,alt.ham-radio.packet,rec.radio.amature.equipment

I'm looking at getting my tech license this year (after putting it off for about three years now!) and I was interested in rigs that can be controlled by computer. I'm in the process of putting together a PC that I can use specifically for radio stuff. I know that a lot of radio mfgrs have rigs with that capability and I've seen the GUIs, but I've not had a chance to really look one over first hand. What experience have you guys had with such setups and what are some recommended radios? I'm also interested in any radios and/or antennae that have been developed with the sole purpose of being computer controlled. How about PCI or ISA add on cards?

I also have seen, in the past, a radio that was small enough to use with a laptop and had a PCMCIA attachment... does this ring any bells with anyone?

Also, while I'm here, I have an ICOM W2A handheld trnsvr and I'm looking for batteries and accessories that anyone may have to sell. What do you guys recommend with regards to reconditioning batteries for ICOM radios? Mine won't hold a charge for crap!

I welcome replies to this and my above questions via e-mail. Thanks!!

Mark Pelts
Alexandria, VA
anubis@dc.net

109. Re: ANTI-CW people are liberals and would want to see Clinton go free too!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Lou Albert <labert@uakron.edu>
Message-ID: <36B6205A.C33F1CD7@uakron.edu>
Source record: 118115
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

> I caught an announcement that the CW SOS is no longer effective for Maritime
> Services effective 0000 GMT 1 February, 1999
>

Lou WA8PHD
http://ifip.com/wa8phd.htm
http://www.nocode.org/

ka9dhz@webtv.net wrote:

> Doing away with CW is just another example of the dumb down of
> America.Outcome based education for example.The average high school grad
> today has about a 5th grade education.
>
> I agree that the problems on the bands are not the no code types. If you
> check the call signs of the trouble makers they are mostly advanced and
> extras with too many years to soak up booze and kill brain cells.
>
> IMHO the novice-extra incentive system is not broken. So lets not fix it
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

110. Re: Motorola MX batterys needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Jim Boos <jboos@radcom2way.com>
Message-ID: <7958au$no7@newsops.execpc.com>
Source record: 118116

Try www.radcom2way.com. New MX batts for $37.00.

Duece6x6 wrote in message <19990129183548.00905.00000784@ng-fd1.aol.com>...
>I need some good MX batteries. if you have any availible, Please email me @
> duece6x6@aol.com
>
>Thanx Steve

111. ICOM 2710 Modifications?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: marvin_tune@hotmail.com
Message-ID: <Z7qt2.5496$3J3.1581@news2.giganews.com>
Source record: 118117

Does anyone know if there are any IC-2710 Modifications ? I have searched on the web and found none. Anyone that has made any mods please email me at WB5PWG @clarc.org. I would be interested in any out of band mods that are possible >

Thanks

112. Hallicrafters Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Newsgroups <w7prv@teleport.com>
Message-ID: <Aaqt2.14614$202.7261465@news1.teleport.com>
Source record: 118118

Need power supply for Sr-500 and SR-150 also a schematic for each. Need pair of 8236 tubes, new or used. Will trade pair of 6MJ6 used for or purchase. Reply to E-mail address as follows: w7prv@juno.com

113. Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-01 00:00:00 UTC
From: Newsgroups <w7prv@teleport.com>
Message-ID: <Wdqt2.14621$202.7262793@news1.teleport.com>
Source record: 118119

Wanted to buy or trade for. Pair of 8236 as used in Hallicrafters SR-500.
Used or new. Will trade pair of used testing good 6MJ6's G.E. or purchase.
Reply to address below

w7prv@juno.com

114. Re: VX5r/VX1r/Q7a computer cable?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-0202991124280001@192.168.1.4>
Source record: 117870

In article <797136mgs2@news1.rmi.net>, "MG" <nospam@nospam.spam> wrote:

> There is a schematic at http://www.icongrp.com/+AH4-sllewd/pcware.htm
>
> -73

thanks but i m not good at all in electro :(

alex

115. Re: VHF XTALS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Rich Erhardt <rerhardt@ix.netcom.com>
Message-ID: <36B72D16.2347931@ix.netcom.com>
Source record: 117871

Here's a few crystal suppliers for two-way radios:

Cal Crystal Lab (CA) 714-991-1580
Jan Crystals (FL) 941-936-2397
ICM/International Crystal Mfg. (OK) 405-236-3741

Hope this helps.
Rich, KF6CU

Tracy F.Clark wrote:

> About two years ago I purchased an old 2m vhf mobile radio that requires
> plug in xtals.
> Is there still companies manufacturing such crystals?
> If anyone can help,please e-mail this address.
> Thank you.
>
> --
> Tracy F.Clark
> ei208@freenet.carleton.ca

116. VX-5R: any bugs discovered ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Sils <sils@polbox.com>
Message-ID: <6cGt2.26957$014.2200952@news.tpnet.pl>
Source record: 117872

I have FT-50R ht, an must say few bugs are quite annoying...
So, what about VX-5R ?
Any bugs found already ?
Is it worth changing FT-50R to VX-5R ?
I think it might have some sense according to
given specification, which I've seen recently in CQ.
Tnx in advance
Sils,

117. FS ICOM IC 735,ASTROM RS-50A,IC 230, $800. dlee@pacifier.com

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: dlee@pacifier.com
Message-ID: <36b72a2d.0@news.pacifier.com>
Source record: 117873

```
--
-----------------------------------------------------
Pacifier Online Data Service Dialup SLIP/PPP User
To register: (360) 693-0325 or telnet pods.pacifier.com
-----------------------------------------------------
```

118. Re: More newbie questions (again)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Robert Lyons <boblyons@umich.edu>
Message-ID: <36B74200.EC97BF54@umich.edu>
Source record: 117874

The Dude wrote:
>
> - I LOVE the idea of a HT, but the lower power bothers me. I want
> something that can go from base to mobile easily, and a HT would
> easily fit the bill. I am just concerned that the low power will
> drastically limit my ability to get out, even to local repeaters. I
> l.ive in the San Fernando Valley (North Hills/North Van Nuys) area of
> Southern California. Alot of mountains with repeaters on them (from
> what I have been able to find online), but not sure if they;d be in
> range of my HT with a base and mobile antenna.

With mountaintop repeaters in your area, I doubt that power will be that much of a limitation. The antenna is the key to long reach: put a good yagi on your house, and you'll hit repeaters *cleanly* 60 miles away on just 5W (I know of one repeater I can hit from 75 miles away using just the rubber duckie).

The choice between mobile and HT is more than choice of power; the power is actually a more minor consideration, compared to other factors. Buy a radio that you'll *use*, and one that won't annoy you. Will you operate a lot from your car? The power and antenna cables you have to connect and disconnect from an HT every time will get to be an annoyance. Real mobile rigs tend to be more resistent to intermod as well, I'm told. They can also easily move between house and car (if you don't mind connecting and disconnecting them: find quick-disconnect mechanisms).

Or are you an active type of person? If you'd like to carry your radio around, then clearly an HT is a better bet. I use mine mobile only about 10% of the time. The rest of the time, I'm out and about. Extra power is useless if you can't take it with you. (I have a Mirage amp for times when I think it might help, but honestly, I've not found it to be very helpful).

Got lots of money? buy both mobile *and* HT! (and send any left-overs to me!).

So - as another poster said, get in touch with other hams in your area. Find out what bands/modes they use. Choose between a mobile and an HT based more on the uses you envision. Then spend your spare time learning about antennas. Finally, look for a chance to upgrade - get into the LONG long-range bands.

73 -

Bob, KI8AB

119. Re: Kenwood TM-V7A Crossband?/ need help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: KC7ZRU <73KC7ZRU73@cyberhighway.net>
Message-ID: <36B7418A.96CCE7D0@cyberhighway.net>
Source record: 117875
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment

Ooops - add the 'M' to the end of the URL I posted and it'll work.

http://www.access1.net/kc7kc/tmv7armt.htm

KC7ZRU wrote:
>
> BABA
>
> Here's a web site that not only helped me decide to get one of these
> gems, but make the sucker work for me too!
>
> http://www.access1.net/kc7kc/tmv7armt.ht
>
> Enjoy
> 73 de Tate
>
> BABA wrote:
> >
> > According to the manual, there are two modes of repeater operation for the
> > V7A.
>
> ::snip::
>
> > Has anyone been able to make this work?
> >
> > Thanks,
> > Bryan, KD4IIC
> >
> > When replying, remove the nospam from the address
> >
> > bdy@bellsouth.nospam.net

--
KC7ZRU | In Laramie Area
Laramie, WY | UARC Repeater
DN71eh | 146.610
"The Dungeon" online at http://www.cyberhighway.net/~tateb
KC7ZRU@KC7ZRU.#SEWY.WY.USA.NOAM
Remove 73s from 'Reply To:' to send email

120. Re: FS FT-50R dual band HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: george <george@execpc.com>
Message-ID: <797his$kes@newsops.execpc.com>
Source record: 117876

hello there ron can you give me the ser# of the unit thanks......

Ron Jones wrote:

> Yaesu FT-50R dual band HT
> with optional alkaline battery case
> hardly ever used
> about a year old
> asking $260
> never been modified, but there are a slug of things you can modify on these
> gems!
>
> Ron K7RJ
> rjones@inquo.net

121. Re: @@@ LOTS OF RF PARTS & RARE ELECTRONIC COMPONENTS @@@

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: pa0kls@usa.net
Message-ID: <797ls5$n2s$1@nnrp1.dejanews.com>
Source record: 117877
Cross-posted to: de.sci.electronics,hacktic.electronics,misc.industry.electronics.marketplace,rec.radio.amateur.equipment

In article <36baf778.11850603@dds.nl>,
"Who cares?" <oxaspam@xs4all.nl> wrote:
> On Mon, 01 Feb 1999 22:13:22 -0800, Richard Steven Walz
> <rstevew@armory.com> wrote:
> >> > REDUCE YOUR PRICES!!!! YOU'RE TOO EXPENSIVE!

> I agree! We're well up in the matter... In Holland, Barend is also
> known as "schrikbarend duur" [appallingly expensive] :))) <grin>

I know Barend very well. I know that he is very expensive and he knows that !
BUT: he has a few children and he has a nice expensive woman. Last week his
car broke down. Even the tyres from his bicycle went flat too He really needs
the money ! So if you don't mind, please sponsor Barend. Don't think only
about the money but think about his whole family !!

PA0KLS KLAAS ZENDER
482.5 MHz FM WIDEBAND STEREO

;

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

122. looking for 300watt amp 460-470 mhz.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: TWILIGHT <TWILIGHT@KWIK-NET.NL>
Message-ID: <36B7547C.5CC56DAF@KWIK-NET.NL>
Source record: 117878

```
i am looking for a 300 watt uhf amp. range 460-470 mhz.
who can help me????
replay via email please...
thanks fred.
```

123. Re: fs: HTX-212 2M 45W $150

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: jordan@santanet.com
Message-ID: <797k9q$lf1$1@nnrp1.dejanews.com>
Source record: 117879
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

FYI Joe

You might wanna check that price a little.. I just bought an HTX-242 for $155 SHIPPED to Fairbanks, AK... But hey, if you can get the $150 + shipping, go for it...

Paul Jordan
KL0AN

In article <36B66C54.443E0A85@yahoo.com>,
Joe K7JOE <k7joe@yahoo.com> wrote:
> Hi,
> Have a radio shack HTX-212 2M, 45W mobile rig. Looks great. Works
> great. All accessories including box and manual, bracket, mic,
> and power cord. A nice rig. $150+shipping.
>
> email if interested
> Joe K7JOE
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

124. Whats the best HT around $300?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Kreblon@ccwf.cc.utexas.edu
Message-ID: <797kb2$6su$1@geraldo.cc.utexas.edu>
Source record: 117880

Greetings-
So...What is the best dual band HT around $300 (discounted price)
which can be modified for MARS/CAP?

Thanks-
Bob
AB5N

125. Re: New Tech Needs Info on HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-0202991518080001@192.168.1.4>
Source record: 117881

In article <19990202063909.01189.00003025@ng-fu1.aol.com>,
stoli126@aol.com (Stoli126) wrote:

> Can someone please help me. I live in Upstate NY and just received about
> a month ago my tech ticket. I am in the market for an HT and was originally
> interested in the vx5 from Yaesu.However when I called Lentini they are still
> awaiting the new shipment with the problems corrected. I leave for Florida
> next week and want to take something with me. Therefore I need to make
> a fast decision today so I can get this rig overnighted Does anyone know of
> a good starter HT that I can use in Florida on my vacation with the assumption
> I am going to purchase the Yaesu upon my return. I am looking for something
> reliable and middle of the road. Any suggestions would be much appreciated
> You people have been great so far with any advice I have asked for
> Have a great day

a lot of stores have the fix version now...good luck :)

alex

126. Microwave Radio equipment for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: durango408@aol.comhome
Message-ID: <19990202151926.19303.00002379@ng101.aol.com>
Source record: 117882

```
NEC Microwave
10 hops in racks
5.9-6.2 GHZ- 20 watts
Test equipment-cables
Power supplies, dishes

In storage, must move

MAKE OFFER!!
Carl Schlueter
Durango408@aol.com
```

127. Re: VX-5R: any bugs discovered ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-0202991520340001@192.168.1.4>
Source record: 117883

In article <6cGt2.26957$014.2200952@news.tpnet.pl>, "Sils"
<sils@polbox.com> wrote:

> I have FT-50R ht, an must say few bugs are quite annoying...
> So, what about VX-5R ?
> Any bugs found already ?
> Is it worth changing FT-50R to VX-5R ?
> I think it might have some sense according to
> given specification, which I've seen recently in CQ.
> Tnx in advance
> Sils,

i dont have either (but i m ordering a VX-5 ASAP) but there was a CTCSS
bug found on the VX-5R witch is now fixed and the new version are at most
stores...

ask :)

alex

128. WTB: Large vinyl case for IC-32AT with BP-8 battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: "Rudolph M. Marcelletti" <rudym@net-link.net>
Message-ID: <797o7u$mp4@news.net-link.net>
Source record: 117884

Looking for large vinyl case for Icom IC-32AT with BP-8 battery pack. Don't need the flap--just the main body cover.

Rudy, K8SWD

129. Kenwood out of HF market?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Cesar Santos <cesar@iq.ufrj.br>
Message-ID: <36B76B29.F2A30387@iq.ufrj.br>
Source record: 117885
Body handling: Binary attachment payload not displayed: cesar.vcf

-We have heard from some ham shops around that kenwood is pulling out
from the hf market.
-There was by the end of last year rumours that Icom could take over.
-There was a small mention in the January issue of RadCom (RSGB) that
the TS950S are out of production (Martin Linch add.).
Does anyone know whats going on ?
There is any official position about these comments?

[One or more binary attachments are retained only in the source text.]

130. trade: 800mhz motorola radio's for ham equip.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Dean Martin <dlmartin@cvn.net>
Message-ID: <36b76ff5.0@news.desupernet.net>
Source record: 117886

I have 3 800mhz trunked motorola radios I'd like to trade for an hf outfit
or other ham gear.

1 - 800 mhz motorola MTX HT

2 - 800 mhz motorola 35watt mobile units.

Dean
dlmartin@cvn.net

131. WTB: swr/meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: tresa6942@aol.com
Message-ID: <19990202164310.28238.00002947@ng10.aol.com>
Source record: 117887

Looking for a used swr/power meter for 144/440mhz.
please email me with what you've got. thanks

Michele
KB1DNL

132. External DSP ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <797vho$6t$1@nnrp1.dejanews.com>
Source record: 117888

Can anyone HIGHLY recommend an external DSP unit to use with my Drake SW2 receiver that is effective against various noises and will not degrade the audio? Tnx!

Bill K9KZ

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

133. vhf/uhfquestion

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: tresa6942@aol.com
Message-ID: <19990202171118.28278.00003037@ng10.aol.com>
Source record: 117889

Can someone offer some info? I need to know what you think is the best coax for a dual band 2m/440 base station antenna? I will be making a 50 foot run with it.

thnx

134. HELP WITH SSTV?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: kb8mcz@aol.com
Message-ID: <19990202171136.17505.00003292@ng40.aol.com>
Source record: 117890

Is anyone useing the knwd TS-430s with sstv that can tell me how they hooked up
the transmit cord?
Thanks Dave...
KB8MCZ
DAVID T GARDYNIK
SHIOCTON,WI
AMA# 223597

135. FS: FT-1000MP, FL-7000.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: John Finley <skybird@msn.com>
Message-ID: <u5fc0nvT#GA.214@upnetnews05>
Source record: 117891

FS: FT-1000MP, FL-7000.

For Sale Yaesu FT-1000MP, Serial Number 6i30044 with Desk Mike 1,995.00.

Yaesu FL-7000 Amp. 1,350.00

Shipping included.

John Finley N4SPL
Tampa, Florida

136. Re: FS**President Lincoln all mode 26-30mhz**SOLD**

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <10400-36B76A3E-18@newsd-143.iap.bryant.webtv.net>
Source record: 117892
Cross-posted to: rec.radio.swap,rec.radio.cb,rec.radio.amateur.equipment

The Lincoln is SOLD.

Thanks,
Stan

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

137. Re: FT-50R question.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Quality <quality@datablast.net>
Message-ID: <797uct$l54@news-central.tiac.net>
Source record: 117893

Gary LaRocco wrote in message ...
>The problem is between 470.00 and 799.99. While I can rx in this range,
>the sql is wide open, regardless of the actual setting. When I try to
>set it, the value won't change.
>
>Anyone here have any thoughts?

Go to selection #30, WSQL, and make the adjustment there.

138. ICOM Radios & Ham general Questions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: jolyrogr@ix.netcom.com
Message-ID: <79820t$2fo$1@nnrp1.dejanews.com>
Source record: 117894

I am new to ham radio and have been looking at the ICOM T7A HP and the W32A radios. How do these radios differ from each other and how do they compare to other brands (quality, power, range, features etc.)? Also, being new to this I'm not sure, but can ham radios and either of these models specifically, use CB and Family Radio Serivce frequencies? And finally, (Sorry for all the questions), where is a good place to buy these models cheap?

Thanks in advance.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

139. Re: Boo HRO cust service...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <798220$2g7$1@nnrp1.dejanews.com>
Source record: 117895

In article <19990202095537.12522.00003391@ng63.aol.com>,
dlr18sh@aol.com (DLR18SH) wrote:

> ...complain that they didn't get any attention from a Salesperson...
> ...another guy complained the Salespeople were all over him...

I recommend "my" local HRO in Anaheim, CA to just about anyone who needs Amateur equipment and supplies. BUT...

I wouldn't steer a "newbie" there - chock full of questions - on Saturdays. Just doesn't make sense. YES - one-on-one customer service should be available ALL hours, but we have all been in a retail "zoo-like" environment before...

If you know what you need - Saturday's are OK. Sure, I'm "rushed." But I expect to be. When I need one-on-one time - or take a "newbie" there - I'll make sure it's during the week. Things are calmer. Staff isn't handling scores of telephone calls/clients.

I just believe it to be common sense that - if you HAVEN'T done your homework and basically know what you need - to expect a lot of one-on-one time on the busiest day of the week. Maybe I'm spoiled by having an HRO just down the street less than 1/2-hour away...<grin>

- Clint Bradford, KE6LCS

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

140. WTD. Kenwood TL922 amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: amfone@concentric.net
Message-ID: <79839u$3th$1@nnrp1.dejanews.com>
Source record: 117896

Hello
I am looking for a mint condition.. TL922 Kenwood amp.. I am willing to
pay or trade gear for the amp . For trade I have a mint TS 50S (been stored
for past three years) and matching auto antenna tuner....
I would perfer picking up the amp.. In New Jersey or Michigan...
thanks tim

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

141. FS: RF Applications P3000 Meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: K1SWR <fleet@mbl.edu>
Message-ID: <36B78937.ED26748F@mbl.edu>
Source record: 117897
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

```
This unit is as new, used a couple of days then taken out of line. Will
ship for 190.00
```

142. Re: Kenwood out of HF market?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: STEVEN L UMBACH <N9ROU@prodigy.net>
Message-ID: <7983m6$3mq4$1@newssvr03-int.news.prodigy.com>
Source record: 117898

It would be a shame, but it sure looks like it. I was really hoping they would come out with a new top end radio building on the TS870, but adding slots for optional filters, larger physical size, and dual receive. I gave up waiting and bought a FT1000MP. The TS50 was a groundbreaking radio but is now way outdated. They discontinued the TS790 vhf/uhf allmode and have not replaced it with anything. Apparently there is a lot more margin and volume in fm equipment and accesories where they still seem to have a lot of competitive products. --- Steve KK9ZZ

Cesar Santos wrote in message <36B76B29.F2A30387@iq.ufrj.br>...
>
>-We have heard from some ham shops around that kenwood is pulling out
>from the hf market.
>-There was by the end of last year rumours that Icom could take over.
>-There was a small mention in the January issue of RadCom (RSGB) that
>the TS950S are out of production (Martin Linch add.).
>Does anyone know whats going on ?
>There is any official position about these comments?
>

143. FS: ICOM IC-T22

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Ruentien Lu <rlu@cisco.com>
Message-ID: <36B79106.593B8A35@cisco.com>
Source record: 117899
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

ICOM IC-T22 2 meter HT for sale.
Excellent condition, no scratch at all, with extra capacity battary
BP180.

Ask for $150.

Please email me if you're interested.

Ruentien Lu
KE6GJU

144. FS Timewave DSP-9 $100 shipped

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: N9IVO <steam@megsinet.net>
Message-ID: <798632$q22$2@news.megsinet.net>
Source record: 117900

Hi.
I have a Timewave DSP-9 that I no longer use and have decided
to sell.

It has six cw filters, three ssb filters, auto notch filter, plus a
random noise (white noise) filter.

cw filter widths: 500, 100, or 200 hz with center freqs of either
600 or 750 hz center frequencies.

ssb filter widths: 3.1k, 2.4k, and 1.8k

All of these are very effective and the Timewave is superior in
digital signal processing than many of the processors included
in the newer rigs.

It comes with the manual and I'll include the rig-to-Timewave
patch cord also. It runs on your 13.8 volt rig power supply.

Price is $100, including shipping, or can pick up in west-suburban
Chicago..
Thanks... Mike

--
_/
Mike Pender N9IVO: Chicago, Illinois, U.S.A.
E-Mail: steam@megsinet.net
Web page: http://www.megsinet.com/steam
Fax: 708-795-7003
_/

145. Re: vhf/uhfquestion

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Rick Pemble <pemble@ix.netcom.com>
Message-ID: <7986lg$t0q@dfw-ixnews10.ix.netcom.com>
Source record: 117901

Belden 9913

cheers

Rick W4RP

Tresa6942 wrote in message <19990202171118.28278.00003037@ng10.aol.com>...
>Can someone offer some info? I need to know what you think is the best
coax
>for a dual band 2m/440 base station antenna? I will be making a 50 foot run
>with it.
>
> thnx
>
>

146. UPDATED: RF/VIDEO/Electronic Items FS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Mitchell Katz <mcguyver@bv.net>
Message-ID: <36B79D01.100EDB69@bv.net>
Source record: 117902
Cross-posted to: rec.radio.swap,misc.idustry.electronics.marketplace,sci.electronics,sci.electronics.components,rec.video.marketplace,rec.radio.amateur,rec.radio.amateur.equipment

I have a Mint condition VX-1R w/ ADMS software & interface cable, battery, charger & antenna. I will sell for $225.

RLC Electronics COAXIAL Switch, model # s-2826
15VDC operation, N connector outputs and 1 input - $20 obo

1 - SEEKA GR40 12-24VDC input, photo/color sensor unit, very small and unused, Dark/light sens adjust - great for monitoring
object, etc - $40

1 - OMROM, NEW, H5L-A Time switch, 2 relay contacts, time set, large LCD control window, 100-220Vac supply, perfect
condition, never used, mounted in NEMA enclosure, asking $75 obo

1 - RS232 A/B printer/peripheral switch - $10

1 - Magitroni P/N I-E16-COMBO Ethernet card, BNC/RG connectors, used - $10

1 - Artsoft Ethernet Adapter, BNC/DB15 connectors - used - $10.00

1 - Moose Products Inc, High Powered 12Vdc, yelp/stdy Siren Module Board, 4 ohm min output for horn, works fine, real
loud, -
$10.00

1 - 12VDC operated UHF remote control switch receiver/Mini transmitter set, works fine, relay output (w/ relay),
transmitter
uses 12V battery, included, used but functions perfectly - $20 (pair)

Intermec (altered) Barcode Laser Scannerdevice(diode Laser) does not read, but scans fine(5V input) scans nice 670nm line
when hooked up to 5-6VDC, neat toy. - $20.00
Model # 1545

1 - B Eagle Electronics Automobile shock sensor unit, 12VDC operation with sens pot - $10

1 - DE 1506 sound automobile sensor, 12V with MIC & sens adjust $10 obo

1 - LXI series(sears) Portable 12V VCR, works fine, with all cable connections from base unit. LCD readout, no charger,takes
lead acid batteries(like from old MOTO phones - $50 obo

Uniden/Bearcat Desk model # INF5XL scanner, preprogrammed by state type, with whip antenna, no power supply, tested fine
with

mine. Buttons for POLICE, FIRE, MEDICAL, STATE, WEATHER, DELETE & HOLD, PLUS SQUELCH/VOL. Best offer takes this off my
hands..

PRO-34 (cat # 20-139/9135) SERVICE MANUAL ONLY - $10.00

VIDEO STUFF

Casio HH calculator(scientific) # RM-7400G (icon Menu) with comp link & OHP(over head projector) unit, Calc talks to OHD via
IRDA(Infrered) signals, great for presentations/classroom. OHP also made by CASIO has some type of PCMCIA port on side
aswell, no docs, but both work fine. $100 pair

1 - Color CMOS Egg shaped CCD camera, adjustable focus, 12VDC input/NTSC video output via RCA jack - $75.00

1 - Commodore Model 1702 COLOR video monitor - $40.00

E-mail me at:

mailto:mcguyver@bv.net

Postal MO prepayment or POSTAL COD req'd. Thanks

147. Re: ICOM Radios & Ham general Questions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: davem@redgreen.cs.ubc.ca
Message-ID: <7986rm$9mp@redgreen.cs.ubc.ca>
Source record: 117903

jolyrogr@ix.netcom.com writes:
>Also, being new to this
>I'm not sure, but can ham radios and either of these models specifically, use
>CB and Family Radio Serivce frequencies?

CB uses AM and sometimes SSB modulation at a frequency of around 27 MHz.
Neither of the HT's you mention will receive nor transmit on CB frequencies,
nor are they practically modifiable to do that - there is just too much
difference in the frequencies and techniques used.

The FRS uses UHF frequencies that are somewhat above the UHF 70 cm (440
MHz) band, transmitting FM with 3 kHz deviation (I think). Amateur
handhelds designed for 440 use FM at 5 kHz deviation. Most recent amateur
handhelds will receive outside of ham bands, and so will receive FRS
transmissions - but the audio will be quieter than normal, since FRS
uses less deviation than amateur practice.

Some amateur handhelds can also be made to transmit at FRS frequencies,
but unless you adjust their deviation, they may produce a signal that's
too wide for FRS receivers, distorting the sound (and potentially
being heard in adjacent channels as well!).

So much for the technical aspects. There are also legal issues.
Anyone can listen to CB and FRS transmissions, so there's no problem
there. But you can only legally transmit on these frequencies with
a transmitter that is certified for those specific services. An
amateur transceiver, modified or not, is never an approved radio, so
using it to transmit is always illegal.

Dave

148. Re: Whats the best HT around $300?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Rick Pemble <pemble@ix.netcom.com>
Message-ID: <7986pq$t3g@dfw-ixnews10.ix.netcom.com>
Source record: 117904

Asking what is the 'best' will bring out the opinions -- I don't know what is the best but I sure like my Icom IC-W32A a whole lot. Open rx and mods for extended TX. Good luck!

Rick W4RP

Robert J. Nagy wrote in message <797kb2$6su$1@geraldo.cc.utexas.edu>...
>Greetings-
>So...What is the best dual band HT around $300 (discounted price)
>which can be modified for MARS/CAP?
>
>Thanks-
>Bob
>AB5N

149. Re: ICOM Radios & Ham general Questions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Rick Pemble <pemble@ix.netcom.com>
Message-ID: <7987fp$9u@dfw-ixnews10.ix.netcom.com>
Source record: 117905

Dave Martindale wrote in message <7986rm$9mp@redgreen.cs.ubc.ca>...
>jolyrogr@ix.netcom.com writes:
>>Also, being new to this
>>I'm not sure, but can ham radios and either of these models specifically,
use
>>CB and Family Radio Serivce frequencies?
>
>CB uses AM and sometimes SSB modulation at a frequency of around 27 MHz.
>Neither of the HT's you mention will receive nor transmit on CB
frequencies,
>nor are they practically modifiable to do that - there is just too much
>difference in the frequencies and techniques used.
>
>The FRS uses UHF frequencies that are somewhat above the UHF 70 cm (440
>MHz) band, transmitting FM with 3 kHz deviation (I think). Amateur
>handhelds designed for 440 use FM at 5 kHz deviation. Most recent amateur
>handhelds will receive outside of ham bands, and so will receive FRS
>transmissions - but the audio will be quieter than normal, since FRS
>uses less deviation than amateur practice.
>
>Some amateur handhelds can also be made to transmit at FRS frequencies,
>but unless you adjust their deviation, they may produce a signal that's
>too wide for FRS receivers, distorting the sound (and potentially
>being heard in adjacent channels as well!).
>
>So much for the technical aspects. There are also legal issues.
>Anyone can listen to CB and FRS transmissions, so there's no problem
>there. But you can only legally transmit on these frequencies with
>a transmitter that is certified for those specific services. An
>amateur transceiver, modified or not, is never an approved radio, so
>using it to transmit is always illegal.
>
> Dave

** you mean ** "using it to transmitt [on frequencies outside the amateur
band] is always illegal"

cheers

Rick W4RP

150. FS: Mechanical Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Randy Bell <bell@bsc.net>
Message-ID: <36B7A8A0.C043EEBD@bsc.net>
Source record: 117906
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have several sets of Rockwell PN 526 9364 000 and 526 9365 000 USB and LSB mechanical filters. They are for a 455 KHZ IF and have a 3 dB bandwidth of 3 KHz and a 60 dB bandwidth of 6 KHz. They are unused and in original package. These sold for over $300 each in 1987. Asking $40.00 for a set.

Randy Bell
850-244-5777

151. Re: vhf/uhfquestion

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Ralph Mowery <rmowery@ibm.net>
Message-ID: <36B7B60D.D113C256@ibm.net>
Source record: 117907

Use atleast 3 inch hardline.

For around 50 feet, just about anything bigger than rg-58 is ok. On FM , there is not enough difference in the loss to be noticible on anything from rg-8x up. Lots will say the 9913 or equivilent. That is good, but if not installed corectly, you get water in it and the losses go way up. You also have to watch the tightness of the bends. Only on runs of 100 feet or more will the actual differance in the coax be noticiable in the FM mode.

Tresa6942 wrote:

> Can someone offer some info? I need to know what you think is the best coax
> for a dual band 2m/440 base station antenna? I will be making a 50 foot run
> with it.
>
> thnx

152. Re: vhf/uhfquestion

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Dan <n7wpd@xxmission.com>
Message-ID: <798dj2$f91$1@news.xmission.com>
Source record: 117908

Or RG-213 with solid center conductor.

73

Ken Bickel <ac4vv@qsl.netz> wrote in message
news:798570pkv1@news.megsinet.net...
>IMHO - 9913
>
>73
>
>Tresa6942 wrote in message <19990202171118.28278.00003037@ng10.aol.com>...
>>Can someone offer some info? I need to know what you think is the best
>coax
>>for a dual band 2m/440 base station antenna? I will be making a 50 foot
run
>>with it.
>>
>> thnx
>>
>>
>
>

153. Wanted: Schematic for Kenwood PR-430 P/S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Richard Steck <rsteck@interaccess.com>
Message-ID: <36B7BA97.409276AC@interaccess.com>
Source record: 117909

If you have a manual for the Kenwood PR-430 Power Supply, I would greatly appreciate a copy of the schematic portion.

I will be happy to pay for reproduction or mailing. Alternatively, you could fax or attach a digitized copy to an email.

Thank you.

Richard
W9RS

154. Re: W. I. on Yaesu VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Joe NW0A <*manntis*@loop.com>
Message-ID: <iuPt2.171$0V.132786@news2.randori.com>
Source record: 117910

Brought my VX-5R down to Yaesu last Thursday (99/1/28) and
received a call from the service department yesterday (99/2/1)
saying it was repaired and would I like to have the radio mailed
back instead of traveling down to pick it up. In my dealings
with Yeasu warranty repairs, this is about 2-3 days faster than
what I have experienced in the past. I feel that no other amateur equipment
company even comes close to the service that Yaesu
gives to their customers (Kenwood and Icom both being fair to poor).

While I was at Yaesu, I had an oportunity to talk to one of their
technicians, and I felt he honestly and openedly answered all
of the questions I had about the radio. I was told that the radio
would have all the mods done to it that would bring it up-to-date.

Along with the PL-scan modification, I heard mentioned that
there was mod that fixed a problem on the 6 metre band. I need
to wait and see what was done to the radio to comment better
about that this mod entailed or even if it was done.

Joseph Sabutis, NW&#65533;A

MG wrote in message <797135mgs1@news1.rmi.net>...
>They have fixed it. Apparently the new ones are shipping with the fix. They
>will also accept a return to fix ones purchased before the fix. I hear it
>takes about a month to get it back.
>
>-73
>
>Monty Groff
>KC0CNU
>
>

155. Re: WTB MFJ Code tutor/trainer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <798h1n$6eu$1@news-1.news.gte.net>
Source record: 117911

I have the MFJ-418 (the top of the line) which has
the LCD screen. I like it better than using either
the computer code programs or tapes. It has the
random training style of the computer but fits in
your pocket like a tape player. Most guys just slide
in their pockets with an earphone and listen all day
long.

Rick Adkins <rhadkins@telepath.com> ...
:Looking for an inexpensive code tutor or at least
:comments on how good the MFJ pocket sized code
:tutor really is.
:
:Please respond via email directly to me, please.
:
:Rick Adkins
:rhadkins@telepath.com
:
:
:

156. FA: YEASU FRG-7(clone) GENERAL COVERAGE RECEIVER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: BB Wolf <bigbadwolf1@earthlink.net>
Message-ID: <36B7CABA.F5B8FF7@earthlink.net>
Source record: 117912
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,alt.ham-radio.amateur.equipment,rec.radio.amateur.equipment

FA: 3 DAYS ONLY!!

YEASU FRG-7 (clone) RECEIVER. Made by YEASU. Sold and labeled by Sears.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=63190089

Thank You!

157. Re: vhf/uhfquestion

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Mark Brown <kb0pyo@rconnect.com>
Message-ID: <36B7CFF2.E124E4B2@rconnect.com>
Source record: 117913

Hi All
Try lmr400 from Texas Towers or the wireman (& whoever else
carries it). Very low loss, full foil shield with 90% braid
& foam dielectric. 9913 is known as "water hose" up here in
the cold country. Used one 60 foot run that went into a
weatherproof preamp/relay box & it still filled with water
from the temperature cycles from wintre to summer.
Mark

Ralph Mowery wrote:
>
> Use atleast 3 inch hardline.
>
> For around 50 feet, just about anything bigger than rg-58 is ok. On FM , there
> is not enough difference in the loss to be noticible on anything from rg-8x up.
> Lots will say the 9913 or equivilent. That is good, but if not installed
> corectly, you get water in it and the losses go way up. You also have to watch
> the tightness of the bends. Only on runs of 100 feet or more will the actual
> differance in the coax be noticiable in the FM mode.
>
> Tresa6942 wrote:
>
> > Can someone offer some info? I need to know what you think is the best coax
> > for a dual band 2m/440 base station antenna? I will be making a 50 foot run
> > with it.
> >
> > thnx

158. Info needed for FT-811

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: jmr <jmroden@crl.com>
Message-ID: <36B7D3F4.52C58EFC@crl.com>
Source record: 117914

Just acquired a "new" to me FT-811. I did not keep the mod info from the one I had several years ago. So, I'm looking for information on which pads need to be where to allow 420 to 450 RX and TX. All the mods sites seem to have the FT-411 or the FT-815, but not the 811. Thanks for the help.

73, Mike / K7JR / jmroden@crl.com

159. Radio programming

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: The Johnsons <trjohnson@zoomnet.net>
Message-ID: <36B6BAAA.C47D7280@zoomnet.net>
Source record: 117915

I am looking for a dealer that can burn new proms for a GE PHOENIX-SX

I am also looking for a dealer that can reprogram STANDARD GX 1510
mobiles.

Please e-mail me@trjohnson@zoomnet.net

Please include price

160. Re: Ernest Turner meters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: John Wright <john@g3szg.demon.co.uk>
Message-ID: <7xvaRDAOFkt2EwtH@g3szg.demon.co.uk>
Source record: 117916
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.shortwave,uk.radio.amateur

In article <01be4d34$9a44f080$LocalHost@simoncox>, Simon Cox
<simon.cox@breathe.co.uk> writes
>Info please on where I can get an Ernest Turner instrument fixed
>I don't think they exist any longer.
>
>simon.cox@breathe.co.uk
They used to be in High Wycombe run by G4NT I think
G3SZG

John Wright

161. Loud fan in TS-850

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: ignacy@num.ads.uga.edu
Message-ID: <36b73516$2$vtanpl$mr2ice@news.uga.edu>
Source record: 117917

The fan in my TS-850 comes up everytime when the rig is keyed, even in QRP. It is loud enough to be heard on the air. Is there any way to make this fan operate only when the rig is warm? Ignacy, NO9E

162. re: SOS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: w6jrf@aol.com
Message-ID: <19990201202031.19349.00001623@ng101.aol.com>
Source record: 117920

Bill, sorry to say, it is true. In an article in the Sacramento Bee, Volume 284 dated Monday 1 February 1999 Steve Wiegand, Bee Staff writer relates that sometime on this date, " somewhere in the world, a sentinel on some far-flung coast will tap out a series of dots and dashes on a wireless telegraph key - and an institution will "SOS". In this case, that stands for "Sink Out of Sight." The article further on down quotes Chief Warrant Officer Cliff Simonsen, USCG, CAMSPAC, Point Reyes "for those of us who have been at it a long time - I've been doing it 30 years - it's a little sad to see the end of it."
I believe the Sacramento Bee is on line and you may be able to get a copy of the article. If not, drop me an E-mail and I'll see what I can do for you.
73's and regrets.....Bob, W6JRF

163. Re: yaesu or icom

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <36cc5e5c.1190552186@news.atl.bellsouth.net>
Source record: 117921

On 1 Feb 1999 08:10:59 GMT, tlcwow@aol.com (TLCWOW) wrote:
>I went through the same delima several months ago. I think you will be happier
>with the Icom. It seems to function better, and is easier to operate than the
>Yeasu.

Well, maybe better than a Yeasu, but certainly not better than a Yaesu.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

164. Re: FT-50 Mod Revisited

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: "Richard O. Kinkead" <richard-kinkead@worldnet.att.net>
Message-ID: <795mpg$2r6@bgtnsc02.worldnet.att.net>
Source record: 117922

Lyons 1101 wrote in message
<19990201185549.09534.00003632@ng-cg1.aol.com>...
>I bought and did the mods to make my FT-50 (with a serial # starting 6L120)
a
>year ago. It went out of band fine. I then traded it away after a couple of
>months (dumb move!). I erased the software and RDF files thinking I would
never
>need them.
>There used to be a website for the FT-50 and I don't have the address
anymore,
>does anybody still have it?

I feel your pain!!
Try http://members.aol.com/aeimn/ft50/index.htm

Richard

165. Re: FT-50 Mod Revisited

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: "K. Brana" <kbrana@EUnet.yu>
Message-ID: <795mrl$7qf$1@SOLAIR2.EUnet.yu>
Source record: 117923

Here are some interesting links. I am waiting for my new FT-50R and while I wait I'm looking
for mods but I didnt find any for newer models of FT-50

http://qsl.net/ke6vvw/yaesu.htm
http://members.aol.com/aeimn/ft50/index.htm
http://www.shadow.net/~critta66/ft50.html
http://elkel.concepta.com/Liste/yae_acc.html
http://www.frn.net/tech/mods/qrz/
http://www.blarg.net/~tdragon/faqs/FT-50FAQ.TXT
http://www.yaesu.com/ft50.html

If you find something interesting please send me.
Bue bue.
BRANA YT7RRF kbrana@eunet.yu

Lyons 1101 wrote in message
<19990201185549.09534.00003632@ng-cg1.aol.com>...
>I bought and did the mods to make my FT-50 (with a serial # starting 6L120) a
>year ago. It went out of band fine. I then traded it away after a couple of
>months (dumb move!). I erased the software and RDF files thinking I would never
>need them.
>
>Today I got the original FT-50 back in trade! The person that had it probably
>pushed and pressed every combination of buttons. It wouldn't go out of band
>anymore. I tried the original "hold the knob, PTT and lamp" process but didn't
>get the BAND XXXX message. The radio will except the "Hold the knob and lamp
>key" mod for CAP\Mars. But the TX from 120 to 220 and 350 to 505 doesn't work
>anymore. I have the original ADMS disk and loaded it back on the
>computer. I tried the other mod that calls for pulling out the cable half way
>through... Still no-workey! Any suggestions?
>
>There used to be a website for the FT-50 and I don't have the address anymore,
>does anybody still have it?

166. 6146B:pair needed!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: erpi@junction.net
Message-ID: <795nui$2ql$5@news.junction.net>
Source record: 117924

Hi! my name is Eric,I am looking for a pair of 6146B new,
if you have those tubes please email me with the price
in canadian $ if possible.also looking for 1 (6D10) and
1 (6AV11) Thanks in advance.....Eric
Net-Tamer V 1.11.2 - Test Drive

167. Yaesu Manuals

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: rjp0cgarc@aol.com
Message-ID: <19990201214034.01108.00002412@ng-cd1.aol.com>
Source record: 117925

I'm looking for service and owners manuals for a Yaesu FL100B, FL100R, or possibly a FR100 radio.

Contact Roger at rjp0cgarc@aol.com

168. Re: NEW MOTO 1/2 wave 800 DUCKIES $5 EA!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: news1@airmail.net
Message-ID: <6F7E8F8164BC0842.D2CAA80E7752CB6C.920CEE79758EE150@library-proxy.airnews.net>
Source record: 117926

Robert, I'll take 6. Tell me where to send the money.
news1@airmail.net
Thanks,
Terry

On Mon, 01 Feb 1999 21:42:28 GMT, dcat4955@bellsouth.net wrote:

>NEW IN BOX MOTOROLA 800 MEG 1/2 WAVE DUCKIES. these are similar in design to
>440 whips, they are not the "side stabbers" that came with stx rigs. these
>are leftover NOS from the first nextel system. they are "red dot" 800 meg,
>sma conector on bottom and "ball" tip on end. work fine for 800 public
>service freqs. aprox 6" long $5 ea. shpng is $3.50 for 1-10 antennas. robert
>ke4mcl
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

169. W. I. on Yaesu VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: gbaker@oregoncoast.com
Message-ID: <795tmd$5a9$1@nnrp1.dejanews.com>
Source record: 117927

Does anyoe know if they fixed tone scanning problems with this radio yet?
Please reply to:
gbaker@oregoncoast.com

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

170. yaesu speaker wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: dalej1965@aol.com
Message-ID: <19990201223058.01062.00002587@ng-cr1.aol.com>
Source record: 117928

```
wanted sp-102, have cash waiting
```

171. Re: SOS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: cd25d@clnk.com
Message-ID: <36b67142.92597900@news.clnk.com>
Source record: 117929

The ABC Evening News ran an article 2night about the demize (sp) of
Morse Code for SOS.

On 2 Feb 1999 01:20:31 GMT, w6jrf@aol.com (W6JRF) wrote:

>Bill, sorry to say, it is true. In an article in the Sacramento Bee, Volume
>284 dated Monday 1 February 1999 Steve Wiegand, Bee Staff writer relates that
>sometime on this date, " somewhere in the world, a sentinel on some far-flung
>coast will tap out a series of dots and dashes on a wireless telegraph key -
>and an institution will "SOS". In this case, that stands for "Sink Out of
>Sight." The article further on down quotes Chief Warrant Officer Cliff
>Simonsen, USCG, CAMSPAC, Point Reyes "for those of us who have been at it a
>long time - I've been doing it 30 years - it's a little sad to see the end of
>it."
>I believe the Sacramento Bee is on line and you may be able to get a copy of
>the article. If not, drop me an E-mail and I'll see what I can do for you.
>73's and regrets.....Bob, W6JRF

172. Re: yaesu or icom

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Chad Robertson <robertso@csc.mc.edu>
Message-ID: <795vnq$672$1@landrew.mc.edu>
Source record: 117930

k0hb@my-dejanews.com wrote:
> I have had an FT-8100R for just over year. I've cursed at this radio every
> day that I've owned it. It's so bad, I'd be ashamed to sell it, and have
> simply taken it out of service and thrown it in the bottom of my junk-box,
> hoping maybe some day I can salvage some parts.

What's so wrong with the FT-8100R? I have never used one, but they sure
look nice. Would like to know why you don't like them so I don't make the
mistake of purchasing one myself. Thanks.

--
==
| Chad Robertson | Box 4862 | www.mc.edu/~robertso |
| KC5MFE | Clinton, MS 39058 | robertso@mc.edu |
==

173. FS: Kenwood PS-52 HD Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: n4dh@juno.COM
Message-ID: <19990201.220149.3230.0.n4dh@juno.com>
Source record: 117931

Kenwood PS-52 Heavy Duty Power Supply.
Use with TS-850, TS-450, TS870, etc.
Very nice cabinet rated at 22amp.
$160.
Tel: (704) 545-9368, or reply by email.

de Bill, N4DH
Charlotte, NC 28227

You don't need to buy Internet access to use free Internet e-mail.
Get completely free e-mail from Juno at http://www.juno.com/getjuno.html
or call Juno at (800) 654-JUNO [654-5866]

174. Re: FS: ADI AT-600 dualbander, $300/obo shipped.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Derek Ludwig <dludwig@earthlink.net>
Message-ID: <01be4e60$78a10cc0$85a11b26@dungeon1>
Source record: 117932

This comes with a speaker, $10, a dry-cell battery pack, $10, a spare ANLI antenna, $15, (which I did forget to mention), a speaker-mic $15, and is modified.... thus the $300 price. And they are only selling for $250 new right now because of a mfg. sale.
Derek

Fishbags <fishbags@aol.com> wrote in article
<19990201132803.20453.00002640@ng150.aol.com>...
> ?????????????????? they currently sell for about $250 brand new w/warranty
> 5W batt, antenna & charger ???????????
>

175. Re: F.S. NYE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: bpn518@aol.com
Message-ID: <19990201234743.18825.00001459@ng99.aol.com>
Source record: 117933

Hello,

If you haven't sold the equipment yet,
I would be interested in just the
monitor.
If the tuner is in good shape, you should
be able to get $350 by itself.

Would you be interested in selling just
the monitor?
If so, please describe unit, condition,
and offer price.
Thanks,
Bennett ko2ok,
in nj.

176. ICOM ICPCR 1000 Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: dean@iowaone.net
Message-ID: <36b7843b.19893999@news.iowaone.net>
Source record: 117934

I have been looking at all band receivers and I came across the
Icom ICPCR 1000 .
What do you like or dis-like about it.
The price is not all that bad.,$400 .
Dean W5GXL

177. Re: VX-5R: price ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: eric_fre@hotmail.com
Message-ID: <7964u2$bi3$1@nnrp1.dejanews.com>
Source record: 117935

In article <firewave-0102991441580001@192.168.1.4>,
firewave@REMOVE.videotron.ca (Alex) wrote:
> In article <aJmt2.24262$014.1870731@news.tpnet.pl>, "Sils"
> <sils@polbox.com> wrote:
>
> > Does anyone know the price of Yaesu VX-5R ?
> > Sils
>
> 569$ canadian...350$ us i think...
> alex
>
Is the Canadian model cell blocked?

Cheers
Eric

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

178. HP SPECTRUM ANALYZER W/BOOKS WKNG

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7965da$bn9$1@nnrp1.dejanews.com>
Source record: 117936

HP 141T storage mainframe with 8553b RF section and 8552b IF section. unit is fully operational. have repair/operating books for rf/if sections. no book for mainframe. freq range is 0-110mhz. plug ins allowing microwave coverage are available on the surplus markets. $625 plus shpng via USPS. check tuckers price for this unit minus books! thanks robert cruz miami fl

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

179. Re: ANTI-CW people are liberals and would want to see Clinton go free too!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: The Captain <cincpac@nightmail.com>
Message-ID: <36B6905D.A8C95A92@nightmail.com>
Source record: 117937
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy

HamMan wrote:
>
> No-Code whiners are liberals. They don't like something so they trash other people to make themselves feel better. That is why they like the ARRL proposal too. They can get something they don't have to work for.

HamMan's post is liberally sprinkled with the word liberal.

First, the amaterur radio service is a grant, privilege, license program, whatever you want to call it, established by ALL U.S. citizens through the FCC. If a large number of Americans want to establish a licensing program without Morse Code requirements so be it.

As for Clinton, I don't give two hoots about the man BUT if the President of the US can't get laid, then I don't know who can.;-)

As a no code whiner I am not out to trash other people, only to make the radio amateur program accessible to more U.S. citizens.

Dropping Morse Code doesn't mean you don't have to pass any test. A one hundred question test with more radio theory would be a more appropriate test. Knowing or not knowing code doesn't enhance my knowledge of operating a station safely and competently.

When the FAA made the instrument rating easier to obtain pilots howled how the system would be degraded. Nothing of the sort happened. The requirements for obtaining a ham license can remain stringent without requiring code--IT IS KNOWLEDGE, COMPETENCY, SAFETY AND SKILL THAT SHOULD NOT BE COMPROMISED.

Why not incorporate a "practical" test and have the applicant identify resistors, transistors, a SWR meter, or whatever.

180. Re: DSP Audio Filters?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Alan Caplan <alan.caplan@cwix.com>
Message-ID: <%Tvt2.248$J_.4991@news.cwix.com>
Source record: 117938

I have the Timewave DSP-59Y that fits in Yeasu SP-5 speaker and a DSP-599zx. I have had the opportunity to use every one made and TW is still the best in 90% of the cases and easier to use.

Alan K4AVQ & P40AV(Aruba)

Jeff Goodspeed wrote in message <36B23F51.73F721C9@email.mot.com>...
>Greetings:
>
>I�m looking for opinions on which audio DSP filter to get. My Xcvr does
>not have an IF DSP system so I�m wondering if the out board audio DSP
>filters are worth the effort.
>
>What do People think of:
>
>TimeWave
> DSP_9+
> DSP_59+
>
>MFJ
> 784B
>
>Are there others available? If you have one of these, do you then not
>need a DSP front end on your HF TNC? I�d appreciate your input.
>
>
>Thanks - Jeff
>ARS - KA9S
>
>

181. WANTED: SMALL 19" EIA RACK

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: cslc82@email.mot.com
Message-ID: <36b78e6b.79836669@netnews.worldnet.att.net>
Source record: 117939

Want small EIA 19" rack (approx. 12" high), suitable for desktop use.
Either open or enclosed rack acceptable. What have you?

DT

182. Re: VX-5R: price ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: John Hansen <hansen@fredonia.edu>
Message-ID: <36B650A1.5B7D4C26@fredonia.edu>
Source record: 117940

Gavin Scott wrote:
>
> Sils (sils@polbox.com) wrote:
> : Does anyone know the price of Yaesu VX-5R ?
>
> $359.95 at HRO currently.
>
> G.

$345 at RT Systems, including shipping.

John

183. IC-751/751A--THANKS!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Charles Cabral <n1fnr@home.com>
Message-ID: <36B69C6A.DF49221F@home.com>
Source record: 117941

A big thanks to those of you that gave teir views on these radios.
Charlie N1FNR, 73 and happy DX.

184. WTB MFJ Code tutor/trainer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Rick Adkins <rhadkins@telepath.com>
Message-ID: <36B6B1B0.2798F0D3@telepath.com>
Source record: 117942

Looking for an inexpensive code tutor or at least comments on how good
the MFJ pocket sized code tutor really is.
Please respond via email directly to me, please.

Rick Adkins
rhadkins@telepath.com

185. **Wanted Kenwood 731 Mobile Bracket**

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36b7b96f.3746304@netnews.worldnet.att.net>
Source record: 117943

looking for the mobile bracket for a kenwood tm 731
duel band radio please email me thanks..with price also.
thanks..

186. need:barret/codan software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Mitch <mitch@nw.com.au>
Message-ID: <36B6BC04.1C87D66C@nw.com.au>
Source record: 117944

has anyone got any programmes for the above
let me know
thanks

187. 500Khz Closure - The end of Radio Telegraphy

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Stew <vkz-75@geocities.com>
Message-ID: <O9zt2.6$En1.1189@vic.nntp.telstra.net>
Source record: 117945

The website for the closure of 500Khz is now up and running at:

www.geelong.hotkey.net.au/~swilson/500khz_close

Cheers;
Stew

188. TH-D7 and Windows-CE ????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: GJ <falcon@a1.nl>
Message-ID: <796fri$9a4$1@news.a1.nl>
Source record: 117946

I'm looking for a software program for my Casio A-20 Windows-CE
HPC to connect it with the Kenwood TH-D7

I hope somebody write an PR-program for Windows-CE 2.x
Help !!!!!!!

189. WTB: Dualband

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Monte Keller <k9dzd@iquest.net>
Message-ID: <26Bt2.244$Zg3.2411@news1.iquest.net>
Source record: 117947

hi,im looking for a dualband mobile in good condition,reasonalbly priced
let me know what you have

thanks
monte k9dzd@iquest.net

190. New Tech Needs Info on HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: stoli126@aol.com
Message-ID: <19990202063909.01189.00003025@ng-fu1.aol.com>
Source record: 117948

Can someone please help me. I live in Upstate NY and just received about
a month ago my tech ticket. I am in the market for an HT and was originally
interested in the vx5 from Yaesu.However when I called Lentini they are still
awaiting the new shipment with the problems corrected. I leave for Florida
next week and want to take something with me. Therefore I need to make
a fast decision today so I can get this rig overnighted Does anyone know of
a good starter HT that I can use in Florida on my vacation with the assumption
I am going to purchase the Yaesu upon my return. I am looking for something
reliable and middle of the road. Any suggestions would be much appreciated
You people have been great so far with any advice I have asked for
Have a great day

191. Re: Someone Had 2 VX1r FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-0202990741060001@192.168.1.4>
Source record: 117949

In article <w2vt2.73$5L4.380545@news.bctel.net>, "Ian McCloy"
<ian_mccloy@bc.sympatico.ca> wrote:

> Someone had advertised 2 VX1r for sale ,i lost the info. so if anyone
> has the info . Please let me know.
>
> Thanks Ian Ve7ira

here is the info:

I have two Brand New Yaesu Vx-1 mini dual band transciever.
In the box with manual, warranty, stickers and leather protector
included.
The radios only used once, have been mars/cap enabled. Off band
operation
, the whole works. Firmware ver 1.6. Cannot recieve Cell phone
frequencies.

200.00 dollars for each. plus 10.00 shipping and handling

email me here : "djs@bellatlantic.net
and a character "1" between the s and the @.

like this "djs1@.bell".ect

my name is Faust.

192. Re: @@@ LOTS OF RF PARTS & RARE ELECTRONIC COMPONENTS @@@

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Who cares? <oxaspam@xs4all.nl>
Message-ID: <36baf778.11850603@dds.nl>
Source record: 117950
Cross-posted to: de.sci.electronics,hacktic.electronics,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,sci.electronics.basics,sci.electronics.components,sci.electronics.design,sci.electronics.misc,nl.radio.amateur

On Mon, 01 Feb 1999 22:13:22 -0800, Richard Steven Walz
<rstevew@armory.com> wrote:

>John Lundgren wrote:
>>
>> guesswho@wxs.nl wrote:
>>
>> > On Sat, 23 Jan 1999 10:52:49 +0100, radio_man@usa.net (radio_man)
>> > wrote:
>>
>> > >http://www.xs4all.nl/~barendh
>>
>> > REDUCE YOUR PRICES!!!! YOU'RE TOO EXPENSIVE!
>>
>> If they are in U.S. dollars, yeah, but then maybe they're not, they may
>> be in Dutch guilders or whatever.
>---
>Even in NLD, which I take to be Dutch Guilders, this guy has everything
>priced two to four TIMES the price of everyone else, and I checked three
>major catalogs!! 8.50 NDG for a P8031AN ?? This is a sub-US$1.00 part!!
>27C256 12.90 NDG ?? I don't think so!! This guy is an opportunistic
>rip-off!! I hope people who see his site shop around first!!
>-Steve

I agree! We're well up in the matter... In Holland, Barend is also
known as "schrikbarend duur" [appallingly expensive] :))) <grin>
^^^^^^

Oxazepam.
[7-chloro-1,3-dihydro-3-hydroxy-5-phenyl-2H-1,4-benzodiazepin-2-one]

193. FS:RF Applications P-3000 (SOLD)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: kvanderlin@aol.com
Message-ID: <19990202081258.26739.00003068@ng121.aol.com>
Source record: 117951

Thanks to all who responded.

Van

194. Help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Donald Arceneaux <donarx@mail.lig.bellsouth.net>
Message-ID: <36B6FD8A.8AE54F9A@mail.lig.bellsouth.net>
Source record: 117952

Iam in need of the Service manual and schmatics for the Drake model: UV3 tri-band transciever mfg'd a few years back. I have exhausted the usual avenues thru the internet sources. Op manuals are all I can get. Will pay reproduction and S/H.
thanks Don KE5DW

195. Re: HELP ICOM IC-25H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: martyt@pobox.com
Message-ID: <36b6fce0.69177201@news.supernews.net>
Source record: 117953

On Mon, 01 Feb 1999 22:28:01 -0500, pstein@measurement.com (Philip Stein) wrote:

>I have an ICOM IC-25H on the bench that loses its memory when power is >interrupted. Is this normal? Is there an internal backup battery? Is this >what the 'backup' jack on the back ponel is for?

Ding ding ding... We have a winner! Yep, the IC-25H had an optional memory backup which plugs in to the 'backup' jack. Lacking that option, you can just use a 9v power supply (wall wart) and plug it directly into the backup jack. For mobile use, I suppose you can use a 12v line that's hot all the time, or just leave the power on.

73,

-Marty KIï¿½LO
martyt@pobox.com

196. FS Alinco HT and other equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: David Scott <scott.13@osu.edu>
Message-ID: <796vp0$5gu$1@charm.magnus.acs.ohio-state.edu>
Source record: 117954

For sale:

Kantronic Packet Communicator 3 TNC $50.00
Radio Shack DSP $25.00
Bencher Iambic paddle black base $45.00
MFJ Model 971 QRP tuner $50.00
JRC radio head phones $25.00

Alinco DJ C5 HT 300 mw 2m/440 credit card size radio. This is the model with the built in speaker. Rechargeable lithium ion battery and charger. $135.00

OR BEST OFFER

Buyer pays shipping

David Scott N8XYF
Scott.13@osu.edu

197. SGC-2020

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: David Rodman <rodman@acsu.buffalo.edu>
Message-ID: <Pine.GSO.4.05.9902020846450.22141-100000@joxer.acsu.buffalo.edu>
Source record: 117955

Does anyone have any comparison experience with the SGC-2020 receiver with
any other HF rig. Looking for opinions on the receiver sensitivity,
dynamic range, selectivity and usability. Thanks.

David J. Rodman, MD
Assistant Clinical Professor
Department of Ophthalmology
State University of New York at Buffalo

FAX 716-859-4565
Office 716-854-1137

e-mail: rodman@acsu.buffalo.edu

198. Kenwood TM-255A Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Dan McLean <dan@gm3suz.freeserve.net>
Message-ID: <7971i3$8uc$1@news8.svr.pol.co.uk>
Source record: 117956

Does anyone know of a mod for the Kenwood TM-255A that will enable me to receive the aircraft band on this multi-mode transceiver please ?

Thanks, Dan GM3SUZ

199. Re: W. I. on Yaesu VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: MG <nospam@nospam.spam>
Message-ID: <797135mgs1@news1.rmi.net>
Source record: 117957

They have fixed it. Apparently the new ones are shipping with the fix. They will also accept a return to fix ones purchased before the fix. I hear it takes about a month to get it back.

-73

Monty Groff
KC0CNU

Note: remove the (.ns) from the user id before emailing

.
gbaker+AEA-oregoncoast.com wrote in message
+ADw-795tmd+ACQ-5a9+ACQ-1+AEA-nnrp1.dejanews.com+AD4-...
+AD4-Does anyoe know if they fixed tone scanning problems with this radio yet?
+AD4-Please reply to:
+AD4-gbaker+AEA-oregoncoast.com
+AD4-
+AD4------------+AD0APQ- Posted via Deja News, The Discussion Network +AD0APQ-----------
+AD4-http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

200. Re: VX5r/VX1r/Q7a computer cable?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: MG <nospam@nospam.spam>
Message-ID: <797136mgs2@news1.rmi.net>
Source record: 117958

There is a schematic at http://www.icongrp.com/+AH4-sllewd/pcware.htm

-73

Alex wrote in message ...
+AD4-Does anyone know where i can find the cable for a cheap price for those
+AD4-radio to hook them with the computer, i dont want to pay for the software
+AD4-i only need it for the VX-5R editor and the IC-Q7a editor...(which are
+AD4-free..)
+AD4-
+AD4-thanks,
+AD4-
+AD4-alex

201. Re: Boo HRO cust service...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990202095537.12522.00003391@ng63.aol.com>
Source record: 117959

I have heard two sides to the New Hampshire
store. A couple of guys on two meters complain that they didn't get any
attention from a Salesperson and
another guy complained the Salespeople were all over him. It is almost like the
Store can't win. I guess the best thing to do is introduce themselves and if
the person says he is just looking then the salesman can say that he will be
available to answer any questions if the customer has any and leave the
customer be. I don't beleive the Salespeople make 1/2 of 1 % but maybe I am
wrong. Hams are tough customers.
73's TIM

202. Re: Which 2 meter FM to buy?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: "Edward L. Dowdy" <eldowdy@net66.com>
Message-ID: <smEt2.18$l84.214@news13.ispnews.com>
Source record: 117960

I've had three 2500Ms. They are the best 2 meter rig I have ever owned. Very little intermod.

Wink wrote in message <36B5AFF2.F504CA8C@rpa.net>...
>Hi,
> There are currently four 2 meter FM mobiles on the
>market, all going for $200 or less. There are they the
>Yaesu FT-2500, the Icom IC-2100H , the Kenwood TM-261A and
>the Alinco DR-140TQ. They all have just about the same
>features except that the Alinco and Icom have CTCSS
>decoders. All appear to be fine radios.
>
> What are your experiences with these radios? Have you
>heard or experienced anything such as poor receiver, power
>module blew out in a week or other problems with any of
>them. I read the reviews in QST and whereas they are much
>more critical now days than in the past, they usually don't
>run the user tests long enough to make something break.
>
> I look forward to any input and will repost it for all
>to see.(if you want your opinion publicized)
>
>Thanks and 73,
> Gary / N2UM
>

203. Re: Newbie VX-1R Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <79785f$9ia$1@nnrp1.dejanews.com>
Source record: 117961
Cross-posted to: rec.radio.swap;,rec.radio.amateur.antenna;,rec.radio.amateur.equipment

In article <36B5BA3E.2783@prodigy.net>,
Max and/or Cindy <cindymax@prodigy.net> wrote:
> What antenna is best for my Yaesu VX-1R?

I have had excellent results with the Comet SMA 503 as well as an
ADI/Premier/Pryme long "piano wire" flexible antenna.

I was disappointed with the Comet SMA-3, though...

What bands do you find yourself desiring to receive/transmit on the most?

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

204. Re: Someone Had 2 VX1r FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7978g5$9ua$1@nnrp1.dejanews.com>
Source record: 117962

In article <w2vt2.73$5L4.380545@news.bctel.net>,
"Ian McCloy" <ian_mccloy@bc.sympatico.ca> wrote:
> Someone had advertised 2 VX1r for sale ,i lost the info. so if anyone
> has the info . Please let me know.

Just FYI, brand new ones are $229.95 at HRO.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

205. Re: Someone Had 2 VX1r FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7978ls$a2v$1@nnrp1.dejanews.com>
Source record: 117963

In article <firewave-0202990741060001@192.168.1.4>,
firewave@REMOVE.videotron.ca (Alex) wrote:

> I have two Brand New used and modified Yaesu VX-1R HTs...

I found this humorous...

- Clint Bradford

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

206. Re: ICOM ICPCR 1000 Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <36d11420.1220609039@news.atl.bellsouth.net>
Source record: 117964

On Tue, 02 Feb 1999 04:58:12 GMT, dean@iowaone.net (Dean) wrote:
>I have been looking at all band receivers and I came across the
>Icom ICPCR 1000 .
>What do you like or dis-like about it.
>The price is not all that bad.,$400 .
>Dean W5GXL

The supplied software bites, and Icom keeps the API proprietary
to prevent you from writing your own. There is no protective protocol
to prevent writing erroneous data to the radio. You can screw
up the radio by sending it erroneous commands. Even the probing
for modems Win95 does on startup can corrupt the radio's NVRAM.
That requires a trip back to Icom to straighten it out, and *you* pay
for it. This is a *serious* design flaw that Icom won't admit or address.

However, there is software floating around on the internet that
lets you suck down the radio parameters and save them to disk.
Then when (not if) the radio becomes corrupted, you can just
download the saved parameters and restore the radio's function.
Icom should supply this to owners at no charge, but they won't.

Some people have reverse engineered parts of the API and offer
third party control software for the radio. I haven't found any that
I like, but they've sort of documented the API this way, and so you
can now write your own software for the radio (but grab that parameter
backup software first, you'll probably still need it).

Now software issues aside, the radio is a pretty decent receiver,
considering its intended purpose, IE mainly a super scanner. It
isn't that great on HF, but does Ok on VHF/UHF where good
selectivity and the ability to tolerate strong adjacent signals isn't
as important.

Would I buy another one? No way as long as Icom won't address
the NVRAM corruption issue and release the programming API.
You might want to consider the WinRadio instead. It has an open
API, and doesn't suffer from the NVRAM corruption problem.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

207. Re: VX-5R: price ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: adamf13@aol.com
Message-ID: <19990202102249.28749.00003416@ng110.aol.com>
Source record: 117965

> Does anyone know the price of Yaesu VX-5R ?
> Sils

http://www.lentinicomm.com/ $349.95
http://www.juns.com/ $359.95
http://www.hamstation.com $349.95
http://www.hamradio.com/ $359.95
http://www.aesham.com $359.95

Adam

208. WTB: TenTec Remote VFO

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: John Hofstrand <hofstran@olypen.com>
Message-ID: <36B72031.39BCCC08@olypen.com>
Source record: 117966

I'm posting this for a friend who is looking for either a Model 263 or Model 263G remote VFO. These match the Corsair and Corsair II transcievers. Please email me with condition and asking price and I will forward the information to him, Thank you!

209. WTB: test equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: dozertx1@aol.com
Message-ID: <19990202111000.01059.00002834@ng-cr1.aol.com>
Source record: 117967

```
Want to buy the following:
HP 437B Power Meter
HP 438A Power meter
HP 16505A Logic Card
HP 16500C Logic Analyzer

Contact Steve
817-329-0660
fax 817-481-7074
or email response
```

210. FS: Kenwood TS-850SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Robert Stuedemann <kf8ru@netonecom.net>
Message-ID: <36B6FF15.4161930F@netonecom.net>
Source record: 117968
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For Sale: Kenwood TS-850SAT HF 10-160 meter radio with built in antenna tuner. Radio is in mint condition and comes complete with mic, manual, power cord and factory shipping boxes. $900

211. Re: VX-5R: price ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-0202991123140001@192.168.1.4>
Source record: 117969

In article <7964u2$bi3$1@nnrp1.dejanews.com>, eric_fre@hotmail.com wrote:

> In article <firewave-0102991441580001@192.168.1.4>,
> firewave@REMOVE.videotron.ca (Alex) wrote:
> > In article <aJmt2.24262$014.1870731@news.tpnet.pl>, "Sils"
> > <sils@polbox.com> wrote:
> >
> > > Does anyone know the price of Yaesu VX-5R ?
> > > Sils
> >
> > 569$ canadian...350$ us i think...
> > alex
> >
> Is the Canadian model cell blocked?
>
> Cheers
> Eric

yeah same version as the US one :(

alex

212. FS Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990201190121.01215.00002513@ng-ft1.aol.com>
Source record: 118010

```
For Sale 1500 Watt Antenna Tuner
Roller Inductor/Air Variable
built in 1500W Dry Dummy Load
$450.00 + shipping
From Austin, Texas
```

213. FS Classic KW Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990201190454.01215.00002519@ng-ft1.aol.com>
Source record: 118011

```
Classic KW For Sale
Barker & Williamson Model L-100A
80-10 meters pair 813's
Power Supply and Manual
Scale 1-10 = 9
$575.00 + shipping from Austin, Texas
```

214. FS Drake Radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990201190847.01215.00002525@ng-ft1.aol.com>
Source record: 118012

For Sale
Shack Reduction
Drake T- 4 XC , R ï¿½ 4B .4, 2.4, 4.8 Filters , MS-4 / power supply
8 on a 1-10 $500.00 + Shipping

Drake T ï¿½ 4 XC , R ï¿½ 4 C , MS ï¿½ 4 / PS.25 CW , .5 CW , 1.5 CW Filters
8.5 on 1-10 $475 + Shipping

Drake T-4X , R ï¿½ 4C , .25CW , .5 CW, 1.5 CW Filters , NB, MS ï¿½ 4 / PS
8 on 1-10 $475.00 + Shipping

Drake TR ï¿½ 4C ,MS- 4 / PS , Blanker
8.5 on 1-10 $375.00 + Shipping

Drake TR ï¿½ 3 , Speaker / PS , 7.5 on 1-10 $250.00 + shipping

Drake MN ï¿½ 4 Matching Network (Antenna Tuner) 9.5 on 1-10
$195.00 + Shipping

Shipping from Austin, Texas

215. FS: Hallicrafters HT-37 and SX-111

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: ke3ok@aol.com
Message-ID: <36b84454.172592957@news.netins.net>
Source record: 118013

Hi Gang,

I'm posting this for a friend of mine who does not have internet
access yet. PLEASE CALL HIM DIRECTLY.

He has for sale a Hallicrafters HT-37 transmitter and SX-111 receiver.
They work well and look nice. Manuals are included. $250 for the
pair plus shipping from 50801. Please call Vern W0VV at 515-782-9879.

216. Re: VX-5R: price ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: gscott@netcom.com
Message-ID: <gscottF6I3wK.H4n@netcom.com>
Source record: 118014

Sils (sils@polbox.com) wrote:
: Does anyone know the price of Yaesu VX-5R ?

$359.95 at HRO currently.

G.

217. FS: BC-610F Transmitter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: ke3ok@aol.com
Message-ID: <36bd46ae.173195423@news.netins.net>
Source record: 118015

Hi Gang,

I'm posting this for a friend of mine who does not have internet access yet. PLEASE CALL HIM DIRECTLY.

He has for sale a BC-610-F transmitter. It has a new Eimac 250TH final and two spare 250's. Included are coils for 20, 40, 80 and 160 meters; 2 spare 100TH's for the modulator; a home brew speech amplifier; a 708E-8A Collins PTO with home brew power supply for 160 meters; and a Johnson VFO-122 for 80 and 40 meters. Also included is a Dow-Key relay, back up plate transformer and an Astatic D-104 with a new crystal cartridge. There is plenty of paperwork on this fine old boatanchor. The rig looks pretty good and works well. Price is $675. Please call Vern W0VV at 515-782-9879.

218. Re: Alkaline Packs for Motorola HTs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: Solarpower1watt@Juno.com
Message-ID: <_Ort2.150$o7.3040@newsfeed.slurp.net>
Source record: 118016

>Anyone know of someone that makes alkaline battery packs for Motorola
>handhelds? I would like them for the HT600 and Saber.
>

Alexander Mfg. Co. or Battery Network make a lot of these. Perhaps you
can locate them on the WEB.

Ed

REPLY INFO:
==
Return address modified to prevent automatic SPAM response.
TO REPLY: remove the "watt" from my return address.
==

219. FS: Globe King 400B Transmitter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: ke3ok@aol.com
Message-ID: <36c3483c.173593812@news.netins.net>
Source record: 118017

Hi Gang,

I'm posting this for a friend of mine who does not have internet access yet. PLEASE CALL HIM DIRECTLY.

He has for sale a Globe King 400B Transmitter. It includes coils for 80 and 40 meters; a Heathkit VF-1 VFO and power supply; 2 spare V-70D's and 2 spare 5514's and a manual. This rig looks good and works well. Please call Vern W0VV at 515-782-9879.

220. FS: BC-614 speech amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: ke3ok@aol.com
Message-ID: <36c7490a.173799317@news.netins.net>
Source record: 118018

Hi Gang,

I'm posting this for a friend of mine who does not have internet access yet. PLEASE CALL HIM DIRECTLY.

He has for sale a BC-614 speech amplifier. It has new caps and PTT circuit. It looks good and works well. Paperwork is included. Price is $175 plus shipping from 50801. Please call Vern W0VV at 515-782-9879.

221. Need IC-24AT service manual or information

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-02 00:00:00 UTC
From: wa4vec@aol.com
Message-ID: <19990201195257.07685.00002964@ng114.aol.com>
Source record: 118019

I have a like new IC-24AT that shows some signs of needing UHF PLL adjustment (unlock indication between 451 - 459) and need information as to how to adjust it. I am willing to buy a service manual or will settle for just the alignment information if someone can provide it. I have another of these that I have owned since it was new and it receives fine in the same range as did several others I have used in the past, so expect it is the PLL.
Walt Foster
WA4VEC@aol.com

222. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: tcrpe <tcrpe@yahoo.com>
Message-ID: <HVau2.9333$3J3.1084@news2.giganews.com>
Source record: 117620

dt wrote in message <36ba1b62.247003482@netnews.worldnet.att.net>...

>Folks, it pains me to see idle speculation on this topic!

I really don't believe that me post was "idle speculation".

>Don't guess here. Abide by the manufacturer's specs and dig your
>footings, pour your concrete, layout your guywires, etc., accordingly!

I suggested hiring an engineer. Also, what would the manufacturer know
about the soils at any specific site?
I think the post noited that the tower was free standing, which would imple
that all of the overturning moment would be carried in the foundation as
lateral bearing, right?

>Some tower manufacturers design for 50 MPH wind survivability...this
>is not really a big wind! Do you really want to risk your investment
>in marginal specs?

Aside from the static overturning moments, there may be a componenet due to
the SHM in the tower, right?

>I'm not touting one manufacturer over another, but put up your
>tower/lines/rotors/antennas to stay up! Use the manufacturer's specs
>as a minimum, and if you want to get creative, exceed the specs!

Without the guidance of a professional engineer, how would you know that in
deviating from the specifications, you would be exceeding the
specifications? Just curious.

>Same thing goes for grounding.
>
>I have lost a tower before, and believe me, if yours goes down you are
>talking thousands of dollars and dozens of hours of time to replace. A
>few extra feet of digging, or a few extra yards of concrete, some
>extra grounding, or a few hundred extra bucks for new guywires and
>hardware is CHEAP compared to the consequences!

If you are goint to do "a few extra feet of digging" or pour "a few extra
yards of concrete" wouldn't you want to know that the extra expense actually
gained you an increase in the safety factor? Instead of being literally
poured into a hole in the ground?

>OVERDESIGN your tower and it will outlive you!

I think we were talking about the foundation, not the tower, right? Why in
the world would you spend money on a foundation when in the real world your
tower would have long ago collapsed before and of the money even started

working for you?

>My $0.02 worth! Good luck and 73

You said you have had a tower collapse, right? For a freestanding tower would an increase in foundation strength have kept it up? It would have been wasted money then right?

Before you spend $500 more on foundations, go spend $250 on a competent engineer, it is money well spent. Right?

TR

>Dan
>K0DAN

223. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: tcrpe <tcrpe@yahoo.com>
Message-ID: <g_bu2.9555$3J3.2220@news2.giganews.com>
Source record: 117621

Let's not labor it folks. The subject was the foundation design, not the tower design. Most local jurisdictions will require a FOUNDATION design by an engineer registered to practice in the state where the FOUNDATION will be constructed.

I have done many stack and tower FOUNDATION designs. Most at the request of the equipment fabricator, several for local amateur operators. I do not sell my signature and seal. And I do not know any other engineers that do either. This is a common insult thrown at PEs by people who resent something, Lord only knows what.

These are simple devices, and the design of a simple free standing tower FOUNDATION takes less than 3 hours, hence 200 to 300 dollars. I will even visit the site if I am unfamiliar with the soils in the particular area. In some cases I will have a soils report done. Yea, we have our own certified soils laboratory, and that costs the client more. But based upon the UBC and it's inherent safety factors this is not usually needed. That's a judgment I get to make based upon my experience, education, reputation and license. Lord knows I paid for it.

I have over twenty years experience in the design of freestanding stack and tower FOUNDATIONS, literally hundreds of them. I have designed the actual custom stack or towers probably fifty times. I am familiar with just about every code and standard around, including AISC, AREA, UBC, SBC, etc, and many foreign standards.

Obviously a pre-manufactured tower product is more cost effective as I would not be "reinventing the wheel" and the product will cost less based upon the economics of scale. But a FOUNDATION, that's another story

To have an engineer "just sign off" on someone else's design could easily, as we say.`"cost him his ticket", and you know what, I gotta tell you I resent this particular inference.

Once again, I referred to the design of the FOUNDATION, which was the question asked, not the structural steel.

Also, of the engineer does not do a "full analysis" of the FOUNDATION, he ought to think about going to work for the government, and quit calling himself an engineer.

Maybe I'll not do tower FOUNDATIONS for amateur operators anymore, knowing now what their attitude regarding engineers is. Or maybe I'll just start charging $1500, as the Building Department here requires them to come to me, and then you guys will think you are actulayy getting something for your money. Besides, my partner is always telling me to charge more.

Cheers,

TCR, PE

Barry L. Ornitz wrote in message ...
>
>tcrpe wrote in message ...
>+AD4-I suggested hiring an engineer. Also, what would the manufacturer
know
>+AD4-about the soils at any specific site?
>
>
>The tower manufacturers have far more extensive experience than do the
>typical civil engineers you might hire for +ACQ-250. The civil engineering
>standard most closely related to tower construction is for transmission
>line towers and electric poles. +AFs-And I thought electrical engineers
put
>in big safety margins... you should read this standard to see what MAJOR
>safety factors are applied.+AF0- Radio towers are generally designed to
EIA
>standards.
>
>For +ACQ-250, as you say, the local civil engineer will note the type of
soil
>and send this information to the tower manufacturer who provides the actual
>design. When he gets this information back, he then signs off on it. He
>will not do a full analysis for only +ACQ-250. In fact, most of this fee
is
>just for his signature on the building permit. Note I am not saying to
>bypass the local engineer. He earns this money by taking on liability if
>the design fails, and in many communities this is required. Just don't
>expect the local civil engineer to do a full analysis+ACE-
>
> Dr. Barry L. Ornitz WA4VZQ ornitz+-U+AEA-dpnet.net

224. Re: WTB: Ten-Tec Scout

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <T3OUxTANQNu2EwBE@pacsat.demon.co.uk>
Source record: 117622

In article <36B8AC34.4D7BC39B@ricks.edu>, James L. Griffith
<griffithj@ricks.edu> writes
>
>> I've never seen one of these things in the flesh but this model seems to
>> meet my needs. Anyone have one for sale? I've heard that some or all
>> (older?) models make it difficult to switch power levels. I'd like to
>> avoid that problem unless it's unavoidable. Anyone know a fix for this?

check out www.elecraft.com for a REAL QRP radio

73 Simon GM4PLM
+--+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+--+

225. Help please Kenwood TS-130S.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: John Ward <john.ward@diamond.co.uk>
Message-ID: <79fco4$d09$1@nclient3-gui.server.ntli.net>
Source record: 117623

I recently purchased the above tranceiver which unfortunately
didn,t have the operating manual.
I think the knob marked MIC is the power out control,correct?
What is the purpose of the knob marked CAR?
What does the button marked Fix do?

Thanks for any help you can give me.
73 De John G0WQA.

226. WTB ALPHA 91B,89 OR 87A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: lemwnash@aol.com
Message-ID: <19990202191421.12610.00001754@ng102.aol.com>
Source record: 117770

must be mint with some factory warranty remaining

kh6lem

227. Re: External DSP ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Ken Bickel <ac4vv@qsl.netz>
Message-ID: <798525pje1@news.megsinet.net>
Source record: 117771

The Timewave DSP-599zx!

LOL

k9kz@indy.net wrote in message <797vho$6t$1@nnrp1.dejanews.com>...
>Can anyone HIGHLY recommend an external DSP unit to use with my Drake SW2
>receiver that is effective against various noises and will not degrade the
>audio? Tnx!
>
>Bill K9KZ
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

228. Re: vhf/uhfquestion

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Ken Bickel <ac4vv@qsl.netz>
Message-ID: <798570pkv1@news.megsinet.net>
Source record: 117772

IMHO - 9913

73

Tresa6942 wrote in message <19990202171118.28278.00003037@ng10.aol.com>...
>Can someone offer some info? I need to know what you think is the best
coax
>for a dual band 2m/440 base station antenna? I will be making a 50 foot run
>with it.
>
> thnx
>
>

229. VX-5R Antenna

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: gscott@netcom.com
Message-ID: <gscottF6JzCB.EzI@netcom.com>
Source record: 117773

In discussions of the VX-5R, everyone seems to describe the extra screw on extension for the antenna as being "for 6m", but I find that the (admitedly horrible) manual describes it as being for monitoring *below* 50Mhz, implying that for 6m operation you would not use the extension.

Comments?

G.

230. FS Collins 75A4 filters on ebay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: k7ss@wolfenet.com
Message-ID: <36b7a1e6.64660630@news.wolfenet.com>
Source record: 117774

Just posted two collins mechanical filters for sale on ebay.

63109045 and 63109602

73

K7SS

231. Re: WANTED: SMALL 19" EIA RACK

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: 8877@my-dejanews.com
Message-ID: <798dtb$d7c$1@nnrp1.dejanews.com>
Source record: 117775

In article <36b78e6b.79836669@netnews.worldnet.att.net>,
cslc82@email.mot.com (dt) wrote:
> Want small EIA 19" rack (approx. 12" high), suitable for desktop use.
> Either open or enclosed rack acceptable. What have you?
>
Find the number of VULCAN SCRAP METAL in stamford CT and ask for John.
Tell him what You want.
I never asked him if he has a dot com.
CT
> DT
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

232. VX-5R Sensitivity

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: w6wlr@_REMOVE_THIS_SPAM_FILTER_flash.net
Message-ID: <36b7b5ed.3528900@news.flash.net>
Source record: 117776

No, I don't mean it cries at the movies!!! I've read a bunch about
the (now corrected) scan problem, and a few comments re: poor antenna
function on 6M, but I want to be sure the receiver performance on BC
and SW bands is at least passable. Any comments???

Wayne Hoffman

Be sure to remove the obvious spam eliminator
in my E-mail address if you feel a need to reply...

233. rig for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Edwardc@thezone.net
Message-ID: <36b7f0e0.22131160@news.thezone.net>
Source record: 117777

ihave for sale the following items.

monitor digital 14 inch exelent condition. price 150.00
hf rig radio icom 725 price 800.00 ono
case power suply and 486 board and 3 1/2 drive make an offer
2 x cdrom drive make an offer
email offers to

Edwardc@thezone.net
or
ecrane@nf.sympatico.ca

234. HF Equipment trade wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: wesson686@aol.com
Message-ID: <19990202220814.00909.00002794@ng-fc1.aol.com>
Source record: 117778

I would like to trade my new Ocean Kayak Scupper Classic kayak for an HF rig.
Must be in Washington State due to the shipping. Thanks Jack KB7DSU.

235. Re: Kenwood out of HF market?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990202224101.01195.00002979@ng-fw1.aol.com>
Source record: 117779

I know Kenwood has been moaning and growning about loosing $$ on the HAQm
Market. However, if they were getting out of
Ham radio altogether then they never would have come out with the SLOW SCAN NeW

Unit and the Handheld with the TNC built in.
I was thinking of buying a TS-570DG for $1050 from several Dealers but maybe I
should wait?
Tim

236. F/A @ ebay: automatic antenna tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: japalese@aol.comQNOSPAMQ
Message-ID: <19990202225025.03972.00001529@ngol03.aol.com>
Source record: 117780

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=63180180

To Reply: Remove QNOSPAMQ from my e-mail address.

237. Yeasu VX-5R Slick Sheet

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Curtis J Liebert <curtisl-kck@worldnet.att.net>
Message-ID: <36B7CAE4.2AB03894@worldnet.att.net>
Source record: 117781

Hello all,

Has any one seen a slick sheet for the VX-5R
By this I mean electrical performance specs such as

Intermodulation Rejection
Adjacent Channel Rejection
Receiver Sensitivity

etc.

Thanks in advance,

Curtis L. KE7HK

238. FS Tentec 288 filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Michael D Worrell <mworrell@mail.bna.bellsouth.net>
Message-ID: <36B7CBFF.49F8DFA@mail.bna.bellsouth.net>
Source record: 117782

For sale Model 288 1.8khz 8 pole crystal filter for 6.3mhz if for tentec. Less than two weeks old. Bought used rig and returned it due to problems. Purchased filter from tentec new. Asking $70.00 email with response to mworrell@bellsouth.net

239. WTB: Ten-Tec Scout

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: brewsterc@excite.com
Message-ID: <brewsterc-0202992212140001@dcp4-23.msp.infi.net>
Source record: 117783

I've never seen one of these things in the flesh but this model seems to meet my needs. Anyone have one for sale? I've heard that some or all (older?) models make it difficult to switch power levels. I'd like to avoid that problem unless it's unavoidable. Anyone know a fix for this?

Request: If you respond to this posting, please send me a copy. My net access is intermittent. Many thanks...

Christopher Brewster, KC0EVQ
brewsq@excite.com
Plymouth Minnesota
brewsterc@excite.com

16420 5th Ave N
Plymouth MN 55447
612-475-0477

240. Re: Radio Shack HTX-404 70cm HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Tom Caradonna <tcaradonna@yahoo.com>
Message-ID: <01be4f2d$4814d500$7953e5a9@dav-83-121>
Source record: 117784
Cross-posted to: ucb.market.misc,ba.market.misc,rec.radio.swap,rec.radio.amateur.equipment

Is there a ucb repeater with autopatch around here? How about a ham club?

Tom
KF6LSH

241. Re: VX-5R: price ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: tdegnan@bigfoot.com
Message-ID: <798mbn$k5s$1@nnrp1.dejanews.com>
Source record: 117785

In article <36B65426.C33DB4AF@northnet.org>,
Paul <pgs@northnet.org> wrote:
> This guy at http://www.denverradio.com/ usually but not always blows the
> sh#t out of all the biggies prices on most ammeter radio equipment.
> Never had a problem and he always treats me good.
> Paul
This is who I order from all the time. He responds to your email within hours
on every question I have. The first time I had an order it was pretty large
with a lot of different items. Everything showed up right on time with
everything I ordered. I will never order from anyone else. Plus his prices
are a lot cheaper 99 percent of the time.
>
> Gavin Scott wrote:
>
> > Sils (sils@polbox.com) wrote:
> > : Does anyone know the price of Yaesu VX-5R ?
> >
> > $359.95 at HRO currently.
> >
> > G.
>
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

242. fs- MFJ-1278B TNC w/extras!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990202233724.18400.00000489@ng-ft1.aol.com>
Source record: 117786

Hi Guys;
Removed from an estate sale:
MFJ-1278B TNC, Multi-Mode w/Pactor, later V3.1 chip.
MFJ-1289M MULTI-COM Software (3-1/2" floppies) for IBM w/manual.
5pin to 13 pin din cable, 1/4" phono to RCA cable
MFJ- Fast Start Manual.
No Supply!
Prices add up to $269.00 + $59.00(software)=$328 in the '97-98 AES catalogue!
PRICE SHIPPED CONUS $150.00
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

243. silvereagle mic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: mark yuhas <myuhas@sunlink.net>
Message-ID: <s6Rt2.235$ok4.1111@news5.ispnews.com>
Source record: 117787

i need the insides of a silvereagle d104 mic.specifically the circuit board
and the mic cord.any info on a web site to where i can get this stuff will
be greatly appreciated.

244. Re: HELP question on DTR 2000L Dentron AMP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: thompson@mindspring.com
Message-ID: <798olf$6d7$1@camel18.mindspring.com>
Source record: 117788
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I have the same amp and will make a copy of the manual for $10 shipped to
you.
On CW HV is 1800V on SSB HV is 2500V. I get 1300W on 160 and 80 down to
700W on 10 where the plate tank is not very efficient.

Dave K4JRB
J. Murray Neece wrote in message <36B52233.ADA1C118@iglobal.net>...
>I have one but no manual, would like just what currents and voltages
>should be for normal out puts...Cant get but about 1000 watts out tho
>this one looks like new as does the tube....Seems like another I had did
>WAYYY more...what should it do with 100 in? Thanks Murray
>

245. Re: VX-5R Antenna

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: ke6mtf@my-dejanews.com
Message-ID: <798s2kokv1@nnrp1.dejanews.com>
Source record: 117789

In article <gscottF6JzCB.EzI@netcom.com>,
gscott@netcom.com (Gavin Scott) wrote:
> In discussions of the VX-5R, everyone seems to describe the extra screw
> on extension for the antenna as being "for 6m", but I find that the
> (admitedly horrible) manual describes it as being for monitoring *below*
> 50Mhz, implying that for 6m operation you would not use the extension.
>
> Comments?
>
> G.
>
true but i think that it is for 6m and below just try and use it on 6m without
the ant. ext. i think it's a typo in the manual

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

246. ft-100 i think soon

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: ke6mtf@my-dejanews.com
Message-ID: <798sd6onq1@nnrp1.dejanews.com>
Source record: 117790

In article <78t6tu$50u$1@news-2.news.gte.net>,
algo@bellatlantic.net wrote:
> On Tue, 26 Jan 1999 22:20:05 -0600, "Dan Elekman"
> <elekman@interaccess.com> wrote:
>
> >I'm sure the radio will be worth the long wait, but it's frustrating.
> >
> The fact that the release keeps getting delayed makes me wonder if
> there is a serious quality control or other problem in scaling up from
> prototypes to production line. I would prefer that they delay the
> release indifinitely until the thing works right and is reliable.
>
> In the meantime, you can hum the song from "Annie",
> "Tomorrow, tomorrow, its always a day away..."
>
> 73, Ray K1XV
>
i think very soon for 1 F.C.C. has approved it now and H.R.O. page claims very soon and i overheard a conversation between 2 guys on the air 1 of witch works for Yaesu and he said somthing to the effect of "the new radio is comming out in a few weeks maybe now the calls will stop" so be patient.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

247. Kenwood TH-G71 Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: "Heine N. Halvorsen" <hnh@c2i.net>
Message-ID: <36B7E4EC.318E5AA8@c2i.net>
Source record: 117791
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

I need to modify my radio to be able to send and receive at 153.xxx MHz.

Does anyone know the trick. I'm also interested in any other tricks you might know.

Found mods on http://www.kenwood.net that would expand my receive but I also need to transmit.

HnH

248. Info needed about Yaesu FT-767GX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: jsmollon@icx.net
Message-ID: <36b7ee99.12937768@news.icx.net>
Source record: 117792

I am about to buy a used 767GX, and found out it has a
"built in" power supply. This is fine, but will this rig also
run off 12 DC ?

Thanks in advanced for any information.

Jim
ke4jq

249. Re: Microwave Radio equipment for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: dean@iowaone.net
Message-ID: <36b9efc5.49413210@news.iowaone.net>
Source record: 117793

I am interested but need more info.. Your mail address is no good so I

hope you read your post.
Email me with your address and info.
Dean W5GXL

On 2 Feb 1999 20:19:26 GMT, durango408@aol.comhome (Durango408) wrote:

>NEC Microwave
>10 hops in racks
>5.9-6.2 GHZ- 20 watts
>Test equipment-cables
>Power supplies, dishes
>
>In storage, must move
>
>MAKE OFFER!!
>Carl Schlueter
>Durango408@aol.com
>

250. ALL Bugs in VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Bo Chan <bo-chan@usa.net>
Message-ID: <36b8032f.0@carrera.intergate.ca>
Source record: 117794

Anyone can list all the bugs in VX-5R, I got my VX-5R for a month, I can't found any problem with it! PL tone scan also fine!!

Bo

251. Re: REALLY NEED - HP 87 Desktop PC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: grohe@galaxy.nsc.com
Message-ID: <36b903b8.4204561@139.187.81.1>
Source record: 117795
Cross-posted to: de.sci.electronics,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.misc,sci.electronics.equipment

On Mon, 1 Feb 1999 18:54:50 -0600,
in the newsgroup sci.electronics.equipment,
"Ron Harshbarger" <rnharsh@visi.com>
from thoughtfully posted:

> I really need an HP 87!!! I'll buy one in almost any condition short of a
> burned up piece of charcoal.......

Go here:

http://www.ebbsoft.com/

Or "Shotgun" it and do a net search for "HP-87".

Also take a look at:

http://www.hpmuseum.org/hp85.htm

Tucker usually has some, too. Most of the used equipment places
will have a few.

If you don't need the wide screen - consider the HP-86. Less
memory (64K) and an external monitor.

Good Luck!

Cheers,
Paul Grohe

--

Paul Grohe National Semiconductor Corp.
Assoc. Analog Apps Engineer 2900 Semiconductor Drive
Standard Analog Apps Group Mail Stop C2693
mailto:grohe@galaxy.nsc.com Santa Clara, CA. 95052-8090 USA
Usenet Disclaimer: Any opinions expressed are mine, not NSC's
----

252. Re: ICOM Radios & Ham general Questions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: davem@zeppo.cs.ubc.ca
Message-ID: <7991cs$a0o@zeppo.cs.ubc.ca>
Source record: 117796

>Dave Martindale wrote in message <7986rm$9mp@redgreen.cs.ubc.ca>...
>>So much for the technical aspects. There are also legal issues.
>>Anyone can listen to CB and FRS transmissions, so there's no problem
>>there. But you can only legally transmit on these frequencies with
>>a transmitter that is certified for those specific services. An
>>amateur transceiver, modified or not, is never an approved radio, so
>>using it to transmit is always illegal.

"Rick Pemble" <pemble@ix.netcom.com> writes:
>** you mean ** "using it to transmitt [on frequencies outside the amateur
>band] is always illegal"

Please notice the phrase "on these frequencies" in the paragraph
above. This refers to CB and FRS frequencies. Then, notice that
"using it to transmit" appears in the same paragraph as "on these
frequencies".

A reasonable person might conclude that the final sentence applies in
the same context as the rest of the paragraph, and is thus talking about
the legality of transmittion on *CB and FRS* frequencies. OK?
That's all I was talking about.

Besides, you're wrong. It's not illegal (in the USA) to transmit on
MARS and CAP frequencies using amateur equipment, even though those
frequencies are outside the ham bands, as long is such use is approved
by the agencies that do control the MARS and CAP frequencies. So it's
not always illegal outside the ham bands. (But it is always illegal
on CB and FRS frequencies, except in emergencies).

Dave

253. Want To Trade for Drake R8 or R8A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <7995ej$e9$1@nnrp1.dejanews.com>
Source record: 117797
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

Have the following to trade: Brand new Drake SW2 with remote and tilt stand. Would sell for $395. One month old Icom 2100H 2M transceiver. Astron RS35M power supply in good condition. Would consider trading all this for an excellent R8A or just the SW2 for an excellent R8 or will entertain offers. I just bought the new SW2 last Monday.

Bill K9KZ

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

254. WTB Popular Electronic Magazine 1975 issues

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: K Schneider <kschneid@pconline.com>
Message-ID: <36B7E9CA.FA822D61@pconline.com>
Source record: 117798

If you have any of these issues, please let me know!
I'll do my best to make it worth the scrounging around for.
KS

please EMail me, Thanks

255. Re: Microwave Radio equipment for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <tKuL+PAOpAu2Ew0g@pacsat.demon.co.uk>
Source record: 117799

In article <36b9efc5.49413210@news.iowaone.net>, Dean <dean@iowaone.net>
writes
>
>I am interested but need more info.. Your mail address is no good so I
>
>hope you read your post.
>Email me with your address and info.
>Dean W5GXL

remove the home after .com and it will be ok.

73 Simon
+--+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+--+

256. Moving coil meter repair

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Simon Cox <simon.cox@breathe.co.uk>
Message-ID: <01be4f6c$7a11c600$LocalHost@simoncox>
Source record: 117800
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.shortwave,uk.radio.amateur

Can anyone point me in the direction of a UK company that could repair / rewind old Ernest Turner moving coil meters as used in Racal RA 17 receivers, thanks.

simon.cox@breathe.co.uk

257. Ten-Tec Triton IV info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: sachsarch@aol.com
Message-ID: <19990203075837.15217.00000031@ng-fc1.aol.com>
Source record: 117801

I just acquired a Ten-Tec Triton IV from a friend. Anyone using one? May need front panel for rig as well as the digital readout box. Ten-Tec has none. Sources? Praise for the rig's legendary performance?
Marv, K2IPH
dogs

258. Re: Yeasu VX-5R Slick Sheet

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <799p5jfsu1@nnrp1.dejanews.com>
Source record: 117802

In article <36B7CAE4.2AB03894@worldnet.att.net>,
Curtis J Liebert <curtisl-kck@worldnet.att.net> wrote:

> Intermodulation Rejection
> Adjacent Channel Rejection
> Receiver Sensitivity

Sensitivity:
0.5 uV for 10dB S/N (0.5-16MHz, AM)
0.9 uV for 12dB SINAD (76-108MHz/174-222MHz/470-729MHz, W-FM)
0.16 uV for 12dB SINAD (50-54MHz/144-148MHz)
0.18 uV for 12dB SINAD (430-450 MHz, N-FM)

Selectivity:
15kHz (-6dB/-60dB: N-FM)

...if I remember correctly <g>.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

259. Re: silvereagle mic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Jim Nielson <jnielson@bresnanlink.ns>
Message-ID: <36B85D4C.5FD1@bresnanlink.ns>
Source record: 117803

Look at
http://www.ctiaudio.com/ASTATIC_Communication.html

Jim KB9RQD
--->Change the .ns to .net to reply<---

mark yuhas wrote:
>
> i need the insides of a silvereagle d104 mic.specifically the circuit board
> and the mic cord.any info on a web site to where i can get this stuff will
> be greatly appreciated.

260. FS: Standard C510A Dualband HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: #fleet@mbl.edu
Message-ID: <#fleet-0302990959500001@pom1.mbl.edu>
Source record: 117804
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

This unit is new in the box, unpacked to do mars mod then reboxed as backup to the 510 I use daily. Anyone that doesn't know this HT should connect to Standard's webpage. I paid 299.95, will sell for 200.00.

--
Do not autoreply, remove # sign from email address to respond

Barry Fleet K1SWR
Cape Cod MA

261. FS: RF Applications P3000 Digital RF/SWR Meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: #fleet@mbl.edu
Message-ID: <#fleet-0302991001500001@pom1.mbl.edu>
Source record: 117805
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Unit is autoranging to 3KW, has VSWR alarm and amp shutdown protection
circuit. Remote coupler up to 6' away Only in use a couple of days.
$190.00

--
Do not autoreply, remove # sign from email address to respond

Barry Fleet K1SWR
Cape Cod MA

262. Re: VX-5R Sensitivity

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: ke6mtf@my-dejanews.com
Message-ID: <799pvn$gq6$1@nnrp1.dejanews.com>
Source record: 117806

In article <36b7b5ed.3528900@news.flash.net>,
w6wlr@_REMOVE_THIS_SPAM_FILTER_flash.net (Wayne) wrote:
> No, I don't mean it cries at the movies!!! I've read a bunch about
> the (now corrected) scan problem, and a few comments re: poor antenna
> function on 6M, but I want to be sure the receiver performance on BC
> and SW bands is at least passable. Any comments???
>
> Wayne Hoffman
>
> Be sure to remove the obvious spam eliminator
> in my E-mail address if you feel a need to reply...
>

you can here some sw stations with the stock ant. and a resonable amount of
am broadcaast. i would say that it works fine down there for the ant. and
better of course with a good ant. for the lower bands.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

263. Re: Is there a Web Site for HF Amps ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: bshort@speedchoice.com
Message-ID: <E9B01B61FB06F812.7FF94FD1C0F00993.8096F054C8E5B69C@library-proxy.airnews.net>
Source record: 117807

I have some collected comments on various amplifiers on my web page:

http://www.qex.net/k7on/amps/amps.htm

I sincerely hope you will look through other topics as well:

http://www.qex.net/k7on/

73, Brian

In article <796pvg$oa0$1@nozzle.tacom.army.mil>, bob@belvoir.army.mil
says...
> Is there a Web site that lists all the old and new HF Amps that are out
> there.
>
> Been looking for easy way to compare amps for 160 meters
>
> Tnx 4 any help
>
> Bob W4NNG
>
>
>

--
Brian Short 1994 E. Laguna Dr. Tempe, Az 85282
bshort@speedchoice.com >or< http://www.qex.net/
--

264. SB-401 INFO NEEDED!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: erpi@junction.net
Message-ID: <799qpu$u7s$3@news.junction.net>
Source record: 117808

Hi! is there someone who could tell me if I can replace
the 6146B in my SB-401 for tubes who will give me more output
if yes please email me... Thanks in advance
Eric.....73
Net-Tamer V 1.11.2 - Test Drive

265. SB-401 INFO NEEDED!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: erpi@junction.net
Message-ID: <799qq8$u7s$4@news.junction.net>
Source record: 117809

Hi! is there someone who could tell me if I can replace
the 6146B in my SB-401 for tubes who will give me more output
if yes please email me... Thanks in advance
Eric.....73
Net-Tamer V 1.11.2 - Test Drive

266. WTB. EF Johnson Challenger Radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: newsilver1@aol.com
Message-ID: <19990203104901.16247.00000089@ng-fd1.aol.com>
Source record: 117810

Please send info, model # via email. Thanks.

267. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: joe@jkraus.com
Message-ID: <799u5bkci1@nnrp1.dejanews.com>
Source record: 117811

Could not agree more. I have the exact same equipment and exact same
experience with RTS (free upgrade with version 2.0 to support Travel Plus
export). Keep it up Clint!!

In article <78sr20rar1@nnrp1.dejanews.com>,
clintbrad4d@earthlink.net wrote:
> One malcontent has taken exception to my online presence and my public
> display of satisfaction with RT Systems and their ADMS Software packages -
> both here and via private email messages.
>
> So...I thought I'd publicly state where I'm coming from.
>
> I own two Yaesu FT-50RD HTs and a VX-1R (firmware v106) that use ADMS
> Software. I purchased one of the FT-50s used - all other purchases were
> retail at HRO in Anaheim, CA.
>
> Last year when I had a minor problem with my ADMS software package and the
> VX-1R, the owner of RT Systems advised me that an Update was available -
> absolutely free - on their Web site. My minor problem was solved - even used
> their toll-free 1-800 telephone number...didn't cost me a cent.
>
> My other infrequent contacts with RT Systems have all been very positive. I
> could not be more pleased with how the software performs for me. Its user
> interface is even more "intelligent" than the Vertex software I need to use
> with my Vertex VX-10 commercial HTs.
>
> If anyone were to ask me where to obtain a copy of ADMS, I would refer them
> to any HRO - the price is fair, and they'll ship orders totalling $100.00 or
> more free (the software is about half of that...add a battery or a Maha
> MH-C777a charger, and you're there!). If the inquirer lived outside the
> United States, I would refer them directly to the manufacturer - RT Systems.
> That only makes sense to me. If any country has any sort of an "export/import
> restriction" on this software package, RT Systems would know. AND the price
> is the same just about anywhere.
>
> SO...that's where Clint is "coming from." A retail customer with first-hand
> experiences to share. Sorry that Gerald has taken exception to my posts...I
> have absolutely no idea what his problem is.
>
> - Clint Bradford, KE6LCS
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

268. Yaesu Front Panel Lights

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Bob Pastro <bobp@stic.net>
Message-ID: <799r0k$ila@nnrp3.farm.idt.net>
Source record: 117812

I have 3 Yaesu mobiles - FTs 2200, 5100 and 5200 - that all have lost front panel lighting. I can't seem to find any information on how to change what I assume are bulbs somewhere inside.

Can you tell me how to get access to and change those bulbs ?

Thanks for your help.

269. Re: ft-100 i think soon

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Seb <hb9icc@hamradio.ch>
Message-ID: <799rh3$916$1@news.worldcom.ch>
Source record: 117813

First in Dayton ???
or wait about 6 months !!!
Yeasu have certainly big problems with the FT-100.
Wait the FT-100 MKII.

ke6mtf@my-dejanews.com a crit dans le message
<798sd6onq1@nnrp1.dejanews.com>...
>In article <78t6tu$50u$1@news-2.news.gte.net>,
> algo@bellatlantic.net wrote:
>> On Tue, 26 Jan 1999 22:20:05 -0600, "Dan Elekman"
>> <elekman@interaccess.com> wrote:
>>
>> >I'm sure the radio will be worth the long wait, but it's frustrating.
>> >
>> The fact that the release keeps getting delayed makes me wonder if
>> there is a serious quality control or other problem in scaling up from
>> prototypes to production line. I would prefer that they delay the
>> release indifinitely until the thing works right and is reliable.
>>
>> In the meantime, you can hum the song from "Annie",
>> "Tomorrow, tomorrow, its always a day away..."
>>
>> 73, Ray K1XV
>>
>i think very soon for 1 F.C.C. has approved it now and H.R.O. page claims
very
>soon and i overheard a conversation between 2 guys on the air 1 of witch
works
>for Yaesu and he said somthing to the effect of "the new radio is comming
out
>in a few weeks maybe now the calls will stop" so be patient.
>
>----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

270. FS icom IC-w2A dualband HT $200.00 plus shipping

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Richard Paul Merrell <k6jxy@earthlink.net>
Message-ID: <36B8700A.D63C364C@earthlink.net>
Source record: 117814
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have an icom IC-w2A in great condition just back from icom. really am thinking of getting another radio. This one comes with the 1100mah battery plus wall charger and book.
The radio has been modified for out of band tx.
if interested please E-mail the shipping should be pretty cheap. we can do either UPS or USPS. pre-payed in advance no CODS. E-mail if interested.

--
Richard Paul Merrell
k6jxy@earthlink.net
rpaulmerrell@netzero.net
http://home.earthlink.net/~k6jxy

271. WTB Bird 1500 Meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Howard Petersen <delta@emeraldnet.net>
Message-ID: <36B874DC.27A4@emeraldnet.net>
Source record: 117815

Need Bird 1500 antenna meter, will pay cash, please replyto
delta@emeraldnet.net in seattle

272. Details needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Simon Cox <simon.cox@breathe.co.uk>
Message-ID: <01be4f8e$4f70dea0$LocalHost@simoncox>
Source record: 117816
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.swap,uk.radio.amateur

Many years ago in a little town called Launceston in
Cornwall there used to be an electronics goodies shop.
They used to go to rallies and sell all sorts of interesting
stuff, trouble is I can't remember what they were called
and want to find out if they're still around and pass on the
details to someone I'm trying to help. Any ideas ?

p.s. I don't seem to be very good at finding things with
search engines or Yell UK hence the silly questions.

simon.cox@breathe.co.uk

273. HP 431B Manual Needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Jim Allen <jimallen@cup44ux.cup.hp.com>
Message-ID: <36B86B42.6397@cup44ux.cup.hp.com>
Source record: 117817

I'm in need of a manual (or copy) for a HP 431B Power Meter.
Can anyone out there help?

Thanks,

Jim

NU6AM

274. Wanted: AA Dummy Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: leongst@mail.northgrum.com
Message-ID: <MPG.112215054515f6e998969e@news.northgrum.com>
Source record: 117818
Cross-posted to: ca.wanted,la.wanted,misc.emerg-services,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

Does anyone know the availability of any "dummy" AA cells?
(I've seen them in the past - they are plastic forms the same size of
an AA cell, with a metal strip connecting the top and bottom contacts -
basically a specialized jumper!).

I have a AA battery pack for a handheld radio (Kenwood TK-250) that has
spaces for too many AA cells (excess voltage would damage radio). I need
to insert two "dummy" AA cells to act as jumpers for these extra spaces.
Already tried to solder jumpers in place - can't do it due to the metal
they used for the contacts.

Thanks for any assistance and advice!

Steve KC6IJM

275. TS-140S MARS/CAP Mod

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: ypwhich@hotmail.com
Message-ID: <79a14i$n2j$1@nnrp1.dejanews.com>
Source record: 117819

I found the mod for the TS-140S, snipping diodes 29 and 31. Fine, so I think diode 31 gives you more power on all the bands because i did that first. Then i snipped 29 and reset and checked it out. It added 45Mhz-60Mhz to my receive, except for one little problem. When listing between 45-60Mhz, the display goes blank (except for dots), and it does Morse code that says "unlock". I checked the service manual and the normal manual and this is a "feature". It turns out that the processors catches the fact that it is recieving out of the allowable area and immediatly shuts down the reciever volume. Well i don't call that much of a mod.

So how can i actually LISTEN to stuff from 45-60Mhz?
Also, It now transmits from 49 to 55Mhz, but that is not so usefull as i'm interested in getting it to work on 47.xx Mhz (Red Cross Freq).

If anyone can shed light on how to trick the processor into thinking it's not out of band, so that i can actually listen, or if i've done the wrong mod.... Or if there is another mod... i would be very greatful for this information. I've searched the WWW endlessly, and other than a short note of some guy telling another to snip D29 and D31, i've come up with nothing substantial... if anyone has a real "white paper" on this i would be happy to pay for fax/shipping whatever. Thanks

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

276. Re: Wanted: AA Dummy Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Trevor <ironace@tidalwave.net>
Message-ID: <36B87E92.74866692@tidalwave.net>
Source record: 117820
Cross-posted to: ca.wanted,la.wanted,misc.emerg-services,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

Steve Leong wrote:

> Does anyone know the availability of any "dummy" AA cells?
> (I've seen them in the past - they are plastic forms the same size of
> an AA cell, with a metal strip connecting the top and bottom contacts -
> basically a specialized jumper!).
>
> I have a AA battery pack for a handheld radio (Kenwood TK-250) that has
> spaces for too many AA cells (excess voltage would damage radio). I need
> to insert two "dummy" AA cells to act as jumpers for these extra spaces.
> Already tried to solder jumpers in place - can't do it due to the metal
> they used for the contacts.
>
> Thanks for any assistance and advice!
>
> Steve KC6IJM

How about using wooden dowels with thumb tacks in the end with wire
connecting the thumb tacks

--
Check Out My WebCam!!

http://tidalwave.net/~ironace/webcam.html

ICQ me 8309550

Where there's a will, I want to be in it!

.

277. Re: General Electric Phoenix radio schematic needed.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: "Collins, Brian (EXCHANGE:WDC:2X41)" <bcollins@americasm01.nt.com>
Message-ID: <36B87505.2125897A@americasm01.nt.com>
Source record: 117821

Dan:

Do you have the programming information for the EPROM? Do you have any
pinout info, schematics, etc?

73 de VE6APR

Dan wrote:
>
> The S at the end of Phoenix stands for synthesized. Programmed eprom with a
> special programmer. They work great for packet. I have four of them both
> in VHF and UHF and 1200 and 9600 baud rates. They work well.
>
> Dan / N7WPD
> Collins, Brian (EXCHANGE:WDC:2X41) <bcollins@americasm01.nt.com> wrote in
> message news:36B5D5EB.4CA4F26D@americasm01.nt.com...
> >I recently acquired a General Electric Phoenix-S commercial type radio.
> >it appears to be a two-channel VHF rig currently crystalled for ~152.??
> >MHz and ~153.?? MHz according to a slip of paper inside the cover. A
> >socketed crystal on the bottom PCB is somewhere around 102 MHz IIRC. The
> >IF crystal is 10.7 MHz. I would like to use it for packet or TCP/IP work
> >and I will need a schematic, manual and re-crystalling instructions.

--
Brian Collins | In a war of ignorance | The opinions expressed
PCB Designer | no one wins. | here are the result of
Nortel Calgary AB | There is no concept of | my own misconceptions,
Wireless Solutions | "race", we are all humans. | not those of my
employer.

278. Re: Info needed about Yaesu FT-767GX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: n8ppz73@aol.com
Message-ID: <19990203120432.13117.00000176@ng-fr1.aol.com>
Source record: 117822

No the rig won't run off 12vdc. Also the PS is weak in it. Mine is currently having the PS serviced, and the guy doing the work said that PS failures in them were common. Also the electrolic caps dry out when the rig is warmed up, and they sometimes need replacing.

Otherwise I love it, it's a great rig.

Enjoy,

Grego

279. Re: Yaesu Front Panel Lights

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: "\\Dave\" Davis <verbose@aviastar.net>"
Message-ID: <36B88CA0.5DDDE506@aviastar.net>
Source record: 117823

And I have an FT2400 with no panel light (no bulbs) any ideas?
Dave KC6OLD

Bob Pastro wrote:

> I have 3 Yaesu mobiles - FTs 2200, 5100 and 5200 - that all have lost front
> panel lighting. I can't seem to find any information on how to change what
> I assume are bulbs somewhere inside.
>
> Can you tell me how to get access to and change those bulbs ?
>
> Thanks for your help.

280. Re: Wanted: AA Dummy Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Greg Halpin <greg@halpin.com>
Message-ID: <36B88D9A.3036496F@halpin.com>
Source record: 117824
Cross-posted to: ca.wanted,la.wanted,misc.emerg-services,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

Steve Leong wrote:
>
> Does anyone know the availability of any "dummy" AA cells?
> (I've seen them in the past - they are plastic forms the same size of
> an AA cell, with a metal strip connecting the top and bottom contacts -
> basically a specialized jumper!).
>
> I have a AA battery pack for a handheld radio (Kenwood TK-250) that has
> spaces for too many AA cells (excess voltage would damage radio). I need
> to insert two "dummy" AA cells to act as jumpers for these extra spaces.
> Already tried to solder jumpers in place - can't do it due to the metal
> they used for the contacts.
>

Steve,

Have you checked at a Radio Shack? (Presuming you are located near one)

I have an old RS portable citizen's band radio that uses two dummy cells
when using 1.5V AA batteries instead of 1.2V AA rechargables. They are
a lead-like cast dummy with a thin body and normal sized top and bottom.
Perhaps they can get them for you as a replacement part ... radio is a
TRC-209, #21-1660 if that helps at all.

Greg Halpin

281. Need help in Fort Walton Beach

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <36B88F6A.36FE4B0E@wenet.net>
Source record: 117825

Hello,
My old friend W5UVA, Jim Bannan who is 75 years old and near blind need some local Ham to come and help him set up the Ham station. He bought TS570G last October but so far cannot operate it nor installing the antenna. He need simple dipole antenna. If anybody can help him, I will send a phone number by e-mail.
Thanks.
de k6hm
Young

282. Spectronics Display

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Jim Allen <jimallen@cup44ux.cup.hp.com>
Message-ID: <36B88FE9.7ECC@cup44ux.cup.hp.com>
Source record: 117826

I have a Spectronics DD-1T digital display. I'm trying to get it to work with a Yaesu FTDX-570. I think I need the DD-1 instead. Does anyone know what the difference is? Can I adapt the DD-1T to work with my Yaesu? Anyone want to trade a DD-1 for a DD-1T?

Thanks,

Jim

NU6AM

283. Re: Wanted: AA Dummy Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: k5dh@rtis.ray.com
Message-ID: <79a4t1$rsl@news.rsc.raytheon.com>
Source record: 117827
Cross-posted to: ca.wanted,la.wanted,misc.emerg-services,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

Try Radio Shack. Some of theeir CB walkie-talkies come with
two dummy batteries (so the user can load either ten NiCd's
or eight alkalines + two dummies). They surely don't sell
the dummy batteries over the counter, but I'd bet they can
order them as a service part for the CB W-T's. Try it!

73... Dean, K5DH

In article <MPG.112215054515f6e998969e@news.northgrum.com>,
leongst@mail.northgrum.com says...
>
>Does anyone know the availability of any "dummy" AA cells?
>(I've seen them in the past - they are plastic forms the same size of
>an AA cell, with a metal strip connecting the top and bottom contacts -
>basically a specialized jumper!).
>
>I have a AA battery pack for a handheld radio (Kenwood TK-250) that has
>spaces for too many AA cells (excess voltage would damage radio). I need
>to insert two "dummy" AA cells to act as jumpers for these extra spaces.
>Already tried to solder jumpers in place - can't do it due to the metal
>they used for the contacts.
>
>Thanks for any assistance and advice!
>
>Steve KC6IJM

284. FS: Icom IC 706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: aidehua@aol.com
Message-ID: <19990203143425.25633.00000185@ng-fs1.aol.com>
Source record: 117828

FS: Icom 706 HF/6m/2m rig w/mic. Excellent condition. Original box and manual. $700.

285. Re: Wanted: AA Dummy Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Don W6JL <W6JL@ixpres.com>
Message-ID: <918071367.360615@cs1.sdd.hp.com>
Source record: 117829
Cross-posted to: ca.wanted,la.wanted,misc.emerg-services,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

Steve OM,

Why not just make two out of wood, with a jumper? Cost is zero.
I made a "false" battery pack for my portacle VCR and camera (no,
not a 'cam-corder'), by cutting a block of wood the same size and shape
as the sealed battery, complete with two copper contacts and leads.
This enabled me to use the setup off my cigarette lighter jack in the car.
Another zero cost solution (my favorite kind!).

73,
Don, W6JL

Steve Leong wrote in message ...
>Does anyone know the availability of any "dummy" AA cells?
>(I've seen them in the past - they are plastic forms the same size of
>an AA cell, with a metal strip connecting the top and bottom contacts -
>basically a specialized jumper!).
>
>I have a AA battery pack for a handheld radio (Kenwood TK-250) that has
>spaces for too many AA cells (excess voltage would damage radio). I need
>to insert two "dummy" AA cells to act as jumpers for these extra spaces.
>Already tried to solder jumpers in place - can't do it due to the metal
>they used for the contacts.
>
>Thanks for any assistance and advice!
>
>Steve KC6IJM

286. FS: SABER III UHF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Al <K6DJP@postoffice.pacbell.net>
Message-ID: <36B8A9D2.B7CD92@postoffice.pacbell.net>
Source record: 117830
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Radio is in excellent condition,Has full keypad,120 channels,front
display,5Dcore,Scan,440 to 470 split
and includes radio,antenna,high capacity battery and remote speaker
mike.$500
Al

287. HELP DRAKE T4 XC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: KentS <sm4can@swipnet.se>
Message-ID: <hZ1u2.3420$d4.7358@nntpserver.swip.net>
Source record: 117831

Need information how to reduce the 1kc subtone when keying the rig.
Must be a wellknown " problem " to Drake users.
73 de Kent
SM4CAN

mail sm4can@swipnet.se

288. Icom 746 ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: trg150@aol.com
Message-ID: <19990203151850.25643.00000209@ng-fs1.aol.com>
Source record: 117832

I am looking for comments from anyone owning the 746... any major problems??? any idea why Icom is now offering $200 additional discount??? From what I have read and heard - it is a great radio.. Does it receive 108-174 mhz??? original QST write up indicated it had extended vhf receive????? thanks trg150@aol.com

289. Re: Kenwood TR9130

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: David Green <david.green24@virgin.net>
Message-ID: <79abhlkto1@nclient1-gui.server.virgin.net>
Source record: 117833

my TR-9500 with same display could take 12-24 hours to come back!

David

M0CAY/VK3DGN

Tom Geletka wrote in message <36bfdc55.78694555@207.126.101.100>...
>In rec.radio.amateur.equipment, Rex Yeung wrote:
>
>>
>>Hi,
>>
>>When I Switch on my old TR9130 Radio, the frequency display flashing
>>and unable to lock the frequency, after 2 minutes warm up. the display
>>stop flashing and I could change frequency.
>>
>>
>>Any Wrong
>>Because my radio is too old??
>
>The problem is that the internal 9-volt battery discharges when the radio
is
>off even if the main power cable is powered. This battery is supplying the
>RAM. The processor wakes up when the RAM has lost data and goes into a
weird
>state. The radio does not have a reset button.
>
>There is an auxiliary power input on the back of the radio that will keep
the
>battery charged. I do not know why they chose to drain the battery when the
>radio is in the off position with main power applied.
>
>You are lucky if it only takes two minutes to straighten itself out. I have
>had it take over half an hour.
>
>Tom
>N9CBA
>
>>
>>
>>Rex Yeung
>>VR2KJ
>>
>
>

290. Re: VX-5R vs IC-Q7

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: bubbachilders@my-dejanews.com
Message-ID: <79aedt$18m$1@nnrp1.dejanews.com>
Source record: 117834

In article <575cf06f.36b0a1b3@aol.com>,
BillCombs@aol.COM wrote:
> Has anyone been able to do a comparison between the VX5-R and the IC-Q7. I
> wonder about a number of issues:
> 1. General performance
> 2. Size--from what I can tell they appear to about the same size.
> 3. Does the Q7 receive WB FM for use in the FM broadcast band?
> 4. How well does the VX-5R work on am broadcast?
> 5. General preference
>
> Bill
> W8BC
>

1. I have recently bought a "fixed" VX-5R and I love it. The big difference I believe is that the VX-5R transmits at 5 watts and the Q7 @ 300-350 milliwatts. The receiver in the VX-5R is really good and audio is surprising considering how small the radio is. Using it on 2 meters I was blown away by the performance and the features of this little radio I like the 200 Memories and tone scanning feature.Battery life seems to be really long with the lith-ion battery.

2. Q7 does receive WFM broadcast according to the Ham Radio Outlet catalog.

3.The A.M broadcast works ok on the VX-5R I suspect it's the little antenna. The shortwave broadcast if really nice, again better with an external antenna (i use a 2 meter vertical and it works great).

5. I looked at both rigs and I liked the VX-5r better because I wanted to use it mobile. Of course the cost is the big difference the VX-5R is $359 from HRO and the Q7 is about $200. I talked to a guy in the store who had a Q7 and he liked it but admitted the low output caused it to be mostly used as a reciever which he thought was very nice.

One last note there was a problem with the early VX-5R's that I found out in the newsgroups, I believe when stations with pl tones are stored the memory scan would not stop on the busy freq. The one I bought was one of the fixed versions and this problem has been eliminated..make sure you get a fixed one..or you will have to send it to Yaesu to get it straightened out.

73's
KB6BNX

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

291. Re: Kenwood out of HF market?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: stuartl73@aol.com
Message-ID: <79agn8$37e$1@nnrp1.dejanews.com>
Source record: 117835

Tim, I used to work for Kenwood, in California, and now service their equipment on my own. They took a big loss in consumer electronics about three years ago, and reduced their staff and new equipment budgets as a result. I suspect that they never have made money off the ham market, but the "old timers" in the company wanted to support the amateur community. The TS570 radios are really nice pieces of equipment. Even if they got out of the business, they would still support the products already out there. I hope that they remain in the market. With the HF bands getting better, there is a good market for this equipment. Stuart K6YAZ

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

292. Re: hi swr reading with 'fixed-length' antenna...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: "Curt M. Breneman" <brenec@rpi.edu>
Message-ID: <36B8BE0B.6D65@rpi.edu>
Source record: 117836
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

BD wrote:
>
> I have a glass-mount antenna and a 50watt 2meter radio, and the adjustment
> screw on the antenna base does not lower the swr to where it should be..
> There something else that can be done besides chopping the antenna up? Is
> there a formula for deciding how much to chop off (it has a plastic cap on
> the end that can be removed), vs just guessing, if that is the only
> alternative?...
>
> Hmm.. Would moving it to the center of the rear-window (it's to the side
> now) possibly help LOWER it?
>
> Thanks!

Dear BD,

First, you should make sure that the window glass is not tinted with a
metallic dye -- this will alter the glass dielectric as well as
introducing losses. Since glass-mounted antennas are capacitively
coupled end-fed electrical half-waves, the mount point is high impedance
and must be kept at least one inch from the glass borders as well.

Curt Breneman
KC2EBP

293. Re: WTB: Ten-Tec Scout

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: "James L. Griffith" <griffithj@ricks.edu>
Message-ID: <36B8AC34.4D7BC39B@ricks.edu>
Source record: 117837

Make sure your needs are that you can always supply this radio with at least 13.5 to 13.8 volts DC either off a
power supply or a battery that is under charge. If you try and run the rig off a well charged deep cycle battery
that is charged to say 12.7 volts the radio will starve for voltage. It needs 1.5volts of over head on the DC input
to operate properly at 12 volts. So as you can see for emergencies off a battery unless it under charge, it will
not perform well. The common symptom is it sounds as though RF is getting back into the radio. Your voice is
distorted to those on the other end, and they tell you have RF on the mic and comments like that. The radio is
starved for voltage. I have the power cord on mine modified to 8 gauge wire and a heavy duty fuse holder so there
is very little voltage drop across the power cable. TT will tell you no more than .2 volts drop. I also changed the
mic out to a dynamic model so the mic control was not so sensitive. The radio will work well if you have 13.8 volts
on it, mush less and it has problems. They don't tell you that in the adds. And even the manual says it will run on
12 to 13.8 volt but it won't. I ran in to this problem because my power supply quit and I put the radio on a good
battery, and I had all kinds of problems. I since learned from others when asking around, and on the TT E-mail
server, that 13.8 is the only thing the radio likes. Get a TS-50 for $200 more. I use to say I love my Scout until
I found out in only liked 13.8 and nothing less. I not the only one. Just thought I help you with your decision if
you were planing on using it for emergencies. I am not putting a downer on the radio. It works well. But if you
find yourself needing to run it off 12.5 to 12.8 volts DC, it won't do that very well at all.
Jim, WA7NDD

Christopher Brewster wrote:

> I've never seen one of these things in the flesh but this model seems to
> meet my needs. Anyone have one for sale? I've heard that some or all
> (older?) models make it difficult to switch power levels. I'd like to
> avoid that problem unless it's unavoidable. Anyone know a fix for this?
> ---
> Request: If you respond to this posting, please send me a copy. My net access is intermittent. Many thanks...
> ---
> Christopher Brewster, KC0EVQ

> brewsq@excite.com
> Plymouth Minnesota
> brewsterc@excite.com
>
> 16420 5th Ave N
> Plymouth MN 55447
> 612-475-0477

294. MFJ 259 SWR analyser failure

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Paul Van den Hende <paul.vandenhende@ping.be>
Message-ID: <79aetgajo1@news3.Belgium.EU.net>
Source record: 117838

Hello !

Thanks for reading this message. Three years ago, i bought the MFJ 259
analyser in the U.S.A. I used it only a couple of times. I took care for it
as "eggs".....
Some time ago i once again i would make some measurements.....it failed !
I made an e-mail to MFJ, but no reply....

The counter is ok.

It looks like the oscillator doesn't run anymore......

A friend of mine said that it was the rotary switch wich made bad contact
after a year in the box....

Anybody can tell me if there is a known cause for this, or where i have to
look...A schematic would be helpfull, but i never managed to get one....

Best regards !

paul.vandenhende@ping.be

295. Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Andy Moss <enzo@ibm.net>
Message-ID: <36B8C37A.626E@ibm.net>
Source record: 117839
Cross-posted to: rec.radio.cb,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

How much (square feet) of concrete do I need to pour to hold up a 60ft free-standing tower? How deep in the ground do I need to go? This is in a light-wind area and the antenna load will be about 2 square feet. Soil is clay. I'm thinking I can do my patio and tower all at the same time!

Also, I've seen a couple of towers that were bolted to the concrete in the ground via these large bolts - facilitating easy removal I would assume. Is this the way to go?

Thoughts?

296. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: dean@iowaone.net
Message-ID: <36b8c5b3.1536666@news.iowaone.net>
Source record: 117840
Cross-posted to: rec.radio.cb,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

You had better go back to the manufactur to find out that answer.
many can not suport that high a tower at all.
Dean

On Wed, 03 Feb 1999 16:45:30 -0500, Andy Moss <enzo@ibm.net> wrote:

>How much (square feet) of concrete do I need to pour to hold up a 60ft
>free-standing tower? How deep in the ground do I need to go? This is
>in a light-wind area and the antenna load will be about 2 square feet.
>Soil is clay. I'm thinking I can do my patio and tower all at the same
>time!
>
>Also, I've seen a couple of towers that were bolted to the concrete in
>the ground via these large bolts - facilitating easy removal I would
>assume. Is this the way to go?
>
>Thoughts?

297. Re: DSP soundcard software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Bryan Bisgrove <bryan.bisgrove@zetnet.co.uk>
Message-ID: <19990203222192082819@zetnet.co.uk>
Source record: 117841

The message <zwVC4pET#GA.248@newstoo.hiwaay.net>
from "Rodney Isom" <sorry@no.spam> contains these words:

> Hi guys,

> I know this isn't exactly an equipment-related post, but:

> Does anyone know where I can get a soundcard DSP software package that runs
> in Windows 95, preferable shareware or free? I've looked around some & all
> I can find is DSP Blaster and it costs a bit. I might like to buy something
> later on, but I'd like to try one of the packages out & see what it's about
> before I put any money into it.

> Thanks,
> Rodney - KF4COV
> Birmingham, AL
> **Please post replies to group**

I have just found this. The package looks good and is well
documented. I dont know how well it works cos I am having a problem
with my sound card since I upgraded my PC.
A new DataRX/TX Program that uses the SoundCArd is availabli.
Can be found here at http://www.ncsl.co.uk/ncsl.html
if you wish to use WEFAX, FAX,
RTTY, CW. SSTV

Regards.
Bryan Bisgrove.

298. FS:Icom IC-706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: n4jzh@mindspring.com
Message-ID: <36b8cff8.607042150@news.mindspring.com>
Source record: 117842

FS: Icom IC-706 HF/6/2 allmode radio
100w HF/6 10w 2meters. this radio has all
Mars/Cap mods including low TX mod.
All work done by Icom service center.
Comes with face mounting bracket, seperation cable,
mike,book and box.9.5 of a 10. $775.00 postal money order.
will provide references and will demonstrate on air if needed.
email me with comment or offers. 73 Donnie
n4jzh@amsat.org

299. FS / FT: 256 MB PC-100 SDIMMS (RAM) for a Pentium II

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: chainsaw <chainsaw1@mindspring.com>
Message-ID: <79aj7l$i3c$1@camel21.mindspring.com>
Source record: 117843
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Hello to the group,
I have (2) new 128 megabyte 100 MHz ram in SDIMMS format optimized for the new Pentium 2 platform. my wholesale cost is $189.00 each. I want to sell them for $300.00 for both and I pay shipping costs. I will also consider any VHF 2 or 6 meter trades, Amps, radios, meters, etc.

Please email me if interested,

My email address: kc4nyh@mindspring.com

My home page URL: http://www.mindspring.net/~chainsaw1

KC4NYH
Mark Payne
Richmond, Va.

300. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Howard Petersen <delta@emeraldnet.net>
Message-ID: <36B8D6BA.B72@emeraldnet.net>
Source record: 117844
Cross-posted to: rec.radio.cb,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

Look in the ROHN book....no tower is athorized over 30 feet free
standing.... if yo insist on it use 2 cu yards colume about 5 feet
deep. find 3 solid steel rods about 3 feet long adn insert them up the
tower legs about a foot, bolt them in. then use only the bottom
section of the tower for a vertical guide while you pour the concrete.
carefully make the section vertical till the concrete sets. that way you
can remove the tower later if you choose. 60 feet is a long way, at
least tie it to the house at the 8 foot level wiht a bracket... the
tower may have only 2 sf of area but the 4 element beam has 5 or 6 sf..

good luck

301. Re: External DSP ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Marc Clarke <mic@hpfimic.fc.hp.com>
Message-ID: <yw1g18njdau.fsf@hpfimic.fc.hp.com>
Source record: 117845

"Ken Bickel" <ac4vv@qsl.netz> writes:

> The Timewave DSP-599zx!
>
> LOL
>
> k9kz@indy.net wrote in message <797vho$6t$1@nnrp1.dejanews.com>...
> >Can anyone HIGHLY recommend an external DSP unit to use with my Drake SW2
> >receiver that is effective against various noises and will not degrade the
> >audio? Tnx!
> >
> >Bill K9KZ
> >
> >-----------== Posted via Deja News, The Discussion Network ==----------
> >http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

I second the motion.

--
Marc Illsley Clarke, W2MIC (formerly KB0YDL)
W2MIC@N0MPI.#NECO.CO.USA.NOAM, marcclarke@unforgettable.com
(Representing solely myself, I am emphatically NOT a representative of
any employer, club, group, church, league, organization, or government!)

302. FS: Kenwood YG-3395C CW filter for TS-520 series

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Rick Riverman <rbriver@cybcon.com>
Message-ID: <79alburls1@remarQ.com>
Source record: 117846

```
Kenwood YG-3395C CW filter.
For Kenwood TS-520 series radios.

$60.00 or trade for YK-88C filter

Rick Riverman
W7RBR
Aloha, Oregon
```

303. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Irv Finkleman <finkirv@cadvision.com>
Message-ID: <36B8DB15.3DC28601@cadvision.com>
Source record: 117847
Cross-posted to: rec.radio.cb,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

I used 2 x 2 x 6 feet deep to anchor a 56 footer with tons of stuff hanging off it. It was far
more than was required, but it never moved. 2 x 2 x 4 is more than enough, but will you be able to sleep nights?

You might also want to consider countersinking the tower base -- that way, if you ever want to make a change, after you cut off the anchors, you can fill in the hole.

Irv (I slept well!) VE6BP

Andy Moss wrote:

> How much (square feet) of concrete do I need to pour to hold up a 60ft
> free-standing tower? How deep in the ground do I need to go? This is
> in a light-wind area and the antenna load will be about 2 square feet.
> Soil is clay. I'm thinking I can do my patio and tower all at the same
> time!
>
> Also, I've seen a couple of towers that were bolted to the concrete in
> the ground via these large bolts - facilitating easy removal I would
> assume. Is this the way to go?
>
> Thoughts?

304. Re: Wanted: AA Dummy Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: &NM7U <&NM7U@hevanet.com>
Message-ID: <36B8DB35.5CA6E39F@hevanet.com>
Source record: 117848
Cross-posted to: ca.wanted,la.wanted,misc.emerg-services,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

Mustang Maniac! wrote:

> Try Radio Shack. Some of theeir CB walkie-talkies come with
> two dummy batteries (so the user can load either ten NiCd's
> or eight alkalines + two dummies). They surely don't sell
> the dummy batteries over the counter, but I'd bet they can
> order them as a service part for the CB W-T's. Try it!
>
> 73... Dean, K5DH
>
> In article <MPG.112215054515f6e998969e@news.northgrum.com>,
> leongst@mail.northgrum.com says...
> >
> >Does anyone know the availability of any "dummy" AA cells?
> >(I've seen them in the past - they are plastic forms the same size of
> >an AA cell, with a metal strip connecting the top and bottom contacts -
> >basically a specialized jumper!).
> >
> >I have a AA battery pack for a handheld radio (Kenwood TK-250) that has
> >spaces for too many AA cells (excess voltage would damage radio). I need
> >to insert two "dummy" AA cells to act as jumpers for these extra spaces.
> >Already tried to solder jumpers in place - can't do it due to the metal
> >they used for the contacts.
> >
> >Thanks for any assistance and advice!
> >
> >Steve KC6IJM

I've made them before. Take a piece of copper or brass tubing that's the
right size to
make connection at the positive end. Cut it the right length.
Take a piece of wood dowel the right diameter for the battery case and drill a
hole
down the center for the brass tubing. It's tough to get the hole centered, so
make it
oversize and use hotmelt glue to hold the brass in the center.
Can get all the parts at a hobby store. or hardware store or...

You can accomplish the same thing by cutting a slot down the side of the dowel

and running a wire between two thumbtacks.
miker

--
Big list of WANTS and FORSALES at link below.
Return Address is Bogus.
TO REPLY CLICK HERE http://www.hevanet.com/nm7u
Or you can DELETE the & in the "from" address.

305. for Sale: Yeasu FT-51R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: "Glenn E. Frasier" <kd5dmg@digitex.net>
Message-ID: <umJ1j58T#GA.261@upnetnews03>
Source record: 117849

First sale never came through with the money. So I still have a FT-51R with one 4.6V Batt. and Two 9.6V Batts. Speaker Mike with remote controls and display on mike. NC-50 quick desktop charger. ADMS software to program the Ht and cable.

I would like $350 but will listen to any serious offer. Would like COD and must be in US. I will pay the Shipping.

--

Glenn E Frasier jr. Kd5dmg
kd5dmg@msn.com
home page http://members.tripod.com/kd5dmg/

Moderator of Photosmart Email list on www.onelist.com
Archives at: http://www.onelist.com/archives.cgi/Photosmart
---

306. Yaesu Ft-736 LIKE NEW

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Mike Iacono <K1MRI@earthlink.net>
Message-ID: <36B8D7CC.3A0CE7D4@earthlink.net>
Source record: 117850

Please visit eBay to find out about this item for auction!

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=62976226

307. FA:YEASU FRG-7 (clone) GENERAL COVERAGE RECEIVER*

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: BB Wolf <bigbadwolf1@earthlink.net>
Message-ID: <36B8DAFA.94622B10@earthlink.net>
Source record: 117851
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,alt.ham-radio.amateur.equipment,rec.radio.amateur.equipment

FA: 2 DAYS left ! Ends FRI 2245hrs EST.

YEASU FRG-7(clone) RECEIVER. Made by YEASU. Sold and labeled by Sears.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=63190089

Thank You!

308. Re: Icom 746 ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Michael D Worrell <mworrell@mail.bna.bellsouth.net>
Message-ID: <36B8E24B.8C8054A5@mail.bna.bellsouth.net>
Source record: 117852

Just put my 746 on the air last night and I am still learning about it. It does receive 108 to 174 mhz. Mike

TRG150 wrote:

> I am looking for comments from anyone owning the 746... any major problems???
> any idea why Icom is now offering $200 additional discount??? From what I have
> read and heard - it is a great radio.. Does it receive 108-174 mhz??? original
> QST write up indicated it had extended vhf receive????? thanks
> trg150@aol.com

309. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: tcrpe <tcrpe@yahoo.com>
Message-ID: <rx5u2.8740$3J3.2273@news2.giganews.com>
Source record: 117853
Cross-posted to: rec.radio.cb,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

Dangerous question. I would recommend a pile footing, size based upon wind loading, soils lateral bearing capacity (you mentioned clay), local codes and what SHM (tower sway) would be expected in a wind.

By the way, a pile footing is circular in cross section and extends to some depth into undisturbed soils. Usually a large diameter hole augured into the ground. Set rebar cage and anchor bolts and pour concrete.

My advise? Hire a Civil or Structural Engineer. It won't cost that much (a few hundred bucks) it will make the building department happy, and you'll sleep well.

TR (an engineer in earthquake country)

Andy Moss wrote in message <36B8C37A.626E@ibm.net>...
>How much (square feet) of concrete do I need to pour to hold up a 60ft
>free-standing tower? How deep in the ground do I need to go? This is
>in a light-wind area and the antenna load will be about 2 square feet.
>Soil is clay. I'm thinking I can do my patio and tower all at the same
>time!
>
>Also, I've seen a couple of towers that were bolted to the concrete in
>the ground via these large bolts - facilitating easy removal I would
>assume. Is this the way to go?
>
>Thoughts?

310. FS: YAESU FT920 Transceivers (2 units)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: STRIDSBERG <stridsberg@email.msn.com>
Message-ID: <eHRFBe9T#GA.308@upnetnews03>
Source record: 117854

Our company have for sale 2 ea. Yaesu FT-920 Transceivers.
These radios are very new (less than 3 month) and in spotless condition.
Radios have been used in our engineering department for evaluation of our
own products. All packaging and manual intact.

Price: $995.00 including ground shipping and insurance in CONUS.

If interested, give us a call.

We take VISA/MasterCard and American Express cards.

Best regards:

STRIDSBERG ENGINEERING, INC
SHREVEPORT, LA USA.

TEL: (318) 861-0660

311. Our company have for sale 2 ea. Yaesu FT-920 Transceivers.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: STRIDSBERG <stridsberg@email.msn.com>
Message-ID: <#3Wkif9T#GA.239@upnetnews05>
Source record: 117855

Our company have for sale 2 ea. Yaesu FT-920 Transceivers.
These radios are very new (less than 3 month) and in spotless condition.
Radios have been used in our engineering department for evaluation of our
own products. All packaging and manual intact.

Price: $995.00 including ground shipping and insurance in CONUS.

If interested, give us a call.

We take VISA/MasterCard and American Express cards.

Best regards:

STRIDSBERG ENGINEERING, INC
SHREVEPORT, LA USA.

TEL: (318) 861-0660

312. BEST RADIO NAVIGATION SYSTEM FOR CAR

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Ira Sachs <irasachs@wwa.com>
Message-ID: <36B8F192.4E4C94C3@wwa.com>
Source record: 117856
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

Alpine Navigation Systems!!!

I have four gps receivers beginning with the Garmin 45.
Also own the Garmin 120, Garmin III and the StreetPilot with
six metro cartridges. Loved each one on the day I received them.
Did not take long to get dulled with their clumsiness.

The StreetPilot is the best of the Garmin line but a complete
and total waste of money if you need more than one of
Metro Cartridge. When you have to spend 500 dollars to
buy the overpriced piece of junk and then pay an average
of $125 per cartridge you will have paid for a better system
but still be stuck with Garmin.

Take a close look at the Alpine Navigation System.
I have had mine installed in my car for six months and
have never regretted the expense of this unit.

You do not have to look at the screen; the unit talks to you.

If you can not afford the Alpine unit, the next best thing
is to run your laptop with a program from TRAVROUTE called "Co-Pilot".
This software blows away Street Atlas 6 as well.

The only Garmin advantage is it's portability.

Garmin is GREEDY and their product will be short lived in
a value conscious market.

These opinions are my own personal observations. They are
extremely accurate and objective. I own every piece of
hardware and software mentioned.

Ira WB9HNV

313. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Hillbilly_1943 <daves@oztech.com>
Message-ID: <79as54$g3d$1@news1.alltel.net>
Source record: 117857
Cross-posted to: rec.radio.cb,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

for free standing i would go with 4'X4'X3', 48 cu ft. or 1 3/4 yard
(pritty close) if you pour your patio at the same time 1 cu yd 4" deep
will do about 80 sq ft. ..... personally i would set the first section
in the concrete. but the bolts will work too.. use at least a rohn 25G
tower. a rohn 20G would be better yet. ......dave....
Hillbilly's place
http://www.geocities.com/TheTropics/Island/4371/index.html

Andy Moss wrote in message <36B8C37A.626E@ibm.net>...
>How much (square feet) of concrete do I need to pour to hold up a 60ft
>free-standing tower? How deep in the ground do I need to go? This is
>in a light-wind area and the antenna load will be about 2 square feet.
>Soil is clay. I'm thinking I can do my patio and tower all at the same
>time!
>
>Also, I've seen a couple of towers that were bolted to the concrete in
>the ground via these large bolts - facilitating easy removal I would
>assume. Is this the way to go?
>
>Thoughts?

314. TenTec Scout vs. SGC 2020

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Mariner <Mariner@TheHelm.nospam.com>
Message-ID: <36B8FD0B.78C6917F@mediaone.net>
Source record: 117858

Any comments on either rig? I'd be doing most fixed-base rather than mobile or outings.

TNX and 73 de Michael N1XTV

315. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: William Janssen <billj@calweb.com>
Message-ID: <36B8FAD4.1AE135EF@calweb.com>
Source record: 117859
Cross-posted to: rec.radio.cb,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

Another nice feature of the bolts is you can adjust them to make
the tower verticle

Bill K7NOM

Andy Moss wrote:

> How much (square feet) of concrete do I need to pour to hold up a 60ft
> free-standing tower? How deep in the ground do I need to go? This is
> in a light-wind area and the antenna load will be about 2 square feet.
> Soil is clay. I'm thinking I can do my patio and tower all at the same
> time!
>
> Also, I've seen a couple of towers that were bolted to the concrete in
> the ground via these large bolts - facilitating easy removal I would
> assume. Is this the way to go?
>
> Thoughts?

316. WTB: sk-604 socket

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: WebMonkey <usethelink@below.org>
Message-ID: <36B8FC40.6365@below.org>
Source record: 117860
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.amateur.homebrew

would like to aquire a socket for a 4x150G tube
says it needs an sk-604 or 2350 socket.
thanks for your time
--
A.C. Curtis
KBï¿½WLF
53.45 and 442.45, 77.0Hz enc/dec [multi-cast repeater system]
mailto:demoman@rollanet.org
http://www.rollanet.org/~demoman

317. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Tom Ash <tomcat@whidbey.net>
Message-ID: <36B90367.9961132@whidbey.net>
Source record: 117861
Cross-posted to: rec.radio.cb,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

I have a HYGAIN HS52 and their specs call for a base 42"X42"X51/2feet with 4" above ground. I have this tower fully extended with a 4 element tribander on top of a 10 foot mast. It has been up in 85 knot winds with no evidence of swaying. It was put up according to HYGAIN's specs. If you want, I can scan the base and email it to you.

73

Andy Moss wrote:

> How much (square feet) of concrete do I need to pour to hold up a 60ft
> free-standing tower? How deep in the ground do I need to go? This is
> in a light-wind area and the antenna load will be about 2 square feet.
> Soil is clay. I'm thinking I can do my patio and tower all at the same
> time!
>
> Also, I've seen a couple of towers that were bolted to the concrete in
> the ground via these large bolts - facilitating easy removal I would
> assume. Is this the way to go?
>
> Thoughts?

318. Re: YAESU FT920 Transceivers (2 units)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: STRIDSBERG <stridsberg@email.msn.com>
Message-ID: <#SBi7t#T#GA.214@upnetnews05>
Source record: 117862

```
**********************
Both radios sold!
**********************

>
>STRIDSBERG ENGINEERING, INC
>SHREVEPORT, LA USA.
>

>
>
>
```

319. Re: BEST RADIO NAVIGATION SYSTEM FOR CAR

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <79b591kme1@news-2.news.gte.net>
Source record: 117863
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap,sci.geo.satellite-nav

I like the Garmin GPS III+, it has the maps
which you can down load via your PC. And
you still the tradition grid system.

Ira Sachs <irasachs@wwa.com> ...
:Alpine Navigation Systems!!!
:
:I have four gps receivers beginning with the Garmin 45.
:Also own the Garmin 120, Garmin III and the StreetPilot with
:six metro cartridges. Loved each one on the day I received them.
:Did not take long to get dulled with their clumsiness.
:
:The StreetPilot is the best of the Garmin line but a complete
:and total waste of money if you need more than one of
:Metro Cartridge. When you have to spend 500 dollars to
:buy the overpriced piece of junk and then pay an average
:of $125 per cartridge you will have paid for a better system
:but still be stuck with Garmin.
:
:Take a close look at the Alpine Navigation System.
:I have had mine installed in my car for six months and
:have never regretted the expense of this unit.
:
:You do not have to look at the screen; the unit talks to you.
:
:If you can not afford the Alpine unit, the next best thing
:is to run your laptop with a program from TRAVROUTE called "Co-Pilot".
:This software blows away Street Atlas 6 as well.
:
:The only Garmin advantage is it's portability.
:
:Garmin is GREEDY and their product will be short lived in
:a value conscious market.
:
:These opinions are my own personal observations. They are
:extremely accurate and objective. I own every piece of
:hardware and software mentioned.
:
:Ira WB9HNV
:
:
:

320. Re: FS: Alinco Dual Band HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Mitchell Katz <mcguyver@bv.net>
Message-ID: <36B91D55.3666961A@bv.net>
Source record: 117864

I have a mint condtion VX-1R with ADMS-1D software & cable, antenna, manual and charger, I will trade for DK580T if youl ike,
I need something larger
Mitch

"William R. Moore" wrote:

> I'd like to sell an Alinco DJ-580T dual band (2m/440) handheld FM
> transceiver, including an MFJ speaker/mike, two 1500mah batteries @
> 7.2v (provides 2 watts out of the tranceiver), battery charger, MFJ-1716
> longer
> antenna (7.5"), and an after-market carrying case. On a scale of 1-10, its
> a 9 cosmetically (some key lettering is beginning to wear off but is still
> very
> readable) and a 10 functionally. Also receives aircraft band AM. Original
> manual included plus a better English version I found on the web somewhere
> that really helps.
>
> This radio receives both bands simultaneously (unlike many others) and does
> crossband repeat.
>
> Asking $175 including shipping.
>
> 73,
> Randy, KS4L

321. Re: Yaesu Front Panel Lights

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Dan <n7wpd@xxmission.com>
Message-ID: <79b6qe$bg7$1@news.xmission.com>
Source record: 117865

My FT5100 lost all the bulbs and I replaced them with the small "wheat"
lamps from Radio Shack. Took quite awhile as I had to completely
disassemble the control head to get to the little bulbs.
The FT2400 has the same display as a FT7400 so it definately has bulbs.
Propably just as difficult as the FT5100 was.

Good luck

Dan

<\ Dave" Davis <verbose@aviastar.net>> wrote in message
news:36B88CA0.5DDDE506@aviastar.net...
>And I have an FT2400 with no panel light (no bulbs) any ideas?
>Dave KC6OLD
>
>Bob Pastro wrote:
>
>> I have 3 Yaesu mobiles - FTs 2200, 5100 and 5200 - that all have lost
front
>> panel lighting. I can't seem to find any information on how to change
what
>> I assume are bulbs somewhere inside.
>>
>> Can you tell me how to get access to and change those bulbs ?
>>
>> Thanks for your help.
>

322. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <36b91d1c.0@news1.ibm.net>
Source record: 117866
Cross-posted to: rec.radio.cb,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

As you drive around, anywhere in the world, you see self-supporting Cell and PCS poles 30 to 120 feet tall with no guys and a large cross section wind load at the top. I invite you to take a ruler and measure the diameter of the concrete pier underneath, and then count the number and measure the size of the bolts through the base flange. Now do you have the idea?
Crazy George
P. S. Almost anywhere these days you can see one of these being started. Look at the hole size before it is filled with cement. Careful! Don't fall in!
C. G.

323. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Mark Brown <kb0pyo@rconnect.com>
Message-ID: <36B92251.6AC0709D@rconnect.com>
Source record: 117867
Cross-posted to: rec.radio.cb,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

Hi All
I would post this question on the towertalk reflector, go
to http://www.contesting.com, you will be able to find the
instructions for the reflector. As a minimum a rohn hbx56
requires a base that is large (5 1/2 x 5 1/2 x 4 deep if
memory serves me with lots of rebar).
Mark

munsch@ibm.net wrote:
>
> As you drive around, anywhere in the world, you see self-supporting Cell and
> PCS poles 30 to 120 feet tall with no guys and a large cross section wind
> load at the top. I invite you to take a ruler and measure the diameter of
> the concrete pier underneath, and then count the number and measure the size
> of the bolts through the base flange. Now do you have the idea?
> Crazy George
> P. S. Almost anywhere these days you can see one of these being started.
> Look at the hole size before it is filled with cement. Careful! Don't fall
> in!
> C. G.

324. Heath/Zeneth Digital Rain Guage Info needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: "Donald E. Smith" <desmith@innercite.com>
Message-ID: <36B92EA6.5F0C5D49@innercite.com>
Source record: 117868
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

I am trying to find out what kind of rain gauge transducer mechanism is used to measure the collected water for the Heath/Zeneth Digital Rain Gauge #EIA-416. This is manufactured by the Heathkit Company, maybe not as a kit.
Any information about this unit would be greatly appreciated. Will pay any costs for copying and shipping. Thanks Don

325. WTB: 3 element 10 meter beam ant

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <36B92E0C.AF481865@wenet.net>
Source record: 117869

Hi,
I am looking for the 3 element 10 meter band beam antenna. Prefer
Northern CA but shipping is acceptable.
de K6hm
Young

326. Re: @@@ LOTS OF RF PARTS & RARE ELECTRONIC COMPONENTS @@@

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: Dunedin <jira@clear.net.nz>
Message-ID: <pKGt2.677$F5.7005@news.clear.net.nz>
Source record: 117918
Cross-posted to: de.sci.electronics,hacktic.electronics,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,sci.electronics.basics,sci.electronics.components,sci.electronics.design,sci.electronics.misc

US freight costs are the killer to our business. We import electronic stuff from the US. One package cost USD180 to airfreight here from the US. It was faulty on receipt and had to be sent back which cost USD30 equivalent. We deal with several countries but the US is the disadvantaged source simply because of its transportation costs.

John Lundgren wrote in message
<36B6638A.C20@mail.rsccd.org>...
>guess_who@wxs.nl wrote:
>

>> REDUCE YOUR PRICES!!!! YOU'RE TOO EXPENSIVE!
>
>If they are in U.S. dollars, yeah, but then maybe they're not, they may
>be in Dutch guilders or whatever.
>

327. Manual for Icom 290-a

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-03 00:00:00 UTC
From: wxspter@aol.com
Message-ID: <19990202190324.14090.00003081@ng17.aol.com>
Source record: 117919

I am looking for anyone who might can send me a copy of the manual for the Icom 290-a. I got a real good price on the radio but the only problem was that there was no manual with it.

Thanks...73

Robert
AB5EW

328. FS: Drake Radio Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Steve Bissell <swb1@flash.net>
Message-ID: <01be4fe3$131709c0$8e6b1ed1@default>
Source record: 117624

Hi, I've got a TR-4C, MS-4C, AC-4C for sale. The radio is serial number 34886. The radio might be a 9 out of 10. I never cared for that numbering system much so I have pictures available on the radio and speaker/supply. There is a scratch on the right side of the MS-4.It works great and I use it all the time you can hear it on the air any time in the evenings or Saturday morning, (depending on your location). E-mail at swb1@flash.net for pictures. I'm asking $400.00.
Thanks
Steve KC5TFL

329. Yaesu display question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: bujiaj8@aol.com
Message-ID: <19990203193607.11290.00000155@ng94.aol.com>
Source record: 117625

I have a 101E and just picked up spectronics dd-1 display for it. The display works great with an old vfo that I have.... What rca jack on the back of the 101E do I use to display frequency in use? Please email with info.

bill
kd5fxt

330. FS: IC28-A and IC48-A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: jwbest@earthlink.net
Message-ID: <36b8e708.63906978@news.earthlink.net>
Source record: 117626
Cross-posted to: rec.radio.swap.,rec.radio.amateur.equipment,rec.radio.amateur.misc

I had planned to collect all 3 of these radios; IC28, IC38, IC48.
Now I have to much equipment a gotta lighten the load. The
IC28 is 2 meters and the IC48 is 440. Both radios have
built in PL and 21 channels. I'm asking $135 apiece for these
radios.and U ship.

Jim
jwbest@earthlink.net

331. Re: Kenwood out of HF market?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: framix@aol.com
Message-ID: <19990203195202.29030.00000454@ng-fi1.aol.com>
Source record: 117627

I was on the Kenwood WWW page today and it sure looks like they still market HF radios like the TS950 etc.

332. Re: MFJ 259 SWR analyser failure

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Murray Kelly <mkelly@powerup.com.au>
Message-ID: <36B8F3C9.4819@powerup.com.au>
Source record: 117628

I had trouble with one here. The paint is very thick and it was much
better
when I undid the lock screws on the band selector switch and capacitor
shafts and scraped off some paint. Might be worth a try.
They don't give out scematics for any of their stuff. :-(

Paul Van den Hende wrote:

> Thanks for reading this message. Three years ago, i bought the MFJ 259
> analyser in the U.S.A. I used it only a couple of times. I took care for it
> as "eggs".....
> Some time ago i once again i would make some measurements.....it failed !
> I made an e-mail to MFJ, but no reply....
>
> It looks like the oscillator doesn't run anymore......
>
> A friend of mine said that it was the rotary switch wich made bad contact
> after a year in the box....

--
****
* Murray Kelly vk4aok mkelly@powerup.com.au *
* 29 Molonga Ter. / Graceville/ QLD. 4075/ Australia *
* ph/fax Intl+ 61 7 3379 3307 *
****

333. WTB: Icom FL-223 SSB Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: kvanderlin@aol.com
Message-ID: <19990203203131.00878.00000197@ng-cr1.aol.com>
Source record: 117629

kvanderlin@aol.com

334. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: CodysPC@Iserv.Net
Message-ID: <36b8f6ff.7194158@news.iserv.net>
Source record: 117630
Cross-posted to: rec.radio.cb,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

Greetings!

Yikes!

Due to the Graphic Nature of the following, please excercize
discretion, Parental Guidance is suggested...

On Wed, 03 Feb 1999 16:45:30 -0500, While the Monitor displayed an
idea about "Concrete required" from 'Andy Moss <enzo@ibm.net>'. The
Keyboard responded with this:

:+> How much (square feet) of concrete do I need to pour to hold up a 60ft
:+> free-standing tower? How deep in the ground do I need to go? This is
:+> in a light-wind area and the antenna load will be about 2 square feet.
:+> Soil is clay. I'm thinking I can do my patio and tower all at the same
:+> time!

Are you thinking of using a slab to hold up the tower and that same
slab to hold up the patio deck?

Well, ok. But do you have a tower that can Free-Stand at 60 feet
without guying? I would worry more about the swaying and possible
frame collapse instead of concrete at the base for anchoring.

Concrete? Well, I would think of a percentage base, length into ground
versus length above ground. Since I don't know the width of the tower
base. I'd use at least 10% [or 6 feet] of anchor for this height. Less
if the tower base is made wider, or greater than 3 feet wide. Use
either Stainless Steel hardware, or at least use Galvanized. Threaded
rods in lengths of 6' into the ground, with possibly a little less in
concrete [5 feet deep] if you can use longer rods [3/4 - 1" dia] and
pound them into the ground.

It may be overkill, but when clay gets shifted, or wet for long
periods of time, not only does it settle, it can cause your Hi-Po
miracle antenna, to imitate another long-standing relic of a foriegn
countries claim to fame...;-) You may not only have Vertical and
Horizontal polarization with whatever you put up there, but a good
combination of both at another angle too...

For best results, taper the base wider than the top, to form a wedge
in the ground. This way, if shifting were to occur, the extra area of
the wedge will help keep the antenna upright.

:+>
:+> Also, I've seen a couple of towers that were bolted to the concrete in

:+> the ground via these large bolts - facilitating easy removal I would
:+> assume. Is this the way to go?
:+>
:+> Thoughts?

If you're thinking of a Tower, at this height, I'd recommend a
crank-up. Unless you've got other plans for the pocketbook. ;-) Then
you should look into a bottom section that allows the tower base to
tilt or lower down [pivot at the base]. You'll need a jig of some kind
to help bear the weight and help lower the antenna when you need to.
The bottom sections can be left in the ground, if you need to remove
the tower for any reason. It also allows you a means to erect the
tower, separately, after pouring and leveling the base for the tower.

Hope these suggestions help you figure out the mess...

Regards!
:+> Andy <+:
. .---\\---.
. | |
... You *certainly are* a CB'er when... | NOTICE |
... You get a QSL card, and a \ \
... Summons - from the FCC... ________\

335. Link RLC Club repeater controller and DVR for sale - never used.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: blambert@interpath.com
Message-ID: <36b8fbb5.3699094@news.interpath.net>
Source record: 117631

I have a Link RLC Club repeater controller for sale. It is the rack mount version and includes the audio delay module and the deluxe option. I also have the DVR-1 in the rack mount version. This equipment has never been installed. I have all documentation. I am asking $700.00which is $500.00 off the current price.

If interested please email direct.

Bill Lambert - AK4H

blambert@interpath.com

336. Re: hi swr reading with 'fixed-length' antenna...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: jcoe@brightok.net
Message-ID: <36b90867.1352964@news.brightok.net>
Source record: 117632
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

On Wed, 3 Feb 1999 13:38:33 -0600, "BD" <bodu@pobox.com> wrote:

>I have a glass-mount antenna and a 50watt 2meter radio, and the adjustment
>screw on the antenna base does not lower the swr to where it should be..
>There something else that can be done besides chopping the antenna up? Is
>there a formula for deciding how much to chop off (it has a plastic cap on
>the end that can be removed), vs just guessing, if that is the only
>alternative?...

If you have a newer car with tinted windows, your high swr is most
likely due to the metallic content of the tinting materials used in
making the window glass. I suggest you find someone who has an
antenna analyzer such as the ones MFJ makes and check the impedance
you are seeing. Also, be sure you do not shorten the coax which comes
with the antenna as it is an integral part of the antenna design.

Jim W5JI

337. Re: BEST RADIO NAVIGATION SYSTEM FOR CAR

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: John Woolem <jwoolem@flash.net>
Message-ID: <36B9098E.6F9B7CB7@flash.net>
Source record: 117633
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

want to sell any of the garmin units and if so how much

Ira Sachs wrote:

> Alpine Navigation Systems!!!
>
> I have four gps receivers beginning with the Garmin 45.
> Also own the Garmin 120, Garmin III and the StreetPilot with
> six metro cartridges. Loved each one on the day I received them.
> Did not take long to get dulled with their clumsiness.
>
> The StreetPilot is the best of the Garmin line but a complete
> and total waste of money if you need more than one of
> Metro Cartridge. When you have to spend 500 dollars to
> buy the overpriced piece of junk and then pay an average
> of $125 per cartridge you will have paid for a better system
> but still be stuck with Garmin.
>
> Take a close look at the Alpine Navigation System.
> I have had mine installed in my car for six months and
> have never regretted the expense of this unit.
>
> You do not have to look at the screen; the unit talks to you.
>
> If you can not afford the Alpine unit, the next best thing
> is to run your laptop with a program from TRAVROUTE called "Co-Pilot".
> This software blows away Street Atlas 6 as well.
>
> The only Garmin advantage is it's portability.
>
> Garmin is GREEDY and their product will be short lived in
> a value conscious market.
>
> These opinions are my own personal observations. They are
> extremely accurate and objective. I own every piece of
> hardware and software mentioned.
>
> Ira WB9HNV

Ira Sachs wrote:

> Alpine Navigation Systems!!!
>
> I have four gps receivers beginning with the Garmin 45.

> Also own the Garmin 120, Garmin III and the StreetPilot with
> six metro cartridges. Loved each one on the day I received them.
> Did not take long to get dulled with their clumsiness.
>
> The StreetPilot is the best of the Garmin line but a complete
> and total waste of money if you need more than one of
> Metro Cartridge. When you have to spend 500 dollars to
> buy the overpriced piece of junk and then pay an average
> of $125 per cartridge you will have paid for a better system
> but still be stuck with Garmin.
>
> Take a close look at the Alpine Navigation System.
> I have had mine installed in my car for six months and
> have never regretted the expense of this unit.
>
> You do not have to look at the screen; the unit talks to you.
>
> If you can not afford the Alpine unit, the next best thing
> is to run your laptop with a program from TRAVROUTE called "Co-Pilot".
> This software blows away Street Atlas 6 as well.
>
> The only Garmin advantage is it's portability.
>
> Garmin is GREEDY and their product will be short lived in
> a value conscious market.
>
> These opinions are my own personal observations. They are
> extremely accurate and objective. I own every piece of
> hardware and software mentioned.
>
> Ira WB9HNV

--
Amateur Radio Station N5TKG

338. FS:IC706MKII

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: radiofreq0@aol.com
Message-ID: <19990203215521.29034.00001721@ng-fi1.aol.com>
Source record: 117634

I have a IC706MKII for sale. It has the DSP installed. It has the aftermarket repeater offset module installed. (both done professionally).
I have the seperation cable, DC power cable, mic, original box,manual.
This rig has been used very little.
It is as new.
I'll let the rig go for $850.00 plus shipping from Atlanta
Jeff

339. Re: FS:IC706MKII

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: radiofreq0@aol.com
Message-ID: <19990203220027.29033.00000752@ng-fi1.aol.com>
Source record: 117635

PS:I'll consider a trade for a Standard Tri-Band C5900DA plus some money or?
(Possibly an Icom or other triband mobile rig as well).
Jeff

340. Help! Need Information On Moseley Beam

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: "Phillip G. Johnson" <phillij1@bellsouth.net>
Message-ID: <36B8C00A.80ABC6E6@bellsouth.net>
Source record: 117636

I just received a Moseley Beam from a friend. I have no idea which model it is. It is a 3 element beam with a 14 foot boom. I know it is a 10-15-20 meter, but I think the traps have been modified or repaired. I an looking to set it up for the phone bands in the 10-15-20 bands.

Can anyone help identify the antenna to what model? What should I look for in the identification? The shortest elements has a 14 turn trap and a 23 turn trap. I haven't checked the other traps to see how many turns are in the trap.

Can someone help also tell me how many turns should be in each of the traps for each band/

Any help would be greatly appreciated.
Please reply to the e-mail address phillij1@bellsouth.net

Thanks
Phillip Johnson K4FFA
Fairview, Tennessee

341. FS: Alinco Dual Band HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: "William R. Moore" <wr.moore@worldnet.att.net>
Message-ID: <79b4k2$r2s@bgtnsc02.worldnet.att.net>
Source record: 117637

I'd like to sell an Alinco DJ-580T dual band (2m/440) handheld FM
transceiver, including an MFJ speaker/mike, two 1500mah batteries @
7.2v (provides 2 watts out of the tranceiver), battery charger, MFJ-1716
longer
antenna (7.5"), and an after-market carrying case. On a scale of 1-10, its
a 9 cosmetically (some key lettering is beginning to wear off but is still
very
readable) and a 10 functionally. Also receives aircraft band AM. Original
manual included plus a better English version I found on the web somewhere
that really helps.

This radio receives both bands simultaneously (unlike many others) and does
crossband repeat.

Asking $175 including shipping.

73,
Randy, KS4L

342. Re: TECH AMERICA...Good Quality?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Asmodean <kf4ytrREMOVETHIS@bellsouth.net>
Message-ID: <0_8u2.1403$g_6.2864495@news4.atl>
Source record: 117638
Cross-posted to:
alt.ham-radio,alt.ham-radio.hf,alt.ham-radio.marketplace,rec.ham-radio.misc,rec.radio.amateur,rec.radio.amateur.equipment

Tech America is a division of Tandy Corp., so if you like RatShack quality,
you will probably like TA quality.

--
Asmo
KF4YTR
IGWT--AOPC

Tod J. Knapp wrote in message ...
>I'm thinking about ordering a digital soldering iron from TechAmerica.
This
>model number is 910-3893.
>
>Has anyone ordered this item? Is it a good unit? I'm wanting to know
>because it is a $100.00 item and I would rather spend the money on a good
>unit. The digital readout intrigued me.
>
>Please advise.
>
>Tod N9ZWY
>
>

343. Re: FT-50R question.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: marc_k@walrus.com
Message-ID: <79b5mklvo3@alice.walrus.com>
Source record: 117639

Quality (quality@datablast.net) wrote:

: Gary LaRocco wrote in message ...
: >The problem is between 470.00 and 799.99. While I can rx in this range,
: >the sql is wide open, regardless of the actual setting. When I try to
: >set it, the value won't change.
: >
: >Anyone here have any thoughts?

: Go to selection #30, WSQL, and make the adjustment there.

NOPE....although you are on the right track....
WSQL needs to be set to 0

The correct selection is #32, RMOD.
Probably you will find it set to W-FM.
Rotate the knob so that the display says N-FM.
Save the setting, and you should solve it.
OTOH, if you WANT the unit to RX wide-fm in that frequency range, then you
SHOULD reset #30-but the W-FM performance will suffer, as the 50 has a
rough time breaking squelch on W-FM.

344. Motorola Radio & equip for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: mgoldri1@midsouth.rr.com
Message-ID: <79b91h$nh4$1@nnrp1.dejanews.com>
Source record: 117640

Motorola Series 90 desk sets various models, used but good cond 5) T1903AA - unpowered local desk sets - unweighted 6) T1903CA as above but weighted 1) T1901AA DC remote w/monitor 1) T1902AA as above 2) T1882C as above , supv, intrcm 2) T1884C as above clock $25.00 each or $250.00 for all + shipping 1) MTX8000 Motorola trunking portable w/full keypad,2 new batteries,2 std rate chargers,antenna,speaker-mic,Mod#H01UCH6DB7AN $325.00 shipped 500 - Motorola HT100 Battery Belt Clips - P/N 42 -5638V04 - 2 1/2" all $400.00 shipped, 50 - $75 +ship, 25 - $50 +ship (25 min) 58 Motorola Ht 100 new , std rate chargers - P/N NTn-1174A $400.00 for all shipped , 5/$50 +ship (5 min) 10 Motorola wattmeters S-1350C w/ST1275B element & case element covers 400-1000MHz 150W/UHF connectors $400.00 for all shipped, or $75 ea +ship 2 Jensen tool cases w/tool pallets (no tools) 6" deep- suitcase style silver $55.00 each + shipping 0r $110 both shipped Chris Riner @ 901-363-1140 from 5-11 PM CST or send your # & he can call you back

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

345. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: cslc82@email.mot.com
Message-ID: <36ba1b62.247003482@netnews.worldnet.att.net>
Source record: 117641

Folks, it pains me to see idle speculation on this topic!

Look at how much money and time you put into your tower...not to mention your rotor, cables, antennas, etc.

Don't guess here. Abide by the manufacturer's specs and dig your footings, pour your concrete, layout your guywires, etc., accordingly!

This is not the area to be cheap, to take shortcuts, or gamble with safety. Someone mentioned sleeping at night, and they are right!

Some tower manufacturers design for 50 MPH wind survivability...this is not really a big wind! Do you really want to risk your investment in marginal specs?

I'm not touting one manufacturer over another, but put up your tower/lines/rotors/antennas to stay up! Use the manufacturer's specs as a minimum, and if you want to get creative, exceed the specs!

Same thing goes for grounding.

I have lost a tower before, and believe me, if yours goes down you are talking thousands of dollars and dozens of hours of time to replace. A few extra feet of digging, or a few extra yards of concrete, some extra grounding, or a few hundred extra bucks for new guywires and hardware is CHEAP compared to the consequences!

OVERDESIGN your tower and it will outlive you!

My $0.02 worth! Good luck and 73

Dan
K0DAN

346. Tentec Model 288 Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Michael D Worrell <mworrell@mail.bna.bellsouth.net>
Message-ID: <36B91DA5.875D8656@mail.bna.bellsouth.net>
Source record: 117642

The filter has been sold thanks and 73's. Mike N4EOL

347. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: marc_k@walrus.com
Message-ID: <79b6a8lvo4@alice.walrus.com>
Source record: 117643

joe@jkraus.com wrote:
: Could not agree more. I have the exact same equipment and exact same
: experience with RTS (free upgrade with version 2.0 to support Travel Plus
: export). Keep it up Clint!!

: In article <78sr20rar1@nnrp1.dejanews.com>,
: clintbrad4d@earthlink.net wrote:
: > One malcontent has taken exception to my online presence and my public
: > display of satisfaction with RT Systems and their ADMS Software packages -
: > both here and via private email messages.
: >
: > So...I thought I'd publicly state where I'm coming from.
: >
: > I own two Yaesu FT-50RD HTs and a VX-1R (firmware v106) that use ADMS
: > Software. I purchased one of the FT-50s used - all other purchases were
: > retail at HRO in Anaheim, CA.
: >
: > Last year when I had a minor problem with my ADMS software package and the
: > VX-1R, the owner of RT Systems advised me that an Update was available -
: > absolutely free - on their Web site. My minor problem was solved - even used
: > their toll-free 1-800 telephone number...didn't cost me a cent.
: >
: > My other infrequent contacts with RT Systems have all been very positive. I
: > could not be more pleased with how the software performs for me. Its user
: > interface is even more "intelligent" than the Vertex software I need to use
: > with my Vertex VX-10 commercial HTs.
: >
: > If anyone were to ask me where to obtain a copy of ADMS, I would refer them
: > to any HRO - the price is fair, and they'll ship orders totalling $100.00 or
: > more free (the software is about half of that...add a battery or a Maha
: > MH-C777a charger, and you're there!). If the inquirer lived outside the
: > United States, I would refer them directly to the manufacturer - RT Systems.
: > That only makes sense to me. If any country has any sort of an "export/import
: > restriction" on this software package, RT Systems would know. AND the price
: > is the same just about anywhere.
: >
: > SO...that's where Clint is "coming from." A retail customer with first-hand
: > experiences to share. Sorry that Gerald has taken exception to my posts...I
: > have absolutely no idea what his problem is.
: >
: > - Clint Bradford, KE6LCS
: >
: > ----------== Posted via Deja News, The Discussion Network ==----------
: > http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

: >

: -----------== Posted via Deja News, The Discussion Network ==----------
: http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

When I called to enquire regarding a bug in ADMS-1C, they verified that
there was INDEED a bug.
They sent me, at NO charge, a updated version of ADMS-1C which sure enough,
did not have the bug.
Also, major version updates are only $20.00.
All in all, a good deal.

348. Re: FS: Heathkit SB-220

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: sppolak@aol.com
Message-ID: <19990203235050.10950.00000628@ng150.aol.com>
Source record: 117644

Where are you located and are you flexible at all on the price?

349. Re: Icom 746 ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: gfiber@news.cmc.net
Message-ID: <36b92829.8705637@news.cmc.net>
Source record: 117645

On 3 Feb 1999 20:18:50 GMT, trg150@aol.com (TRG150) wrotf:

>I am looking for comments from anyone owning the 746... any major problems???
>any idea why Icom is now offering $200 additional discount??? From what I have
>read and heard - it is a great radio.. Does it receive 108-174 mhz??? original
>QST write up indicated it had extended vhf receive????? thanks
>trg150@aol.com

The $ 200.00 discount is due to the time of the year. In Japan most
manufacturers run a fiscal year which is different than the calendar
year. The general Japanese fiscal year runs from April 1 through
March 31 so this means these companies are in the last two months of
the business year and now they do creative things like rebates and
discounts to push sales " over the top ". Enjoy it and reap the
benefits as likely April 1 the many prices will return to normal.
Gary Fiber
Copyright 1999
Washington State Resident

350. cb radio's

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: n4xcv@rfci.NET
Message-ID: <00de01be4ffd$53efd7a0$ebd619ce@andyrupp>
Source record: 117646

I ahve the following for sale:
Cobra 25 ltd cb mobile have 2 of them & super mod $125 each
cobra 142 gtl base radio cb $200
realistic navaho proniner base radio $50
cobra 19 ultra mobile cb radio $50
sharp 40 moible cb radio $30
eico crystal radio almost like black face johnson radio tube type $10

If interested please e-mail me.
73 N4XCV

351. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: mikehaack@aol.com
Message-ID: <19990204005200.26458.00000426@ng-fw1.aol.com>
Source record: 117647

WHY Are WE just tossing thoughts out here as to size, depth, bolts or no bolts.... In what is a very serious project.

PLAIN and SIMPLE

CONSULT the MANUFACTURER...
ASK FOR the SPECS
AND MEET OR EXCEED THEM...

DONT GUESS, AND IF YOU DONT KNOW, ASK

THE LIFE YOU SAVE MAY BE YOURS...

Mike

352. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: "Barry L. Ornitz" <ornitz+U@dpnet.net>
Message-ID: <Wqbu2.1400$Oi1.1002@news9.ispnews.com>
Source record: 117648

tcrpe wrote in message ...
+AD4-I suggested hiring an engineer. Also, what would the manufacturer know
+AD4-about the soils at any specific site?

The tower manufacturers have far more extensive experience than do the typical civil engineers you might hire for +ACQ-250. The civil engineering standard most closely related to tower construction is for transmission line towers and electric poles. +AFs-And I thought electrical engineers put in big safety margins... you should read this standard to see what MAJOR safety factors are applied.+AF0- Radio towers are generally designed to EIA standards.

For +ACQ-250, as you say, the local civil engineer will note the type of soil and send this information to the tower manufacturer who provides the actual design. When he gets this information back, he then signs off on it. He will not do a full analysis for only +ACQ-250. In fact, most of this fee is just for his signature on the building permit. Note I am not saying to bypass the local engineer. He earns this money by taking on liability if the design fails, and in many communities this is required. Just don't expect the local civil engineer to do a full analysis+ACE-

Dr. Barry L. Ornitz WA4VZQ ornitz+-U+AEA-dpnet.net

353. YAESU/VERTEX Programming Cable Information Required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: BenC <BencXX@hotmail.com>
Message-ID: <01be500c$6bd7ffa0$23e619cb@inter4.police.vic.gov.au>
Source record: 117649

Has anyone got the pinouts for a YAESU / VERTEX Programming Cable?

354. Re: TenTec Scout vs. SGC 2020

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <36B94DF0.B722FE16@asu.uswest.net>
Source record: 117650

Hi Michael--

I have owned a Scout for almost two years. Love it. It is a *fabulous* CW rig. Good at SSB also. Great audio, transmit and receive. The variable IF filter works well, as does the NB, which is a $20 (Cheap!) option. While I havent used the SGC-2020, I have heard that the receiver isn't very good, certainly not as good as the Scout. Sure, the SGC comes with all bands, memories, where the Scout uses plug-in modules, but that shows up (I think) as noise and poor audio in the receiver. The Scout has 50W for the SGC's 20 (about 4.5 dB better), and if you are a CW op, the keyer/QSK are Tentec, as in the best on the market! I'd like to have the split capability of the 2020, and the memories, but I am very happy with the Scout.

p.s. I am beginning a design for a switchbox that will house *all* the band modules, so band switching will become a snap. Please email me if anyone out there has done a similar project.

Mariner wrote:

> Any comments on either rig? I'd be doing most fixed-base rather than
> mobile or outings.
>
> TNX and 73 de Michael N1XTV

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

355. Re: TenTec Scout vs. SGC 2020

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <36B94E15.10C58BDC@asu.uswest.net>
Source record: 117651

Hi Michael--

I have owned a Scout for almost two years. Love it. It is a *fabulous* CW rig. Good at SSB also. Great audio, transmit and receive. The variable IF filter works well, as does the NB, which is a $20 (Cheap!) option. While I havent used the SGC-2020, I have heard that the receiver isn't very good, certainly not as good as the Scout. Sure, the SGC comes with all bands, memories, where the Scout uses plug-in modules, but that shows up (I think) as noise and poor audio in the receiver. The Scout has 50W for the SGC's 20 (about 4.5 dB better), and if you are a CW op, the keyer/QSK are Tentec, as in the best on the market! I'd like to have the split capability of the 2020, and the memories, but I am very happy with the Scout.

p.s. I am beginning a design for a switchbox that will house *all* the band modules, so band switching will become a snap. Please email me if anyone out there has done a similar project.

Mariner wrote:

> Any comments on either rig? I'd be doing most fixed-base rather than
> mobile or outings.
>
> TNX and 73 de Michael N1XTV

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

356. Re: Yaesu Front Panel Lights

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Sandy Lynch <slay@netcom.com>
Message-ID: <slayF6MDM9.5y6@netcom.com>
Source record: 117652

Any thoughts on the FT-4700RH? I lost the panel light several years ago and sent it back to Yaesu (I was in Japan at the time) and they fixed it ... but I fear that it was not simply a bulb, but the whole display assembly. Anyway, any comments on the 4700RH?

Thanks and 73,
Sandy W7BX
w7bx@arrl.net

357. Motorola GP1200 Programming software Urgently Needed .!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: fox/mulder@usa.net
Message-ID: <36b94aec.1493607@news.tel.hr>
Source record: 117653
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

If anyone got programming software for Motorola radius GP1200 portable handie i would be more than thankfull to him to e-mail to me a copy .!!

I can send you some other in return if required .!!!

Fox

358. FS:2 meter amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Pete Greene <pjgreene@harborcom.net>
Message-ID: <7adu2.42$LD.717361@iagnews.iagnet.net>
Source record: 117654

I have a Ramsey Electronics 2 meter amp with the Radio Frequency Switch added all in a nice box with PL-259 connectors. All you need is the radio, hook it up to a 12 volt supply, jumper cable between radio and amp and of course an antenna and you're on the air! 2 in gives you 20 out up to 30 watts out.

$25.00 plus $5.00 shipping from you and I'll mail this out to you!

E-mail me directly.

Pete

pjgreene@harborcom.net

359. FS:Packet Modem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Pete Greene <pjgreene@harborcom.net>
Message-ID: <xddu2.43$LD.718245@iagnews.iagnet.net>
Source record: 117655

A & A Packet Modem with cable, power adapter and all papers plus Baycom 1.9 program all for $25.00 plus $5.00 shipping.

E-mail me direct.

Pete

pjgreene@harborcom.net

360. FS: RTTY decoder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: pv <verrando@airmail.net>
Message-ID: <E631F9091A9BE459.890B0726D5012909.6D00FABC38C70456@library-proxy.airnews.net>
Source record: 117656

MFJ RTTY Decoder. LCD display.
Advantage: No listening to noise generated by
your computer. Please see the site:

http://lavender.fortunecity.com/brazil/192/sale2.htm

for this and other interesting items.
Thanks!

361. Motorola GP1200 Programming software Urgently Needed .!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: fox/mulder@usa.net
Message-ID: <36b987c2.17070024@news.tel.hr>
Source record: 117657
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

If anyone got programming software for Motorola radius GP1200 portable handie i would be more than thankfull to him to e-mail to me a copy .!!

I can send you some other in return if required .!!!

Fox

fox/mulder@usa.net

362. FS: Ten-Tec Omni VI Plus

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: "Mark C. Germain" <mgermain@notes.cc.bellcore.com>
Message-ID: <36b98a32.0@froot.cc.bellcore.com>
Source record: 117658

Ten-Tec Omni VI Plus Purchased (Omni VI) June, 97, upgraded to Plus (full upgrade), July, 97

Included with transceiver: Handheld microphone, Operators Manual

Condition: Excellent, some minor scratches in paint, top cover

Installed filters: Model 214, 1.8KHz, 9MHz.Model 288, 1.8KHz., 6.3MHz.

Installed boards Model: 257, voice frequency readout

Price, includes shipping: $1,900

Contact Mark C. Germain
Home: 732 431 7677
Email: mgermain@notes.cc.bellcore.com

363. FS: Programming Cable for IC-Q7A, etc.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Bob <mail-box@worldnet.att.net>
Message-ID: <79c3cj$kmk@bgtnsc03.worldnet.att.net>
Source record: 117659

I've got a few of these for sale on eBay at
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=62605086
Does anyone know what other radios use this same type of cable?

364. Need Schematic for HR 2510

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: "morris (remove SPAM from address)" <morris@SPAMsssnet.com>
Message-ID: <79c7rfmaj1@remarQ.com>
Source record: 117660

In need of electrical schematic for HR 2510 -

Has anyone had problem with Hr 2510 in the TX switching ckts.
During TX receiver cut out as should but TX ckt never activates.

Any help will be greatly appreciated

Thank you.

Morris

365. Re: Help! Need Information On Moseley Beam

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: martyt@pobox.com
Message-ID: <36baa702.64851491@news.supernews.net>
Source record: 117661

http://www.mosley-electronics.com/

On Thu, 04 Feb 1999 03:32:40 GMT, "Phillip G. Johnson"
<phillij1@bellsouth.net> wrote:

>I just received a Moseley Beam from a friend. I have no idea which
>model it is. It is a 3 element beam with a 14 foot boom. I know it is
>a 10-15-20 meter, but I think the traps have been modified or repaired.
>I an looking to set it up for the phone bands in the 10-15-20 bands.
>
>Can anyone help identify the antenna to what model? What should I look
>for in the identification? The shortest elements has a 14 turn trap and
>a 23 turn trap. I haven't checked the other traps to see how many
>turns are in the trap.
>
>Can someone help also tell me how many turns should be in each of the
>traps for each band/

73,

-Marty KIï¿½LO
martyt@pobox.com

366. FS: ICOM R-9000 Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: n2ss@bellatlantic.net
Message-ID: <36b9a7a5.340585273@news5.bellatlantic.net>
Source record: 117662

The premiere top of the line full coverage, all mode, no gaps,
receiver that covers 30kHz to 2GHz. Built in scope and video display.
1000 memories. Lots more. An incredible receiver. $3500. Tony Gargano

367. re: SOS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: rgrandmaison@comdt.uscg.mil
Message-ID: <79cfbomig1@nnrp1.dejanews.com>
Source record: 117663

thought you may enjoy the following article.....W4vr

Tapping a farewell to dots and dashes Tuesday, February 02, 1999 By JOE FROLIK NATIONAL CORRESPONDENT The Morse code, a system of dots and dashes that helped settle the Civil War, open this continent and fuel a 19th century information revolution, is rapidly disappearing into the history books it helped write. The code was officially retired yesterday by international maritime authorities, shelved in favor of satellite technology as the accepted way for passenger and cargo ships to announce distress. Future Titanics will depend on satellites, not SOS's, to call for help. The shippers thus join the Boy Scouts and most military personnel in having abandoned the electronic alphabet. But for many of the United States' estimated 700,000 amateur radio enthusiasts and their fellow "hams" around the globe, Morse code remains an integral part of communication. "We are still using it," said Gary Dewey, a ham operator in Independence. "We might be the dinosaurs of the system." When Dewey sits down in front of his radio, he can either speak into a microphone or tap Morse code with his telegraph key. Voice communication has obvious benefits, not the least of which is that it is less grueling mentally. But for long-distance communication, Dewey and many other hams prefer Morse code. "The beauty is it's an international language," said Dewey. "Russians, Turks, Israelis, all of them can send you information in Morse code." Would-be ham radio operators still must learn Morse code if they hope to obtain more than an entry-level license. Most do so by using audio cassettes, often as part of classes organized by local ham radio organizations, said Tom Wayne of Bedford, president of the Cuyahoga Amateur Radio Society. Operators such as Dewey and Wayne cling to a system developed around 1840 by Samuel F.B. Morse, the American inventor of the telegraph, and slightly modified for international use about a decade later. Short sounds (or flashes of light) called dots and longer dashes stand for letters, numbers and punctuation marks. By the mid-19th century, Morse's code and his telegraph allowed for almost instant transmission of news and messages across continents and under oceans. Wireless radio telegraphs first clicked their messages in the 1890s, enabling ocean-going ships to send and receive information. Other technologies have long since supplanted most of the Morse code's role aboard ships, but for a century, it was the way to signal for help. That's when "SOS" entered the world's everyday lexicon. According to the International Maritime Organization, SOS does not stand for "Save Our Ship" or for anything else. Dot-dot-dot, dash-dash-dash, dot-dot-dot simply seemed easy to remember. Soon that use will be little but a memory. The trend away from Morse code has been building for years. While the Navy sometimes still uses Morse code to flash messages between ships in a convoy, Coast Guard personnel no longer are taught it. The Boy Scouts also stopped teaching the code and its even lower- tech flag-signaling cousin, semaphore, more than a decade ago. "Morse code stopped being the means of communication long ago,"

said Glen Nekvasil, communications director for the Cleveland-based Lake Carriers Association, whose members operate commercial vessels on the Great Lakes. "This is the age of satellites." In 1988, the United Nations-run International Maritime Organization required that passenger and cargo ships equip themselves with the Global Maritime Distress and Safety System. Now, when someone aboard a ship in trouble presses a button, a continuous signal relays from satellites and triggers alarms at listening posts and other nearby ships. The signal contains the distressed vessel's identification number and its exact location. Nor does a telegraph operator any longer have to remain at the key, tapping out S-O-S and hoping that somebody out there hears and heeds the call as the ship slips into the deep.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

368. Re: Heath/Zeneth Digital Rain Guage Info needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: gbrahms@sr.hp.com
Message-ID: <79cc6a$9fe@canyon.sr.hp.com>
Source record: 117664
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

Donald E. Smith (desmith@innercite.com) wrote:
: I am trying to find out what kind of rain gauge transducer mechanism is
: used to measure the collected water for the Heath/Zeneth Digital Rain
: Gauge #EIA-416. This is manufactured by the Heathkit Company, maybe not
: as a kit.
: Any information about this unit would be greatly appreciated. Will pay
: any costs for copying and shipping. Thanks Don

Since I am at work and my rain gauge is at home, I don't remember the model.
It is the one with the red LED display. It uses a tip bucket. Every time
the bucket moves to the other side, a magnet passes a reed switch which
increments the display by 0.01 inches. If this is the correct gauge, I do
have the manual.

Cheers,

Greg WB6UHH

369. FS Garmin GPS III

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Dan Grassetti <dangrass@earthlink.net>
Message-ID: <36B9B1E5.3032ACFC@earthlink.net>
Source record: 117665

For sale, a Garmin GPS 3 receiver. Perfect condition w/latest OS.
$250....

Dan

370. WTB: Icom IC-551 D 100 watt 6 meter all mode or the like base rig.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: KC4NYH <chainsaw1@mindspring.com>
Message-ID: <79cdc4$74c$1@camel19.mindspring.com>
Source record: 117666
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Hello to the group,
I am looking for a 100 watt 6 meter all mode rig such as an Icom IC-551 D with a built in power supply.
If you have something that fits that description please email me with all the details. I have "NEW" 256 megs of ram (2) 128 meg 100 MHz clock speed (PC-100) SDIMMS that I would be willing to trade, or name your price.

Thanks for the interest! 73.

KC4NYH
Mark Payne
kc4nyh@mindspring.com
http://www.mindspring.net/~chainsaw1

371. Re: @@@ LOTS OF RF PARTS & RARE ELECTRONIC COMPONENTS @@@

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: John Lundgren <NOlundgrejSPAM@mail.rsccd.org>
Message-ID: <36B9BC2F.1C0D@mail.rsccd.org>
Source record: 117667
Cross-posted to: de.sci.electronics,hacktic.electronics,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,sci.electronics.basics,sci.electronics.components,sci.electronics.design,sci.electronics.misc

Richard Steven Walz wrote:

> John Lundgren wrote:
> > guess_who@wxs.nl wrote:

> > > On Sat, 23 Jan 1999 10:52:49 +0100, radio_man@usa.net (radio_man)
> > > wrote:

> > > >http://www.xs4all.nl/~barendh

> > > REDUCE YOUR PRICES!!!! YOU'RE TOO EXPENSIVE!

> > If they are in U.S. dollars, yeah, but then maybe they're not, they may
> > be in Dutch guilders or whatever.
> ---

> Even in NLD, which I take to be Dutch Guilders, this guy has everything
> priced two to four TIMES the price of everyone else, and I checked three
> major catalogs!! 8.50 NDG for a P8031AN ?? This is a sub-US$1.00 part!!
> 27C256 12.90 NDG ?? I don't think so!! This guy is an opportunistic
> rip-off!! I hope people who see his site shop around first!!
> -Steve
> --

Well, by your standards, then Radio Shaft (heh-heh) should be taken to task for ripping off the public for selling 9 cent transistors for 2 dollars, etc. That's even MORE markup than this Dutch guy!

I see nothing wrong with him charging those prices, because the laws of supply and demand will assure that he won't get any business, plain and simple. What you should be doing instead of naysaying is start your own parts supply and compete against him; just imagine all those Ferengi PROFITZ!. But then, I've never known you to take that road, you're a dyed in the wool naysayer.

--
Please remove NO and SPAM from my email addr to reply.
--
@@@@@@@@@@T@h@e@@I@n@t@e@r@n@e@t@@w@a@s@@c@o@o@l@@u@n@t@i@l@@@@@@@@@
@ John Lundgren Elec. Tech, Info. Tech. Svcs.| lundgrej <AT> mail @
@ Rancho Santiago Community College District | .rsccd.org @
@ 17th St. at Bristol \ Santa Ana, CA 92706 | www.rsccd.org @
@ My opinions are mine, NOT my employer's. |PGP key avail on req@
@ "Everything is InterTwingled" - Ted Nelson in ComputerLib @

@@@@@@@@@@e@v@e@r@y@o@n@e@@f@o@u@n@d@@o@u@t@@a@b@o@u@t@@i@t@@@@@@@@@@
I am a California Resident and ALL California Junk Email laws apply.
You must meet _all_ Calif Anti-SPAM laws. See www.leginfo.ca.gov
and search for 17538.4 in the business and professions code.

372. Re: @@@ LOTS OF RF PARTS & RARE ELECTRONIC COMPONENTS @@@

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: John Lundgren <NOlundgrejSPAM@mail.rsccd.org>
Message-ID: <36B9BD7E.7349@mail.rsccd.org>
Source record: 117668
Cross-posted to: de.sci.electronics,hacktic.electronics,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,sci.electronics.basics,sci.electronics.components,sci.electronics.design,sci.electronics.misc,nl.radio.amateur

Who cares? wrote:

> On Mon, 01 Feb 1999 22:13:22 -0800, Richard Steven Walz
> <rstevew@armory.com> wrote:

> >John Lundgren wrote:

> >> guesswho@wxs.nl wrote:

> >> > On Sat, 23 Jan 1999 10:52:49 +0100, radio_man@usa.net (radio_man)
> >> > wrote:

> >> > >http://www.xs4all.nl/~barendh

> >> > REDUCE YOUR PRICES!!!! YOU'RE TOO EXPENSIVE!

> >> If they are in U.S. dollars, yeah, but then maybe they're not, they may
> >> be in Dutch guilders or whatever.
> >>---
> >Even in NLD, which I take to be Dutch Guilders, this guy has everything
> >priced two to four TIMES the price of everyone else, and I checked three
> >major catalogs!! 8.50 NDG for a P8031AN ?? This is a sub-US$1.00 part!!
> >27C256 12.90 NDG ?? I don't think so!! This guy is an opportunistic
> >rip-off!! I hope people who see his site shop around first!!
> >-Steve

> I agree! We're well up in the matter... In Holland, Barend is also
> known as "schrikbarend duur" [appallingly expensive] :))) <grin>
> ^^^^^^

Almost as bad as the hospitals. The past week I saw one news peogram, I
believe it was Dateline, take a hospital to task for charging something
like lebendey-leben thousand percent profit on an 11 cent Tylenol
tablet, for example when they billed the patient. If you like to
complain about ripoffs, then complain about the ones where the victim
doesn't have a choice about it.

--
Please remove NO and SPAM from my email addr to reply.
--
@@@@@@@@@@T@h@e@@I@n@t@e@r@n@e@t@@w@a@s@@c@o@o@l@@u@n@t@i@l@@@@@@@@@
@ John Lundgren Elec. Tech, Info. Tech. Svcs.| lundgrej <AT> mail @
@ Rancho Santiago Community College District | .rsccd.org @
@ 17th St. at Bristol \ Santa Ana, CA 92706 | www.rsccd.org @

@ My opinions are mine, NOT my employer's. |PGP key avail on req@
@ "Everything is InterTwingled" - Ted Nelson in ComputerLib @
@@@@@@@@@@e@v@e@r@y@o@n@e@@f@o@u@n@d@@o@u@t@@a@b@o@u@t@@i@t@@@@@@@@@@
I am a California Resident and ALL California Junk Email laws apply.
You must meet _all_ Calif Anti-SPAM laws. See www.leginfo.ca.gov
and search for 17538.4 in the business and professions code.

373. Re: TenTec Scout vs. SGC 2020

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: "James L. Griffith" <griffithj@ricks.edu>
Message-ID: <36B9C46A.D009623@ricks.edu>
Source record: 117669

The Scout is a good radio as long as you have 13.5 to 13.8 volts DC on it. It will not run well at all on a charged battery by it self. A battery is at full charge around 12.7 volts, but the Scout needs about 1.5 volts of over head to make the internal regulator work a 12v DC. Any thing less then 13.5 to 13.8 volts and pelople start telling you your CW is drifting all over the place, and on SSB they tell you that you have distorted audio and that you have RF getting into the radio. The problem is the radio is starved for voltage. I found this out the hard way. Even got a letter from and OO curtesy of TT. It says in the manual it will run on 12 to 13.8. Not true. It needs 13.8 and then it's the raido is as advertised. Not an emergency radio when only on a bettery. Works fine in a car at idle because the alternator will idle at 13.8 volts DC.
Jim, WA7NDD

Mariner wrote:

> Any comments on either rig? I'd be doing most fixed-base rather than
> mobile or outings.
>
> TNX and 73 de Michael N1XTV

374. Re: @@@ LOTS OF RF PARTS & RARE ELECTRONIC COMPONENTS @@@

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: c.c.tqbssz@XXXXLOTSXO.killspam.us.com
Message-ID: <79ch3d$438$1@samba.rahul.net>
Source record: 117670
Cross-posted to: de.sci.electronics,hacktic.electronics,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,sci.electronics.basics,sci.electronics.components,sci.electronics.design,sci.electronics.misc,nl.radio.amateur

References: <MPG.1113ba5abc99558f9896d5@news.xs4all.nl> <36aaaf21.13460808@dds.nl> <36B6638A.C20@mail.rsccd.org> <36B69782.6CFC@armory.com> <36baf778.11850603@dds.nl> <36B9BD7E.7349@mail.rsccd.org>
Organization: a2i network
Distribution:

John Lundgren (NOlundgrejSPAM@mail.rsccd.org) wrote:
: Almost as bad as the hospitals. The past week I saw one news peogram, I
: believe it was Dateline, take a hospital to task for charging something
: like lebendey-leben thousand percent profit on an 11 cent Tylenol
: tablet, for example when they billed the patient. If you like to
: complain about ripoffs, then complain about the ones where the victim
: doesn't have a choice about it.

Hey, next time you're an inpatient maybe you'd like to pop out to Longs trailing your IV's and Foley catheter behind you and buy your own Tylenol?

Stephen

: --
: Please remove NO and SPAM from my email addr to reply.
: --
: @@@@@@@@@@T@h@e@@I@n@t@e@r@n@e@t@@w@a@s@@c@o@o@l@@u@n@t@i@l@@@@@@@@
: @ John Lundgren Elec. Tech, Info. Tech. Svcs.| lundgrej <AT> mail @
: @ Rancho Santiago Community College District | .rsccd.org @
: @ 17th St. at Bristol \ Santa Ana, CA 92706 | www.rsccd.org @
: @ My opinions are mine, NOT my employer's. |PGP key avail on req@
: @ "Everything is InterTwingled" - Ted Nelson in ComputerLib @
: @@@@@@@@@e@v@e@r@y@o@n@e@@f@o@u@n@d@@o@u@t@@a@b@o@u@t@@i@t@@@@@@@@@
: I am a California Resident and ALL California Junk Email laws apply.
: You must meet _all_ Calif Anti-SPAM laws. See www.leginfo.ca.gov
: and search for 17538.4 in the business and professions code.

375. Re: WTB: sk-604 socket

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Harry <WA4OFS@iag.net>
Message-ID: <36B9CBA3.EC3276C5@iag.net>
Source record: 117671
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.amateur.homebrew

ARE YOU SURE OF NUMBER?I HAVE SK 640 EIMAC SOCKET THAT I HAVE NO USE FOR
, IF THATS WHAT YOU NEED
LET ME KNOW. WA4OFS 73 HARRY
WebMonkey wrote:

> would like to aquire a socket for a 4x150G tube
> says it needs an sk-604 or 2350 socket.
> thanks for your time
> --
> A.C. Curtis
> KBï¿½WLF
> 53.45 and 442.45, 77.0Hz enc/dec [multi-cast repeater system]
> mailto:demoman@rollanet.org
> http://www.rollanet.org/~demoman

376. Re: hi swr reading with 'fixed-length' antenna...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: w4nti@my-dejanews.com
Message-ID: <79clp6sku1@nnrp1.dejanews.com>
Source record: 117672
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <79a84k$2th$1@newnews.startext.net>,
"BD" <bodu@pobox.com> wrote:
> I have a glass-mount antenna and a 50watt 2meter radio, and the adjustment
> screw on the antenna base does not lower the swr to where it should be..
> There something else that can be done besides chopping the antenna up? Is
> there a formula for deciding how much to chop off (it has a plastic cap on
> the end that can be removed), vs just guessing, if that is the only
> alternative?...
>
> Hmm.. Would moving it to the center of the rear-window (it's to the side
> now) possibly help LOWER it?
>
> Thanks!
>
>
There is no magic formula. Trimming antenna's is basically a cut and try.
Moving it from the side mount to the top will likely change things. Which
way is another matter. Generally speaking a antenna mounted close to a
conductive device will cause it to show strange swr. This is due to either
capacitive effect or reflections from the surface. Thus the swr indication
may or may not be actually as bad as is being read. The placement of the
swr meter in the line will also effect a reading. So basically I'd suggest
you NOT cut it and try a different position.
Dan/W4NTI

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

377. Re: TenTec Scout vs. SGC 2020

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: "Tom C. Brown, Jr." <mmc@netdoor.com>
Message-ID: <Dhku2.557$gU1.1913@axe.netdoor.com>
Source record: 117673

Hi Will-

I calculate 3.979 db rather than 4.5, and the reviews say that the SG-2020
makes more than its rated RF output.....

Thanks for the review of the Scout!

73, Tom AE5I

Will White wrote in message <36B94E15.10C58BDC@asu.uswest.net>...
>Hi Michael--
>

[text removed]

>receiver. The Scout has 50W for the SGC's 20 (about 4.5 dB better), and

[text removed]

378. FS: Alinco DX70TH

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: dmodel@channel1.com
Message-ID: <36b9d551.2780806@news.channel1.com>
Source record: 117674

For Sale: Alinco DX70TH, HF and 6m, high power model has 100 watts on 6m band. Been mobile only a few time but sat on the passengers seat, never mounted. Comes with box, all manuals, etc. in perfect working order and in near mint physical condition. $600 firm

Email dmodel@channel1.com

379. Re: Wanted: AA Dummy Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: kenk@primenet.com
Message-ID: <79cl6rsdg1@nnrp02.primenet.com>
Source record: 117675
Cross-posted to: ca.wanted,la.wanted,misc.emerg-services,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

In article <36B87E92.74866692@tidalwave.net>, Trevor <ironace@tidalwave.net> wrote:
>Steve Leong wrote:
>
>> Does anyone know the availability of any "dummy" AA cells?
>> (I've seen them in the past - they are plastic forms the same size of
>> an AA cell, with a metal strip connecting the top and bottom contacts -
>> basically a specialized jumper!).
>>
>> I have a AA battery pack for a handheld radio (Kenwood TK-250) that has
>> spaces for too many AA cells (excess voltage would damage radio). I need
>> to insert two "dummy" AA cells to act as jumpers for these extra spaces.
>> Already tried to solder jumpers in place - can't do it due to the metal
>> they used for the contacts.
>>
>> Thanks for any assistance and advice!
>>
>> Steve KC6IJM
>
>How about using wooden dowels with thumb tacks in the end with wire
>connecting the thumb tacks
>
>
I just use dead AA cells and wrap them with aluminum foil.

Ken W9NPP

380. VX-5 Double beep while scanning

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Paul M <paul_m@mindspring.com>
Message-ID: <79cl22giu1@nntpd.lkg.dec.com>
Source record: 117676

While scanning memories, the VX-5 emits a dual tone beep when it stops on a busy channel. Is there any way to turn that off? Thanks.

381. Opinions on IC-2710H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Gareth Crispell <gareth@capecod.net>
Message-ID: <36B9DE36.C28DE000@capecod.net>
Source record: 117677
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Hi People
What is the skinny on the IC-2710H?? Any known problems?
Is the display easy to read both day and night? Is the extra wide rx out of the box or is a mod necessary? Can the chassis be left in the trunk with only the little front of the rig in the cab? Are there wx related problems if chassis can be left in trunk? (too hot or too cold) Any words of wisdom on this model will be greatly appreciated. I am also looking at the FT-3000, but considering saving up a bit more for the Icom. Thank you.

de ... N1MSV

Gareth http://www.capecod.net/~gareth/n1msv.htm

Member of The Barnstable Amateur Radio Club
Cape Cod Massachusetts

382. WTB Kenwood 440 module

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Dennis Hennigan <dennis@top.monad.net>
Message-ID: <79cn3kevh1@news.monad.net>
Source record: 117678

Im looking for a 440 module for the kenwood TM741/742/942 series of tribanders. I have two tribanders with one in the shack. The second one is in the car but it is the 220version without the 440 module. I would like to get the 440 module so I can use the base station to cross band repeat using a 440 link... I have expermented with 2 meter crossband repeat but the crossband police dont like that!!!

73 Dennis WA1HOG

383. Re: Help! Need Information On Mosley Beam

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Alexander Poliakov <ka2r@hotmail.com>
Message-ID: <79cnnk$q0e@bgtnsc02.worldnet.att.net>
Source record: 117679

Phillip G. Johnson wrote in message <36B8C00A.80ABC6E6@bellsouth.net>...
>I just received a Moseley Beam from a friend. I have no idea which
>model it is. It is a 3 element beam with a 14 foot boom. I know it is
>a 10-15-20 meter, but I think the traps have been modified or repaired.
>I an looking to set it up for the phone bands in the 10-15-20 bands.

To set it up for the phone subbands align center Dimension (between traps):
Director 16' 1/4"
Radiator 17' 1 1/4"
Reflector 19' 3"

>Can anyone help identify the antenna to what model? What should I look
>for in the identification? The shortest elements has a 14 turn trap and
>a 23 turn trap. I haven't checked the other traps to see how many
>turns are in the trap.

Mosley TA-33-M:
Director 14/23 turns
Radiator 14/24 turns
Reflector 15/25 turns
Smaller coil should ALWAYS be nearest the boom.

73, Alex KA2R.

384. Manual for Kenwood TH-77A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: isaac <isaac@netdirect.net>
Message-ID: <36B9F31C.F8EDD666@netdirect.net>
Source record: 117680

I recently purchased a used Kenwood TH-77a and it had no manual with it.
I am in search of one. I have looked on internet and at Kenwood site and
can't find it. If anyone has any ideas then please email me.

Thanks in advance,
Isaac KB9TVA

385. VX-5R and VHF RX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: mayt@gw.twc.com
Message-ID: <79cs3o$2p8$1@nnrp1.dejanews.com>
Source record: 117681

I currently own a VX-1R, but would like to monitor the local volunteer fire department 33.98. Doe s anyone know if the VX-5 (with or without mod) can receive in the 30MHz to 35MHz range?

TNX
KA3GYI

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

386. Re: ANTI-CW people are liberals and would want to see Clinton go free too!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: "Greg Jones", WD5IVD <wd5ivd@tapr.org>
Message-ID: <79cr1e$c16$2@hornet.fibr.net>
Source record: 117682
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy

In article <795ag4$5bp@enews4.newsguy.com> Charles Brabham, n5pvl@texoma.net writes:
>Clowns like Greg Jones, who actually PROMOTE "amateur telephone" are
>directly responsible for our present situation here. Don't think so? Take a
>look at the result of Greg's policies here in Texas, where the TexNet
>high-speed Packet net is now kaput and is slated to be replaced by ***
>Internet connections *** in preference to Amateur Radio. The TexNet folks
>have gone so far as to say that TexNet node SYSOPs without Internet
>connections will be edged out of the "network". - A real proud day for Ham
>Radio when that was announced, huh?
>

Sorry Charlie (or is it Baby Huey?)

There are no "amateur telephones" used on TexNet or any other networks that I am involved with.

We don't use any 'telephone' modems on any of the TexNet nodes. You know that.

You harp on these issue because others who don't know the facts might listen to you and that it isn't about what is good for amateur radio, but all about personal attacks against a few that you believe did you wrong at some point in the distant past.

I sure wish you would get your facts straight.

The networking technology that TAPR is currently working on doesn't utilize 'telephone' modems. It is all RF based. Radios talking to other radios. We aren't building telephone modems into any of our projects. No sir Huey.

Like the Spread Spectrum Radio Projects
http://www.tapr.org/tapr/html/taprfhss.html

or like some of the future 56K-3Mbps stuff that is in the pipeline.

or the PIC-Encoder project
http://www.tapr.org/tapr/html/pice.html

All RF based stuff.

But then again, when did you ever really worry about what is right over what sounds good to those that don't know what the real history or facts are.

Cheers - Greg Jones, WD5IVD

387. mods ADI AT-600D

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: no@mail.com
Message-ID: <36bbcf0d.1840804@192.168.0.1>
Source record: 117683

Has anyone managed to get tx >166.000 working with any mods , the unit will go to 172.000 Rx , but only 166.000 Tx , anyone know what 2m/70cm unit will TX upto 174.000 ish

388. Help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Donald Arceneaux <donarx@mail.lig.bellsouth.net>
Message-ID: <36B9F628.F33AE6CE@mail.lig.bellsouth.net>
Source record: 117684

need schmatics and or service manual for Drake model transeiver UV-3,
vhf/uhf/shf.
It was made some years ago(10), this one is sick and Drake will not sell
me a service manual. Will pay repoduction and shipping cost. Thanks
Don ke5dw
donarx@bellsouth.net

389. F/S NEW Bencher Paddles

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: HRE/Coin <hamradio@wizzards.net>
Message-ID: <36B9F5DA.17E9@wizzards.net>
Source record: 117685
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.shortwave

I have stock from my Ham Radio Store - HRE to Sell...
I have Lots of equipment to sell... At SUPER PRICES...

NEW !!! Bencher BY-1 IAMBIC CW KEYER PADDLES !!!
Black Base with Chrome Works Selling Give-Away Prices...

New in Factory Sealed Boxes... Just $60.00 + Shipping...
Reg. price is $79.95 / Call Now before they are all gone...

Want U.S. Postal Money Orders
The Ones you buy at the Post Office.

Also Selling "LARSEN ANTENNA PRODUCTS" at GREAT PRICES !!!

Joe Reaves / N6fra
Grants Pass, Oregon
(541) 479-1212
http://www.wizzards.net/hamradio

390. FS: MC-50 w/Heil HC-5 element

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: KC5ALC <kc5alc@mindspring.com>
Message-ID: <79cuni$k7s$1@camel19.mindspring.com>
Source record: 117686
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

MC-50 with Heil HC-5 element installed. Also have the original element to go with it. $80 plus shipping. Contact kc5alc@mindspring.com

391. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Don W6JL <W6JL@ixpres.com>
Message-ID: <918158577.420874@cs1.sdd.hp.com>
Source record: 117687
Cross-posted to: rec.radio.cb,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

Many towers are rated for freestanding use, including crankup towers.
The amount of and shape of concrete base required is provided by
the manufacturers, of course. Get the information from them.

As an example, a 51 foot freestanding crankup tower (the TriEx W-51)
requires a 30" x 30" by 60" deep concrete base. The tower is rated
for 6 sq ft of wind surface area. The base concrete is about 1.5 cubic
yards.
In it is embedded and plumbed, a steel base consisting
of three one-inch diameter reinforcing bars which contain welded-on 3/8"
mild steel plate brackets with each bracket having two 3/4 inch bolt holes
(two bolts
per leg, class V bolts). The base can be fabricated at home if you are
handy.
I dig my own holes with a shovel, so I can make all corners nice and
square
(makes the maximum amount of rigidity in undisturbed soil), and besides,
the digging is free this way, with minimum mess.

73,
Don, W6JL

>Look in the ROHN book....no tower is athorized over 30 feet free
>standing.... if yo insist on it use 2 cu yards colume about 5 feet
>deep. find 3 solid steel rods about 3 feet long adn insert them up the
>tower legs about a foot, bolt them in. then use only the bottom
>section of the tower for a vertical guide while you pour the concrete.
>carefully make the section vertical till the concrete sets. that way you
>can remove the tower later if you choose. 60 feet is a long way, at
>least tie it to the house at the 8 foot level wiht a bracket... the
>tower may have only 2 sf of area but the 4 element beam has 5 or 6 sf..
>
>good luck
>
>

392. Re: TECH AMERICA...Good Quality?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: donrm@sr.hp.com
Message-ID: <79cvi2$bgt@canyon.sr.hp.com>
Source record: 117688

Asmodean (kf4ytrREMOVETHIS@bellsouth.net) wrote:
> Tech America is a division of Tandy Corp., so if you like RatShack quality,
> you will probably like TA quality.

I think you're generalizing a little...TA stocks a lot of the same high
quality hardware as you'll find from the principal distributors/jobbers.

TA also fulfills a major purpose - minimum purchase mailorder in a
dwindling parts market for the homebrewers.

And as for Radio Shack - where else are you going to pick up a NPN
transistor for your Sunday afternoon rainy day project?

73
Don K6LTS
donrm@sr.hp.com

393. Re: Opinions on IC-2710H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: punkear@aol.com
Message-ID: <19990204160322.24674.00000575@ng35.aol.com>
Source record: 117689

Gareth:

Never had the Icom 2710, however it is being discounted right now at the same price as the FT 8100 for $449.00. At Texas Towers or Radio City. I've had several earlier Icom dual bands and never had a problem.

As the the Yaseu Ft3000 I've owned one. The wide band mod was easy. However after sending it back to Yaesu and having the first IF replaced and aligned and still having "intermod" problems I sold it. I purchased an FT 8000 which now has been discountinued. We had a local repeater in Cedar Rapids Iowa on 146.955 the offset being 146.355. When ever that repeater was in operation if I was within 3 to 5 miles it desensed my receive. The QSO would come through regardless of what freqency I was on. I lived there for 9 years and never had a problem with that repeater on any other radio. When I got the Ft 8000 it worked just fine.

Sold the FT 8000 and am looking into the FT 8100 or the Icom 2710h.

Brad
KE0XS

394. Re: TECH AMERICA...Good Quality?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: "Eric F. Richards" <efricha@flatland.dimensional.com>
Message-ID: <r_nu2.813$wF1.2421@wormhole.dimensional.com>
Source record: 117690

Don Montgomery <donrm@sr.hp.com> wrote:
> Asmodean (kf4ytrREMOVETHIS@bellsouth.net) wrote:
>> Tech America is a division of Tandy Corp., so if you like RatShack quality,
>> you will probably like TA quality.

> I think you're generalizing a little...TA stocks a lot of the same high
> quality hardware as you'll find from the principal distributors/jobbers.

Not in the case of a local electronics house here -- the hardware they
sell -- coaxial connecters and adapters, for example -- are much, much
higher quality than TA has. I know -- I looked in the Denver TA store
to see what was in their bins. I'm not going back, either.

> TA also fulfills a major purpose - minimum purchase mailorder in a
> dwindling parts market for the homebrewers.

> And as for Radio Shack - where else are you going to pick up a NPN
> transistor for your Sunday afternoon rainy day project?

J. B. Saunders in Boulder.

But then, not every place has a local supply house.

--
Eric F. Richards
efricha@alumni.cs.colorado.edu
"The weird part is that I can feel productive even when I'm doomed."
- Dilbert

395. Re: VX-5R and VHF RX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-0402991632140001@192.168.1.4>
Source record: 117691

In article <79cs3o$2p8$1@nnrp1.dejanews.com>, mayt@gw.twc.com wrote:

> I currently own a VX-1R, but would like to monitor the local volunteer fire
> department 33.98. Doe s anyone know if the VX-5 (with or without mod) can
> receive in the 30MHz to 35MHz range?
>
> TNX
> KA3GYI

at this time no...it can receive from 0.5 to 16 and 48 and up....but some
rumors are floating about a possible mod ..we ll see ;)

alex

396. Re: Manual for Kenwood TH-77A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: "Russell C. Nixon" <rc9nixon@mindspring.com>
Message-ID: <36BA18D5.5825CD@mindspring.com>
Source record: 117692

Issac,

I have a TH-77a also. The east and west coast parts and service outlets for Kenwood have the users manual. I also bought the service manual at the same time. The service manual saved me more than the purchase price (~$30) when I was able to make a simple repair myself. The BNC center conductor solder connection broke because the BNC was loose on the "chassis." If you e-mail me at rcnixon@mindspring.com I'll try to look up the dealer. Not a bad radio, if a little dated. Cheap and effective. Get a better antenna though.

Russ Nixon - KF4WXD

isaac wrote:
>
> I recently purchased a used Kenwood TH-77a and it had no manual with it.
> I am in search of one. I have looked on internet and at Kenwood site and
> can't find it. If anyone has any ideas then please email me.
>
> Thanks in advance,
> Isaac KB9TVA

397. NEED PARTS AND I/D

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <Gspu2.75$I96.500097@sapphire.mtt.net>
Source record: 117693

GE MPI Single Slowrate NEED (1) charger only

Ref-Midland Moblie 70-526XL NEED the 9-pin power cable only

Maxton UHF 4ch portables NEED (2) Slow rate desk chargers only

398. VX-5 Freeband Mod?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Carl_KE4ZCL@my-dejanews.com
Message-ID: <79db3q$gd8$1@nnrp1.dejanews.com>
Source record: 117694

Is the VX-5 capable of extended receive via modification?
I'm refering to below 45 mHz and the gap between 729 and 800 mHz.
Also, is their a cellular mod for the VX-5? I know that the FT-50 (older models) and the VX-1 were capable, but did Yaesu permenantly fix this?

Thanks....73,
Carl KE4ZCL

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

399. Re: FS Garmin GPS III

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Mitchell Katz <mcguyver@bv.net>
Message-ID: <36BA2684.D8A7B1D0@bv.net>
Source record: 117695

Consider trade for mint Yaesu VX-1R w/ programming cable/software?

Dan Grassetti wrote:

> For sale, a Garmin GPS 3 receiver. Perfect condition w/latest OS.
> $250....
>
> Dan

400. Icom T7 mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: kd1my@banet.net
Message-ID: <79dblp$gs7$1@nnrp1.dejanews.com>
Source record: 117696

Does anyone know if there is a mod to make the Icom T7 recieve full 800 MHZ?

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

401. FS: GE MVS VHF MOBILE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Al <K6DJP@postoffice.pacbell.net>
Message-ID: <36BA2AB3.D4412727@postoffice.pacbell.net>
Source record: 117697
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Radio is in nice condition, has 16 channels,scan and PA
capability.Includes radio,mike,mounting bracket and power cord. $200
shipped.
Al

402. WTB Globe Chief 90

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: jgbotts@aol.com
Message-ID: <19990204183128.25642.00000789@ng-fs1.aol.com>
Source record: 117698

This is NOT the "Deluxe" model. Send asking price and condition to k4ejq@juno.comThanks, Bunky, K4EJQ

403. RF Applications P3000 has been sold

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: K1SWR <fleet@mbl.edu>
Message-ID: <36BA2BB0.F0EAE25F@mbl.edu>
Source record: 117699
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

tnx

404. FS: Heathkit HW101

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Patrick Rice <ricep@erols.com>
Message-ID: <36BA34F6.A6893813@erols.com>
Source record: 117700

For Sale:
Heathkit HW-101 SSB Transciever and power supply.
Condition Looks good, missing cable to connect pwr. spply and
transciever.
Possibly needs work.
Asking $200 O.B.O.

Reply via email : ricep@erols.com

-Patrick Rice
KC2BEG

405. FS: Kenwood TS-520

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Patrick Rice <ricep@erols.com>
Message-ID: <36BA3577.3E718D65@erols.com>
Source record: 117701

For Sale Kenwood TS-520.
Needs minor work and tube, minor cosmetic damage.
Comes with copy of original manual.
Asking $150 O.B.O.

reply via email: ricep@erols.com

-Patrick Rice
KC2BEG

406. cde ham IV rotor info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: 74737.221@compuserve.com
Message-ID: <297132166107332NEWS2LX@news.compuserve.com>
Source record: 117702

hello, all. i have a few questions on this new used rotor i picked up.

it is recently refurbed, and reportedly works well.

first, does anyone have a copy of the manual? i would gladly pay for a copy....i would like to hook it up without ruining it!

second, mounting.

I live in an area where towers are frowned upon....sucks.
so, what i plan to do is mount the rotor on or near roof line with a 10 ft mask. then, add vhf/uhf beams for local stuff. i'm on a small hill and don't need a lot of hight. should i get a small roof mount tower for my house, or could i mt the rotor on a vent pipe and then guy the mask????

thanks in advance, dave
n0xlw

407. Re: VX-5 Freeband Mod?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Jim Kingery <mowcems@iag.net>
Message-ID: <36BA3A78.1D9E35E4@iag.net>
Source record: 117703

I haven't been able to extend the receive (yet) but the transmit can be
opened up quite a bit.
See: http://www.geol.com/vx5 for details

Ignore the from name. I'm at work
-Ed-
KF4FDT

408. FS: Kenwood Misc.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Robert Stuedemann <kf8ru@netonecom.net>
Message-ID: <36BA3143.5941A392@netonecom.net>
Source record: 117704
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

```
For Sale: Kenwood YK88SN narrow ssb filter...$60 shipped( fits
430,440 etc.)
YK88C 500 hz. cw filter.... $60
shipped
MB-430 mobile bracket.......$25
shipped
```

409. FA:YEASU FRG-7 (clone) GENERAL COVERAGE RECEIVER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: BB Wolf <bigbadwolf1@earthlink.net>
Message-ID: <36BA3879.557112B6@earthlink.net>
Source record: 117705
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,alt.ham-radio.amateur.equipment,rec.radio.amateur.equipment

FA: YEASU FRG-7 (clone) RECEIVER. Made by YEASU. Sold and labeled by Sears.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=63190089

1 DAY LEFT !

Thank You!

410. Re: cde ham IV rotor info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <36ba40c1.0@news1.ibm.net>
Source record: 117706

Dave:
I'll let someone else comment on the other issues, but I will share my experience mounting to a vent pipe. First, if it is not galvanized steel, forget it. This includes PVC and cast iron among other choices. Even if it is galvanized steel, it will flex enough to break the seal of the roof jack (that is what the plate under the shingles is called), or even tear it up depending how solidly the vent is restrained, and you will have rain water in your attic. There are complicated ways of getting around this, but be warned.
Crazy George

411. Re: VX-5R and VHF RX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: davez <davez@ticon.net>
Message-ID: <79di0pnqa1@galileo.ticon.net>
Source record: 117707

The VX-5R CANNOT receive the 30 to 35 Mhz area. However the ICOM IC-Q7A can do it, and quite well too. Check out my reviews on both radio's via my web page.
davez
++
Visit my web site "Dave's Radio Receiver Page" at
http://www.ticon.net/~davez

mayt@gw.twc.com wrote in message <79cs3o$2p8$1@nnrp1.dejanews.com>...
>I currently own a VX-1R, but would like to monitor the local volunteer fire
>department 33.98. Doe s anyone know if the VX-5 (with or without mod) can
>receive in the 30MHz to 35MHz range?
>
>TNX
>KA3GYI
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

412. Re: vhf/uhfquestion

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: "Richard A. Miles" <rmiles@oz.net>
Message-ID: <36BA5555.51A56672@oz.net>
Source record: 117708

Ken:
I use 1/2 inch Andrews LDF-4 Heliax for all of my UHF antennas with N connectors. For a 50ft run I would recommend this or you probably can get by with 9913 type coax cable. The losses at UHF are at least twice as great as they are on two meters. I would highly recommend type N connectors and they are available for 9913 at almost any radio store. Radio Shack used to sell them but I don't see them listed in their current catalog.
You probably can find LDF-4 at local ham radio swap meets.

73's...Dick K7RNZ

Ken Bickel wrote:

> IMHO - 9913
>
> 73
>
> Tresa6942 wrote in message <19990202171118.28278.00003037@ng10.aol.com>...
> >Can someone offer some info? I need to know what you think is the best
> coax
> >for a dual band 2m/440 base station antenna? I will be making a 50 foot run
> >with it.
> >
> > thnx
> >
> >

413. For Sale Heathkit HW-101

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Patrick Rice <ricep@erols.com>
Message-ID: <36BA5B03.1C4DA32B@erols.com>
Source record: 117709

```
For Sale:
Heathkit HW-101 SSB Transciever and power supply.
Condition Looks good, missing cable to connect pwr. spply and
transciever.
Possibly needs work.
Asking $200 O.B.O.

Reply via email : ricep@erols.com

-Patrick Rice
KC2BEG
```

414. For Sale Kenwood TS-520

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Patrick Rice <ricep@erols.com>
Message-ID: <36BA5B2B.EC5BE100@erols.com>
Source record: 117710

```
For Sale Kenwood TS-520.
Needs minor work and tube, minor cosmetic damage.
Comes with copy of original manual.
Asking $150 O.B.O.

reply via email: ricep@erols.com

-Patrick Rice
KC2BEG
```

415. Alinco Auto-tuner with 706?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <79dp6p$4ho@sjx-ixn9.ix.netcom.com>
Source record: 117711

Has anyone tried the Alinco autotuner with a 706? Frank KG9H

416. Re: cde ham IV rotor info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Tom Ash <tomcat@whidbey.net>
Message-ID: <36BA6FEA.28A858AB@whidbey.net>
Source record: 117712

Dave,
It simple to hook up, terminal 1 to 1 - 2 to 2 - 3 to 3 etc... You will need 8 conductor control cable, gage of the cable is dependent on the distance of the run.

munsch@ibm.net wrote:

> Dave:
> I'll let someone else comment on the other issues, but I will share my
> experience mounting to a vent pipe. First, if it is not galvanized steel,
> forget it. This includes PVC and cast iron among other choices. Even if it
> is galvanized steel, it will flex enough to break the seal of the roof jack
> (that is what the plate under the shingles is called), or even tear it up
> depending how solidly the vent is restrained, and you will have rain water
> in your attic. There are complicated ways of getting around this, but be
> warned.
> Crazy George

417. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Brian Kelly <Kelly@dvol.com>
Message-ID: <36BA6DD1.D43AB39F@dvol.com>
Source record: 117713
Cross-posted to: rec.radio.cb,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

Andy Moss wrote:

> How much (square feet) of concrete do I need to pour to hold up a 60ft
> free-standing tower? How deep in the ground do I need to go? This is
> in a light-wind area and the antenna load will be about 2 square feet.
> Soil is clay. I'm thinking I can do my patio and tower all at the same
> time!
>
> Also, I've seen a couple of towers that were bolted to the concrete in
> the ground via these large bolts - facilitating easy removal I would
> assume. Is this the way to go?
>
> Thoughts?

Listen to the posters who are telling you to either precisely follow the tower manufcturer's base design for your specific tower and loading conditions *or* have a registered professional engineer with the proper credentials and experience in this field do that design work for you. Or both. The liability penalties for which you can be held personally responsible can be enormous if the thing fails. This is not an area for "experimentation" or "home brewing" or old wives tales or eyeball engineering suggestions passed around by the professionally unqualified.

Brian Kelly w3rv

418. FS COLLINS 32V2 PARTS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Dee Almquist <w4pnt@rica.net>
Message-ID: <Iguu2.398$D_.6593@newsfeed.slurp.net>
Source record: 117714
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.swap,rec.radio.swap

Give you an opportunity if you need some of this equipment before putting on auction. Parting out (painfully) a Nice Collins 32V2 tx. Just not enuf time to finish it.

1- 32V2 cabinet fresh re-powder coated (black), looks like new......$200. obo

1- 32V2 panel match with cab & freshly silk screened..$100. obo

Have a number of reproduced clear slide rule dials for 32V
$10. ea

The chassis I will part out & it is real clean, transformers, sub assemblies, all. Might do some trading. Want NOS certain tx & audio tubes. All the above + shipping. Terms: I prefer MC/Visa or MO.

73 es Dee
w4pnt@rica.net
In Virginia

419. FT-811 mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: jmr <jmroden@crl.com>
Message-ID: <36BA72A5.6BC2255A@crl.com>
Source record: 117715

Looking for a mod to extend the transmit range on a Yaesu FT-811.
Either the proper pads to short or a web site with the info. I've only
found sites with the 411 on it.

Thanks.

Mike / K7JR / jmroden@crl.com

420. Re: TenTec Scout vs. SGC 2020

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Jones <Jones@nomail.com>
Message-ID: <79dv1ihpu1@news.orbitworld.net>
Source record: 117716

>I have owned a Scout for almost two years. Love it. It is a *fabulous*
>CW rig.
>Will White, KD7BFX

You forgot to mention that on CW the Scout jumps around in frequency due to it's LC oscillator controlled in spurts by it's frequency counter. Some find it annoying, I just think it sounds like a boatanchor. (Although they drifted and didn't jump. The Scout is visa versa, it keeps jumping back on frequency as it drifts.)

I believe the SGC2020 uses the PL loop design so that wouldn't be a problem.

421. Re: SB220

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Hillbilly_1943 <daves@oztech.com>
Message-ID: <79cqvjoll2@news1.alltel.net>
Source record: 117717

how much? dave KG5XR

David A. Piper wrote in message <36b4d91e.0@news.one.net>...
>I have a SB220 with spare 500Z's that is currently apart. It worked
>fine before I disassembled it in '92 prior to moving. I intended to
>update with the Richard Measures mods from QST. I fear that this
>project will never happen. It is time to move again and I worry if it
>will survive intact. Please help me find a home for this old classic.
>
>TurboDave
>

422. Multie Elmac PS-2V Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-04 00:00:00 UTC
From: Hillbilly_1943 <daves@oztech.com>
Message-ID: <79cqvloll3@news1.alltel.net>
Source record: 117718

need PS-2V power Supply. working or not. dave KG5XR

423. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Don W6JL <W6JL@ixpres.com>
Message-ID: <918246796.775596@cs1.sdd.hp.com>
Source record: 117520
Cross-posted to: rec.radio.cb,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

Hi John OM,

Good to see your real-world comments on hiring "professionals".
There seems to be this almost childlike trusting and blind confidence
among
so many people, that if you hire someone with the "credentials",
you will get expert and accurate advice. Or if you get a 'permit' and have
something 'inspected', that that assures quality. It does not.
As a prudent person, (and an electrical engineer) I would not even
blindly trust a physician's judgment, and likewise a Professional Engineer.
The only safe way I know of to hire expert advice is to do a lot of homework
on your own so that you can at least know the questions to ask in advance,
to test the validity of the advice you get, or the apparent knowledge this
person
has about the subject. To do otherwise, you are just totally in the dark,
and
ripe for plucking, as the saying goes. This goes for any purchase, of
course,
not just technical advice. There are a lot of people to take your money
out
there, but very few real 'experts', unfortunately.

73,
Don, W6JL

John wrote in message <36BA950E.519F@iland.net>...
>Has anybody on this NG ever seen a tower that failed because of the
>foundation? Probably not. Most if not all towers that have fallen down
>fell down for reasons that have nothing to do with the foundation. Most
>towers that have fallen fell because of a guyline failure, and this guy
>wants to install a freestanding tower. Dig a hole, don't worry about
>soil mechanics, (Proctor's,Atterburg limits, hydro's,whatever)do what
>the manufacturer says and you will be all right.
> As far as hiring a PE, don't waste your time or money. A lot of them I
>have had to deal with couldn't find their ass with both hands and a dog.
>To be fair, a lot of the PE's I have had to work with were really sharp
>and I learned a lot from them. However, in the last year I have had PE's
>ask me what the wooden stakes with the C's and F's are about (cut out
>this much soil, fill in this much soil), and I've seen blueprints that
>were stamped by no less than 12 PE's that had storm drain outlets that
>faced UPSTREAM into a drainage ditch. Probably wore out the rubber
>stamps approving that crap.
> Meet or exceed the manufacturer's spec's and you will never have a
>problem.

424. FS: MOTORLA MICOR RPTRS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <36BB71AC.7494@erols.com>
Source record: 117521

FOR SALE: Two (2) Motorola Micor 100 watt continuous duty solid state repeaters. Absolutely mint condition! Built August 1988. Consecutive serial numbers. Split: 132-150.8 mhz; 2 channels. No manuals or crystals, sorry.

Best offer over $1,000 (each), plus shipping or pickup from Maryland (near WashDC). Will sell separately. 73 Murray, K3BEQ

425. FA:*YEASU FRG-7(clone) GENERAL COVERAGE RECEIVER-ENDS in 2240hrs EST TONIGHT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: BB Wolf <bigbadwolf1@earthlink.net>
Message-ID: <36BB6462.BDFE7E19@earthlink.net>
Source record: 117522
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,alt.ham-radio.amateur.equipment,rec.radio.amateur.equipment

FA: YEASU FRG-7 (clone) RECEIVER. Made by YEASU. Sold and labeled by Sears.

ENDS 2240hrs EST TONIGHT

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=63190089

Thank You!

426. WTB, CIRCULAR DIAL SB-101/102.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: dialcover@webtv.net
Message-ID: <12981-36BB5FB4-7@newsd-151.iap.bryant.webtv.net>
Source record: 117523

THE ONE IN THE RIG I BOUGHT HAS A BITE OUT OF IT

disregard caps, visual problem
Bill Turner, 1117 Pike Street
St, Charles, MO 63301-2907

427. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: dialcover@webtv.net
Message-ID: <12978-36BB6327-51@newsd-151.iap.bryant.webtv.net>
Source record: 117524

THE IDEA OF POURING BELOW GRADE IS EXCELLENT. I WOULD SUGGEST A LIP
BUILT TO GRADE WITH SOME MANNER OF COVER. THIS IN ORDER TO PREVENT
WATER COLLECTING AROUND THE TOWER LEGS AND STARTING A RUST PROBLEM.
WA0ABI

disregard caps, visual problem
Bill Turner, 1117 Pike Street
St, Charles, MO 63301-2907

428. REPLACEMENT CLOCK FOR HAMMARLUND W/DIAL COVER ETC.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: dialcover@webtv.net
Message-ID: <12977-36BB6109-75@newsd-151.iap.bryant.webtv.net>
Source record: 117525

REPLACEMENT CLOCK FOR HAMMARLUND HQ-110 - HQ-180. IF YOUR CLOCK HAS DIED, YOU NEVER HAD A CLOCK OR WHATEVER. BATTERY OPERATED CLOCK, HANDS, DIAL AND A NEW DIAL COVER. $32.00 INCLUDES SHIPPING. DIAL COVER ALONE $12.00

disregard caps, visual problem
Bill Turner, 1117 Pike Street
St, Charles, MO 63301-2907

429. WTB: Standard C5900DA Tribander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: radiofreq0@aol.com
Message-ID: <19990205172435.23956.00000164@ng-ch1.aol.com>
Source record: 117526

Im looking for a C5900DA.
Also, Ive got a IC706MKII in excellent condition for sale.
Jeff

430. Motorola GP1280 Programming software Urgently Needed .!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: fox/mulder@usa.net
Message-ID: <36bb6ff7.4549474@news.tel.hr>
Source record: 117527
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

If anyone got programming software for Motorola radius GP1280 portable handie i would be more than thankfull to him to e-mail to me a copy .!!

I can send you some other in return if required .!!!

Fox

fox/mulder@usa.net

431. WTB: SM6 or SM8

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: ronfont@asbank.com
Message-ID: <79fvkinpt1@nnrp1.dejanews.com>
Source record: 117528

Looking for an SM6 or SM8 in good shape. Please email me at ronfont@asbank.com
73's Ron

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

432. Re: ANTI-CW people.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Oscar <oscarrben@worldnet.att.net>
Message-ID: <36BB7953.7D803E58@worldnet.att.net>
Source record: 117529
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy

Clinton, didn't you know? Oh yes, Clinton has nothing to do with this thread.

Clinton has a lot to do with this and every thread on the Internet as he is the one who pushed the *Information Superhighway.* He got at least one thing right. Right or wrong he wtill represents the American Presidency, C-in-C, etc. and probably a better president that Oliver North could ever hope of becoming...someone else who lied under oath.

433. Re: ANTI-CW people are liberals and would want to see Clinton go free too!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Oscar <oscarrben@worldnet.att.net>
Message-ID: <36BB7958.8AAFA695@worldnet.att.net>
Source record: 117530
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy

This fact is evident by looking at the decline of new amateur licenses
being granted. Also, the median age of hams is getting significantly
older. The ARRL figures that by doing away with the code requirements
----
>This poster made excellent comments. Before the Internet became popular I was studying feverishly for an amateur license not because I was interested in electronics but because I wanted to communicate with people from other parts of the world and US. With ICQ, MIRC, e-mail, and internet chat channels, communication by dits and dahs seems quite antiquated---now I enjoy "chatting" via my computer and don't have to wrack my brain about whether I heard a U or S. My ear is not that discriminating at my age(50+).
> Why is Amateur Radio dying? Because people such as yourself are carrying on a "holier than though" attitude towards those who don't yet know the code. Your attitude disgusts them, and they have no desire to become what you already are.

>>>AMEN!!!! BTW you code lovers, what are you doing chatting via telephone in this NG when you should be oscillating your key (BIG GRIN).

Whatever direction amateur radio takes, it's still a great service,
albeit it may become a threatened species.

434. FS: YAESU FT-50

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Bluebeard <geoff444@aol.com>
Message-ID: <918256661.788313@newdm.deskmedia.com>
Source record: 117531

For sale: Yaesu FT-50 dual bander, 16 months old, as new. Includes charger, HP battery, AA battery pack, soft case (no scratches), auto charger/cord, and original packaging. $250 money order for the works.

This unit can be seen in So. Minnesota. Please email if interested. clarine@(NO SPAM)deskmedia.com

Be sure to remove the (NO SPAM) when replying.

435. FS..Kenwood TS 940Sat...FS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <36BB869E.A3A8EA6B@iglobal.net>
Source record: 117532
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

http://www.iglobal.net/pub/radioranch/940.jpg
http://www.iglobal.net/pub/radioranch/940.jpg
Nice TS 940Sat, 9 mil serial #, all updates, clean 9++ with hand mic ,
manual and original boxes.. Just $1100.oo plus shipping and its a great
one...a keeper!! Will talk about matching speaker and MC 60, but if I
add em both youre talkin $1250..its waaaay worth it tho.... Click on the
blue to see a mediocre picture...look in a mag at a new one and get a
better idea!! Thanks Murray

436. Re: Icom 746 and ALC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Steve Glickstein <sglick@sprynet.com>
Message-ID: <79g277$c3o$1@juliana.sprynet.com>
Source record: 117533

My 746 does the same thing. When I connected it to a deviation meter, I discovered that the mic. gain setting I used for ssb (when the compressor is engaged) provides 3-5 KHz deviation on FM. That is well within the usual limits.

73/Steve - W4FMD

Alan K. Adamson wrote in message ...
>Anyone else experience this? The documentation states that you need to
>adjust the mic gain in FM, CW, RTTY, etc to make sure that the ALC stays
>within range.
>
>Ok, how do you do this. I can adjust it in SSB, but in FM it goes about
3/4
>scale and not fidling with the front or the rear gain knobs do anything.
>
>Anyone know what the real adjustment procedure are suppose to be???
>
>Alan
>
>

437. Alinco DR-1200T

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Art <ka3fmo@erols.com>
Message-ID: <79g4sv$a4s$1@winter.news.rcn.net>
Source record: 117534
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment

Hello,
I have for sale the Alinco Data Radio, DR-1200T. This was used for Packet Radio. No mic. Radio did not come with mic, since its a Data Radio. Very good condition. Dial light burned out. Still have original box with receipt and manual. $175 or best offer.

Thanks..
Art....ka3fmo
ka3fmo@erols.com

438. F/S TS-850AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: "B.Peter Treml" <nx8jpete@up.net>
Message-ID: <36BB9320.1BAACC06@up.net>
Source record: 117535

I'm posting this for a friend (W8BP). He is listing for sale a mint
TS-850AT. 160-10m.Manual,original boxes,hand mic. Shipped for $1000.
This is a keeper that won't last long. Call John, W8BP, direct at
906-225-0573 or e-mail him at W8BP@aol.com (although he doesn't check
his mail often.) Please do not e-mail me.73,K8PT
--

B.Peter Treml- K8PT K8PT@aol.com
725 W. Magnetic St. K8PT@arrl.net
Marquette, Mi.49855 nx8jpete@up.net
USA

---

439. FS: Kenwood TM-221A 2m mobile rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36BB24FA.4E99B29E@ix.netcom.com>
Source record: 117536
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Kenwood TM-221A 45w 2m mobile radio. Compact, built-in PL, 14 memory channel. Never been mobile. Box, manual, mic and mounting bracket all included. Very nice condition. $135. If interested, E-mailto:na1a@ix.netcom.com or call (310) 649-2226.

440. FS: Alinco Data Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Art <ka3fmo@erols.com>
Message-ID: <79g56b$c3p$1@winter.news.rcn.net>
Source record: 117537
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment

Hello,
Not sure if my last post went out or not. I have for sale the Alinco Data Radio, DR-1200T. Still have original box, receipt and manual. Very good condition. Used only for Packet in my house. Does not include mic (since its a Data Radio, never came with mic). Front dial light burned out. $175 or best offer..you ship.

Thanks..
Art...ka3fmo
ka3fmo@erols.com

441. FS: Yaesu FT-712RH

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Art <ka3fmo@erols.com>
Message-ID: <79g5a2ctl1@winter.news.rcn.net>
Source record: 117538

Hello,
I have for sale the Yaesu 440 transceiver. Model FT-712RH. Used only for packet. Very good condition. Front dial light burned out.
$175 or best offer. You ship.

Thanks..
Art...ka3fmo
ka3fmo@erols.com

442. Is Kenwood SM220 compatible with a TS850S ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: AC6V <ac6v@ix.netcom.com>
Message-ID: <36BB9CC1.4FAC@ix.netcom.com>
Source record: 117539

I had two inquires about this last week, and it has perked my interest.
Any one tried or is using the SM220 Bandscope and panadapter with a
TS850S ???

Also if you could - E-Mail me with a reply and a CC to:

"John Warren" <warren@colorado.edu>

Thanks much
Rod in San Diego
--
AC6V INDEX TO DX AND HAM RADIO
FEATURING 88 PAGES, 400 INDEXED TOPICS, AND 3000 LINKS
Over 288,000 visits on the counter
http://www.ac6v.com/pageas.html -- Alphabetical Index
http://www.ac6v.com/ -- Home Page

443. Any one used Bandercom Online?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: JOE & JIM <US2INCT@NTPLX.COM>
Message-ID: <hkNu2.333$2U.3260@news.ntplx.net>
Source record: 117540
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner

Good-Bad?

Their Link http://www.bander.com/usa/
--
Thanks Joe

444. Re: cde ham IV rotor info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: 74737.221@compuserve.com
Message-ID: <42949550662166911816NEWS2LX@news.compuserve.com>
Source record: 117541

cool. i got 100ft of it but the markings on the rotor are worn down
and quite dirty.....will check again.

dave

> Dave,
> It simple to hook up, terminal 1 to 1 - 2 to 2 - 3 to 3 etc... You will need 8
> conductor control cable, gage of the cable is dependent on the distance of the
> run.
>
> munsch@ibm.net wrote:
>
> > Dave:
> > I'll let someone else comment on the other issues, but I will share my
> > experience mounting to a vent pipe. First, if it is not galvanized steel,
> > forget it. This includes PVC and cast iron among other choices. Even if it
> > is galvanized steel, it will flex enough to break the seal of the roof jack
> > (that is what the plate under the shingles is called), or even tear it up
> > depending how solidly the vent is restrained, and you will have rain water
> > in your attic. There are complicated ways of getting around this, but be
> > warned.
> > Crazy George
>

445. Re: cde ham IV rotor info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: 74737.221@compuserve.com
Message-ID: <65662166913824NEWS2LX@news.compuserve.com>
Source record: 117542

thanks, george...what i was afraid of.....

oh well, short roof tower....or mount to pole in ground......what do
you think?

davve

> Dave:
> I'll let someone else comment on the other issues, but I will share my
> experience mounting to a vent pipe. First, if it is not galvanized steel,
> forget it. This includes PVC and cast iron among other choices. Even if it
> is galvanized steel, it will flex enough to break the seal of the roof jack
> (that is what the plate under the shingles is called), or even tear it up
> depending how solidly the vent is restrained, and you will have rain water
> in your attic. There are complicated ways of getting around this, but be
> warned.
> Crazy George
>

446. FS.:.HF RIGS FS.:.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <36BBA2DF.B6D10375@iglobal.net>
Source record: 117543
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

#1....Icom 736 HF+6 mtr...as new, not a scratch, with mic, manual, and orig boxes..this one is perfect.. very little use...SUPER! $1150...trades ok.....#2....Icom 735...very good radio, few minor scratches but fairly late and working perfectly, mic manual , box...$550 ....#3....Kenwood TS 450Sat, very good shape in and out...a bargain on this one $650. +.....#4....Several 940Sats ranging from $1000 to $1150....ask....#5....Alinco DX 70T, very nice shape , factory complete, with mic manual box and separation kit.... $625.shipped conus...#6....Yaesu FT 900at, very good condition, with mic manual power cord, complete...$850.oo+.....most are plus shipping...gauranteed as stated..arrive alive!! Trades for late model HF gear and HF amps considered....Thanks 73 Murray Murray's Radio Ranch: Buy Sell Trade Swap Amateur Radio (Ham Radio) Equipment

447. FS: Swan 410 VFO

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36BBA557.1BD248D6@cfu.net>
Source record: 117544

I have a Swan 410 VFO in good condition that duplicates others in my collection. Perhaps someone can use it. I will sell it for $65 + $8 shipping, and include a copy of Swan's original documentation.

Jan N0JR

448. Re: cde ham IV rotor info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Tom Ash <tomcat@whidbey.net>
Message-ID: <36BBA587.31F3E335@whidbey.net>
Source record: 117545

Dave,
It simple to hook up, terminal 1 to 1 - 2 to 2 - 3 to 3 etc... You will
need 8
conductor control cable, gage of the cable is dependent on the
distance of the
run.

74737.221@compuserve.com wrote:

> hello, all. i have a few questions on this new used rotor i picked up.
>
> it is recently refurbed, and reportedly works well.
>
> first, does anyone have a copy of the manual? i would gladly pay for a
> copy....i would like to hook it up without ruining it!
>
> second, mounting.
>
> I live in an area where towers are frowned upon....sucks.
> so, what i plan to do is mount the rotor on or near roof line with a 10
> ft mask. then, add vhf/uhf beams for local stuff. i'm on a small hill
> and don't need a lot of hight. should i get a small roof mount tower
> for my house, or could i mt the rotor on a vent pipe and then guy the
> mask????
>
> thanks in advance, dave
> n0xlw

449. WTB: NOS TUBES

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: BlueStrat <bluestat@erols.com>
Message-ID: <36BBAEB7.A3C6A7C6@erols.com>
Source record: 117546

Looking for the following NOS (preferably in
original boxes) tubes.

6V6GT, 6L6GC, 5AR4, 5Y3GT, 5R4, 6CA7/EL34, 6BQ5/EL84, 7189A, 7027,
7591A, 7581A, 12AX7A , 5751, 12AY7, 7025, 12AT7, 7199, 5881, 6550,
7868, KT-66,77,88.

Also, octal socket extenders/savers.

Please list brand, price, qty available, and whether in
original box.

Thanks,
Mike
703-430-8713
bluestat@erols.com

450. Re: Any one used Bandercom Online?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: rd513 <rd513@earthlink.net>
Message-ID: <79gcju$j78$1@ash.prod.itd.earthlink.net>
Source record: 117547
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner

I ordered a scanner from them on january 6th,still did not get it but I will keep you updated.

rd513@earthlink,net

JOE & JIM wrote in message ...
>
>Good-Bad?
>
>Their Link http://www.bander.com/usa/
>--
>Thanks Joe
>
>

451. Re: Wanted: AA Dummy Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Curtis Lee Chambers <kb9mum@soltec.net>
Message-ID: <36BBB5B3.ED9F639@soltec.net>
Source record: 117548
Cross-posted to: ca.wanted,la.wanted,misc.emerg-services,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

RadioShack has them avail from the RSU order system, have them check for
older handheld cb 8 alk/ 10 rechag type. They are only a couple of bucks.

Curt

Steve Leong wrote:

> Does anyone know the availability of any "dummy" AA cells?
> (I've seen them in the past - they are plastic forms the same size of
> an AA cell, with a metal strip connecting the top and bottom contacts -
> basically a specialized jumper!).
>
> I have a AA battery pack for a handheld radio (Kenwood TK-250) that has
> spaces for too many AA cells (excess voltage would damage radio). I need
> to insert two "dummy" AA cells to act as jumpers for these extra spaces.
> Already tried to solder jumpers in place - can't do it due to the metal
> they used for the contacts.
>
> Thanks for any assistance and advice!
>
> Steve KC6IJM

452. Re: Y2K Gold & Silver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: cmagers@sprynet.com
Message-ID: <MPG.112581fe4b9d394098968c@news.sprynet.com>
Source record: 117549
Cross-posted to: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment,rec.collecting.coins

In article <36bbad77.42148396@news.garlic.com>, m4bz@garlic.SPAMNO.com
says...
> Yes I am. I have my breakfast reservations at Denny's for Jan. 1.
>
> On Fri, 05 Feb 1999 10:56:05 -0800, HRE/ Coin <hamradio@wizzards.net>
> wrote:
>
>
> > Are you Ready for Y2K ?
>
>
Good plan but but Denny's? I think IHOP might be a better choice :)
--
CW
KC7NOD

453. FS:Realistic DX-302 Communications receiver.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Eric <mndswpr@ix.netcom.com>
Message-ID: <36BBE570.1E398C4F@ix.netcom.com>
Source record: 117550

I have a Realistic DX-302 communications receiver in excellent condition

for sale. It has continuous coverage
from10khz to30mhz,It has digital readout,dial
tuning,preselector,upper/lower sideband,bfo pitch,rf
gain,atten,wide/narrow selectivity,ac/dc power(internal
battery,car),mute and
internal speaker.Inputs include:headphone,ext.speaker,12v,coax,tape
out,morse code practice.The tuner is quartz sythnesized Wadley loop and
it is
extremely sensitive.I have the original box and manual.$225 ,best
offer.I live in Southern Cal.Will ship.Thanks,Eric. Ph:714-444-0212

454. FS: Icom IC12AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Al <K6DJP@postoffice.pacbell.net>
Message-ID: <36BBED6F.5F39DA41@postoffice.pacbell.net>
Source record: 117551
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

This is the 1.2 gig version of the IC02 series.Radio is in good shape
and covers the
1.2 gig band.Includes radio antenna and battery case.$200.
Al

455. FS: Henry 130 W VHF FM AMPLIFIER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36BBBBDA.69D1@ix.netcom.com>
Source record: 117552
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale Henry Model C130A30 FM VHF amplifiers.

These are commercial units, that can be tuned between 135 - 175 Mhz. They are rated 130W max out...20 to 40W in...

Units have commercial filtering on output, 70Db harmonic attenuation.

Price is $85 each + shipping, tuned and tested to your specified frequency.

Trades considered.

Steve-WA6GSD

456. Icom 746 and ALC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: "Alan K. Adamson" <ne1h@bellsouth.net>
Message-ID: <UGqu2.360$0t.396386@news4.atl>
Source record: 117719

Anyone else experience this? The documentation states that you need to adjust the mic gain in FM, CW, RTTY, etc to make sure that the ALC stays within range.

Ok, how do you do this. I can adjust it in SSB, but in FM it goes about 3/4 scale and not fidling with the front or the rear gain knobs do anything.

Anyone know what the real adjustment procedure are suppose to be???

Alan

457. Re: Icom 746 and ALC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Seth Miller <seth.miller@NOSPAMworldnet.att.net>
Message-ID: <36BA469B.83E7AD68@NOSPAMworldnet.att.net>
Source record: 117720

The notation is the manual is incorrect, the ALC applies only to SSB,
not FM, CW, or RTTY. I don't know what the ALC meter indication means
(if anything) in modes other than SSB, but it is not setable (nor should
it be), and you can ignore it.

- Seth

Alan K. Adamson wrote:
>
> Anyone else experience this? The documentation states that you need to
> adjust the mic gain in FM, CW, RTTY, etc to make sure that the ALC stays
> within range.
>
> Ok, how do you do this. I can adjust it in SSB, but in FM it goes about 3/4
> scale and not fidling with the front or the rear gain knobs do anything.
>
> Anyone know what the real adjustment procedure are suppose to be???
>
> Alan

458. Re: VX-5R: price ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: mwm@reidnet.com
Message-ID: <79dng8$qn5$1@nnrp1.dejanews.com>
Source record: 117721

In article <gscottF6I3wK.H4n@netcom.com>,
gscott@netcom.com (Gavin Scott) wrote:
> Sils (sils@polbox.com) wrote:
> : Does anyone know the price of Yaesu VX-5R ?

Texas Towers $349.95

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

459. Freeband Software Mod FT50RD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: George Galanis <george.galanis@dsto.defence.gov.au>
Message-ID: <36BA5167.2731E93B@dsto.defence.gov.au>
Source record: 117722

Hi,
I just bought a new FT50RD. It works really well apart from the minor bugs that are well documented on the web. I wanted to do the freeband mod so that I could have access to our UHF CB band (476.4 to 477.4 MHz) in case of emergencies. I found some info, from Ingra-Beton dated 31-3-97 (http://members.aol.com/aeinm/ft50/articles.txt), on the web indicating that this mod could be done purely through a modifaction of the template file generated by the ADMS-1D software. However when I looked in my template file, the data did not appear to match that in the web article. I zapped the file with the recommended changes at locations 0CE7 and 0CE8 and uploaded it to the radio succesfully, but it did not make any difference.

Has anyone been able to do the Freeband Mod through changes to template files? Does anyone know if it possible, or is the only way to do the Freeband Mod by modifying the hardware? I notice that the VX-1R can be modified by the template method and it seems to make sense that this should be the case for the other Yaseu radios. How do you find out which address to hit? Is there a technical manual that has this info?

It's fascinating but frustrating.
Cheers from VK land,
George VK3BGJ

460. WTB: Service Manual, Motorola Micor Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: George Harris <kc2bcg@worldnet.att.net>
Message-ID: <01be50af$98742540$448c4e0c@kc2bcg>
Source record: 117723
Cross-posted to: alabama.birmingham.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Hello all,
I'm in need of a service manual for a Motorola micor radio. (model #
T73RTN3190A)
I plan on modifying it for 2 meter repeater use. Please reply through
Email!
Thanks
KC2BCG
George

461. UHF AMP ON EBAY

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Paul <pab1@home.com>
Message-ID: <%Xsu2.75$RO.134@news.rdc1.mi.home.com>
Source record: 117724

Low starting bid of $50 on a UHF 100 Watt amp.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=63818158

462. Opinion wanted on SGC 2000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: kindlight@aol.com
Message-ID: <19990204214941.18965.00000944@ng-fa1.aol.com>
Source record: 117725

I recently purchased a SGC 2000 powertalk unit for our boat. A recent thread on the rec.cruising NG slammed SGC's units & service. Any other opinions would be appreciated.

Thanks, Alisa
Kindlight@aol.com

463. Re: Radio programming

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: KIDS <rfsystem@swbell.net>
Message-ID: <01be50b2$69748fc0$c41ec1cf@kids>
Source record: 117726

Try this link, these guys have really good prices. They do my Motorola MX300-S cheaper than half of anyone else.

The Johnsons <trjohnson@zoomnet.net> wrote in article <36B6BAAA.C47D7280@zoomnet.net>...
> I am looking for a dealer that can burn new proms for a GE PHOENIX-SX
>
> I am also looking for a dealer that can reprogram STANDARD GX 1510
> mobiles.
>

464. Re: WTB Kenwood 440 module

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: kb2sfa@aol.com
Message-ID: <19990204224659.13073.00000886@ng38.aol.com>
Source record: 117727

hi, i was wondering if you would be using both 220mhz modules. if not, i was interested in buying the 220 module. i am looking for 220 instead of my 440 module. if not, good luck. 73, Anthony kb2sfa....

465. FS: Yaesu FT-530 MH-29 mic and 2 battery packs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: hodgesmn@email.uc.edu
Message-ID: <79drh7pcn1@news.ececs.uc.edu>
Source record: 117728

My friend has some miscellaneous equipment for sale for the FT-530.
They are as follows:

1, MH-29 microphone which is in fair condition. He's asking $45

Both batteries below are brand new.

1, 12V 900ma NiMH 5W battery pack. He's asking $40

1, 12V 800ma NiCD 5W battery pack. He's asking $35

If interested, email me at the above address. All prices are negotiable
so no reasonable offer will be refused.

466. Re: MFJ 259 SWR analyser failure

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Richard Carroll <w0ex@scan.missouri.org>
Message-ID: <79duib$h3n$2@208.207.71.153>
Source record: 117729

MFJ gear is known for intermittant problems, which mostly
seems to be due to lack of care and attention to detail at
assembly. Look for bad solder joints, poor connections where
mechanical connections are necessary to conduct electricuty,
like the screws that hold on a SO239 antenna connector, that
sort of thing. You will probably be able to fix it yourself.

73, Dick W0EX

Paul Van den Hende wrote:
>
> Hello !
>
> Thanks for reading this message. Three years ago, i bought the MFJ 259
> analyser in the U.S.A. I used it only a couple of times. I took care for it
> as "eggs".....
> Some time ago i once again i would make some measurements.....it failed !
> I made an e-mail to MFJ, but no reply....
>
> The counter is ok.
>
> It looks like the oscillator doesn't run anymore......
>
> A friend of mine said that it was the rotary switch wich made bad contact
> after a year in the box....
>
> Anybody can tell me if there is a known cause for this, or where i have to
> look...A schematic would be helpfull, but i never managed to get one....
>
> Best regards !
>
> paul.vandenhende@ping.be

467. Want to buy used 2 way radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: trinityv@my-dejanews.com
Message-ID: <79e2ac$3dt$1@nnrp1.dejanews.com>
Source record: 117730

I have a small local business.

I would like to keep in touch with 2 way radios.

Anyone know of used 2 way for sale?

By the way I am new to this service.

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

468. Re: Wanted: AA Dummy Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: ckrin.nospam@Iamerica.net
Message-ID: <36b907af.20285745@news.iamerica.net>
Source record: 117731
Cross-posted to: misc.emerg-services,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

On Wed, 3 Feb 1999 16:11:27 GMT, leongst@mail.northgrum.com (Steve
Leong) wrote:

>Does anyone know the availability of any "dummy" AA cells?
>(I've seen them in the past - they are plastic forms the same size of
>an AA cell, with a metal strip connecting the top and bottom contacts -
>basically a specialized jumper!).
>
>I have a AA battery pack for a handheld radio (Kenwood TK-250) that has
>spaces for too many AA cells (excess voltage would damage radio). I need
>to insert two "dummy" AA cells to act as jumpers for these extra spaces.
>Already tried to solder jumpers in place - can't do it due to the metal
>they used for the contacts.
>
>Thanks for any assistance and advice!
>
>Steve KC6IJM

Bunch of groups snipped. What you have is a battery pack designed for
use with NiCad cells- 10x1.2 volts. Radio Shack used to have a simple
aluminum form that would replace same that was used in several of
their CB walkie talkies. The idea of the dowel and the thumbtack
should work nicely.

ck
--
Charles S. Krin, DO FAAFP,Member,PGBFH,KC5EVN
Email address dump file for spam: reply to ckrin at Iamerica dot net
F*S=k (Freedom times Security equals a constant: the more
security you have, the less freedom! Niven's Fourth Law)

469. MOTOROLA/POLYPHASER NEW IN BOX LIGHTNING ARRESTER FOR 860-980MHZ on ebay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <79e5nv$5q4$1@nnrp1.dejanews.com>
Source record: 117732

moto/polyphaser 860-980mhz lightning arrester new in moto box. part number RL-ISPT50HN-B, unit is new, never installed. has "N" conectors for in/out. unit is on ebay.
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=63919799
thanks
robert
ke4mcl

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

470. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: John <jmul@iland.net>
Message-ID: <36BA950E.519F@iland.net>
Source record: 117733
Cross-posted to: rec.radio.cb,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

Has anybody on this NG ever seen a tower that failed because of the foundation? Probably not. Most if not all towers that have fallen down fell down for reasons that have nothing to do with the foundation. Most towers that have fallen fell because of a guyline failure, and this guy wants to install a freestanding tower. Dig a hole, don't worry about soil mechanics, (Proctor's,Atterburg limits, hydro's,whatever)do what the manufacturer says and you will be all right.
As far as hiring a PE, don't waste your time or money. A lot of them I have had to deal with couldn't find their ass with both hands and a dog. To be fair, a lot of the PE's I have had to work with were really sharp and I learned a lot from them. However, in the last year I have had PE's ask me what the wooden stakes with the C's and F's are about (cut out this much soil, fill in this much soil), and I've seen blueprints that were stamped by no less than 12 PE's that had storm drain outlets that faced UPSTREAM into a drainage ditch. Probably wore out the rubber stamps approving that crap.
Meet or exceed the manufacturer's spec's and you will never have a problem.

471. Re: Freeband Software Mod FT50RD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: marc_k@walrus.com
Message-ID: <79e70bhli1@alice.walrus.com>
Source record: 117734

George Galanis (george.galanis@dsto.defence.gov.au) wrote:
: Hi,
: I just bought a new FT50RD. It works really well apart from the minor
: bugs that are well documented on the web. I wanted to do the freeband
: mod so that I could have access to our UHF CB band (476.4 to 477.4 MHz)
: in case of emergencies. I found some info, from Ingra-Beton dated
: 31-3-97 (http://members.aol.com/aeinm/ft50/articles.txt), on the web
: indicating that this mod could be done purely through a modifaction of
: the template file generated by the ADMS-1D software. However when I
: looked in my template file, the data did not appear to match that in the
: web article. I zapped the file with the recommended changes at locations
: 0CE7 and 0CE8 and uploaded it to the radio succesfully, but it did not
: make any difference.

: Has anyone been able to do the Freeband Mod through changes to template
: files? Does anyone know if it possible, or is the only way to do the
: Freeband Mod by modifying the hardware? I notice that the VX-1R can be
: modified by the template method and it seems to make sense that this
: should be the case for the other Yaseu radios. How do you find out which
: address to hit? Is there a technical manual that has this info?

: It's fascinating but frustrating.
: Cheers from VK land,
: George VK3BGJ

What are the left-most 2 characters on your 50's serial number?

472. Yaesu FT-8500 Dual Band Mobile FS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36BAAF11.3BE0@ix.netcom.com>
Source record: 117735
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have in nice condition an FT-8500 with the FS-10 Mic. This is a dual band VHF UHF detachable face mobile with the smart controller mic. It has 112 memory channels and comes with original box and manual. $320+shipping gets it. 73 Chris VE3NGW/W4 Florida

473. KENWOOD TS 850 SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: TURBO <tvk4lwe@slic.com>
Message-ID: <79ein8$beu@raven.slic.com>
Source record: 117736

I have for sale a KENWOOD TS 850 SAT. This is a beautiful rig. It was purchased from AES last April. I paid a little over $1200, and selling it for $1000. The conditon is Excellent both cosmetically and electrically. Albeit, on tiny nick on faceplate about 1/32". Options include built-in antenna tuner and two Xtals. Includes all manuals (i.e., owmer's and external), schematics, power cord, original hand mic, accessory plugs, and the factory box is was shipped in. The reason for the sale is to purchase a TS 940 SAT, or the FT101/102 ZD series complete station, or the FT 990. If interested send email to tvk4lwe@slic.com

474. Re: Radio programming

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: KIDS <rfsystem@swbell.net>
Message-ID: <01be5100$d64a5c80$cd1bc1cf@kids>
Source record: 117737

http://www.brinkleyelec.com/

KIDS <rfsystem@swbell.net> wrote in article
<01be50b2$69748fc0$c41ec1cf@kids>...
> Try this link, these guys have really good prices. They do my Motorola
> MX300-S cheaper than half of anyone else.
>
> The Johnsons <trjohnson@zoomnet.net> wrote in article
> <36B6BAAA.C47D7280@zoomnet.net>...
> > I am looking for a dealer that can burn new proms for a GE PHOENIX-SX
> >
> > I am also looking for a dealer that can reprogram STANDARD GX 1510
> > mobiles.
> >
>
>

475. Want: Micor Rcvr RF & IF board

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: John Burch <occupant@syix.com>
Message-ID: <01be5104$87865780$d848abcd@default>
Source record: 117738
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Hello:

I am in the market for a Micor Hi Band receiver
RF and IF board model TLD 8272 or TLD 8274,
either A or B suffix.

These boards are for the 142 - 150.8 and the
162 - 174 split respectively.

Will pay cash and shipping to a warm and
loving household.

Thanks

John
occupant@syix.com
..

476. WTB scanner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Monte Keller <k9dzd@iquest.net>
Message-ID: <rrCu2.63$L87.606@news1.iquest.net>
Source record: 117739

```
im looknig for a good scanner...800mhz a plus

thanks
monte k9dzd@iquest.net
```

477. FS:Timewave DSP 59+

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Rich <wu6t@earthlink.net>
Message-ID: <79er1m$ck0$1@fir.prod.itd.earthlink.net>
Source record: 117740
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Timewave DSP 59+ for sale. Version 3.0 Chip. Excellent condition. Asking $185.00 plus shipping via Priority Mail. Contact Rich WU6T here or at 818/997-1217.

478. YAESU FT-1000MP WANTED

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: cslc82@email.mot.com
Message-ID: <36baf91b.27731325@netnews.worldnet.att.net>
Source record: 117741

YAESU FT-1000MP WANTED

Looking for late serial # FT-1000MP in good shape.

Please state options, price & condition.

Tnx/73
Dan
K0DAN

479. Re: VX-5R: price ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: fishbags@aol.com
Message-ID: <19990205090729.25645.00001130@ng-fs1.aol.com>
Source record: 117742

Advanced Specialties in NJ $345

480. Re: TenTec Scout vs. SGC 2020

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: <>
Message-ID: <79eu5oeji1@pyrite.mv.net>
Source record: 117743

In article <36B8FD0B.78C6917F@mediaone.net>
Mariner <Mariner@TheHelm.nospam.com> writes:

> Any comments on either rig? I'd be doing most fixed-base rather than
> mobile or outings.
>
> TNX and 73 de Michael N1XTV

Hi Michael,

I Have both a Scout and a SG-2020 each rig has it's advantages and disadvantages. The Scout has much better audio for SSB and because of that I ended up putting it in my car. The 2020 has more bells and whistles and if you don't mind semi-break-in and a somewhat noisy relay makes a fun CW rig. I have been using mine QRP and have had great success. I had both on the bench as QRP CW rigs and the sensitivity of both rigs was pretty close but on weak signal work neither rig could pick out signals as well as my TS 950SDX (duh, could it be the extra $3500). All-in-all it's really a matter of operating preferences and what is fun for you. The SGC offers a lot of features the big rigs offer with no messy module switching. The Scout offers great audio, smooth QSK and a much more readable display.

If you have any further questions please feel free to email me.

73

Richard / N1VXW

Richard Lubash
N1VXW
email XXXXrlubash@poco.mv.com

ATTENTION: To stop that pesky junk mail I have
put the prefix (XXXX) at the front of my email address. To reply
remove (XXXX)

481. packet radio tnc

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Dave Lance <dlance@summitracing.com>
Message-ID: <36bb0186.0@207.247.0.178>
Source record: 117744

who makes the best 1200 baud packet radio tnc ?
I am looking for the best weak signal performance
Thanks
Dave
NF8R

482. FS; MC-50 mic W/Heil HC-5

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: KC5ALC <kc5alc@mindspring.com>
Message-ID: <79f098vij1@samsara0.mindspring.com>
Source record: 117745
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.misc

MC-50 with Heil HC-5 element installed. Comes with original element also.
$80 plus shipping. Contact kc5alc@mindspring.com

483. Re: VX-5 Double beep while scanning

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Paul M <paul_m@mindspring.com>
Message-ID: <79f00a$q0j$1@nntpd.lkg.dec.com>
Source record: 117746

The only apparent way to turn this off is to disable keyboard beeps altogether. Is there any other means to just disable the beeps on received signals during scan, but leave the keyboard beeps alone?

Paul M wrote in message <79cl22giu1@nntpd.lkg.dec.com>...
>While scanning memories, the VX-5 emits a dual tone beep when it stops on a
>busy channel. Is there any way to turn that off? Thanks.
>
>

484. Re: Icom 746 ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Fred <cei2@ceitron.com>
Message-ID: <k_Du2.16$9A5.330@news14.ispnews.com>
Source record: 117747

Fantastic rig, on the air 2 months now. No problems at all.
Pre amps are fantastic. Making contacts that others local can't even hear in the noise.

Fred KE8TQ
TRG150 wrote in message <19990203151850.25643.00000209@ng-fs1.aol.com>...
>I am looking for comments from anyone owning the 746... any major problems???
>any idea why Icom is now offering $200 additional discount??? From what I have
>read and heard - it is a great radio.. Does it receive 108-174 mhz??? original
>QST write up indicated it had extended vhf receive????? thanks
>trg150@aol.com

485. Vintage Ten-Tec boards anywhere?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: sachsarch@aol.com
Message-ID: <19990205102134.15215.00000942@ng-fc1.aol.com>
Source record: 117748

Wondering if there is a special interest board for owners of older Ten-Tec
rigs,like the TRiton !V.
Marv, K2IPH
dogs

486. WTD. Schematic for Century 21D Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: turbo22367@aol.com
Message-ID: <19990205105047.15209.00000933@ng-fc1.aol.com>
Source record: 117749

Hi! I have acquired a Century 21D receiver. This is not the Ten-Tec Century 21D Transceiver. If anyone knows anything about this receiver and possible has a copy of the schematic I will pay a reasonable price for a copy.

Please reply or email turbo22367@aol.com
Thanx, Steve

487. Kachina reviews on Web?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Rick Kiss <rkissell@execpc.com>
Message-ID: <79f4s7$heh@newsops.execpc.com>
Source record: 117750

Does anyone know of any reviews of the Kachina 505DSP PC-based
transceiver on the Net (other than on Kashina's own Web page)?

TNX ES 73,

Rick WB9GYT

488. Re: Heathkit HW101

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: JOHN WARD <HITECH@EROLS.COM>
Message-ID: <79f66p$25h$1@winter.news.rcn.net>
Source record: 117751

now I know what you are asking what do you really want for it?
Patrick Rice wrote in message <36BA34F6.A6893813@erols.com>...
>For Sale:
>Heathkit HW-101 SSB Transciever and power supply.
>Condition Looks good, missing cable to connect pwr. spply and
>transciever.
>Possibly needs work.
>Asking $200 O.B.O.
>
>Reply via email : ricep@erols.com
>
>-Patrick Rice
>KC2BEG
>

489. Re: VX-5R: price ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Byron Hellewell <byron.hellewell@trw.com>
Message-ID: <79f64p$1gp$1@cronkite.sp.trw.com>
Source record: 117752

Try
http://www.rossdist.com/

$338

490. FS: QRP Plus HF XCVR

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Pat Armstrong <pat.armstrong@intel.com>
Message-ID: <36BB1CFF.1949@intel.com>
Source record: 117753

Good day to all,

I offer for sale an Index Labs QRP Plus S/N 457 in VG physical condition and electrically excellent. This transciever covers 160-10 meter CW/SSB, 0-5 Watts, 20 memories, iambic keyer and SCAF audio filter. I just replaced the lithium battery. The radio includes the DC power cable, mini keyer paddles and original manual. Double boxed shipped lower 48 USA for $350.00 (FIRM)...

73' Pat - AA7FG...

491. FS Yaesu FT-901DM

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: paul@pachena.ca
Message-ID: <79f9mi$417$1@nnrp1.dejanews.com>
Source record: 117754
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have for sale a Yaesu FT-901DM 100W HF transceiver. Excellent condition with both operating and service manuals. Comes with mic and all power cables. Works on either 120 VAC or 12 VDC. This was Yaesu's top of the line rig in the late 70's.

160M-10M (no WARC)
Speech processor
Variable bandwidth tuning.
CW crystal filter.

$475 or best offer.

73

Paul
VE7KHZ

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

492. FA-Yaesu FTV-650B Transverter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Pinky & The Brain <odin@webspan.net>
Message-ID: <79f86r$6s2$1@remarQ.com>
Source record: 117755
Cross-posted to:
alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

6meter Transverter for use with Yaesu FT-101 line
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=63662624

493. Re: packet radio tnc

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: JuTravler <anybody@anyplace.net>
Message-ID: <79fa8l$ho4@bgtnsc03.worldnet.att.net>
Source record: 117756

Dave Lance wrote in message <36bb0186.0@207.247.0.178>...
>who makes the best 1200 baud packet radio tnc ?
>I am looking for the best weak signal performance
>Thanks
>Dave
>NF8R

I vote for Kantronics KPC3Plus.
They also produce a commercial version.

494. Japanese Yaesu FT-50

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: jernigan@chester.uccs.edu
Message-ID: <36bb2eb3.10046595@newman.pcisys.net>
Source record: 117757

Hi Group!
Akihiro Matsuda, JI3BAP has recently received his US ticket as AB0IH. Aki works in our research laboratory here at the University of Colorado, and is a member of the UCCS radio club. His Yaesu FT-50, a japanese model, will only transmit below 146Mhz, which rather limits his participation in many of the local nets. Question, then, is there any reasonable way to get his radio to operate over the full 2m spectrum we enjoy here in the good ol' US of A ?
Thanx! Steve Jernigan KG0MB

PS contact Aki directly at <a.matsuda@ibm.net>, e-mail me, or post here!
TIA, again! S.

495. Re: Help please Kenwood TS-130S.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: hasan schiers <schiers@netins.net>
Message-ID: <79fdtr$g2o$1@ins8.netins.net>
Source record: 117758

Hi John,
The knob marked MIC is the microphone gain.

The knob marked CAR is the carrier level output for tune up and CW...it
could be thought of as a cw power output control.

It has no effect on the transmit power on ssb, which as I recall is totally
controlled by the mike level.

Hope this is of some help...it's been many years since I had a TS-130 73

hasan

John Ward wrote in message <79fco4$d09$1@nclient3-gui.server.ntli.net>...
>I recently purchased the above tranceiver which unfortunately
>didn,t have the operating manual.
>I think the knob marked MIC is the power out control,correct?
>What is the purpose of the knob marked CAR?
>What does the button marked Fix do?
>
>Thanks for any help you can give me.
>73 De John G0WQA.
>
>

496. Re: Concrete required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <36d636b7.176318908@news.atl.bellsouth.net>
Source record: 117759
Cross-posted to: rec.radio.cb,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

On Fri, 05 Feb 1999 00:51:58 -0600, John <jmul@iland.net> wrote:
>Has anybody on this NG ever seen a tower that failed because of the
>foundation? Probably not. Most if not all towers that have fallen down
>fell down for reasons that have nothing to do with the foundation. Most
>towers that have fallen fell because of a guyline failure, and this guy
>wants to install a freestanding tower. Dig a hole, don't worry about
>soil mechanics, (Proctor's,Atterburg limits, hydro's,whatever)do what
>the manufacturer says and you will be all right.

I have seen towers fail due to inadequate foundations. Large towers
nearly always buckle as they collapse, so it may not be immediately
obvious that the buckling occurred due to a shifting foundation, but it
often is due to that. With short towers (and trees) it is often immediately
obvious that foundation failure is the cause, just look at the root ball
sticking in the air of a blown over tree to see this.

> As far as hiring a PE, don't waste your time or money. A lot of them I
>have had to deal with couldn't find their ass with both hands and a dog.
>To be fair, a lot of the PE's I have had to work with were really sharp
>and I learned a lot from them. However, in the last year I have had PE's
>ask me what the wooden stakes with the C's and F's are about (cut out
>this much soil, fill in this much soil), and I've seen blueprints that
>were stamped by no less than 12 PE's that had storm drain outlets that
>faced UPSTREAM into a drainage ditch. Probably wore out the rubber
>stamps approving that crap.

Heh, fellows with PE after their names can be dumb too. Credentials
are no guarantee of competence. But PEs who screw up enough lose
their certification, or can't get any carrier to insure them, which amounts
to the same thing. They are *liable* for the things they sign off.

> Meet or exceed the manufacturer's spec's and you will never have a
>problem.

Good advice in general. You usually won't have a problem using a base
that's too large or too deep. But even here there are cases where you
have to be careful. Have you ever seen a swimming pool float out of
the ground? Too much displacement for its mass. An analysis of soil
mechanics can be important. It can be especially important in earthquake
prone areas where the soil can liquify during a quake.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

497. FS/FT: Sony WaveHawk ICF-SC1PC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: n7wpd@xmission.com
Message-ID: <79fi72bql1@nnrp1.dejanews.com>
Source record: 117760

HI all,

I have a Sony WaveHawk ICF-SC1PC handheld scanner for sale/trade.
25-1300Mhz and 300 channels, pc programmable and controlable.

$300 or trade for Yaesu VX1-R

Dan

reply to n7wpdATxmissionDOTcom

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

498. Y2K Gold & Silver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: HRE/ Coin <hamradio@wizzards.net>
Message-ID: <36BB3EC5.43A4@wizzards.net>
Source record: 117761
Cross-posted to: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment,rec.collecting.coins

NOW, you can track the Gold and Silver Metals Market Prices Daily
On the Ham Radio Equipment / Coin Web Page...
Are you Ready for Y2K ?
http://www.wizzards.net/hamradio

Water, Food, Gold & Silver Coins, Radio Communications...

I am Looking for Very Clean Good Working General Coverage Solid State
HF Mobile size Xcvrs. No Big Base Station Rigs Needed...
Wanted Very Clean Good Working 2 Meter Mobiles and Ht's...
All Equipment "Must" be in Like New Condition with Manuals...

GOLD & SILVER COINS WANTED !!!

Joe Reaves / N6fra / ANA Member
Grants Pass, Oregon
(541) 479-1212
http://www.wizzards.net/hamradio

499. Yaesu Reflector??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Gareth Crispell <gareth@capecod.net>
Message-ID: <36BB4333.A48DE217@capecod.net>
Source record: 117762
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

There was trouble on the Yaesu reflector over the holidays with a proliferation of really wacko spam. Hams resigned from the list in droves. Somebody said there was a new list for Yaesu - can anyone point me in the right direction?

de N1MSV

Gareth http://www.capecod.net/~gareth/n1msv.htm

Barnstable Amateur Radio Club
Cape Cod Massachusetts

500. Re: Opinions on IC-2710H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Gareth Crispell <gareth@capecod.net>
Message-ID: <36BB44EF.D33CB8C5@capecod.net>
Source record: 117763
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Gareth Crispell wrote:
>
> Hi People
> What is the skinny on the IC-2710H?? Any known problems?
> Is the display easy to read both day and night? Is the extra wide rx
> out of the box or is a mod necessary? Can the chassis be left in the
> trunk with only the little front of the rig in the cab? Are there wx
> related problems if chassis can be left in trunk? (too hot or too
> cold) Any words of wisdom on this model will be greatly appreciated.
> I am also looking at the FT-3000, but considering saving up a bit
> more for the Icom. Thank you.
>
> de ... N1MSV
>
> Gareth http://www.capecod.net/~gareth/n1msv.htm
>
>
> Member of The Barnstable Amateur Radio Club
> Cape Cod Massachusetts

Much gratitude to the many stations that offered intelligent and
very useful input!!
Thanks guys. It has come down to a choice between the IC-2710H and
the FT-8100R. As has been pointed out to me, they both are great
radios with some interesting features endemic to each.

73 N1MSV

501. FA: 767 GX HF Last hours

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36c14687.356841314@news.earthlink.net>
Source record: 117764

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=63078879

502. FA: 6 Meter All Module for 767GX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36bf4635.356759744@news.earthlink.net>
Source record: 117765

6 Meter All Mode Module for the 767GX
Last Day
Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=63063478

503. Hallicrafters Help!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Newsgroups <w7prv@teleport.com>
Message-ID: <s0Iu2.20044$202.9789445@news1.teleport.com>
Source record: 117766

Hi all. Looking for pair of 8236 tubes for SR-500. Also metal plate top of final compartment. Need also bandswitch knob for SR-150. Need owner's manuals for both rigs. Reply to this address: w7prv@juno.com Thanks.

504. FA: 6 MTR Ht

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36bc4b05.357992050@news.earthlink.net>
Source record: 117767

Few hours left
go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=63058556

505. Re: Programming Cable for IC-Q7A, etc.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Ivan McCaffrey <ivanmcc@worldnet.att.net>
Message-ID: <79fjif$82v@bgtnsc02.worldnet.att.net>
Source record: 117768

Hi Bob

I would like to buy one of these but I cant find in e-bay , would you like
to get in touch with me on them

later
Bob wrote in message <79c3cj$kmk@bgtnsc03.worldnet.att.net>...
>I've got a few of these for sale on eBay at
>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=62605086
>Does anyone know what other radios use this same type of cable?
>
>
>

506. FS:YAESU FT-990

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-05 00:00:00 UTC
From: Sectie Aalst Uba <SECTIE.AALST.UBA@village.uunet.be>
Message-ID: <79fk7r$i8j$1@nickel.uunet.be>
Source record: 117769

For sale:Yaesu FT-990 with all filters cw and ssb
Automatic antennetuner
CAT-system

ON4AAM

ON4AAM@HOTMAIL.COM

507. FS: Icom 2iA 2meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: John <kb2voj@bigfoot.com>
Message-ID: <36bd14ce.0@nntp2.borg.com>
Source record: 117470
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

I would like to sell my Icom 2iA mini 2 meter hand held.
It's in very good condition and comes with box, manuals, etc. plus many accessories.
BP 120 battery case, BP 123 7.2v/1200mAh, LC-83, LC-84, LC-85 (cases to fit all batteries), CP-13L Lighter power cable, OPC-288 DC power cable, AD-26 adapter for charging on the BC-79 rapid charger (not included), and the HM-55A DTMF speaker mike.
The radio is three years old but used very little. The battery pack that came with it (BP-121) was replaced last year with a new one. The other (BP-123) works fine.
A 12v battery pack is available to provide 5 watts out but I never bought one.

I'm asking $125 for the whole package.

Thanks,
John - KB2VOJ

508. FS: Standard C508A Wbander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: John <kb2voj@bigfoot.com>
Message-ID: <36bd1770.0@nntp2.borg.com>
Source record: 117471
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Standard 144/450 MHz FM mini transceiver includes box and manual. It is in
new condition and comes with the two optional cases.
It's an early model that receives full 800 band.

$150 including shipping.

Thanks,
John - KB2VOJ

509. GUY WHO BOUGHT HEATHKIT HW-2036 2M RIG, I FOUND YOUR BOOK!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <79g2bapui1@nnrp1.dejanews.com>
Source record: 117553

i found the book to the hw2036 i sold a few months back here on the NG. if you can prove your the guy who bought the rig i'll send you the book for $3.20 (cost of shpng via priority mail). robert ke4mcl miami fl

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

510. Re: FS:Timewave DSP 59+

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <79g2e9$q6j$1@nnrp1.dejanews.com>
Source record: 117554
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

In article <79er1m$ck0$1@fir.prod.itd.earthlink.net>,
"Rich" <wu6t@earthlink.net> wrote:
> Timewave DSP 59+ for sale. Version 3.0 Chip. Excellent condition. Asking
> $185.00 plus shipping via Priority Mail. Contact Rich WU6T here or at
> 818/997-1217.
>
>

How much do these sell for new?
Bill K9KZ

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

511. Battery "refills"

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Robert Fritz <rfritz@home.com>
Message-ID: <36BB9607.41C2D072@home.com>
Source record: 117555

Can someone recommend a good quality, reasonably priced source for replacing the cells within a battery pack? In particular, I have a number of defunct IC-02AT battery packs that need to be brought back to life.

Bob
KE6WYG

512. FS: parts/Projects for the Builder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990205203813.23964.00000179@ng30.aol.com>
Source record: 117556

For Sale: Parts and Projects for the Builder
RF decks / Final Pas
Motorola
6 Meter RF Deck Pair 8560ï¿½s in push-pull
with 95% of power supply parts
Bud cabinet 14" $300.00

2 Meter RF Deck single 8560 $ 175.00

RCA
6 Meter pair 4-250ï¿½s in push-pull
Tank coil, filament transformer, Grid coil $250.00

6 Meter 4-125"s same as above $225.00

Home Brewed projects

6 Meter, 2 X 4CX250B / Power Supply / Cabinet
Need wiring, Meters, TR switch
Will make about 700 watts P.E.P. $ 380.00

6 Meter, single 4-400 / Power Supply / Bud cabinet
Needs TR switch / LPF / 650 watts P.E.P. $450.00

Tubes, Sockets, RF chokes, Coil stock, Meters, Transformers Filament / Plate

513. For Sale Drake Radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990205204426.23964.00000185@ng30.aol.com>
Source record: 117557

For Sale
Shack Reduction
Drake T- 4 XC , R ï¿½ 4B .4, 2.4, 4.8 Filters , MS-4 / power supply
8 on a 1-10 $500.00 + Shipping

Drake T ï¿½ 4 XC , R ï¿½ 4 C , MS ï¿½ 4 / PS.25 CW , .5 CW , 1.5 CW Filters
8.5 on 1-10 $475 + Shipping

Drake T-4X , R ï¿½ 4C , .25CW , .5 CW, 1.5 CW Filters , NB, MS ï¿½ 4 / PS
8 on 1-10 $475.00 + Shipping

Drake TR ï¿½ 4C ,MS- 4 / PS , Blanker
8.5 on 1-10 $375.00 + Shipping

Drake TR ï¿½ 3 , Speaker / PS , 7.5 on 1-10 $250.00 + shipping

Drake MN ï¿½ 4 Matching Network (Antenna Tuner) 9.5 on 1-10
$195.00 + Shipping

Shipping from Austin, Texas

514. Classic KW For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990205204749.23964.00000191@ng30.aol.com>
Source record: 117558

```
Classic KW For Sale
Barker & Williamson Model L-100A
80-10 meters pair 813's
Power Supply and Manual
Scale 1-10 = 9
$575.00 + shipping from Austin, Texas
```

515. Antenna Tuner For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990205205234.23964.00000199@ng30.aol.com>
Source record: 117559

```
For Sale 1500 Watt Antenna Tuner
Roller Inductor/Air Variable
built in 1500W Dry Dummy Load
$450.00 + shipping
From Austin, Texas
```

516. FS: New 1999 Radio Amateur Callbook CDROMs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: rhynek@aol.com
Message-ID: <19990205211739.21762.00000166@ng17.aol.com>
Source record: 117560

We are offering new 1999 Radio Amateur Callbook CDroms at $37.95
plus $2.00 shipping. Regular price on these is $49.95.
Call Radio Devices at 1-800-440-9892 or order through web page at
http://www.ultranet.com/raddev

517. Help with AC hum on HRO-5TA1 audio.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Markus Thomerson <mdt@powr.net>
Message-ID: <01be516f$48598a80$7ad7050c@mdt>
Source record: 117561
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Hello and thanks for reading this post.
I have just aquired a National HRO-5TA1 receiver and a matching 697 power supply. Everything lights up but there is a very loud AC hum on the audio. This hum is the same volume regardless of the AF gain setting. I assume I need to replace the filter cap(s) in the PS. My question is this, what value caps are needed (I can't read the values) or could there be another problem? I am also looking for a copy of the manual and what coil sets other than A,B,C,D are there? Any help would be appreciated. Thanks,
markus

518. FS: Alinco DJ-580T dual band HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: "William R. Moore" <wr.moore@worldnet.att.net>
Message-ID: <79gb59$ijo@bgtnsc03.worldnet.att.net>
Source record: 117562

I'd like to sell an Alinco DJ-580T dual band (2m/440) handheld FM
transceiver, including an MFJ speaker/mike, two 1500mah batteries @
7.2v (provides 2 watts out of the tranceiver), battery charger, MFJ-1716
longer
antenna (7.5"), and an after-market carrying case. On a scale of 1-10, its
a 9 cosmetically (some key lettering is beginning to wear off but is still
very
readable) and a 10 functionally. Also receives aircraft band AM. Original
manual included plus a better English version I found on the web somewhere.

Does crossband repeat and receives on 2m and 440 simultaneously (unlike many
of the newer HTs).

Asking $175 including shipping.

73,
Randy, KS4L

519. Re: Y2K Gold & Silver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: m4bz@garlic.SPAMNO.com
Message-ID: <36bbad77.42148396@news.garlic.com>
Source record: 117563
Cross-posted to: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment,rec.collecting.coins

Yes I am. I have my breakfast reservations at Denny's for Jan. 1.

On Fri, 05 Feb 1999 10:56:05 -0800, HRE/ Coin <hamradio@wizzards.net>
wrote:

> Are you Ready for Y2K ?

520. WTB: Heathkit SA-5010 uMatic Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: lee810@aol.com
Message-ID: <79gepn$46s$1@nnrp1.dejanews.com>
Source record: 117564
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.amateur.boatanchors

I am interested in purchasing a Heathkit SA-5010 uMatic Keyer. If you have one you would like to sell, please send me an email with the condition and asking price.

Thanks,

Lee Devlin, KI0NI

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

521. FS: Alinco DJ-580T dual band HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: "William R. Moore" <wr.moore@worldnet.att.net>
Message-ID: <79gcmr$reg@bgtnsc03.worldnet.att.net>
Source record: 117565

I'd like to sell an Alinco DJ-580T dual band (2m/440) handheld FM transceiver, including an MFJ speaker/mike, two 1500mah batteries @ 7.2v (provides 2 watts out of the tranceiver), battery charger, MFJ-1716 longer
antenna (7.5"), and an after-market carrying case. On a scale of 1-10, its a 9 cosmetically (some key lettering is beginning to wear off but is still very
readable) and a 10 functionally. Also receives aircraft band AM. Original manual included plus a better English version I found on the web somewhere.

Does crossband repeat and receives on 2m and 440 simultaneously (unlike many of the newer HTs).

Asking $175 including shipping.

522. Re: cde ham IV rotor info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Solarpower1watt@Juno.com
Message-ID: <%FOu2.201$1a1.6785@newsfeed.slurp.net>
Source record: 117566

>It simple to hook up, terminal 1 to 1 - 2 to 2 - 3 to 3 etc... You will
>need 8
>conductor control cable, gage of the cable is dependent on the
>distance of the
>run.
>

CDE recommends 18 guage wire on pins one and two, (the motor). The
others can be smaller.

Ed

REPLY INFO:
==========
Return address modified to prevent automatic SPAM response.
TO REPLY: remove the "watt" from my return address.
==========

523. WTB Triton IV front panel

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: sachsarch@aol.com
Message-ID: <19990205225711.21195.00000298@ng24.aol.com>
Source record: 117567

Looking for replacement panels for Triton IV (analog) as well as for Digital Readout unit.
Marv, K2IPH
dogs

524. Test only....Please don't read.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: n9xlt@iquest.net
Message-ID: <I7Pu2.127$L87.999@news1.iquest.net>
Source record: 117568

Please excuse the bad etiquette. I'm familiar with
alt.tests. and the like. There is a networking reason
that I'm using this group.

Thanks,
David (N9XLT)

525. WTB Heath DX-40 Transmitter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: jgbotts@aol.com
Message-ID: <19990205231426.21945.00000042@ng-fq1.aol.com>
Source record: 117569

Subject sez it all. Send info and asking price to k4ejq@juno.com Tnx Bunky

526. Re: Wanted: AA Dummy Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: bschwabe@ionet.net
Message-ID: <79gfri$2gb$1@ionews.ionet.net>
Source record: 117570
Cross-posted to: ca.wanted,la.wanted,misc.emerg-services,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

In article <79cl6rsdg1@nnrp02.primenet.com>, kenk@primenet.com (Ken Knecht) wrote:
>In article <36B87E92.74866692@tidalwave.net>, Trevor <ironace@tidalwave.net>
> wrote:
>>Steve Leong wrote:
>>
>>> Does anyone know the availability of any "dummy" AA cells?
>>> (I've seen them in the past - they are plastic forms the same size of
>>> an AA cell, with a metal strip connecting the top and bottom contacts -
>>> basically a specialized jumper!).
>>>
>>> I have a AA battery pack for a handheld radio (Kenwood TK-250) that has
>>> spaces for too many AA cells (excess voltage would damage radio). I need
>>> to insert two "dummy" AA cells to act as jumpers for these extra spaces.
>>> Already tried to solder jumpers in place - can't do it due to the metal
>>> they used for the contacts.
>>>
>>> Thanks for any assistance and advice!
>>>
>>> Steve KC6IJM
>>
>>How about using wooden dowels with thumb tacks in the end with wire
>>connecting the thumb tacks
>>
>>
>I just use dead AA cells and wrap them with aluminum foil.
>
>Ken W9NPP

Similar to the "wooden dowel approach above....

..use an Aluminum dowel with a vinyl tube slid over the dowel.

__/__/__/__/__/__/__/__/__/__/__/__/

Beau Schwabe (Electronic Design Engineer)

E-mail: bschwabe@ionet.net
AIM Screen Name: Bum 1969
WebPage: http://www.ionet.net/~bschwabe/index.html

Sabolich Research & Development
4301 N. Classen Blvd.
Oklahoma City, Oklahoma 73118
-- -- -- -- -- -- -- -- -- -- -- -- --

/ \/ \/ \/ \/ \/ \/ \/ \/ \/ \/ \/ \/ \

527. need info: IC211

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: "Anthony A. Andrianos" <cwmaint@worldnet.att.net>
Message-ID: <36BBC500.6E86@worldnet.att.net>
Source record: 117571

Hello Anybody,

Can you help me... I need to know what a ic-211 all mode 2-meter
rig would be selling for if one were available in good working
condition.

Thank you, Anthony kc6kim
e-mail cwmaint@worldnet.att.net

528. DRAKE C-4 CONSOLE {MINT} ON E-BAY

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Paul <pab1@home.com>
Message-ID: <%6Qu2.201$RO.482@news.rdc1.mi.home.com>
Source record: 117572

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=64180955

Very nice Drake C-4 console on E-bay (collectors condition)
with manual, remote power strip & remote antenna switch.

529. FS: Kenwood TH78A Handheld

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Rich <wu6t@earthlink.net>
Message-ID: <79gjetcj1@fir.prod.itd.earthlink.net>
Source record: 117573
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Kenwood TH78A Handheld 2M/440 radio. BC-15 Charger, spare battery, manual. RX/TX modified. Asking $275.00 plus shipping. Contact Rich here or at 818/997-1217.

530. Re: CI-V command set

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Paul N8PSM <psm@intrepid.net>
Message-ID: <36BBDC7A.3E6ED966@intrepid.net>
Source record: 117574

I have a PDF copy of the CI-V manual from ICOM. Send me Email and I will send
it to you.

Paul

Hamish Moffatt wrote:

> There's been quite a few postings about the CI-V interface circuit,
> but what about the serial format and protocol?
>
> A shame this isn't in the service or user manuals.
>
> thanks,
> Hamish VK3TYD
> --
> Hamish Moffatt Mobile: +61 412 011 176 hamish@rising.com.au
>
> Rising Software Australia Pty. Ltd.
> Developers of music education software including Auralia & Musition.
> 31 Elmhurst Road, Blackburn, Victoria Australia, 3130
> Phone: +61 3 9894 4788 Fax: +61 3 9894 3362 USA Toll Free: 1-888-667-7839
> Internet: http://www.rising.com.au/

531. Re: HELP WITH SSTV?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Brian West <b_west@iquest.net>
Message-ID: <36BBDE23.79FC100F@iquest.net>
Source record: 117575

Can't help you much in hooking it up. I would like to know what you think of it, once you figure it out.

Thanxs
73's
KB9PXV

KB8MCZ wrote:

> Is anyone useing the knwd TS-430s with sstv that can tell me how they hooked up
> the transmit cord?
> Thanks Dave...
> KB8MCZ
> DAVID T GARDYNIK
> SHIOCTON,WI
> AMA# 223597

532. Re: ICOM Radios & Ham general Questions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Brian West <b_west@iquest.net>
Message-ID: <36BBDFC2.78869FB9@iquest.net>
Source record: 117576

You know it makes you wonder wether or not it is illigale on FRS, I mean as long as you say with the power limits of .5WATTS or 500 Milawatts. Like someone said though, it would probly be distorted anyway, unless you whispered into the mic :)

73's
KB9PXV

Rick Pemble wrote:

> Dave Martindale wrote in message <7986rm$9mp@redgreen.cs.ubc.ca>...
> >jolyrogr@ix.netcom.com writes:
> >>Also, being new to this
> >>I'm not sure, but can ham radios and either of these models specifically,
> use
> >>CB and Family Radio Serivce frequencies?
> >
> >CB uses AM and sometimes SSB modulation at a frequency of around 27 MHz.
> >Neither of the HT's you mention will receive nor transmit on CB
> frequencies,
> >nor are they practically modifiable to do that - there is just too much
> >difference in the frequencies and techniques used.
> >
> >The FRS uses UHF frequencies that are somewhat above the UHF 70 cm (440
> >MHz) band, transmitting FM with 3 kHz deviation (I think). Amateur
> >handhelds designed for 440 use FM at 5 kHz deviation. Most recent amateur
> >handhelds will receive outside of ham bands, and so will receive FRS
> >transmissions - but the audio will be quieter than normal, since FRS
> >uses less deviation than amateur practice.
> >
> >Some amateur handhelds can also be made to transmit at FRS frequencies,
> >but unless you adjust their deviation, they may produce a signal that's
> >too wide for FRS receivers, distorting the sound (and potentially
> >being heard in adjacent channels as well!).
> >
> >So much for the technical aspects. There are also legal issues.
> >Anyone can listen to CB and FRS transmissions, so there's no problem
> >there. But you can only legally transmit on these frequencies with
> >a transmitter that is certified for those specific services. An
> >amateur transceiver, modified or not, is never an approved radio, so
> >using it to transmit is always illegal.
> >
> > Dave
>
> ** you mean ** "using it to transmitt [on frequencies outside the amateur

> band] is always illegal"
>
> cheers
>
> Rick W4RP

533. Re: ICOM R-9000 Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Noel Vandenbroucke <noel.vdb@village.uunet.be>
Message-ID: <79goctekp1@xenon.inbe.net>
Source record: 117577

Where do you live please ?
Anthony R. Gargano heeft geschreven in bericht
<36b9a7a5.340585273@news5.bellatlantic.net>...
>The premiere top of the line full coverage, all mode, no gaps,
>receiver that covers 30kHz to 2GHz. Built in scope and video display.
>1000 memories. Lots more. An incredible receiver. $3500. Tony Gargano

534. Re: Heathkit HW101

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Peter <pajst@wxs.nl>
Message-ID: <36BBE5F2.6DD5@wxs.nl>
Source record: 117578

JOHN WARD wrote:
>
> now I know what you are asking what do you really want for it?
> Patrick Rice wrote in message <36BA34F6.A6893813@erols.com>...
> >For Sale:
> >Heathkit HW-101 SSB Transciever and power supply.
> >Condition Looks good, missing cable to connect pwr. spply and
> >transciever.
> >Possibly needs work.
> >Asking $200 O.B.O.
> >
> >Reply via email : ricep@erols.com
> >
> >-Patrick Rice
> >KC2BEG
> >
I have a spare cable like that if you need it. The guy who bought the
trx from me forgot to take the cable. Back in 1981..
Peter Steen.
PA2DXY

535. Re: cde ham IV rotor info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: jimkd1bx@aol.com
Message-ID: <19990206022448.07137.00000443@ng112.aol.com>
Source record: 117579

Hi Dave......

First wiring the rotator is easy, but first, terminals 1 and 2 need the heavy gauge conductor wire, should be two of em in the cable, probably 18 ga....then 3-8 do not matter as long as the colors match at both ends....

As far as your mounting goes, I would not mount anything to the vent pipe, they are pretty brittle after a while......use the roof tower...

Good luck...Jim

536. looking for old laptops?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: dana <dana@randomc.com>
Message-ID: <Pine.GSO.3.96.990206032731.6476C-100000@cluster2>
Source record: 117580
Cross-posted to: ca.wanted,la.wanted,misc.emerg-services,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

```
i am blind, and looking for old 386's old laptops, or any laptop that
that the screen has gone out on. i don't need the screen, just a lap top
that works. e-mail back, or go to my web
page at
http://www.randomc.com/~dana
```

537. WTB: Kenwood TM-V7A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: msp1142@aol.com
Message-ID: <19990206034544.23048.00000388@ng-fi1.aol.com>
Source record: 117581

E-mail and let me know what you've got, including info on the condition, any accessories, mods, etc and of course, the price.

Thanks

538. Wanted 2meter/440mhz Duplexer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36bd0c27.906597@netnews.worldnet.att.net>
Source record: 117582

email me a reasonable priced duplexer for
2meter /440mhz thanks if you have one
for sale.. 73's

539. For Sale Kenwood TS850S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: larryr@rochelle.net
Message-ID: <79h872mur1@nnrp1.dejanews.com>
Source record: 117583

My brother wants to get out of ham radio. He has a Kenwood TS850S, with the Kenwood Power Supply 52, Kenwood Desk Mike, and Kenwood earphones. He wants $1,300 for all. All is about 3 years old. Includes cables and books. Call after 6:00 PM at 1-252-473-9316.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

540. problems with my yaesu vx-1

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: uhlig@alba-online.de
Message-ID: <79hcuaqah1@nnrp1.dejanews.com>
Source record: 117584

yesterday i bought a yaesu VX-1R ! i�m very happy with my new handy
exept of one small problem:

i switch to the fm-mode and try to set the receiving mode to fm-n. now
i try to scan the band in 5 khz steps. after scanning the first 5 khz steps
the receiving mode changes back to fm-w.

sometimes (after 3-5 times trying to fix the mode to fm-n) the changes
will be saved, but the scan will interrupt every scan step (5 khz). i tried
to setup up the squelch to level 9, but it doesn�t work.

i did a hard reset of the processor without success.
a friend of mine has a vx-1R also and with his vx1 it work (with all
squelch levels)

I hope you can help me.

thanks in advance

Jens Uhlig
dd6ro

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

541. Re: need info: IC211

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Peter Bealo <pbealo@mediaone.net>
Message-ID: <fMWu2.5662$EF.9689343@lwnws01.ne.mediaone.net>
Source record: 117585

I'd, guess about $350. I have one myself. Watch out for a unit that exhibits large drift (15 - 20 kc) in the first couple minutes of operating or one where tuning freezes after warm-up.

Also, be aware that if you buy this, Icom can't help you out later. When I had some problems with mine I phoned Icom service before I sent it in, and they basically said that their current technicians have no experience with this old rig, and I could send it in if I wanted, but I'd be paying an hourly charge that amounted to teaching a tech. how to fix this radio. Instead, they offered to send me a copy of the 211 pages from their "Tech Notebook" that tells their folks how to fix certain common things. I opted for the notebook and fixed the unit with a friend.

Also be aware that some parts are just no longer available, and there are a number of units out there which don't work because the microprocessor went south.

Peter
WB2MJG

Anthony A. Andrianos wrote in message <36BBC500.6E86@worldnet.att.net>...
>Hello Anybody,
>
> Can you help me... I need to know what a ic-211 all mode 2-meter
>rig would be selling for if one were available in good working
>condition.
>
> Thank you, Anthony kc6kim
>e-mail cwmaint@worldnet.att.net

542. FS: Icom R-7000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: n3jpu@erols.com
Message-ID: <36bc432a.1045881@news.erols.com>
Source record: 117586

FS: Icom R-7000

Icom R-7000 all mode 25-2000 Mhz receiver. In excellent condition (at
least a 9 or 9.5 out of 10).
Has factory DC input mod.

$750 (old price was wrong!)

Gary Mitchelson
Montgomery Co. MD FM19lc
N3JPU@erols.com (Home)
n3jpu@arrl.net
Gmitchelson@racalusa.com (Work)

543. DRAKE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: emile hougardy <emile.hougardy@skynet.be>
Message-ID: <79hiffton1@news1.skynet.be>
Source record: 117587

I look for a drake RV75 VFO for purchase .A message to ON5JQ would make myself pleasure.

544. FS: ICOM IC-281 MOBILE 2 METER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Tom <wd5t@stny.lrun.com>
Message-ID: <guYu2.2011$Ba.2680@newsr1.twcny.rr.com>
Source record: 117588

45 Watt FM Transceiver. Comes with the mobile mounting bracket and hand microphone. Condition is 8.5 out of a possible 10. I do not have the operators manual. Asking $195.
Reply via email to: wd5t@stny.lrun.com

545. Re: HELP WITH SSTV?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Ken Bickel <ac4vv@qsl.netz>
Message-ID: <79hktklkq1@news.megsinet.net>
Source record: 117589

Not familiar with the back end of the 430S, but in part it depends on what SSTV program you are using. Do you have an audio input jack on the back? If so, is it VOX controlled? Are you using a WIN SSTV program or a HamComm interface DOS program?

If your 430 has a VOX controlled audio input jack, and you're using a WIN program, run the audio cable from the line out on the card to the audio input jack through a 1:1 isolation transformer (available at Rat Shack).

Some programs support serial port keying if your aux audio input isn't VOX controlled. A simple relay or opto-isolator will key the rig and the audio goes from the sound card (or serial port for DOS programs) to the aux audio in through a 1:1 isolation transformer.

Audio to the computer is from your external speaker jack (use a 'Y' connector so you can plug in your speaker) through a 1:1 isolation transformer to the sound card or serial port.

I suggest putting a level pot in the audio line feeding the transmitter. A 1K or 10K pot will work.

Check the documentation for your SSTV program. Many times instructions come with it. If you have any questions, and you think I can help, drop me a line.

LOL es 73

Brian West wrote in message <36BBDE23.79FC100F@iquest.net>...
>Can't help you much in hooking it up. I would like to know what you think of it,
>once you figure it out.
>
>Thanxs
> 73's
>KB9PXV
>
>
>KB8MCZ wrote:
>
>> Is anyone useing the knwd TS-430s with sstv that can tell me how they hooked up
>> the transmit cord?
>> Thanks Dave...
>> KB8MCZ
>> DAVID T GARDYNIK
>> SHIOCTON,WI

>> AMA# 223597
>
>
>

546. FS: JPS NIR-12 DUAL DSP AUDIO FILTER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Tom <wd5t@stny.lrun.com>
Message-ID: <2GYu2.2012$Ba.2277@newsr1.twcny.rr.com>
Source record: 117590

NIR-12 dual DSP audio filter. Excellent condition. Manual and connectors
included. Asking $150.
Reply by email to: wd5t@stny.lrun.com

547. FS Kenwood TS870S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: w8irq@aol.com
Message-ID: <19990206102242.01840.00000444@ng102.aol.com>
Source record: 117591

This is the latest version, 90 million series, in mint condition. includes mike, software, video, manual, and original box. The price is $1750,plus shipping.I can be reached at 440-234-2069, or e-mail w8irq@aol.com. Thanks for reading this . Nick, W8IRQ

548. Re: Can anyone help: ICOM 746 Receive Range?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Clint Cummings <ccummings@mindspring.com.nospam>
Message-ID: <79hmtc$q1s$1@camel18.mindspring.com>
Source record: 117592

The upper range is disabled in different versions of the radio due to country specific receive regulations. However, this area is able to be restored in those versions. From what I have gathered from posts on the net, you will need to remove diode D1716 and/or D1717. These are located on the main board on the bottom side. Remove the bottom cover, then look for a flat ribbon cable going from the main board to a smaller board labeled "to PLL". The diodes are located in a line close to this, between a chip and a line of SMD caps.

I imagine that D1716 will already be missing from the line, and only D1717 will need to be removed. I'm not 100% sure as my radio came with the expanded receive already enabled. However, both of these diodes are missing on my model.

As these are very small surface mount components, either really know what you are doing, or have a qualified technician perform the removal for you. The 746 is a pretty expensive radio to have an "oops" on. Icom might also perform the mod, if it would be legal in your country.

Once the diode(s) have been removed, you will need to reset the CPU in the radio. Hold down the <F-INP> and <M-CL> buttons together with power-on.

I feel obliged to throw in the standard disclaimer - I take no responsibility for anything you do, be careful, look both ways before crossing the street, etc...

Clint
Riot Squad wrote in message <36b097e9.3621939@news.demon.co.uk>...
>A friend who does not have access to the 'news groups' asked me if I
>could assist. His email to me is reproduced below.
>
>Regards
>
>John
>GW0ACH
>
>
>Hi John.
>
> I wonder if you could enquire about the RECEIVE only range of the
>Icom IC-746. It is supposed to cover (Receive only) from 0.300 -
>60.000MHz & 108 - 174.000MHz. It covers the lower frequency segment
>ok, but NOT the 108-174MHz segment. I would like to know if it
>possible to enable this segment? Thanks. Colin GW3WSU.>>
>
>

> 73, de Colin GW3WSU
> Message timed at 11:52 GMT on JAN-28
> FISTS No 4815
> E-Mail Address gw3wsu@ham.city.lethbridge.ab.ca
>

549. WTB- NC-50 quick charger for ft530

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: n0oba@aol.com
Message-ID: <19990206103532.20160.00000479@ng-fb1.aol.com>
Source record: 117593

I would like to find the nc 50 quick charger from someone who just doesn't really use it anymore and would like a few bucks. It would be really nice to get it with the cup that is used for the ft530 batteries. Thanks a bunch, looking to spend 40 dollars. Scott

550. F/S: PK-232MBX, PK-88 and a PK90

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Rich - KK7PL <n7hmb@spiretech.com>
Message-ID: <36BC73B6.6D06D1F0@spiretech.com>
Source record: 117594
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment

Hi all -
Im moving to Kantronics TNC's and am moving out of AEA. and hence am selling them.
Prices include ups ground shipping .

AEA PK-232MBX:
Release 13.SEP.95 Ver. 7.1
S/N: M08815
Excellent condition. with 2 radio cables. one unused and the other is wired for the 13 pin acc2 on Kenwood.and of course the manual. I am packaging this with AEA's PCPacRatt for windows versions 3.X/95/98. This is a easy to use mutimode terminal program based in point and click. Also I am including LogWindows, AEA's Logging program. It work with or without PCPacRatt and most any callbook CD. Make for a nice contest package. All the software has the manuals, disks (3.5 HD) and orig. boxes.
$195.00 shipped

AEA PK-88 with mailbox. in great condition with the manual
$70.00 shipped

AEA PK-90 with manual.
$55.00 shipped.

Thanks for peeking at this.
Rich - KK7PL
Portland, Oregon
Please reply to: KK7PL@WANfear.com

551. Re: Is Kenwood SM220 compatible with a TS850S ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: STEVEN L UMBACH <N9ROU@prodigy.net>
Message-ID: <79hokf$6mf6$1@newssvr03-int.news.prodigy.com>
Source record: 117595

The SM220 with the 8 mhz pan adapter works fine with the TS850 as a band scope. I have a cable from the if out on the back of the TS850 into the the pan adapter. However I have not been able to use the SM220 to monitor received signal waveform. To do that you are supposed to run a cable from the if out to the vertical input on the front of the the SM220, but when I do that apparently there is not enough
output if signal from the TS850 if out to make it work. ---- Steve KK9ZZ

AC6V wrote in message <36BB9CC1.4FAC@ix.netcom.com>...
>I had two inquires about this last week, and it has perked my interest.
>Any one tried or is using the SM220 Bandscope and panadapter with a
>TS850S ???
>
>Also if you could - E-Mail me with a reply and a CC to:
>
>"John Warren" <warren@colorado.edu>
>
>Thanks much
>Rod in San Diego
>--
>AC6V INDEX TO DX AND HAM RADIO
>FEATURING 88 PAGES, 400 INDEXED TOPICS, AND 3000 LINKS
> Over 288,000 visits on the counter
>http://www.ac6v.com/pageas.html -- Alphabetical Index
>http://www.ac6v.com/ -- Home Page

552. Re: Help with AC hum on HRO-5TA1 audio.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <36BC69B2.83004ADD@erols.com>
Source record: 117596
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

My manual is out on loan, but 20-30ufd at 350 will do it. You just need to get an appropriate size. Antique Radio has some quite small electrolytics that you can put below the chassis and just un-wire the originals. Don't think its the rectifiers, as they tend to short and blow the fuse or whatever! hi de Jeep - K3HVG

Markus Thomerson wrote:

> Hello and thanks for reading this post.
> I have just aquired a National HRO-5TA1 receiver and a matching 697 power
> supply. Everything lights up but there is a very loud AC hum on the audio.
> This hum is the same volume regardless of the AF gain setting. I assume I
> need to replace the filter cap(s) in the PS. My question is this, what
> value caps are needed (I can't read the values) or could there be another
> problem? I am also looking for a copy of the manual and what coil sets
> other than A,B,C,D are there? Any help would be appreciated. Thanks,
> markus

553. WTB: Drake T4XC w/AC-4

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: milto@bellatlantic.net
Message-ID: <36BC7214.ADFFB233@bellatlantic.net>
Source record: 117597
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Greetings!
I am looking for a good working T4XC w/AC-4 power supply. Also need manual, of course. I am NOT a collector, I have an R4C just waiting to be mated with the transmitter so I can get back on the air! It would also be helpful to have the tranceive cables too. Contact me at: milto@bellatlantic.net

Thanks!

Milt Taylor
WA3MDS (Phila. area)

554. Re: WTB: SM6 or SM8

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Robert Stuedemann <kf8ru@netonecom.net>
Message-ID: <36BBAAC1.93455D39@netonecom.net>
Source record: 117598

Ron, I have a mint condition SM-8 that I would sell for $95. Let me know if you have any interest. Thanks, Bob 73 de KF8RU

555. Haw to put up my X-Yagi antenna to Right circulated polarisation ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Geert Pirens <geert.pirens@ping.be>
Message-ID: <79hu4r$f2d$1@news3.Belgium.EU.net>
Source record: 117599
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,tw.bbs.rec.radio.amateur,uk.radio.amateur

Hello.

This is an question to a HAM whoes have experiance whit this !

I have a 2M 9elements X- YAGI antenna, I can use it vertical or horizontal
polarized.
Now I like to configure my antenna righthand circulated.

I t is a TONNA antenna he have open dipoles (not closed).

THANKS TO YOU ALL !

kind regards, 73'

Geert Pirens

556. Re: Want: Micor Rcvr RF & IF board

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <36BC7DD2.E0ADC170@erols.com>
Source record: 117600
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

I have a TLD8274B3 board. I also have a TLD4074B1 (looks like the same board but more components installed??). Both are marked "OK" and/or "RFI". I also have about 1000lbs of new MOT parts, modules, cables, control boxes, mics, speakers, ad infinitum, for this kind and vintage of MOT (micor/mitrex, etc.??) equipment. It all was apparently bench stock and came from a Govt. 2-way shop that went contract. I don't speak MOT., though. Offers?

John Burch wrote:

> Hello:
>
> I am in the market for a Micor Hi Band receiver
> RF and IF board model TLD 8272 or TLD 8274,
> either A or B suffix.
>
> These boards are for the 142 - 150.8 and the
> 162 - 174 split respectively.
>
> Will pay cash and shipping to a warm and
> loving household.
>
> Thanks
>
> John
> occupant@syix.com
> ..

557. REGENCY TR200 HELP needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Mark <mcast@flash.net>
Message-ID: <36BC7D6D.2C0B7336@flash.net>
Source record: 117601
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap

I have two Regency TR200 with no crystals or manuals. Is there anyone who knows how to tell the frequency range, vhf or uhf , of these radios.I am told that they are physically identical. Any help would be appreciated.

Mark N8REZ
Mcast@flash.net

558. Re: DSP Audio Filters?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <36BC7F37.93A66E5F@erols.com>
Source record: 117602

They all "sort" of work, but are not worth the investment! Audio DSP (sic) is like closing the barn door after all your livestock has departed. If you need a simple audio filter, get one of those. I have a 599zxx and its kind of cute. It is a pretty good audio filter but it will not bring back the dead!!!

Jeff Goodspeed wrote:

> Greetings:
>
> Iï¿½m looking for opinions on which audio DSP filter to get. My Xcvr does
> not have an IF DSP system so Iï¿½m wondering if the out board audio DSP
> filters are worth the effort.
>
> What do People think of:
>
> TimeWave
> DSP_9+
> DSP_59+
>
> MFJ
> 784B
>
> Are there others available? If you have one of these, do you then not
> need a DSP front end on your HF TNC? Iï¿½d appreciate your input.
>
> Thanks - Jeff
> ARS - KA9S

559. FS: Standard C288A 220MHz HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: framix@aol.com
Message-ID: <19990206130234.06671.00000686@ng-cg1.aol.com>
Source record: 117603

For sale......

Standard C288A 220MHz HT
Original Box
Original Manual
Wall Wart Charger and drop in battery charger.
Original Rubber Duck antenna

This is a really nice 220MHz HT
I would say it is a solid 8 on a scale from 1-10 10 being best.

Comes with everything as it did original, battery holds a good charge.

$200.00 +Shipping in the 48 states.

WA6JFK

560. FS:Realistic DX-302 receiver $125

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Eric <mndswpr@ix.netcom.com>
Message-ID: <36BC87DB.3B7D705E@ix.netcom.com>
Source record: 117604
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

I have a Realistic DX-302 communications receiver in excellent condition

for sale.It's great for shortwave listening. It has continuous coverage
from10khz to30mhz,It has digital readout,dial
tuning,preselector,upper/lower sideband,bfo pitch,rf
gain,atten,wide/narrow selectivity,ac/dc power(internal battery,car)and
internal speaker.Inputs include:headphone,ext.speaker,12v,coax,tape
out,morse code practice.The tuner is quartz sythnesized and it is
extremely sensitive.I have the original box and manual.$125 best
offer+shipping
I live in Southern Cal.Will ship.Thanks,Eric. Ph:714-444-0212

561. FS: Motorola Rptrs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <36BC9D8C.49A2@erols.com>
Source record: 117605

Two Motorola Micor 100w continuous duty solid state repeaters.
Absolutely mint condition! Manufactured in August 1988 with consecutive
serial numbers. Split: 132-150.8mhz, 2 channels. Will sell separately.

Best offer plus shipping/or pickup from Maryland, (near WashDC).

mgreen@erols.com 73 Murray, K3BEQ

562. WTD Dead/Dying FT736R for Spares

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <+jUfUlAgwJv2EwN4@pacsat.demon.co.uk>
Source record: 117606

Wanted Dead or Dying FT736R for spares

Looking for control and display boards. Will buy complete unit at right price, will pay carriage.

Email slewis@pacsat.demon.co.uk or phone 01436 679610

+---+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+---+

563. Help: Squelch on Radio Shack HTX-202

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: martell@cybertours.com
Message-ID: <36bbdb93.603241@news.cybertours.com>
Source record: 117607
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur

I recently purchesed this HT and I'm having trouble with the squelch. When I turn the radio on, the static on the channel will sound. I then turn the squelch up until the static goes away (almost all the way up) and then if I turn the squelch back down, the static doesn't come back even with the squelch off. If I transmit with another HT right next to it, it still won't recieve. The signal meter will go up, but no sound. I have checked the battery (7.8 V out of 7.2) and the DTMF squelch is off. The guy I bought it from says it was working fine when he had it and it was packed well for shipping. Am I missing something simple here? Any help appriciated.

Joshua Martell
N1ULT

564. WTB: Service Monitor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Mike & Carmen McConnell <mgmcconnell@sbt.net>
Message-ID: <36BCA367.B82754CD@sbt.net>
Source record: 117608

I am interseted in an older service monitor capable of
AM/FM-NB/FM-WB/SSB. Please e-mail me with any items that you
may have.
Regards

Mike
--
****
Mike McConnell, AAS, B.Rel.....Carmen McConnell
Amateur Radio Extra W0PD.....Amateur Radio Technician N0WXM
http://www.friendshipconnection.com/. http://cji.net/independencepd/
****

565. FS Parts- MB,486,40M,2X CD,124M HD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Morph@my-dejanews.com
Message-ID: <79ibcnhgl1@nnrp1.dejanews.com>
Source record: 117609

Computer parts left over from a upgrade of a Gateway 2000 P4D-66:

Motherboard (intel I think)
486 66MHz
2-4 Meg 70 ns simms
2-16 Meg 60 ns simms
2X CD Rom drive, NEC
124 Meg Quantum Hard Drive ProDrive LPS (not from Gateway 2K)

I have the original information and drivers that came from GW 2K

Make me an offer on all or any piece!

e-mail remove the NOSPAM moNOSPAMrph@juno.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

566. VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Kevin Crozier <kdogcrozier@my-dejanews.com>
Message-ID: <79idof$j8l$1@nnrp1.dejanews.com>
Source record: 117610

I have had my VX-5R for about 2 weeks now (longer than I have had my call sign in fact) and I am quite happy with it.

However I have tried to reset the Battery Utilization Monitor using the directions provided with the radio i.e. press and hold the F/W key and then press the 6 key but all I get is the memory store function.

I didn't see anything about this in the Errata sheets.

Any one else have this problem? Mine is an earlier one as it still has the CTCCS scan bug.

Also, has anyone figured out how to remove a channel from a channel group? I have noticed that in working with the channel groups that F/W + 4 takes into them as the manual states but pushing F/W + 4 again doesn't resume normal operation as the manual states. The only way I have found to get back out of the group mode is to hit the vfo button.

Has anybody else noticed these problems or did I just end with a very early VX-5R with really buggy software.

Thanks for any help. I am new to this hobby and keep learning more and more everyday.

Thanks,
Kevin
KC0EXM

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

567. Drake TR-4 Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: MIS <MIS@rstechserv.com>
Message-ID: <36BCBB82.9AEF6224@rstechserv.com>
Source record: 117611

I own a small computer business and would like to trade computer related

equiptment or parts for a Drake TR-4. Would prefer someone within a
100mi range of Santa Rosa, CA. I can be contacted at
rcriss@earthlink.net or rcriss@rstechserv.com.

568. FT-707 schematic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: John Mortlock <jmort@global.freeserve.co.uk>
Message-ID: <79if34tdv1@news5.svr.pol.co.uk>
Source record: 117612

I'm desperate for a schematic for Yaesu FT-707 so that I can repair mine.

Anyone help out here ?

John G3UGY

569. kenwood TH-D7E Handheld

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Karl Brookes <karl@khbrookfreeserve.co.uk>
Message-ID: <79igbjegb1@news4.svr.pol.co.uk>
Source record: 117613

Can anyone tell me if there is a mod to enable wideband receive ??

Thanks

Karl

G0UZE

570. FA: Heathkit items on ebay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Matt Robbins <robbinsm@umich.edu>
Message-ID: <LB3v2.5943$Ge3.24308170@news.itd.umich.edu>
Source record: 117614

I have the following items on ebay.

Heathkit MR-1 "Comanche" Receiver
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=64381738

Heathkit SB-401 Parts Rig
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=64385547

571. FS Kenwood TH-77 VHF/UHF Handheld

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Tom <wd5t@stny.lrun.com>
Message-ID: <Ao4v2.2209$Ba.3007@newsr1.twcny.rr.com>
Source record: 117615

Kenwood Dual Band Handheld. 144/440 Mhz, 5+ Watts Hi Power,
2 Watts Low Power. Original owner. Comes with:
Manual
PB-6 Battery (Low Power)
PB-8 Battery (Hi Power)
BC-11 Rapid Battery Charger
SMC-33 Speaker/Remote Control Microphone
Asking $210
Contact By email at: wd5t@stny.lrun.com

572. Re: Wanted: AA Dummy Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: seleong@gte.net
Message-ID: <79ill9$n76$1@news-2.news.gte.net>
Source record: 117616
Cross-posted to: ca.wanted,la.wanted,misc.emerg-services,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

In article <36BBB5B3.ED9F639@soltec.net>,
kb9mum@soltec.net says...
> RadioShack has them avail from the RSU order system, have them check for
> older handheld cb 8 alk/ 10 rechag type. They are only a couple of bucks.
>
> Curt
>
> Steve Leong wrote:
>
> > Does anyone know the availability of any "dummy" AA cells?
> > (I've seen them in the past - they are plastic forms the same size of
> > an AA cell, with a metal strip connecting the top and bottom contacts -
> > basically a specialized jumper!).
> >
> > I have a AA battery pack for a handheld radio (Kenwood TK-250) that has
> > spaces for too many AA cells (excess voltage would damage radio). I need
> > to insert two "dummy" AA cells to act as jumpers for these extra spaces.
> > Already tried to solder jumpers in place - can't do it due to the metal
> > they used for the contacts.
> >
> > Thanks for any assistance and advice!
> >
> > Steve KC6IJM
>
>
Thanks very much to everyone for the leads and tips on
the dummy AA battery request. I did check with our
local Radio Shack, and the crazy dummy AA batteries are
$3.99 each in their replacement parts list. I may try
the wooden or aluminum dowel method too. Much cheaper
than the pre-made RS part! Thanks again! Steve
KC6IJM.

573. WANTED: Manuals for HA-14, HP-14, HP-24

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: dalien <dalien@pacifier.com>
Message-ID: <36BCEBA7.784188B1@pacifier.com>
Source record: 117617
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

WANTED: Manuals for HA-14, HP-14, HP-24 Kompact Kilowatt. Looking for original manuals, not copies. Thanks. Dave.

W6OVP@arrl.net

574. Kenwood TS570: Noisy IF Filter?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Al Williams <alw@al-williams.com>
Message-ID: <ebKIC3jU#GA.227@nih2naae.prod2.compuserve.com>
Source record: 117618

Hi,

Just bought a 270Hz CW filter for my TS570 and installed it. It seems to work (yes, I set the menu to tell it what was there), but the noise is higher with the filter engaged. In other words, if I set the DSP to, say, 100Hz and tell the menu system that I have the 270Hz filter in, there is a lot of noise on the signal. If I turn the menu to "off" so that I use the normal IF filter and just the DSP it sounds much quieter. Is this normal?

73,

Al WD5GNR
http://www.al-williams.com/wd5gnr

575. Hallicrafters S-108

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-06 00:00:00 UTC
From: Gerry Zell <puccini@erols.com>
Message-ID: <36BD0EDA.9B343968@erols.com>
Source record: 117619

I just found a Hallicrafters S-108 in really nice shape with the
original manual.
It works fine. What would be a fair price to pay the gentleman who has
it?
He's not sure what its worth.

Please reply to: puccini@erols.com

Thanks,
Gerry

576. Re: VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: paul wise <n3ngo@prodigy.net>
Message-ID: <79kust$2iqe$1@newssvr03-int.news.prodigy.com>
Source record: 117420

i bought the pressure transducer when i bought my radio...
it is simple to install.
operation is completely decimal, just like the temperature.
instead of displaying barometric pressure in inches of mercury, it is
displayed in 'hpa'.
altitude will be displayed in meters instead of feet.
i have not 'calibrated' my rig yet, so i don't know how accurate it will be.
i would guess you could drive to your local airport and get the data to
'calibrate' your rig.
have not tried that, though.
the barmetric pressure and altitude displays do work, though.
i guess it is just a matter of personal preference...
i did notice in my rig, setting the 'home' memory channels did not work as
the manual described.
there was nothing about this in my manuals addendum.
to set a 'home' channel (one allowed per transmit band)
after pressing the 'f/w' key for one second, the 'hm/rv' key had no
function.
press the 'f/w' key momentarily, then the 'hm/rv' key, and the rig will save
that channel as your home freq.
after the memory is set, you can access the home channel for whatever band
you are in by pressing the 'f/w' key momentarily, then pressing 'hm/rv'.

577. Tubes at the auction including 6550A's

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Buckaroo <buckaroo@freenet.edmonton.ab.ca>
Message-ID: <36BE0FFD.3B3BA262@freenet.edmonton.ab.ca>
Source record: 117421
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.amateur.boatanchors,rec.amateur.homebrew,alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.audio.tubes

4 NOS GE 6550A power tubes
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=64631916

5 NOS GE 6Z7G Twin Power triodes- high mu,
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=64658800

5 NOS Philips 0A4G Gas triodes,
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=64659420

10 NOS RCA 5963 Twin Triode high mu,
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=64659881

578. Re: help:motorola mobile radio model

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: rsdeputy@aol.com
Message-ID: <19990207162746.01452.00000223@ng-cr1.aol.com>
Source record: 117422

>does any one know the motorola mobile radio series
>
>I had a motorola mobile radio,
>model:D04LRA7PA5BK
>
>I want to know the series and programming software
>

Looks like a receive only or perhaps a very low power UHF Radius product
(M100-M200 series). You can call Motorola at 1-800-422-4210 and get assistance
in identifying the exact model and which programming software is used for it.
Good luck.
Robin Deputy
Amateur Radio KE9SQ
PCIA Certified Mobile Communications Technician #39520
RSDeputy@aol.com

579. Icom 2340H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: billrk@desupernet.net
Message-ID: <36BD3F03.6D4677A5@desupernet.net>
Source record: 117423

Hi All..

I have the Icom 2340 and I ws wondering if anyone out there has had any problems with it squealing? Mine does it a lot lately but it seems to do it on 70 cm side. I have taken the cover off and touched it and it stops. I have tried to find a lose solder joint but can not find any..

Any help would great

73
N3PZA
Bill Kirkner
billrk@desupernet.net

580. WTB Kenwood SO-2 Stability TCXO unit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Mark C <mchaous@nwlink.com>
Message-ID: <36BE08F6.67D8@nwlink.com>
Source record: 117424

Hi, I'm looking for the Kenwood SO-2 TXCO Unit that fits in the TS570 or TS50, possibly others...

581. opening laptop battery packs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: nworbekim@my-dejanews.com
Message-ID: <79l1hiini1@nnrp1.dejanews.com>
Source record: 117425

Hello, I am looking at a couple of my laptop battery packs here and wondering how in the world I can get them apart to rebuild them like I do my HT packs. I have tried to pop them open with my little blades like I do the others, but its almost like they are welded together or something.

These are Compaq batteries for the LTE LITES....

Any ideas? I am puzzled...

thanks!

de KM4IY in southern Kentucky

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

582. For Sale: Drake TR-4, MS-4, AC-4

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: kd5gch@usa.net.NOSPAM
Message-ID: <M8nv2.5861$OS5.6200560@news3.mia>
Source record: 117426

For Sale:

Drake TR-4 Transceiver + AC-4 Power Supply + MS-4 Speaker

Comes with original manual, and cables.

Very good cosmetic condition -- this rig is older than me.
Top of TR-4 case has scuff marks in the paint and two small
dents from the feet of the MS-4/AC-4 that rests on top of it.

Front panel on TR-4 is in excellent condition, and all knobs
work and are present.

Powers up fine, all tubes light up. I have not tested the
tx/rx abilities, and I am sure it needs to be aligned and such.
Because it is so old, and I have no way of knowing how well it
works, the units are sold as is.

$275 + you pay shipping from Baton Rouge, LA 70808
(I will ship it any way you like, as long as you cover shipping costs)
Will ship same day money order is received, or wait 5 days for your
personal check to clear.

To be sold as one package, I would rather not separate the units.

Email if interested.
kd5gch@usa.net

Peace and 73

Todd
KD5GCH

==
73 de KD5GCH. Remove the "NOSPAM" from my email before replying.
Spam Bait: admin@loopback, $LOGIN@localhost, $LOGNAME@localhost,
$USER@localhost, $USER@$HOST,-h1024@localhost,root@mailloop.com
==

583. Re: FS Books

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <36BE0EE7.245F@sympatico.ca>
Source record: 117427
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

Larry Asp wrote:
>
> ARRL Handbook - 1978 - VG $10.00
> ARRL Handbook - 1973 - VG $10.00
> GE Transistor Manual/1964 $6.00
> Motorola CMOS Data /1973 $3.00
> Building The Amateur Radio Station / Rider / 1965 $6.00
> Radio Amateur Licensing Handbook (Canadian) /19071 $7.00
> Ham Handbook For Begininers / 1970 / Canadian $6.00
> Getting Started in Amateur Radio / Rider $6.00
>
> Postage Extra.

The books have all been sold. What a great group!!!

584. Kenwood TS-570 Mic Gain and Compression Settings?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: "Sheldon C. Shallon" <scs@ieee.org>
Message-ID: <36BE0953.23F4@ieee.org>
Source record: 117428

On the TS-570, both the microphone gain level and the speech processor compression level (Menu No. 15) affect the compression meter reading. Also, they both affect the ALC meter reading. What do these two adjustmnets actually do, and what is the correct procedure for setting them?

585. FS VHF & UHF Maxtracs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: gundoc <gundoc@iglou.com>
Message-ID: <36be107b.0@news.iglou.com>
Source record: 117429

I have for sale due to someone backing out of a prior sale arrangement
2 Motorola Maxtrac 300's 16 channel radios.
VHF radio is on the Ham band and has several repeaters and simplex
frequencies programmed. Has standard Mic. no bracket.
UHF radio has 9 frequencies on Ham band and the rest on public service.
standard Mic. No bracket.
I want $ 265.00 ea. for the radios plus shipping.
take both and I will let them go for $500.00 and I will split shipping with
you.
Dean
KF4WJT

586. yaesu 757 hf radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: n2ht@aol.com
Message-ID: <19990207172924.19630.00001114@ng-fu1.aol.com>
Source record: 117430

My friend Bob kd2i has a yaesu 757 160 thru 10 meters great for base or mobile....price 450.00 fob please contact Bob direct@732-929-4264

587. [FS] Portable Mast & V/UHF antenna

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: sehrlich@shore.net
Message-ID: <RLov2.549$wD5.102448@news.shore.net>
Source record: 117431
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

I have:

- New Wave Antenna portable 96" collapsed, 40 feet extended mast

- New Wave Antenna park-on base for the above mast

- Cushcraft AR-270 2m/70cm vertical antenna

Offers please.

Items in Boston, MA area.

Thanks.

--

Scott Ehrlich sehrlich@shore.net
Scott Ehrlich Consulting http://www.shore.net/~sehrlich

588. EBAY-TS-520 Only 4 hrs left, CHEEP!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990207174406.22781.00000016@ng101.aol.com>
Source record: 117432

Hi Guys;
You might want to get in on this Nice Kenwood TS-520 w/CW filter and 4 stage audio Filters! URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=62521709
Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

589. Re: FS:Icom IC-706(Reduced to $700.00)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: n4jzh@amsat.org
Message-ID: <36be185f.164670051@news.mindspring.com>
Source record: 117433

n4jzh@mindspring.com (''Donnie'') wrote:

>
> FS: Icom IC-706 HF/6/2 allmode radio
> 100w HF/6 10w 2meters. this radio has all
> Mars/Cap mods including low TX mod.
> All work done by Icom service center.
> Comes with face mounting bracket, seperation cable,
> mike,book and box.9.5 of a 10. $700.00 money order.
> will provide references and will demonstrate on air if needed.
> email me with comment or offers. 73 Donnie
> n4jzh@amsat.org

590. question Icom 746

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: trg150@aol.com
Message-ID: <19990207175528.25946.00001066@ng139.aol.com>
Source record: 117434

does the Icom 746 receive from 108 to 174mhz???? or is only up to 60 mhz?
trg150@aol.com

591. Info needed YAGI

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Bill & Patricia <buffaloe@ipa.net>
Message-ID: <79kk53$a6$1@news.ipa.net>
Source record: 117435
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

I recently acquired a 4 element yagi for the 2 meter band but the elements
are badly damaged
what i need are the lengths of each element to rebuild it

center beam is 21 feet

reflector is dead rear
driven element is 6' from rear
directors are 11.5' and dead front on the beam

any help would be appreciated buffaloe@ipa.net

592. RS HT 202 ERR 2?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: "Paul F. McCarron" <w1hzy@cybertours.com>
Message-ID: <36BDBB8D.1FFEC848@cybertours.com>
Source record: 117436

Does anyone know what an ERR2 message means on a RS HT 202? Thanks, Paul

593. WTB:manual copy of DX-160

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: "R.Moore" <richard5@flash.net>
Message-ID: <36BE1E27.BD5EA7A6@flash.net>
Source record: 117437

Need a copy of the manual for the Radio Shack DX-160. I think there is a schematic on the last page of the manual.
Please email me and I can pay you for the photocopy.

Thanks
Richard5@flash.net

594. TS50 Sold

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: ny4t@home.com
Message-ID: <36be227e.68950816@news.nash1.tn.home.com>
Source record: 117438

The Kenwood TS50 i posted for sale last week is sold. Thanks to all
who responded.

73,
Lee (NY4T)
http://www.qsl.net/ny4t

595. Re: F/S TS-850AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: ny4t@home.com
Message-ID: <36bf239f.69239972@news.nash1.tn.home.com>
Source record: 117439

On Fri, 05 Feb 1999 19:56:00 -0500, "B.Peter Treml" <nx8jpete@up.net>
wrote:

>
>I'm posting this for a friend (W8BP). He is listing for sale a mint
>TS-850AT. 160-10m.Manual,original boxes,hand mic. Shipped for $1000.
>This is a keeper that won't last long.

That's too bad, I was looking for a rig that would last a long time.

Call John, W8BP, direct at
>906-225-0573 or e-mail him at W8BP@aol.com (although he doesn't check
>his mail often.) Please do not e-mail me.73,K8PT

596. Re: Y2K Gold & Silver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Richard Snow <eagleeye@REMOVEeagleeye.seanet.com>
Message-ID: <01be5290$4716d700$c1a5b5c7@rick-snow>
Source record: 117440
Cross-posted to: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment,rec.collecting.coins

Y2K = Yawn 2000

Be a contrarian - sell silver NOW (or in the next 10 months) it's way overvalued, especially US silver coins.

Personally, I'll be flying on 1/2/00, back from my Christmas visit with the family in AZ. Then I'm off to FL on 1/3/00 for a coin show. No worries here, except for the weather.

Hold on to your wallet folks, these gloom an doomers, are all out to make a big score on your fears.

--

Rick Snow
http://www.indiancent.com

597. Re: Kenwood TS-570 Mic Gain and Compression Settings?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <79lan1$nc1$1@news-2.news.gte.net>
Source record: 117441

Sheldon C. Shallon wrote in message <36BE0953.23F4@ieee.org>...
>On the TS-570, both the microphone gain level and the speech
>processor compression level (Menu No. 15) affect the compression
>meter reading. Also, they both affect the ALC meter reading.
>What do these two adjustmnets actually do, and what is the
>correct procedure for setting them?
>
>

ON my 570D, the mic gain has NO effect on output OR meter readings when the compression is activated - I can turn the mic gain totally off, or wide open, and the output apparently is unaffected... I have assumed that is due to the output level, compression and ALC being "fixed" once set thru the menu settings, and then activated by the compression button... Otherwise, when compression isn't activated, the mic gain is normal... By the way, I have mine set for 10 db compression...

And I'm STILL looking for a way to increase my output power from it's current 70-80 watts to a bit over 100...

Gary - KJ6Q

598. Re: VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Jim Kingery <mowcems@iag.net>
Message-ID: <36BE31D1.ADB76F22@iag.net>
Source record: 117442

Kevin,
Check out the information here:
http://www.geol.com/vx5
lots of good information and free editing software for the VX-5

599. Auto Problems from Transmitting

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: J Mello <jmello@lynx.dac.neu.edu>
Message-ID: <79lbao$8pd$1@isn.dac.neu.edu>
Source record: 117443

Can anyone tell me if they have experienced car problems when transmitting.
My Ford Ranger Pickup has a warning in the manual about transmitting may
cause damage to the electronics.

Thanks, N1YRM (Jim Mello)

600. Re: Y2K Gold & Silver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: cmagers@sprynet.com
Message-ID: <MPG.1127d4407249b72a98968d@news.sprynet.com>
Source record: 117444
Cross-posted to: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment,rec.collecting.coins

In article <01be5290$4716d700$c1a5b5c7@rick-snow>,
eagleeye@REMOVEeagleeye.seanet.com says...
> Y2K = Yawn 2000
>
>.
>
> Hold on to your wallet folks, these gloom an doomers, are all out to make a
> big score on your fears.
>
>

Yes, but that's the American way.
CW
KC7NOD

601. FS Step Attenuator 60db DC-18ghz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Kyle Wesley <wesleyk@cyberramp.net>
Message-ID: <36BE354E.F25E81CD@cyberramp.net>
Source record: 117445
Cross-posted to: rec.radio.amateur.equipment,sci.electronics.misc,rec.radio.swap

```
Step Attenuator
DC-18Ghz
Sma female to male
Made by Midwest Microwave
Great shape, works just fine.
I just don't need it anymore.
$50 plus $7 S&H for a total of $57.00
Located in Dallas Tx area.

See photos and details at http://www.cyberramp.net/~wesleyk/step.htm
```

602. Re: RS HT 202 ERR 2?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: George <baumann@dave-world.net>
Message-ID: <36be4377.0@nt.dave-world.net>
Source record: 117446

Paul F. McCarron wrote in message <36BDBB8D.1FFEC848@cybertours.com>...
>Does anyone know what an ERR2 message means on a RS HT 202? Thanks, Paul
>

http://www.radioshack.com/Support/

HTX>-<202 (190-1120) Hints and Tips Faxback Doc. # 15564

This radio is likely to get an ERR2 when running off a cigarette lighter.
This is due to RF feedback which travels from radio to rubber duck to
power cord and back to radio. The best way to fix the ERR2 is to use an
external antenna.

603. Bencher Typo

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: HRE / COIN <hamradio@wizzards.net>
Message-ID: <36BE438C.6AF7@wizzards.net>
Source record: 117447
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.shortwave

For Sale / Brand New Bencher BY-1 CW Paddles / Factory Sealed Boxes
Selling at $69.00 + Shipping... SPECIAL SALE PRICE !!!
Have 3 more at this price...

The Last Posting I made a mistake, I hit the 0 instead of the 9 key...
Sorry... the New Paddles are not $60.00... they are $69.00 *

Another Great Deal !!! New in Factory Boxes...
NEW * MFJ-948 300 Watt Ant. Tuner = $100.00 under dealer cost !!!
NEW * MFJ-949 E 300 Watt Ant. Tuner = $120.00 under dealer Cost !!!
New * MFJ-259 Antenna Analyzer = $179.00 under dealer cost !!!
NEW * MFJ-401D IAMBIC CW Keyer = $45.00 / reg. price was $49.95
Lots More goodies to Sell...
http://www.wizzards.net/hamradio

Call or E-Mail to Order First...

Send US. Postal Money Order To:
Joe Reaves / N6fra
944 NW Cooke Ave.
Grants Pass, Oregon 97526
(541) 479-1212

604. TS 940 SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: TURBO <tvk4lwe@slic.com>
Message-ID: <79lkb3$eb4@raven.slic.com>
Source record: 117448

Does anyone have a photo of a TS 940 S/AT that they could scan and send to tvk4lwe@slic.com . A brochure photo, a personal photo, any photo of this rig would be appreciated.

605. Drake 2B price?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: James Skalski <jskalski@buffnet.net>
Message-ID: <36BE5436.151B56B1@buffnet.net>
Source record: 117449
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

--What is the going price for a Drake 2B with VLF converter?
Anyone out there is radio land have a clue?
Please Email direct.

73,

Jim N2go

606. Re: ANTI-CW people.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: kilroy <kilroy@fuse.net>
Message-ID: <79j7j3$8re$1@remarQ.com>
Source record: 117450
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy

O bull!
How long have _you_ been on the INet? We have been playing with WWW since long before SickWillie even met Monica.
Clintoon had NOTHING to do with our internet, other than to suggest a tax on its use.
Wake up.

Oscar wrote in message <36BB7953.7D803E58@worldnet.att.net>...
>Clinton, didn't you know? Oh yes, Clinton has nothing to do with this
>thread.
>-------
>Clinton has a lot to do with this and every thread on the Internet as he
>is the one who pushed the *Information Superhighway.* He got at least
>one thing right. Right or wrong he wtill represents the American
>Presidency, C-in-C, etc. and probably a better president that Oliver
>North could ever hope of becoming...someone else who lied under oath.

607. WTT: Telewave 44A wattmeter connectors

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Allan <doblera@cadvision.com>
Message-ID: <36BE5A0E.8461362A@cadvision.com>
Source record: 117451
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have 2 Telewave QC UHF connectors that I would like to trade for 2 Type N connectors. I would also buy the N connectors if someone has some extras for sale.

Thanks

Allan Dobler VE6XK

608. F.S. Yaesu FRG-7700

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Daniel Nordman <bppddan@clear.lakes.com>
Message-ID: <36BDF3A9.1B5898B1@clear.lakes.com>
Source record: 117452

Have for sale a FRG-7700 short wave receiver. Comes with the service manual and a FRT-7700 Antenna tuner. Both in like new condition. $350.00 or offer. SE Minnesota. 507-583-7888

609. F.S. Ten-Tec Corsair One

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Daniel Nordman <bppddan@clear.lakes.com>
Message-ID: <36BDF31A.6B246064@clear.lakes.com>
Source record: 117453

For sale a Ten-Tec Corsair one in excellent condition. Comes with Sure
desk mic, Manual and a Ten-Tec Power supply 280. Both work great.
10-160 meters. $600.00 or offer. Located in SE Minnesota.
507-583-7888

610. TH-78 Picture

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Mike R <+++mruane@itl.co.nz+++>
Message-ID: <918364449.378913@news.iconz.co.nz>
Source record: 117454

Hi,

Does anyone know of a WWW page containing a picture of the TH-78 dual band
hand held.

73, Mike ZL2GC

611. WTB Kenwood Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: "Floyd (KB5MIL)" <ford@mc2k.com>
Message-ID: <nYtv2.2523$1a1.60552@newsfeed.slurp.net>
Source record: 117455

Name here is Floyd, and I am looking for the matching Speaker for the
Kenwood 599D Twins. The speaker must be in real good shape.....

Floyd Perry
KB5MIL
ford@mc2k.com
Thank You....

612. Re: Icoms Web Page

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: "Edward L. Dowdy" <eldowdy@net66.com>
Message-ID: <uzuv2.274$kC1.900@news13.ispnews.com>
Source record: 117456

www.icomamerica.com

Bird459 wrote in message <19990208002357.17899.00001291@ng-fx1.aol.com>...
>What is the address of Icoms Web page
>
>Thanks
>J

613. Re: ANTI-CW people.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: cmagers@sprynet.com
Message-ID: <MPG.11281eb05eaa8cb798968f@news.sprynet.com>
Source record: 117457
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy

```
>
> Oscar wrote in message <36BB7953.7D803E58@worldnet.att.net>...
> >Clinton, didn't you know? Oh yes, Clinton has nothing to do with this
> >thread.
> >-------
> >Clinton has a lot to do with this and every thread on the Internet as he
> >is the one who pushed the *Information Superhighway.* He got at least
> >one thing right. Right or wrong he wtill represents the American
> >Presidency, C-in-C, etc. and probably a better president that Oliver
> >North could ever hope of becoming...someone else who lied under oath.
>
>
>

The democrats like this kind of individual. So unaware of the world that
he will believe anything that he is told. It's hard to believe that there
are people this dense out there but apparently there are a lot of them.
Well you say that "he at least got one thing right". Considering the fact
that he had nothing to do with that "one thing" I guess you would have to
say that he is batting a zero.
CW
KC7NOD
```

614. FA: 80 Channel 65+ watt UHF mobiles. Last Day

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: RHUNT <RHUNT@prodigy.net>
Message-ID: <36BE8141.3FD9@prodigy.net>
Source record: 117458
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Midland 70-665B 80 Channel 65+ Watt UHF programmable mobiles with tone squelch. Super Radios!!! Click here to view: http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=62366320

615. FS: GE MVS 470-512 Mhz Mobiles

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36BE65A8.F2B@ix.netcom.com>
Source record: 117459
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale...

GE MVS UHF 25W mobile radios, 470-512 Mhz model NPU-30.

Excellent condition w/mic and mounting bracket.

Programmed, tuned and tested to your specified freqs/PLs.

$95 each + shipping.

Steve-WA6GSD

616. FS: Drake RR3 communications receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: ying <ying@skyinet.net>
Message-ID: <79ii2qalv1@news.skyinet.net>
Source record: 117472
Cross-posted to: rec.radio,rec.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap

```
Selling in mint condition Drake RR-3 generage coverage HF receiver, $1000.00
Pls. email direct to ying@skyinet.net
```

617. DX-394

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: 103261.524@compuserve.com
Message-ID: <79iostruc1@nnrp1.dejanews.com>
Source record: 117473

Hi, I've recently purchased a DX-394 from Radio Shack and while the SW reception is alright (I'm simply using the included whip antenna for now) but the MW reception is, to put it mildly, crappy, for example I can get BBC better than the strongest AM stations in my city! Is this normal or did I get a bad radio? Should I take it back to get fixed/replaced? (I still have a year warranty.) If you can help please send me e-mail at 103261.524@compuserve.com because I don't check these groups that often, if you just want to laugh at me behind my back though posting to here is fine. Thanks.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

618. Kenwood TS-140S 45-60 MHz TX?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Tony Heatwole <heatwole@shell.clark.net>
Message-ID: <79imog$4pk$4@clarknet.clark.net>
Source record: 117474

I found the mod for the TS-140S, snipping diodes 29 and 31.
Fine, so I think diode 31 gives you more power on all the bands
because i did that first. Then I snipped 29 and reset and checked
it out. It added 45Mhz-60Mhz to my receive, except for one little
problem. When listing between 45-60Mhz, the display goes blank
(except for dots), and it does Morse code that says "unlock". I
checked the service manual and the normal manual and this is a
"feature". It turns out that the processors catches the fact that it is
recieving out of the allowable area and immediatly shuts down
the reciever volume. Well i don't call that much of a mod.

So how can i actually LISTEN to stuff from 45-60Mhz? Also, It
now transmits from 49 to 55Mhz, but that is not so usefull as i'm
interested in getting it to work on 47.xx Mhz (Red Cross Freq).

If anyone can shed light on how to trick the processor into thinking
it's not out of band, so that i can actually listen, or if i've done the
wrong mod....Or if there is another mod... i would be very greatful
for this information. I've searched the WWW endlessly, and other
than a short note of some guy telling another to snip D29 and D31,
I've come up with nothing substantial...Let me know if you have
anything that might be of help.

Nat Heatwole
heatwole@clark.net
KB3CBW, General

619. YAESU FT-1000MP WANTED

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: cslc82@email.mot.com
Message-ID: <36bee196.152787476@netnews.worldnet.att.net>
Source record: 117475

YAESU FT-1000MP WANTED

Looking for late serial # FT-1000MP in good shape.

Please state options, price & condition.

Tnx/73
Dan
K0DAN

620. Wanted: Peramps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: kb0ksa@aol.com
Message-ID: <19990206200442.14328.00000720@ng-cf1.aol.com>
Source record: 117476

Hi, I'm new to Newsgroups and to Sat. work. I'm looking for a Icom AG-25 and a AG-35 to go with my IC-820H. If you know of someone who has one for sale, please let me know.
Thanks and 73...John (KB0KSA)

621. Re: packet radio tnc

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: kb0ksa@aol.com
Message-ID: <19990206200813.14328.00000724@ng-cf1.aol.com>
Source record: 117477

Hi Dave, in think Kantronics has it hands down. They are easy to use and to set up. I have had two, a KPC-1 and a KAM. Both were great for weak sig work. I am still using the KAM. It's great on HF too!
Good luck and see you on pkt.
John, KB0KSA

622. Drake L7

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Bruno <fidor@tin.it>
Message-ID: <79immg$88h$1@nslave1.tin.it>
Source record: 117478

Drake L7 vendo in Italia ottime condizioni ?3.000.000
IK8GJR Bruno fidor@tin.it

623. Re: Kenwood TH-G71 Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: "Heine N. Halvorsen" <hnh@c2i.net>
Message-ID: <36BCEB9D.E4BA7507@c2i.net>
Source record: 117479
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Don Putnick wrote:

> Wander on over to: http://www.angelfire.com/ca/ke6gwf/

Thanks, this should do the trick.

HnH

624. YAESU 530 F/S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Jeff Kelly <kellyj@ptd.net>
Message-ID: <3w6v2.273$Eq1.610@nnrp1.ptd.net>
Source record: 117480

Yaesu FT-530 DUAL Band portable CAP/MARS mod spare 1700mh 7.2 battery new and rapid charger in good shape . 4 batteries are included. $250.00 plus shipping

Jeff Kelly de N3MFT

625. WTB NYE Viking MBVA

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: lemwnash@aol.com
Message-ID: <19990206211010.11647.00000817@ng05.aol.com>
Source record: 117481

Must be mint and made in Priest River Idaho

kh6lem

626. Re: Help: Squelch on Radio Shack HTX-202

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <36f1fa29.279952659@news.atl.bellsouth.net>
Source record: 117482
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur

On Sat, 06 Feb 1999 06:11:58 GMT, martell@cybertours.com (Joshua Martell) wrote:
> I recently purchesed this HT and I'm having trouble with the
>squelch. When I turn the radio on, the static on the channel will
>sound. I then turn the squelch up until the static goes away (almost
>all the way up) and then if I turn the squelch back down, the static
>doesn't come back even with the squelch off. If I transmit with
>another HT right next to it, it still won't recieve. The signal meter
>will go up, but no sound. I have checked the battery (7.8 V out of
>7.2) and the DTMF squelch is off. The guy I bought it from says it
>was working fine when he had it and it was packed well for shipping.
>Am I missing something simple here? Any help appriciated.

Something real simple, I'm sorry to say. It's broke.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

627. wiring diagram SHURE 885TT MIC?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: kovar <kovar@ia.net>
Message-ID: <01be5246$30e8bce0$38eee6ce@kovar.inav.net>
Source record: 117483

I need wiring diagram for a SHURE MODEL 885TT hand mic microphone.
RJ 45 style plug with 6 pins in connector at mic.
I gave up on bugging it out?
Can someone get me going again?

thanks,
--
Jack Kovar
k0var
Iowa

628. SGC radio - Run! Run Screaming

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: nrs019@aol.com
Message-ID: <19990207002804.20285.00000874@ng105.aol.com>
Source record: 117484

I've been having a terrible time with SGC. I can't even get a response from customer service. I sent a 2000 chassis back for warranty repair, but they won't tell me what was wrong with it or what they did.

I'm so dissatisfied that I'm trying to get other dissatisfied users together for a possible class action.

For my story and others, please visit my new SGC web page and participate.

http://members.aol.com/nrs019/sgc

Thanks,
Jim Crosby
s/v Toucan
Mazatlan, MX ('till April)
A voice in a crowd may be missed, but the crowd will be heard.
Jim Crosby
http://members.aol.com/shipsmail

629. FS/Pro-2035 & Sony SC1-PC scanners- MIB

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Kin Ho <bush143@worldnet.att.net>
Message-ID: <36BD251D.1B46@worldnet.att.net>
Source record: 117485
Cross-posted to: rec.radio.swap,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave

Both scanners are in mint condition in the box with everything as purchased new in the store. Would like to sell each one for $275 + shipping.

I also have a nice "GRE 8001" 800 mhz converters which can be used with ac or battery. I would like to sell this with either of the scanners as a package for $350 + shipping.

630. WTB: Yaesu FT-990

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Rich - KK7PL <n7hmb@spiretech.com>
Message-ID: <36BD3BF2.8641E1F9@spiretech.com>
Source record: 117486
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Im posting this for a friend with no newsgroup access.
Rich KK7PL

Please read the following and respond directly to him.

WANTED= YAESU FT-990
with AC power supply
All filters and a Desk Mike
MUST=be in excellent condition
E-Mail ross_wa7btj@compuserve.com
with the price and arrangements, will consider
all contacts and equuipment.

Thank You Ross WA7BTJ

631. Re: WTB: Yaesu FT-990

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: ThomasS <stop@spam.com>
Message-ID: <36BD2DFA.2513@spam.com>
Source record: 117487
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Subject:
FS:YAESU FT-990
Date:
Fri, 5 Feb 1999 21:29:11 +0100
From:
"Sectie Aalst Uba" <SECTIE.AALST.UBA@village.uunet.be>
Organization:
UUNET Benelux (post does not reflect views of UUNET Benelux)
Newsgroups:
rec.radio.amateur.equipment

For sale:Yaesu FT-990 with all filters cw and ssb
Automatic antennetuner
CAT-system

ON4AAM

ON4AAM@HOTMAIL.COM

632. Re: SGC radio - Run! Run Screaming

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: cwmoor@pacbell.net
Message-ID: <36bd2eef.39628619@news.pacbell.net>
Source record: 117488

I've enjoyed excellent, courteous, and prompt service from SGC. Called
about a faulty mike- new one at my doorstep in 2 days-no charge. A
problem with coupler tuning-2 days to repair- back to me- no charge.
Lots of phone time with mobile installation difficulties- always
patient and pleasant.

Chris

On 7 Feb 1999 05:28:04 GMT, nrs019@aol.com (NRS019) wrote:

>I've been having a terrible time with SGC. I can't even get a response from
>customer service. I sent a 2000 chassis back for warranty repair, but they
>won't tell me what was wrong with it or what they did.
>
>I'm so dissatisfied that I'm trying to get other dissatisfied users together
>for a possible class action.
>
>For my story and others, please visit my new SGC web page and participate.
>
>http://members.aol.com/nrs019/sgc
>
>Thanks,
>Jim Crosby
>s/v Toucan
>Mazatlan, MX ('till April)
>A voice in a crowd may be missed, but the crowd will be heard.
>Jim Crosby
>http://members.aol.com/shipsmail
>

633. WANTED: mid-1970s Popular Electronics

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: padawer <padawer@mindspring.com>
Message-ID: <padawer-070219990127026444@user-37kbp08.dialup.mindspring.com>
Source record: 117489

WANTED: mid-1970s Popular Electronics

Looking for mid-79s Popular Electronics mags, will pay top dollar.
Email with what you've got. Thanks!

Randy, WA4FJF

634. Icom IC-T8A Tri-Band HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Dan <kd4lyp@usa.net>
Message-ID: <36BD3647.7AEE@usa.net>
Source record: 117490
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner,alt.radio.scanner

I'm looking for *USED* accessories for the above radio.
Soft case
software & cable
batteries or adapter
Speaker mics
?????

Do you have any used Icom IC-T8A Tri-Band HT items for sale?

635. MFJ-1024

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: gauger@dsuper.net
Message-ID: <36bd0855.47227413@news.dsuper.net>
Source record: 117491

Hi

I am looking for the MFJ-1024 active antenna schematics..

I have read good thing about this antenna and I whant to know how they

do that ??

Thanks for your collaboration and excuse my English

Gilles Auger
gauger@dsuper.net

636. help:motorola mobile radio model

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: tico@macau.ctm.net
Message-ID: <79jvfj$om5$1@nnrp1.dejanews.com>
Source record: 117492

does any one know the motorola mobile radio series

I had a motorola mobile radio,
model:D04LRA7PA5BK

I want to know the series and programming software

thanks in advance

Ieong

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

637. Re: Battery "refills"

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: brianburke@my-dejanews.com
Message-ID: <79k4eb$s6a$1@nnrp1.dejanews.com>
Source record: 117493

In article <36BB9607.41C2D072@home.com>,
Robert Fritz <rfritz@home.com> wrote:
> Can someone recommend a good quality, reasonably priced source for
> replacing the cells within a battery pack? In particular, I have a
> number of defunct IC-02AT battery packs that need to be brought back to
> life.
>
> Bob
> KE6WYG
Bob,
I just did two similar htx-202/404 packs for $18 each. I chose to use the original 7.2V/700mah inserts so that I could continue to use the original wall charger and charging time.
I could have wired up some $1.50 batteries much cheaper, but you have to watch the overall length so that the insert will fit back in the pack.

E.H. Yost/Mr. NiCad
www.mrnicd-ehyostco.com

Brian/N0iMD

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

638. Re: help:motorola mobile radio model

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <YJgv2.2$wa7.110617@sapphire.mtt.net>
Source record: 117494

In article <79jvfj$om5$1@nnrp1.dejanews.com>
tico@macau.ctm.net wrote:

> does any one know the motorola mobile radio series
>
> I had a motorola mobile radio,
> model:D04LRA7PA5BK
>
> I want to know the series and programming software
>
> thanks in advance
>
> Ieong
>
> ----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

try rec.radio.swap List subj as " MOTOROLA I/D EXPERT"

dave

639. Kenwood BC-8

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: BeagleBo <kb0vp@worldnet.att.net>
Message-ID: <36B4CB14.7276@worldnet.att.net>
Source record: 117495

I bought a Kenwood BC-8 desk charger at a hamfest, but there was no manual included. Does anyone know the charge time for the Kenwood PB-2 handheld battery when using this charger. The PB-2 battery is used with the Kenwood TH-215a HT. TNX

KB0VP

640. Re: Wanted: AA Dummy Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Gilbert Yu <gilbert1@netvigator.com>
Message-ID: <79k878$a3h$1@imsp009a.netvigator.com>
Source record: 117496
Cross-posted to: ca.wanted,la.wanted,misc.emerg-services,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

Hello Steve
can you tell me what type of AA cell you are looking for?
I think there is something I can help.
try my email: battery@pantene.com.hk
Rgs,
Derek
Steve Leong wrote in message ...
>Does anyone know the availability of any "dummy" AA cells?
>(I've seen them in the past - they are plastic forms the same size of
>an AA cell, with a metal strip connecting the top and bottom contacts -
>basically a specialized jumper!).
>
>I have a AA battery pack for a handheld radio (Kenwood TK-250) that has
>spaces for too many AA cells (excess voltage would damage radio). I need
>to insert two "dummy" AA cells to act as jumpers for these extra spaces.
>Already tried to solder jumpers in place - can't do it due to the metal
>they used for the contacts.
>
>Thanks for any assistance and advice!
>
>Steve KC6IJM

641. Re: Hallicrafters S-108

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990207095422.14274.00001053@ng-fd1.aol.com>
Source record: 117497

I saw a perfect one go extremely quickly and with no argument for $100 at a hamfest last fall.

Brian

642. Re: VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: paul wise <n3ngo@prodigy.net>
Message-ID: <79k9l4$4caq$1@newssvr03-int.news.prodigy.com>
Source record: 117498

hi kevin,
have had my x5 for only a couple days...
i did reset the battery use monitor using the procedure in the manual.
as with some older yaesu's, i don't believe there is a way to 'remove' a
memory chanel once it is set. you can either overwrite it with new data, or
just mask it.

643. Century 21D Receiver info?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: turbo22367@aol.com
Message-ID: <19990207100722.01449.00000022@ng-cr1.aol.com>
Source record: 117499

Hi fellows. Does anyone know anything about this Century 21D 5. to 30 Mhz digital receiver? This is not the Century 21D CW Transceiver put out by TenTec. I do not know who the Mfg. was it may have been GE. I need a manual and/or schematic for it.

Thanx, Steve reply or email turbo22367@aol.com

644. WTB: Non-Working Receive Preamps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Gary <catlink@erols.com>
Message-ID: <79kdnp$1dr$1@winter.news.rcn.net>
Source record: 117500

I am would like to buy non-working receive preamps They may be mastmout,
non-mastmount, RF switched or non-RF switched.
Please email me with a discription as well as price.

Thanks much.
Gary
catlink@erols.com

645. ICOM 28A Backup Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <36bdbc54.349040@news.i-2000.com>
Source record: 117501

Does anyone know of a local source for the lithium memory backup battery for the Icom 28A....Thanks in advance...Bob K2LGO..Pse remove the (ns) from my address

646. F.S. ICOM RECEIVERS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: trauma521@aol.com
Message-ID: <19990207112320.18263.00000951@ng-fa1.aol.com>
Source record: 117502

Hello. I have 2 units for sale. I prefer to sell them as a pair.

(1) Icom IC-R71A. Unit goes from 100Khz to 30 MHz,all modes
including RTTY. Unit is atleast an 8 on 1-10 scales. This unit works
great.

(2) Icom IC-R7000. Unit goes from 25 to 1300MHz(cell phones included).
Again unit is atleast an 8 on 1-10 scale. Unit has scratch on left side of
chassis and needs 1 minute warm up for display to light up.

Both these units are in great shape and work excellent. I am asking
$1500. or best offer for the pair. I will except pre payment of money
order for the units. I will ship them UPS at no charge.
Thanks,
Glenn

647. FS: Standard C510A Dualband HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: K1SWR <fleet@mbl.edu>
Message-ID: <36BDBDC4.22A1C07C@mbl.edu>
Source record: 117503
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

This unit is NIB, taken out to do mars mod only. Has not been used since, it was bought as backup to the one I use daily $200.00

648. MI - HAM Swap-n-Shop 2.21.99

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: billy@server.n8hqg.mi.org
Message-ID: <79kffc$jg7$4@denws02.mw.mediaone.net>
Source record: 117504

Sunday February 21, 1999
8:00 - 3:30

The 28th Annual

LIVONIA AMATUER RADIO CLUB

S W A P - N - S H O P

Buy, sell, elecrontic equipment
including ham radios, parts, computers etc...

Location: William M Costic Activity Center
28600 W. 11 Mile Road
Farmington Hills
1 1/4 Miles East of Orchard Lake Road south of I-696

Admission: $5
Tables: $16/8ft.
Vendors: Setup Starts promptly at 6:00 am
Talkin: 145.35 (-)

For additional information call (734) 261-5486
or write swap@larc.mi.org

Visit our Web Site at: http://www.larc.mi.org

Mark your calendars for Sunday February 21, 1999!!!

--
Bill Johnston, N8HQG | mailto:billy@n8hqg.mi.org (home)
icbmto:N 42*21.966' | mailto:wjohnst2@ford.com (work)
W083*28.363' @753ft | http://www.n8hqg.mi.org/

649. Re: FS: Kenwood TS-50S - AT-50

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: w4bmg@aol.com
Message-ID: <19990207115807.06673.00002394@ng-cg1.aol.com>
Source record: 117505

do still the ts50 and at 50
John w4bmg
Deland, Fl

650. Re: VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Kevin Crozier <kdogcrozier@my-dejanews.com>
Message-ID: <79kkoc$8kh$1@nnrp1.dejanews.com>
Source record: 117506

Doh!

I just tried the battery monitor reset key strokes as defined in the manual and what do you know it works.

I guess the blinking numbers (for the memory store function) were throwing me off.

However, has anyone else noticed that you (or at least I can't) can't get out of the memory group function by pressing F/W and 4 again?

Anybody have any thoughts on the barometric pressure sensor? I need to order another battery so I figured I might as well throw the sensor in as well.

Kevin
KC0EXM

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

651. Help - Azden PCS2000 Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Deon Erwin <zr1dq@iafrica.com>
Message-ID: <79kipv$1i8h$1@nnrp01.iafrica.com>
Source record: 117507

Hi

My Azden PCS2000 transceiver died and the faulty component is a TMS1000NLC, a 4-bit processor on the control board, designated as IC401.

I understand that the TMS1000NLC is obsolete and I wish to hear from anyone who suffered the same fate and used and equivalent IC to solve the problem. I tried an equivalent IC, but it does not work. I am still awaiting a reply from Azden.

I may be contacted direct at zr1dq@iafrica.com.

Greetings from Cape Town.

Deon ZR1DQ

652. milspec modifications - like signalone

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: qwasty@hotmail.com
Message-ID: <79ko81$b5l$1@nnrp1.dejanews.com>
Source record: 117508
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

The IC-781 is regularly modified for military use by getting turned into the signalone. I was wondering if anyone knew if any companies do this with the yaesu FT-847? I want a "wonder radio" that is tough enough to fall off the back of a truck on a dusty dirt road, and still be fully funtional. even if it takes a special container. Low power consumption is a plus.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

653. FS: JRC NRD-525

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: "Benjamin A. Wallace" <bwallace@sd.cts.com>
Message-ID: <01be52c7$a708e4a0$3506a3cd@bwallace.cts.com>
Source record: 117509

I have a JRC NRD-525 -- about as nice as they come and with extras.
Here are the details

NRD-525 Excellent operational and physical condition.
NVA-88 matching external speaker, excellent condx
Optional CMH-532 RS232 interface
Optional CFL-218A 1.8 kHz SSB filter (installed)
Optional CMK-165 VHF/UHF converter, 34-60MHz, 114-174MHz, 423-456MHz
AC Power cord
original operator manual
original box, but no original packing
VHF/UHF converter is all mode.
$625 US shipped CONUS

Ben

bwallace@sd.cts.com

654. FS: Icom IC-740 HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: "Benjamin A. Wallace" <bwallace@sd.cts.com>
Message-ID: <01be52c8$a8855600$3506a3cd@bwallace.cts.com>
Source record: 117510

FS&#65533; Icom IC-740 HF Transceiver.
Excellent conditon both operationally and physically.
Built-in AC and DC power supplies.
Includes mobile microphone, AC power cable, operating manual (no schematic).
Shipped CONUS&#65533; $405

Ben -- WB8HUR
San Diego
bwallace@sd.cts.com

655. Re: Help: Squelch on Radio Shack HTX-202

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Robert C Cottreau <ycn0030@ycn.library.ns.ca>
Message-ID: <Pine.LNX.3.96.990207151414.2683A-100000@ycn.library.ns.ca>
Source record: 117511
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur

On Sat, 6 Feb 1999, Joshua Martell wrote:

> I recently purchesed this HT and I'm having trouble with the
> Am I missing something simple here? Any help appriciated.

Hi Joshua,
I also have a HTX202 and I find that the radio is very sensitive on the receive side. I also have an HTX404 and when I xmit on that radio, my HTX202 sometimes comes on with static so I have to give it alittle more squelch.
From the sounds of it Joshua, you may have to pay a visit to a repair shop.

Good luck
Rob
VE1RCC

656. FS: Icom 751A Latest Production

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: kvanderlin@aol.com
Message-ID: <19990207142849.04490.00001046@ng121.aol.com>
Source record: 117512

Pervious buyer did not send check. Beautiful condx. S/N 9806. Orig. box, mic, manual and access. pkg. (un-opened). $735 plus shipping Conus.

Van

657. It Is THE WEB COP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990207144321.19369.00001169@ng-ft1.aol.com>
Source record: 117513

Subject: Re: Is This The Web Cop
From: Terry Brown <browntl@concentric.net>
Date: Sun, Feb 7, 1999 11:34 AM
Message-id: <36BDC002.ECAC8430@concentric.net>

The guy must be a bit screwy. Why would a person who needs to sell
something not post it to multiple groups (how else could you get as much
coverage as possible and hopefully get it sold)?
Terry

KB5MER wrote:

> Subject: Re: Antenna Tuner For Sale
> From: "tcrpe" <tcrpe@yahoo.com>
> Date: Sat, Feb 6, 1999 12:12 AM
> Message-id: <FbQu2.12725$3J3.2941@news2.giganews.com>
>
> How come you don't post this to rec.radio.amateur.swap? You've got it on
> just about every other group there is!
>
> TR
>
> (into the killfile KB5MER -- just too much spam -- give it a rest)
>
> KB5MER wrote in message <19990205205308.23964.00000200@ng30.aol.com>...
> >
> >For Sale 1500 Watt Antenna Tuner
> > > Roller Inductor/Air Variable
> > > built in 1500W Dry Dummy Load
> > > $450.00 + shipping
> > > From Austin, Texas
> > >

658. Re: SGC radio - Run! Run Screaming

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <79kq8a$q3$1@news-1.news.gte.net>
Source record: 117514

NRS019 wrote in message
<19990207002804.20285.00000874@ng105.aol.com>...
>I've been having a terrible time with SGC. I can't even get a
response from
>customer service. I sent a 2000 chassis back for warranty repair,
but they
>won't tell me what was wrong with it or what they did.
>
>I'm so dissatisfied that I'm trying to get other dissatisfied users
together
>for a possible class action.

YUP - always SOMEONE out to air some trivial "slight" they usually DESERVED as the result of poor attitude - and THEN they immediately want to sue someone for all the "mental anguish" they brought upon THEMSELVES!

Rest assured that for ALL your efforts, all you will receive will be elevated bloodpressure and spinning wheels...

I have a SGC 230 that's been back to them TWICE over the last 5 years or so for failures I brought upon myself thru poor electrical connections - they have ALSWAYS been fast and courteous - and upgraded my tuner BOTH times during repair...

Now, WHY do you suppose they would single YOU out for abusive treatment? Could it be YOUR attitude in dealing with THEM?

NAHHHhhh - SURELY not......

Gary - KJ6Q

659. FS: Collins 75S-1 Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: "Benjamin A. Wallace" <bwallace@sd.cts.com>
Message-ID: <01be52d4$6d723c20$3506a3cd@bwallace.cts.com>
Source record: 117515

```
FS: Collins 75S-1 Receiver in very good electrical and physical condx.
Includes copy of manual and power cord.
$310 -- Shipped CONUS

Ben

bwallace@sd.cts.com
```

660. FS:Glen Martin Roof Tower +More

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: ^Fretts <n2rif@kwiknet.net>
Message-ID: <Tomv2.183$WV1.764@news7.ispnews.com>
Source record: 117516
Cross-posted to:
nj.forsale,pa.forsale,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

4Sale "Glen Martin Roof Tower, Thrust Bearing & Heavy Duty!"
Aluminum Mast Price & Specs New from Glen Martin are below:
#1; New Glen Martin Roof Tower, Specs & Price...
Model: RT-424, Height: 4.5', Shelf to top: 34.75, Base width 24",
Max Ant. in sq ft @ 87mph@6 / 100mph @4.5 / 112mph @3.6,
Max Ant load: 100lbs Weight: 18lbs Price: $162.00+ Shipping
#2; New Glen Martin Heavy Duty Thrust Bearing, Specs & Price...
Thrust Bearing for rotating setups, premium quality, weatherized
twin bearing for 1.3 to 2.6 mast diameters. TB-25 Price: $89.95
#3; Glen Martin Heavy Duty Aluminum Mast, Specs & Price...
MA-2069 106" X 2.375" OD ,.145 wall aluminum hvy duty 12 lbs
$108.00 New Price for all $359.95 + Shipping and Un-Assembled.
Everything is like new and completely assembled. Asking $240/obo.
Must Pickup! Qth Burlington, NJ. I'm about 10 miles S. of Trenton
& 6 miles N.E. Of Phila, Pa.. Email or Call 609-386-9382 Or
if busy Call: 609-386-3272 {afternoon's only please!!}
--
Thom j. aka ^Fretts email: n2rif@kwiknet.net Or just
remove "knowspam" when you hit ur reply button..

661. Re: Icom IC-740 HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: "Benjamin A. Wallace" <bwallace@sd.cts.com>
Message-ID: <01be52d5$aacfa840$3506a3cd@bwallace.cts.com>
Source record: 117517

The IC-740 is sold. Thanks.

662. HeathKit SB-313 amateur receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: Darrel Scott <dgsc@hotmail.com>
Message-ID: <79ku4l$b6u$1@news.powerisp.com>
Source record: 117518

If you would like a good clean SB-313 check this one out.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=64411968

663. Re: FS Drake Radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-07 00:00:00 UTC
From: w8aj@aol.com
Message-ID: <19990207155131.03199.00001203@ng113.aol.com>
Source record: 117519

WHAT ARE THE CONDITIONS OF THE RADIOS? i AM INTERESTED IN THE c FIRST AND THAN THE B. Allan W8AJ

664. Re: Midland Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <MXIv2.35$4q6.422266@sapphire.mtt.net>
Source record: 117320

In article <36BF0C24.B0F07AEA@dlcwest.com>
Doug Johnson <cent16@dlcwest.com> wrote:

> Does Midland radio hve a website? I'm looking for information on a
> Midland model 70-340B. I'd like to convert it to use a an amateur
> radio...
>

Here's the Midland Homepage

http://www.midlandusa.com/

Programming (Andy Brinkley)

He can program my 70-155's so must have the 70-1000 programmer?
Try it anyway!

http://www.brinkleyelec.com/

dave

665. MFJ-1026/1025 Schematic?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Jeff Goodspeed <cmsx42@email.mot.com>
Message-ID: <36BF4975.39FAB3F@email.mot.com>
Source record: 117321
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Greetings Noise Warriors:

Would one of you kind souls be good enough to give me a copy of the schematic diagram (& parts list) for an MFJ-1026 or MFJ-1025 RF Rx Noise canceling unit? I would like to look it over and see if I want to mimic it in home brewing my own unit. There are some old QST articles, though the write up for the MFJ makes it sound like a better design.

My Xcvr already has a separate Rx ant input and I donï¿½t need any antenna switching capability. I also intend to H.B. low noise Rx antennas to feed into something like this.

I donï¿½t think there are any moral or ethical problems in copying the design as long as I donï¿½t try to market such a thing (and I donï¿½t).

TNX ES 73's ï¿½ Jeff ï¿½ KA9S

666. Re: TS 940 SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: ny4t@home.com
Message-ID: <36bf5e3c.20612721@news.nash1.tn.home.com>
Source record: 117322

On Sun, 7 Feb 1999 22:09:55 -0500, "TURBO" <tvk4lwe@slic.com> wrote:

>Does anyone have a photo of a TS 940 S/AT that they could scan and send to
>tvk4lwe@slic.com . A brochure photo, a personal photo, any photo of this
>rig would be appreciated.
>

Have a look here:
http://dendro.sggw.waw.pl/~sp5zcc/equipment/kenwood/hf/ts940.html
Don't ask me what the text under the photo says, I can't understand
Polish.

73,
Lee (NY4T)

667. Kenwood TS 440S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: AUDVARD.Jean-Marc@wanadoo.fr
Message-ID: <79m25n$53e$1@platane.wanadoo.fr>
Source record: 117323

Who use a and what think about?

668. ic 3200 fs trade for ham/scanner stuff

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: zacbender@usa.net
Message-ID: <36be8a16.21632883@news.nwlink.com>
Source record: 117324

Have a pretty nice condition ic-3200. The radio comes with manual.
mounting bracket, and box. I am interested in one of the following
items.

220 MHz synthesized Mobile, or HT no Kenwd TH-31AT/BT Please

BC - 895 Trunktracker From Uniden (bearcat)

YO-101 Monitor Scope

AEA PK-900 or pk-12/96 Tnc (pk 12/96 would probably be more negotiable
for you)? and that would be ok as well.

Dual Band HT 2/440 Or The Icom 2M/220 Ht would be nice. If idiotical
wanted my radio + cash for trade I would work on that with them.

73 & Thank You
Zach Bender K7LTF
Seattle WA USA
206-769-6141

669. FS:Kenwood TM2550A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Robert Stamper <rstamp@flinet.com>
Message-ID: <36BF538D.48CC1A32@flinet.com>
Source record: 117325
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment

I have for sale a Kenwood TM2550A.This is a 144 to 148 MHz FM
transceiver witha 45 watt transmitter.Tha radio is in excellent working
and cosmetic condition.It comes with a touch tone mic,TU-7 tone board
and a copy of the
manual.Asking $140.00 plus shipping.Please respond via e-mail.
Regards
Bob Stamper

670. FS:DX-440

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Robert Stamper <rstamp@flinet.com>
Message-ID: <36BF54B9.3EE7B2C8@flinet.com>
Source record: 117326
Cross-posted to: rec.radio.swap,rec.radio.shortwave,alt.ham-radio.marketplace,alt.radio.scanner,rec.radio.amateur.equipment

I have for sale a Realistic DX-440 the radio is in very good
condition,100% working and an 8+ cosmeticaly.The features are as
follows.
1-Power by 8 D cell's or 9 volt adapter
2-Memory for up to 9 frequencies
3-Multi-function clock
4-LCD display
5-Select frequency via VFO or dirrect entry keypad
6-Signal strength indicator,BFO,AM wide & narrow,RF gain
7-FM stereo with headphones
This radio was made by Sangean and is the same as the ATS 803A.Asking
$90.00 plus shipping.
Regards
Bob Stamper

671. FS:Zenith Trans-Oceanic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Robert Stamper <rstamp@flinet.com>
Message-ID: <36BF565F.67F3780C@flinet.com>
Source record: 117327
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,alt.radio.scanner,alt.ham-radio.marketplace

I have for sale a Zenith Trans-Oceanic model "Royal 1000" in perfect working condition and an 8 in appearance.I am asking $90.00 plus shipping to lower 48.Please respond via e-mail.
Regards
Bob Stamper

672. Re: Looking for 40-50 Foot tower used for a decent price.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: kf4tuz@qsl.net
Message-ID: <36c18cd4.109596613@news.blueridge.net>
Source record: 117328

Sorry to all for not posting the location, thought everyone knew about qrz and just simply looking up my callsign for location info

Shipping would be to Rutherfordton, NC

Any other info can be found on www.qrz.com, and search for my callsign

73's

kf4tuz

673. Re: SGC radio - Run! Run Screaming

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <79nocd$2r6$1@news-2.news.gte.net>
Source record: 117329

chipa@eskimo.com wrote in message <36BF1F94.ED3627F7@eskimo.com>...
>
>Chris wrote:
>
>> Is my experience also the exception?
>>
>> Chris
>
>Chris,
>
>As our esteemed leader might say, it depends what you mean by
>"exception". We aren't dealing with scientific sample sizes here

I'm sure...

--I
>don't know how many SG-2000s are out there.

I'm rather certain of THAT, too!

> I can't speak for Jim, but
>my personal experience, involving radios I have owned or personally
>checked out combined with my firsthand knowledge of others'
experiences
>over the decades has shown a relatively low (under 5%) incidence of
>serious problems with Kenwoods and Icoms; the addition of your and
>Gary's positive luck still leaves the comparable figure for the
SG-2000
>at around 86%.

Based on exactly WHAT? WHO?

Is that to be considered an arbitrary number, or just a quick
seat-of-the-pants guess? To be even REMOTELY accurate in your quoted
figures, you would need at least 100 random customers/units - and FAR
more would be better - do you have such hard-copy numbers? If NOT,
you're merely blowing smoke!

If you consider replaced or 'repaired' SG-2000s as
>separate units, that figure goes way up (the majority seem to fail
>multiple times), to over 92%.

AGAIN, do you have an actual LIST to back up this claim - or do you
merely have perhaps 10 loose acquaintances you have managed to drum
up, and are merely interpolating from such highly limited base
numbers?

"UMMM GEE!, I know *TWO* hams with SGC stuff, and ONE of them failed for unknown reasons - so OBVIOUSLY, 50% of SGC'S stuff is failure-prone JUNK...."

Is THAT the way YOU get your percentages? If NOT, tell us how you DO obtain them!

>The real numbers may not be this
>high--

UNH-HUH! I don't doubt it for a moment!

>this is just my personal experience--but SGC didn't acquire its
>hideous reputation for no reason.

Another wild assumption - exactly HOW and WHERE did you receive and establish your rather extreme claim concerning SGC'S "hideous reputation"? Perhaps yourself and a couple of other guys? Hardly a quorum of SGC'S customer base... By the way do you even KNOW how many total SCG product units have been sold and in regular use?

I didn't THINK so... And if I'm RIGHT, how could you POSSIBLY quote meaningful "percentage" figures regarding failure rates and dissatisfied customers?

As for their customer service, it can
>range from extremely accommodating (as when a unit is under warranty,
>with the techs bending over backwards to help you) to considerably
less
>than that, depending on the moon's phase and who answers the phone;
the
>operative word is 'erratic'.
>
>Believe me, I'm happy for you both, and envy you mightily. I
sincerely
>hope your good fortune continues, especially if you take those radios
>offshore. However, I'll leave it to you to decide whether or not
there
>just might be a problem here...

I've ALREADY decided - and base on MY personal experience - and several acquaintences, I'm QUITE satisfied with my SGC tuner, it's performance, AND the way I've been treated by SGC in the 6 years or so I've had my unit - and the 2 times I've returned it for reasons NOT related to it's defects. And NO - I DON'T consider MY contacts with SATISFIED customers any more a reliable "percentage" of SGC's products and customer satisfaction than YOU should! There will ALWAYS be a few units that fail from either defects or customer abuse - that's true of virtually ALL products on today's market.

AND to think or suggest that it's the responsibility of the parent company to grant unlimited access to their bench techs, OR the company president every time some sorehead customer INSISTS on such contact is entirely rediculous! If YOU manufactured a product, and maintained a

repair/service facility - and paid pretty decent wages to bench techs to troubleshoot and repair failed units, would YOU want their productivity reduced - and YOUR expenses increased - as these techs held hands with long expensive telephone conversations to curious customers? OR, would you insist that they do what they're PAID to do - FIX as many units per shift as possible? OR as head man in the company, would you cheerfully answer EVERY complaining call from disgruntled. and quite likely unreasonable, customers - or would you instruct your secretary to do what she's PAID to do, and handle it without your involvement?

If your Ford breaks down, do you INSIST on a direct conversation with the president of FOMOCO just to appease your anger? Do you demand the head of GM to listen to your complaints about your Chevy Nova? I have LITTLE doubt that if guys like YOU were running the company and paying the bills, YOUR response would be pretty much EXACTLY as you have received!

For certain, it gets entirely TIRESOME for an isolated customer/user of a FORD, Chevy - or Kenwood or Icom - to have some unusual problem with their purchase, and IMMEDIATELY begin this massive wail of accusation and tiresome complaint as to how the company builds "junk" and abuses their customers with poor service and indifference...And ALSO claim to be speaking for "vast numbers of equally dissatisfied customers..."

And THEN, when the dust settles, you learn that the "abused" customer was himself abusive and unreasonable in his demands/expectations (Hey, after only 40,000 miles, the tires on my '95 Ford wore out, and I DEMAND you give me a whole NEW CAR as a "reasonable settlement"...) - and many times the unit in question was mistreated or was expected to perform in a manner clearly outside its specifications!

I'll be watching for your response to the *ACTUAL* numbers of SGC customers you suggest you're speaking for when you spout "percentages" and reputations...

>
>Chip

Gary - KJ6Q

674. Re: Kenwood TS-570 Mic Gain and Compression Settings?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: "Sheldon C. Shallon" <scs@ieee.org>
Message-ID: <36BF6413.3E57@ieee.org>
Source record: 117330

Gary - KJ6Q wrote:
>
> Sheldon C. Shallon wrote in message <36BE0953.23F4@ieee.org>...
> >On the TS-570, both the microphone gain level and the speech
> >processor compression level (Menu No. 15) affect the compression
> >meter reading. Also, they both affect the ALC meter reading.
> >What do these two adjustmnets actually do, and what is the
> >correct procedure for setting them?
> >
> >
>
> ON my 570D, the mic gain has NO effect on output OR meter readings
> when the compression is activated - I can turn the mic gain totally
> off, or wide open, and the output apparently is unaffected... I have
> assumed that is due to the output level, compression and ALC being
> "fixed" once set thru the menu settings, and then activated by the
> compression button... Otherwise, when compression isn't activated, the
> mic gain is normal... By the way, I have mine set for 10 db
> compression...
>
> And I'm STILL looking for a way to increase my output power from it's
> current 70-80 watts to a bit over 100...
>
> Gary - KJ6Q

I rechecked and found I had mis-stated my previous observations. The confusion arose because there are 2 independent MIC gain settings--one with processing ON and one with processing OFF. When processing is ON, MIC gain affects power, comp and ALC readings. COMP (I also use 10 dB) affects only the comp reading.

Once comp is set, I guess MIC gain should be set to make the meter readings look proper. But I still don't understand what the MIC and COMP settings actually do in the circuit. If I were to draw a block diagram, where do these adjustments appear?

675. Free RF Stuff (house cleaning)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: William Sarokin <soundbill@worldnet.att.net>
Message-ID: <36BF22BD.CAA2FA6E@worldnet.att.net>
Source record: 117331
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

Hi,
Here's some gear. It's either free or almost free. You pay shipping
though. For my convenience I ship Fed ex 2nd day or USPS Express Mail
(both have nearby drop-off boxes).

Motorola P100 Cloning Set (it's 2 faux battery cases w/ circuitry)

Motorola Spectra Base Station Power Supply. It's free, but it's heavy,
shipping will be approx $30-40.

Motorola 900 mHz Vehicle Adapter.

Trionyx 600 Mhz freq counter w/ internal (dead) nicad and wall wart.
This is $30 plus shipping.

Email me, Billy Sarokin
soundbill@worldnet.att.net

676. Tm-g707a?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: "Glenn E. Frasier" <kd5dmg@digitex.net>
Message-ID: <uZfo1V7U#GA.100@upnetnews02.moswest.msn.net>
Source record: 117332

I cant seem to find the mod for the kenwood tm-g707a. Deja news does not help. anyone have any pointers?

--

Glenn E Frasier jr. Kd5dmg
kd5dmg@msn.com
home page http://members.tripod.com/kd5dmg/

Moderator of Photosmart Email list on www.onelist.com
Archives at: http://www.onelist.com/archives.cgi/Photosmart
---

677. Re: Y2K Gold & Silver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: m4bz@garlic.SPAMNO.com
Message-ID: <36be9357.715474@news.garlic.com>
Source record: 117333
Cross-posted to: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment,rec.collecting.coins

Good point!!

On Fri, 5 Feb 1999 22:33:09 -0800, cmagers@sprynet.com (CW) wrote:

>Good plan but but Denny's? I think IHOP might be a better choice :)
>--
>CW
>KC7NOD

678. Re: [FS] Portable Mast & V/UHF antenna

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Gary Williams <williamsjg@erols.com>
Message-ID: <36BF7EEE.F7ED5E55@erols.com>
Source record: 117334
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

How much for the mast and the park on base?
Gary AA3NP

"Scott R. Ehrlich" wrote:

> I have:
>
> - New Wave Antenna portable 96" collapsed, 40 feet extended mast
>
> - New Wave Antenna park-on base for the above mast
>
> - Cushcraft AR-270 2m/70cm vertical antenna
>
> Offers please.
>
> Items in Boston, MA area.
>
> Thanks.
>
> --
> -------------------------
> Scott Ehrlich sehrlich@shore.net
> Scott Ehrlich Consulting http://www.shore.net/~sehrlich

679. Re: opening laptop battery packs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Dan <n7wpd@xxmission.com>
Message-ID: <79nus8$72o$1@news.xmission.com>
Source record: 117335

Propably the easiest way I have done them is to 'score' the seam with a carpenter's knife, and then smack it with a hammer(gently), of course. I have done this successfully on several Toshiba battery packs, and I am now going to have to do that on my LTE5100 pack. Oh joy...

Good luck fellas!

73 Dan / N7WPD

<brianburke@my-dejanews.com> wrote in message news:79le5s$su5$1@nnrp1.dejanews.com...
>In article <79l1hiini1@nnrp1.dejanews.com>,
> nworbekim@my-dejanews.com wrote:
>> Hello, I am looking at a couple of my laptop battery packs here and wondering
>> how in the world I can get them apart to rebuild them like I do my HT packs.
>> I have tried to pop them open with my little blades like I do the others, but
>> its almost like they are welded together or something.
>>
>> These are Compaq batteries for the LTE LITES....
>>
>> Any ideas? I am puzzled...
>>
>> thanks!
>>
>> de KM4IY in southern Kentucky
>>
>> -----------== Posted via Deja News, The Discussion Network ==----------
>> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>>
>
>You're not alone. I need some help with this also. Mine are "welded"
>together and must use short "AA" cells to arrive at 15V.
>
>Brian/N0iMD
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

680. Re: Tm-g707a?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Rick Pemble <pemble@earthlink.net>
Message-ID: <79o1nppaf1@ash.prod.itd.earthlink.net>
Source record: 117336

There are 2 "standard" mods from Kenwood, and one "discovered".

The first extends receive range to118.0 - 174.0320.0 on 2mtr
and a 'new' band of 525.0800.0 - 950.0

The second opens up transmit range for CAP/MARS.

The Third opens up Xmit VHF TX 136.995 - 173.995.
UHF TX should be 410-469.995

From the Kenwood site, get the mod for extended receive. In addition to the W501 jumper to cut (MOD 1), also cut the jumper next to it (MOD 2). Both of them are
obvious -- large green loop jumpers next to each other. (mod instructions can be gotten at ftp.kenwood.net) It is in PDF format and gives instruction
along with a diagram on how to cut W501 Jumper for MARS/CAP -- chop the one next to it too. That will give you the new band and 500-900 MHz RX.

For full xmit capability, follow the instructions for the TMV-7A mod with one exception, remove SM Resistor number 1 (not the number 0 for TM-V7A mod!).
The TM-V7A mod can be found at the QRZ site www.qrz.com. look under radio mods, and then TM-V7A.

Here is the text from that site AGAIN THIS IS FOR TM-V7A remove number 1 for the G707A:

Date: Sat, 31 Jan 1998
Subject: Mars/Cap mod for Kenwood TM-V7A

Remove the top and bottom covers and the detachable
face holder. Look at the p c board that is vertical behind
the front of the radio. There will be 2 small chip resistors
on the left side of the board. Carefully remove the one
with the number 0 . It will be the one closest to the left
near the grounding spring. You will probably have to scrape it off
with a pair of needle nose pliers.
After you remove it the TX should be VHF TX 136.995 - 173.995.
UHF TX should be 410-469.995

The drawback to this mod, is that you lose the auto repeater offset capability. (You have to manually enter - or + for repeater offset).

I recommend using the computer interface to program the radio. When you perform the mod, the radio resets and all memory is lost. If you have the computer interface, you can read the radio, save it, and then re-program it from the file. Much easier to program the radio, name, offsets, etc. on the keyboard then on the radio control panel.

I performed all three mods to my TM-G707A and they work flawlessly.

Cheers

Rick W4RP

Glenn E. Frasier wrote in message ...
>I cant seem to find the mod for the kenwood tm-g707a. Deja news does not
>help. anyone have any pointers?
>
>
>
>
>--
>
>Glenn E Frasier jr. Kd5dmg
>kd5dmg@msn.com
>home page http://members.tripod.com/kd5dmg/
>
>Moderator of Photosmart Email list on www.onelist.com
>Archives at: http://www.onelist.com/archives.cgi/Photosmart
>---
>
>

681. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Jim Copanos <n0ftc@evergreen.net>
Message-ID: <79o5c8snv1@remarQ.com>
Source record: 117337
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment

I'm surprised you are not more familiar if you are a peace officer. Ask most cab drivers or a Greyhound driver what they think. They are so equipped.
Jim
Dean, Greg wrote in message <79nd2ssvt1@news-2.news.gte.net>...
>:My department wants to add a GPS (global positioning system) tracking
>system to
>:our CAD system. As it could be paid for with a grant, cost is not a
factor.
>At
>:a recent supervisors meeting our deputy chief told us what a great system
>it
>:was. He even went on to tell us how the system was used to find a missing
>:officer was killed in the line of duty. He told us about another
department
>:whos officers adore the system.
>:
>:We find out in the first case, the department did not even have GPS &
>found
>:the officer doing an old fashioned grid search. In the second incident he
>:descrived, the officers on the department hate the system & refer to it a
>"sgt
>:in the trunk". In addition to their location, it tells how fast they are
>driving.
>:
>:The general feeling in the room with over 100 supervisors present is it is
>just
>:too much big brother & very bad for morale. Only a few knuckle heads
>thought
>:it was a good idea. If management was so concernened about things like
>safety,
>:the dash mounted camera would be better. Hell, just more new cars for that
>:matter.
>:
>:The implications of the system & being lied to really left a bad taste in
>:everyones mouth.
>:
>:Any thoughts?
>
>
>
>

682. WTB: Manual for Heathkit HW100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Rick <uwar2@ime.net>
Message-ID: <79o7cp$ip2$2@news.harvard.net>
Source record: 117338

Would like to purchase a manual or copy of a manual for a Heathkit HW100.
If you can help, please e-mail me.

Thanks in advance.

Rick

uwar2@ime.net

P.S. If you have a manual for a Heathkit HP-23-A power supply, I would be
interested in that also.

683. WTB: Heathkit HW100 Powercord

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Rick <uwar2@ime.net>
Message-ID: <79o7cn$ip2$1@news.harvard.net>
Source record: 117339

Would like to purchase a powercord for my Heathkit station. I have the HW100 and the HP-23-A AC power supply. If you have one please e-mail me with your price.

Thanks in advance.

Rick

uwar2@ime.net

684. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Andrew Kalinowski <lmi@globalserve.net>
Message-ID: <79o9a9$h3h$1@whisper.globalserve.net>
Source record: 117340
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

```
Dean, Greg wrote in message <79nd2s$svt$1@news-2.news.gte.net>...
>:My department wants to add a GPS (global positioning system) tracking
>system to
>:our CAD system. As it could be paid for with a grant, cost is not a
factor.
>At
>:a recent supervisors meeting our deputy chief told us what a great system
>it
>:was. He even went on to tell us how the system was used to find a missing
>:officer was killed in the line of duty. He told us about another
department
>:whos officers adore the system.
>:
>:We find out in the first case, the department did not even have GPS &
>found
>:the officer doing an old fashioned grid search. In the second incident he
>:descrived, the officers on the department hate the system & refer to it a
>"sgt
>:in the trunk". In addition to their location, it tells how fast they are
>driving.
>:
>:The general feeling in the room with over 100 supervisors present is it is
>just
>:too much big brother & very bad for morale. Only a few knuckle heads
>thought
>:it was a good idea. If management was so concernened about things like
>safety,
>:the dash mounted camera would be better. Hell, just more new cars for that
>:matter.
>:
>:The implications of the system & being lied to really left a bad taste in
>:everyones mouth.
>:
>:Any thoughts?
>
>
> Have them buy the Garmin GPS III+. It can be mounted on the
> dash. It has maps so the officer can use it to navigate. And it
> can be used with a data cable to feed position back to the the
> command post. Units run about $370.
>
> The GPS III+ can be updated via computer (new firmware)
> and maps can be downloaded. It also uses conventional
```

> position data.
>
> Garmin is industry leader. However Rockwell and Motorola
> very good units.
>
> http://www.garmin.com/
>
>
If you want Garmin, for a car dedicated unit get Street Pilot not G3+, but if your department really wants to install them in the cars, none of the cheep and cheerful units fits the bill. Screens are just to small, data input is not a "snap" if you are driving. I'm sure that there are dedicated units, designed just perfect for your application.

BTW
What is exactly Garmin leading in, so far (except for Street Pilot) they seem to be following somebody... I don't think I missed any news of new products?

--
Andrew K.

Don't drink and internet!

685. Re: SGC radio - Run! Run Screaming

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <79o8pk$8i1$1@news-2.news.gte.net>
Source record: 117341

NRS019 wrote in message

<much snippage of a VERY courteous post...)

>Again, I didn't mean to start a fight (well, at least not with the
members of
>the newsgroups). I just want a dialog with the company from whom I
buy
>expensive product.
>
>Jim Crosby

Jim, don't worry about it - I too frequently respond to issues sensitive to me with a bit more "vigor" than required. Problem is, I WAY too often run into these identical scenarios across the newsgroups I travel. In the Dodge truck group, a fellow has a relatively minor problem with his fairly new truck - gets annoyed at the service department of his local Dodge dealer, and is IMMEDIATELY shouting to all who will listen as to what a POS Dodges are, and how all Dodge owners must be brain-dead to own one... In the RV group, the scenario is repeated with various RV brands - and then there's the Amateur radio recent equipment group where you'll hear these complaints addressed eventually to virtually EVERY brand radio made!

These complaints are quite frequently accompanied with wild exaggerations as to the actual numbers of ANY of the customers actually involved, and it's not at all uncommon to hear threats of legal action against whatever maker happens to be involved.

Thru the years, I have owned just about every major brand of ham equipment sold - some of the stuff WAS poorly designed and built - Gonset and SBE were among the worse in my experience - but the VAST majority of stuff served me well, was as advertised, and when service WAS needed, the service department's attitudes very closely mirrored my own. For ME, it's been unheard of to be exposed to poor service reps, as long as I've addressed THEM with the same level of courtesy I expected to receive! The few times I let my emotions get the best of me, I STILL got good service - but certainly LESS cordialy than I might have otherwise - and the difference between me and the service rep was usually purely a communication problem that was, or COULD have been easily corrected if I had been more patient! But thankfully, those incidents were few and far between.

I sincerely hope you get your problem corrected to your satisfaction, and my apologies if I offended you with my comments.

Gary - KJ6Q

686. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Lawrence R Glickman <lglickman@ameritech.net>
Message-ID: <YCOv2.42773$ZP5.47984610@nntp0.detroit.mi.ameritech.net>
Source record: 117342
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Position averaging feature, to calm the effects of SA. Does Lowrance have
that? I've never even _seen_ a Lowrance (they don't sell them in my area
for some reason :(

--
Larry
lglickman@ameritech.net
A fracturing neutron star is a terrible thing to waste

Andrew Kalinowski wrote in message <79o9a9$h3h$1@whisper.globalserve.net>...
SNIP SNIP
>What is exactly Garmin leading in, so far (except for Street Pilot) they
>seem to be following somebody... I don't think I missed any news of new
>products?
>
>--
>Andrew K.
>
>Don't drink and internet!
>
>

687. Fs: Stanard Gx 3000 Series Radio.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Brian West <b_west@iquest.net>
Message-ID: <36BFAB1A.79D3CF39@iquest.net>
Source record: 117343

TI have two, One has a dtmf decoder, and one has a Ctcss Encoder in it both in goo condition, these are Bussness Band Radios. Both have dtmf mics. Their output is roughly 35 to 45 watts, and are 64 channels. They Have EPROM chips in them.

asking $150 for each or $250 for both.

688. Re: opening laptop battery packs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: &NM7U <&NM7U@hevanet.com>
Message-ID: <36BFAED0.FA71777B@hevanet.com>
Source record: 117344

Dave Martindale wrote:

> nworbekim@my-dejanews.com writes:
> >Hello, I am looking at a couple of my laptop battery packs here and wondering
> >how in the world I can get them apart to rebuild them like I do my HT packs.
> >I have tried to pop them open with my little blades like I do the others, but
> >its almost like they are welded together or something.
>
> Many recent battery packs are held together by gluing or welding the plastic
> rather than screws.
>
> Sometimes I've been able to get them open just by putting a sharp knife
> into the seam and prying, working my way around the pack and breaking a
> little bit of the glue/weld at a time.
>
> I've seen places that rebuild batteries hit the pack along the seam line
> using a hammer. This flexes the plastic enough to break the seam without
> doing much damage to the rest of the case.

Try this.Chuck the pack in a bench vise with the seam just above the vise line.
Don't squeeze it too hard or you'll mash the batteries inside.
Hit the seam with a hammer and wood chisel. Doesn't have to be a chisel,
just anything hard and very sharp. Screwdriver is too blunt.
miker

snip
--
Big list of WANTS and FORSALES at link below.
Return Address is Bogus.
TO REPLY CLICK HERE http://www.hevanet.com/nm7u
Or you can DELETE the & in the "from" address.

689. Standard C108A mod?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: David Hunter <dthunter@twlakes.Net>
Message-ID: <36BFB10A.2B9A98B9@twlakes.Net>
Source record: 117345

Anyone have the extended transmit mod for a Standard C108A HT. I can't seem to locate anything on this one. 73

--
David and Tammy Hunter
4367 Cumby Rd.
Cookeville, Tn. 38501 U.S.A.
Amateur Radio Call-KC4VPI
Putnam County
Grid EM-76
dthunter@infoave.net

690. Re: IC-751A vs. IC-735?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Steve Dove <dsp@hifidelity.com>
Message-ID: <36BFB57F.5A3510CC@hifidelity.com>
Source record: 117346

Hi Paul,

I own and regularly and heavily use both of these radios.

IC-735 - Great small-class radio. Very sensitive receiver, reasonably good front-end (better than anything else in it's class/size/era). The stock filters aren't wonderful (the 9MHz FL-30 ssb filter is directly upgradeable to the better FL-80, but the 455kHz little ceramic jobby, oh, well, never mind) but having said that I made literally tens of thousands of QSOs with this one (and one I previously owned but daftly sold) before putting 'real' filters in it. I love it. Downsides: noise blanker sucks goats (but can be improved), lack of XIT (RIT only), internal keyer control way touchy: 12 to 35 wpm in a sneeze. The squiggly little slider controls are not for those with less-than-dainty fingers.

IC-751a - excellent 'mid-size' radio. Remember that this was their 'top-of-the-line' until the marketing department decided it needed to be in a bigger box. Sensitive, good front end, decent stock filters and options. Possibility of internal PS-35 psu (but hideously expensive if it isn't installed in the one you get). An excellent performer and still a rig of choice by many contesters. As an example of the 'class' in it's design, it is one of the very, very few radios I've seen that actually has a specific front-end filter set for below the broadcast band (<500kHz), as opposed to just faking it like most of them. Now you may well be utterly uninterested in that bit of spectrum, but note that they went out of their way to do it well. That is what this radio is all about.

One potential nasty: the '751a's microcontroller's code is contained in a battery-backed-up memory. There exists the possibility of the radio hopelessly and totally losing it's mind. That means completely. It is a long shot and I've never actually heard of it happening to anyone, but it could well anytime, given the age of these radios nowadays. The methodology for changing the battery is straightforward though, and there is also a non-battery-backed-up memory available after-market with some minor code improvements (more memories etc.) for good measure.

Both radios have mid-80s style phase-lock-loop VFOs (as opposed to today's sometimes superior DDS-based synthesisers) which nevertheless in both their cases are pretty good and quiet examples.

Both radios are dramatically improved by the addition of International Radio after-market filters, which are both better and less expensive than Icom's. Fitting the full-size filters inside the '735 is, shall we say, 'interesting' but do-able and very much worthwhile. There are a host of other little mods and upgrades that may be done to improve the radios; let me know on which you decide.

Again, because of their age, they don't have some of the bells and whistles that one takes for granted on today's radios; the one I miss most is band-stacking registers; as they are, switching between bands lands you on some arbitrary and useless frequency each time. Under computer control from a decent logging program, 'CT' or probably also 'WF1B' for RTTY it is possible to type in the frequency on the keyboard and go; a saving grace. Oh, the UX-14 computer control interface card can cause the '751a to have slightly halting and erratic tuning if it is asked to continuously belch frequency changes; that facility is best turned off and 'as required' interrogation and control used instead.

Sorry, this has turned into a bit of a 'stream-of-conciousness' exercise...

RTTY. They both do real FSK keying for RTTY; I used a '735 on AMTOR for a while, the only shortcoming being the inability to use the cw filter in the ssb or tty modes; the pass-band tuning on the ssb filters became essential. OK but not ideal. The greater flexibility of the filter selection in the '751a may be a key consideration here for you. The thermal capability of both the radios is good. Despite it's small size, the '735 chucks out the heat very well. Both could probably stand full-tilt-boogie key-down for a good 30 minutes without complaining. Ah! True anecdote: The '735 once did the better part of a full 48 hour contest in the tropics with it's squirrel-cage fan siezed - and lived.

The '751a is a (slightly) older but fuller, more thorough design and has more facilities than the '735. On the other hand, the '735 is an amazing little package and fabulous radio-per-dollar value. Pure on-the-air performance, when properly equipped with the appropriate filters, frankly, little to choose. I'll happily take either on a marauding exercise to the bottom end of twenty during WorldWide and not feel naked.

If it's going to sit at home, the '751a. If it's going to travel at all, you'll really appreciate the '735.

Cheers, and hope this is of some help,

Steve W3EEE / G3YDV

Paul Knight wrote:

> Hi! I was hoping to gather opinion(s) from folks who have used both
> rigs as to which the felt was the superior rig. I'd be most interested
> in comparisons between their receivers, and RTTY operation.
>
> Thank you,
>
> Paul WD8DKY
> paul.knight@prairiecomm.com

691. want yaesu ft-8100r mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Alan Bethel <ke6qis@northcoast.com>
Message-ID: <79oe84$50p$1@remarQ.com>
Source record: 117347

does anyone have the mars/cap mods for the yaesu 8100r? I am
also interested in any other mods that can be done.
if you could you e-mail them to me? thanks and 73 for now.
alan ke6qis
e-mail ke6qis@nothcoast.com

692. Re: Sensitivity VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Francis <ve2fgs@videotron.ca>
Message-ID: <vfPv2.1496$vW6.1957@weber.videotron.net>
Source record: 117348

Not mentionned in my manual either... Probably 0.9uV....

_____
Francis VE2FGS
ve2fgs@videotron.ca

lbathe@sginet.com a crit dans le message
<79ludk$96j$1@nnrp1.dejanews.com>...
|Unless I am missing it, the manual doesn't seem to give sensitivity
|statistics for the frequencies 108-174 MHZ; 222-470 MHZ;and 729-999 MHZ.
|Does anyone know what they are? I've read a couple postings indicating
that
|the military air- band and frequencies above the 800 MHZ band was deaf.
I'm
|in an area where I can't pick up the military air-band and there isn't any
|800 MHZ activity, so I can't really check out my radio. Just curious.
|Thanks....
|
|----------== Posted via Deja News, The Discussion Network ==----------
|http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

693. GPS replys

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: honda <honda@netconx.net>
Message-ID: <36BFC856.2AA5@netconx.net>
Source record: 117349

Hello
I am in the gps business. You can go out and spend what ever money or grants you have. But I would really like to you to take a serious look into Eagle for hand held. Eagle has the fastest satelite capture on the market thats for a hand held. I would really lean hard to the Eagle Map Pro. You can down load and do flash up grades through your computer. Now if you want a vehicle unit I would go with the magellan with a Differential Beacon that narrows the range more exact. If you would like to mount a good system I would also consider a Databrick computer with a lcd monitor. this is what I have mounted in my Rover for tracking and mapping.

If you would like any more info please feel free to email.

gale
honda@netconx.net

694. Re: A YAESU RELECTOR??? OR NEWSGROUP??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: rexstout@uswest.net
Message-ID: <rexstout-0802992151320001@dialuph68.ptld.uswest.net>
Source record: 117350

> Is there a Yaesu Users Reflector?
> Or a Yaesu Newsgroup??
Try fox_tango@qth.net and fox-tango@qth.net. Not sure what the difference is, but they are seperate lists. Neither one is very active. To subscribe send a message to majordomo@qth.net and in the body type "subscribe listname"

> Their website appears down...
Sure looks like it. Not that it was a very good web site... I like the Japanese site(www.yaesu.co.jp), although it's impossible to read. But nice pics... I can't wait for the FT-90, but with the FT-100 being such a mess I wonder if anything will be showing up... And what's the deal with the VX-5? It just pops up suddenly. Normally it would have been listed on the Japan web site YEARS ago...

| http://members.tripod.com/~jrollins/index.html - Computers |
| http://www.geocities.com/Area51/Lair/1681/ - Star Trek |
| OrHam@qth.net list admin KD7BCY |
---

695. Drake TR-4C with VFO 4-sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Dwayne <bilo@megalink.net>
Message-ID: <YSKv2.196$hu.10836200@news.megalink.net>
Source record: 117351

Selling my Drake TR-4C with VFO. The rig is in very good shape and I have worked the world over with it.The power switch on front of rig doesnt work but I just hooked up an external switch to turn on.A little off freq on 80 meters on the receive end but I would just zero beat the other operator.Really a nice rig and sometimes with right tuning I could get 125 to 150 watts out.Give me a holler at bilo@megalink.net and also check out some of the nice qsl's I received with the rig at http://www.megalink.net/~bilo Asking 150 dollars . All boxed and ready to go.Dwayne

696. Scope and Bird Wattmeter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Ted Andros <tandros@worldnet.att.net>
Message-ID: <79n0nj$ae7@bgtnsc02.worldnet.att.net>
Source record: 117370

B&K Precision Model 1541B DUAL TRACE 40 MHz SCOPE. Absolutely like new. Aslo, Bird Model 43 Wattmeter with one element (10w 25-60 MHz) Ted Andros, W0URN, tandros@worldnet.att.net. Want to purchase or trade for MFJ Antenna Analyser.

697. FS: MFJ 949E Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Kirby <memdata@flash.net>
Message-ID: <DZzv2.4$V55.91@news.flash.net>
Source record: 117371

Like new MFJ 949E 300 watt Deluxe Versa Tuner antenna tuner with manual. $90 shipped. Kirby
memdata@flash.net

698. Re: SGC radio - Run! Run Screaming

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: cwmoor@pacbell.net
Message-ID: <36bf0677.160358754@news.pacbell.net>
Source record: 117372

My good experiences: Dec '98, Jan '99

Chris

On 8 Feb 1999 14:50:56 GMT, "Watch Dog" <watcher@ispyonu.net>(if
that's your real name) wrote:

>
>Well hello Gary,
>
>I'm glad to see you are the same know-it-all asshole here as you are
>on the RV group. Why don't you bring your idiot friend Will Sill then
>you can really be a jerk.
>
>Interesting enough I have had then same experience with my tuners
>IN THE PAST. recently things have chainged. It used to be that I
>could easily talk with a tech and SGC had excellent customer service.
>Lately when I have called for applicaton information I have been
>stone-
>walled just like the original poster was. Perhaps your experience is
>a
>little out of date. Or perhaps you don't actually know it all, no
>that
>couldn't be.
>
>Work on your tone a little why don't you? Read a little less of that
>jackass Will Sill and learn to be a bit more civil.
>
>Gary - KJ6Q <davison7@gte.net> wrote in article
><79kq8a$q3$1@news-1.news.gte.net>...
>>
>> NRS019 wrote in message
>> <19990207002804.20285.00000874@ng105.aol.com>...
>> >I've been having a terrible time with SGC. I can't even get a
>> response from
>> >customer service. I sent a 2000 chassis back for warranty repair,
>> but they
>> >won't tell me what was wrong with it or what they did.
>> >
>> >I'm so dissatisfied that I'm trying to get other dissatisfied
>users
>> together
>> >for a possible class action.
>>
>> YUP - always SOMEONE out to air some trivial "slight" they usually

>> DESERVED as the result of poor attitude - and THEN they immediately
>> want to sue someone for all the "mental anguish" they brought upon
>> THEMSELVES!
>>
>> Rest assured that for ALL your efforts, all you will receive will
>be
>> elevated bloodpressure and spinning wheels...
>>
>> I have a SGC 230 that's been back to them TWICE over the last 5
>years
>> or so for failures I brought upon myself thru poor electrical
>> connections - they have ALSWAYS been fast and courteous - and
>upgraded
>> my tuner BOTH times during repair...
>>
>> Now, WHY do you suppose they would single YOU out for abusive
>> treatment? Could it be YOUR attitude in dealing with THEM?
>>
>>
>> NAHHHhhh - SURELY not......
>>
>> Gary - KJ6Q
>>
>>

699. FS: Bendix/King Rapid Charger Model LAA0325

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: kd5gch@usa.net.NOSPAM
Message-ID: <Oyqv2.5951$OS5.6330521@news3.mia>
Source record: 117373

FOR SALE:

Bendix King Rapid Charger Model LAA0325

Rapidly recharges a battery pack or radio to 90% of capacity. Once rapid charging is complete, unit automatically switches to a trickle rate to maintain the charge without damaging the battery pack. Red and Green LED indicators confirm proper contact with the battery and show the charge rate.

Size: 7x3.75x3.5 Inches
Weight: 3 Lbs. 2 oz.
Power Cord: Grounded, 3 Conductor Cable, 78" Length.
LAA0325 is CSA Approved.

Unit is in EXCELLENT condition and works fine.
Price is $50.00 (firm) + shipping from Baton Rouge, LA 70808

Email if interested.
kd5gch@usa.net
Todd

==========
73 de KD5GCH. Remove the "NOSPAM" from my email before replying.
Spam Bait: admin@loopback, $LOGIN@localhost, $LOGNAME@localhost, $USER@localhost, $USER@$HOST,-h1024@localhost,root@mailloop.com
==========

700. Re: SGC radio - Run! Run Screaming

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Watch Dog <watcher@ispyonu.net>
Message-ID: <01be5372$62c66960$92c6b8cd@MyComputer.nowhere.net>
Source record: 117374

Well hello Gary,

I'm glad to see you are the same know-it-all asshole here as you are
on the RV group. Why don't you bring your idiot friend Will Sill then
you can really be a jerk.

Interesting enough I have had then same experience with my tuners
IN THE PAST. recently things have chainged. It used to be that I
could easily talk with a tech and SGC had excellent customer service.
Lately when I have called for applicaton information I have been
stone-
walled just like the original poster was. Perhaps your experience is
a
little out of date. Or perhaps you don't actually know it all, no
that
couldn't be.

Work on your tone a little why don't you? Read a little less of that
jackass Will Sill and learn to be a bit more civil.

Gary - KJ6Q <davison7@gte.net> wrote in article
<79kq8a$q3$1@news-1.news.gte.net>...
>
> NRS019 wrote in message
> <19990207002804.20285.00000874@ng105.aol.com>...
> >I've been having a terrible time with SGC. I can't even get a
> response from
> >customer service. I sent a 2000 chassis back for warranty repair,
> but they
> >won't tell me what was wrong with it or what they did.
> >
> >I'm so dissatisfied that I'm trying to get other dissatisfied
users
> together
> >for a possible class action.
>
> YUP - always SOMEONE out to air some trivial "slight" they usually
> DESERVED as the result of poor attitude - and THEN they immediately
> want to sue someone for all the "mental anguish" they brought upon
> THEMSELVES!
>
> Rest assured that for ALL your efforts, all you will receive will
be
> elevated bloodpressure and spinning wheels...
>

> I have a SGC 230 that's been back to them TWICE over the last 5
years
> or so for failures I brought upon myself thru poor electrical
> connections - they have ALSWAYS been fast and courteous - and
upgraded
> my tuner BOTH times during repair...
>
> Now, WHY do you suppose they would single YOU out for abusive
> treatment? Could it be YOUR attitude in dealing with THEM?
>
>
> NAHHHhhh - SURELY not......
>
> Gary - KJ6Q
>
>

701. Re: Kenwood TS-570 Mic Gain and Compression Settings?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: charlesdavis@worldnet.att.net
Message-ID: <MPG.1128016d86d53c219899f2@netnews.worldnet.att.net>
Source record: 117375
Body handling: HTML body converted to readable text

[This followup was posted to rec.radio.amateur.equipment and a
copy was sent to the cited author.]

In article <79lan1$nc1$1@news-2.news.gte.net>, davison7@gte.net
says...
> And I'm STILL looking for a way to increase my output power from it's
> current 70-80 watts to a bit over 100...
>
> Gary - KJ6Q

I can tell you how to do this, but your power meter on the
front of the rig will then only go to about 60 watts. It's a
little tricky, and done thru a hidden menu.
Let me know if you're game.
73,
--
Charles
<<>>
For Life!

702. WTB: Icom 900 Mobile System

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36c46189.203084837@news.earthlink.net>
Source record: 117376

Wanted: Icom 900 Mobile System
Reply Email with price and options.
Rich

703. Re: RS HT 202 ERR 2?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: radioears@aol.com
Message-ID: <19990208110601.19200.00000008@ng28.aol.com>
Source record: 117377

I've got a similar problem with the 202. It locks up with same msg. It's due to insufficient shielding; RShack can fix the problem - for a price - I had mine done under the extended warranty and it still experiences same problem. Always happens when I use a new or fully charged NiCd, new alkaline "AA" batteries with rubber duck antenna with radio on HIGH power. Low power setting doesn't produce message.
John

704. MH-29 Yaesu Display Mic Manual needed.... or copy..

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: chia@news.utk.edu
Message-ID: <79m77v$b4n$2@gaia.ns.utk.edu>
Source record: 117378

Well, to make a long story short, I got a display mic (Yaesu MH-29) used for my FT-530 and the person didn't have a manual and I would like to get one or a copy of one to have so I can read about it. the buttons are all almost wore completely off. Any help would be greatly appreciated. I can send SASE and maybe cover copy fees also. E-Mail me and let me know if you can help. Thanks...

--
====----****----====
73 de KF4UAE
KF4UAE@qsl.net
chia@korrnet.org
John R. Alley

705. IC-751A vs. IC-735?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Paul Knight <paul.knight@prairiecomm.com>
Message-ID: <79n2fm$d6h$1@eve.enteract.com>
Source record: 117379

Hi! I was hoping to gather opinion(s) from folks who have used both
rigs as to which the felt was the superior rig. I'd be most interested
in comparisons between their receivers, and RTTY operation.

Thank you,

Paul WD8DKY
paul.knight@prairiecomm.com

706. Re: 10 GHz Transmitter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Bill Crocker <bcrocker@home.com>
Message-ID: <zqAv2.87$lg1.354@news.rdc1.mi.home.com>
Source record: 117380

Rich:

Just pry the door off your microwave oven! :) (JUST KIDDING!!!)

I suppose it would be legal if you had a license to operate at that
frequency.

Bill

RICHARD FLORES wrote in message
<79m5h1$4rs$1@newssvr04-int.news.prodigy.com>...
>Anyone have one available? Is it legal?
>
>R.
>
>
>

707. Midland Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Doug Johnson <cent16@dlcwest.com>
Message-ID: <36BF0C24.B0F07AEA@dlcwest.com>
Source record: 117381

Does Midland radio hve a website? I'm looking for information on a Midland model 70-340B. I'd like to convert it to use a an amateur radio...

708. 7768 tube wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: ALEX KOSMAN <cerakak@tx.technion.ac.il>
Message-ID: <79meds$t89$1@techftp.technion.ac.il>
Source record: 117382

hello,

7768 planar triode wanted

thanks
alex

709. FS: YEASU FT 5100 144/440 Transciever

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Kirby <memdata@flash.net>
Message-ID: <TXzv2.3$V55.206@news.flash.net>
Source record: 117383

YEASU FT 5100 144/440 transciever 50/35 watts. Excellent condition with hand mike, DC cable, manual in original box. $275 shipped. Kirby mendata@flash.net

710. FS Wiltron RF Network Analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: paul@pachena.ca
Message-ID: <79ndnv$f7d$1@nnrp1.dejanews.com>
Source record: 117384
Cross-posted to: sci.electronics.equipment,rec.radio.swap,rec.radio.amateur.equipment

Hello,

I have for sale a Wiltron 6409 RF network analyzer with original operating and service manuals. Includes RF detector and SWR detector. Operates up to 2 GHz. Mint condition. Made in 1991. Email me for more details.

$1500 US

Thanks,

Paul

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

711. ATAS-100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: oe1mha <oe1mha@aon.at>
Message-ID: <79ld3h$d044@WS01IS04.highway.telekom.at>
Source record: 117385

Does anybody know exactly how the Yaesu ATAS-100 for the FT-847 and FT
100 works.
Tnx and 73. mike

712. pjgreene@harborcom.net

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Denis <dzdelar@usa.net>
Message-ID: <79mnbmkcl1@as102.tel.hr>
Source record: 117386

Have you solution for shipping in Croatia (Europe, near Bosnia).Offcorese
for paying to.

dzdelar@usa.net

713. 10 GHz Transmitter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: RICHARD FLORES <RICHARD_FLORES@prodigy.net>
Message-ID: <79m5h1$4rs$1@newssvr04-int.news.prodigy.com>
Source record: 117387

Anyone have one available? Is it legal?

R.

714. @@For Sale - Test Equipment and Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: wa4vrv@srv.net
Message-ID: <36bee73f.39791875@news.srv.net>
Source record: 117388

Hi and thanks for reading this posting. I am posting this equipment for a friend who does not have internet access. I am only posting and am not involved in any dealings. If you have any questions or want additional information, contact the owner! OWNER - DOUG MCFALL, N7JHS, (208) 524-2110:

Hewlett Pacard HP 608E Signal Generator - Very Good Condition with manual - $225.00 + shipping

B&K Model 1075 Television Analyst - $50.00 + shipping

B&K Model 1541 40 MHz Dual Trace Oscilloscope with probes - $475.00 + shipping

Philco Model M8104 Television Field Strength Meter - $30.00 + shipping

Astron SS-25 Power Supply - $80.00 + shipping.

AGAIN, CONTACT THE OWNER VIA TELEPHONE FOR ALL SALES, OFFERS AND ANY ADDITIONAL INFORMATION AS I DO NOT HAVE ANYTHING OTHER THAT WHAT IS ABOVE FROM A PIECE OF PAPER!!!!!!

715. Re: Info needed YAGI

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Don Bertone <dbertone@flash.net>
Message-ID: <36BE3724.84E6432B@flash.net>
Source record: 117389
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

You have a 21 foot beam but it opnly has 4 elements? Better check again.

Bill & Patricia wrote:

> I recently acquired a 4 element yagi for the 2 meter band but the elements
> are badly damaged
> what i need are the lengths of each element to rebuild it
>
> center beam is 21 feet
>
> reflector is dead rear
> driven element is 6' from rear
> directors are 11.5' and dead front on the beam
>
> any help would be appreciated buffaloe@ipa.net

716. Re: Icoms Web Page

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: AC6V <ac6v@ix.netcom.com>
Message-ID: <36BEDFB4.1840@ix.netcom.com>
Source record: 117390

Bird459 wrote:
>
> What is the address of Icoms Web page
>
> Thanks
> J

Howdy J. You can find the Icom web page and 40 others at URL:
http://www.ac6v.com/pageax.html

For a hundred plus Ham related mfg's see URL:
http://www.ac6v.com/pagef.html
--
AC6V INDEX TO DX AND HAM RADIO
FEATURING 88 PAGES, 400 INDEXED TOPICS, AND 3000 LINKS
Over 288,000 visits on the counter
http://www.ac6v.com/pageas.html -- Alphabetical Index
http://www.ac6v.com/ -- Home Page

717. Re: FS: Icom 751A Latest Production(SOLD)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: kvanderlin@aol.com
Message-ID: <19990207204212.20488.00001207@ng20.aol.com>
Source record: 117391

SOLD. Thanks for replies.

Van

718. Cable schematic for Kenwood radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: kb2ehj@mindspring.com
Message-ID: <OnJet0TDpclF-pn2-fr8jdFVu9uiH@user-38ld9fc.dialup.mindspring.com>
Source record: 117392
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.misc

Does anyone have or know were I can locate a cable
schematic diagram for the PG-4S PC interface cable?

I have a TM-V7A that it would be used on.

Thank you in advance.

Mark - KB2EHJ
kb2ehj@mindspring.com

719. Re: Info needed YAGI

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: ve6inm@telusplanet.net
Message-ID: <79nql4$q2a$1@nnrp1.dejanews.com>
Source record: 117393
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

Sounds a bit wide for spacing, but if it was a homebrew idea, maybe they used one wavelength spacing from REF to DE. Unusual configuration! Possibly it is a 10mx beam with a more conventional distance of .15 to .25 wavelength spacing. Even at that, it sounds like the first director is missing. What length are the elements? That should give you an idea of the band it was made for. 73 de VE6INM dbertone@flash.net wrote:

> You have a 21 foot beam but it opnly has 4 elements? Better check again.
>
> Bill & Patricia wrote:
>
> > I recently acquired a 4 element yagi for the 2 meter band but the elements
> > are badly damaged
> > what i need are the lengths of each element to rebuild it
> >
> > center beam is 21 feet
> >
> > reflector is dead rear
> > driven element is 6' from rear
> > directors are 11.5' and dead front on the beam
> >
> > any help would be appreciated buffaloe@ipa.net
>
>

VE6INM (Glenn)

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

720. Re: SGC radio - Run! Run Screaming

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: chipa@eskimo.com
Message-ID: <36BF1F94.ED3627F7@eskimo.com>
Source record: 117394

Chris wrote:

> Is my experience also the exception?
>
> Chris

Chris,

As our esteemed leader might say, it depends what you mean by "exception". We aren't dealing with scientific sample sizes here--I don't know how many SG-2000s are out there. I can't speak for Jim, but my personal experience, involving radios I have owned or personally checked out combined with my firsthand knowledge of others' experiences over the decades has shown a relatively low (under 5%) incidence of serious problems with Kenwoods and Icoms; the addition of your and Gary's positive luck still leaves the comparable figure for the SG-2000 at around 86%. If you consider replaced or 'repaired' SG-2000s as separate units, that figure goes way up (the majority seem to fail multiple times), to over 92%. The real numbers may not be this high--this is just my personal experience--but SGC didn't acquire its hideous reputation for no reason. As for their customer service, it can range from extremely accommodating (as when a unit is under warranty, with the techs bending over backwards to help you) to considerably less than that, depending on the moon's phase and who answers the phone; the operative word is 'erratic'.

Believe me, I'm happy for you both, and envy you mightily. I sincerely hope your good fortune continues, especially if you take those radios offshore. However, I'll leave it to you to decide whether or not there just might be a problem here...

Chip
Seattle
chipa@eskimo.com

721. Re: TenTec Scout vs. SGC 2020

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: n4lq@iglou.com
Message-ID: <36bf20d3.0@news.iglou.com>
Source record: 117395

Has anyone come up with a cure for the jumping Scout?

Richard Lubash (XXXXrlubash@poco.mv.com.) wrote:
: In article <36B8FD0B.78C6917F@mediaone.net>
: Mariner <Mariner@TheHelm.nospam.com> writes:

: > Any comments on either rig? I'd be doing most fixed-base rather than
: > mobile or outings.
: >
: > TNX and 73 de Michael N1XTV
: ----------
: Hi Michael,

: I Have both a Scout and a SG-2020 each rig has it's advantages and
: disadvantages. The Scout has much better audio for SSB and because of
: that I ended up putting it in my car. The 2020 has more bells and
: whistles and if you don't mind semi-break-in and a somewhat noisy relay
: makes a fun CW rig. I have been using mine QRP and have had great
: success. I had both on the bench as QRP CW rigs and the sensitivity of
: both rigs was pretty close but on weak signal work neither rig could
: pick out signals as well as my TS 950SDX (duh, could it be the extra
: $3500). All-in-all it's really a matter of operating preferences and
: what is fun for you. The SGC offers a lot of features the big rigs
: offer with no messy module switching. The Scout offers great audio,
: smooth QSK and a much more readable display.

: If you have any further questions please feel free to email me.

: 73

: Richard / N1VXW

: ----------

: Richard Lubash
: N1VXW
: email XXXXrlubash@poco.mv.com
: ----------
: ATTENTION: To stop that pesky junk mail I have
: put the prefix (XXXX) at the front of my email address. To reply
: remove (XXXX)

--
Steve Ellington N4LQ
N4LQ@IGLOU.COM

722. It Is The WEB COP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990207213800.20171.00001370@ng-fb1.aol.com>
Source record: 117396

Subject: Re: Is This The Web Cop
From: Terry Brown <browntl@concentric.net>
Date: Sun, Feb 7, 1999 11:34 AM
Message-id: <36BDC002.ECAC8430@concentric.net>

The guy must be a bit screwy. Why would a person who needs to sell
something not post it to multiple groups (how else could you get as much
coverage as possible and hopefully get it sold)?
Terry

KB5MER wrote:

> Subject: Re: Antenna Tuner For Sale
> From: "tcrpe" <tcrpe@yahoo.com>
> Date: Sat, Feb 6, 1999 12:12 AM
> Message-id: <FbQu2.12725$3J3.2941@news2.giganews.com>
>
> How come you don't post this to rec.radio.amateur.swap? You've got it on
> just about every other group there is!
>
> TR
>
> (into the killfile KB5MER -- just too much spam -- give it a rest)
>
> KB5MER wrote in message <19990205205308.23964.00000200@ng30.aol.com>...
> >
> >For Sale 1500 Watt Antenna Tuner
> > > Roller Inductor/Air Variable
> > > built in 1500W Dry Dummy Load
> > > $450.00 + shipping
> > > From Austin, Texas
> > >

723. Re: Midland Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Solarpower1watt@Juno.com
Message-ID: <GIFv2.2818$1a1.65494@newsfeed.slurp.net>
Source record: 117397

In article <36BF0C24.B0F07AEA@dlcwest.com>, Doug Johnson <cent16@dlcwest.com> wrote:
>Does Midland radio hve a website? I'm looking for information on a
>Midland model 70-340B. I'd like to convert it to use a an amateur
>radio...
>
>

I believe it will convert nicely. If it's close to a 70-342, it is an 80 channel, 40 watt radio. It has an EEPROM which is programmed with a proprietary Midland 70-1000 programmer, (Good luck finding access to one). I have had such a radio on 2M in the past and it worked fine.

Ed

REPLY INFO:
==========
Return address modified to prevent automatic SPAM response.
TO REPLY: remove the "watt" from my return address.
==========

724. Re: opening laptop battery packs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: davem@groucho.cs.ubc.ca
Message-ID: <79n969$kkn@groucho.cs.ubc.ca>
Source record: 117398

nworbekim@my-dejanews.com writes:
>Hello, I am looking at a couple of my laptop battery packs here and wondering
>how in the world I can get them apart to rebuild them like I do my HT packs.
>I have tried to pop them open with my little blades like I do the others, but
>its almost like they are welded together or something.

Many recent battery packs are held together by gluing or welding the plastic rather than screws.

Sometimes I've been able to get them open just by putting a sharp knife into the seam and prying, working my way around the pack and breaking a little bit of the glue/weld at a time.

I've seen places that rebuild batteries hit the pack along the seam line using a hammer. This flexes the plastic enough to break the seam without doing much damage to the rest of the case. I imagine it takes some experience to know just *where* to hit and *how hard* to break the seam without breaking the case. If the pack is junk anyway, you might try this - you don't have anything to lose. Or you might try taking your pack to a commercial battery rebuilder, who is experienced at this.

I've also heard of people putting packs in the freezer for a while to make the plastic more brittle. This would make it easier to break the seam, but also easier to break the case elsewhere.

Dave

725. COMMON MODE FILTERS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <79n9go$ph5$1@news-2.news.gte.net>
Source record: 117399
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

Thru the years, I have found low-pass filters to be rather useless in eliminating the typical types of local interference most experienced/caused by my HF ham equipment - most interference seems to be primary overload to telephones, solid-state audio equipment - even the computerized portion of our electric stove!

NOW, I am hearing about new "common-mode" filters, and their claimed ability to reduce or eliminate the types of interference not handled by low-pas filtering.

Question is, are these claims true - has anyone here benefitted from the capabilities of the common mode filters that they were NOT able to with a low-pass?

Gary - KJ6Q

726. Re: SGC radio - Run! Run Screaming

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <79n9v5$b89$1@news-2.news.gte.net>
Source record: 117400

Watch Dog Rants at great length...
<01be5372$62c66960$92c6b8cd@MyComputer.nowhere.net>...
>
>Well hello Gary,
>
>I'm glad to see you are the same know-it-all asshole here as you are
>on the RV group. Why don't you bring your idiot friend Will Sill then
>you can really be a jerk.
>
>Interesting enough I have had then same experience with my tuners
>IN THE PAST. recently things have chainged. It used to be that I
>could easily talk with a tech and SGC had excellent customer service.
>Lately when I have called for applicaton information I have been
>stone-
>walled just like the original poster was. Perhaps your experience is
>a
>little out of date. Or perhaps you don't actually know it all, no
>that
>couldn't be.
>
>Work on your tone a little why don't you? Read a little less of that
>jackass Will Sill and learn to be a bit more civil.

"More civil?"

Like YOUR post up above perhaps? Ever hear the phrase "pot calling the
kettle black?"

I rather suspect it was coined with folks like YOU in mind... It fits
you PERFECTLY!

OH, by the way, MY SGC tuner was sent in for repair and upgrade within
the last 60 days - is THAT recent enough for you?

Gary - KJ6Q

727. Re: Haw to put up my X-Yagi antenna to Right circulated polarisation ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: "Allan H. Kaplan" <akaplan@fallschurch.esys.com>
Message-ID: <36BF2F07.416294F8@fallschurch.esys.com>
Source record: 117401
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,tw.bbs.rec.radio.amateur,uk.radio.amateur
Body handling: Binary attachment payload not displayed: vcard.vcf

Geert, I believe that you need to connect the horizontal and vertical feedpoints of your crossed yagis with a 90 degree phase shifter. This would be a quarter wavelength (including velocity factor) of coaxial cable. You would then connect your feedline to one of the feedpoints. I am not sure which one (horizontal or vertical) would go to the feedline for right-hand circular polarization. You need to check a good book or a more experienced VHF/UHF ham. If you connect the feedline to the "wrong" antenna, you get left hand circular polarization instead of right-hand! This all assumes that the horizontal and vertical elements are coplanar, or very close together. If they are not you would have to compensate with the phase shifter. Hope this helps!
73 de W1AEL
--

Allan H. Kaplan 703-560-5000, x4717 Fax: 280-1241 MS A404
Staff Electronic Engineer, Raytheon Systems Company, Falls Church
speaking only for myself, not necessarily for my employer... (8-)=

[One or more binary attachments are retained only in the source text.]

728. dual-band commercial HT w/motorola-type paging?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: rsimpson@cherryvale.org
Message-ID: <36be5b2c.8223524@nntp.netcruiser>
Source record: 117402

Hi all..

I posted a couple of weeks ago looking for a dual-band motorola ht, but it seems such a radio doesn't exist. So, i'm now looking for just about any dual-band commercial HT that has the HT/MT1000 style paging tones (quickcall, i think). Preferably something buff and tough like the motorolas or bendix kings.

If such a thing does exist, can it be programmed with a tone for VHF and a different tone for UHF?

Thanks!

Ross Simpson
NREMT-B
Cherryvale Fire Protection District
Boulder County, Colorado
rsimpson@cherryvale.org

729. Re: Auto Problems from Transmitting

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: bb840@scn.org
Message-ID: <F6uKx4.3KE@scn.org>
Source record: 117403

In a previous article, jmello@lynx.dac.neu.edu ("J Mello") says:

>Can anyone tell me if they have experienced car problems when transmitting.
>My Ford Ranger Pickup has a warning in the manual about transmitting may
>cause damage to the electronics.
>

First thing I would do is contact Ford for any information they can
provide on installing a transmitter in one of their vehicles.
--
A.D. 1999 - The LAST year of the 1900's.
A.D. 2000 - The LAST year of the 20th Century.
Jim Aeschliman, W7WJM
Black Diamond, Washington w7wjm@arrl.net

730. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <79nd2ssvt1@news-2.news.gte.net>
Source record: 117404
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

:My department wants to add a GPS (global positioning system) tracking
system to
:our CAD system. As it could be paid for with a grant, cost is not a factor.
At
:a recent supervisors meeting our deputy chief told us what a great system
it
:was. He even went on to tell us how the system was used to find a missing
:officer was killed in the line of duty. He told us about another department
:whos officers adore the system.
:
:We find out in the first case, the department did not even have GPS &
found
:the officer doing an old fashioned grid search. In the second incident he
:descrived, the officers on the department hate the system & refer to it a
"sgt
:in the trunk". In addition to their location, it tells how fast they are
driving.
:
:The general feeling in the room with over 100 supervisors present is it is
just
:too much big brother & very bad for morale. Only a few knuckle heads
thought
:it was a good idea. If management was so concernened about things like
safety,
:the dash mounted camera would be better. Hell, just more new cars for that
:matter.
:
:The implications of the system & being lied to really left a bad taste in
:everyones mouth.
:
:Any thoughts?

Have them buy the Garmin GPS III+. It can be mounted on the
dash. It has maps so the officer can use it to navigate. And it
can be used with a data cable to feed position back to the the
command post. Units run about $370.

The GPS III+ can be updated via computer (new firmware)
and maps can be downloaded. It also uses conventional
position data.

Garmin is industry leader. However Rockwell and Motorola
very good units.

http://www.garmin.com/

731. DD-1 Display Needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Jim Allen <jimallen@cup44ux.cup.hp.com>
Message-ID: <36BF3404.37A4@cup44ux.cup.hp.com>
Source record: 117405

I'm in need of a Spectronics digital display, Model DD-1.

Thanks,

Jim

732. Change Bandwide to R5000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Martin <martinbk@cityweb.de>
Message-ID: <36BF363E.261A9B2F@cityweb.de>
Source record: 117406

Hello ,
I've a problem: I want to change the bandwide at the Kenwood R5000 Receiver. Does anyone know a trick or solution to get the bandwide larger as the normal setting? So 40KHz would be ok.

Greets Martin (Germany) martinbk@cityweb.de

733. 7768 Planar Triode

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: arnoldg@sf.telia.no
Message-ID: <36bf3097.655035@news1.telia.com>
Source record: 117407
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

On Wed, 27 Jan 1999 10:55:53 +0200, "ALEX KOSMAN"
<cerakak@tx.technion.ac.il> wrote:

>hello,
>
>
>looking for a planar triode marked as:
>
>7768
>

Hello,

You have asked for 7768 valves many times before, and I have posted
this message many times. Haven't you noticed?

7768 General Electric NOS, NIB are in stock. This is a very special
valve with a transconductance of 50mA/V and u=225
I can find a few more data for you if you want it. This is a rather
expensive valve NOK 760.- each or about US$ 103.-

Best regards,

Arnold Goksoyr

DEMOSTENES A. Goksoyr
N5850 Balestrand
NORWAY
Phone +47 5769 1340
Fax +47 5769 1267
e-mail arnoldg@sf.telia.no

More than 1800 different valves in stock. Plus: sockets,
transformers, caps, resistors and books about valves and
valve equipment. Many rare European valve types.
You will find it at my homepage: http://demostenes.vestdata.no

734. Interfacing IC-707 to PC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: kt4ht@aol.com
Message-ID: <19990208143149.04740.00000133@ng-cg1.aol.com>
Source record: 117408

Has anyone interfaced an Icom 707 tranceiver to their PC. If so, what program did you use, and interface (cable or CT-17 level converter)?

Thanks,

Mike, KT4HT

735. Re: Drake 2B price?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: J Peitsch <peitsch@concentric.net>
Message-ID: <79nc16$mbt@journal.concentric.net>
Source record: 117409
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Depends if your dealing at a swap meet or e-bay :-)

James Skalski wrote in message <36BE5436.151B56B1@buffnet.net>...
>
>--What is the going price for a Drake 2B with VLF converter?
>Anyone out there is radio land have a clue?
>Please Email direct.
>
> 73,
>
> Jim N2go

736. Re: COMMON MODE FILTERS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Roy Lewallen <w7el@teleport.com>
Message-ID: <36BF46F2.D8F5D11A@teleport.com>
Source record: 117410
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

A standard lowpass filter lets the RF get through unattenuated but attenuates higher frequency energy. In most cases, you don't want any common-mode RF at all (as on an antenna feedline or appliance power cord), so you attenuate it as well as higher frequencies with a common-mode choke.

A common-mode filter or choke applied to an antenna feedline is also known as a "choke balun" or "current balun". Using one reduces the current on the outside of a coax feedline, or reduces common-mode ("antenna") current on twinlead type lines. This reduces radiation from the line to the types of appliances you mention, which may be far from the antenna but close to the feedline.

I've solved several EMI problems by applying a common-mode choke to the affected appliance. The interference is frequently coupled via the mains, so a few turns of the power cord (both conductors together!) through a large ferrite core can help in a lot of cases. The same technique is often effective for telephones, where the telephone wire (again, all conductors) is wound on the core. Clamp-on cores work in some cases, but since the impedance goes up in proportion to the square of the number of turns, you can get a lot more impedance with multiple turns on a single core.

Roy Lewallen, W7EL

Gary - KJ6Q wrote:
>
> Thru the years, I have found low-pass filters to be rather useless in
> eliminating the typical types of local interference most
> experienced/caused by my HF ham equipment - most interference seems to
> be primary overload to telephones, solid-state audio equipment - even
> the computerized portion of our electric stove!
>
> NOW, I am hearing about new "common-mode" filters, and their claimed
> ability to reduce or eliminate the types of interference not handled
> by low-pas filtering.
>
> Question is, are these claims true - has anyone here benefitted from
> the capabilities of the common mode filters that they were NOT able to
> with a low-pass?
>
> Gary - KJ6Q

737. Icoms Web Page

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: bird459@aol.com
Message-ID: <19990208002357.17899.00001291@ng-fx1.aol.com>
Source record: 117411

What is the address of Icoms Web page

Thanks
J

738. Updated Review on YAESU VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: davez <davez@ticon.net>
Message-ID: <79nhlt$2oj$1@galileo.ticon.net>
Source record: 117412
Cross-posted to: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.scanner

See my web site for "ver 4.2" , review and views on the New YAESU VX-5R
Handie Talkie.

davez
++
Visit my web site "Dave's Radio Receiver Page" at
http://www.ticon.net/~davez

739. Re: SGC radio - Run! Run Screaming

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: cwmoor@pacbell.net
Message-ID: <36be7982.124267492@news.pacbell.net>
Source record: 117413

On 8 Feb 1999 00:08:09 GMT, nrs019@aol.com (NRS019) wrote:

>Actually Gary, my attitude did not become an issue until I realized I was being
>lied to and dismissed by a secretary. I still can't get a response from
>customer service. And I certainly do not feel singled out. Your experience is
>the exception, not the norm. If you are truely interested in facts, you should
>spend some time at this web site and read other customers' stories. The theme
>is always the same.
>http://members.aol.com/nrs019/sgc/index.htm
>
>In the meantime, here is my (oft repeated)story.
>
>snip

Is my experience also the exception?

Chris

740. Small load Antenna Tower Ideas needed.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Walter Wickersham <wwickersham@oc.ctc.edu>
Message-ID: <36BF4E63.19F14EE1@oc.ctc.edu>
Source record: 117414
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.antenna

The subject says most of it.... I'm looking for ideas of how to build a
cheap (pvc possibly) antenna tower, possibly 20feet, must be able to
break down
for transportation to other locations, and support smalll 2m antenna's,
one 3el. beam, a j-pole (made from 300 ohm twin lead), and a 440 1/4wave
verticle...

Please reply to waffle@oz.net by email

thanx
Walter Wickersham
KD7AUR

741. Re: Standard C508A Wbander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: John <kb2voj@bigfoot.com>
Message-ID: <36bf588f.0@nntp2.borg.com>
Source record: 117415
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Thanks to all who inquired....The radio has been sold.

John

John wrote in message <36bd1770.0@nntp2.borg.com>...
>Standard 144/450 MHz FM mini transceiver includes box and manual. It is in
>new condition and comes with the two optional cases.
>It's an early model that receives full 800 band.
>
>$150 including shipping.
>
>Thanks,
>John - KB2VOJ
>
>

742. Re: Icom 2iA 2meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: John <kb2voj@bigfoot.com>
Message-ID: <36bf58b5.0@nntp2.borg.com>
Source record: 117416
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Thanks to all who inquired....The radio has been sold.

John

John wrote in message <36bd14ce.0@nntp2.borg.com>...
>I would like to sell my Icom 2iA mini 2 meter hand held.
>It's in very good condition and comes with box, manuals, etc. plus many
>accessories.
>BP 120 battery case, BP 123 7.2v/1200mAh, LC-83, LC-84, LC-85 (cases to fit
>all batteries), CP-13L Lighter power cable, OPC-288 DC power cable, AD-26
>adapter for charging on the BC-79 rapid charger (not included), and the
>HM-55A DTMF speaker mike.
>The radio is three years old but used very little. The battery pack that
>came with it (BP-121) was replaced last year with a new one. The other
>(BP-123) works fine.
>A 12v battery pack is available to provide 5 watts out but I never bought
>one.
>
>I'm asking $125 for the whole package.
>
>Thanks,
>John - KB2VOJ
>
>

743. FS: Ten Tec Paragon

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Tim Cook <timcook@erinet.com>
Message-ID: <79nkab$t1n$1@news.erinet.com>
Source record: 117417

FS: Excellent Condition Late Serial Number Paragon (04B10391)

- Optional 1.8 SSB Filter
- Optional 500, 250 hz CW Filters
- Optional FM Board
- Optional RS-232 Board
- Ghiel Chip (also have stock chip)
- Looks and works excellent, non-smoker
- All documention

$1100 + shipping
Do not want to sell options separately
Please email direct if interested..
Thanks
Tim
NZ8J

744. Looking for 40-50 Foot tower used for a decent price.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: kf4tuz@qsl.net
Message-ID: <36be806e.106422569@news.blueridge.net>
Source record: 117418

I'm looking for a decent built 40-50 foot tower, self supporting (no guy wires please) It should be able to support 3 antenna's (1 vertical and two beams)

745. Icom IC-207H opinions?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: KD5GEH <kd5geh@koogles.net>
Message-ID: <79lvs9jpb1@newnews.startext.net>
Source record: 117419
Cross-posted to: rec.radio.amateur.digital,rec.radio.amateur.equipment,rec.radio.amateur.misc

Any experience with that radio (especially with packet-operation)? I can get it newly-used (it's only been used a few times) for $250, and was wondering how it'd work in the house with a 50ft or so antenna..

Also.. How does a car radio usually (sometimes?) compare to one "built for" the house? I don't yet need/want/understand all those doo-hickies on the $700+ 'base radios' at the store...

Thanks!

746. Re: Freeband Software Mod FT50RD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: George Galanis <george.galanis@dsto.defence.gov.au>
Message-ID: <36BE193F.CA27B284@dsto.defence.gov.au>
Source record: 117460

marc_k wrote:

> George Galanis (george.galanis@dsto.defence.gov.au) wrote:
> : Hi,
> : I just bought a new FT50RD. It works really well apart from the
> minor
> : bugs that are well documented on the web. I wanted to do the
> freeband
> : mod so that I could have access to our UHF CB band (476.4 to 477.4
> MHz)
> : in case of emergencies.
>
> : Has anyone been able to do the Freeband Mod through changes to
> template
> : files?
>
> What are the left-most 2 characters on your 50's serial number?

The serial number is 8K......

747. Re: SGC radio - Run! Run Screaming

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: nrs019@aol.com
Message-ID: <19990207190809.05055.00001351@ng-fr1.aol.com>
Source record: 117461

Actually Gary, my attitude did not become an issue until I realized I was being lied to and dismissed by a secretary. I still can't get a response from customer service. And I certainly do not feel singled out. Your experience is the exception, not the norm. If you are truely interested in facts, you should spend some time at this web site and read other customers' stories. The theme is always the same.
http://members.aol.com/nrs019/sgc/index.htm

In the meantime, here is my story.

I own a PowerTalk 2000 with a remote head and SG-230 tuner. Recently I sent the 2000 chassis to SGC in Bellevue for warranty repair. I gave explicit instructions that I was to talk to the tech who worked on it BEFORE it was shipped back to me. I expressed this desire again when a woman from SGC called me for a credit card number to bill for shipping back to me. I was told that it would be on the bench the next day (Wednesday) and wouldn't ship until the end of the week. I should call back the next day to talk to a tech.

I called the following day (Wednesday) and was told the chassis had been shipped back to me THE DAY BEFORE! I was also told that I couldn't talk to the tech because the techs never talk to the customer. When I demanded to talk to the head of customer support I was told nobody was available. Nobody. I asked to talk to any member of senior management and was told the same thing. When I asked to talk to Pierre Goral, the president, I was told he wouldn't talk to me. Rene, who identified herself as Pierre's secretary, admitted he was there but refused to connect me or even tell him an irate customer was on the phone to talk to him. When I asked how I could contact him, Rene told me I could email him. She said she would 'express my concerns' to him and took my telephone number. Of course, this was after Rene insisted on talking over me repeatedly to explain what great customer service SGC provides. She has no idea what I was saying because she kept talking right over me rather than listening. Not surprisingly, neither he nor anybody else has bothered to contact me, despite sending email as instructed.

I had been warned of this kind of treatment from almost all of the marine community. Every single member of the community I have talked to who owns or owned a 2000 has complained to me without exception that their radios have had to be returned to the factory for repair at least once and in several cases multiple times. The community also universally complains about the poor customer service provided by SGC. One owner warned me that SGC would not communicate with me, nor would they tell me what was wrong with my radio despite explicit requests. My friend knew this would happen because that is how SGC treated him. Another owner has sent product back to SGC for repair and had it returned still not functioning. Yet another threw their PowerTalk out, taking the loss and purchased an ICOM.

The sentiment among the marine HF radio community is that the SGC is a mistake and ICOM is the way to go. I have to admit, at this point I'm prepared to eat the loss on my SGC and replace it with an ICOM. My personal experience with ICOM customer service is that it is outstanding. Worthy of kudos in major marine magazines. SGC has earned just the opposite reputation. Both for the unreliability of the product and the poor customer service.

A voice in a crowd may be missed, but the crowd will be heard.
Jim Crosby
http://members.aol.com/shipsmail

748. FT-840 RFI problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Cal Kutemeier <ckuter@ix.netcom.com>
Message-ID: <79lan3$ebt@sjx-ixn9.ix.netcom.com>
Source record: 117462

I am having a problem and would like some help with how to go about fixing it. I have a 6 month old Yaesu FT-840 and on Saturday I began to get poor RST's on CW on 15 and 40 meters. I was in a mobile at rest setup and my antennas were hamstick monobanders on my mag mount.

The signal reports I got were 585, no tone, a buzz and the operator not being able to center on my freq. I was on 10 meters voice and had no problems on Saturday, but on a local net on Sunday, I was told that I had some distortion at the start of the transmission. During the TX, the distortion went away but the audio level dropped.

Later sunday I was talking with someone from CA and the distortion went away when I lowered the power from 100 watts to about 50 watts. Must be some kind of RFI in the setup, but it only recently began. I have been running the same config since August.

Any help in pointing me to some resources will be appreciated. I hope this can be fixed without sending it away for repairs.

749. Bunch of Tubes For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: kd5gch@usa.net.NOSPAM
Message-ID: <Xaqv2.5943$OS5.6319222@news3.mia>
Source record: 117463

I have tubes for sale. These are all untested, but are NOS
(new old stock), all are in the original boxes. These came from
a motorola serviceman's repair stock kit. I prefer to sell
them all in one shipment. Price for everything shown below
is $150.00 (firm) plus shipping. Email if interested.

kd5gch@usa.net
Todd, KD5GCH

TUBE TYPE QUANTITY

General Electric
6883B (1)
6AK5 (9)
12AU7 (2)
12AX7 (2)
6U8A (3)
6146A (1)
6146B (1)

Motorola
8298 (2)
6AL5 (7)
6AK5 (10)
6AQ5A (3)
6BH6 (15)
6U8 (9)
12AU7A (1)
12AX7 (2)
12AT7 (1)
12BY7 (8)

Amperex
6360A (4)

RCA
8032 (2)
2E26 (3)

Sylvania
6CL6 (1)

National Union
1625 (2)

==========
73 de KD5GCH. Remove the "NOSPAM" from my email before replying.

```
Spam Bait: admin@loopback, $LOGIN@localhost, $LOGNAME@localhost,
$USER@localhost, $USER@$HOST,-h1024@localhost,root@mailloop.com
================================================================
```

750. FS or Trade Ken TS530S Station

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Roger <kb1zj@world.std.com>
Message-ID: <36BE2EC6.66433B50@world.std.com>
Source record: 117464

I have a TS530s in good condition. An 8.5 on a 1-10 scale.
Comes with the MC50 mic and MFJ 969 deluxe versa tuner 2.

530: Has warc bands, 12BY7 driver and a new set of 6146 finals.
Has the cw filter and manual.
Also a set of 6146Ws come along. I'm not sure of the condition
of these tubes, other than they look new. Mic looks and works
good.

Tuner: This tuner has the roller inductor and will tune just about
any antenna. It has a 300 watt dummy load and cross needle meter.
Works and looks good. Its only about 8 months old but I put a few
scratches on the top. They might rub out.

I want 500 plus shipping for all or 400 without the tuner. If you want
just the tuner, its 110 + shipping.
I am open to trades for Drake equipment or an hf amp.

Thanks for reading!
Roger KB1ZJ

751. Re: opening laptop battery packs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: brianburke@my-dejanews.com
Message-ID: <79le5s$su5$1@nnrp1.dejanews.com>
Source record: 117465

In article <79l1hiini1@nnrp1.dejanews.com>,
nworbekim@my-dejanews.com wrote:
> Hello, I am looking at a couple of my laptop battery packs here and wondering
> how in the world I can get them apart to rebuild them like I do my HT packs.
> I have tried to pop them open with my little blades like I do the others, but
> its almost like they are welded together or something.
>
> These are Compaq batteries for the LTE LITES....
>
> Any ideas? I am puzzled...
>
> thanks!
>
> de KM4IY in southern Kentucky
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>

You're not alone. I need some help with this also. Mine are "welded"
together and must use short "AA" cells to arrive at 15V.

Brian/N0iMD

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

752. Haw to improve sensitivity of a ICOM PCR-1000 ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: Geert Pirens <geert.pirens@ping.be>
Message-ID: <79lbsg$8f2$1@news3.Belgium.EU.net>
Source record: 117466
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

I'm a owner of the ICOM PCR-1000.

So everybody tells that the sensitivity is so good on the PCR-1000 !

The sensitivity at 144 to 146 Mhz is not so good as I expect !

It is measured at 12dB SINAD and at 144Mhz 0.32 ?V.
My Kenwood portable TH-22 is also measured by 12dB SINAD
and at 144mhz 0.16 ?V or less sensitiv.

So who nows haw I can improve the sensitivity of my PCR-1000 ?

All information is welcome !!!!

Thanks to all.

Regards

Geert Pirens

753. Yeasu VX-5 receive mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: jolyrogr@ix.netcom.com
Message-ID: <79ltcr$8l4$1@nnrp1.dejanews.com>
Source record: 117467

Just bought a Yeasu VX-5 radio. Wondering if anyone has done or knows of any modifications to extend the receiving range so I can pick up 16-48 mhz and the cellular 800 mhz frequencies. Obviously to receive only. Please let me know if you have any info on how to do this or if its even possible. Thanks. E-mail me at jolyrogr@ix.netcom.com.

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

754. Sensitivity VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: lbathe@sginet.com
Message-ID: <79ludk$96j$1@nnrp1.dejanews.com>
Source record: 117468

Unless I am missing it, the manual doesn't seem to give sensitivity statistics for the frequencies 108-174 MHZ; 222-470 MHZ;and 729-999 MHZ. Does anyone know what they are? I've read a couple postings indicating that the military air- band and frequencies above the 800 MHZ band was deaf. I'm in an area where I can't pick up the military air-band and there isn't any 800 MHZ activity, so I can't really check out my radio. Just curious. Thanks....

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

755. WANTED***Old Synthesizers***Drum Machines***etc***

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-08 00:00:00 UTC
From: rolandman1@aol.com
Message-ID: <79mp54tnq1@nnrp1.dejanews.com>
Source record: 117469
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.swap,alt.music-lover.audiophile.hardware

Hi folks :) I'm an electronic musician *seriously* looking for the following musical equipment, in any condition, even broken:

-OLD SYNTHESIZERS from the 60's-80's Moog, ARP, Oberheim, etc

-OLD KEYBOARDS w/ knobs or sliders Roland, Korg, Sequential, etc

-OLD DRUM MACHINES w/ terribly electronic sounds :)

-OLD SEQUENCERs w/ knobs for each step

-OLD VOCODERs for that "robot-voice" sound

-MODULAR PATCHABLE SYNTHESIZER GEAR, complete systems or individual modules - "Switched on Bach Moog", ARP 2600, Paia, anything similar.

-RACK SYNTHS, INTERESTING EFFECTS and anything related to the above.

-Moog, ARP, Korg, Roland, Sequential Circuits, Oberheim, Yamaha, EML, Electrocomp, EMS, Synthi, Putney (VCS3), RSF, Buchla, Serge, Polyfusion, Ionic, Paia, SMS, Wavemaker, E-mu, Steiner-Parker, Chroma, Aries, etc.

-Roland TB-303 Bassline

-Roland TR-909 Drum Machine

-Roland TR-808 Drum Machine

-Simmons SDS-7 + SDS-5 + SDS-6 Drum Brains and Sequencer

-Pearl SY-1 Syncussion

-E-mu SP-1200 Sampler Drum Machine

-Sequential Prophet VS rack
-Oberheim Xpander
-ARP 2600
-Korg MS-20/50
-Roland SVC-350 vocoder rack
-Compurhythm CR78
-Buchla Music Easel
-Electric Music Box
-Gleeman Pentaphonic

If you have any of the above OR SIMILAR for sale or know someone who might, please email me at rolandman1@aol.com

and include phone number as well if you'd like.

Thanks in advance and apologies if this post annoys anyone.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

756. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Andrew Kalinowski <lmi@globalserve.net>
Message-ID: <79psc8$na3$1@whisper.globalserve.net>
Source record: 117120
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Larry, that's very much my point exactly. There is no single "best".

--
Andrew K.
Lawrence R Glickman wrote in message ...
>Hi Andy,
>
>Well, I didn't know that. My *selection* of receivers is limited to
>whatever E&B Discount Marine has in stock at any given time ! And I have
to
>drive about 45 minutes just to get there. Well, alright then. But I don't
>think, as someone else mentioned, that Garmin is a toy (cheep (sic) crap)
>I think was the quote. He said he wouldn't trust his life to a Garmin.
>Well, I wouldn't trust my life to _any_ gps receiver ! DUH
>
>My experience with Garmin is tainted by the battery failure I experienced
>with the gIII. But this drove home a very important lesson. ANY unit can
>fail, and at ANY TIME. That's why I use the gps as a navaid and nothing
>more.
>
>I think if you took some kind of a survey, you would find there are people
>in *mission critical* situations using all brands of receivers. Someone at
>the north pole. Someone in Antarctica. Someone flying an airplane,
sailing
>a ship, using it for SAR, and etcetera. It has never been _proven_ to me
>that any one brand is more reliable than another.
>
>Does anyone have empirical data to support the allegation that any one
Brand
>of gps receiver is more *reliable* than another?
>
>--
>Larry
>lglickman@ameritech.net
>A fracturing neutron star is a terrible thing to waste
>
>
>Andrew Kalinowski wrote in message
<79pakv$d16$1@whisper.globalserve.net>...
>>Yep, Lowrance has it, AFAIK Magellan also does. Do you really think that
if
>>Garmin would be the only company to have that feature, it would make them
a

>>leader? C'mon a leader should be something grander... than may be not...
>>ouch I almost went off topic... ;-))
>>In any case, for me a is the one who establishes trends. There is a number
>>of small features which are unique to each brand of GPS receivers, but I
>>can't see any of the "big 3" to be a leader.
>>
>>--
>>Andrew K.
>>
>>Lawrence R Glickman wrote in message ...
>>>Position averaging feature, to calm the effects of SA. Does Lowrance
have
>>>that? I've never even _seen_ a Lowrance (they don't sell them in my
area
>>>for some reason :(
>>>
>>>--
>>>Larry
>>>lglickman@ameritech.net
>>>A fracturing neutron star is a terrible thing to waste
>>>
>>>
>>>Andrew Kalinowski wrote in message
>><79o9a9$h3h$1@whisper.globalserve.net>...
>>>SNIP SNIP
>>>>What is exactly Garmin leading in, so far (except for Street Pilot) they
>>>>seem to be following somebody... I don't think I missed any news of new
>>>>products?
>>>>
>>>>--
>>>>Andrew K.
>>>>
>>>>Don't drink and internet!
>>>>
>>>>
>>>
>>>
>>
>
>

757. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: davem@groucho.cs.ubc.ca
Message-ID: <79psb8$np9@groucho.cs.ubc.ca>
Source record: 117121
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Hackman <hacker@nospam.jump.net> writes:

>Garmin is in the same line as Magellan...cheep consumer electronics, you
>don't want to trust your life to a garmin handhelp GPS.

Ok, so you've taken you cheap shot at "cheep consumer electronics".
But what GPS would *you* trust your life to? I haven't seen you
pointing out anything better.

And how much does this better GPS cost? Are you really sure it's
more reliable than having two independent "cheep" GPSes?

Dave

758. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Lawrence R Glickman <lglickman@ameritech.net>
Message-ID: <LA_v2.43130$ZP5.48278549@nntp0.detroit.mi.ameritech.net>
Source record: 117122
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Oh

--
Larry
lglickman@ameritech.net
A fracturing neutron star is a terrible thing to waste

Andrew Kalinowski wrote in message <79psc8$na3$1@whisper.globalserve.net>...
>Larry, that's very much my point exactly. There is no single "best".
>
>--
>Andrew K.
>Lawrence R Glickman wrote in message ...
>>Hi Andy,
>>
>>Well, I didn't know that. My *selection* of receivers is limited to
>>whatever E&B Discount Marine has in stock at any given time ! And I have
>to
>>drive about 45 minutes just to get there. Well, alright then. But I
don't
>>think, as someone else mentioned, that Garmin is a toy (cheep (sic)
crap)
>>I think was the quote. He said he wouldn't trust his life to a Garmin.
>>Well, I wouldn't trust my life to _any_ gps receiver ! DUH
>>
>>My experience with Garmin is tainted by the battery failure I experienced
>>with the gIII. But this drove home a very important lesson. ANY unit can
>>fail, and at ANY TIME. That's why I use the gps as a navaid and nothing
>>more.
>>
>>I think if you took some kind of a survey, you would find there are people
>>in *mission critical* situations using all brands of receivers. Someone
at
>>the north pole. Someone in Antarctica. Someone flying an airplane,
>sailing
>>a ship, using it for SAR, and etcetera. It has never been _proven_ to me
>>that any one brand is more reliable than another.
>>
>>Does anyone have empirical data to support the allegation that any one
>Brand
>>of gps receiver is more *reliable* than another?
>>
>>--
>>Larry

>>lglickman@ameritech.net
>>A fracturing neutron star is a terrible thing to waste
>>
>>
>>Andrew Kalinowski wrote in message
><79pakv$d16$1@whisper.globalserve.net>...
>>>Yep, Lowrance has it, AFAIK Magellan also does. Do you really think that
>if
>>>Garmin would be the only company to have that feature, it would make them
>a
>>>leader? C'mon a leader should be something grander... than may be not...
>>>ouch I almost went off topic... ;-))
>>>In any case, for me a is the one who establishes trends. There is a
number
>>>of small features which are unique to each brand of GPS receivers, but I
>>>can't see any of the "big 3" to be a leader.
>>>
>>>--
>>>Andrew K.
>>>
>>>Lawrence R Glickman wrote in message ...
>>>>Position averaging feature, to calm the effects of SA. Does Lowrance
>have
>>>>that? I've never even _seen_ a Lowrance (they don't sell them in my
>area
>>>>for some reason :(
>>>>
>>>>--
>>>>Larry
>>>>lglickman@ameritech.net
>>>>A fracturing neutron star is a terrible thing to waste
>>>>
>>>>
>>>>Andrew Kalinowski wrote in message
>>>><79o9a9$h3h$1@whisper.globalserve.net>...
>>>>SNIP SNIP
>>>>>What is exactly Garmin leading in, so far (except for Street Pilot)
they
>>>>>seem to be following somebody... I don't think I missed any news of new
>>>>>products?
>>>>>
>>>>>--
>>>>>Andrew K.
>>>>>
>>>>>Don't drink and internet!
>>>>>
>>>>>
>>>>
>>>>
>>>

>>
>>
>

759. Re: IC-751A vs. IC-735?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Rick Kiss&#65533;ll <rkissell@execpc.com>
Message-ID: <79pron$lv0@newsops.execpc.com>
Source record: 117123

Steve Dove wrote:

> Hi Paul,
>
> I own and regularly and heavily use both of these radios.
>
> IC-735 - Great small-class radio. Very sensitive receiver, reasonably
> good front-end (better than anything else in it's class/size/era). The
> stock filters aren't wonderful (the 9MHz FL-30 ssb filter is directly
> upgradeable to the better FL-80, but the 455kHz little ceramic jobby, oh,
> well, never mind) but having said that I made literally tens of thousands
> of QSOs with this one (and one I previously owned but daftly sold) before
> putting 'real' filters in it. I love it. Downsides: noise blanker sucks
> goats (but can be improved), lack of XIT (RIT only), internal keyer control
> way touchy: 12 to 35 wpm in a sneeze. The squiggly little slider controls
> are not for those with less-than-dainty fingers.
>
> IC-751a - excellent 'mid-size' radio. Remember that this was their
> 'top-of-the-line' until the marketing department decided it needed to be in
> a bigger box. Sensitive, good front end, decent stock filters and
> options. Possibility of internal PS-35 psu (but hideously expensive if it
> isn't installed in the one you get). An excellent performer and still a
> rig of choice by many contesters. As an example of the 'class' in it's
> design, it is one of the very, very few radios I've seen that actually has
> a specific front-end filter set for below the broadcast band (<500kHz), as
> opposed to just faking it like most of them. Now you may well be utterly
> uninterested in that bit of spectrum, but note that they went out of their
> way to do it well. That is what this radio is all about.

I just wanted to say that I thought this was an excellent posting-- on topic, based on direct personal experience, and full of helpful, specific information. It's the sort of thing that we should see more of on Usenet.

73 de WB9GYT

760. FS: IC12AT 1.2 gig HT.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Al <K6DJP@postoffice.pacbell.net>
Message-ID: <36C07573.3635803@postoffice.pacbell.net>
Source record: 117124
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Radio is in good shape covers the whole band and includes programmable
PL.
Radio,antenna,battery case and book. $200.
AL

761. Opinions- FT-8100R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Derf Henderson <fahenderson@fedex.com>
Message-ID: <36C074E2.F18A7B3@fedex.com>
Source record: 117125

Hello all,

I'm looking at the Yaesu FT-8100R (2m/440) as a possible purchase - income tax return time ya know.. Does anyone have any experience/pro's/con's or alternative units with same or similar features? Would appreciate any inputs. Or if anyone has one they wish to part with, let me know..

Derf 73 KE4ROS
ke4ros@hotmail.com

762. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: bfultz@ix.netcom.com
Message-ID: <79q1bc$mu3$1@nnrp1.dejanews.com>
Source record: 117126
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Their Site is up and running just fine here!

In article <79ogjvcfg1@nnrp1.dejanews.com>,
hamoperator@my-dejanews.com wrote:
> "Yaesu has shut down its website, http://www.yaesu.com"
> "The amateur community anxiously awaits further word of warranty coverage."
>
> Not surprising with their recent use of back stock FT-1000D's, the recent
> defects in the new FT-847 and lack of sales due to the P3D launch
> disappointments.
>
> 73
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

763. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Hackman <hacker@nospam.jump.net>
Message-ID: <36C07876.18005D7D@nospam.jump.net>
Source record: 117127
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Dave Martindale wrote:
>
> Hackman <hacker@nospam.jump.net> writes:
>
> >Garmin is in the same line as Magellan...cheep consumer electronics, you
> >don't want to trust your life to a garmin handhelp GPS.
>
> Ok, so you've taken you cheap shot at "cheep consumer electronics".
> But what GPS would *you* trust your life to? I haven't seen you
> pointing out anything better.
>

you didn't ? Funny...maybe you haven't read all this thread....

try maybe Northstar, Rathyon, shall I go on ?

> And how much does this better GPS cost? Are you really sure it's
> more reliable than having two independent "cheep" GPSes?
>

yep! See, for almost two years, I tested GPS units for oceanic research
vessels.
(units with a bit more accuracy than Garmins and Magellans....)

> Dave

764. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Hackman <hacker@nospam.jump.net>
Message-ID: <36C078C5.28B464BC@nospam.jump.net>
Source record: 117128
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Andrew Kalinowski wrote:
>
> Larry, that's very much my point exactly. There is no single "best".
>
> --

correct, but you surely don't point to the worst of the lot to support
your posistion do you ?

> Andrew K.
> Lawrence R Glickman wrote in message ...
> >Hi Andy,
> >
> >Well, I didn't know that. My *selection* of receivers is limited to
> >whatever E&B Discount Marine has in stock at any given time ! And I have
> to
> >drive about 45 minutes just to get there. Well, alright then. But I don't
> >think, as someone else mentioned, that Garmin is a toy (cheep (sic) crap)
> >I think was the quote. He said he wouldn't trust his life to a Garmin.
> >Well, I wouldn't trust my life to _any_ gps receiver ! DUH
> >
> >My experience with Garmin is tainted by the battery failure I experienced
> >with the gIII. But this drove home a very important lesson. ANY unit can
> >fail, and at ANY TIME. That's why I use the gps as a navaid and nothing
> >more.
> >
> >I think if you took some kind of a survey, you would find there are people
> >in *mission critical* situations using all brands of receivers. Someone at
> >the north pole. Someone in Antarctica. Someone flying an airplane,
> sailing
> >a ship, using it for SAR, and etcetera. It has never been _proven_ to me
> >that any one brand is more reliable than another.
> >
> >Does anyone have empirical data to support the allegation that any one
> Brand
> >of gps receiver is more *reliable* than another?
> >
> >--
> >Larry
> >lglickman@ameritech.net
> >A fracturing neutron star is a terrible thing to waste
> >
> >
> >Andrew Kalinowski wrote in message

> <79pakv$d16$1@whisper.globalserve.net>...
> >>Yep, Lowrance has it, AFAIK Magellan also does. Do you really think that
> if
> >>Garmin would be the only company to have that feature, it would make them
> a
> >>leader? C'mon a leader should be something grander... than may be not...
> >>ouch I almost went off topic... ;-))
> >>In any case, for me a is the one who establishes trends. There is a number
> >>of small features which are unique to each brand of GPS receivers, but I
> >>can't see any of the "big 3" to be a leader.
> >>
> >>--
> >>Andrew K.
> >>
> >>Lawrence R Glickman wrote in message ...
> >>>Position averaging feature, to calm the effects of SA. Does Lowrance
> have
> >>>that? I've never even _seen_ a Lowrance (they don't sell them in my
> area
> >>>for some reason :(
> >>>
> >>>--
> >>>Larry
> >>>lglickman@ameritech.net
> >>>A fracturing neutron star is a terrible thing to waste
> >>>
> >>>
> >>>Andrew Kalinowski wrote in message
> >><79o9a9$h3h$1@whisper.globalserve.net>...
> >>>SNIP SNIP
> >>>>What is exactly Garmin leading in, so far (except for Street Pilot) they
> >>>>seem to be following somebody... I don't think I missed any news of new
> >>>>products?
> >>>>
> >>>>--
> >>>>Andrew K.
> >>>>
> >>>>Don't drink and internet!
> >>>>
> >>>>
> >>>
> >>>
> >>
> >
> >

765. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Lawrence R Glickman <lglickman@ameritech.net>
Message-ID: <Gc%v2.43139$ZP5.48296267@nntp0.detroit.mi.ameritech.net>
Source record: 117129
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Ok

--
Larry
lglickman@ameritech.net
A fracturing neutron star is a terrible thing to waste

Andrew Kalinowski wrote in message <79punu$p0s$1@whisper.globalserve.net>...
>Aha!
>
>--
>Andrew K.
>
>(Larry, we better cut it out, somebody is going to get on us for wasting
the
>bandwidth with head nodding)
>
>Lawrence R Glickman wrote in message ...
>>Oh
>>
>>--
>>Larry
>>lglickman@ameritech.net
>>A fracturing neutron star is a terrible thing to waste
>>
>
>

766. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Andrew Kalinowski <lmi@globalserve.net>
Message-ID: <79punu$p0s$1@whisper.globalserve.net>
Source record: 117130
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Aha!

--
Andrew K.

(Larry, we better cut it out, somebody is going to get on us for wasting the
bandwidth with head nodding)

Lawrence R Glickman wrote in message ...
>Oh
>
>--
>Larry
>lglickman@ameritech.net
>A fracturing neutron star is a terrible thing to waste
>

767. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <79pukb$q5$1@news-2.news.gte.net>
Source record: 117131
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

```
:
:>Garmin is in the same line as Magellan...cheep consumer electronics, you
:>don't want to trust your life to a garmin handhelp GPS.
:
:Ok, so you've taken you cheap shot at "cheep consumer electronics".
:But what GPS would *you* trust your life to? I haven't seen you
:pointing out anything better.
:
:And how much does this better GPS cost? Are you really sure it's
:more reliable than having two independent "cheep" GPSes?
:

The military uses the Rockwell PLGR. It feeds data back to
net control via the SINCGARS radio. Motorola has units as
well that interface with 800 Mhz radios. Now if they could
have map displays.....

http://www.collins.rockwell.com/
```

768. HM-77A, DTMF mic wanted for IC-706MKii

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990209131035.10317.00000616@ng138.aol.com>
Source record: 117132

E-mail

Jhulet.aol.com

769. Who makes the best dual band mobile??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Greg Castiglione <GregCa@DIM.com>
Message-ID: <36C07A0B.28B3@DIM.com>
Source record: 117133

I have a Yaesu FT2500M 2 meter mobile which I love because it has the cleanest receive and very well built to mil spec's!! Best intermod rejection of any 2 meter radio that I know.

I now wish to get a dual band mobile. Of all the dual band mobile radio's out there, which radio has the cleanest receive, ability to be 'moded' on both VHF and UHF, built to mil spec and not cost an arm and a leg?? --Greg--73's N0FKI

770. Re: Small load Antenna Tower Ideas needed.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Mike W <mike@corn2.freeserve.co.uk>
Message-ID: <79pu6v$sh5$2@news4.svr.pol.co.uk>
Source record: 117134
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.antenna

Walter Wickersham wrote in message <36BF4E63.19F14EE1@oc.ctc.edu>...
>The subject says most of it.... I'm looking for ideas of how to build a
>cheap (pvc possibly) antenna tower, possibly 20feet, must be able to
>break down
>for transportation to other locations, and support smalll 2m antenna's,
>one 3el. beam, a j-pole (made from 300 ohm twin lead), and a 440 1/4wave
>verticle...
>
>Please reply to waffle@oz.net by email
>
>
>thanx
>Walter Wickersham
>KD7AUR

Look at the Antennex website, they have a series of projects using upvc plumbing fittings and pipe for a lattice mast, up to IIRC 20 feet or so and costing approx 10 dollars per 10" section.. I dont have the URL but it should be easy enough too find them with a search engine..
73 Mike W G8NXD

771. Re: Small load Antenna Tower Ideas needed.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Jim <jbolinger@lintek.com>
Message-ID: <36c07c9e.0@news.netwalk.com>
Source record: 117135
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.antenna

Walter Wickersham wrote in message <36BF4E63.19F14EE1@oc.ctc.edu>...
>The subject says most of it.... I'm looking for ideas of how to build a
>cheap (pvc possibly) antenna tower, possibly 20feet, must be able to
>break down
>for transportation to other locations, and support smalll 2m antenna's,
>one 3el. beam, a j-pole (made from 300 ohm twin lead), and a 440 1/4wave
>verticle...
>
>Please reply to waffle@oz.net by email
>
>
>thanx
>Walter Wickersham
>KD7AUR

You could build an A frame mast.

20 ft would be quite easy to manage, although I am not sure about the 3 element beam. Do you mean VHF or HF?

Let me see....(mumble mumble)...you would need perhaps seven 8 ft 2x4. Pressure treated wood is more durable, but heavier. Five of them would go together like this:

I
I I
I I

Put a 1 foot overlap at each section and you will get a height of 21 ft.

The remaining 2x4s are to be used for cross pieces, two at the bottom (each side) and one at the level of each joint.

Drill holes at appropriate places and install 5/16 inch bolts. And don't forget eyebolts for the guy ropes.

Jim
N8EE

772. Atlas #206 outboard VFO/Digital Frequency

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990209133759.28776.00000752@ng-ch1.aol.com>
Source record: 117136

Hello, I am selling some of my radio collection. This stuff is collectors grade.. Or your money back..

Atlas #206 outboard VFO/Digital Frequency Counter LIKE NEW COND. 120.00 plus shipping
thanks,Walt 818 883 8282

773. FS -D104 MIC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990209134226.28776.00000757@ng-ch1.aol.com>
Source record: 117137

HELLO HAVE SEVERAL D-104 MICS FOR SALE
G-STAND OR T-STAND....
30.00 EACH

774. Re: Kenwood TS 430S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Michael Mathes <kb9ucn@bytehead.com>
Message-ID: <36C08196.1AC2A30B@bytehead.com>
Source record: 117138

from what I'm seeing for prices for the TS 430S that's a better good deal as along as the rig is in good shape. Also if you are looking to sell it let me know because
that the rig I have been looking for myself. If your not selling your making a wise choice on buying this rig. kb9ucn@bytehead.com
73

Robert Kershaw wrote:

> Is $450 a good price for a Kenwood TS 430S which is in good working
> order?
>
> Thanks,
> 73
> KG4ASZ
>
> Please remove NOSPAM from my email address to respond, or post your
> response.
>
> NOSPAMKG4ASZ@brevard.net
> ----------
> NOSPAMKG4ASZ@brevard.net

775. Re: ATAS-100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <79pvoqiam1@news-2.news.gte.net>
Source record: 117139

oe1mha <oe1mha@aon.at> ...
:Does anybody know exactly how the Yaesu ATAS-100 for the FT-847 and FT
:100 works.
:Tnx and 73. mike
:
:

Looks like a screwdriver that is automatically controlled
via the microprocessor on the radio.

776. Re: VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: jwa <jwa@tellabs.com>
Message-ID: <36C08650.B3DBC34C@tellabs.com>
Source record: 117140

Kevin Crozier wrote:

> Doh!
>
>
>
> However, has anyone else noticed that you (or at least I can't) can't get out
> of the memory group function by pressing F/W and 4 again?
>

To get out of the memory group function I pressed the VFO button and then MEM
button.
Some how my V X-5 got locked up and displayed an "OUT OF RANGE" error message.
The only way I could get out of it was to do a Set Mode reset.

>
> Anybody have any thoughts on the barometric pressure sensor? I need to order
> another battery so I figured I might as well throw the sensor in as well.
>

I guess it's allright if your a hiker or a mountain climber but for me, I don't
need it!

>
> Kevin
> KC0EXM
>
> ----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

--
 Jack Albert WA9FVP
 Tellabs Operations Inc.
 1000 Remington Blvd Voice (630) 378-6201
 Bolingbrook, IL 60440 FAX (630) 378-5790

Get high on Ham Radio !

777. Re: Icom IC-T8A Tri-Band HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: frederick.mckenzie-1@kmail.ksc.nasa.gov
Message-ID: <frederick.mckenzie-1-0902991405050001@k4dii.ksc.nasa.gov>
Source record: 117141
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner,alt.radio.scanner

In article <36BD3647.7AEE@usa.net>, kd4lyp@usa.net wrote:
> I'm looking for *USED* accessories for the above radio.
> Soft case
> software & cable
> batteries or adapter
> Speaker mics
> ?????

For what its worth, Radio Shack's Speaker Mic for the HTX-202, appears to work well with the IC-T8.

There is a Yaesu adapter sold by Amateur Electronics Supply, to convert the antenna connector to BNC. Unfortunately, it is expensive.

73, Fred, K4DII

778. Re: Hallicrafters S-108

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: BB Wolf <bigbadwolf1@earthlink.net>
Message-ID: <36C078DA.23E376E8@earthlink.net>
Source record: 117142

Gerry,

Brians right in the ballpark!

-ERIC

N3XBU wrote:

> I saw a perfect one go extremely quickly and with no argument for $100 at a
> hamfest last fall.
>
> Brian

779. Re: Yaesu Web Site OK

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: heknowsall@hotmail.com
Message-ID: <79q51c$qd3$1@nnrp1.dejanews.com>
Source record: 117143
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

The Yaesu Home Page <www.yaesu.com> is up and running again after a temporary problem at the host server in New York.

E-Mail Contact Information:
(General/Sales Info): <yaesu@worldnet.att.net>
(Parts Department): <yaesuparts@worldnet.att.net>
(Amateur Tech. Support): <yaesutech@worldnet.att.net>

73,

YAESU U.S.A.
Choice of the World's Top DX'ers

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

780. Crystals FS MIdland 15-509 220

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: PAW <73457.650@CompuServe.COM>
Message-ID: <uwlDx#FV#GA.269@nih2naac.prod2.compuserve.com>
Source record: 117144
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.scanner,alt.ham-radio.vhf-uhf,alt.radio.scanner

Before I post 'em on Ebay, here's your shot. $20 & $4 priority
Mail shipping.
RX 223.54, 224.14, 222.54, 221.140.
TX 223.54, 222.54, 222.54

--
PAW
(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
http://ourworld.compuserve.com/homepages/w9jmn

781. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: terry02@ibm.net
Message-ID: <79q6e5rpi1@nnrp1.dejanews.com>
Source record: 117145
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

In article <79ogjvcfg1@nnrp1.dejanews.com>,
hamoperator@my-dejanews.com wrote:
> "Yaesu has shut down its website, http://www.yaesu.com"
> "The amateur community anxiously awaits further word of warranty coverage."
>
I'm not sure what you are smoking, but the Yaesu web site is alove and well. I was there not more than 30 seconds before posting this reply.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

782. volume switch for KDK240

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: dixoncfj@hotmail.com
Message-ID: <79q788$sf5$1@nnrp1.dejanews.com>
Source record: 117146

Need help in locating volume switch for the older KDK 240, or a line on some place that may still repair them.

Thanks, Fred

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

783. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Andrew Kalinowski <lmi@globalserve.net>
Message-ID: <79q2it$r5r$1@whisper.globalserve.net>
Source record: 117147
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

```
Than it's settled

--
Andrew K.
Lawrence R Glickman wrote in message ...
>Ok
>
>--
>Larry
>lglickman@ameritech.net
>A fracturing neutron star is a terrible thing to waste
>
>
>Andrew Kalinowski wrote in message
<79punu$p0s$1@whisper.globalserve.net>...
>>Aha!
>>
>>--
>>Andrew K.
>>
>>(Larry, we better cut it out, somebody is going to get on us for wasting
>the
>>bandwidth with head nodding)
>>
>>Lawrence R Glickman wrote in message ...
>>>Oh
>>>
>>>--
>>>Larry
>>>lglickman@ameritech.net
>>>A fracturing neutron star is a terrible thing to waste
>>>
>>
>>
>
>
```

784. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Lawrence R Glickman <lglickman@ameritech.net>
Message-ID: <680w2.43153$ZP5.48324334@nntp0.detroit.mi.ameritech.net>
Source record: 117148
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

```
Yes

--
Larry
lglickman@ameritech.net
A fracturing neutron star is a terrible thing to waste

Andrew Kalinowski wrote in message <79q2it$r5r$1@whisper.globalserve.net>...
>Than it's settled
>
>--
>Andrew K.
>Lawrence R Glickman wrote in message ...
>>Ok
>>
>>--
>>Larry
>>lglickman@ameritech.net
>>A fracturing neutron star is a terrible thing to waste
>>
>>
>>Andrew Kalinowski wrote in message
><79punu$p0s$1@whisper.globalserve.net>...
>>>Aha!
>>>
>>>--
>>>Andrew K.
>>>
>>>(Larry, we better cut it out, somebody is going to get on us for wasting
>>the
>>>bandwidth with head nodding)
>>>
>>>Lawrence R Glickman wrote in message ...
>>>>Oh
>>>>
>>>>--
>>>>Larry
>>>>lglickman@ameritech.net
>>>>A fracturing neutron star is a terrible thing to waste
>>>>
>>>
>>>
>>
>>
```

>

785. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Andrew Kalinowski <lmi@globalserve.net>
Message-ID: <79q3aorpg1@whisper.globalserve.net>
Source record: 117149
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Actually for very similar reasons, I don't think that there is a single "worst". There usually is an application for any of them, just like for AOL CD's. Most people use them as a cheap clay pigeon substitute, but some use the service and are happy. OK, so what that they are happy because they don't know any better... they are happy and that's the most important part of it.
Yep, really, you are spoiling our fun telling us that what we use isn't very best and state of the art. That's not nice at all.
Now, here , apologise you... you... bad boy!!! ROTFL
--
Andrew K.

Hackman wrote in message <36C078C5.28B464BC@nospam.jump.net>...
>Andrew Kalinowski wrote:
>>
>> Larry, that's very much my point exactly. There is no single "best".
>>
>> --
>
>correct, but you surely don't point to the worst of the lot to support
>your posistion do you ?
>
>
>
>
>> Andrew K.
>> Lawrence R Glickman wrote in message ...
>> >Hi Andy,
>> >
>> >Well, I didn't know that. My *selection* of receivers is limited to
>> >whatever E&B Discount Marine has in stock at any given time ! And I
have
>> to
>> >drive about 45 minutes just to get there. Well, alright then. But I
don't
>> >think, as someone else mentioned, that Garmin is a toy (cheep (sic)
crap)
>> >I think was the quote. He said he wouldn't trust his life to a Garmin.
>> >Well, I wouldn't trust my life to _any_ gps receiver ! DUH
>> >
>> >My experience with Garmin is tainted by the battery failure I
experienced
>> >with the gIII. But this drove home a very important lesson. ANY unit

can
>> >fail, and at ANY TIME. That's why I use the gps as a navaid and nothing
>> >more.
>> >
>> >I think if you took some kind of a survey, you would find there are
people
>> >in *mission critical* situations using all brands of receivers. Someone
at
>> >the north pole. Someone in Antarctica. Someone flying an airplane,
>> sailing
>> >a ship, using it for SAR, and etcetera. It has never been _proven_ to
me
>> >that any one brand is more reliable than another.
>> >
>> >Does anyone have empirical data to support the allegation that any one
>> Brand
>> >of gps receiver is more *reliable* than another?
>> >
>> >--
>> >Larry
>> >lglickman@ameritech.net
>> >A fracturing neutron star is a terrible thing to waste
>> >
>> >
>> >Andrew Kalinowski wrote in message
>> <79pakv$d16$1@whisper.globalserve.net>...
>> >>Yep, Lowrance has it, AFAIK Magellan also does. Do you really think
that
>> if
>> >>Garmin would be the only company to have that feature, it would make
them
>> a
>> >>leader? C'mon a leader should be something grander... than may be
not...
>> >>ouch I almost went off topic... ;-))
>> >>In any case, for me a is the one who establishes trends. There is a
number
>> >>of small features which are unique to each brand of GPS receivers, but
I
>> >>can't see any of the "big 3" to be a leader.
>> >>
>> >>--
>> >>Andrew K.
>> >>
>> >>Lawrence R Glickman wrote in message ...
>> >>>Position averaging feature, to calm the effects of SA. Does Lowrance
>> have
>> >>>that? I've never even _seen_ a Lowrance (they don't sell them in my
>> area
>> >>>for some reason :(

>> >>>
>> >>>--
>> >>>Larry
>> >>>lglickman@ameritech.net
>> >>>A fracturing neutron star is a terrible thing to waste
>> >>>
>> >>>
>> >>>Andrew Kalinowski wrote in message
>> >><79o9a9$h3h$1@whisper.globalserve.net>...
>> >>>SNIP SNIP
>> >>>>What is exactly Garmin leading in, so far (except for Street Pilot)
they
>> >>>>seem to be following somebody... I don't think I missed any news of
new
>> >>>>products?
>> >>>>
>> >>>>--
>> >>>>Andrew K.
>> >>>>
>> >>>>Don't drink and internet!
>> >>>>
>> >>>>
>> >>>
>> >>>
>> >>
>> >
>> >

786. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Andrew Kalinowski <lmi@globalserve.net>
Message-ID: <79q3asrpg2@whisper.globalserve.net>
Source record: 117150
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

```
Are you sure?

--
Andrew K.
Lawrence R Glickman wrote in message
<680w2.43153$ZP5.48324334@nntp0.detroit.mi.ameritech.net>...
>Yes
>
>--
>Larry
>lglickman@ameritech.net
>A fracturing neutron star is a terrible thing to waste
>
>
>Andrew Kalinowski wrote in message
<79q2it$r5r$1@whisper.globalserve.net>...
>>Than it's settled
>>
>>--
>>Andrew K.
>>Lawrence R Glickman wrote in message ...
>>>Ok
>>>
>>>--
>>>Larry
>>>lglickman@ameritech.net
>>>A fracturing neutron star is a terrible thing to waste
>>>
>>>
>>>Andrew Kalinowski wrote in message
>><79punu$p0s$1@whisper.globalserve.net>...
>>>>Aha!
>>>>
>>>>--
>>>>Andrew K.
>>>>
>>>>(Larry, we better cut it out, somebody is going to get on us for wasting
>>>the
>>>>bandwidth with head nodding)
>>>>
>>>>Lawrence R Glickman wrote in message ...
>>>>>Oh
>>>>>
```

>>>>>--
>>>>>Larry
>>>>>lglickman@ameritech.net
>>>>>A fracturing neutron star is a terrible thing to waste
>>>>>
>>>>
>>>>
>>>
>>>
>>
>
>

787. Re: MFJ-1026/1025 Schematic?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Don W6JL <W6JL@ixpres.com>
Message-ID: <918589255.858365@cs1.sdd.hp.com>
Source record: 117151
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Jeff OM,

Why don't you ask MFJ for a copy of the schematic?

73,
Don, W6JL

>Greetings Noise Warriors:
>
>Would one of you kind souls be good enough to give me a copy of the
>schematic diagram (& parts list) for an MFJ-1026 or MFJ-1025 RF Rx Noise
>canceling unit? I would like to look it over and see if I want to mimic
>it in home brewing my own unit. There are some old QST articles, though
>the write up for the MFJ makes it sound like a better design.
>
>My Xcvr already has a separate Rx ant input and I don't need any antenna
>switching capability. I also intend to H.B. low noise Rx antennas to
>feed into something like this.
>
>I don't think there are any moral or ethical problems in copying the
>design as long as I don't try to market such a thing (and I don't).
>
>
>TNX ES 73's Jeff KA9S
>
>

788. PK 88 Firmware wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: g4irx@qsl.net
Message-ID: <36c09866.890993@news.demon.co.uk>
Source record: 117152
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Hi,
Does anyone know where I can get a replacement EPROM for a PK88 ?

or alternatively a copy of the EPROM image to I can blow one myself as
mine has failed ?

TIA

Nick

789. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Gareth Crispell <gareth@capecod.net>
Message-ID: <36C08F4D.E941BDEA@capecod.net>
Source record: 117153
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

hamoperator@my-dejanews.com wrote:
>
> "Yaesu has shut down its website, http://www.yaesu.com"
> "The amateur community anxiously awaits further word of warranty coverage."
>
> Not surprising with their recent use of back stock FT-1000D's, the recent
> defects in the new FT-847 and lack of sales due to the P3D launch
> disappointments.
>
> 73

"The sky is falling! The sky is falling!!", said Chicken Little.

Gareth http://www.capecod.net/~gareth/n1msv.htm

Barnstable Amateur Radio Club
Cape Cod Massachusetts

790. Re: 10 GHz Transmitter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Bill Hosking <p05328@email.mot.com>
Message-ID: <79q4p3$2op$1@schbbs.mot.com>
Source record: 117154

RICHARD FLORES wrote in message
<79m5h1$4rs$1@newssvr04-int.news.prodigy.com>...
>Anyone have one available? Is it legal?
>
>R.

It's legal for hams - there is a band at (as I recall) 10.3 to 10.5 GHZ.
It's doable with a moderate amount of technical skill.
A large part of the equipment used on 10ghz is transceivers called
"gunnplexers", many taken from radar alarms/door openers.
Both QST and 73 have regular contributors to this area.
73
Bill W7JSW

791. Radio Install--Jeep Wrangler

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: John Trigg <triggjoh@txdirect.net>
Message-ID: <79q6gvjpc1@remarQ.com>
Source record: 117155

I have a '91 jeep wrangler hard-top with standard trans and the underdash AC unit. Can anyone give me some suggestions on where to mount a standard small dual band unit (Yaesu FT-8000R).

Thanks,

John Trigg
San Antonio, TX

triggjoh@txdirect.net

792. Re: Yaesu Web Site OK

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: hamoperator@my-dejanews.com
Message-ID: <79qb7ebl1@nnrp1.dejanews.com>
Source record: 117156
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

In article <79q51c$qd3$1@nnrp1.dejanews.com>,
heknowsall@hotmail.com wrote:
> The Yaesu Home Page <www.yaesu.com> is up and running again after a temporary
> problem at the host server in New York.
>

A thousand apologies, massa' I din' mean caus' the big corporation no
problems, massa'. I just a dumb consumer massa', I don' know nuttin' fro'
nuttin' massa'. Please don' woop me.

You address says it all. Pompous geek.

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

793. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <79q7h4$g39@dfw-ixnews11.ix.netcom.com>
Source record: 117157

In <79pnp9$dk2$1@nnrp1.dejanews.com> clintbrad4d@earthlink.net writes:
>
>In article <79of1v$3oj@bgtnsc01.worldnet.att.net>,
> "Bill Smith" <bs@BSartist.com> wrote:
>> Hmmm.. Free upgrade? I called them and they sold me the upgrade for
$20.
>
>What I wrote was entirely accurate: I purchased a VX-1R last yeat, and
ADMS
>software for it. There was a minor problem with the software, and the
"fix"
>was available free to anyone who visited RT Systems' Web site.
>
> - Clint Bradford

What you wrote was false and misleading. You got a service patch
for a piece of software that did not work. You did not get "free
upgrade".

Let me put it terms that even you might be able to understand.
You buy a new 1998 Ford the motor quits, Ford under waranty replaces
the ignition module. The car now works properly.

Did you get a new car?
Did you get a 1999 model?
Did you end up with a car that had more options?
All those things are upgrades what you really got was a warranty
repair to make what you bought work properly.

Your pigheaded insistance that you got a free upgrade only leads
people to be disapointed and pissed off at RT Systems because they
ain't gonna get no stinken free upgtrade.

Ignorance can be fixed, stupid is forever.

>-----------== Posted via Deja News, The Discussion Network
==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your
Own

794. FT290r

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: ducroux <bobducroux@wanadoo.fr>
Message-ID: <79q9mpajh1@news.x-echo.com>
Source record: 117158

Hello !

My call sign is F5HTR, south of france

For sell : FT290r Vhf 144 to 146 Mhz 2.5 watts 2500 FF or 380 €

FT 990 HF 0 to 30 mhz 100 Watts 1993 , 9000 ff 1375 €

TS 700 Vhf, old kenwood transceiver 10 watt with Micro shure, 2000 FF or 307 €

you can contact me on internet with Email : bobducroux@wanadoo.fr

=-
Article poste via Voila News - http://www.news.voila.fr

795. Re: Opinions- FT-8100R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: M Johnson <silversq@ix.netcom.com>
Message-ID: <36C0AFDB.C0185667@ix.netcom.com>
Source record: 117159

Hi Derf,

I have had a FT-8100R for about 5 months now and don't have any complaints. I run it remote with the radio mounted under the passenger seat and the face plate mounted on the center console of my Explorer.

It gets less pager and grunge interference than my old two meter rig which surprises me because of the broad band receiver.

73
Mark
AB0HJ

Derf Henderson wrote:

> Hello all,
>
> I'm looking at the Yaesu FT-8100R (2m/440) as a possible purchase -
> income tax return time ya know.. Does anyone have any
> experience/pro's/con's or alternative units with same or similar
> features? Would appreciate any inputs. Or if anyone has one they wish
> to part with, let me know..
>
> Derf 73 KE4ROS
> ke4ros@hotmail.com

796. Kenwood BC-8 help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: BeagleBo <kb0vp@worldnet.att.net>
Message-ID: <36C0AC4B.2BCA@worldnet.att.net>
Source record: 117160

Can I use my Kenwood TH-215a HT on transmit while it is charging in its optional BC-8 desk charger. TNX

KB0VP

797. RX-320 Free Beta Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: mktg@ix.netcom.com
Message-ID: <36c5b1b6.10528083@nntp.ix.netcom.com>
Source record: 117161

February 9, 1999

Dear RX-320 User,

Last fall I acquired one of the new Ten-Tec RX-320 receivers. It is really a delight to use and listen to.

After a few weeks, it occurred to me that the supplied software did not fully use all the functionality of the radio. I wondered what else could be done.

So, I wrote my own software. It is not as pretty as Ten-Tec's but it does have some additional features:

- Squelch (adjustable)
- Scanning of lists (files) with adjustable delay
- Tuning in a variety of steps from 1 Hz to 1 Mhz
- 34 selectivity settings
- Runs under DOS or Windows - even works on a 80386 computer using DOS

The program has only been run by me (on several computers), so that really makes it a Beta version.

I would be happy to supply free of charge this Beta version to anyone interested who has an RX-320. The software will not function without an RX-320.

The program is supplied along with several other files in a single zip file. Installation and removal are simple, as the program does not affect any system settings either in DOS or windows.

The program is easy to use - just press various keys to engage the different functions.

Brief installation, removal, and operating instructions are included.

If there is enough interest, the Beta version may advance into a final version. In any event, I am not aware of any major bugs in the program.

Send your request to my e-mail at mktg@ix.netcom.com and I will send you the zip file by return e-mail.

Regards,

David
W7HTJ

798. FS: Alinco DJ-191TH handi talkie

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: n4jzh@amsat.org
Message-ID: <36c0b3f7.123925605@news.mindspring.com>
Source record: 117162

FS: Alinco DJ-191TH 5 w 2 meter handi talkie
comes with charger,ni-cad,dry cell,protective case,
box,books. e.t.c. got it a ham fest on 2/6/99. will part with
for $150.00 email with offers. 73 n4jzh Donnie
n4jzh@amsat.org

799. Re: FT290r

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: ny4t@home.com
Message-ID: <36c0b778.3908911@news.nash1.tn.home.com>
Source record: 117163

On 9 Feb 1999 21:35:21 GMT, ducroux <bobducroux@wanadoo.fr> wrote:

>Hello !
>
>My call sign is F5HTR, south of france
>
>For sell : FT290r Vhf 144 to 146 Mhz 2.5 watts 2500 FF or 380 ï¿½
>
> FT 990 HF 0 to 30 mhz 100 Watts 1993 , 9000 ff 1375 ï¿½

What kind of antenna do you use for 0 mhz?
>
> TS 700 Vhf, old kenwood transceiver 10 watt with Micro shure, 2000 FF or 307 ï¿½
>
>
>you can contact me on internet with Email : bobducroux@wanadoo.fr
>
>
>
>=-
>Article poste via Voila News - http://www.news.voila.fr

800. Wanted:Hammarlund HQ 180A or similar receiver.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Eric <mndswpr@ix.netcom.com>
Message-ID: <36C0B8A6.8028091B@ix.netcom.com>
Source record: 117164

Hi,I need a good receiver for Ham and SW listening work.I am hoping to find a good HQ 180A or similar receiver.I am getting back into radio for the first time in 20 years and I always wanted to work the bands with a classic. Thanks,Eric Garrett. So Cal.
ph:714-444-0212

801. Re: Yaesu Bankrupt !-HA

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: ww <wwhite@sprynet.com>
Message-ID: <79qc3ebqa1@juliana.sprynet.com>
Source record: 117165
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

The sky isn't falling. Yaesu site up again.....

802. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Rodney Liebeg <rodney@wavetech.net>
Message-ID: <36C0BCCA.C2AA7917@wavetech.net>
Source record: 117166
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

HHHMMMM looks like its working to me??

803. Re: Opinions- FT-8100R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Karl Klingman <karl@mindspring.com>
Message-ID: <36C0C27C.70C8483C@mindspring.com>
Source record: 117167

I've had mine for about a year. It's a very nice radio. The only complaint that I have (and this is common to many mobile rigs) is that you can't enter the frequencies from the microphone keypad. I think you can with some of the ICOMS For a radio with such a wide receive range this would be a very handy feature.

73's
Karl

Derf Henderson wrote:

> Hello all,
>
> I'm looking at the Yaesu FT-8100R (2m/440) as a possible purchase -
> income tax return time ya know.. Does anyone have any
> experience/pro's/con's or alternative units with same or similar
> features? Would appreciate any inputs. Or if anyone has one they wish
> to part with, let me know..
>
> Derf 73 KE4ROS
> ke4ros@hotmail.com

804. HEATHKIT HM-102

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Vladimir Mikus <Vlad3@home.com>
Message-ID: <36C0CB4D.9DE1A53F@home.com>
Source record: 117168

Hi everybody,

Does anybody have for sale a HEATHKIT HM-102 Wattmeter, need two, one for me and my friend is also looking for one.

Vladimir Calgary VE6CEO

805. FS: 2m Isopole antenna $25

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36C058C2.1B4E60A2@ix.netcom.com>
Source record: 117169
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

AEA Isopole 2m antenna. This is the "senior" model with two cones,
higher gain. Fully assembled with mast and coax. $25. Pick up only
in Los Angeles area near LAX. Call (310) 649-2226 or just E-mail.
--

****
E-mail: na1a@qsl.net or mailto:na1a@ix.netcom.com
Ham Website at: http://www.qsl.net/na1a
****

806. FA: SMA short jumper cables and female bulkhead connectors

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Kyle Wesley <wesleyk@cyberramp.net>
Message-ID: <36C0CB15.7429EE@cyberramp.net>
Source record: 117220
Cross-posted to:
sci.electronics.misc,rec.radio.amateur.equipment,rec.radio.swap,misc.industry.electronics.marketplace,dfw.forsale,tx.forsale

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=65495286

A small collection of SMA jumper cables and 7 SMA bulkhead connectors.

807. Re: FS: IC12AT 1.2 gig HT.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: kb0mse@mvp.net
Message-ID: <36C0E896.B5FC37E0@mvp.net>
Source record: 117221
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Al,
How bout 165 shipped??
Thanks& 73
Jeff
KI0IV

Al wrote:

> Radio is in good shape covers the whole band and includes programmable
> PL.
> Radio,antenna,battery case and book. $200.
> AL

808. WTB ICOM FL-32 or FL-63

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: James Skalski <jskalski@buffnet.net>
Message-ID: <36C0ED89.94D46D9A@buffnet.net>
Source record: 117222
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Looking to buy one of the cw filters listed above.
Please advise price and shipping.
--
73,

Jim N2go

809. Re: want yaesu ft-8100r mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Sengmann Hildspiel <frestuk@krilpon.net>
Message-ID: <79q76p$nl4$1@news.mr.net>
Source record: 117223

I have all info you want and more but both e mails to you were returned so guess you really don't want them that bad? I tried both the one listed here and the one in qrz of juno.com.

Alan Bethel wrote in message <79oe84$50p$1@remarQ.com>...
>does anyone have the mars/cap mods for the yaesu 8100r? I am
>also interested in any other mods that can be done.
> if you could you e-mail them to me? thanks and 73 for now.
> alan ke6qis
>e-mail ke6qis@nothcoast.com

810. Re: Want: RCA Power Line Monitor (meter)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Gary Sokolich <wgscse@earthlink.net>
Message-ID: <36C0F16F.64CCDAFB@earthlink.net>
Source record: 117224
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment,sci.electronics.misc

I have one, but I am very fond of it.&#65533; On the other hand, everything has a price.&#65533; So, the real issue&#65533; is whether you are able to make me an offer that I can't refuse.

&#65533;

John Burch wrote:

> Wanted:&#65533; RCA Power Line Monitor meter model WV-120A
>
> Please e-mail me at occupant@syix.com
>
> Thanks
> ..

&#65533;

811. Re: Wanted: AA Dummy Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: dana <danay@primenet.com>
Message-ID: <Pine.BSI.3.96.990209223113.8470A-100000@usr08.primenet.com>
Source record: 117225
Cross-posted to: ca.wanted,la.wanted,misc.emerg-services,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

i wish i could find some of those myself? wonder if they sell them
anywhere?
http://www.randomc.com/~dana

---
danay __ __ ____ ___ ___ ____
danay@primenet.com /__)/__) / / / / /_ /\ / /_ /
/ / \ / / / / /__ / \/ /___ /

On Wed, 3 Feb 1999, Steve Leong wrote:

> Does anyone know the availability of any "dummy" AA cells?
> (I've seen them in the past - they are plastic forms the same size of
> an AA cell, with a metal strip connecting the top and bottom contacts -
> basically a specialized jumper!).
>
> I have a AA battery pack for a handheld radio (Kenwood TK-250) that has
> spaces for too many AA cells (excess voltage would damage radio). I need
> to insert two "dummy" AA cells to act as jumpers for these extra spaces.
> Already tried to solder jumpers in place - can't do it due to the metal
> they used for the contacts.
>
> Thanks for any assistance and advice!
>
> Steve KC6IJM
>
>

812. ADMS-1E Software ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Francis <ve2fgs@videotron.ca>
Message-ID: <W%6w2.2080$vW6.2723@weber.videotron.net>
Source record: 117226

Hi there.. I need the ADMS-1E software for my VX-5R.

Anyone can tell me where I can find it ??

I already have the cable and software for my FT-50. I only need the
software.

Thanks for your help

Please reply via E-Mail

_____
Francis VE2FGS
ve2fgs@videotron.ca

813. Wanted: ICOM 706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Jack Bazhaw <jbazhaw@telcomplus.net>
Message-ID: <36C0FD46.BFDDEBCF@telcomplus.net>
Source record: 117227

If you have a working, clean ICOM706 for sale, let me know at
jbazhaw@telcomplus.net

814. Re: Wanted: AA Dummy Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: dana <danay@primenet.com>
Message-ID: <Pine.BSI.3.96.990209223608.8470B-100000@usr08.primenet.com>
Source record: 117228
Cross-posted to: ca.wanted,la.wanted,misc.emerg-services,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

I saw that message, and will try that. thanks.
i am blind, and play around with radios all the time.
let me know what you think about my web site by e-mailing me at the bottem
of the page.
http://www.randomc.com/~dana

---
danay __ __ ____ ___ ___ ____
danay@primenet.com /__)/__) / / / / /_ /\ / /_ /
/ / \ / / / / /__ / \/ /___ /

On Wed, 3 Feb 1999, Greg Halpin wrote:

> Steve Leong wrote:
> >
> > Does anyone know the availability of any "dummy" AA cells?
> > (I've seen them in the past - they are plastic forms the same size of
> > an AA cell, with a metal strip connecting the top and bottom contacts -
> > basically a specialized jumper!).
> >
> > I have a AA battery pack for a handheld radio (Kenwood TK-250) that has
> > spaces for too many AA cells (excess voltage would damage radio). I need
> > to insert two "dummy" AA cells to act as jumpers for these extra spaces.
> > Already tried to solder jumpers in place - can't do it due to the metal
> > they used for the contacts.
> >
>
>
> Steve,
>
> Have you checked at a Radio Shack? (Presuming you are located near one)
>
> I have an old RS portable citizen's band radio that uses two dummy cells
> when using 1.5V AA batteries instead of 1.2V AA rechargables. They are
> a lead-like cast dummy with a thin body and normal sized top and bottom.
> Perhaps they can get them for you as a replacement part ... radio is a
> TRC-209, #21-1660 if that helps at all.
>
> Greg Halpin
>
>

815. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <36C0FF8A.AA323C91@mindspring.com>
Source record: 117229
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Hmmmm...

You mean the web site I just accessed???

Phil

hamoperator@my-dejanews.com wrote:
>
> "Yaesu has shut down its website, http://www.yaesu.com"
> "The amateur community anxiously awaits further word of warranty coverage."
>
> Not surprising with their recent use of back stock FT-1000D's, the recent
> defects in the new FT-847 and lack of sales due to the P3D launch
> disappointments.
>
> 73
>
> ------------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

816. FS: Micro probe & leads

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Gary Lee Calvert <gcalvert@iquest.net>
Message-ID: <tm7w2.57$E4.604@news1.iquest.net>
Source record: 117230
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

3 days... at ebay
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=64345440

ITT Pomona Electronics model #1126-60-0 black lead still in package looks to be about 20" long banana to pin plug ITT Pomona Electronics model #1081-36-2 red lead still in package looks to be about 15" long banana to miniature banana plug ITT Pomona Electronics model #unknown is about 48" long banana to pin plug with micro test probe that appears to be Teflon coated -- DIP IC is in picture to show relative size I think this probe used to run about $50 All leads and probe for one price. Buyer pays high bid plus $3.50 Priority Shipping Money Order/Cashiers Check Photo at URL
http://members.iquest.net/~gcalvert/images/probe.jpg

Thanks for reading and not flaming through the news group.
73's WB9SMX

--
Gary Lee Calvert WB9SMX
P.O.Box 6353
Kokomo, Indiana 46904-6353
Scout site http://members.iquest.net/~gcalvert/scouts.html
mailto:gcalvert@iquest.net http://www.iquest.net/~gcalvert/index.html

817. Re: SMA to BNC adaptor warning

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Dan <n7wpd@xxmission.com>
Message-ID: <79r03b$4o1$1@news.xmission.com>
Source record: 117231
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner,alt.radio.scanner

Good advice. Saves all that stress on put on the tiny little solder
connection.

<eric_fre@hotmail.com> wrote in message
news:79qo1pbvc1@nnrp1.dejanews.com...
>I often hear people looking for the SMA to BNC or PL259 adaptors. A word of
>warning especially with the little handy talkies puting a big adaptor with
a
>thick cable on a tiny SMA puts a hell of a lot of mechnical stress on
parts.
>By far the easiest and neatest (not to mention cheapest) solution is to get
>an SMA connector on a piece of the thin teflon coax, about 30cm with a BNC
>male on the other end made for the thin coax.
>
>Just a sugestion.
>
>------------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

818. RE: Yaesu Bankrupt!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Dan <n7wpd@xxmission.com>
Message-ID: <79r0c7$4qf$1@news.xmission.com>
Source record: 117232

He he, ho ho!

And Elvis isn't dead.

That's the best laugh i've had today.

819. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: nospam.tonypo@nospam.ultranet.com
Message-ID: <MPG.112acdc259a469349896ea@nntp.ultra.net>
Source record: 117233
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

In article <firewave-0902990721050001@192.168.1.4>,
firewave@REMOVE.videotron.ca says...
> In article <79ogjvcfg1@nnrp1.dejanews.com>, hamoperator@my-dejanews.com wrote:
>
> > "Yaesu has shut down its website, http://www.yaesu.com"
> > "The amateur community anxiously awaits further word of warranty coverage."
> >
> > Not surprising with their recent use of back stock FT-1000D's, the recent
> > defects in the new FT-847 and lack of sales due to the P3D launch
> > disappointments.
> >
> > 73
>
>
> woah man...maybe its just down??

If they use AOL for any of their services it's definitely hosed. I've
been trying to use IM and check out some web pages on AOL and nothing.
Even a ping does nothing.

Tony

820. WTB: Yaesu NC-35 Desktop Quick Charger for HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Louis Guion <guionmr@startext.net>
Message-ID: <36C10CFC.1D57@startext.net>
Source record: 117234
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,tx.forsale,dfwforsale

```
Wanted To Buy:
One Yaesu NC-35 quick charger, 7.2 volts output
Used with FTH-2070 handheld
Charges battery models FNB-15 and FNB-16
I'd take new, used, or DOA if the price is right.

Reply by e-mail with what you have and how much?

Thanks for taking the time to read this.
Louis
```

821. Re: FS: 2m Isopole antenna $25

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: 74737.221@compuserve.com
Message-ID: <199422165722913NEWS2LX@news.compuserve.com>
Source record: 117235
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

gosh will be in south bay lax this weekend....still got it?

dave
n0xlw in fullerton.

> AEA Isopole 2m antenna. This is the "senior" model with two cones,
> higher gain. Fully assembled with mast and coax. $25. Pick up only
> in Los Angeles area near LAX. Call (310) 649-2226 or just E-mail.
> --
>
> **
> E-mail: na1a@qsl.net or mailto:na1a@ix.netcom.com
> Ham Website at: http://www.qsl.net/na1a
> **
>

822. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: davem@groucho.cs.ubc.ca
Message-ID: <79rdno$ai0@groucho.cs.ubc.ca>
Source record: 117236
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Hackman <hacker@nospam.jump.net> writes:
>try maybe Northstar, Rathyon, shall I go on ?

Certainly. Which models are these? How much do they cost? How
reliable are they, and how much more reliable than Garmins and
Magellans is that?

Dave

823. FS: TUBES

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: kd5gch@usa.net.NOSPAM
Message-ID: <cUOv2.6408$OS5.7040351@news3.mia>
Source record: 117270

I have tubes for sale. These are all untested, but are NOS
(new old stock), all in the original boxes. These came from
a motorola serviceman's repair stock kit. I prefer to sell
them all in one shipment. Price for everything shown below
is $150.00 plus shipping.

Tubes for sale:

General Electric
6883B (1)
6AK5 (9)
12AU7 (2)
12AX7 (2)
6U8A (3)
6146A (1)
6146B (1)

Motorola
8298 (2)
6AL5 (7)
6AK5 (10)
6AQ5A (3)
6BH6 (15)
6U8 (9)
12AU7A (1)
12AX7 (2)
12AT7 (1)
12BY7 (8)

Amperex
6360A (4)

RCA
8032 (2)
2E26 (3)

Sylvania
6CL6 (1)

National Union
1625 (2)

==========
73 de KD5GCH. Remove the "NOSPAM" from my email before replying.
Spam Bait: admin@loopback, $LOGIN@localhost, $LOGNAME@localhost,
$USER@localhost, $USER@$HOST,-h1024@localhost,root@mailloop.com
==========

824. FS: Drake TR-4/AC-4/MS-4

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: kd5gch@usa.net.NOSPAM
Message-ID: <yVOv2.6411$OS5.7040351@news3.mia>
Source record: 117271

For Sale:

Drake TR-4 Transceiver + AC-4 Power Supply + MS-4 Speaker

Comes with original manual, and cables.

Very good cosmetic condition -- this rig is older than me.
Top of TR-4 case has scuff marks in the paint and two small
dents from the feet of the MS-4/AC-4 that rests on top of it.

Front panel on TR-4 is in excellent condition, and all knobs
work and are present.

Powers up fine, all tubes light up. I have not tested the
tx/rx abilities, and I am sure it needs to be aligned and such.
Because it is so old, and I have no way of knowing how well it
works, the units are sold as is.

$275 + you pay shipping from Baton Rouge, LA 70808
(I will ship it any way you like, as long as you cover shipping costs)
Will ship same day money order is received, or wait 5 days for your
personal check to clear.

To be sold as one package, I would rather not separate the units.

Email if interested.
kd5gch@usa.net

Peace and 73

Todd
KD5GCH

==========
73 de KD5GCH. Remove the "NOSPAM" from my email before replying.
Spam Bait: admin@loopback, $LOGIN@localhost, $LOGNAME@localhost,
$USER@localhost, $USER@$HOST,-h1024@localhost,root@mailloop.com
==========

825. A YAESU RELECTOR??? OR NEWSGROUP??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: mikehaack@aol.com
Message-ID: <19990208234114.02728.00000363@ng145.aol.com>
Source record: 117272

Is there a Yaesu Users Reflector?
Or a Yaesu Newsgroup??

Their website appears down...

73 de Mike WB9B

826. FS 100watt Motorola VHF amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: duece6x6@aol.com
Message-ID: <19990208235012.21500.00000409@ng-fd1.aol.com>
Source record: 117273

I have 1--100 watt commercial Motorola base/mobile amp that runs on 12VDC and takes 1 watt in and 100+ out. Will take $200.00 or a military antenna kit AS2236 set. (Fair Radio has them)

email Steve -- duece6x6@aol.com

827. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Bill Smith <bs@BSartist.com>
Message-ID: <79of1v$3oj@bgtnsc01.worldnet.att.net>
Source record: 117274

Hmmm.. Free upgrade? I called them and they sold me the upgrade for $20. It came with a cable that I don't need. I got the upgrade for travelplus import and I have to tell you, it really barely works and is pretty substandard. It was so bad that I thought I got an alpha version by mistake. I Emailed them twice and they never responded. I feel like a fool.

Below are excerpts from a description of what I found with ADMS-1C V2.0. Some of the things I was able to get working after hacking around for awhile. These were very non-intuitive and make the product frustrating. But for brevity, I won't include those. I'll include the things I never got a resolution to...

---

1) There is no reference to the import facility in the help file.
2) I try to use the Import function on the simple TPE file below and I have the following problems:

b) The "Definitions" column also matches up a handful of columns. I don't know where it is getting this mapping from but it looks suspiciously like my first attempt at matching fields. I keep changing it and whenever that screen is invoked, they are reset back to the screwy mapping. I even re-installed.

d) Trying to map fields in the tpe file with memory channel attributes is very problematic at best. OK I was able to get things like "RX freq", Offset and even "name" to map up with some of the fields in the file shown below. But how do I set the proper CTCSS settings? I seem to have found the following: Setting the 114.8 field to Tone sets the memory channel to "CTCSS Tone" but the tone value is not set to it. Setting the 114.8 field to Dec Freq sets the memory channel to "CTCSS Tone Squelch" but the tone value is not set to it. Setting the 114.8 field to Enc Freq sets the memory channel to "CTCSS Tone" and *does* set the tone value to it. But how do I set CTCSS Tone Squelch and also populate the value?

e) When I do finally get some fields mapped and I get the second screen that lets me select which entries to finally import, the column headings "RX Freq" "Tone" "Name" "Location" bear little resemblance to reality. I.e. nothing seems to line up. Offset ("-") is under tone, "114.8" is under Name, Comment ("Chappaqua") is sort of under location (where did "Location" come from anyway??) but indented to the right. When I do import, these things do end up in the right locations inthe memory channel but I can't understand why this display bears no resemblance to reality.

g) I happened to notice when I tried a simple export to a csv file from ADMS, the power column was not exported properly (they were all set to H).

--
Bill Smith | n2asa
bs@BSartist.com | http://bsartist.com

joe@jkraus.com wrote in message <799u5bkci1@nnrp1.dejanews.com>...
>Could not agree more. I have the exact same equipment and exact same
>experience with RTS (free upgrade with version 2.0 to support Travel Plus
>export). Keep it up Clint!!
>
>In article <78sr20rar1@nnrp1.dejanews.com>,
> clintbrad4d@earthlink.net wrote:
>> One malcontent has taken exception to my online presence and my public
>> display of satisfaction with RT Systems and their ADMS Software
packages -
>> both here and via private email messages.
>>
>> So...I thought I'd publicly state where I'm coming from.
>>
>> I own two Yaesu FT-50RD HTs and a VX-1R (firmware v106) that use ADMS
>> Software. I purchased one of the FT-50s used - all other purchases were
>> retail at HRO in Anaheim, CA.
>>
>> Last year when I had a minor problem with my ADMS software package and
the
>> VX-1R, the owner of RT Systems advised me that an Update was available -
>> absolutely free - on their Web site. My minor problem was solved - even
used
>> their toll-free 1-800 telephone number...didn't cost me a cent.
>>
>> My other infrequent contacts with RT Systems have all been very positive.
I
>> could not be more pleased with how the software performs for me. Its user
>> interface is even more "intelligent" than the Vertex software I need to
use
>> with my Vertex VX-10 commercial HTs.
>>
>> If anyone were to ask me where to obtain a copy of ADMS, I would refer
them
>> to any HRO - the price is fair, and they'll ship orders totalling $100.00
or
>> more free (the software is about half of that...add a battery or a Maha
>> MH-C777a charger, and you're there!). If the inquirer lived outside the
>> United States, I would refer them directly to the manufacturer - RT
Systems.
>> That only makes sense to me. If any country has any sort of an
"export/import
>> restriction" on this software package, RT Systems would know. AND the
price
>> is the same just about anywhere.
>>
>> SO...that's where Clint is "coming from." A retail customer with

first-hand
>> experiences to share. Sorry that Gerald has taken exception to my
posts...I
>> have absolutely no idea what his problem is.
>>
>> - Clint Bradford, KE6LCS
>>
>> ------------== Posted via Deja News, The Discussion Network ==----------
>> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>>
>
>------------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

828. Re: YAESU 530 F/S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: defkid@aol.com
Message-ID: <19990208234722.23552.00000344@ng38.aol.com>
Source record: 117275

Appx how old is this unit, and what are the exact tx/rx freq please?
Rick Boettcher
Defkid@aol.com

829. Re: ANTI-CW people.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: "Jeanette D. Walton" <jdwalton@home.com>
Message-ID: <36BFC500.C1484E2F@home.com>
Source record: 117276
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy

Did you know that there is a $2 tax on your phone line for E-Rate courtesy of Clinton/Gore. Did you know that there is a $5 monthly tax on ISDN lines courtesy the same pair. Did you know that there are about 100 million household phonelines in the US, but somehow all this money collected hasn't made its way down to the schools who were supposed to be wired to the internet?

Clinton is only responsible for taxing the internet.

CW wrote:

> >
> > Oscar wrote in message <36BB7953.7D803E58@worldnet.att.net>...
> > >Clinton, didn't you know? Oh yes, Clinton has nothing to do with this
> > >thread.
> > >-------
> > >Clinton has a lot to do with this and every thread on the Internet as he
> > >is the one who pushed the *Information Superhighway.* He got at least
> > >one thing right. Right or wrong he wtill represents the American
> > >Presidency, C-in-C, etc. and probably a better president that Oliver
> > >North could ever hope of becoming...someone else who lied under oath.
> >
> >
> >
>
> The democrats like this kind of individual. So unaware of the world that
> he will believe anything that he is told. It's hard to believe that there
> are people this dense out there but apparently there are a lot of them.
> Well you say that "he at least got one thing right". Considering the fact
> that he had nothing to do with that "one thing" I guess you would have to
> say that he is batting a zero.
> CW
> KC7NOD

830. Yaesu FT-990 Purchased thank you.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Rich - KK7PL <n7hmb@spiretech.com>
Message-ID: <36BFD8EB.A969206A@spiretech.com>
Source record: 117277
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Hi -
This is just a note to let you all know that Ross found a Rig.
Thank you for your replys to Ross.
73 de Rich KK7PL

Rich - KK7PL wrote:

> Im posting this for a friend with no newsgroup access.
> Rich KK7PL
>
> Please read the following and respond directly to him.
>
>
> WANTED= YAESU FT-990
> with AC power supply
> All filters and a Desk Mike
> MUST=be in excellent condition
> E-Mail ross_wa7btj@compuserve.com
> with the price and arrangements, will consider
> all contacts and equuipment.
>
> Thank You Ross WA7BTJ
>

831. RE: Re: MH-29 Yaesu Display Mic Manual needed.... or copy..

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: chia@news.utk.edu
Message-ID: <79ogm4lln1@gaia.ns.utk.edu>
Source record: 117278

Alright! Thanks... that was actually all I needed to know. I did not have anything on it and I knew the keys because they are BARELY visible, but I wanted to know how to program the USER key. Thanks again.... One other thing is that the audio (TX) seems a little low. Well, I have been told I sound like there are less "highs" in my voice... which I don't mind! :> But I thought I'd get the service/tech manual and see if it can be adjusted. thanks again.....

--
====----****----====
73 de KF4UAE
KF4UAE@qsl.net
chia@korrnet.org
John R. Alley

832. FS TenTec Corsair with Matching PS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36BFE039.14FF@ix.netcom.com>
Source record: 117279
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have an excellent condition Corsair Model 560 with Matching power supply. This rig is loaded with all the filters and is a delight to operate. Both units for $700+shipping. 73 Chris VE3NGW/W4 Florida

833. Used Police Radar Guns Wanted !!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: hartmans@inlink.com
Message-ID: <79onaqsph9@news1.inlink.com>
Source record: 117280
Cross-posted to: sci.electronics.misc,rec.sport.snowmobiles,sci.electronics.components,sci.electronics.equipment,sci.electronics.repair,alt.law-enforcement,memphis.wanted,rec.radio.amateur.equipment,rec.radio.swap

I would like to purchase surplus Police Radar Guns. Handheld or Two Piece, any band. Please reply with model
number and condition. Thanks!

834. FS HTX-404

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: headhamster <headhamster@erols.com>
Message-ID: <36BFE545.48828E89@erols.com>
Source record: 117281
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.misc

I have a RS HTX-404 UHF HT for sale. Rig works well. Includes manual, wall charger, and two batteries. Purchased from a friend locally for my brother who bought a mobile rig instead. Will ship ConUS for $75 OBO.

Tnx, de Rich - W2YQ

835. Re: dual-band commercial HT w/motorola-type paging?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: RADIOVOICE@SeaTac.net
Message-ID: <79pbk9$27h$1@nnrp1.dejanews.com>
Source record: 117282

In article <36be5b2c.8223524@nntp.netcruiser>,
rsimpson@cherryvale.org (Ross) wrote:
> Hi all..
>
> I posted a couple of weeks ago looking for a dual-band motorola ht,
> but it seems such a radio doesn't exist. So, i'm now looking for just
> about any dual-band commercial HT that has the HT/MT1000 style paging
> tones (quickcall, i think). Preferably something buff and tough like
> the motorolas or bendix kings.

THE YAESU FTH-2070 MIGHT BE WHAT YOU ARE LOOKING FOR.
>
> If such a thing does exist, can it be programmed with a tone for VHF
> and a different tone for UHF?

I DON'T REMEMBER HOW THE TWO-TONE DECODER BOARD GETS SET-UP,
SO I CAN'T SAY IF YOU CAN HAVE TWO SETS OF TONES OR NOT.
GO TO THE YAESU WEB PAGE AND CLICK ON THE VERTEX/LAND MOBILE
SIDE AND SEE IF THEY HAVE ENOUGH INFORMATION POSTED THERE FOR YOU.

STEVE/N7JLF

>
> Thanks!
>
> ----
> Ross Simpson
> NREMT-B
> Cherryvale Fire Protection District
> Boulder County, Colorado
> rsimpson@cherryvale.org
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

836. Re: ANTI-CW people.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Oscar <oscarrben@worldnet.att.net>
Message-ID: <36BFF002.948AE67E@worldnet.att.net>
Source record: 117283
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy

> The democrats like this kind of individual. So unaware of the world that
> he will believe anything that he is told.

I AM GULLIBLE. For a while there I was believing that Morse Code was
important for getting a ham license because someone told me so. I guess
this isn't true. Is someone lying to me again?????
Am I naive in thinking that the only true believers are Pro-CW hams?

837. Re: ANTI-CW people.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Oscar <oscarrben@worldnet.att.net>
Message-ID: <36BFF008.7E6C1D1E@worldnet.att.net>
Source record: 117284
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy

kilroy wrote:
>
> O bull!
> How long have _you_ been on the INet? We have been playing with WWW since
> long before SickWillie even met Monica.
> Clintoon had NOTHING to do with our internet, other than to suggest a tax on
> its use.
> Wake up.

As I understand it, of course I may be wrong, the Internet came into
being
c.1967, but not popularized until Clinton/Gore came along. The key word
is
popularized. Did Reagan, Carter, Bush ever mention it to us? Can't
recall.
Re taxes, Which President made this famous quote: "Read my lips, no new
taxes." Another lying Democrat, George Bush.
Poor Ronald Reagan, truly he probably "...didn't remember." I know the
real
estate dealer that tried to sell him back his own home, <G>, Funny thing
how
Oliver North, Annapolis graduate, keen mind, couldn't remember details
of the
Iran-Contra Affair...gosh, don't these national leaders take notes?!?!
How about this Democratic President: "I have a secret plan to end the
war
[Vietnam]." "I am not a crook." Wasn't called *Trickie Dick* for
nothing.
I still remember all those staunch patriotic, America is #1 Republicans
during
the Vietnam War who had a calling from Heaven to become ministers, ala
Stockman (a Reagan adviser I believe). Funny how they all had a change
of heart
when peace was declared.

838. Re: ANTI-CW people.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Oscar <oscarrben@worldnet.att.net>
Message-ID: <36BFF388.3D17FBD2@worldnet.att.net>
Source record: 117285
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy

<SNIP> Clinton is only responsible for taxing the internet.

I must have fallen asleep in my Civics/U.S. History class in college.
Please forgive my ignorance. I didn't know only Presidents from the
Democratic Party imposed taxes on us. I'm so dumb, next time I'll have
to
vote for Reublicans who only believe in "revenue enhancement." You know,
Ronald Reagan was right, why have national parks and forests, you've
seen
one tree, you've seen them all. You should've seen his ranch in Santa
Barbara County, California--all those plastic trees on his acreage.

839. Kenwood TS-930SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: auzzoauzzoauzzo <auzzo@auzzocom.com>
Message-ID: <01be540e$c1dfd660$cf3561cb@kenwood.ihug.co.nz>
Source record: 117286

Hi!
I am looking for a supplier to replace a Digi Display for a Kenwood TS-930S
Does anybody have any idea where I should start?
Thanks
Ross ZL1RL

840. 9600BPS TNC at 1200BPS price (REAL INTERNET SOFTWARE FOR WIN98)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: TNC@buster.com
Message-ID: <36bf9a99.11260967@news.gzinc.com>
Source record: 117287

9600BPS TNC at 1200BPS price (REAL INTERNET SOFTWARE FOR WIN98)

9600BPS TNC at 1200BPS price

http://start.at/packetradio

with internet TCPIP software for all your apps.

Netscape, eudora .. etc right from your dinky radio!!!!

841. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Hackman <hacker@nospam.jump.net>
Message-ID: <36C0201D.ADBF497E@nospam.jump.net>
Source record: 117288
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

```
Dean, Greg wrote:
>
> :My department wants to add a GPS (global positioning system) tracking
> system to
> :our CAD system. As it could be paid for with a grant, cost is not a factor.
> At
> :a recent supervisors meeting our deputy chief told us what a great system
> it
> :was. He even went on to tell us how the system was used to find a missing
> :officer was killed in the line of duty. He told us about another department
> :whos officers adore the system.
> :
> :We find out in the first case, the department did not even have GPS &
> found
> :the officer doing an old fashioned grid search. In the second incident he
> :descrived, the officers on the department hate the system & refer to it a
> "sgt
> :in the trunk". In addition to their location, it tells how fast they are
> driving.
> :
> :The general feeling in the room with over 100 supervisors present is it is
> just
> :too much big brother & very bad for morale. Only a few knuckle heads
> thought
> :it was a good idea. If management was so concernened about things like
> safety,
> :the dash mounted camera would be better. Hell, just more new cars for that
> :matter.
> :
> :The implications of the system & being lied to really left a bad taste in
> :everyones mouth.
> :
> :Any thoughts?
>
> Have them buy the Garmin GPS III+. It can be mounted on the
> dash. It has maps so the officer can use it to navigate. And it
> can be used with a data cable to feed position back to the the
> command post. Units run about $370.
>
> The GPS III+ can be updated via computer (new firmware)
> and maps can be downloaded. It also uses conventional
> position data.
>
```

> Garmin is industry leader. However Rockwell and Motorola
> very good units.
>

no Greg, Garmin is not the industry leader.
They deal in low end, cheep equipment. No one trust there life to
Garmin....execpt a few fisherman......

Rockwell, better....what...you forget Northstar ?

> http://www.garmin.com/

842. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Hackman <hacker@nospam.jump.net>
Message-ID: <36C02050.35E12335@nospam.jump.net>
Source record: 117289
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Andrew Kalinowski wrote:
>
> Dean, Greg wrote in message <79nd2ssvt1@news-2.news.gte.net>...
> >:My department wants to add a GPS (global positioning system) tracking
> >system to
> >:our CAD system. As it could be paid for with a grant, cost is not a
> factor.
> >At
> >:a recent supervisors meeting our deputy chief told us what a great system
> >it
> >:was. He even went on to tell us how the system was used to find a missing
> >:officer was killed in the line of duty. He told us about another
> department
> >:whos officers adore the system.
> >:
> >:We find out in the first case, the department did not even have GPS &
> >found
> >:the officer doing an old fashioned grid search. In the second incident he
> >:descrived, the officers on the department hate the system & refer to it a
> >"sgt
> >:in the trunk". In addition to their location, it tells how fast they are
> >driving.
> >:
> >:The general feeling in the room with over 100 supervisors present is it is
> >just
> >:too much big brother & very bad for morale. Only a few knuckle heads
> >thought
> >:it was a good idea. If management was so concernened about things like
> >safety,
> >:the dash mounted camera would be better. Hell, just more new cars for that
> >:matter.
> >:
> >:The implications of the system & being lied to really left a bad taste in
> >:everyones mouth.
> >:
> >:Any thoughts?
> >
> >
> > Have them buy the Garmin GPS III+. It can be mounted on the
> > dash. It has maps so the officer can use it to navigate. And it
> > can be used with a data cable to feed position back to the the
> > command post. Units run about $370.
> >

> > The GPS III+ can be updated via computer (new firmware)
> > and maps can be downloaded. It also uses conventional
> > position data.
> >
> > Garmin is industry leader. However Rockwell and Motorola
> > very good units.
> >
> > http://www.garmin.com/
> >
> >
> If you want Garmin, for a car dedicated unit get Street Pilot not G3+, but
> if your department really wants to install them in the cars, none of the
> cheep and cheerful units fits the bill. Screens are just to small, data
> input is not a "snap" if you are driving. I'm sure that there are dedicated
> units, designed just perfect for your application.
>
> BTW
> What is exactly Garmin leading in,

cheep gear......

so far (except for Street Pilot) they
> seem to be following somebody... I don't think I missed any news of new
> products?
>
> --
> Andrew K.
>
> Don't drink and internet!

843. Motorola GP1280 Programming software Urgently Needed .!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: fox/mulder@usa.net
Message-ID: <36c01955.1551161@news.tel.hr>
Source record: 117290
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

If anyone got programming software for Motorola radius GP1280 portable handie i would be more than thankfull to him to e-mail me a copy .!!

I can send you some other in return if required .!!!

Fox

fox/mulder@usa.net

844. Re: MFJ 259 SWR analyser failure

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Paul Van den Hende <paul.vandenhende@ping.be>
Message-ID: <79p6fq$8f3$1@news3.Belgium.EU.net>
Source record: 117291

Hello !

Thanks for reading this message. Three years ago, i bought the MFJ 259 analyser in the U.S.A. I used it only a couple of times. I took care for it as "eggs".....
Some time ago i once again i would make some measurements.....it failed !
I made an e-mail to MFJ, but no reply....

The counter is ok.

It looks like the oscillator doesn't run anymore......

A friend of mine said that it was the rotary switch wich made bad contact after a year in the box....

Anybody can tell me if there is a known cause for this, or where i have to look...A schematic would be helpfull, but i never managed to get one....

Best regards !

paul.vandenhende@ping.be

845. ebay: RCA AUDIO OSCILLATOR TYPE WA-54A Has 14 Uses for Ham, Radio & Audio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: "karlan at email.com" <karlan@ZEROSPAM.email.com>
Message-ID: <DmVv2.10634$QU6.53465937@c01read10.service.talkway.com>
Source record: 117292

HEATHKIT IT-28 CAPACITOR CHECKER TOP END UNIT:

Either A Sprague or This Are The Vintage Top End Units:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=64849592

RCA AUDIO OSCILLATOR TYPE WA-54A: This Vintage Unit has
"14 uses for Hams, Audio & Radio" as stated in the manual.
Have a look, you might find a bench use that you did
not think of.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=63794343
--
Posted via Talkway - http://www.talkway.com
Surf Usenet at home, on the road, and by email -- always at Talkway.

846. CQ CQ CQ - YN CQ Nicaragua

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: fj@sni.dk
Message-ID: <36c0237a.14554693@149.212.63.99>
Source record: 117293

Maybe a litle bit of topic but..

Dear Friends,

I like to set up a sked on HF with station in Nicaragua this saturday. My daugther (14) has some questions for you. In the school they learn about South America, and the group of my daugther learns about Nicaragua. They find material in books, the internet , but also like to come closer to the informations. Please help these youngsters to a good felling of international coorporation - and the spirit of Ham-radio. Send me an e-mail for the sked. FJ@SNI.DK

Best 73 de OZ2Q Frits in Copenhagen, Denmark

847. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Hackman <hacker@nospam.jump.net>
Message-ID: <36C020B3.A6E17886@nospam.jump.net>
Source record: 117294
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Dean, Greg wrote:
>
> :My department wants to add a GPS (global positioning system) tracking
> system to
> :our CAD system. As it could be paid for with a grant, cost is not a factor.
> At
> :a recent supervisors meeting our deputy chief told us what a great system
> it
> :was. He even went on to tell us how the system was used to find a missing
> :officer was killed in the line of duty. He told us about another department
> :whos officers adore the system.
> :
> :We find out in the first case, the department did not even have GPS &
> found
> :the officer doing an old fashioned grid search. In the second incident he
> :descrived, the officers on the department hate the system & refer to it a
> "sgt
> :in the trunk". In addition to their location, it tells how fast they are
> driving.
> :
> :The general feeling in the room with over 100 supervisors present is it is
> just
> :too much big brother & very bad for morale. Only a few knuckle heads
> thought
> :it was a good idea. If management was so concernened about things like
> safety,
> :the dash mounted camera would be better. Hell, just more new cars for that
> :matter.
> :
> :The implications of the system & being lied to really left a bad taste in
> :everyones mouth.
> :
> :Any thoughts?

yes...forget the cheep Garmin crap and have your department contact
Qualcomm
in San Diago.

>
> Have them buy the Garmin GPS III+. It can be mounted on the
> dash. It has maps so the officer can use it to navigate. And it
> can be used with a data cable to feed position back to the the
> command post. Units run about $370.
>

> The GPS III+ can be updated via computer (new firmware)
> and maps can be downloaded. It also uses conventional
> position data.
>
> Garmin is industry leader. However Rockwell and Motorola
> very good units.
>
> http://www.garmin.com/

848. Storno Power Supplies

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Dave Lempriere <lempriere@porthill.com>
Message-ID: <79p9df$h3a$1@news1.cableinet.co.uk>
Source record: 117295

The South Wilts Repeater Group are looking to obtain 3off PS604 12volt power supplies for our Storno 600 series repeaters. The reason being that our `mains power' (240 volt) will, through no fault of our own, be cut off within the next 2 months, and we therfore will be going to a hybred system of solar and wind power generation. So to keep our existing repeater, (GB3SW on 70cms. and soon to be on the air GB3SQ 2mtr.) running we require PS604 12 volt power supplies. The third supply is for a repeater used by the ATC cadets.

If you or somebody you know could help us please Email me at lempriere@porthill.com or swrg@bracher.telinco.co.uk thankyou

849. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-0902990721050001@192.168.1.4>
Source record: 117296
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

In article <79ogjvcfg1@nnrp1.dejanews.com>, hamoperator@my-dejanews.com wrote:

> "Yaesu has shut down its website, http://www.yaesu.com"
> "The amateur community anxiously awaits further word of warranty coverage."
>
> Not surprising with their recent use of back stock FT-1000D's, the recent
> defects in the new FT-847 and lack of sales due to the P3D launch
> disappointments.
>
> 73

woah man...maybe its just down??

alex

850. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Les Freed <les@home.com>
Message-ID: <HSVv2.1$a21.24@news.rdc1.fl.home.com>
Source record: 117297
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Jeez. Their US web site goes down, and they're proclaimed to be bankrupt?
Where did you get your information? I'm no big fan of Yaesu, but I doubt
that they went bankrupt overnight.

The main web site in Japan is alive and well.

-- w4laf

<hamoperator@my-dejanews.com> wrote in message
news:79ogjvcfg1@nnrp1.dejanews.com...
>"Yaesu has shut down its website, http://www.yaesu.com"
>"The amateur community anxiously awaits further word of warranty coverage."
>
>Not surprising with their recent use of back stock FT-1000D's, the recent
>defects in the new FT-847 and lack of sales due to the P3D launch
>disappointments.
>
>73
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

851. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Andrew Kalinowski <lmi@globalserve.net>
Message-ID: <79pakv$d16$1@whisper.globalserve.net>
Source record: 117298
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Yep, Lowrance has it, AFAIK Magellan also does. Do you really think that if Garmin would be the only company to have that feature, it would make them a leader? C'mon a leader should be something grander... than may be not... ouch I almost went off topic... ;-))
In any case, for me a is the one who establishes trends. There is a number of small features which are unique to each brand of GPS receivers, but I can't see any of the "big 3" to be a leader.

--
Andrew K.

Lawrence R Glickman wrote in message ...
>Position averaging feature, to calm the effects of SA. Does Lowrance have
>that? I've never even _seen_ a Lowrance (they don't sell them in my area
>for some reason :(
>
>--
>Larry
>lglickman@ameritech.net
>A fracturing neutron star is a terrible thing to waste
>
>
>Andrew Kalinowski wrote in message
<79o9a9$h3h$1@whisper.globalserve.net>...
>SNIP SNIP
>>What is exactly Garmin leading in, so far (except for Street Pilot) they
>>seem to be following somebody... I don't think I missed any news of new
>>products?
>>
>>--
>>Andrew K.
>>
>>Don't drink and internet!
>>
>>
>
>

852. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Andrew Kalinowski <lmi@globalserve.net>
Message-ID: <79pb9i$dc3$1@whisper.globalserve.net>
Source record: 117299
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

```
Hackman wrote in message <36C02050.35E12335@nospam.jump.net>...
>Andrew Kalinowski wrote:
>>
>> Dean, Greg wrote in message <79nd2s$svt$1@news-2.news.gte.net>...
>> >:My department wants to add a GPS (global positioning system) tracking
>> >system to
>> >:our CAD system. As it could be paid for with a grant, cost is not a
>> factor.
>>>>snip>>>>
>> >:Any thoughts?
>> >
>> >
>> > Have them buy the Garmin GPS III+. It can be mounted on the
>> > dash. It has maps so the officer can use it to navigate. And it
>> > can be used with a data cable to feed position back to the the
>> > command post. Units run about $370.
>> >
>> > The GPS III+ can be updated via computer (new firmware)
>> > and maps can be downloaded. It also uses conventional
>> > position data.
>> >
>> > Garmin is industry leader. However Rockwell and Motorola
>> > very good units.
>> >
>> > http://www.garmin.com/
>> >
>> >
>> If you want Garmin, for a car dedicated unit get Street Pilot not G3+,
but
>> if your department really wants to install them in the cars, none of the
>> cheep and cheerful units fits the bill. Screens are just to small, data
>> input is not a "snap" if you are driving. I'm sure that there are
dedicated
>> units, designed just perfect for your application.
>>
>> BTW
>> What is exactly Garmin leading in,
>
>
>cheep gear......
>
>
> so far (except for Street Pilot) they
```

>> seem to be following somebody... I don't think I missed any news of new
>> products?
>>
>> --
>> Andrew K.
>>
>> Don't drink and internet!

If you meant price I bite;
AFAIK
the cheapest to be have is Magellan,
in mid-price it's a stand-off,
new wave, CD uploadable GM100 / MGP is significantly less than G3+ and
Magellan is (going to be?) even less expensive?
the most expensive, popularly discussed here is Street Pilot

Now, if you meant anything else than price, I won't bite - I can't afford a
bodyguard ;-))

--
Andrew K.

853. Want: RCA Power Line Monitor (meter)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: John Burch <occupant@syix.com>
Message-ID: <01be5430$5f425a60$e648abcd@default>
Source record: 117300
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment,sci.electronics.misc

```
Wanted: RCA Power Line Monitor meter model WV-120A

Please e-mail me at occupant@syix.com

Thanks
..
```

854. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <79pf68$8nu@dfw-ixnews5.ix.netcom.com>
Source record: 117301

Shush don't tell Clint he will tell you that these problems
are all due to your inability to communicate properly. I
originally took issue on this subject because Clint and
others claimed to have gotten "free upgrades" when what
they got were service patches to repair a piece of software
that didn't work. Thanks for the report on the integrator
software it isn't really too much of a loss though as bad
as the ARRL repeater directory is. I develop information
for the various cities I travel to and have a number of
files for them. The best way to go would be to establish
a web site where people could leave their files and pick
up others. Perhaps the VX-1 unofficial web site could do
this.

73 Jerry

In <79of1v$3oj@bgtnsc01.worldnet.att.net> "Bill Smith"
<bs@BSartist.com> writes:
>
>Hmmm.. Free upgrade? I called them and they sold me the upgrade for
$20. It
>came with a cable that I don't need. I got the upgrade for travelplus
import
>and I have to tell you, it really barely works and is pretty
substandard. It
>was so bad that I thought I got an alpha version by mistake. I Emailed
them
>twice and they never responded. I feel like a fool.
>
>Below are excerpts from a description of what I found with ADMS-1C
V2.0.
>Some of the things I was able to get working after hacking around for
>awhile. These were very non-intuitive and make the product
frustrating. But
>for brevity, I won't include those. I'll include the things I never
got a
>resolution to...
>
>-----
>
>1) There is no reference to the import facility in the help file.
>2) I try to use the Import function on the simple TPE file below and I
have
>the following problems:
>

> b) The "Definitions" column also matches up a handful of columns. I
don't
>know where it is getting this mapping from but it looks suspiciously
like my
>first attempt at matching fields. I keep changing it and whenever that
>screen is invoked, they are reset back to the screwy mapping. I even
>re-installed.
>
>d) Trying to map fields in the tpe file with memory channel attributes
is
>very problematic at best. OK I was able to get things like "RX freq",
Offset
>and even "name" to map up with some of the fields in the file shown
below.
>But how do I set the proper CTCSS settings? I seem to have found the
>following: Setting the 114.8 field to Tone sets the memory channel to
"CTCSS
>Tone" but the tone value is not set to it. Setting the 114.8 field to
Dec
>Freq sets the memory channel to "CTCSS Tone Squelch" but the tone
value is
>not set to it. Setting the 114.8 field to Enc Freq sets the memory
channel
>to "CTCSS Tone" and *does* set the tone value to it. But how do I set
CTCSS
>Tone Squelch and also populate the value?
>
> e) When I do finally get some fields mapped and I get the second
screen
>that lets me select which entries to finally import, the column
headings "RX
>Freq" "Tone" "Name" "Location" bear little resemblance to reality.
I.e.
>nothing seems to line up. Offset ("-") is under tone, "114.8" is under
Name,
>Comment ("Chappaqua") is sort of under location (where did "Location"
come
>from anyway??) but indented to the right. When I do import, these
things do
>end up in the right locations inthe memory channel but I can't
understand
>why this display bears no resemblance to reality.
>
>g) I happened to notice when I tried a simple export to a csv file
from
>ADMS, the power column was not exported properly (they were all set to
H).
>
>
>--

>Bill Smith | n2asa
>bs@BSartist.com | http://bsartist.com
>
>joe@jkraus.com wrote in message <799u5bkci1@nnrp1.dejanews.com>...
>>Could not agree more. I have the exact same equipment and exact same
>>experience with RTS (free upgrade with version 2.0 to support Travel
Plus
>>export). Keep it up Clint!!
>>
>>In article <78sr20rar1@nnrp1.dejanews.com>,
>> clintbrad4d@earthlink.net wrote:
>>> One malcontent has taken exception to my online presence and my
public
>>> display of satisfaction with RT Systems and their ADMS Software
>packages -
>>> both here and via private email messages.
>>>
>>> So...I thought I'd publicly state where I'm coming from.
>>>
>>> I own two Yaesu FT-50RD HTs and a VX-1R (firmware v106) that use
ADMS
>>> Software. I purchased one of the FT-50s used - all other purchases
were
>>> retail at HRO in Anaheim, CA.
>>>
>>> Last year when I had a minor problem with my ADMS software package
and
>the
>>> VX-1R, the owner of RT Systems advised me that an Update was
available -
>>> absolutely free - on their Web site. My minor problem was solved -
even
>used
>>> their toll-free 1-800 telephone number...didn't cost me a cent.
>>>
>>> My other infrequent contacts with RT Systems have all been very
positive.
>I
>>> could not be more pleased with how the software performs for me.
Its user
>>> interface is even more "intelligent" than the Vertex software I
need to
>use
>>> with my Vertex VX-10 commercial HTs.
>>>
>>> If anyone were to ask me where to obtain a copy of ADMS, I would
refer
>them
>>> to any HRO - the price is fair, and they'll ship orders totalling
$100.00

>or
>>> more free (the software is about half of that...add a battery or a
Maha
>>> MH-C777a charger, and you're there!). If the inquirer lived outside
the
>>> United States, I would refer them directly to the manufacturer - RT
>Systems.
>>> That only makes sense to me. If any country has any sort of an
>"export/import
>>> restriction" on this software package, RT Systems would know. AND
the
>price
>>> is the same just about anywhere.
>>>
>>> SO...that's where Clint is "coming from." A retail customer with
>first-hand
>>> experiences to share. Sorry that Gerald has taken exception to my
>posts...I
>>> have absolutely no idea what his problem is.
>>>
>>> - Clint Bradford, KE6LCS
>>>
>>> -----------== Posted via Deja News, The Discussion Network
==----------
>>> http://www.dejanews.com/ Search, Read, Discuss, or Start Your
Own
>>>
>>
>>-----------== Posted via Deja News, The Discussion Network
==----------
>>http://www.dejanews.com/ Search, Read, Discuss, or Start Your
Own
>
>

855. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Wildcat <wildcat@tp.net>
Message-ID: <HSWv2.14$WB2.208@news3.ispnews.com>
Source record: 117302
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

FT-847's are selling like hotcakes here in New England. So are the new
VX-5R's. Before you declare them bankrupt, I think maybe you should check
with THEM first.................

--

Some people look at what is and ask why.................
Other people look at what isn't and ask why not......

.
hamoperator@my-dejanews.com wrote in message
<79ogjvcfg1@nnrp1.dejanews.com>...
>"Yaesu has shut down its website, http://www.yaesu.com"
>"The amateur community anxiously awaits further word of warranty coverage."
>
>Not surprising with their recent use of back stock FT-1000D's, the recent
>defects in the new FT-847 and lack of sales due to the P3D launch
>disappointments.
>
>73
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

856. WTB: Heathkits

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: billrobb@serv01.net-link.net
Message-ID: <79pfku$e2d@news.net-link.net>
Source record: 117303

I am a Heathkit collector looking for unassembled kits, catalogs,
manuals and ham related gear. Please call or email
billrobb@net-link.net
616/375-7978

Bill WA8CDU

857. WTB: Heathkits

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: billrobb@serv01.net-link.net
Message-ID: <79pfla$e2d@news.net-link.net>
Source record: 117304

I am a Heathkit collector looking for unassembled kits, catalogs,
manuals and ham related gear. Please call or email
billrobb@net-link.net
616/375-7978

Bill WA8CDU

858. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Brad Thomas <bgt@thomascomm.com>
Message-ID: <36C04559.369690E0@thomascomm.com>
Source record: 117305
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Sure looked like they were in full operation when I was there yesterday.

Talked to the national amateur sales guy and lot 3 of the VX-5's are already sold out and they'r waiting for lot 4 to arrive by plane. Can't keep them in stock. Apparently they'v fixed the bugs w/ the earlier ones. That means I get mine next week. :-)

As for the aligation of closing the doors...pure lies by the anti-yaesuest out there. If anyone was going to do it, it would be Deadwood, oh, sorry I mean Kenwood.

73's
Brad,

hamoperator@my-dejanews.com wrote:

> "Yaesu has shut down its website, http://www.yaesu.com"
> "The amateur community anxiously awaits further word of warranty coverage."
>
> Not surprising with their recent use of back stock FT-1000D's, the recent
> defects in the new FT-847 and lack of sales due to the P3D launch
> disappointments.
>
> 73
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

859. Alinco EDX-2 + EDS-4 - $250

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <79pgrk$qi7@dfw-ixnews11.ix.netcom.com>
Source record: 117306

I have the following for sale:
Alinco EDX-2 autotuner, cables, box, etc, and the EDS-4 mic extender.
$250 frank

860. Yaesu FT-840 - $550

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <79pgt4$qke@dfw-ixnews11.ix.netcom.com>
Source record: 117307

```
Like new Yaesu FT-840, box, manual, etc. $550
frank
```

861. Icom 737 $675

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <79pguh$qmh@dfw-ixnews11.ix.netcom.com>
Source record: 117308

Good working Icom 737, with autotuner $675 frank

862. Kenwood TM-2550 loaded $150

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <79ph0j$qo1@dfw-ixnews11.ix.netcom.com>
Source record: 117309

```
Loaded with voice synthesizer, tone board for encode, and comspec decoder.
$150 frank
```

863. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <79pnp9$dk2$1@nnrp1.dejanews.com>
Source record: 117310

In article <79of1v$3oj@bgtnsc01.worldnet.att.net>,
"Bill Smith" <bs@BSartist.com> wrote:
> Hmmm.. Free upgrade? I called them and they sold me the upgrade for $20.

What I wrote was entirely accurate: I purchased a VX-1R last yeat, and ADMS software for it. There was a minor problem with the software, and the "fix" was available free to anyone who visited RT Systems' Web site.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

864. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Hackman <hacker@nospam.jump.net>
Message-ID: <36C04630.D828F81D@nospam.jump.net>
Source record: 117311
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

```
Andrew Kalinowski wrote:
>
> Hackman wrote in message <36C02050.35E12335@nospam.jump.net>...
> >Andrew Kalinowski wrote:
> >>
> >> Dean, Greg wrote in message <79nd2s$svt$1@news-2.news.gte.net>...
> >> >:My department wants to add a GPS (global positioning system) tracking
> >> >system to
> >> >:our CAD system. As it could be paid for with a grant, cost is not a
> >> factor.
> >>>>snip>>>>
> >> >:Any thoughts?
> >> >
> >> >
> >> > Have them buy the Garmin GPS III+. It can be mounted on the
> >> > dash. It has maps so the officer can use it to navigate. And it
> >> > can be used with a data cable to feed position back to the the
> >> > command post. Units run about $370.
> >> >
> >> > The GPS III+ can be updated via computer (new firmware)
> >> > and maps can be downloaded. It also uses conventional
> >> > position data.
> >> >
> >> > Garmin is industry leader. However Rockwell and Motorola
> >> > very good units.
> >> >
> >> > http://www.garmin.com/
> >> >
> >> >
> >> If you want Garmin, for a car dedicated unit get Street Pilot not G3+,
> but
> >> if your department really wants to install them in the cars, none of the
> >> cheep and cheerful units fits the bill. Screens are just to small, data
> >> input is not a "snap" if you are driving. I'm sure that there are
> dedicated
> >> units, designed just perfect for your application.
> >>
> >> BTW
> >> What is exactly Garmin leading in,
> >>
> >>
> >>cheep gear......
> >>
```

> >
> > so far (except for Street Pilot) they
> >> seem to be following somebody... I don't think I missed any news of new
> >> products?
> >>
> >> --
> >> Andrew K.
> >>
> >> Don't drink and internet!
>
> If you meant price I bite;
> AFAIK
> the cheapest to be have is Magellan,
> in mid-price it's a stand-off,
> new wave, CD uploadable GM100 / MGP is significantly less than G3+ and
> Magellan is (going to be?) even less expensive?
> the most expensive, popularly discussed here is Street Pilot
>
> Now, if you meant anything else than price, I won't bite - I can't afford a
> bodyguard ;-))
>

you would have no need for a body guard with me...Greg maybe, but
certinly not me.....

Garmin is in the same line as Magellan...cheep consumer electronics, you
don't want to trust your life to a garmin handhelp GPS.

For play, no problem.

> --
> Andrew K.

865. Re: ANTI-CW people.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: heath_filtered@s2i2.com
Message-ID: <36c152b1.51557415@news.ncal.verio.com>
Source record: 117312
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy

Actually, the President doesn't impose taxes. Congress does.

Not only does Clinton have nothing to do with this thread but these
cross posts are out of context as well.

If you are waiting for either Republicans or Democrats to save the
world, you might as well jump off a cliff today. Since most people
can't help but to look out for their own interests, one can only
expect politics to become an arena for self-serving corruption. Those
who have not taken this road as they walk amongst the devils deserve
all the more praise for their strong character and firm principles.

On 9 Feb 1999 08:34:07 GMT, Oscar <oscarrben@worldnet.att.net> wrote:

> I didn't know only Presidents from the
>Democratic Party imposed taxes on us.

--
KF6EAL, Christopher

866. Re: FS ALINCO DR600

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: KD5GEH <kd5geh@koogles.net>
Message-ID: <79pkdo$2sh$1@newnews.startext.net>
Source record: 117313

Nice.....

----- Original Message -----
> From: ADRIAN OAKES <apokb8grj@erinet.com>
> Subject: Re: FS ALINCO DR600
>
> Well you sure noticed my add didn't you? I didn't post it to
> get unwanted email or comments. I posted it to sell it -- the purpose
> of rec radio. If you are not interested then just go police some other
> net or ham band. CAUSE I DON'T GIVE A DAM WHAT YOU
> THINK!!!
-----Original Message-----
From: KD5GEH <kd5geh@koogles.net>
To: ADRIAN OAKES <apokb8grj@erinet.com>
Date: Monday, February 08, 1999 10:03 PM
Subject: Re: FS ALINCO DR600

>You really shouldn't be posting graphics to the newsgroups (except for the
>nudie-groups, of course)...
>It's considered "bad netiquite..."
>
>----- Original Message -----
>From: ADRIAN OAKES <apokb8grj@erinet.com>
>Newsgroups: rec.radio.amateur.equipment
>Sent: Tuesday, February 09, 1999 12:51 AM
>Subject: FS ALINCO DR600
>
>
>>HAVE AN AS NEW -- NEVER MOBILE DUAL BAND
>>2&440 MOBILE --- ALL MANUALS -- BOX ETC.
>> 375.00 + SHIPPING ADRIAN
>>
>>
>>
>
>
>

ADRIAN OAKES <apokb8grj@erinet.com> wrote in message
news:79obkogki1@news.erinet.com...
>HAVE AN AS NEW -- NEVER MOBILE DUAL BAND
>2&440 MOBILE --- ALL MANUALS -- BOX ETC.
> 375.00 + SHIPPING ADRIAN
>
>

>

867. MIDLAND 13-510 Mod Needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: gbrefini@mitre.org
Message-ID: <gbrefini-0902991054290001@georgeson.mitre.org>
Source record: 117314

Being a member of MARS I would like to get one of the radios I have onto the MARS 2Meter band. I am looking for information regarding the neccessary modifications to a Midland Model 13-510 2M mobile transceiver in order to get it to operate on the MARS frequencies. Thanks very much.

868. FS--Motorola Service Manuals

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Nick Marsh <nickwb4sqi@wwd.net>
Message-ID: <36C05A02.7D59@wwd.net>
Source record: 117315
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

Syntor VHF 40/75/110 watt
Syntor XX VHF 150-174
Maxar VHF 150-174
Mitrek UHF 460-512

$10 each manual plus cost for mailing, $35 for the bundle +$5 mailing.

Micor UHF 460-512

$20 plus cost of mailing

--
73

Nick Marsh
WB4SQI

869. FS--Swan Astro 102BX Service manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Nick Marsh <nickwb4sqi@wwd.net>
Message-ID: <36C05A78.A60@wwd.net>
Source record: 117316
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

I have a factory Astro 102BX service manual and pack of updates I will
mail to your door in the lower 48 states for $25.

--
73

Nick Marsh
WB4SQI

870. Re: FS ALINCO DR600

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Dan <kd4lyp@usa.net>
Message-ID: <36C06345.7177@usa.net>
Source record: 117317

> From: KD5GEH <kd5geh@koogles.net>
> To: ADRIAN OAKES <apokb8grj@erinet.com>
> Date: Monday, February 08, 1999 10:03 PM
> Subject: Re: FS ALINCO DR600

> >You really shouldn't be posting graphics to the newsgroups (except for the
> >nudie-groups, of course)...
> >It's considered "bad netiquite..."

> > From: ADRIAN OAKES <apokb8grj@erinet.com>
> > Subject: Re: FS ALINCO DR600

> > Well you sure noticed my add didn't you? I didn't post it to
> > get unwanted email or comments. I posted it to sell it -- the purpose
> > of rec radio. If you are not interested then just go police some other
> > net or ham band. CAUSE I DON'T GIVE A DAM WHAT YOU
> > THINK!!!

He'll sell nothing with a attitude like that!

_
http://www.qsl.net/kd4lyp
East Tennessee Scanner & Ham radio

871. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Lawrence R Glickman <lglickman@ameritech.net>
Message-ID: <kRZv2.43099$ZP5.48257514@nntp0.detroit.mi.ameritech.net>
Source record: 117318
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Hi Andy,

Well, I didn't know that. My *selection* of receivers is limited to whatever E&B Discount Marine has in stock at any given time ! And I have to drive about 45 minutes just to get there. Well, alright then. But I don't think, as someone else mentioned, that Garmin is a toy (cheep (sic) crap) I think was the quote. He said he wouldn't trust his life to a Garmin. Well, I wouldn't trust my life to _any_ gps receiver ! DUH

My experience with Garmin is tainted by the battery failure I experienced with the gIII. But this drove home a very important lesson. ANY unit can fail, and at ANY TIME. That's why I use the gps as a navaid and nothing more.

I think if you took some kind of a survey, you would find there are people in *mission critical* situations using all brands of receivers. Someone at the north pole. Someone in Antarctica. Someone flying an airplane, sailing a ship, using it for SAR, and etcetera. It has never been _proven_ to me that any one brand is more reliable than another.

Does anyone have empirical data to support the allegation that any one Brand of gps receiver is more *reliable* than another?

--
Larry
lglickman@ameritech.net
A fracturing neutron star is a terrible thing to waste

Andrew Kalinowski wrote in message <79pakv$d16$1@whisper.globalserve.net>...
>Yep, Lowrance has it, AFAIK Magellan also does. Do you really think that if
>Garmin would be the only company to have that feature, it would make them a
>leader? C'mon a leader should be something grander... than may be not...
>ouch I almost went off topic... ;-))
>In any case, for me a is the one who establishes trends. There is a number
>of small features which are unique to each brand of GPS receivers, but I
>can't see any of the "big 3" to be a leader.
>
>--
>Andrew K.
>
>Lawrence R Glickman wrote in message ...
>>Position averaging feature, to calm the effects of SA. Does Lowrance have
>>that? I've never even _seen_ a Lowrance (they don't sell them in my area
>>for some reason :(
>>

>>--
>>Larry
>>lglickman@ameritech.net
>>A fracturing neutron star is a terrible thing to waste
>>
>>
>>Andrew Kalinowski wrote in message
><79o9a9$h3h$1@whisper.globalserve.net>...
>>SNIP SNIP
>>>What is exactly Garmin leading in, so far (except for Street Pilot) they
>>>seem to be following somebody... I don't think I missed any news of new
>>>products?
>>>
>>>--
>>>Andrew K.
>>>
>>>Don't drink and internet!
>>>
>>>
>>
>>
>

872. Re: Which 2 meter FM to buy?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: drmarc@wwa.com
Message-ID: <79prun$214$1@hirame.wwa.com>
Source record: 117319

In article <36B5AFF2.F504CA8C@rpa.net>, Wink <wink@rpa.net> wrote:
>Hi,
> There are currently four 2 meter FM mobiles on the
>market, all going for $200 or less. There are they the
>Yaesu FT-2500, the Icom IC-2100H , the Kenwood TM-261A and
>the Alinco DR-140TQ. They all have just about the same
>features except that the Alinco and Icom have CTCSS
>decoders. All appear to be fine radios.

****

I have both the ICOM 207H (dual bander) and the Kenwood TM 261. Both perform without problems. The Kenwood gives you an alpha display which can be helpful. The QST eval. indicated overheating under some conditions but you would have to be pretty abusive to reach that point. Satisfied with either radio.

Marc Schneider, Psy.D.
e-mail to: <drmarc@wwa.com>
(call sign: W4NVY)

873. Free Shopping Cart For Your Website!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: 714330@QddLDu.COM
Message-ID: <199902081330.FAA00549@mailbox1.ucsd.edu>
Source record: 117352

Now you can get the free use of a Secure Electronic Commerce Shopping Cart
and a free SSL Server Certificate. The shopping cart is one of the finest
on the market and includes the following features:

- Supports UPS ground (USA) shipping rate charts
- Product database search feature
- Supports Cybercash credit card transactions
- Ability to store order information in a secure file
- Supports Secure Transactions (SSL)
- Works with frames
- Automatic field validation
- Ability to mail the order to multiple email addresses
- Supports a percentage discount rate
- Supports multiple currencies
- Ability to stay on same page when item is purchased
- Ability to order more than one item at a time
- Receipt sent to customer
- Header and footer files can be included in the customer receipt
- Ability to accept and verify credit card numbers
- Eight different types of shipping supported
- Three shipping algorithms supported
- Ability to add in sales tax
- Ability to keep track of what the user has purchased from page to page,
even if they use the back button. (No cookies used)

This offer is valid only for customers who host web sites with our
clients. Call now to find out how to get your free Secure Electronic
Shopping Cart (970) 349-0796 (United States).

Thank you.

874. Free Shopping Cart For Your Website!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: 974459@TAxDQQ.COM
Message-ID: <199902081330.FAA00550@mailbox1.ucsd.edu>
Source record: 117353

Now you can get the free use of a Secure Electronic Commerce Shopping Cart
and a free SSL Server Certificate. The shopping cart is one of the finest
on the market and includes the following features:

- Supports UPS ground (USA) shipping rate charts
- Product database search feature
- Supports Cybercash credit card transactions
- Ability to store order information in a secure file
- Supports Secure Transactions (SSL)
- Works with frames
- Automatic field validation
- Ability to mail the order to multiple email addresses
- Supports a percentage discount rate
- Supports multiple currencies
- Ability to stay on same page when item is purchased
- Ability to order more than one item at a time
- Receipt sent to customer
- Header and footer files can be included in the customer receipt
- Ability to accept and verify credit card numbers
- Eight different types of shipping supported
- Three shipping algorithms supported
- Ability to add in sales tax
- Ability to keep track of what the user has purchased from page to page,
even if they use the back button. (No cookies used)

This offer is valid only for customers who host web sites with our
clients. Call now to find out how to get your free Secure Electronic
Shopping Cart (970) 349-0796 (United States).

Thank you.

875. Re: milspec modifications - like signalone

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: n7uqa@ncia.com
Message-ID: <79nudc$t8n$1@nnrp1.dejanews.com>
Source record: 117354
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

In article <79ko81$b5l$1@nnrp1.dejanews.com>,

I asked this same question only about a IC-756 and they told me that they have
no plans to do anyother radio (at this time)..

Later

qwasty@hotmail.com wrote:
> The IC-781 is regularly modified for military use by getting turned into the
> signalone. I was wondering if anyone knew if any companies do this with the
> yaesu FT-847? I want a "wonder radio" that is tough enough to fall off the
> back of a truck on a dusty dirt road, and still be fully funtional. even if
> it takes a special container. Low power consumption is a plus.
>
> ----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

876. Icom 746 vs. Icom 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: andrewvictor@geocities.com
Message-ID: <79o0ln$v78$1@nnrp1.dejanews.com>
Source record: 117355

Which radio is better overall the Icom 756 or the Icom 746? Does the Icom 746 have RF Meter? And what are the Pros and Cons about each radio?
Thanks,
Andrew KD7DVI (school callsign)

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

877. WTB: kenwood tm2570 manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Monte Keller <k9dzd@iquest.net>
Message-ID: <l2Hv2.11$E4.144@news1.iquest.net>
Source record: 117356

im looking for both the operating,and,the service manual for the kenwood tm 2530,2550,and 2570......
also would be interested in amobile bracket fotr the same
thanks

monte k9dzd@iquest.net

878. Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: hamoperator@my-dejanews.com
Message-ID: <79ogjvcfg1@nnrp1.dejanews.com>
Source record: 117357
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

"Yaesu has shut down its website, http://www.yaesu.com"
"The amateur community anxiously awaits further word of warranty coverage."

Not surprising with their recent use of back stock FT-1000D's, the recent defects in the new FT-847 and lack of sales due to the P3D launch disappointments.

73

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

879. WTT: Icom Q7A 144/440 Ht

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36c195ad.281980617@news.earthlink.net>
Source record: 117358

WTT: Icom Q7A DualBand Ht
With box and manual,belt clip and carry strap.
Looks BRAND NEW!!.
Will trade for ham gear or commercial gear.
Email,Rich.

880. FS: Icom R-7000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: n3jpu@erols.com
Message-ID: <36c185c1.1713021@news.erols.com>
Source record: 117359

FS: Icom R-7000

Icom R-7000 all mode 25-2000 Mhz receiver. In excellent condition (at
least a 9 or 9.5 out of 10).
Has factory DC input mod.

$750

Gary Mitchelson
Montgomery Co. MD FM19lc
N3JPU@erols.com (Home)
n3jpu@arrl.net
Gmitchelson@racalusa.com (Work)

881. Re: Tm-g707a?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: Solarpower1watt@Juno.com
Message-ID: <kFLv2.56$il1.1384@newsfeed.slurp.net>
Source record: 117360

In article <uZfo1V7U#GA.100@upnetnews02.moswest.msn.net>, "Glenn E. Frasier"
<kd5dmg@digitex.net> wrote:
>I cant seem to find the mod for the kenwood tm-g707a. Deja news does not
>help. anyone have any pointers?
>

Extended RX mod is available as supplementary info on Kenwood's amateur
site. You may need to dig around a bit for it, though. I don't have the URL
for it, at present.

Ed

REPLY INFO:
==========
Return address modified to prevent automatic SPAM response.
TO REPLY: remove the "watt" from my return address.
==========

882. Re: MH-29 Yaesu Display Mic Manual needed.... or copy..

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: n0oba@aol.com
Message-ID: <19990208200754.19554.00000224@ng-fb1.aol.com>
Source record: 117361

Well, the sheet of paper that came with this really only talked about how to set the user key up for anything you wanted so here are the keys and how to program the user key.

Call----VFO---MR----USER

FUNTION IS THE LIGHT KEY

To use the user key which is set to the BAND key by default, hold the USER key down, the last key, while turning on the radio with the mic power button. You should have the word user on the radio itself and the next key you press on the radio is what the USER KEY becomes. So if you would rather it be reverse, press reverse and so on. Have fun, Scott Hilton, n0oba

883. Re: COMMON MODE FILTERS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: nobody@crosslink.net
Message-ID: <36bf8c96.9523719@news.crosslink.net>
Source record: 117362
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

On Mon, 8 Feb 1999 10:31:53 -0800, "Gary - KJ6Q" <davison7@gte.net>
wrote:

>Thru the years, I have found low-pass filters to be rather useless in
>eliminating the typical types of local interference most
>experienced/caused by my HF ham equipment - most interference seems to
>be primary overload to telephones, solid-state audio equipment - even
>the computerized portion of our electric stove!
>
>NOW, I am hearing about new "common-mode" filters, and their claimed
>ability to reduce or eliminate the types of interference not handled
>by low-pas filtering.
>
>Question is, are these claims true - has anyone here benefitted from
>the capabilities of the common mode filters that they were NOT able to
>with a low-pass?

You are quite right to be suspicious. What they do not tell you is
that common mode filters won't do much if you are suffering simple
overload. That's the problem that I have. In my case, I have hi pass
filters in the TV cable and LP filters at the rig - no help at all.
Moving the antenna 100 ft from the house works wonders. I suppose that
in cases of simple overload, that there are circuit modifications and
shielding techniques that can be applied to the TV itself that will
help the problem

73 de Bob, W9DMK (Change nobody to w9dmk for e-mail)
http://www.qsl.net/w9dmk
ftp://qsl.net/pub/w9dmk

884. Want: RCA Power Line Monitor model WV-120A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: John Burch <occupant@syix.com>
Message-ID: <01be53ce$27ad74c0$154aabcd@default>
Source record: 117363
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

```
Wanted: RCA Power Line Monitor model WV-120A
in good condition.

Please e-mail me at occupant@syix.com

Thanks for reading.

73 de John
..
```

885. Re: SGC radio - Run! Run Screaming

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: nrs019@aol.com
Message-ID: <19990208210140.14145.00000167@ngol03.aol.com>
Source record: 117364

Gary,

I really didn't intend to start a fight among newsgroup participants. I understand that you and people you know have had good experiences with SGC both the equipment and the service. And I admin I do not have the breadth of experience to adequately assess percentages of failure.

I started all this because I couldn't get a response at all from SGC. I wasn't allowed to talk to customer support, nor was I allowed to talk to any member of management. I was at a dead end, and rallying a group was my only hope of provoking a response from SGC. You are probably accurate in labeling me a 'sorehead', but I really didn't start out dealing with SGC with that attitude. In fact, the first two times I had interaction with SGC it was with a representative who was helpful and friendly.

I do have to address a couple of items. The truth is that I have run technology companies with a high rate of customer interaction, and I or any other member of senior management would and will drop everything to talk to an irate customer. I consider it to be very important. My well paid engineers also talk to the customers. I believe I am the very example of why it's so important. I would never have risen (or sunk) to this level of 'soreheadedness' if someone, anyone had been willing to talk to me, or even return my telephone call. I believe it to be fundamental that the customer is never unreasonable. The minute you start thinking of your customers as unreasonable, you start losing customers and that's far more costly than satisfiying them up front.

This really isn't similar to complaining to the president of GM when your car breaks down. I wasn't interested in talking to the president at first. That's why companies have Customer Service organizations and managers. Unfortunately I didn't have access to that organization, so I just kept going up. And I don't believe that when the dust settles, I'll be looking unreasonable. Radio is not a hobby for me. I depend upon my SSB as a vital piece of safety gear aboard my boat. It is very important that I believe in the reliability of the radio and the availability of the service. It's very hard to believe, however, if the people who support the equipment won't talk about it. At the very least, there should be a statement of work included with the product when it is returned. There was none.

I have subsequently talked to Pierre Goral, the president of SGC. I found it interesting that he identified the 'secretary' as the Customer Service manager. When I had asked her to let me talk to the Customer Service manager (surely that's not unreasonable) she told me 'he' was not available. Pierre also told me that the techs are 'always' available to talk to the customer about service and support. I had already been told by the 'secretary' that they never talk to the customer. While this could be a miscommunication issue, it sure sounds

and smells like an honesty issue. I should make it clear that the employee I had been talking to is also not the issue. This is more of a corporate culture problem and that only can come from the top.

As far as reputation, again my breadth of experience is too narrow. I have only encountered about 25 SGC owners in the Mexico cruising (boat) community. However, none of them are happy and all of them have had to send their rigs back to the factory for service. Often more than once. I was the last one. This is especially problematic when trying to ship expensive electronics out of and into Mexico. With the exception of the occasional SEA, the rest of the radios in the fleet seem to be ICOM. In contrast with SGC, I have only heard of one ICOM requiring factory service. Of course, that one needed it more than once.

Again, I didn't mean to start a fight (well, at least not with the members of the newsgroups). I just want a dialog with the company from whom I buy expensive product.

Jim Crosby

A voice in a crowd may be missed, but the crowd will be heard.
Jim Crosby
http://members.aol.com/shipsmail

886. FS - Drake R-7

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: kk4tl@aol.com
Message-ID: <19990208213146.10515.00000234@ng-ce1.aol.com>
Source record: 117365

Drake R-7 for sale. Includes 4kc, 2.3kc, 1.8kc, 0.5 kc, 0.3 kc filters. Original owner's manual, excellent copy of service manual. $850.00 shipped CONUS. Price includes professional packing and insurance. Email if interested. KK4TL@AOL.COM

887. yaesu tuner wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: dalej1965@aol.com
Message-ID: <19990208214038.14913.00000252@ng134.aol.com>
Source record: 117366

want fc-102 tuner, mail with condition& price dalej1965@aol.com

888. FS: Misc equip

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: n9patsmk@aol.com
Message-ID: <19990208213844.02718.00000320@ng61.aol.com>
Source record: 117367

I have a few things I would like to sell.

Heathkit
Hybrid Phone Patch Model HD-15 w/ book in excellent shape: Best offer

Mirage Model B1016 2 Meter amp. 10 in gives 160 out. excellent shape: $300

Ranger 2950 10 meter mobile great shape 26-32MHZ all mode: $200

Realistic Pro-34 Handheld scanner, 200 channels 800 Mhz: $150

email for more info
Steve
N9PAT

889. FS: Kenwood PS-52 HD Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: n4dh@juno.COM
Message-ID: <19990208.213742.3326.0.n4dh@juno.com>
Source record: 117368

FOR SALE: Kenwood PS-52 HD Power Supply.
This is the 22.5 Amp. Power Supply that matches
the TS-850, TS-870, and others. Will work with
any radio that requires 13.5 VDC. Have orginal
cartons, manuals, etc. Non smoker. Nice Condition.
$160.00.

Ph. (704) 545-9368

You don't need to buy Internet access to use free Internet e-mail.
Get completely free e-mail from Juno at http://www.juno.com/getjuno.html
or call Juno at (800) 654-JUNO [654-5866]

890. Computer control software for Icom R-7100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-09 00:00:00 UTC
From: malloy@execpc.com
Message-ID: <79oafk$cfi@newsops.execpc.com>
Source record: 117369

I am interesting in acquiring computer control software for an Icom R-7100. I would like recommendations either commercial or shareware that control this radio.

Mike N9WJV

891. Re: Station equipment for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: zzdx@aol.com
Message-ID: <19990210061408.14931.00000003@ng08.aol.com>
Source record: 117170

Did you sell the SB-220 yet? if not I'll give you $400 for it, if condx is good
es full output.
Let me know, 73, George?K2ZZ
ZZDX@aol.com

892. Want: RCA Power Line Monitor (meter)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: John Burch <occupant@syix.com>
Message-ID: <01be54e7$6304f380$d448abcd@default>
Source record: 117171
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment,sci.electronics.misc

```
Wanted: RCA Power Line Monitor model WV-120A
meter in good to excellent condition.

Please e-mail me at occupant@syix.com

Thanks for reading.

73 de John
...
```

893. FS: Bendix King Rapid Charger Model LAA0325

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: kd5gch@usa.net.NOSPAM
Message-ID: <vXdw2.6826$OS5.7779018@news3.mia>
Source record: 117172

FOR SALE:

Bendix King Rapid Charger Model LAA0325

Rapidly recharges a battery pack or radio to 90% of capacity. Once rapid
charging
is complete, unit automatically switches to a trickle rate to maintain the
charge
without damaging the battery pack. Red and Green LED indicators confirm proper

contact with the battery and show the charge rate.

Input: 121/242 VAC +/-10%, 50/60 Hz
Wired For: LAA0325-121 VAC
Size: 7x3.75x3.5 Inches
Weight: 3 Lbs. 2 oz.
Power Cord: Grounded, 3 Conductor Cable, 78" Length.
LAA0325 is CSA Approved.

Unit is in EXCELLENT condition and works fine.
Price is $50.00 + shipping from Baton Rouge, LA 70808

Email if interested.
kd5gch@usa.net
Todd

==========
73 de KD5GCH. Remove the "NOSPAM" from my email before replying.
Spam Bait: admin@loopback, $LOGIN@localhost, $LOGNAME@localhost,
$USER@localhost, $USER@$HOST,-h1024@localhost,root@mailloop.com
==========

894. AOR - Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: bus5056@vip.cybercity.dk
Message-ID: <36C16D20.622F1335@vip.cybercity.dk>
Source record: 117173

Hej !!!!!

Jeg mangler Software til min AOR 3000 a.

venligst til Win 98. : RadioCom 3,5 eller Scan#Star eller
WinTone.

Venlig hilsen

Jens Frederiksen

Waaben@ibm.net.

895. FS: Mirage B5030G 2M Amp/preamp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: #fleet@mbl.edu
Message-ID: <#fleet-1002990623150001@pom1.mbl.edu>
Source record: 117174
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Due to a misunderstanding from the previous buyer this amp is again
forsale. It is .5-50W in up to 300W out with preamp, operates on 12V.
This is in an unopened box. I paid 599.95 will sell for 400.00 plus any
shipping. I had trashed emails from interested parties because the check
was in the mail, please respond again.

--
Do not autoreply, remove # sign from email address to respond

Barry Fleet K1SWR
Cape Cod MA

896. Re: Radio Install--Jeep Wrangler

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Wink <wink@rpa.net>
Message-ID: <36C16232.8947313B@rpa.net>
Source record: 117175

I have a Jeep Wrangler that I've installed my 2 meter radio in the console between the front seats. I use an external speaker and I just open the top of the console for access to the radio. I was concerned about heat buildup so I also installed a small muffin fan in the console but it doesn't seem to be a problem. My Jeep is a soft top so security is a problem. This way I can just lock it up and it's out of sight. It works for me...

Gary / N2UM

John Trigg wrote:

> I have a '91 jeep wrangler hard-top with standard trans and the underdash AC
> unit. Can anyone give me some suggestions on where to mount a standard
> small dual band unit (Yaesu FT-8000R).
>
> Thanks,
>
> John Trigg
> San Antonio, TX
>
> triggjoh@txdirect.net

897. MIL-SPEC Dual Band Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: "Joel B. Black" <jbblack@mindspring.com>
Message-ID: <79rt03$4kc$1@camel29.mindspring.com>
Source record: 117176

I am interested to know if there is a MIL-SPEC true (not one band at a time) dual-band (2m / 70cm) mobile radio out there. My job as a telecom electrician takes me into some rough places and the vibration, I think, killed my last radio which was an iCOM IC-2000 (iCOM really stands for I Can Only Monitor in this case) ;-)

Please respond to my e-mail address as I don't frequent this list.

Thanks in advance.

Joel B. Black, KS4AW
jbblack@mindspring.com
ks4aw@amsat.org

898. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Hackman <hacker@nospam.jump.net>
Message-ID: <36C17A32.94FAFB75@nospam.jump.net>
Source record: 117177
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Dean, Greg wrote:
>
> :
> :>Garmin is in the same line as Magellan...cheep consumer electronics, you
> :>don't want to trust your life to a garmin handhelp GPS.
> :
> :Ok, so you've taken you cheap shot at "cheep consumer electronics".
> :But what GPS would *you* trust your life to? I haven't seen you
> :pointing out anything better.
> :
> :And how much does this better GPS cost? Are you really sure it's
> :more reliable than having two independent "cheep" GPSes?
> :
>
> The military uses the Rockwell PLGR. It feeds data back to
> net control via the SINCGARS radio. Motorola has units as
> well that interface with 800 Mhz radios. Now if they could
> have map displays.....
>

you CAN add a chart ploter and charting to the Motorola unit.

> http://www.collins.rockwell.com/

899. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Hackman <hacker@nospam.jump.net>
Message-ID: <36C17ABF.FE428F06@nospam.jump.net>
Source record: 117178
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Dave Martindale wrote:
>
> Hackman <hacker@nospam.jump.net> writes:
> >try maybe Northstar, Rathyon, shall I go on ?
>
> Certainly. Which models are these? How much do they cost? How
> reliable are they, and how much more reliable than Garmins and
> Magellans is that?
>
> Dave

If you really are intered in this data, Id be glad to dig it up.
How much more reliable ? Well, in testing our North Star equiped as a servey unit would track to within a few centimeters.....used to place drill heads etc.

Want to try laying down a multi-million dollar well head using a Garmin ?

900. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Hackman <hacker@nospam.jump.net>
Message-ID: <36C17B59.FAB3CA0C@nospam.jump.net>
Source record: 117179
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Andrew Kalinowski wrote:
>
> Actually for very similar reasons, I don't think that there is a single
> "worst". There usually is an application for any of them, just like for AOL
> CD's. Most people use them as a cheap clay pigeon substitute, but some use
> the service and are happy. OK, so what that they are happy because they
> don't know any better... they are happy and that's the most important part
> of it.

agreeded, It was just hard to allow a statement such as Gregs on the
Garmin being an industry leader to pass on.

> Yep, really, you are spoiling our fun telling us that what we use isn't very
> best and state of the art. That's not nice at all.
> Now, here , apologise you... you... bad boy!!! ROTFL
> --

Please, accept my apology. FOr walks in the woods, or an afternoon of
fishing, the Garmin will perform fine.

> Andrew K.
>
> Hackman wrote in message <36C078C5.28B464BC@nospam.jump.net>...
> >Andrew Kalinowski wrote:
> >>
> >> Larry, that's very much my point exactly. There is no single "best".
> >>
> >> --
> >
> >correct, but you surely don't point to the worst of the lot to support
> >your posistion do you ?
> >
> >
> >
> >
> >> Andrew K.
> >> Lawrence R Glickman wrote in message ...
> >> >Hi Andy,
> >> >
> >> >Well, I didn't know that. My *selection* of receivers is limited to
> >> >whatever E&B Discount Marine has in stock at any given time ! And I
> have
> >> to
> >> >drive about 45 minutes just to get there. Well, alright then. But I

> don't
> >> >think, as someone else mentioned, that Garmin is a toy (cheep (sic)
> crap)
> >> >I think was the quote. He said he wouldn't trust his life to a Garmin.
> >> >Well, I wouldn't trust my life to _any_ gps receiver ! DUH
> >> >
> >> >My experience with Garmin is tainted by the battery failure I
> experienced
> >> >with the gIII. But this drove home a very important lesson. ANY unit
> can
> >> >fail, and at ANY TIME. That's why I use the gps as a navaid and nothing
> >> >more.
> >> >
> >> >I think if you took some kind of a survey, you would find there are
> people
> >> >in *mission critical* situations using all brands of receivers. Someone
> at
> >> >the north pole. Someone in Antarctica. Someone flying an airplane,
> >> sailing
> >> >a ship, using it for SAR, and etcetera. It has never been _proven_ to
> me
> >> >that any one brand is more reliable than another.
> >> >
> >> >Does anyone have empirical data to support the allegation that any one
> >> Brand
> >> >of gps receiver is more *reliable* than another?
> >> >
> >> >--
> >> >Larry
> >> >lglickman@ameritech.net
> >> >A fracturing neutron star is a terrible thing to waste
> >> >
> >> >
> >> >Andrew Kalinowski wrote in message
> >> <79pakv$d16$1@whisper.globalserve.net>...
> >> >>Yep, Lowrance has it, AFAIK Magellan also does. Do you really think
> that
> >> if
> >> >>Garmin would be the only company to have that feature, it would make
> them
> >> a
> >> >>leader? C'mon a leader should be something grander... than may be
> not...
> >> >>ouch I almost went off topic... ;-))
> >> >>In any case, for me a is the one who establishes trends. There is a
> number
> >> >>of small features which are unique to each brand of GPS receivers, but
> I
> >> >>can't see any of the "big 3" to be a leader.
> >> >>

> >> >>--
> >> >>Andrew K.
> >> >>
> >> >>Lawrence R Glickman wrote in message ...
> >> >>>Position averaging feature, to calm the effects of SA. Does Lowrance
> >> have
> >> >>>that? I've never even _seen_ a Lowrance (they don't sell them in my
> >> area
> >> >>>for some reason :(
> >> >>>
> >> >>>--
> >> >>>Larry
> >> >>>lglickman@ameritech.net
> >> >>>A fracturing neutron star is a terrible thing to waste
> >> >>>
> >> >>>
> >> >>>Andrew Kalinowski wrote in message
> >> >><79o9a9$h3h$1@whisper.globalserve.net>...
> >> >>>SNIP SNIP
> >> >>>>What is exactly Garmin leading in, so far (except for Street Pilot)
> they
> >> >>>>seem to be following somebody... I don't think I missed any news of
> new
> >> >>>>products?
> >> >>>>
> >> >>>>--
> >> >>>>Andrew K.
> >> >>>>
> >> >>>>Don't drink and internet!
> >> >>>>
> >> >>>>
> >> >>>
> >> >>>
> >> >>
> >> >
> >> >

901. Re: YEASU NEWSGROUP???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: AC6V <ac6v@ix.netcom.com>
Message-ID: <36C18E96.5684@ix.netcom.com>
Source record: 117180

dt wrote:
>
> Anyone know if there's a Yaesu-dedicated newsgroup? Or an email
> reflector? Ones that specialize in specific Yaesu products?
>
> Tnx/73
> K0DAN

Try the mail lists at URL:
http://www.ac6v.com/pageae.html

Several Yaesu "reflectors" there.

I'm a Kenwood type so can't vouch for them.

73
Rod in San Diego
--
AC6V INDEX TO DX AND HAM RADIO
FEATURING 88 PAGES, 400 INDEXED TOPICS, AND 3000 LINKS
Over 288,000 visits on the counter
http://www.ac6v.com/pageas.html -- Alphabetical Index
http://www.ac6v.com/ -- Home Page

902. FS: Maha VHF HT Docking Booster

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: tracy585@aol.com
Message-ID: <19990210091329.10511.00000034@ng04.aol.com>
Source record: 117181

For Sale or Trade: MH-A301 VHF Docking Booster

"Maha's new Docking Booster are the affordable solution to the weak signal problems. The MH-A300 series docking boosters utilizes a compact amplifier, and with the appropriate adapter, you will boost your five watt output power of you handheld to higher output power of a more expensive mobile radio while maintaining the portability of the handheld. All you have to do is dock your radio, and you are on! Just slide the radio onto the booster as you slide your radio onto your battery pack. It is that easy! You can instantly switch from a powerful mobile radio to a portable handheld with ease! Put you radio on Maha's new MH-A300 series docking booster and see what it can do for you!" Says Maha at their website the world wide web at www.maha-com.

MH-A301 Docking Booster Specifications

MH-A301
Nominal frequency range: 144-148MHz
Mode: F3 (FM)
RF Input power: 1 - 5 Watts
RF Output with 5 watts Input: 50 Watts (MAX)
Receiver Gain: 14 dB
RF Input/Output impedance: 50 Ohms
RF Output connectors: Type M (SO-238)
RF Input cable & connector: 50 Ohm coax with BNC male
DC Input voltage (nominal): 13.8 Volts
DC Current drain: 8 Amps. (MAX)
Dimensions: 3.3"(W) x 5.9"(H) x 3.3"(D)
(85 mm) x (150mm) x (85mm)

Weight: 1 1/2 Lbs (0.7kg) Approx.

FEATURES

Simple to connect to your handheld, just remove the battery and antenna from your handheld and attached it to the appropriate adapter mounted into the unit and connect the coax cable of the unit to the antenna connector of the handheld.

50 watts nominal RF output power with 5 watts of input RF drive power.

Low noise GaAs FET Receiver Pre-amplifier.

The DC power is supplied from the unit to the handheld through the battery adapter.

Reverse DC power polarity protection.

If interested mine is for sale or trade. It's one year old. Excellent condition. Make offer ($100?) or trade for VHF mobile radio of some kind? Please respond to the e-mail address listed on this posting.

Thanks!

73

Tracy
K0DOE

BUT WILL IT FIT MY RADIO YOU SAY???

Docking Adapters this booster is compatible with--

Adapter Model Compatible Radios
MHS-K1 Kenwood TH-77 Series
MHS-K2 Kenwood TH-79/22/42
MHS-Y1 Yaesu FT-470/415/23R/411E/811E
MHS-Y2 Yaesu FT-530 Series
MHS-Y3 Yaesu FT-11/41/51R
MHS-Y4 Yaesu FT-10/40/50R
MHS-S1 Standard C158/228/558 ADI AT-200/400/600
Radio Shack HTX-204
MHS-I1 ICom IC-02AT/03AT/H16
Radio Shack HTX-202/404
MHS-I2 ICom IC-2SAT/3SAT/4SAT/W2A/24AT
MHS-I3 ICom IC-W21AT/IC-2GXAT Series IC-M10/F10/F20
MHS-I4 ICom IC-Z1A/T7A/T22/W31/W32

...And will need to be purchased from Maha separately for your specific radio model. They also provide a universal "cup" which can be adapted to fit most non-standard models listed above.

903. Re: which linear..new or used??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: "David Ho (de AF4BH)" <davidho@one.net>
Message-ID: <Pine.LNX.4.04.9902100907001.24216-100000@shell.one.net>
Source record: 117182

I think that 600W should help you get above the noise some when needed.
1 S unit or so to really state the difference. In many occasion, this
little bit head room buys some time to finish up the QSO which is in
progress.

Best 73!

de David Ho, AF4BH
Covington, KY USA
E-Mail: davidho@one.net

On Wed, 10 Feb 1999, Fausto Casini wrote:

> have a good antenna, like Cushcraft X7 or KLM KT34XA, could I use the
> small (and new) one, 600W, to get good results in DX?Thank for
> help...73...Fausto
>

904. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <79s7ktkmc1@news-1.news.gte.net>
Source record: 117183
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

:>
:> Actually for very similar reasons, I don't think that there is a single
:> "worst". There usually is an application for any of them, just like for
AOL
:> CD's. Most people use them as a cheap clay pigeon substitute, but some
use
:> the service and are happy. OK, so what that they are happy because they
:> don't know any better... they are happy and that's the most important
part
:> of it.
:
:agreeded, It was just hard to allow a statement such as Gregs on the
:Garmin being an industry leader to pass on.

Garmin has done a better job than most.
They are not Rockwell nor Motorola, which
is what agencies will buy. (Maybe Northstar)

Garmin also does well in aviation sales, competing
with Rockwell/Colins.

:
:> Yep, really, you are spoiling our fun telling us that what we use isn't
very
:> best and state of the art. That's not nice at all.
:> Now, here , apologise you... you... bad boy!!! ROTFL
:> --
:
:Please, accept my apology. FOr walks in the woods, or an afternoon of
:fishing, the Garmin will perform fine.
:

Garmin is being bought by military members for personal
use. Price vs. function. I expect to see Gamin units sold
in Clothing Sales this year.

905. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <79s7pc$2sn$1@news-1.news.gte.net>
Source record: 117184
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

:> >try maybe Northstar, Rathyon, shall I go on ?
:>
:> Certainly. Which models are these? How much do they cost? How
:> reliable are they, and how much more reliable than Garmins and
:> Magellans is that?
:>
:> Dave
:
:If you really are intered in this data, Id be glad to dig it up.
:How much more reliable ? Well, in testing our North Star equiped as a
:servey unit would track to within a few centimeters.....used to place
:drill heads etc.
:
:Want to try laying down a multi-million dollar well head using a Garmin

Garmin has units that are in that market sector as well.
Also look at the aviation market which Garmin has gone
head to head with Rockwell/Colins.

906. WTB: KWM380 Parts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Chet <sprinkle@compuserve.com>
Message-ID: <OqPeXbQV#GA.218@ntdwwaaw.compuserve.com>
Source record: 117185

Need A2 low pass filer assembly.

Am interested in other parts you may have.

Please send info, price, and telephone/email.

Chet -

907. Midland 13-509 / PL Board?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Paul Knight <paul.knight@prairiecomm.com>
Message-ID: <79s8qm$r2g$1@eve.enteract.com>
Source record: 117186
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

Hi! Is it relatively painless to install a PL board in a Midland 13-509? I have a ComSpec board that I would like to put it. I'm lacking docs, so any info would be helpful.

Are there any other upgrades of interest with this rig? I found an old article in "73 Magazine" about improving the squelch performance, but that's it. Has anyone ever changed out the finals to get more than 10W out (like is commonly done with the HR-2510/2600)?

Thanks for any help -

Paul WD8DKY
paul.knight@prairiecomm.com

908. Re: Used Police Radar Guns Wanted !!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Fried POLARIS owner <dmitchel@neo.lrun.com>
Message-ID: <01be550f$00a471c0$35cad2cc@dougmitc.neo.lrun.com>
Source record: 117187
Cross-posted to: sci.electronics.misc,rec.sport.snowmobiles,sci.electronics.components,sci.electronics.equipment,sci.electronics.repair,alt.law-enforcement,memphis.wanted,rec.radio.amateur.equipment,rec.radio.swap

http://st2.yahoo.com/worldradio/perradgun.html
http://www.jugsinc.com
http://www.radarsales.com/

Mark Hartman <hartmans@inlink.com> wrote in article
<79onaqsph9@news1.inlink.com>...
> I would like to purchase surplus Police Radar Guns. Handheld or Two
Piece, any
> band. Please reply with model
> number and condition. Thanks!
>
>

909. Price Question on Radio Shack 204

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: duane olexa <do@1st.net>
Message-ID: <36C1D62F.322B@1st.net>
Source record: 117188

a friend of mine asked how much he should try to sell a used
Radio Shack 204 dual band hand held for.

anybody know a fair market value for this?

thanks
duane wm8n

910. KENWWOD MOBILE RADIO

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: umd106@email.msn.com
Message-ID: <uRC4tSRV#GA.210@upnetnews03>
Source record: 117189

FOR SALE : KENWOOD Mobile Radio - TK-705D

VHF: 136 ~ 150 MHz/150 ~ 174 MHz
Compact and lightweight design
16 semi-duplex channels
Rugged die-cast chassis/heatsink
High RF output - TK-705D: 5 low~25 high Watts

EXCELLENT CONDITION
For details and a picture -> http://bannold.cambs.net/tk705805.htm

$175 + shipping

UMD106@msn.com

911. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Hackman <hacker@nospam.jump.net>
Message-ID: <36C1B6BF.52FD1F6C@nospam.jump.net>
Source record: 117190
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Dean, Greg wrote:
>
> :>
> :> Actually for very similar reasons, I don't think that there is a single
> :> "worst". There usually is an application for any of them, just like for
> AOL
> :> CD's. Most people use them as a cheap clay pigeon substitute, but some
> use
> :> the service and are happy. OK, so what that they are happy because they
> :> don't know any better... they are happy and that's the most important
> part
> :> of it.
> :
> :agreeded, It was just hard to allow a statement such as Gregs on the
> :Garmin being an industry leader to pass on.
>
> Garmin has done a better job than most.
> They are not Rockwell nor Motorola, which
> is what agencies will buy. (Maybe Northstar)
>
> Garmin also does well in aviation sales, competing
> with Rockwell/Colins.
>

in the small market, kinda like the sailing market...do you know of any
big jets using Garmin ? 8;)

> :
> :> Yep, really, you are spoiling our fun telling us that what we use isn't
> very
> :> best and state of the art. That's not nice at all.
> :> Now, here , apologise you... you... bad boy!!! ROTFL
> :> --
> :
> :Please, accept my apology. FOr walks in the woods, or an afternoon of
> :fishing, the Garmin will perform fine.
> :
>
> Garmin is being bought by military members for personal
> use. Price vs. function. I expect to see Gamin units sold
> in Clothing Sales this year.

912. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Allan Koenigsberg <ae2j@worldnet.att.net>
Message-ID: <36C1BAB7.1735C1D9@worldnet.att.net>
Source record: 117191
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Maybe you should be using a web browser to access it.. It works for me.

hamoperator@my-dejanews.com wrote:

> "Yaesu has shut down its website, http://www.yaesu.com"
> "The amateur community anxiously awaits further word of warranty coverage."
>
> Not surprising with their recent use of back stock FT-1000D's, the recent
> defects in the new FT-847 and lack of sales due to the P3D launch
> disappointments.
>
> 73
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

913. Memory groups on VX-5R???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Vito Villamor <vovillamor@earthlink.net>
Message-ID: <36C1B85F.3C70B7DD@earthlink.net>
Source record: 117192

I've been hearing that the VX-5R can access any memory location
without having to switch bands like you have to do with the VX-1R.

My real question is whether or not the VX-5R can put memory
locations into a group(s), and then just scan memories in that group.
We do thison the VX-1R by using the radio's frequency bands to group
the memories,and then use the ADMS software to put the memories into
the specificfrequency band that we want. Is the VX-5R able to do
something like this?

In some of the newsgroup postings regarding the VX-5R some people
have made references to "memory groups". Does anyone know any more
aboutwhat they're talking about? I would have just contacted the
author of the post, but my newsgroup server has already deleted
the posting.

I don't have a VX-5R yet, but I do have a VX-1R. I'm just getting
some information about the VX-5R now so that I won't have as many
questions about it when I finally get it.

Thanks in advance to those that respond,
---Vito

By the way--have you people read the posting about Yaesu going
bankrupt? I wonder if the author was trying to be funny, or
if he jumps to conclusions like that everyday...or maybe just a
disgruntled Yeasu critic...

914. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Lawrence R Glickman <lglickman@ameritech.net>
Message-ID: <jkjw2.43853$ZP5.48854946@nntp0.detroit.mi.ameritech.net>
Source record: 117193
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

We're talking apples and oranges here, Mr Hackman. There are a lot of *survey grade* gps receivers available from a lot of manufacturers, and you can have any of them if you want to spend the money. But these are not the kind of receivers you're going to drop in your pocket for a whitewater trip down the local river.

And for anyone willing to spend a *little* more money, they can add DGPS to their *cheepie* receiver and get PDGA (pretty damn good accuracy) for a _lot_ less money than you are suggesting.

For serious scientific use, survey use, perhaps one of your suggested receivers might be more appropriate than the little 12XL brick I drop in my pocket when meandering about. But I don't think most of us need the centimeter accuracy these more expensive units are capable of; we definitely would not find them convenient to carry about, and most all of us could not afford them.

I suggest that you visit the Trimble site www.trimble.com for a review of how a modestly priced dgps receiver can add great precision to the cheepie receivers most of us use.

What you HAVE NOT done is take into account the cost/benefit/convenience factors. Of course a billion dollar oil conglomerate can afford to use, and will use, 30,000 dollar gps receivers for determining coordinates for drilling. The question is, DO YOU CARRY ONE OF THESE YOURSELF FOR YOUR PERSONAL NAVIGATION PURPOSES?

--
Larry
lglickman@ameritech.net
A fracturing neutron star is a terrible thing to waste

915. Re: which linear..new or used??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: STEVEN L UMBACH <N9ROU@prodigy.net>
Message-ID: <79sfdp$3e8c$1@newssvr03-int.news.prodigy.com>
Source record: 117194

The Al1200 is a great amp that will put out gobs of power, but is very NOISY - lots of fan noise. The TL922 is a good quiet amp and can easily put out 1200 watts on ssb. It is a great looking amp also. I have owned a AL80B for about four years now. I am very happy with it. It is very quiet and can put out 1000 watts ssb no problem with the single 3-500Z on 120 volts in a nice compact desktop package. Sometimes I see them go used for around $775. I stayed away from the AL811 series - they work well, but I talked to a lot of owners who had replaced their tubes after a couple of years. Good luck in getting yourself an amplifier. --- Steve KK9ZZ
Fausto Casini wrote in message <79rt61$9gu$1@fe2.cs.interbusiness.it>...
Hello', I am thinking about to buy a linear amplifier to let my FT1000MP (and me) to be happy. Now the question is: is it better a new Ameritron AL811X 600W ampli or, for the same price, a used ampli like TL922, Drake L7, Ameritron AL1200 (in good conditions)??
Supposing to have a good antenna, like Cushcraft X7 or KLM KT34XA, could I use the small (and new) one, 600W, to get good results in DX?Thank for help...73...Fausto

916. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: "Rudolph M. Marcelletti" <rudym@net-link.net>
Message-ID: <79sfds$bpe@news.net-link.net>
Source record: 117195
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Went to the Yaesu site today and it is working just fine. I think this company going bankrupt is just another hoax! Rudy, K8SWD
hamoperator@my-dejanews.com wrote in message <79ogjvcfg1@nnrp1.dejanews.com>...
>"Yaesu has shut down its website, http://www.yaesu.com"
>"The amateur community anxiously awaits further word of warranty coverage."
>
>Not surprising with their recent use of back stock FT-1000D's, the recent
>defects in the new FT-847 and lack of sales due to the P3D launch
>disappointments.
>
>73
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

917. Re: FT-840 RFI problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: k3fh@aol.com
Message-ID: <19990210123457.10676.00000138@ng-fi1.aol.com>
Source record: 117196

My guess is you have a ground problem. With a mag-mount you need to connect the trunk (assuming that's where you have the mag-mount) to the body of the car through a heavy copper strap or braid. Also check the ground connection on the rig...if you are only using the negative power lead it may not be a good-enough connection. I have run the 840 on a Chevy Corsica with mag-mount on the trunk and hamsticks with no problems--though I never ran CW mobile.

I would be very surprised if there were anything wrong with the radio.

73, GL de Mike K3FH

918. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Hackman <hacker@nospam.jump.net>
Message-ID: <36C1C657.8F1B491A@nospam.jump.net>
Source record: 117197
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Lawrence R Glickman wrote:
>
> We're talking apples and oranges here, Mr Hackman. There are a lot of
> *survey grade* gps receivers available from a lot of manufacturers, and you
> can have any of them if you want to spend the money. But these are not the
> kind of receivers you're going to drop in your pocket for a whitewater trip
> down the local river.
>

correct...but this is not the claim made by Greg...which is what my
comment was about....
Garmin (sorry, I'll add IMHO to settle some nerves) isn't an "industry
leader" in GPS technology.....

> And for anyone willing to spend a *little* more money, they can add DGPS to
> their *cheepie* receiver and get PDGA (pretty damn good accuracy) for a
> _lot_ less money than you are suggesting.
>

for the Garmin, the DGPS receiver is only about 100.00, so I agree with
you.....
yet this still odesn't make it "industry leader"

> For serious scientific use, survey use, perhaps one of your suggested
> receivers might be more appropriate than the little 12XL brick I drop in my
> pocket when meandering about.

now your getting the idea....

> But I don't think most of us need the
> centimeter accuracy these more expensive units are capable of; we definitely
> would not find them convenient to carry about, and most all of us could not
> afford them.
>

granted...yet would that cheep pocket model be concidered "industry
leader" ?
This is the only point I was making.....

> I suggest that you visit the Trimble site www.trimble.com for a review of
> how a modestly priced dgps receiver can add great precision to the cheepie
> receivers most of us use.
>

Trimble is good gear...I know there site, been there many times

> What you HAVE NOT done is take into account the cost/benefit/convenience
> factors.

don't have to.

See, I was just simply calluing Greg on the Industry leader part, so
taking into account cost/benefit/convenience
is a moot point....

Of course a billion dollar oil conglomerate can afford to use, and
> will use, 30,000 dollar gps receivers for determining coordinates for
> drilling. The question is, DO YOU CARRY ONE OF THESE YOURSELF FOR YOUR
> PERSONAL NAVIGATION PURPOSES?
>

do you really want me to answer that question ?
mines not 30,000.00, but it isn't 250.00 ether........

> --
> Larry
> lglickman@ameritech.net
> A fracturing neutron star is a terrible thing to waste

919. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Lawrence R Glickman <lglickman@ameritech.net>
Message-ID: <WXjw2.43860$ZP5.48874586@nntp0.detroit.mi.ameritech.net>
Source record: 117198
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

>do you really want me to answer that question ?
>mines not 30,000.00, but it isn't 250.00 ether........
>

Absolutely would like you to answer that question, if you wouldn't mind.

--
Larry
lglickman@ameritech.net
A fracturing neutron star is a terrible thing to waste

Hackman wrote in message <36C1C657.8F1B491A@nospam.jump.net>...
>Lawrence R Glickman wrote:
>>
>> We're talking apples and oranges here, Mr Hackman. There are a lot of
>> *survey grade* gps receivers available from a lot of manufacturers, and
you
>> can have any of them if you want to spend the money. But these are not
the
>> kind of receivers you're going to drop in your pocket for a whitewater
trip
>> down the local river.
>>
>
>correct...but this is not the claim made by Greg...which is what my
>comment was about....
>Garmin (sorry, I'll add IMHO to settle some nerves) isn't an "industry
>leader" in GPS technology.....
>
>> And for anyone willing to spend a *little* more money, they can add DGPS
to
>> their *cheepie* receiver and get PDGA (pretty damn good accuracy) for a
>> _lot_ less money than you are suggesting.
>>
>
>for the Garmin, the DGPS receiver is only about 100.00, so I agree with
>you.....
>yet this still odesn't make it "industry leader"
>
>
>> For serious scientific use, survey use, perhaps one of your suggested
>> receivers might be more appropriate than the little 12XL brick I drop in
my
>> pocket when meandering about.

>
>now your getting the idea....
>
>> But I don't think most of us need the
>> centimeter accuracy these more expensive units are capable of; we
definitely
>> would not find them convenient to carry about, and most all of us could
not
>> afford them.
>>
>
>granted...yet would that cheep pocket model be concidered "industry
>leader" ?
>This is the only point I was making.....
>
>
>> I suggest that you visit the Trimble site www.trimble.com for a review of
>> how a modestly priced dgps receiver can add great precision to the
cheepie
>> receivers most of us use.
>>
>
>Trimble is good gear...I know there site, been there many times
>
>
>> What you HAVE NOT done is take into account the cost/benefit/convenience
>> factors.
>
>don't have to.
>
>See, I was just simply calluing Greg on the Industry leader part, so
>taking into account cost/benefit/convenience
>is a moot point....
>
>
>
> Of course a billion dollar oil conglomerate can afford to use, and
>> will use, 30,000 dollar gps receivers for determining coordinates for
>> drilling. The question is, DO YOU CARRY ONE OF THESE YOURSELF FOR YOUR
>> PERSONAL NAVIGATION PURPOSES?
>>
>
>do you really want me to answer that question ?
>mines not 30,000.00, but it isn't 250.00 ether........
>
>> --
>> Larry
>> lglickman@ameritech.net
>> A fracturing neutron star is a terrible thing to waste

920. WTB: KPC-3+ from Kantronics

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: fdecker@aol.comNOSPAM
Message-ID: <19990210130728.03427.00000122@ng-fu1.aol.com>
Source record: 117199

I would like one of these things and will take a used one if I can find a good deal, or would like what anyone has found as the best price new. I hate to pay $150 for what is basically a 1200baud modem. <g>

Fred - KE4IXL

Please remember to remove the
<<NOSPAM>> from my email address
when replying.

921. Re: Who makes the best dual band mobile??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: fdecker@aol.comNOSPAM
Message-ID: <19990210131307.03427.00000123@ng-fu1.aol.com>
Source record: 117200

Who says that "mil spec" is anything more than a clever marketing gimmick to rope in people like us?

It is either quality or it isn't. Time and number of satified users is your best bet.

You get what you pay for. The best radio I have seen is the Standard with the display on the microphone. Extremely nice piece of equipment. The one I chose, and lots of my friends chose is the TM-V7 from Kenwood. The one with the blue screen. Awesome radio. And half the price of the Standard and it is still not cheap. <g>

Fred - KE4IXL

Please remember to remove the
<<NOSPAM>> from my email address
when replying.

922. WTB: Heathkit SB series gear

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: W4DAS <dcb@ecqual.net>
Message-ID: <36c17360.0@news-out2.newsnerds.com>
Source record: 117201

I would like to purchase just about anything in the Heathkit SB series. Please let me know what you have, condition, and your reasonable asking price. Thanks.

Doug W4DAS
Stuart, Florida 34996
(561) 287-7830

923. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: davem@groucho.cs.ubc.ca
Message-ID: <79sjsq$b5h@groucho.cs.ubc.ca>
Source record: 117202
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Hackman <hacker@nospam.jump.net> writes:

>If you really are intered in this data, Id be glad to dig it up.
>How much more reliable ? Well, in testing our North Star equiped as a
>servey unit would track to within a few centimeters.....used to place
>drill heads etc.

When you said "I wouldn't trust my life to a Garmin", I thought you were talking about "reliability" in the sense of unlikelihood of failure to provide a position within the expected accuracy - which is +- 100 m 95 percent of the time with decent satellite geometry for a handheld.

Now you seem to be talking about reliability in providing a cm-accuracy position. Of course, no consumer handheld will ever provide that accuracy in the first place - you need a survey-grade instrument.

Let me rephrase the question: If you were going out into the wilderness somewhere without map and compass, and depended on a GPS to get you home safely, and the accuracy provided by an SA-degraded GPS was sufficient for this purpose, which would you take with you into the wilderness: one North Star survey unit, or several consumer handhelds? Which option is least likely to fail completely?

Dave

924. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Joe Mehaffey <joe@mehaffey.com>
Message-ID: <36C1DCB3.56049517@mehaffey.com>
Source record: 117203
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Hi Mr. Hackman,
I believe you are mixing apples and oranges here without benefit of a sauce. Surely we all agree that a $300 GPS receiver of whatever brand is potentially not as accurate as a $10,000 surveying instrument. I would suggest that in MANY cases, the surveying instrument would be totally unsuitable for uses to which the $300 units are put.

When you attempt to qualify one instrument as "better" or "more reliable" or "more accurate" or whatever, you must state and be able to support your criteria. (That is if you are SERIOUS about such statements.)

So... Yes. I believe there are more reliable, more accurate, more robust, GPS receivers than Magellan, Garmin, Lowrance and similar consumer units. HOWEVER.. If I am not able to quantify these beliefs, I am not able to make categorical statements about these areas.

For instance:

Do you know the manufacturer's rated MTBF for each of the receivers you are comparing as one being more reliable than the other?

Do you know the actual field measured MTBF for each (or any) of the receivers you are comparing as being more reliable than another?

Some suggest that (for instance) Garmin receivers have more failures than <say> Lowrance receivers. They say that they are basing their statements on the fact that you read more about Garmin failures on the newsgroup than Lowrance. Could this be because Garmin receivers are more popular with consumer and that as a result they sell many fold more units than some other brands? Without good statistics, I cannot say for sure. Can you?

If you have *REAL DATA* Please! Lets have it! I am very interested in this area, but without *real data* we do not have any basis for comparison or even intelligent discussion of comparative reliability.

Thanks

Joe Mehaffey

--
Got a Question about GPS technology? Looking for a GPS FAQ site?
See: http://joe.mehaffey.com

925. WTB UTC Transformers, WE111C, Triad RA6

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: markhugh@aol.com
Message-ID: <79sqvd$6sg$1@nnrp1.dejanews.com>
Source record: 117204
Cross-posted to: in.ham-radio,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

WTB UTC Transformers, WE111C, Triad RA6

Want to buy the following UTC transformers:
A-10,11, 12, 16, 17, 18,19, 25, 26
HA-100, 100X,133
LS-10, 12,14, 19, 21, 52, 55, 56, 57, 63

A24,
O1

Western Electric Repeat Coils 111C
Triad RA6 Power Transformers

markhugh@aol.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

926. Collins 651S-1 parts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Paul Sherman <prospec@lincoln.midcoast.com>
Message-ID: <79sn4q$nia@news.agate.net>
Source record: 117205
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Front (less one small knob), cage, and power supply from Collins 651S-1,
serial number 2386.
Case, small screw hardware, fan, meter, Nixie tubes, and all plug-in cards
are missing.
Some wires are cut. I don't know if any of it works.
Make a reasonable offer plus shipping, and its yours.

927. Re: Any one used Bandercom Online?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: pwentzel@yahoo.com
Message-ID: <4Plw2.115$lO5.4730@news.cwix.com>
Source record: 117206
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner

I don't know if they are good or bad -- but there web page is mostly
dead ends and busted links.

"JOE & JIM" <US2INCT@NTPLX.COM> wrote:

>Good-Bad?

>Their Link http://www.bander.com/usa/
>--
>Thanks Joe

928. midland 13-513 for trade/sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: nworbekim@my-dejanews.com
Message-ID: <79ssjk$8cb$1@nnrp1.dejanews.com>
Source record: 117207

I have a Midland 13-513 220 mhz FM rig that looks nearly brand new. 220 here is not being used at all by anyone, so I thought I might turn it into something that is....

Any interest?

de KM4IY

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

929. Re: which linear..new or used??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Bill Clarke <w2blc599@bigfoot.com>
Message-ID: <#0rg5EUV#GA.229@upnetnews02.moswest.msn.net>
Source record: 117208

I have had an AL-80A for over ten years. Still on the first tube and it sees about 4 hours of use daily - mostly on 75 meters. It is quiet and they can be found for $500. The only glitch is the in-rush relay. I had to replace it with a heavier unit.

At the receiving end there will be no difference between what the 3-500 does or four 811As. You will notice the difference if you have to replace the tube though. 3-500s are expensive and 811As are cheap, of course you need four of them!

Both amps are good medium power units and represent reasonable cost for the watt.

ALSO - there is only 3db difference between what the AL-80A or B or the AL-811H can do and what a legal limit (1500 watt) amp can do. You will pay mightily for that extra 3db, which may well not be noticed at the receiving end. To put it into perspective, going from the 800-1000 watt range to the legal limit is about same, or slightly less, as jumping all the way from 100 to 200 watts.

Of course there are loads of amps than can do much more than legal limit - and they are used well above that level on a regular basis. Why do you think those high dollar amps sell so well? Reliability? I doubt it!

The AL series of amps are very reliable and so affordable that you could keep an extra one around for back-up and still spend far less than an Alpha would cost. AND YOUR SIGNAL WILL BE NO BETTER WITH THE ALPHA!

Want to hear the real kicker? The ham running an illegal 2500 watts is less than 3 db louder at the receiving end than the ham running full legal power. The receiving station will NEVER notice the difference. Once again, the jump from 1500 to 3000 watts is about the same as the jump from 100 to 200 watts.

--
Bill Clarke W2BLC
W2BLC@bigfoot.com

930. Trade my 70CM for 2M

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: C W <CW4EVER@penn.com>
Message-ID: <36C22E41.62B1491E@penn.com>
Source record: 117209

I would like to trade my Kenwood TR-3500 70CM HT
for a Icom IC2AT or a MFJ8621. Tnx.

Walt.

931. WTB Icom UX-14

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: WA1DCP <vital@gate.net>
Message-ID: <01be5543$3c4e8060$7869e3c7@vital.gate.net>
Source record: 117210
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.swap

Need a UX-14 for the IC751a or a schematic to build one.
Thanks Port

932. Vds FT 290, FT 990, TS 700

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: DUCROUX <bobducroux@wanadoo.fr>
Message-ID: <79t27bnab1@news.x-echo.com>
Source record: 117211

Je vends : FT290r, vhf, 2.5w micro, antenne t�lescopique 2500 FF

FT990 Yaesu, 100 w, Hf 0 � 30 Mhz, micro, ann�e 93, 9000 Ff

Ts 700 kenwood 144 mHz 10 w micro shure, pr�ampli d'antenne 2000 FF

contact bobducroux@wanadoo.fr
73 qro

=-
Article poste via Voila News - http://www.news.voila.fr

933. Re: Help please Kenwood TS-130S.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: w8pu <w8pu@your-net.com>
Message-ID: <36C20FF6.C31F288D@your-net.com>
Source record: 117212

John
The CAR knob adjusts the power output in CW. The MIC control adjusts the
microphone gain in SSB. FIX is for fixed crystal operation, you wont use that.

Gary
--
http://www3.your-net.com/~w8pu

934. FS: Duplexers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36C1AC68.8C4BF59E@ix.netcom.com>
Source record: 117213
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have two 2/440 Mhz duplexer available. One is a Kenwood MA-700, rated at100W, $20. The other is a Diamond MX-72D, rated at 400W, $25. If interested, contact me at the address below.

****

Duke -NA1A- Direct Line: (310) 649-2226
E-mail: na1a@qsl.net or mailto:na1a@ix.netcom.com
Ham Radio Website: http://www.qsl.net/na1a

****

935. Midland 220mhz crystals : Are sold.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: PAW <73457.650@CompuServe.COM>
Message-ID: <#agcI8VV#GA.49@ntawwabp.compuserve.com>
Source record: 117214
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf

nuf sed

--
PAW
(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
http://ourworld.compuserve.com/homepages/w9jmn

936. Re: Opinions- FT-8100R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Brian West <b_west@iquest.net>
Message-ID: <36C24CE3.FCA33FF1@iquest.net>
Source record: 117215

When I forst got my 8100R, I loved it, then it had some things go bad like a mike, and a squach and Volume cntrl knobs. and the Mic was hard to umplug. I think that was because it was new on the market. They repaired it under wartty, and I think they got all the kinks out now, At least I have had not had any trouble with it for a while. I did learn though, in almost, not quit, but almost anything that is brand spanking new on the market has Problems. I would wait for a mounth or two maybe even 3 to 6 months before purching any thing new to the market.

Ken Bickel wrote:

> I LOVE mine! Got the 8000 too. Great to be able to program them by
> computer when traveling.
>
> Derf Henderson wrote in message <36C074E2.F18A7B3@fedex.com>...
> >Hello all,
> >
> >I'm looking at the Yaesu FT-8100R (2m/440) as a possible purchase -
> >income tax return time ya know.. Does anyone have any
> >experience/pro's/con's or alternative units with same or similar
> >features? Would appreciate any inputs. Or if anyone has one they wish
> >to part with, let me know..
> >
> > Derf 73 KE4ROS
> >ke4ros@hotmail.com
> >

937. FS: Astatic D-104 Silver Eagle

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36C25005.CD0ED3F@cfu.net>
Source record: 117216

As-new Astatic D-104 Silver Eagle, used less than one hour, in original box. $65.

938. Ebay: Ku band feedhorn Tx 14 ghz Rx 12 ghz, with transmit reject filter.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Kyle Wesley <wesleyk@cyberramp.net>
Message-ID: <36C257E8.ED9B6221@cyberramp.net>
Source record: 117217
Cross-posted to: rec.radio.amateur.equipment,sci.electronics.misc,rec.radio.swap,misc.industry.electronics.marketplace

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=65853563

The above link will take you to an ebay auction. This is a ku feedhorn
from an old
vsat site. This is a very nice and very very heavy duty feed. This
setup comes with
a transmit reject filter. And of course this filter can be removed and
used with any
ku waveguide. A great piece for the price.

939. Re: PK 88 Firmware wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Martin@amdavies.demon.co.uk
Message-ID: <918688335snz@amdavies.demon.co.uk>
Source record: 117218
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

In article <36c09866.890993@news.demon.co.uk> g4irx@qsl.net "G4IRX" writes:

> Hi,
> Does anyone know where I can get a replacement EPROM for a PK88 ?
>
> or alternatively a copy of the EPROM image to I can blow one myself as
> mine has failed ?
>
> TIA
>
> Nick

Hello Nick, IIRC the standard TNC-2 binary code (in Intel-hex
format, I think) is available from TAPR's web site; I don't have
the URL to hand at present but any decent web searcher should
find it. I downloaded version 1.1.8a in the middle of last year
and blew a new EPROM to fit in my PK-80; works fine. I believe
the aforementioned is the latest version but I could be wrong.

Good luck
--
Martin Davies
Don't forget to delete the "*" from the Reply-To address

940. TS440AT problems. Help!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Asylum <asylum@wcc.net>
Message-ID: <36c23d99.0@news.wcc.net>
Source record: 117219

I have a kenwood TS-440AT which is having problems. I posted this message last month and got some good responses, then my computer crashed, so I am posting again.

I turn on the radio, and after a few seconds, my numbers in the frequency disappear. I also lost my volume. I can put in new numbers, but they disappear within seconds. Again, no volume.

Can someone please help or provide some advice.
thanks
PSE Email me directly asylum@wcc.net
Bob
al7nn

941. FS FT 470 HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: dlcole@ibm.net
Message-ID: <79qini$79b$1@nnrp1.dejanews.com>
Source record: 117237

FS. Yaesu FT 470 Dual Band HT, 2m/440 with extended range Diamond Duckie, two (2) Maha Long Life Nickle Metal Hydrid high output batteries (5 watts), Yaesu Rapid Charger, Case, Technical Manual.

$200 OBO + shipping.
David Cole
WD5BZY
dlcole@yahoo.com
Hurst, Texas

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

942. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <79qnbf$b6v$1@nnrp1.dejanews.com>
Source record: 117238

>>What I wrote was entirely accurate: I purchased a VX-1R last year, and
>>ADMS software for it. There was a minor problem with the software, and the
>>"fix" was available free to anyone who visited RT Systems' Web site.
>> - Clint Bradford

> What you wrote was false and misleading. You got a service patch
> for a piece of software that did not work. You did not get "free
> upgrade".

No where have I written that major program Upgrades were free. RT System's
phrase for the update that was offered is "Service Patch."

I have not misrepresented RT Systems in the slightest.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

943. SMA to BNC adaptor warning

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: eric_fre@hotmail.com
Message-ID: <79qo1pbvc1@nnrp1.dejanews.com>
Source record: 117239
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner,alt.radio.scanner

I often hear people looking for the SMA to BNC or PL259 adaptors. A word of warning especially with the little handy talkies puting a big adaptor with a thick cable on a tiny SMA puts a hell of a lot of mechnical stress on parts. By far the easiest and neatest (not to mention cheapest) solution is to get an SMA connector on a piece of the thin teflon coax, about 30cm with a BNC male on the other end made for the thin coax.

Just a sugestion.

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

944. WTB: AEA RL-1

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: kovar <kovar@ia.net>
Message-ID: <01be548d$92b35220$ced0a0cd@kovar.inav.net>
Source record: 117240

```
Price and condition please,
--
Jack Kovar
k0var
Iowa
```

945. Re: FS HTX-404

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: marino5911@aol.com
Message-ID: <19990209200652.11029.00000712@ng-cf1.aol.com>
Source record: 117241

i am interested , is that the dual bander ht by RS ?

MARINO5911@AOL.COM

946. FS: Alinco DX70TH

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: dmodel@channel1.com
Message-ID: <36c0e277.1674781@news.channel1.com>
Source record: 117242

For Sale: Alinco DX70TH, HF and 6m, high power model has 100 watts on 6m band. Been mobile only a few time but sat on the passengers seat, never mounted. Comes with box, all manuals, etc. in perfect working order and in excellent physical condition. $600 or make offer

Email dmodel@channel1.com

Dan

947. WTB YASEU FT 8100R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: kh6jjs@aol.com
Message-ID: <19990209212422.19556.00000858@ng-fb1.aol.com>
Source record: 117243

WANT TO BUY ONE , PLEASE SEND SPEC'S AND TERM'S AND PRICE..
HENRY

948. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: "Richard O. Kinkead" <richard-kinkead@worldnet.att.net>
Message-ID: <79qs00$ll0@bgtnsc02.worldnet.att.net>
Source record: 117244
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Rodney Liebeg wrote in message <36C0BCCA.C2AA7917@wavetech.net>...
>HHHMMMM looks like its working to me??
>
What's working. The initial posting or the web site? :-)
HHMMM?

Richard

949. FS KENWOOD TL-922A & HENRY 2K-4 HF AMP'S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: radioeg@aol.com
Message-ID: <19990209215601.15999.00000760@ng31.aol.com>
Source record: 117245

FOR SALE 2 HF AM'S
KENWOOD TL-922A NO MANUAL JUST OUT OF KENWOOS SERVICE CENTER FOR $1000.00
10-160
1 HENRRY 2K-4 EXCELLENT CONDITION WITH MANUAL 10-80 FOR $1000.00
PICK UP ONLY IN LOS ANGELES LAX AREA THANK YOU eED

950. WTB:YAESU YD-148 MIC.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: radioeg@aol.com
Message-ID: <19990209220056.16912.00000764@ng32.aol.com>
Source record: 117246

LOOKING FOR YAESU YD-148 MIC IN IN GOOD CONDITION AND AT A REASONABLE PRISE
THANK YOU ED

951. WTB: KENWOOD TR-2950 OR TM-2570A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: radioeg@aol.com
Message-ID: <19990209220341.16912.00000766@ng32.aol.com>
Source record: 117247

LOKKING FOR KENWOOD 2M TR-2950 AND OR TM-2570 IN GOOD CONDITION AND AT A
REASONABLE PRICE THANK YOU ED

952. Re: Who makes the best dual band mobile??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: icom12@aol.com
Message-ID: <19990209220442.14911.00000713@ng134.aol.com>
Source record: 117248

motorola makes great uhf radios

953. FS: AEA AT-3000 ANTENNA TUNER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: radioeg@aol.com
Message-ID: <19990209220626.16912.00000767@ng32.aol.com>
Source record: 117249

FOR SALE AEA AT-3000 3KW ANTENNA TUNER NO MANUAL IN EXCELLENT CONDITION FOR $250.00 SHIPPED THANK YOU ED

954. WTB: KENWOOD MC-60 MIC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: radioeg@aol.com
Message-ID: <19990209220756.16912.00000769@ng32.aol.com>
Source record: 117250

LOOKING FOR KENWOOD MC-60 MIC IN GOOD CONDITION AND AT A REASONABLE PRICE TNX
ED

955. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <79qv8g$35u@dfw-ixnews9.ix.netcom.com>
Source record: 117251

In <79qnbf$b6v$1@nnrp1.dejanews.com> clintbrad4d@earthlink.net writes:
>
>
>>>What I wrote was entirely accurate: I purchased a VX-1R last year,
and
>>>ADMS software for it. There was a minor problem with the software,
and the
>>>"fix" was available free to anyone who visited RT Systems' Web site.
>>> - Clint Bradford
>
>> What you wrote was false and misleading. You got a service patch
>> for a piece of software that did not work. You did not get "free
>> upgrade".
>
>No where have I written that major program Upgrades were free. RT
System's
>phrase for the update that was offered is "Service Patch."
>
>I have not misrepresented RT Systems in the slightest.

Why don't you read your old postings or I can post them for you
if you like. I know you have them because I sent them to you.
But then Clinton "didn't have sexual relations with that woman."

Dream on Clint what you said is all there but it does seem that
you are now "getting it".

>
> - Clint Bradford
>
>-----------== Posted via Deja News, The Discussion Network
==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your
Own

956. Re: ADMS-1E Software ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <79qvio$srd@dfw-ixnews7.ix.netcom.com>
Source record: 117252

In <W%6w2.2080$vW6.2723@weber.videotron.net> "Francis"
<ve2fgs@videotron.ca> writes:
>
>Hi there.. I need the ADMS-1E software for my VX-5R.
>
>Anyone can tell me where I can find it ??
>
>I already have the cable and software for my FT-50. I only need the
>software.
>
>Thanks for your help
>
>Please reply via E-Mail
>
>_____
>Francis VE2FGS
>ve2fgs@videotron.ca
>

When and if it comes out it will cost $20 US plus shipping.
You want to wait until it is available because there is
no such thing as a free upgrade from RT Systems. You will
get the cable as part of the package because that is how
RT sells it and there is no discussion of this policy you
want the software you buy the cable. No matter how some
pundits spew forth that is how it is.

73 Jerry

>
>

957. Re: want yaesu ft-8100r mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: punkear@aol.com
Message-ID: <19990209230108.01383.00000787@ng07.aol.com>
Source record: 117253

I would be interested as well in any modifications you have regarding the FT8100. Tried to email you but it came back as undelieverable.

Brad
KE0XS

958. Unique dummy load..

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: chukgleasn@aol.com
Message-ID: <19990209230448.18341.00000192@ng125.aol.com>
Source record: 117254

Hi, y'all.

I've got an unusual, 80watt dummy load with one of these weird HN-Female terminations. I'd like to either adapt it to regular use, thus looking for an adapter, HN-Male to BNC-Female or N-Female. . or I'll take offers on selling the whole thing.

Chuk Gleason
kb4mdz
Chukgleasn@aol.com

959. FS: Palomar 400 watt and 50 watt mobile amps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: au@!!NOSPAM!!ix.netcom.com
Message-ID: <36c104c6.9725403@news.netcom.ca>
Source record: 117255
Cross-posted to: rec.radio.cb,rec.radio.amateur.equipment

TX400 mobile amp. 3-30 Mhz Very clean inside and out. Has receive amp. $175 or swap for something cool.

TX50 mobile amp 3-30 mhz. Has switchable output filters depending on what freq you are operating on.

George

Remove !!NOSPAM!! to reply.

960. YEASU NEWSGROUP???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: cslc82@email.mot.com
Message-ID: <36c10d5d.15680397@netnews.worldnet.att.net>
Source record: 117256

Anyone know if there's a Yaesu-dedicated newsgroup? Or an email
reflector? Ones that specialize in specific Yaesu products?

Tnx/73
K0DAN

961. Re: Icom 737 $675

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: icom12@aol.com
Message-ID: <19990209234454.13285.00000929@ng-fv1.aol.com>
Source record: 117257

do you have manual and microphone for radio ,and is it in mint condition.

962. Re: ADMS-1E Software ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Greg Ottria <Gottria@Inreach.com>
Message-ID: <oq8w2.43021$un6.12909859@news.inreach.com>
Source record: 117258

You may also want to check out http://www.geol.com/vx5/ for 5R software.

--
Greg Ottria KE6PTP
Castro Valley, California
Gottria@Inreach.com
Francis wrote in message ...
>Hi there.. I need the ADMS-1E software for my VX-5R.
>
>Anyone can tell me where I can find it ??
>
>I already have the cable and software for my FT-50. I only need the
>software.
>
>Thanks for your help
>
>Please reply via E-Mail
>
>_____
>Francis VE2FGS
>ve2fgs@videotron.ca
>
>
>

963. Re: VX-5 Freeband Mod?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: cc13125@cedarnet.org
Message-ID: <36c2156a.17423954@news.supernews.com>
Source record: 117259

On Thu, 04 Feb 1999 23:39:40 GMT, Carl_KE4ZCL@my-dejanews.com wrote:

>Is the VX-5 capable of extended receive via modification?
>I'm refering to below 45 mHz and the gap between 729 and 800 mHz.
>Also, is their a cellular mod for the VX-5? I know that the FT-50 (older
>models) and the VX-1 were capable, but did Yaesu permenantly fix this?

I was sorely disappointed that Yaesu specs the radio as "800-999Mhz
(cellular blocked)" when the radio skips 864.00-868 and 918-944Mhz
which are NOT cellular and are not ECPA protected.

I'm especially raw that 864-868Mhz SMR systems are not receivable like
on the FT-50 (which respects the real cellular ranges).

What about 902-928 fully open for amateur RX (o.k. ISM & part 15 too)?

Otherwise, luv the radio ;-)

Chris Conklin, Amateur Radio: N0CF
444.65mhz, PL 136.5 -- Cedar Falls, IA

964. HAM QTH for SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: pablop@ez2.net
Message-ID: <79r8l2$p9p$1@nnrp1.dejanews.com>
Source record: 117260

HAM QTH for Sale in Sun City, California. Includes Tennadyne T-6, Yaesu G-800S and Butternut HF2V. See pictures and information at http://users.ez2.net/pablop/house.htm

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

965. Wanted!-Yaesu FL-2500 Linear Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Steve Bermudez <odin@webspan.net>
Message-ID: <79r7lb$f6r$1@remarQ.com>
Source record: 117261
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Looking for CLEAN example ONLY, preferrably from Non-Smoking environment!
PLS respond with condition & price.

Steve

966. Re: FS: Motorola Rptrs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: pvfd102@aol.com
Message-ID: <19990210021555.01042.00000713@ng-cg1.aol.com>
Source record: 117262

You still ahve the repeaters? Am looking for one. trying to start a club here
at school, but cost is a serious consideration.
73
Jon
KC2ELW

967. For Sale Kenwood TM 731 Duel Bander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36c23dab.6579183@netnews.worldnet.att.net>
Source record: 117263

```
have for sale a Kenwood TM 731 duel band radio
2 meter/440 mhz very good cond comes with manual and
bracket.. price is 300.00 email me thanks... so cal..
call is KC6 RDJ Mike ...73's
```

968. wanted tm 251 radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36c43df2.6650418@netnews.worldnet.att.net>
Source record: 117264

looking for the Kenwood TM 251 radio
email me if you have one thanks..

969. TRADE: Laser Disk Player

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: rodri880@aol.com
Message-ID: <19990210040817.12170.00000945@ng-cb1.aol.com>
Source record: 117265

Have a Samsung CD LD CVD disk player in new condition. Excepts three different size disk. Plays movies, music vidios, and regular music CD's. Open to any offers or trades.

KRS

970. manual for IC-31 ? (not W31)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: gelleric@goethe.informatik.uni-stuttgart.de
Message-ID: <79ri44$8kc$2@inf2.informatik.uni-stuttgart.de>
Source record: 117266

The Icom IC-31 (not W31!) is a crystal-based transceiver for 70 cm. It looks as if it were built in the mid-70ies. That radio should be nice for paked radio, but I need different cristals and perhaps do some maintenance. However, I am lacking any dcoumentation and I couldn't get anything here in DL. It seems as if the IC 31 were not sold in Europe.

Does anyone have a schematic and a manual for that trx and would send my a copy (of course, I'll pay costs) ?

Mni tnx & 73,

Wolfgang DJ3TZ

971. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: Rob Kling <rkling@home.com>
Message-ID: <36C168A1.4C2DC64C@home.com>
Source record: 117267
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

If it were me putting on a bullet proof vest to go to work and I was going to rely on this GPS to find me if I had been shot, I would want a very good GPS unit. I would want mil-spec and no SA. I think a police dept could get that. Sgt in the trunk would not be an issue only because its a job and the Sgt should know what is going on. Maybe the Sgt should not do or say anything about speed or too much time at one location etc.. It is the excesses that matter and a good Sgt should know that!

It is too bad that a salesman has to lie in order to sell you something that you think you want. Salesmen are people too and subject to the same temptations as drug dealers $$$$$$$. For people like that there is a term called FRAUD!

Again, I would look at what the military is using not what some cab or bus driver is using. The situation that it is needed in is more like battle than a cab or bus ride! Another thing, industry leader means nothing! I do not see MicroSoft software used in critical applications, such as a life support system, becuase they are the industry leader in computer software. You need quality and reliablity not quantity :>) I would consider a proven GPS system for your application. If you know that a major police force is using a certain system, you may want to consider that one too. This doesn't change the equation(quality and reliablity) but it does narrow the search.

Hey that's my $0.02 I hope it helps

Rob Kling

Dean, Greg wrote:
>
> :My department wants to add a GPS (global positioning system) tracking
> system to
> :our CAD system. As it could be paid for with a grant, cost is not a factor.
> At
> :a recent supervisors meeting our deputy chief told us what a great system
> it
> :was. He even went on to tell us how the system was used to find a missing
> :officer was killed in the line of duty. He told us about another department
> :whos officers adore the system.
> :
> :We find out in the first case, the department did not even have GPS &
> found
> :the officer doing an old fashioned grid search. In the second incident he
> :descrived, the officers on the department hate the system & refer to it a
> "sgt

> :in the trunk". In addition to their location, it tells how fast they are
> driving.
> :
> :The general feeling in the room with over 100 supervisors present is it is
> just
> :too much big brother & very bad for morale. Only a few knuckle heads
> thought
> :it was a good idea. If management was so concernened about things like
> safety,
> :the dash mounted camera would be better. Hell, just more new cars for that
> :matter.
> :
> :The implications of the system & being lied to really left a bad taste in
> :everyones mouth.
> :
> :Any thoughts?
>
> Have them buy the Garmin GPS III+. It can be mounted on the
> dash. It has maps so the officer can use it to navigate. And it
> can be used with a data cable to feed position back to the the
> command post. Units run about $370.
>
> The GPS III+ can be updated via computer (new firmware)
> and maps can be downloaded. It also uses conventional
> position data.
>
> Garmin is industry leader. However Rockwell and Motorola
> very good units.
>
> http://www.garmin.com/

972. Re: SB220

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: zzdx@aol.com
Message-ID: <19990210060910.14931.00000001@ng08.aol.com>
Source record: 117268

Hi Dave, yes I'm interesed in it if you still have it. I'll give you $200 for it, if all the parts are there. Let me know, thanks. George
ZZDX@aol.com

973. Re: SB220

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-10 00:00:00 UTC
From: zzdx@aol.com
Message-ID: <19990210061048.14931.00000002@ng08.aol.com>
Source record: 117269

Hi dave, yes I'm interested in the sb-220, I'll pay $200 for it if all the parts are there. let me know, thanks es 73, George/K2ZZ
ZZDX@aol.com

974. FS ICOM IC-756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Gabriel G Melo <n1hhf@110.net>
Message-ID: <79uprobdp1@stalker.oem.net>
Source record: 116970

FOR SALE ICOM IC-756 LIKE NEW 6 MONTHIS OLD HAVE BOX
BOOKS WIRES MICROPHONE ETC. $1650.00 FIRM WILL SHIP
USA ONLY CALL 1-401-434-2606 OR SEND E-MAIL TO n1hhf@110.net

975. Re: ADMS-2D Where does one obtain this software?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: paul wise <n3ngo@prodigy.net>
Message-ID: <79v96f$7oeo$1@newssvr03-int.news.prodigy.com>
Source record: 117020

not available as a free download. you buy it from a dealer. some people say
it comes with a cloning cable (i don't know...i have not bought it)
price is about $30 i think. you will need to buy a cloning cable if the
cable is not included. it is not a point to point connection you can wire
yourself. it has a complex circuit of diodes for switching built into the
db9 end.
Greg Castiglione wrote in message <36C30DE2.257E@DIM.com>...
>If you but it from a retailer, How much does it cost?? Is it available
>on the web as a free download? --Greg--N0FKI

976. Re: New & Used radios and equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Edward Legenza <n6xa@email.msn.com>
Message-ID: <#El40DfV#GA.172@upnetnews02.moswest.msn.net>
Source record: 117021

Hey, your WWW site does not work as listed here, is there a typo?

eclipse@nmu.net wrote in message <79v52s$6tt$1@nnrp1.dejanews.com>...
>See our huge selection of new and used products!
>
>Amateur radio (Yaesu, Kenwood, Icom, Alinco)
>Antennas
>Business band commercial radio (Motorola, Kenwood, Icom, Vertex, Maxon)
>Nextel
>Cellular phones (AT&T Wireless, Cellular One, Nextel, more)
>Many more electronic and communications products!!
>
>Visit our website at www.eclipsecomm.net or call us at
>(815) 436-7555 or email us at eclipse@nmu.net
>
>The area's largest selection of communications
>equipment!
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

977. FS: Yaesu VX-1R VHF/UHF Mini HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Ben Klausner <klausner@frijoles.net>
Message-ID: <36C31713.B5CEA584@frijoles.net>
Source record: 117022

YAESU VX-1R Miniature VHF/UHF Dual Band Amateur Handheld. Radio in
original box, and in excellent condition. Complete with two lithium
batteries, manual, dual band antenna, and wall charger. $185.
--
~~~~~~

Ben Klausner, N5DJL | To
find what no one has ever found,
Austin,
TX |
Look where no one has ever looked.
~~~~~~

978. Re: Small load Antenna Tower Ideas needed.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Roy Lewallen <w7el@teleport.com>
Message-ID: <36C3326F.AD1C41C3@teleport.com>
Source record: 117023
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.antenna

I've built two A-frames, one from 2X4s and the other from 2X3s. The 2X3 version is a whole lot lighter but still plenty strong, and I recommend that approach. I've taken down the 2X3 version because a nearby tree (a giant sequoia) grew to antenna-support size. The 2X4 one is still up after about 15-20 years. Both are about 40 feet tall, and were made from 22-24 foot pieces of lumber. Don't know if you can still get them this long. This construction obviously wouldn't be portable, but might give you some ideas.

Roy Lewallen, W7EL

Jim wrote:
>
> This is true.
>
> I did not mention that I have built one myself. It is 36 ft tall and is
> made out of combinations of 12 ft and 8 ft 2x4s.
>
> The traditional A frame mast was made out of 2x2 lumber, but 2x4 is much
> sturdier. I estimate that it will stand up to 100+ MPH winds with no
> trouble (am using 5/16 inch steel guy wire and 4 ft anchors).
>
> The reason I mentioned using 8 ft 2x4s is that the original poster wanted
> something portable. An 8 ft piece would be much easier to carry around than
> a 12 ft piece. In my case it was for fixed use.
>
> By the way, I had originally planned on a 48 ft mast, but it proved too
> heavy to erect, so I shortened it to 36 ft. Even then I had a total of 4
> people to pull it up (including myself). I guesstimate that a 21 footer
> would be no problem for 2 or three 'trained' people.
>
> Jim
> N8EE

979. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Joe Mehaffey <joe@mehaffey.com>
Message-ID: <36C33331.4528A688@mehaffey.com>
Source record: 117024
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Mr. Hackman,
As several have called to your attention:

There are MANY forms that "Industry Leadership" can take. For instance:
1) Sales Leadership
2) Technology Leadership
3) Customer Support Leadership
4) Quality Leadership
5) Reliability Leadership
6) Price Leadership

When you fail to define <in any meaningful way> what YOU mean by industry leadership and THEN give flippant comments when others reply to you, your statements cannot be taken as having much authority. You *may* have something to add about GPS industry leadership. However, to this moment, it is difficult to follow.

What I *think* you are trying to say is:

Garmin's $300 consumer GPS receivers built for modest cost and less than military standard robustness have less accuracy than a sub-centimeter survey grade instrument such as you use which costs in the range of $10,000 to $25,000 dollars.

If this is correct, then we all agree.

If on the other hand, you were suggesting that Garmin (and Lowrance) are NOT in an Industry Leadership position by virtue of producing an excellent and low cost consumer GPS receiver with internal maps for a price in the range of $300+, then most of us would disagree with you.

Lets hear how you use your highly accurate survey grade GPS receiver to place well heads.. Why do they need to be precisely located in the first place?

Thanks

Joe Mehaffey
--
Got a Question about GPS technology? Looking for a GPS FAQ site?
See: http://joe.mehaffey.com

980. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Joe Mehaffey <joe@mehaffey.com>
Message-ID: <36C3359A.3306A529@mehaffey.com>
Source record: 117025
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Mr. Hackman,
Then we must all disagree I think with your premises.

Try this:

Garmin (and Lowrance) are the INDUSTRY LEADERS in producing a HIGH TECHNOLOGY, forward looking, ADVANCED, GPS RECEIVER *WHICH INCLUDES USER UPLOADABLE MAPS* in a GPS receiver selling for LESS THAN $400. This is indeed TECHNOLOGY LEADERSHIP in this particular area of GPS technology.

So.. Is this not INDUSTRY LEADERSHIP in THIS SPECIFIC AREA of GPS Technology?

I daresay that you can formulate a statement that we will all agree with wherein YOUR favorite vendor is in a position of INDUSTRY LEADERSHIP.

Joe Mehaffey

Hackman wrote:
>
> The main one being what has this got to do with my statement that Garmin
> isn't an industry leader in GPS technology as Greg stated ?
>
Got a Question about GPS technology? Looking for a GPS FAQ site?
See: http://joe.mehaffey.com

981. WTB: ICOM IC781

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Al <K6DJP@postoffice.pacbell.net>
Message-ID: <36C32BF5.74B4B5BE@postoffice.pacbell.net>
Source record: 117026
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Please respond with price and condition if you have one for sale.
Thanks Al

982. Re: Small load Antenna Tower Ideas needed.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: W6RCecilA <w6rca@ibm.net>
Message-ID: <36C345D4.4DE8@ibm.net>
Source record: 117027
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.antenna

Roy Lewallen wrote:
> Both are about 40 feet tall,
> and were made from 22-24 foot pieces of lumber. Don't know if you can
> still get them this long.

The longest I have been able to find at the average lumber yards is 20ft.
I use 2x4s up to 30ft and then a fiberglas pole for the last 20ft.
--
73, Cecil, W6RCA http://www.bigfoot.com/~w6rca

983. ** KAM VHF to Alinco DJ-580 Cable For Sale **

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: ken@seemessage.com
Message-ID: <ken-1102991512170001@user-38ld554.dialup.mindspring.com>
Source record: 117028

HI...

Cleaning house a bit here.

I have an MFJ-50244 Cable for sale. I used this little piece of cable
magic to connect the VHF port of my Kantronic's KAM TNC to my handheld
Alincon DJ-580. This allowed me to use the DJ-580 for packet operations.
No loose ends. Complete connections everywhere. It works. Price $10
(add $2 shipping within continental USA.)

Thanks...

Ken, N1NEG

--
My real email address is almost "ken@wino!!!!!grad.com".
Just delete the exclamation points, and it's for real.
Sorry about this complication, just trying to avoid spam mail.

984. Re: SMA to BNC adaptor warning

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: davem@groucho.cs.ubc.ca
Message-ID: <79vdqh$cu4@groucho.cs.ubc.ca>
Source record: 117029
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner,alt.radio.scanner

Shawn Upton <supton@eece.maine.edu> writes:

>If anyone is interested, I posted some stuff on my webpage on how to
>open up and replace the case on the FT-50, just in case anyone else has
>done the same thing that I did.
>http://www.eece.maine.edu/~supton/yaesu_repair.html

One suggestion:

While you've got the radio open, and have dismounted the RF board from the metal casting (rear case) anyway, put a bit of heat sink compound between the two RF power modules and the metal casting during reassembly. This will help keep the power modules cool during high-power transmit.

It seems that the radio won't fry the power modules without the heat sink grease, but perhaps the radio achieves this by backing off on output power when the temperature rises (the FT-51 does this). Better heat sinking can't hurt, and cooler is always better for power transistors.

Dave

985. ** Comet CFX-324 TRIPLEXER For Sale **

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: ken@seemessage.com
Message-ID: <ken-1102991507520001@user-38ld554.dialup.mindspring.com>
Source record: 117030

Hi...

Cleaning house a bit here...

I have a like-new (used inside only) Comet CFX-324 TRIPLEXER For Sale.
I used this triplexer with a 3-band (2m, 220, and 440) Kenwood TM-742
Triband Radio in order to hook up all three separate antenna outputs into
one coax feeding a single tri-band antenna (though it can certainly be
used in other ways (eg 3 antenna to 1 radio.) I no longer have the radio
and now have no use for the triplexer. The triplexer is in absolutely perfect
condition, with original Operation Manual, etc. I paid $85 brand new, will
sell for $50, plus $5 shipping.

Thanks...

Ken, N1NEG

--
My real email address is almost "ken@wino!!!!!grad.com".
Just delete the exclamation points, and it's for real.
Sorry about this complication, just trying to avoid spam mail.

986. Re: Sensitivity VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: jwa <jwa@tellabs.com>
Message-ID: <36C33C0E.EC2A63C6@tellabs.com>
Source record: 117031

To clear up the sensitivity questions, here are some measurements
that I made on my VX-5R (SN BL010040) using an H.P. 8920A

108 .8 uV AM
135 1 uV AM
140 .17 uV NFM
146 .17 uV NFM
223 2.2 uV NFM
250 20 uV NFM
300 28 uV NFM
350 .4 uV NFM
400 .31 uV NFM
450 .25 uV NFM
500 .355 uV NFM
550 170 uV NFM
630 3.5 uV NFM
675 2.25 uV NFM
700 2.5 uV NFM
730 1.8 uV NFM
815 2.2 uV NFM
850 2 uV NFM
910 1.5 uV NFM
962 1.8 uV NFM
989 3.1 uV NFM
998 2.5 uV NFM

--

Jack Albert WA9FVP
Tellabs Operations Inc.
1000 Remington Blvd Voice (630) 378-6201
Bolingbrook, IL 60440 FAX (630) 378-5790

Get high on Ham Radio !

987. Hallicrafters S - 240

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: "Mike H." <concept@vossnet.co.uk>
Message-ID: <79veui$b8j$1@news1.cableinet.co.uk>
Source record: 117032

Any interest vgc , c/w manual
e-mail
concept@vossnet.co.uk

--
Mike H.

988. Re: SMA to BNC adaptor warning

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Shawn Upton <supton@eece.maine.edu>
Message-ID: <36C33CF6.167E@eece.maine.edu>
Source record: 117033
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner,alt.radio.scanner

Dave Martindale wrote:

> One suggestion:
>
> While you've got the radio open, and have dismounted the RF board from
> the metal casting (rear case) anyway, put a bit of heat sink compound
> between the two RF power modules and the metal casting during reassembly.
> This will help keep the power modules cool during high-power transmit.
>
> It seems that the radio won't fry the power modules without the heat
> sink grease, but perhaps the radio achieves this by backing off on
> output power when the temperature rises (the FT-51 does this). Better
> heat sinking can't hurt, and cooler is always better for power transistors.
>
> Dave

That's a good idea; I'll probably do that next time I break the rig.
:) Hopefully that won't happen.
--
****
Shawn Upton
Electrical Engineering Student
University of Maine at Orono
webpage: http://www.eece.maine.edu/~supton/
mail: supton@eece.maine.edu
KB1CKT Tech Plus
****

989. 7261A Fluke-Need Manual Source

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Conrad Hoffman <crhoff@bestnetpc.com>
Message-ID: <79vg2o$3rv$1@news.iag.net>
Source record: 117034

Hi All,

Does anyone know a source for the manual for a Fluke 7261A Counter?
Iv'e looked in most of the manual places on line.
I know Fluke has them, but their a little pricey.

Thanks,

Conrad W8MHH crhoff@bestnetpc.com

990. FA TUBES /GDM/ IC211

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: WA1DCP <vital@gate.net>
Message-ID: <01be55ff$05eb9820$5e69e3c7@vital.gate.net>
Source record: 117035
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66141604
ICOM IC-211
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66142819
KNIGHT GRID DIP METER
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66136447
TUBES 3B28
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66135062
TUBES 4-125A

991. Tektronix SG-504 Leveled Sine-Wave Generator FA at Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: "calvinf15@prodigy.net" <calvinf15@prodigy.net>
Message-ID: <36C34342.7DDA@prodigy.net>
Source record: 117036
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner,alt.radio.scanner,alt.ham-radio.marketplace,rec.radio.amateur.misc

"The SG-504 provides a leveled output amplitude that is variable from 245 to 1050 MHz in two bands. Frequency is indicated on a high resolution tape dial tht expands each band over 28 inches. The accurately calibrated output voltage is variable from 0.5V to at least 4.0 V p-p into 50 ohms." Includes internal 6 MHz or 50 KHz internal calibration source. Unit is designed to work with standard TM500 series power racks. Amplitude is read out on a calibrated vernier dial. This unit includes the hard-to-find leveling power head which feeds back actual power output to maintain constant amplitude across the entire freq range. Very stable freq and amplitude output. Excellent for calibration of high end O'scopes and for receiver tests with an external attenuator. Includes freq monitor out to fine-tune the freq with a digital counter (not included). Has an FM input for FM of the signal or for phase-locking the unit to an external source. Rear-card connections include FM input, frequency monitor output and amplitude control. Original 1988 Tek cost was $4060. Sorry, no manual included. Buyer pays shipping. Shipping weight will be about 8 pounds from 93523 (CA). I will accept prepayment or COD with certified check/money order, or personal check with ample positive feedback. Happy bidding!

plz goto:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=65890367

to bid on this item

992. TS-850/TS-940/TS950SDX Comparisons?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: drgrant@ziplink.net
Message-ID: <36c443fb.153331619@news.tiac.net>
Source record: 117037

Has anyone here owned both the TS-850 and the TS950SDX, or
the TS950SD? What makes the 950 better than the 850, aside from the
DSP and the Dual recieve? How about the TS940- I realize this
is an older radio, but how does it fare against the 850/950?

Also, perchance, would anyone know what the duty cycle on either
rig is? I believe the TS-850 is 100% in all modes, but I'm not sure,
it doesn't say in the manual, but I've been told by others that most
kenwoods/icoms are 100%.... It's kind of odd because only Yaesu
seems to publish a duty cycle spec for any of their radios.

Any Input is appreciated. Feel free to send email and/or post.

-Mike

993. Ham Radio Resources

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: mikrounit@earthlink.net
Message-ID: <79vjgakgj1@nnrp1.dejanews.com>
Source record: 117038

Hello All,

Here is a Ham Radio WebSite that has TONS of useful Ham Radio
Resources. Including Satellites, Satellite Tracking, Yaesu Stuff,
HF Rig Reviews, Many Useful Links, and Ham Radio Classifieds.
WebMasters, PLEASE add me to your links section. I will return the favor.

URL of Ham Page:

http://kq6mu.8m.com

Thanks & 73,

Mike Green KQ6MU
mikrounit@hughes.net

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

994. Need help with R-7100 discriminator mod

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: malloy@earth.execpc.com
Message-ID: <79vglj$bcu@newsops.execpc.com>
Source record: 117039

I am looking for help in doing a discrimnator mod to my Icom R-7100. If anyone has done the mod or can point me to directions I would be most grateful.

Mike N9WJV

995. Re: Small load Antenna Tower Ideas needed.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: BOB DUCKWORTH <bob@ns.atl.org>
Message-ID: <36C30220.2C51@ns.atl.org>
Source record: 117040
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.antenna

I second the 2x3 recommendation.
Buy some 2x6 and rip them.
Fir is not much more expensive than yellow pine
considering the extra strength. If you are concerned about
engineering, check some wood construction references.

-bob

996. RT-1411A/APN-209A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: garigue <garigue@nauticom.net>
Message-ID: <36C35304.2731@nauticom.net>
Source record: 117041

Hello all .. I was just at the surplus store and bought a small box marked receiver-transmitter. This unit was made in 1989 and is about half the size of a lunch box. I would like to know what kind of unit it is prior to me perfoming surely fatal surgury to see what is inside. It apparently is vehicle or aircraft mounted.
Thanks ... Tom KI3R
garigue@nauticom.net

997. FS Classic KW

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990211162151.16931.00000134@ng147.aol.com>
Source record: 117042

```
Classic KW For Sale
Barker & Williamson Model L-100A
80-10 meters pair 813's
Power Supply and Manual
Scale 1-10 = 9
$575.00 + shipping from Austin, Texas
```

998. FS Parts/Projects

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990211162538.16931.00000141@ng147.aol.com>
Source record: 117043

For Sale: Parts and Projects for the Builder
RF decks / Final Pas
Motorola
6 Meter RF Deck Pair 8560ï¿½s in push-pull
with 95% of power supply parts
Bud cabinet 14" $300.00

2 Meter RF Deck single 8560 $ 175.00

RCA
6 Meter pair 4-250ï¿½s in push-pull
Tank coil, filament transformer, Grid coil $250.00

6 Meter 4-125"s same as above $225.00

Home Brewed projects

6 Meter, 2 X 4CX250B / Power Supply / Cabinet
Need wiring, Meters, TR switch
Will make about 700 watts P.E.P. $ 380.00

6 Meter, single 4-400 / Power Supply / Bud cabinet
Needs TR switch / LPF / 650 watts P.E.P. $450.00

999. Re: Kenwood TM-V7 - Any Opinions?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: drgrant@ziplink.net
Message-ID: <36c64aa9.155042038@news.tiac.net>
Source record: 117044

On Wed, 27 Jan 1999 00:03:16 GMT, tjw@crockettnet.com wrote:

>I am considering purchasing a Kenwood TM-V7 2m/440 rig. Does anyone have any
>experiences (good or bad) with this rig?

Pros:
-Excellent Transmitter (Mine did 60W Bird on 2M.... good deviation)
-Includes a ton of features you normally have to pay extra for
(Direct entry, CTCSS Decode, "paging" etc.)

Cons:
-Blue Dot Matrix display washes out in most mobile installations, if
you have a big vehicle this may not be a problem.

-Radio gets killed with pager intermod, if you live in the city this
radio is a definite do not buy, unless you feel like adding on a
couple of PAR filters, which will run you a hundred bucks or so for
the filters alone.

Right now the 2M/440 dualband market appears to suck. Yaesu killed
off the 8500, which was probably the best unit out there in
terms of all around use. There really isnt much in terms of
choices... you have the Kenwood V7, the Yaesu 8100, and the Icom
2710. The V7 appears to me as the least painful choice. Havent had
any up front experience with the 8100, but a few I've heard on the air
have low deviation. Havent heard one 8100 that I didn't have to crank
up the volume to hear. The Icom could be a sleeper, they sound
decent on the air...(I've heard one on the air, so far) Not sure
how they fare against rx intermod, though.

OTOH, I own an FT2500M, which is used regularly in the mobile,
and cost a whopping $200. I think it kicks the crap out of any
dualband rigs in terms of intermod resistance, decent audio, and
general reliability. I suppose it all matters on how much you use
440 Mhz around where you live... But here in massachusetts, most of
the 440 boxes are either in disrepair or totally offline, so 2M only
is just great.

-Mike

1000. Re: Kenwood TM-V7 - Any Opinions?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: drgrant@ziplink.net
Message-ID: <36c74ee8.156128611@news.tiac.net>
Source record: 117045

On Thu, 28 Jan 1999 05:01:11 -0500, wd1v@mediaone.net (John Seney)
wrote:

>In article <19990127232701.09538.00000272@ng-cg1.aol.com>, kb2vx@aol.com
>(Kb2vx) wrote:
>
>> Hi,
>> I have 3 of them 2 mobiles and 1 in the base.I have several friends with them
>> and we all enjoy them. We are not by the city so I can't comment on
>> intermod.Loade with features for the $. Good Luck
>
>No intermod problems near Boston
>
>73!

Obviously you are mistaken. I used to drive though boston twice a
week via route 9,(through brookline) the radio would get trashed on
both 440 and 2M, at various parts of the trip.

Course, I also use a SG7900, so if your using a glass mount antenna or
one of those no-gain contraptions you may not pick up
any intermod at all...

It's also possible that Kenwood did something to the radio in the
later incarnations of it to make it more resistant against
intermod...

-Mike

1001. Re: FS/FT: Tokyo Hy-Power HX-240 VHF to HF transverter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <FvmR3hAXK1w2Ewz2@pacsat.demon.co.uk>
Source record: 117046
Cross-posted to: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment

In article <36C3073A.B545EFFD@ibm.net>, Caitlyn M. Martin
<cait.martin@ibm.net> writes
>Hi, everyone,
>
>The previous buyer backed out, so I am listing this again:

Sorry to hear that Caity, better luck this time.

73 Simon
+--+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+--+

1002. WTB: ARRL Adv. License Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Jack Hardin <jhardin@hal-pc.org>
Message-ID: <01be560a$91cac7c0$4882b4ce@jhardin>
Source record: 117047
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Want to buy (cheap): the current ARRL Advanced License Manual. I am aware of the web sites with the question pool, but I'm looking for a copy of the ARRL book. If you have one you don't need, please let me know how much you want for it, mailed to me in Texas. Please respond by e-mail since I may not check this newsgroup often.
Jack
jhardin@hal-pc.org

1003. FS: Swan Mark 6B Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36C35B72.773D13E7@cfu.net>
Source record: 117048

SELL Swan Mark 6B 2kw 6 meter amp. Top condition (8.5+), just serviced by prof. tech., full output. Includes p.s., manual. $795 firm + shipping. Jan N0JR, swanman@cfu.net

1004. Re: Small load Antenna Tower Ideas needed.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <79vm1k$2tq$1@news-2.news.gte.net>
Source record: 117049
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.antenna

Roy Lewallen wrote in message <36C3326F.AD1C41C3@teleport.com>...
>I've built two A-frames, one from 2X4s and the other from 2X3s. The
>2X3 version is a whole lot lighter but still plenty strong, and I
>recommend that approach. I've taken down the 2X3 version because a
>nearby tree (a giant sequoia) grew to antenna-support size. The 2X4
>one is still up after about 15-20 years. Both are about 40 feet tall,
>and were made from 22-24 foot pieces of lumber. Don't know if you can
>still get them this long. This construction obviously wouldn't be
>portable, but might give you some ideas.
>
>Roy Lewallen, W7EL

2x4's in that length might be hard to find, but 2x8's or larger CAN be found, and then ripped down to the desired dimension. If the final-dimension lumber is thoroughly treated, first with a good coat of copper sulphate, and then with 2 coats of linseed oil, followed by a finish cover coat of good exterior paint, it will be weather and trouble proof for YEARS! Use of stainless hardware and long deck screws instead of nails is a good idea too!

Gary - KJ6Q

1005. Re: Radio Install--Jeep Wrangler

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: djd <ddimarco@worldnet.att.net>
Message-ID: <79vnad$i4u@bgtnsc02.worldnet.att.net>
Source record: 117050

I have a newer Wrangler ('97) and an Icom 706, so this is not neccesarily pertinent...but I installed the removable faceplate on the top frame of the windshield centered above the rearview mirror. There was a small latch/bracket attached by two TORX screws which I removed to mount the mounting bracket. I mounted the radio in the rear via the extension cable.

On another note, are there any words of advise regarding engine/fuel pump noise elimination in the Wrangler? Basically the HF is useless when the engine is running.

Regards,

D.J.

John Trigg wrote in message <79q6gvjpc1@remarQ.com>...
>I have a '91 jeep wrangler hard-top with standard trans and the underdash AC
>unit. Can anyone give me some suggestions on where to mount a standard
>small dual band unit (Yaesu FT-8000R).
>
>Thanks,
>
>John Trigg
>San Antonio, TX
>
>triggjoh@txdirect.net
>
>

1006. VX-5, how do you tell if it's the new version.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: &NM7U <&NM7U@hevanet.com>
Message-ID: <36C36859.3437C323@hevanet.com>
Source record: 117051

There's a swap meet coming up next week. I'd like to pick up a VX-5R.
How can I tell if it's been upgraded with the scanner fixes et al?
Is there a keysequence that will divulge that info?
TO REPLY CLICK HERE http://www.hevanet.com/nm7u

Thanks, miker

--
Big list of WANTS and FORSALES at link below.
Return Address is Bogus.
TO REPLY CLICK HERE http://www.hevanet.com/nm7u
Or you can DELETE the & in the "from" address.

1007. Cleaning copper wire?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Solarpower1watt@Juno.com
Message-ID: <kRJw2.198$Zm2.2252@newsfeed.slurp.net>
Source record: 117052

I'd like to hear of methods of easily cleaning stranded copper wire. I have some old oxidized #14 stranded wire that I'd like to clean so it will take solder for a good connection. Please post replys here.

Ed

REPLY INFO:
==========
Return address modified to prevent automatic SPAM response.
TO REPLY: remove the "watt" from my return address.
==========

1008. WTB: HEATHKIT IM2420 FREQUENCY COUNTER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Dean Kastoris <n8ihs@flash.net>
Message-ID: <36C36798.A265C7A@flash.net>
Source record: 117053

I am looking for a clean Heathkit IM2420 bench top frequency counter in good operating condition. Please e-mail me at: n8ihs@flash.net

1009. Re: Cleaning copper wire?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: &NM7U <&NM7U@hevanet.com>
Message-ID: <36C36CAD.47F6B911@hevanet.com>
Source record: 117054

Ed wrote:

> I'd like to hear of methods of easily cleaning stranded copper wire. I have
> some old oxidized #14 stranded wire that I'd like to clean so it will take
> solder for a good connection. Please post replys here.
>
> Ed
>
> REPLY INFO:
> ==
> Return address modified to prevent automatic SPAM response.
> TO REPLY: remove the "watt" from my return address.
> ==

Depends on what it's contaminated with. If it's oxide, you can "fray" the wire
end
and dip it in Tarn-X silver cleaner. Takes it right off, but you have to get the
liquid
to all sides of each strand. Not an easy task.
Most times I've encountered "dirty" wire, it's been contaminated from the
insulation.
That effectively isolates the surface from any chemical cleaning agent.
miker

--
Big list of WANTS and FORSALES at link below.
Return Address is Bogus.
TO REPLY CLICK HERE http://www.hevanet.com/nm7u
Or you can DELETE the & in the "from" address.

1010. Re: mini plug hot pin

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Ralph Mowery <rmowery@ibm.net>
Message-ID: <36C37343.B9DFB551@ibm.net>
Source record: 117055

As a general rule, the outer part is the common and the center is hot. Now to make sure we are defining the center. That is noromally called the "tip" and is the end of the plug part. The part near where the wire goes into the plug is the common or "ring".

swb@tmisnet.com wrote:

> which part of the mini plug (AUDIO JACK) is hot?
>
> I thought that the center plug is hot and the outside is common.
>
> ----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1011. HeathKit SB-313 Shortwave Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Darrel Scott <dgsc@hotmail.com>
Message-ID: <79vt2diet1@news.powerisp.com>
Source record: 117056

If you would like a clean SB-313 check this auction out.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=64411968

1012. Re: Small load Antenna Tower Ideas needed.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Roy Lewallen <w7el@teleport.com>
Message-ID: <36C37BAE.94614F1E@teleport.com>
Source record: 117057
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.antenna

Gary - KJ6Q wrote:
>
> 2x4's in that length might be hard to find, but 2x8's or larger CAN be
> found, and then ripped down to the desired dimension. If the
> final-dimension lumber is thoroughly treated, first with a good coat
> of copper sulphate, and then with 2 coats of linseed oil, followed by
> a finish cover coat of good exterior paint, it will be weather and
> trouble proof for YEARS! Use of stainless hardware and long deck
> screws instead of nails is a good idea too!
>
> Gary - KJ6Q

The climate here in western Oregon is pretty hard on outside wood, but my A-frame has lasted 15-20 years with nothing more than a couple of coats of deck stain. I've re-stained it maybe 3 or 4 times in that interval. It's also important to keep the wood off the ground. Otherwise, in this climate at least, it'll quickly rot and/or get infested with termites. I got 3 concrete pyramids -- the variety with a hole in the top -- at the local home-improvement store, and put a bolt into each, threads up, with a little concrete. The bottom board of the A-frame is drilled in three places for the bolts to stick through, and the A-frame is set down on the pyramids to keep it off the ground.

Roy Lewallen, W7EL

1013. Re: VX-5, how do you tell if it's the new version.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: paul wise <n3ngo@prodigy.net>
Message-ID: <79vu2k$2s02$1@newssvr04-int.news.prodigy.com>
Source record: 117058

to the best of my knowledge, lot 3 was the first lot to be shipped from
yaesu with the fix.
the way these rigs are selling lot 3 may be all sold out by now.
lot 4 is on the way, from what i hear.
lot 3 serial no's started with 8n, i would guess that any serial number
numerically or alphabetically higher than 8n is already fixed. any lower and
it might not be (ask the dealer).

1014. Re: Small load Antenna Tower Ideas needed.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: W6RCecilA <w6rca@ibm.net>
Message-ID: <36C38B58.3C45@ibm.net>
Source record: 117059
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.antenna

Roy Lewallen wrote:
> Otherwise, in this climate at least, it'll quickly rot and/or get
> infested with termites.

Why not use treated wood, Roy? It is sealed and termites don't
like it. "Treated" wood is rated for ground contact.
--
73, Cecil, W6RCA http://www.bigfoot.com/~w6rca

1015. Re: dual-band commercial HT w/motorola-type paging?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Art <cn1639@coastalnet.com>
Message-ID: <36C3816C.2FE0@coastalnet.com>
Source record: 117060

Ross wrote:
>
> Hi all..
>
> I posted a couple of weeks ago looking for a dual-band motorola ht,
> but it seems such a radio doesn't exist. So, i'm now looking for just
> about any dual-band commercial HT that has the HT/MT1000 style paging
> tones (quickcall, i think). Preferably something buff and tough like
> the motorolas or bendix kings.
>
> If such a thing does exist, can it be programmed with a tone for VHF
> and a different tone for UHF?
>
> Thanks!
>
> ----
> Ross Simpson
> NREMT-B
> Cherryvale Fire Protection District
> Boulder County, Colorado
> rsimpson@cherryvale.org
Ross,

There is no one that makes a dual-band commercial radio.
To get the needed rx sensitivity the commercial rigs have
a very narrow bandwidth.

When you combine two or more bands on the same radio
you loose some rx & tx sensitivity.

1016. Re: dual-band commercial HT w/motorola-type paging?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Dan <n7wpd@xxmission.com>
Message-ID: <7a013f$k0l$1@news.xmission.com>
Source record: 117061

Isn't the Yaesu FTH-2070 a dualband? I know it's a commercial version.

Art <cn1639@coastalnet.com> wrote in message
news:36C3816C.2FE0@coastalnet.com...
>Ross wrote:
>>
>> Hi all..
>>
>> I posted a couple of weeks ago looking for a dual-band motorola ht,
>> but it seems such a radio doesn't exist. So, i'm now looking for just
>> about any dual-band commercial HT that has the HT/MT1000 style paging
>> tones (quickcall, i think). Preferably something buff and tough like
>> the motorolas or bendix kings.
>>
>> If such a thing does exist, can it be programmed with a tone for VHF
>> and a different tone for UHF?
>>
>> Thanks!
>>
>> ----
>> Ross Simpson
>> NREMT-B
>> Cherryvale Fire Protection District
>> Boulder County, Colorado
>> rsimpson@cherryvale.org
>Ross,
>
>There is no one that makes a dual-band commercial radio.
>To get the needed rx sensitivity the commercial rigs have
>a very narrow bandwidth.
>
>When you combine two or more bands on the same radio
>you loose some rx & tx sensitivity.

1017. Re: SMA to BNC adaptor warning

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: dcisive@wans.net
Message-ID: <MPG.112d3fa2262cff869897f5@news.wans.net>
Source record: 117062
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner,alt.radio.scanner

I have absolutely no problems whatsoever with mine. I use a telescopic antenna with a coil, and a Icom IC-R2. It is built like a little brick, and has a very well supported SMA base mount area. I suppose some radios aren't quite this well made, but oh well.

1018. Re: VX-5, how do you tell if it's the new version.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: &NM7U <&NM7U@hevanet.com>
Message-ID: <36C39255.3936E1DB@hevanet.com>
Source record: 117063

paul wise wrote:

> to the best of my knowledge, lot 3 was the first lot to be shipped from
> yaesu with the fix.
> the way these rigs are selling lot 3 may be all sold out by now.
> lot 4 is on the way, from what i hear.
> lot 3 serial no's started with 8n, i would guess that any serial number
> numerically or alphabetically higher than 8n is already fixed. any lower and
> it might not be (ask the dealer).

Thanks for the info.Asking the seller is not an option at a swapmeet. Last
thing you want to do
is ask someone you don't know and will never be able to find later if their
radio is the later (more valuable) version.
If it's a GREAT deal, (which is the ONLY reason for buying at a swapmeet)
you have to be in exactly the right place at exactly the right time.
You have about a nanosecond to decide before someone else buys it out
from under you.
I get goose bumps just thinking about it.
miker

--
Big list of WANTS and FORSALES at link below.
Return Address is Bogus.
TO REPLY CLICK HERE http://www.hevanet.com/nm7u
Or you can DELETE the & in the "from" address.

1019. Re: Small load Antenna Tower Ideas needed.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Roy Lewallen <w7el@teleport.com>
Message-ID: <36C39540.BCD6650A@teleport.com>
Source record: 117064
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.antenna

I'd rather just keep the wood off the ground than use wood laced with the toxic stuff used in pressure treating. That's a personal twitch, though, and treated wood should work o.k. if you're so inclined. I realize that the deck stain isn't lovely stuff, either.

Roy Lewallen, W7EL

W6RCecilA wrote:
>
> Roy Lewallen wrote:
> > Otherwise, in this climate at least, it'll quickly rot and/or get
> > infested with termites.
>
> Why not use treated wood, Roy? It is sealed and termites don't
> like it. "Treated" wood is rated for ground contact.
> --
> 73, Cecil, W6RCA http://www.bigfoot.com/~w6rca

1020. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: W4UDX <crslex@iglou.com>
Message-ID: <36C39B8C.BA50539E@iglou.com>
Source record: 117065
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Accessed it fine from here. Stop smoking that crack dude.
W4UDX

hamoperator@my-dejanews.com wrote:

> "Yaesu has shut down its website, http://www.yaesu.com"
> "The amateur community anxiously awaits further word of warranty coverage."
>
> Not surprising with their recent use of back stock FT-1000D's, the recent
> defects in the new FT-847 and lack of sales due to the P3D launch
> disappointments.
>
> 73
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1021. VX-5R CTCSS problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Francis <ve2fgs@videotron.ca>
Message-ID: <ECNw2.932$J5.95@weber.videotron.net>
Source record: 117066

Hi there,

First of all, excuse my english.

I bought about 4 days ago a new VX-5R. I think I have a problem with it. I would like your opinion on this.

The problem is when I use CTCSS tone in receive mode. When I operate on a repeater with CTCSS, my radio is very slow to react to the good tone. That means that when I am transmitting, everything is fine, but when I let go the PTT, it takes about 1 to 1 1/2 seconds for the radio to re-open the squelch by itself. (and the repeater is always transmitting the tone...) Wich means that I loss the beginning of the answer that the other person is saying. For example, if the person says "ok Francis, so I'll talk to Jeff tomorrow", I'll only ear "to Jeff tomorrow".

It's very disturbing and the only way to ear the transmissions after a PTT is to hold the MONITOR button, or te remove the CTCSS in receive.

Is there something to do for this ???

Oh, by the way, my radio's S/N is 8N....

Thanks for your help

_____
Francis VE2FGS
ve2fgs@videotron.ca

1022. ** Sony WaveHawk ICF-SC1PC Scanner For Sale **

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: ken@seemessage.com
Message-ID: <ken-1102992320520001@user-38ld554.dialup.mindspring.com>
Source record: 117067
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner

Hi...

I'm selling my new Sony WaveHawk ICF-SC1PC Scanner. This is a 25 to 1300 MHZ Continuous (excluding cellular) Scanner. Like new. Absolutely perfect condition. Includes everything....scanner, antenna, power module, earphone, manuals, PC Cable, PC Control Software (includes FCC CDROM database), etc. 300 channel memory, preprogrammed Service Scan (incl. Police, Fire/Emg, Marine, Air, Weather), Preprogrammed Band Scan, Memory Scan, Programmable Scan, Intelligent Memory, Priority Scan, Selectable Mode (Am, NFM, WFM), Selectable Step, Direct Manual Tuning, etc.

Asking $300. (plus $10, which will cover shipping and insurance to anywhere in the continental USA.)

If interested, please leave me some email, and we can swap particulars.

Thanks...

Ken (N1NEG)

--
My real email address is almost "ken@wino!!!!!grad.com".
Just delete the exclamation points, and it's for real.
Sorry about this complication, just trying to avoid spam mail.

1023. FS: Yaesu FT-50RD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Richard Levenberg <richardl@ufp.com>
Message-ID: <Pine.BSF.4.05.9902112107240.27680-100000@enterprise.ufp.com>
Source record: 117068
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment

I have a Yaesu FT-50R dual band HT for sale. The serial number is 6G060972. It has been modified for wide band transmit. These mods were done by a professional SMT fabricator. It is in the original box, with manual, charger, FNB-41 battery, and antenna. The unit is in excellent condition. The antenna is slightly curved.

The extended receive of the cellular bands as described at http://members.aol.com/aeimn/ft50/index.htm work but I have not had the radio in that mode for some time. I did the mod when I first got the radio but had no interest so I reset it.

The following are included:

Yaesu FTT-12 keypad with digital voice recorder and original keypad. (The FTT-12 is installed, the original keypad is in the FTT-12 box)

Yaesu CSC-68 soft case for FNB-41 battery.

Yaesu FNB-42 DC9.6V 1100mAH battery (original box included)

Yaesu adapter allowing use of standard speaker mike (with separate mike and speaker plug) with the FT-50 single plug. The kind that clips to the antenna.

original copy of ADMS 1C Software w/Cable (original box included)

$325 includes shipping within the Continental US.

KE6RQD, richardl

1024. FS/T: Alinco DJ-191 2 meter HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Rick Riverman <rbriver@cybcon.com>
Message-ID: <7a0gb1$8oi$1@remarQ.com>
Source record: 117069

* Alinco DJ-191 2 meter HT
* EDC-63 Charger
* EBP-36N 9.6V 650ma NiCd Battery (for 5W output)
* EDH-16 Alkaline Cell Pack

$185.00 or
Trade for 2 meter multimode

Rick Riverman
W7RBR
503-629-5135

1025. Re: Opinions- FT-8100R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Ken Bickel <ac4vv@qsl.netz>
Message-ID: <79t8m2iil1@news.megsinet.net>
Source record: 117070

I LOVE mine! Got the 8000 too. Great to be able to program them by
computer when traveling.

Derf Henderson wrote in message <36C074E2.F18A7B3@fedex.com>...
>Hello all,
>
>I'm looking at the Yaesu FT-8100R (2m/440) as a possible purchase -
>income tax return time ya know.. Does anyone have any
>experience/pro's/con's or alternative units with same or similar
>features? Would appreciate any inputs. Or if anyone has one they wish
>to part with, let me know..
>
> Derf 73 KE4ROS
>ke4ros@hotmail.com
>

1026. Re: want yaesu ft-8100r mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Ken Bickel <ac4vv@qsl.netz>
Message-ID: <79t8rjile1@news.megsinet.net>
Source record: 117071

How about posting to the news group so we can all benefit? I for one would like to see the mods too.

Alan Bethel wrote in message <79oe84$50p$1@remarQ.com>...
>does anyone have the mars/cap mods for the yaesu 8100r? I am
>also interested in any other mods that can be done.
> if you could you e-mail them to me? thanks and 73 for now.
> alan ke6qis
>e-mail ke6qis@nothcoast.com
>
>
>

1027. Want Icom Preamps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: kb0ksa@aol.com
Message-ID: <19990210201434.10810.00000153@ng-fb1.aol.com>
Source record: 117072

Hi, I'm still looking for a AG-25 and
a AG-35 Icom preamp. If you have one
for sale or know of one for sale let me
know. I want them for my IC-820H.
Hope to have the SAT Station setup
in a few weeks.
Tnx and 73s...John (KB0KSA)

1028. FT-8000, 5kc

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Jim Finney <jpfin@worldnet.att.net>
Message-ID: <36C23843.DAD87A96@worldnet.att.net>
Source record: 117073

Hello,

Anyone know of a mod for the FT-8000 that will allow it to tune 5kc
increments on the UHF side?

Thanks,

Jim
WA5VPW
--

Jim Finney
==========
jpfin@worldnet.att.net

1029. Re: VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: mweitz@bellatlantic.net
Message-ID: <79tj2q$sp3$1@nnrp1.dejanews.com>
Source record: 117074

In article <36C08650.B3DBC34C@tellabs.com>, jwa <jwa@tellabs.com> wrote: I found that if you have to press F/W and 4, and then repeat the process, to get out of memory group mode.

> Kevin Crozier wrote:
>
> > Doh!
> > &#65533;
> > &#65533;
> >
> > However, has anyone else noticed that you (or at least I can't) can't get
out
> > of the memory group function by pressing F/W and 4 again?
> > &#65533;
>
> To get out of the memory group function I pressed the VFO button and then MEM
> button.
> Some how my V X-5 got locked up and displayed an "OUT OF RANGE" error message.
> The only way I could get out of it was to do a Set Mode reset.
>
> > &#65533;
> > Anybody have any thoughts on the barometric pressure sensor?&#65533; I need to
order
> > another battery so I figured I might as well throw the sensor in as well.
> > &#65533;
>
> I guess it's allright if your a hiker or a mountain climber but for me, I
don't
> need it!
>
> > &#65533;
> > Kevin
> > KC0EXM
> >
> > ----------== Posted via Deja News, The Discussion Network ==----------
> > http://www.dejanews.com/&#65533;&#65533;&#65533;&#65533;&#65533;&#65533; Search, Read, Discuss, or Start Your Own
>
> --
> &#65533;&#65533; Jack Albert&#65533; WA9FVP
> &#65533;&#65533; Tellabs Operations Inc.
> &#65533;&#65533; 1000 Remington Blvd Voice&#65533; (630) 378-6201
> &#65533;&#65533; Bolingbrook, IL&#65533; 60440 FAX&#65533;&#65533;&#65533; (630) 378-5790
>

> Get high on Ham Radio !
>
>
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1030. Need Century 21D info.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: turbo22367@aol.com
Message-ID: <19990210215614.13908.00000283@ng-fc1.aol.com>
Source record: 117075

I have a Century 21D receiver(not the TenTec CW Transceiver). It covers .5 to 30 Mhz. Does anyone know anything about this receiver? I would like to get ahold of a manual or schematic for it. Any help would be appreciated. Thanx, Steve, Utah
Please reply to newsgroup or email turbo22367@aol.com

1031. Re: midland 13-513 for trade/sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: nworbekim@my-dejanews.com
Message-ID: <79tk99tpm1@nnrp1.dejanews.com>
Source record: 117076

For those of you that have inquired via e-mail, this is a synthesized rig, it is sort of like the Icom 2AT's.

It doesn't use thumb wheels, but does it with knobs.

There is a 5 position band switch for 220-221-222-223-224, there is a 2 layer knob, the largest, on the bottom, is the 100khz selector switch, and the top part is the 10 khz switch. It has a 5 khz switch, repeater/simplex switch, and a 3 position power switch 2-10-20 watts.

Covers 220 to 225 mhz at 2-10-20 watts. PLL synthesized says 1000 channels from 220 to 225 mhz. at 10 khz steps +5 khz shift up. Repeater shift is +/- 1.6 mhz.

I haven't used the rig much, it was part of a friends estate sale that I bought to help out the family... But it does work fine. There was a 220 mhz repeater here when I first purchased it, but the guy lost his site, and it is gone now. The others in the area are too far away.

I also have a 220 preamp and a diamond vertical (think its a diamond 5/8ths).

Soooooo, that's the story there. Thanks for the inquiries.
In article <79ssjk$8cb$1@nnrp1.dejanews.com>,
nworbekim@my-dejanews.com wrote:
> I have a Midland 13-513 220 mhz FM rig that looks nearly brand new. 220 here
> is not being used at all by anyone, so I thought I might turn it into
> something that is....
>
> Any interest?
>
> de KM4IY
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1032. Re: ANTI-CW people.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: ke6hey@aol.com
Message-ID: <79tkjn$tv3$1@nnrp1.dejanews.com>
Source record: 117077
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

In article <36BFF008.7E6C1D1E@worldnet.att.net>,
oscarrben@worldnet.att.net wrote:

> Another lying Democrat, George Bush.
>

QUESTION?!?

Since when is George Bush a Democrat?

I am not even a legal adult and I STILL know a democrat from a republican.

I better go back to associating with people my own age who still think before they type.

hmhampton -
teenager - procoder - not to lazy to get up and study for PRIVILEGES I want - RealHam.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1033. Re: Opinions- FT-8100R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: jerry r <jerryrc@pobox.com>
Message-ID: <36C2548E.F3B0FB6C@pobox.com>
Source record: 117078

My only complaint is the volume controlas are not log controls, they have
a digital taper and are very sensative, The first 1/4 turn is very touchy.
They all seem to be that way.

Derf Henderson wrote:

> Hello all,
>
> I'm looking at the Yaesu FT-8100R (2m/440) as a possible purchase -
> income tax return time ya know.. Does anyone have any
> experience/pro's/con's or alternative units with same or similar
> features? Would appreciate any inputs. Or if anyone has one they wish
> to part with, let me know..
>
> Derf 73 KE4ROS
> ke4ros@hotmail.com

1034. Looking for Kenwood TU-4C tone board

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: bfisher@freewwweb.com
Message-ID: <79tni8hq1@nnrp1.dejanews.com>
Source record: 117079

Hello Everyone....I am looking for a Kenwood TU-4C tone board, I have a kenwood ts-780s & my local repeater has gone to a PL tone..If anyone has this board, or knows of a replacement pls let me know ....73 Bill / W4GRW

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1035. Re: Y2K Gold & Silver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: gc <georgec2@ix.netcom.com>
Message-ID: <mUtw2.13746$wt4.578@news.rdc1.tx.home.com>
Source record: 117080
Cross-posted to: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment,rec.collecting.coins

Amen...

Richard Snow wrote in message <01be5290$4716d700$c1a5b5c7@rick-snow>...
>Y2K = Yawn 2000
>
>Be a contrarian - sell silver NOW (or in the next 10 months) it's way
>overvalued, especially US silver coins.
>
>Personally, I'll be flying on 1/2/00, back from my Christmas visit with the
>family in AZ. Then I'm off to FL on 1/3/00 for a coin show. No worries
>here, except for the weather.
>
>Hold on to your wallet folks, these gloom an doomers, are all out to make a
>big score on your fears.
>
>--
>
>Rick Snow
>http://www.indiancent.com

1036. Re: Memory groups on VX-5R???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: ke6mtf@my-dejanews.com
Message-ID: <79tsv8$4q3$1@nnrp1.dejanews.com>
Source record: 117081

In article <36C1B85F.3C70B7DD@earthlink.net>,
Vito Villamor <vovillamor@earthlink.net> wrote:
> I've been hearing that the VX-5R can access any memory location
> without having to switch bands like you have to do with the VX-1R.
>
> My real question is whether or not the VX-5R can put memory
> locations into a group(s), and then just scan memories in that group.
> We do thison the VX-1R by using the radio's frequency bands to group
> the memories,and then use the ADMS software to put the memories into
> the specificfrequency band that we want. Is the VX-5R able to do
> something like this?
>
> In some of the newsgroup postings regarding the VX-5R some people
> have made references to "memory groups". Does anyone know any more
> aboutwhat they're talking about? I would have just contacted the
> author of the post, but my newsgroup server has already deleted
> the posting.
>
> I don't have a VX-5R yet, but I do have a VX-1R. I'm just getting
> some information about the VX-5R now so that I won't have as many
> questions about it when I finally get it.
>
> Thanks in advance to those that respond,
> ---Vito
>
> By the way--have you people read the posting about Yaesu going
> bankrupt? I wonder if the author was trying to be funny, or
> if he jumps to conclusions like that everyday...or maybe just a
> disgruntled Yeasu critic...
>

far as Yaesu going bankrupt goes wait, soon you will here the truth there will
be a press release in a week or so, to my knowlage Yaesu isn't going anywhere
but as i said there will be news soon.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1037. rci2990

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: mark yuhas <myuhas@sunlink.net>
Message-ID: <jhuw2.11$x%1.258@news5.ispnews.com>
Source record: 117082

i want to know of any mods or links to mods for this radio.thanks

1038. Re: Small load Antenna Tower Ideas needed.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: ignitron@my-dejanews.com
Message-ID: <79u0em$7im$1@nnrp1.dejanews.com>
Source record: 117083
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.antenna

Before you finalize the design on your home made wooden antenna support,
go to the lumberyard and get prices on various sizes of boards. You may
be pleasantly surprised to learn that LONGER pieces are sometimes
priced lower than shorter pieces because of supply and demand.

In article <36c07c9e.0@news.netwalk.com>,
"Jim" <jbolinger@lintek.com> wrote:
>
>
> You could build an A frame mast.
>
> 20 ft would be quite easy to manage, although I am not sure about the 3
> element beam. Do you mean VHF or HF?
>
> Let me see....(mumble mumble)...you would need perhaps seven 8 ft 2x4.
> Pressure treated wood is more durable, but heavier. Five of them would go
> together like this:
>
> I
> I I
> I I
>
> Put a 1 foot overlap at each section and you will get a height of 21 ft.
>
> The remaining 2x4s are to be used for cross pieces, two at the bottom (each
> side) and one at the level of each joint.
>
> Drill holes at appropriate places and install 5/16 inch bolts. And don't
> forget eyebolts for the guy ropes.
>
> Jim
> N8EE
>
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1039. WTD:RCAWO33A Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: JPD <jdanter@NOSPAMi-america.net>
Message-ID: <36C2A765.2105@NOSPAMi-america.net>
Source record: 117084

Wanted:
RCA-WO-33A O-Scope Manual.
Copy would be fine.

1040. Re: A YAESU RELECTOR??? OR NEWSGROUP??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: jandrews@NOSPAMslip.net
Message-ID: <jandrews-1102990033580001@sf-asc1-128-129.dialup.slip.net>
Source record: 117085

In article <rexstout-0802992151320001@dialuph68.ptld.uswest.net>,
rexstout@uswest.net (John Rollins) wrote:

> > Is there a Yaesu Users Reflector?
> > Or a Yaesu Newsgroup??
> Try fox_tango@qth.net and fox-tango@qth.net. Not sure what the difference
> is, but they are seperate lists. Neither one is very active. To subscribe
> send a message to majordomo@qth.net and in the body type "subscribe
> listname"

another is yaesu@qth.net

subscribe the same way as above, I believe.

john kf6tja

--
The opinions expressed here are my own, with an assist from Robert Heinlein, Ayn Rand, Dr. Hunter S Thompson, Frank Zappa, and Bill the Cat.

Please remove NOSPAM from my address when replying!

1041. Re: Opinions- FT-8100R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: jandrews@NOSPAMslip.net
Message-ID: <jandrews-1102990038130001@sf-asc1-128-129.dialup.slip.net>
Source record: 117086

In article <36C074E2.F18A7B3@fedex.com>, Derf Henderson
<fahenderson@fedex.com> wrote:

> I'm looking at the Yaesu FT-8100R (2m/440) as a possible purchase -
> income tax return time ya know.. Does anyone have any
> experience/pro's/con's

bought one last week; don't have a lot of experience with other rigs, but
I LOVE it...informal comparisons with a few other rigs make it look real
good...

John kf6tja

--
The opinions expressed here are my own, with an assist from Robert Heinlein, Ayn Rand, Dr.
Hunter S Thompson, Frank Zappa, and Bill the Cat.

____
Please remove NOSPAM from my address when replying!

1042. Re: Yaesu Web Site OK

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: jandrews@NOSPAMslip.net
Message-ID: <jandrews-1102990045450001@sf-asc1-128-129.dialup.slip.net>
Source record: 117087
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

In article <79q51c$qd3$1@nnrp1.dejanews.com>, heknowsall@hotmail.com wrote:

> The Yaesu Home Page <www.yaesu.com> is up and running again after a temporary
> problem at the host server in New York.

That's good news....but how about making it more useful? ie, include a complete catalog, including prices, descriptions, photos, etc, for all the accessories avaible for past and present rigs? That would be really useful. I have a 747GX and a 8100R, and it seems darn near impossible to learn what is available for either one of them. There is a brief mention in the manual of the 8100R of accessories, but no details. I have yet to be able to find a way to learn what was or still may be available for the 747GX.

John KF6TJA

Love both rigs, by the way!

--
The opinions expressed here are my own, with an assist from Robert Heinlein, Ayn Rand, Dr. Hunter S Thompson, Frank Zappa, and Bill the Cat.

_____
Please remove NOSPAM from my address when replying!

1043. Re: want yaesu ft-8100r mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: jandrews@NOSPAMslip.net
Message-ID: <jandrews-1102990048380001@sf-asc1-128-129.dialup.slip.net>
Source record: 117088

I, too, would much appreciate any info on the mods. Please e-mail if possible. Note the spamblocker!

Thanks John KF6TJA

--
The opinions expressed here are my own, with an assist from Robert Heinlein, Ayn Rand, Dr. Hunter S Thompson, Frank Zappa, and Bill the Cat.

____
Please remove NOSPAM from my address when replying!

1044. Re: YEASU NEWSGROUP???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: jandrews@NOSPAMslip.net
Message-ID: <jandrews-1102990051390001@sf-asc1-128-129.dialup.slip.net>
Source record: 117089

In article <36C18E96.5684@ix.netcom.com>, ac6v@ix.netcom.com wrote:

> dt wrote:
> >
> > Anyone know if there's a Yaesu-dedicated newsgroup? Or an email
> > reflector? Ones that specialize in specific Yaesu products?
> >
> > Tnx/73
> > K0DAN

also yaesu@qth.net

(go to www.qth.net)

john kf6tja

--
The opinions expressed here are my own, with an assist from Robert Heinlein, Ayn Rand, Dr. Hunter S Thompson, Frank Zappa, and Bill the Cat.

Please remove NOSPAM from my address when replying!

1045. New -> Tube Collectors Club & Newsletter + Tube Lore Book

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: "John Dilks, K2TQN" <oldradio@worldnet.att.net>
Message-ID: <36C2BA4E.AB0@worldnet.att.net>
Source record: 117090

To all Group Members,

A group of collector-historians has recently formed the Tube Collectors Association. This is in response to the need for a focused group dedicated to the growing activity of collecting radio/wireless tubes and to sharing historical insight about them. As a tube enthusiast, you'll probably be interested in this development, and may want to help guide the activities of the group from the start.

For more on the Tube Collectors Association:
http://www.eht.com/oldradio/tubecollectors/index.html

Also if interested: Tube Lore by Ludwell Sibley Web Page:
http://www.eht.com/oldradio/tubelore/

--
73' John Dilks, K2TQN

Please visit my OldRadio Museum
http://www.eht.com/oldradio/museum

Webmaster for the Antique Wireless Association
http://www.ggw.org/awa Click on "Page 2"
-=and=-
for the New Jersey Antique Radio Club
http://www.eht.com/oldradio
-

1046. Re: Want: RCA Power Line Monitor (meter)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: news1@airmail.net
Message-ID: <95D548325B971428.701BF53B9F777FBB.AB7CB9BD56A6274D@library-proxy.airnews.net>
Source record: 117091
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment,sci.electronics.misc

I think I may have one. What are they worth?
Terry

On Wed, 10 Feb 1999 11:21:18 GMT, "John Burch" <occupant@syix.com>
wrote:

>Wanted: RCA Power Line Monitor model WV-120A
>meter in good to excellent condition.
>
>Please e-mail me at occupant@syix.com
>
>Thanks for reading.
>
>73 de John
>...
>

1047. FS: RFConcepts 4-310 440 Amp/preamp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: #fleet@mbl.edu
Message-ID: <#fleet-1102990622240001@pom1.mbl.edu>
Source record: 117092
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

This unit is mint, very little use, up to 30in for 100W out. I have added remote control using Mirage RC1 Control head, will ship for 225.00 wilth controller or 200.00 without

--
Do not autoreply, remove # sign from email address to respond

Barry Fleet K1SWR
Cape Cod MA

1048. Re: Kenwood BC-8 help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: "Michael I. Andrews, Sr." <mandrews@richmond.infi.net>
Message-ID: <36C2C441.75806719@richmond.infi.net>
Source record: 117093

BeagleBo wrote:

> Can I use my Kenwood TH-215a HT on transmit while it is charging in its
> optional BC-8 desk charger. TNX
>
> KB0VP

It has been my experience that the power supply in those drop in chargers
are good for recharging the battery pack ONLY. When you try to draw the
additional power required for transmitting, you pick up alot of noise.

Mike
N4TPR

1049. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Hackman <hacker@nospam.jump.net>
Message-ID: <36C2C46F.733C053F@nospam.jump.net>
Source record: 117094
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Dave Martindale wrote:
>
> Hackman <hacker@nospam.jump.net> writes:
>
> >If you really are intered in this data, Id be glad to dig it up.
> >How much more reliable ? Well, in testing our North Star equiped as a
> >servey unit would track to within a few centimeters.....used to place
> >drill heads etc.
>
> When you said "I wouldn't trust my life to a Garmin", I thought you were
> talking about "reliability" in the sense of unlikelihood of failure to
> provide a position within the expected accuracy - which is +- 100 m
> 95 percent of the time with decent satellite geometry for a handheld.
>

that comment was flippiant, the main comment that started this thread
was Gregs that Garmin was an industry leader, that was the only thing I
was making a comment aginst...industry leadership isn't based upon "does
my device work ?"

> Now you seem to be talking about reliability in providing a cm-accuracy
> position. Of course, no consumer handheld will ever provide that accuracy
> in the first place - you need a survey-grade instrument.
>

no, I'm simply commentling on Gregs comment about Garmin being an
industry leader....
that would be like saying that Kenwood is an "industry leader" in sterio
equipment...when all they really are are manufacturers of low end
consummer electronics....and not an "industry leader"

damn folks, how many times do I have to type this ?

> Let me rephrase the question: If you were going out into the wilderness
> somewhere without map and compass, and depended on a GPS to get you
> home safely, and the accuracy provided by an SA-degraded GPS was
> sufficient for this purpose, which would you take with you into
> the wilderness: one North Star survey unit, or several consumer handhelds?
> Which option is least likely to fail completely?
>

well, seeing as this has nothing to do with being the "industry leader"
in GPS technology, how is this question relavant ?

See, thats the ONLY FUCKING POINT I WAS MAKING FOLKS.

Damn...learn to read.

> Dave

1050. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Hackman <hacker@nospam.jump.net>
Message-ID: <36C2C39A.5896160@nospam.jump.net>
Source record: 117095
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

boy, you people just can't seem to read do you.

Here, I'll go REAL slow.

Greg made the statement that Garmin as an industry leader in GPS
technology.

I stated that they were not.

Thats it. No more, no less. For there use, a Garmin is fine, but
surely not an INDUSTRY LEADER.

Damn people, where do you get the idea to state " I
> would suggest that in MANY cases, the surveying instrument would be
> totally unsuitable for uses to which the $300 units are put.
> "

whne my comments have nothing to do with use of the GPS ?

Does use convey "Industry leadership" ?

Come on folks....learn to read.

Joe Mehaffey wrote:
>
> Hi Mr. Hackman,
> I believe you are mixing apples and oranges here without benefit of a
> sauce. Surely we all agree that a $300 GPS receiver of whatever brand
> is potentially not as accurate as a $10,000 surveying instrument. I
> would suggest that in MANY cases, the surveying instrument would be
> totally unsuitable for uses to which the $300 units are put.
>
> When you attempt to qualify one instrument as "better" or "more
> reliable" or "more accurate" or whatever, you must state and be able to
> support your criteria. (That is if you are SERIOUS about such
> statements.)
>
> So... Yes. I believe there are more reliable, more accurate, more
> robust, GPS receivers than Magellan, Garmin, Lowrance and similar
> consumer units. HOWEVER.. If I am not able to quantify these beliefs,
> I am not able to make categorical statements about these areas.
>
> For instance:
>
> Do you know the manufacturer's rated MTBF for each of the receivers you
> are comparing as one being more reliable than the other?

>
> Do you know the actual field measured MTBF for each (or any) of the
> receivers you are comparing as being more reliable than another?
>
> Some suggest that (for instance) Garmin receivers have more failures
> than <say> Lowrance receivers. They say that they are basing their
> statements on the fact that you read more about Garmin failures on the
> newsgroup than Lowrance. Could this be because Garmin receivers are
> more popular with consumer and that as a result they sell many fold more
> units than some other brands? Without good statistics, I cannot say
> for sure. Can you?
>
> If you have *REAL DATA* Please! Lets have it! I am very interested in
> this area, but without *real data* we do not have any basis for
> comparison or even intelligent discussion of comparative reliability.
>
> Thanks
>
> Joe Mehaffey
>
>
> --
> Got a Question about GPS technology? Looking for a GPS FAQ site?
> See: http://joe.mehaffey.com

1051. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Hackman <hacker@nospam.jump.net>
Message-ID: <36C2C513.9DCB0980@nospam.jump.net>
Source record: 117096
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Lawrence R Glickman wrote:
>
> >do you really want me to answer that question ?
> >mines not 30,000.00, but it isn't 250.00 ether........
> >
>
> Absolutely would like you to answer that question, if you wouldn't mind.
>

be glad to once you address my other point.

The main one being what has this got to do with my statement that Garmin
isn't an industry leader in GPS technology as Greg stated ?

See ? Do you see what I'm saying now ? Has nothing to do with the
points you raised, all valid, but off track. The ONLY FUCKING POINT I
WAS COMNTING ABOUT WAS GREGS STATEMENT.

Damn folks how the hell many times do I have to re-type it ?

> --
> Larry
> lglickman@ameritech.net
> A fracturing neutron star is a terrible thing to waste
>
> Hackman wrote in message <36C1C657.8F1B491A@nospam.jump.net>...
> >Lawrence R Glickman wrote:
> >>
> >> We're talking apples and oranges here, Mr Hackman. There are a lot of
> >> *survey grade* gps receivers available from a lot of manufacturers, and
> you
> >> can have any of them if you want to spend the money. But these are not
> the
> >> kind of receivers you're going to drop in your pocket for a whitewater
> trip
> >> down the local river.
> >>
> >
> >correct...but this is not the claim made by Greg...which is what my
> >comment was about....
> >Garmin (sorry, I'll add IMHO to settle some nerves) isn't an "industry
> >leader" in GPS technology.....
> >
> >> And for anyone willing to spend a *little* more money, they can add DGPS
> to

> >> their *cheepie* receiver and get PDGA (pretty damn good accuracy) for a
> >> _lot_ less money than you are suggesting.
> >>
> >
> >for the Garmin, the DGPS receiver is only about 100.00, so I agree with
> >you.....
> >yet this still odesn't make it "industry leader"
> >
> >
> >> For serious scientific use, survey use, perhaps one of your suggested
> >> receivers might be more appropriate than the little 12XL brick I drop in
> my
> >> pocket when meandering about.
> >
> >now your getting the idea....
> >
> >> But I don't think most of us need the
> >> centimeter accuracy these more expensive units are capable of; we
> definitely
> >> would not find them convenient to carry about, and most all of us could
> not
> >> afford them.
> >>
> >
> >granted...yet would that cheep pocket model be concidered "industry
> >leader" ?
> >This is the only point I was making.....
> >
> >
> >> I suggest that you visit the Trimble site www.trimble.com for a review of
> >> how a modestly priced dgps receiver can add great precision to the
> cheepie
> >> receivers most of us use.
> >>
> >
> >Trimble is good gear...I know there site, been there many times
> >
> >
> >> What you HAVE NOT done is take into account the cost/benefit/convenience
> >> factors.
> >
> >don't have to.
> >
> >See, I was just simply calluing Greg on the Industry leader part, so
> >taking into account cost/benefit/convenience
> >is a moot point....
> >
> >
> >
> > Of course a billion dollar oil conglomerate can afford to use, and

> >> will use, 30,000 dollar gps receivers for determining coordinates for
> >> drilling. The question is, DO YOU CARRY ONE OF THESE YOURSELF FOR YOUR
> >> PERSONAL NAVIGATION PURPOSES?
> >>
> >
> >do you really want me to answer that question ?
> >mines not 30,000.00, but it isn't 250.00 ether.....
> >
> >> --
> >> Larry
> >> lglickman@ameritech.net
> >> A fracturing neutron star is a terrible thing to waste

1052. Want: RCA Power-Line Monitor (meter) model WV-120A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: John Burch <occupant@syix.com>
Message-ID: <01be55bb$e25c55e0$d448abcd@default>
Source record: 117097
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment,sci.electronics.misc

```
Wanted: RCA Power Line Monitor model WV-120A
meter in good to excellent condition. Will pay cash.

Please e-mail me at occupant@syix.com

Thanks for reading.

73 de John
....
```

1053. Re: Any thoughts on GPS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Lawrence R Glickman <lglickman@ameritech.net>
Message-ID: <8sBw2.44397$ZP5.49344538@nntp0.detroit.mi.ameritech.net>
Source record: 117098
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Good Morning Mr Hackman,

Didn't mean to upset you. I never received the *original* post from Greg on
my server. Or even a *copy* of it.
If we're going to damn anything, let's damn the computers :^)))

Now you mention that Garmin is not an industry leader. Well I will need
some FACTS to support whether they are or are not.
I would like to know your *definition* of industry leader firstly.
Secondly, I would like to know what their stock is doing relative to other
manufacturers in this business.
Thirdly, I would like to know who they *subcontract* their manufacturing to.
My job for a number of years was to provide equipment to subcontractors that
built everyone else's electronics.
e.g.
Trimble
Solectron
Group Technologies
and etcetera !

The electronics you find in any *box* with someone else's name on it surely
originated at a different source.
I know this. I have seen lines set up to build motherboards for Compaq
Presarios, gps receivers, pagers, cell phones, I can ASSURE you that they
were built by the *named company* in only a few instances:
e.g.
Motorola

The *lines* for your hard drive are located, most likely, in Singapore.

Now, is Garmin an industry leader. By *what measure.*
Product innovation?
Units made/sold?
Number of units in use in the field?
-----and in *what markets?*---------
scientific?
recreational?

You see, Mr Hackman, in order to DENY that they are an *industry leader,*
you FIRST have to establish your terms of *what an industry leader is.*
--
Larry
lglickman@ameritech.net
A fracturing neutron star is a terrible thing to waste

Hackman wrote in message <36C2C513.9DCB0980@nospam.jump.net>...
>Lawrence R Glickman wrote:
>>
>> >do you really want me to answer that question ?
>> >mines not 30,000.00, but it isn't 250.00 ether........
>> >
>>
>> Absolutely would like you to answer that question, if you wouldn't mind.
>>
>
>be glad to once you address my other point.
>
>The main one being what has this got to do with my statement that Garmin
>isn't an industry leader in GPS technology as Greg stated ?
>
>See ? Do you see what I'm saying now ? Has nothing to do with the
>points you raised, all valid, but off track. The ONLY FUCKING POINT I
>WAS COMNTING ABOUT WAS GREGS STATEMENT.
>
>Damn folks how the hell many times do I have to re-type it ?
>
>
>> --
>> Larry
>> lglickman@ameritech.net
>> A fracturing neutron star is a terrible thing to waste
>>
>> Hackman wrote in message <36C1C657.8F1B491A@nospam.jump.net>...
>> >Lawrence R Glickman wrote:
>> >>
>> >> We're talking apples and oranges here, Mr Hackman. There are a lot of
>> >> *survey grade* gps receivers available from a lot of manufacturers,
and
>> you
>> >> can have any of them if you want to spend the money. But these are
not
>> the
>> >> kind of receivers you're going to drop in your pocket for a whitewater
>> trip
>> >> down the local river.
>> >>
>> >
>> >correct...but this is not the claim made by Greg...which is what my
>> >comment was about....
>> >Garmin (sorry, I'll add IMHO to settle some nerves) isn't an "industry
>> >leader" in GPS technology.....
>> >
>> >> And for anyone willing to spend a *little* more money, they can add
DGPS
>> to
>> >> their *cheepie* receiver and get PDGA (pretty damn good accuracy)

for a
>> >> _lot_ less money than you are suggesting.
>> >>
>> >
>> >for the Garmin, the DGPS receiver is only about 100.00, so I agree with
>> >you.....
>> >yet this still odesn't make it "industry leader"
>> >
>> >
>> >> For serious scientific use, survey use, perhaps one of your suggested
>> >> receivers might be more appropriate than the little 12XL brick I drop
in
>> my
>> >> pocket when meandering about.
>> >
>> >now your getting the idea....
>> >
>> >> But I don't think most of us need the
>> >> centimeter accuracy these more expensive units are capable of; we
>> definitely
>> >> would not find them convenient to carry about, and most all of us
could
>> not
>> >> afford them.
>> >>
>> >
>> >granted...yet would that cheep pocket model be concidered "industry
>> >leader" ?
>> >This is the only point I was making.....
>> >
>> >
>> >> I suggest that you visit the Trimble site www.trimble.com for a review
of
>> >> how a modestly priced dgps receiver can add great precision to the
>> cheepie
>> >> receivers most of us use.
>> >>
>> >
>> >Trimble is good gear...I know there site, been there many times
>> >
>> >
>> >> What you HAVE NOT done is take into account the
cost/benefit/convenience
>> >> factors.
>> >
>> >don't have to.
>> >
>> >See, I was just simply calluing Greg on the Industry leader part, so
>> >taking into account cost/benefit/convenience
>> >is a moot point....

>> >
>> >
>> >
>> > Of course a billion dollar oil conglomerate can afford to use, and
>> >> will use, 30,000 dollar gps receivers for determining coordinates for
>> >> drilling. The question is, DO YOU CARRY ONE OF THESE YOURSELF FOR
YOUR
>> >> PERSONAL NAVIGATION PURPOSES?
>> >>
>> >
>> >do you really want me to answer that question ?
>> >mines not 30,000.00, but it isn't 250.00 ether.....
>> >
>> >> --
>> >> Larry
>> >> lglickman@ameritech.net
>> >> A fracturing neutron star is a terrible thing to waste

1054. Crystal / Ceramic Headphones

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Mike Page <whardy@iee.org>
Message-ID: <79uo1a$968$1@plug.news.pipex.net>
Source record: 117099
Cross-posted to: alt.radio.amateur,rec.radio.amateur.equipment,uk.radio.amateur

Hello All,

I am looking for a supplier (preferably UK) of crystal / ceramic
headphones, both stereo and mono but they must have a clip or headband.
The end use is for instrumentation where I need something lower power
than a regular headphone; frequency range 500-5000Hz. Not bothered about
connectors as we will fit our own.

Many Thanks,
Mike Page.
****
Mike Page BEng (hons) AMIEE mike@buckman-hardy.co.uk
Senior Design Engineer http://www.buckman-hardy.co.uk
Buckman Hardy Associates Tel +44 1304 365918 Fax +44 1304 369737
****

1055. needed info TM2570

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Monte Keller <k9dzd@iquest.net>
Message-ID: <jABw2.95$E4.942@news1.iquest.net>
Source record: 117100

i in need of info on what kind of dial lamps...and installation info
for a kenwood TM2570A

also a source for these lamps
thanks

monte k9dzd@iquest.net

1056. Large Gates/Simpson VU Meters FS/T

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: markhugh@aol.com
Message-ID: <79usnt$v56$1@nnrp1.dejanews.com>
Source record: 117101
Cross-posted to: in.ham-radio,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

```
Large Gates/Simpson VU Meters FS/T
Large Gates/Simpson SK-525-275 00099-1 meters
4" h, 4 1/4" w, 2"d
6 available
have JPEG's available
$75 each
markhugh@aol.com

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
```

1057. Kenwood TS711/MC60

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: dhallr@aol.com
Message-ID: <19990211094206.17868.00000045@ng-ba1.aol.com>
Source record: 117102

Sell: Mint Kenwood TS711 with MC60 mic. This radio has virtually no time on it. Been shelvedt for 6 years. Extra clean, no dings, dents or scratches, looks new and works well.. Sorry no TU7 board in it. Used it for SSB/CW. $550
Email Dhallr@aol.com
KA1W

1058. RF CONCEPTS 2M AMP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: dhallr@aol.com
Message-ID: <19990211094328.17868.00000046@ng-ba1.aol.com>
Source record: 117103

```
RF concepts RF317 ... excellent condition very little time on it. $175
email Dhallr@aol.com
```

1059. need jpeg of 840 and 570 radios please

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Dave26at163 <alfatango@cwcom.net>
Message-ID: <36C2EC80.7818FFA1@cwcom.net>
Source record: 117104

thanks dave

1060. WANTED: CW filter FL-45 for ICOM IC-70

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Paul Neelands <pauln@spectranet.ca>
Message-ID: <79uq4pifr1@remarQ.com>
Source record: 117105

I need the ICOM 500hz cw filter FL-45 for my ICOM IC-730.
Canadian source near Toronto preferred, but will answer all offers.

Thanks

Paul

1061. NEED INFO HF REMOTE BASE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: swoodwar@fix.net
Message-ID: <36c3efaa.1510335@news.fix.net>
Source record: 117106

Exploring possibility of running my TS850 as a remote station.
Looking for any and all info regarding this type of operation as far
as computer controlling software and/or equipment to do same using a
UHF radio link.
Thanks for any assistance.
73, Steve
W7AZF
swoodwar@fix.net

1062. Re: needed info TM2570

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Clif Holland <avvid@onramp.net>
Message-ID: <36C2FE48.EC6@onramp.net>
Source record: 117107

Monte Keller wrote:
>
> i in need of info on what kind of dial lamps...and installation info
> for a kenwood TM2570A
>
> also a source for these lamps
> thanks
>
> monte k9dzd@iquest.net

B30-0828-05
www.pacparts.com
--
Clif Holland, KA5IPF
Owner of AVVid, an Authorized Kenwood and Icom Service Center
For more info click on the following
http://rampages.onramp.net/~avvid
or call 1-800-214-5779

1063. FS/FT: Tokyo Hy-Power HX-240 VHF to HF transverter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: "Caitlyn M. Martin" <cait.martin@ibm.net>
Message-ID: <36C3073A.B545EFFD@ibm.net>
Source record: 117108
Cross-posted to: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment

Hi, everyone,

The previous buyer backed out, so I am listing this again:

I have a rare (in the US, anyway) Tokyo HyPower HX-240 VHF to HF transverter. This device uses your 2 meter all mode rig as an IF. 1-5 watts input gives you 15-40 watts output on high power, or 1.5-4 watts for low power QRP operation, in all modes. (3 watts will fully drive it.) The transverter has band switch positions for 10-80 meters, but can work the WARC bands. For example, if you tune to 147.120 CW on your 2 meter rig in the 7 mhz position, that will give you a frequency of 10.120 in the 30 meter band. (This also works for SWLing.) The unit has a very effective preamp and an output power meter.

This transverter is great for someone who has a very good 2 meter rig with lots of features to take advantage of, and wants an inexpensive, high quality route into HF or a very good backup rig. I used it with a bare-bones Yaesu FT-290R, and it did a great job as both a portable and base rig, and it's small size is ideal for those of us who can't afford to go out and buy a new IC-706II. So, even the most basic 2 meter all mode can work well.

Unit was made and imported in the early '90s. It is in very good condition (some minor marks and scratches), except that the previous owner wrote operating instructions in magic marker on the bottom of the unit. This is not visible in a normal operating position. This is a tiny rig. It comes with the DC power cord, but no box or manual.

You can see a picture of it at:

http://www.netferrets.net/images/temp/HX240.JPG

Will sell for $225 firm, including shipping. I would love to trade this towards an NCG 7/21/50, if someone has one they are willing to part with, or I will accept an NCG 15M in partial trade (but not an NCG 15SB). Please do not write me offering different items for trade, as I will not accept them. Prepayment by money order or cashier's check, please. One bounced check spoiled it for everyone else.

Thanks and 73,
Caity, KU4QD.

1064. Re: Radio Install--Jeep Wrangler

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: ve3jtr@rac.ca
Message-ID: <79v472$601$1@nnrp1.dejanews.com>
Source record: 117109

I know we don't have the same radio, but I mounted my V7A inside the center console and used the remote mounting kit to mount the face on the dash and the mic plugs in under the dash. When I leave the jeep, I lock both the mic and the faceplate in the console. The console is not really 100% secure, but out of sight out of mind. I mounted the bracket to the floor of the console, then I had to use a wrench to fasten the radio to the bracket. It is a little tight, but the radio just fits. The heat sink actually sits under the cup holder section of the console and there is nothing else in up there so I think there is plenty of room for heat to escape.

Jeff VE3JTR

In article <79q6gvjpc1@remarQ.com>,
"John Trigg" <triggjoh@txdirect.net> wrote:
> I have a '91 jeep wrangler hard-top with standard trans and the underdash AC
> unit. Can anyone give me some suggestions on where to mount a standard
> small dual band unit (Yaesu FT-8000R).
>
> Thanks,
>
> John Trigg
> San Antonio, TX
>
> triggjoh@txdirect.net
>
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1065. WTB: IC-47A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: KD4FRU <NOSPAMtracklwl@sgi.net>
Message-ID: <mWDw2.1715$TU4.141298@news.sgi.net>
Source record: 117110
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment

I'm looking for an Icom 47A.

Preferably broke, but working Ok. It NEEDS to have all knobs and buttons, display and case parts in somewhat decent condition. Other than that, it can be fried.

You can see I'm looking for cosmetic stuff and PCB parts.

If you ONLY have a working model, and don't need a fortune for it, email me directly, or post it here.

To Email, just remove the NOSPAM below and it works.

NOSPAMtracklwl@sgi.net

Thank you for your time.

KD4FRU
EN00

1066. New & Used radios and equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: eclipse@nmu.net
Message-ID: <79v52s$6tt$1@nnrp1.dejanews.com>
Source record: 117111

See our huge selection of new and used products!

Amateur radio (Yaesu, Kenwood, Icom, Alinco)
Antennas
Business band commercial radio (Motorola, Kenwood, Icom, Vertex, Maxon)
Nextel
Cellular phones (AT&T Wireless, Cellular One, Nextel, more)
Many more electronic and communications products!!

Visit our website at www.eclipsecomm.net or call us at
(815) 436-7555 or email us at eclipse@nmu.net

The area's largest selection of communications
equipment!

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1067. ADMS-2D Where does one obtain this software?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Greg Castiglione <GregCa@DIM.com>
Message-ID: <36C30DE2.257E@DIM.com>
Source record: 117112

If you but it from a retailer, How much does it cost?? Is it available on the web as a free download? --Greg--N0FKI

1068. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: davem@groucho.cs.ubc.ca
Message-ID: <79v485$ckl@groucho.cs.ubc.ca>
Source record: 117113
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Hackman <hacker@nospam.jump.net> writes:

>that comment was flippiant, the main comment that started this thread
>was Gregs that Garmin was an industry leader, that was the only thing I
>was making a comment aginst...industry leadership isn't based upon "does
>my device work ?"

I suspect that Greg was saying that Garmin was the industry leader in terms of selling large numbers of consumer GPS units to mostly happy customers. If the original question was asking about recommendations of consumer GPS units, then his comments were entirely warranted.

If you, on the other hand, were pointing out that Garmin is not an industry leader in developing survey-grade GPS equipment, you would be right too - and irrelevant, since that's not the sort of units being discussed, nor the sort of leadership being discussed.

>that would be like saying that Kenwood is an "industry leader" in sterio
>equipment...when all they really are are manufacturers of low end
>consummer electronics....and not an "industry leader"

So you believe that there can be no such thing as an industry leader in low-end consumer electronics, because technology leadership is all that counts?

>> Let me rephrase the question: If you were going out into the wilderness
>> somewhere without map and compass, and depended on a GPS to get you
>> home safely ....

>well, seeing as this has nothing to do with being the "industry leader"
>in GPS technology, how is this question relavant ?

It's relevant because *you* said that you wouldn't trust your life to a Garmin GPS, that they were not reliable.

>Damn...learn to read.

I read quite well, thank you.

The problem seems to be that you make snide comments about "leadership", while not bothering to read the article you are replying to well enough to know that the type of leadership it talked about is different than the way you define leadership.

Then you make comments about "reliability", but it turns out you are talking about a different definition of reliability than most people here would use - then try to get out of it by saying it was only a

flippant comment.

It seems to me you dug your own hole and jumped into it. Don't blame other people.

It seems that what *we* should learn is that your articles are mainly flippant comments, and it's not worth asking for specifics of what you mean because there's no real useful content there in the first place.

Dave

1069. For Sale HR 2510 Uniden

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36c41294.2056128@netnews.worldnet.att.net>
Source record: 117114

selling a mint cond 2510 radio by Uniden
2 avail 200.00 each with stock mic
and bracket email me thanks.

1070. Kenwood TR-7400A Help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Dave Keyser <dave.keyser@abbottlabs.com>
Message-ID: <79v3nc$c201@news.abbott.com>
Source record: 117115

I was recently (a couple hours ago) given a Kenwood TR-7400A. Operation of the rig is fairly intuitive, except for the four position rotary switch in the upper right corner. It is marked "SQU, OFF, BUR and SUB." SQU and OFF are obvious but what are BUR and SUB?

Also the rig quit receiving (that's why I got it for nothin') but still transmits. Any ideas as to where to start troubleshooting? Besides the obvious of course such as connection to antenna jack, etc.

Thanks for any help,

73 de KE6PHU/9

--
Please remove 'labs' from reply address when replying by e-mail.
Dave Keyser, Gurnee, IL

1071. Re: Small load Antenna Tower Ideas needed.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Jim <jbolinger@lintek.com>
Message-ID: <36c31676.0@news.netwalk.com>
Source record: 117116
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.antenna

ignitron@my-dejanews.com wrote in message
<79u0em$7im$1@nnrp1.dejanews.com>...
>Before you finalize the design on your home made wooden antenna support,
>go to the lumberyard and get prices on various sizes of boards. You may
>be pleasantly surprised to learn that LONGER pieces are sometimes
>priced lower than shorter pieces because of supply and demand.
>

This is true.

I did not mention that I have built one myself. It is 36 ft tall and is
made out of combinations of 12 ft and 8 ft 2x4s.

The traditional A frame mast was made out of 2x2 lumber, but 2x4 is much
sturdier. I estimate that it will stand up to 100+ MPH winds with no
trouble (am using 5/16 inch steel guy wire and 4 ft anchors).

The reason I mentioned using 8 ft 2x4s is that the original poster wanted
something portable. An 8 ft piece would be much easier to carry around than
a 12 ft piece. In my case it was for fixed use.

By the way, I had originally planned on a 48 ft mast, but it proved too
heavy to erect, so I shortened it to 36 ft. Even then I had a total of 4
people to pull it up (including myself). I guesstimate that a 21 footer
would be no problem for 2 or three 'trained' people.

Jim
N8EE

1072. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Hackman <hacker@nospam.jump.net>
Message-ID: <36C31663.9A340FCD@nospam.jump.net>
Source record: 117117
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Dave Martindale wrote:
>
> Hackman <hacker@nospam.jump.net> writes:
>
>
>
> So you believe that there can be no such thing as an industry leader
> in low-end consumer electronics, because technology leadership is
> all that counts?
>

if the industry lead is in low cost, yes, you can lead an industry that way....

if the "industry" is technology, then price doesn't equate to industry leadership does it ?

Think of it this way....if I speak of the industry leader in computer technology, will a Timex Sinclair qualify ? There were the cheepest you know.

1073. F/S ICOM 737 $550

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Butch Hinton <kd3yt@penn.com>
Message-ID: <36C31E86.3BF@penn.com>
Source record: 117118

HI,
I have an ICOM 737 HF radio for sale. Radio is in excellent
condition, non-smoking enviroment. Have manual and original
microphone. Radio coverage is 1.8 thru 30 mhz and auto tuner.
email me for specs: kd3yt@penn.com

Asking $550.00 shipped.

Butch KD3YT kd3yt@penn.com

1074. Re: SMA to BNC adaptor warning

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-11 00:00:00 UTC
From: Shawn Upton <supton@eece.maine.edu>
Message-ID: <36C322C1.41C6@eece.maine.edu>
Source record: 117119
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner,alt.radio.scanner

eric_fre@hotmail.com wrote:
>
> I often hear people looking for the SMA to BNC or PL259 adaptors. A word of
> warning especially with the little handy talkies puting a big adaptor with a
> thick cable on a tiny SMA puts a hell of a lot of mechnical stress on parts.
> By far the easiest and neatest (not to mention cheapest) solution is to get
> an SMA connector on a piece of the thin teflon coax, about 30cm with a BNC
> male on the other end made for the thin coax.
>
> Just a sugestion.

I came to the conclusion that those adapters aren't all they are cracked
up to be also; after putting one of those with a bigger antenna on my
FT-50, I sat on the radio and snapped off the connector. Took a week
for the replacement to come in; nowadays I just use the old sma
antenna.

If anyone is interested, I posted some stuff on my webpage on how to
open up and replace the case on the FT-50, just in case anyone else has
done the same thing that I did.
http://www.eece.maine.edu/~supton/yaesu_repair.html

--
****
Shawn Upton
Electrical Engineering Student
University of Maine at Orono
webpage: http://www.eece.maine.edu/~supton/
mail: supton@eece.maine.edu
KB1CKT Tech Plus
****

1075. FS 32 chan VHF trancievers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: buzz@lanset.com
Message-ID: <36c3b9b5.19217167@news.lanset.com>
Source record: 116870

I have for sale a limited quanity of Motorola VHF MCX100 radios.
For more info see.
www.lanset.com/buzz/index.html
Thanks,
Buzz

1076. FA 1950s RADAR System Magnetron

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: rick etter <retter@bright.net>
Message-ID: <36C4466B.5FFF@bright.net>
Source record: 116871

Maggie pulled from de-commisioned 1950s RADAR system.

Tube is not vintage. Built in '80s. 10cm.

see at:
http://cgi3.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=retter@bright.net

1077. Re: Yaesu FT-101E in New Condition

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Bob <rsrolfne@atnet.net>
Message-ID: <36C44BB3.227FB200@atnet.net>
Source record: 116872

xyz - Please don't take me as a member of the "price patrol". Just I also have about the same radio for sale, with a set of spare tubes and maintenance manual, and have been "watching" the going prices. Locally here in the Pacific Northwest if you can get $300 for the radio, go for it.

Good luck

73's Bob W7AVK

xyz wrote:

> I have a Yaesu FT-101E in Mint (9.9/10) and shiny condition for sale/trade.
> This trasceiver is original without any mod. and kept in storage for the past
> 20 years... Absolutely mint inside out with the plastic cover still on the
> front panel.. Looks and works like a brand new trasceiver out of the box! A
> definite collector's item.. Asking $450 + shipping or will consider a trade
> with other Amateur equipment.
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1078. Re: VX-5R CTCSS problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Francis <ve2fgs@videotron.ca>
Message-ID: <lHYw2.1367$J5.847@weber.videotron.net>
Source record: 116873

The problem is not all the time, it's only after a transmission with the radio. If the radio is just waiting on a frequency with a PL, everithing is very fine. If the radio is scanning, if it stops on a frequency, the PL will be decoded very fast and I have nothing to say about it. The problem is after a PTT. Every time you use the PTT knob, when you release it, it takes the radio more than a second to re-open the squelch (PL decoding). Even if the repeater is always transmitting that PL tone. That is my problem. If you do not transmit with the radio, you will never have the problem.

Chris Conklin (n0cf) a �crit dans le message
<36c3c304.123119786@news.cfu-cybernet.net>...
|On Thu, 11 Feb 1999 22:55:15 -0400, "Francis" <ve2fgs@videotron.ca>
|wrote:
|<snip>
|>I bought about 4 days ago a new VX-5R. I think I have a problem with it. I
|>would like your opinion on this.
|>
|>The problem is when I use CTCSS tone in receive mode. When I operate on a
|>repeater with CTCSS, my radio is very slow to react to the good tone. That
|>means that when I am transmitting, everything is fine, but when I let go
the
|>PTT, it takes about 1 to 1 1/2 seconds for the radio to re-open the
squelch
|>by itself. (and the repeater is always transmitting the tone...) Wich
means
|>that I loss the beginning of the answer that the other person is saying.
For
|>example, if the person says "ok Francis, so I'll talk to Jeff tomorrow",
|>I'll only ear "to Jeff tomorrow".
|<snip>
|
|Looks like a low-quality CTCSS decoder circuit in the VX-5R... much
|slower than any other radio I've seen... 500-100ms I'm guessing, where
|a good PL decoder should be under 200ms.
|
|Rather than fixing the slow decoder, the new batch (serial 8Nxxx)
|seems just to wait longer on each memory channel during scan to 'wait'
|for the CTCSS decoder to lock-on.
|
|Another black eye on a neat radio (locked out 864-869Mhz and
|917-943Mhz is my other irritant).
|
|====================
|Chris Conklin, N0CF

|
|--
|Chris Conklin, Amateur Radio: N0CF (was N0PAV)
|444.65mhz, PL 136.5 -- Cedar Falls IA

1079. WTB: Icom R-7100 Service Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: malloy@earth.execpc.com
Message-ID: <7a1kls$6va@newsops.execpc.com>
Source record: 116874
Cross-posted to: rec.radio.scanner,rec.radio.swap,rec.radio.amateur.equipment

I am looking to buy an Icom R-7100 service manual. If you have one for sale please send an email.

1080. WTB: Kenwood R-820

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Paul Knight <paul.knight@prairiecomm.com>
Message-ID: <7a1ne0$il6$1@eve.enteract.com>
Source record: 116875
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I'm looking for a near-mint Kenwood R-820 receiver, with all docs.
Please drop me a note if you have one available.

Thanks,

Paul WD8DKY
paul.knight@prairiecomm.com

1081. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: pwmeek@mail.msen.com
Message-ID: <36c65f1b.258479096@ftl.msen.com>
Source record: 116876
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

On Thu, 11 Feb 1999 19:45:08 GMT, Joe Mehaffey <joe@mehaffey.com> wrote:

>Lets hear how you use your highly accurate survey grade GPS receiver to
>place well heads.. Why do they need to be precisely located in the
>first place?

Having just applied for a permit for a well, I can say that
it's because, "We want it done that way." Largely so they
can check for setbacks, avoidance of surface water problems,
etc.

(It's too late now, but there should have been a
single "Followup-To:" set early on in this thread.)

--
--Pete
pwmeek@mail.msen.com (Peter W. Meek)
http://www.msen.com/~pwmeek/

1082. HAMFEST March 7, 1999 - Lindenhurst, LI

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: W2GSB <info@gsbarc.org>
Message-ID: <mGZw2.1904$ur5.7198037@news.optonline.net>
Source record: 116877
Cross-posted to: rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap

HAMFEST March 7, 1999 - Lindenhurst, LI

GREAT SOUTH BAY AMATEUR RADIO CLUB & SUFFOLK COUNTY RADIO CLUB
ARRL APPROVED LONG ISLAND HAMFEST - MARCH 7, 1999

On March 7, 1999 the Great South Bay Amateur Radio Club & Suffolk County Radio Club will again sponsor an indoor Hamfest. The location will be at the:

Knights of Columbus
400 South Broadway, Lindenhurst, NY.

There will be radio equipment, electronic componets, computers and accessories, softeware, books, technical manulas, ARRL information, Amateur Radio License Exams, Door Prizes. General admission is $ 6.00.

VE - ARRL - 12:00 NOON
For exam candidates please remember to bring your original FCC Amateur Radio license (if licensed), any C.S.C.E. forms that are pending, plus a photocopy of each, pens, calculator, formal form of ID (preferably photo ID), and the examination fee, to the exam seesion. 1999 ARRL/VEC fee is $ 6.45, exact change is appreciated.
Novice exams are free.
The VE team is from ISLIP ARES Group and GSBARC. Thanks guys.

For vendor and additional information pleas contact, Peter Portanova WB2OQQ at (516) 541-4886.
Email info@gsbarc.org

Talk-in will be via W2GSB Repeater on 146.685 4Z(136.5) PL.

Food Service during the Hamfest will be provided by members of the Knights of Columbus Council.

Information is also available during the GSBARC 2 meter info net every Monday evening at 7:00 pm on the W2GSB repeater, 146.685 -600 4Z(136.5) PL required. You may also write to:

HAMFEST 0399
P.O. Box 1356
West Babylon, NY 11704

Email: info@gsbarc.org

Visit GSBARC online at http://www.gsbarc.org/hamfest.htm or
SCRC at http://www.members.tripod.com/~parasca/index/scrc.html

NEXT HAMFEST - Ocotber 24, 1999
Y2K HAMFEST Schedule - March 5, 2000 and October 29, 2000

73,
GSBARC & SCRC

1083. RE: F/S ICOM 737 $550

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Butch Hinton <kd3yt@penn.com>
Message-ID: <36C46719.3847@penn.com>
Source record: 116878

Hi All,

Subject radio has been sold.

Thanks for all the replies!

Butch kd3yt

1084. Re: WTB UNC 4-40 screws

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Richard Earl <w9juc@juno.com>
Message-ID: <36C46622.A2854D14@juno.com>
Source record: 116879
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.radio.amateur

I have stainless steel (18-8) Phillips binder head 4-40x1/2" screws.

Will send for no charge if you czn supply shipping address and valid HAM
CALL SIGN IN YOUR REPLY.

GL es 73

Rich

W9JUC

GL es 73

Rich

W9JUC

Simon Cox wrote:
>
> Can someone help with a source, in the UK, of UNC 4-40
> screws 1/2" long for a piece of Racal equipment. RS etc. etc.
> don't sell such unless you count D connector screws. The
> screws required are 6 BA or 2.5mm look alikes. I need 30.
>
> Thanks, simon.cox@breathe.co.uk

1085. TS 930 / TV 502 - TV506

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Bruno <brunob@village.uunet.be>
Message-ID: <7a1putmji1@xenon.inbe.net>
Source record: 116880

Hi all,

Can someone inform me if the TV502/TV506 transverters are usable with the
TS930?
Are there modifications to be done, and if so are they within reason?

Thanks,
Bruno
ON6AB

1086. Re: Crystal / Ceramic Headphones

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: laurence@iapetus.demon.co.uk
Message-ID: <918828301snz@iapetus.demon.co.uk>
Source record: 116881
Cross-posted to: alt.radio.amateur,rec.radio.amateur.equipment,uk.radio.amateur

In article <79uo1a$968$1@plug.news.pipex.net> whardy@iee.org "Mike Page" writes:

-> I am looking for a supplier (preferably UK) of crystal / ceramic
-> headphones, both stereo and mono but they must have a clip or headband.
-> The end use is for instrumentation where I need something lower power
-> than a regular headphone; frequency range 500-5000Hz.

I take it you need something a bit more elaborate than the usual
"earplug with a hook" as used by TV newsreaders.

Not the chepeast option, but you could do worse than use the Sennheiser
range of hifi headphones - these are high-impedance (about 4k-ohm I
believe) and quite suitable for low-power signals. I have often used
them sucessfully for signal tracing in equipment, using body capacity to
earth as a return path.

rgds
LAurence

1087. Classic Gonset GSB201

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: ljl160@aol.com
Message-ID: <19990212133910.07190.00000660@ng-cd1.aol.com>
Source record: 116882

For sale -listing for a friend a Classic Gonset GSB201 10 to 80 meter linear. It is in excellent condition and is on the service bench ready to be shipped. It has-a brand new set of Svetlana 811A tubes, full set of new power supply 1kv 1a matched diodes, Richard measures parasitic suppressor kit mods installed ie grid protectors, plate choke suppressors, meter protector diodes, plate to tuning cap suppressor, grid bias cutoff mod, 12v dc ant relay mod for easy switching, HV protection resistor, filament adjustment to keep tube life very long. Front panel and case is in very good condition, also has original manual plus documentation photo copies. I sold my friend one of my SB220s to match his Heath station so hes letting the GSB201 go. All wiring done perfectly as he is a certified technician. Asking $475.00 or best reasonable confirmed offer. Thanks

1088. Ako posjedujete MOTOROLIN radio uredjaj procitajte .!!! IF you have MOTOROLA radio READ .!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: fox/mulder@usa.net
Message-ID: <36c471f7.286750@news.tel.hr>
Source record: 116883
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc
Body handling: HTML body converted to readable text; Embedded executable payload not displayed

ako posjedujete Motorolin radio uredjaj pogledajte file autorun.exe
ili direktno stranicu http://members.xoom.com/vr100

If you have Motorola radio see file autorun.exe or go directly to
http://members.xoom.com/vr100

It is well worth seeing it.!!!

[Embedded executable payload not displayed]

1089. FT8100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: punkear@aol.com
Message-ID: <19990212134714.04222.00000569@ng06.aol.com>
Source record: 116884

Someone left a post regarding two issues: 1) Where to get their 8100
repaired.
2) Something about when transmitting on 2 meters the 440 squelch opening.

Sorry I can't find the original post, could someone please copy me on this?

Brad
KE0XS

TNX

1090. Re: How do you test?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: jwa <jwa@tellabs.com>
Message-ID: <36C47F23.369B7DCA@tellabs.com>
Source record: 116885

ï¿½

"Richard M. Jones Jr." wrote:

> Hi,
> Saw the results of your sensitivity test on the VX-1R.ï¿½ I work in a lab
> with some fairly nice HP test equipment and would like to know how you guys
> go about making these measurements.ï¿½ I can use an HP 83640 (10Mhz to 40GHz
> synthesizer) and an HP 3320 (<1Hz to 10Mhz synthesizer).ï¿½ I can output a
> carrier from -110 dBm or add modulation.ï¿½ Do I simply hook directly to the
> antenna connector and (carefully) bring up the level until I hear something
> on the speaker?ï¿½ That seems a little too easy!ï¿½ Thanks for your time.
> ï¿½
> ï¿½

Apply an RF signal to the radio's antenna jack at the frequency you want to
measure.
Using 5 KHz FM deviation or 100 % modulation for AM, measure the level at the
radio's phone jack.
Adjust the volume with a full quieting signal until you measure 0 db on the
analyzer's audio meter.
Turn off the modulation (the audio level should measure between -35 and -50
db).ï¿½ Decrease
the RF level until you measure -20 db of noise.ï¿½ The R.F. level in microvolts
that yealds -20 db
will be the radio's sensitivity.ï¿½ï¿½ï¿½ Some manufactures will use -10 db to get a
lower reading but
that's cheating!
ï¿½
ï¿½

--
ï¿½ï¿½ Jack Albertï¿½ WA9FVP
ï¿½ï¿½ Tellabs Operations Inc.
ï¿½ï¿½ 1000 Remington Blvd Voiceï¿½ (630) 378-6201
ï¿½ï¿½ Bolingbrook, ILï¿½ 60440 FAXï¿½ï¿½ï¿½ (630) 378-5790

Get high on Ham Radio !
ï¿½

1091. Does anyone make a PCMCIA TNC card?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: manytrails@aol.com
Message-ID: <19990212143136.08084.00000623@ng-fv1.aol.com>
Source record: 116886

I wondered if any manufacturer had or currently is making a TNC card available in the PCMCIA format. I just bought a new laptop and would like to use one if their available. Anyone with any information please help out. Thanks in advance....Bill

1092. Kenwood R-5000 computer interface

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: nospamjadams@mcqassociates.com
Message-ID: <36c48229.23663430@news.crosslink.net>
Source record: 116887
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

Greetings all:

After having my R-5000 for close to 10 years now, I have purchased the IF232C interface and the assorted internal interface chips. To make a story short, I still cant get it to play using SCANCAT. I can see RS-232 pulses on a RS232 LED monitor tied to the IF2323C, but the radio does not respond.

Kenwood has a Service bulletin ASB-0919 for the R-5000 that says to replace IC52 on the control unit, a 27128 EPROM which is now changed to a 27C128 EPROM on radios w/ serial numbers below 804xxxx. I have a radio w/ serial number 00070xxx. Kenwood says my radio is newer.

How to you read the Serial number?

Why (or HOW) does this chip replacement fix the problem? (It appears that the fix replaces a TTL level chip w/ a CMOS chip).

Remove spam and send me your opinions:
jadamsnospam@mcqassociates.com

1093. question for the pros

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: mquest@airmail.net
Message-ID: <9A7AC68988B6F255.927A7C9448E5EDB7.F64BF1014298769A@library-proxy.airnews.net>
Source record: 116888

I am interested in getting a handheld transceiver 2 meter range. Any suggestions regarding the type and kind to look out for. Also is it possible to get one to connect to a PC ?

Thanks
Mark

1094. swap

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: phil taylor <phil@clink.enterprise>
Message-ID: <e61x2.30$SY1.308@news.enterprise.net>
Source record: 116889

Hi there. got a hx240 2mtr to hf transverter will swop for a astroscan telescope.

phil isle of man

1095. WTB: Kompact Kilowatt w/PS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: dalien <dalien@pacifier.com>
Message-ID: <36C4A112.1A6F1DB6@pacifier.com>
Source record: 116890
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

WANTED: Heathkit HA-14 with both AC and DC power supplies and manuals.

Dave - W6OVP dalien@pacifier.com

1096. G.E. DELTA SOFTWARE...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: n8vpm@stratos.net
Message-ID: <7a2aq8$11b$1@nnrp1.dejanews.com>
Source record: 116891

HI, thanks for looking at this post, i have a G.E. DELTA low band (6M) radio,i have the interface box and cable,all i need to program the radio is the software,if you have or know where to get it could you please e-mail me the info..thank you TIM HOLT N8VPM n8vpm@stratos.net

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1097. recent selling prices, ham equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: neil <neil@aade.com>
Message-ID: <36C4A9F2.254E4B73@aade.com>
Source record: 116892

As a new feature of 'hampedia' at
http://www.aade.com/hampedia/hampedia.htm
I have added recent prices realized from ebay auction for over 800
different pieces of ham equipment representing over 2000 sales.

scroll down to the 'prices realized' link.

I have also updated my popular links page by adding over 300 new
links and eliminating over 150 defunct links.
http://www.aade.com/links.htm

--
Neil
http://www.aade.com
mailto:neil@aade.com
Almost All Digital Electronics
1412 Elm St. SE
Auburn, WA 98092
253-351-9316

1098. FS: RFConcepts 4-310 Amp/Preamp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: K1SWR <fleet@mbl.edu>
Message-ID: <36C4B5C9.301A3B7B@mbl.edu>
Source record: 116893
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

This unit is as new, very little use. up to 30Win 100W out with preamp.
Also have a Mirage RC-1 Remote control head that I interfaced with it
for remote mounting. Will ship just amp for $200.00, both for $225.00

1099. Re: recent selling prices, ham equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: ny4t@home.com
Message-ID: <36c5bcce.14734555@news.nash1.tn.home.com>
Source record: 116894

On Fri, 12 Feb 1999 14:23:46 -0800, neil <neil@aade.com> wrote:

>http://www.aade.com/hampedia/hampedia.htm

Great stuff, Neil. Very helpful.
BTW, you have a typo on your first page, the word obligatory.
Thanks for the effort in assembling all this fine info.

73,
Lee (NY4T)
http://www.qsl.net/ny4t

1100. FS CD ROTOR AR33

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: ADRIAN OAKES <apokb8grj@erinet.com>
Message-ID: <7a2fk6$v0$1@news.erinet.com>
Source record: 116895

Have a cd rotor --- been stored by ham since 1968 (see paper
at right -- faded) This rotor has never been used. It is a five
wire unit. And is for medium duty use. It is old but in new working
condition. Clamps have never been mounted to rotor. This unit
does not have a brake in it. The picture says it all. better than
anything rat shack offers--- even todays ar40 is over $140.00.
yours for $60.00 plus shipping. KB8GRJ

1101. Hallicrafters SX-111 For sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36C4BD0C.637F@ix.netcom.com>
Source record: 116896
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

I have a nice SX-111 for sale. This receiver features 80-10 meters,
notch filter, dual conversion and crystal filter. Cabinet was
pro-finished, power cord replaced with three conductor heavy duty, it
has the built in crystal calibrator,
everything works great. Two knobs are incorrect. $145+shipping
73 Chris VE3NGW/W4 Florida

1102. Transmit Audio Problems Yaesu FT-5100 & FT-5200

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Jim Kinney <jtkinney@wans.net>
Message-ID: <36C4C171.49FD@wans.net>
Source record: 116897

Has anyone experienced problems with the transmit audio with either of these radios?

The problems I and another ham are having is intermittent dropout of the audio only. The carrier is there strong as ever. His seems to quit when it warms up, mine just quits.

If anyone has seen this, what have you done to troubleshoot or fix it.

Thanks in advance.

Jim WB7ECS
Tempe, AZ
jtkinney@wans.net

1103. FS new icom battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: ADRIAN OAKES <apokb8grj@erinet.com>
Message-ID: <7a2gft$1c2$1@news.erinet.com>
Source record: 116898

Have a new bp83a nickell cad 7.2 v @750-850 mah
from w&w assoc. battery company. sold radio. this
has never been charged and contacts have never
been mated to a radio. contacts have no scores.
$20.00 shipped nice for someone who needs the
battery. KB8GRJ

1104. Help W/Sinclair Cavitys

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Clif Holland <avvid@onramp.net>
Message-ID: <36C4BC81.4F62@onramp.net>
Source record: 116899

I have an older set of Sinclair VHF BP/BR cavitys. Each side is high pass and low notch.

How can I flip one side to low pass high notch???
I have seen this discussed somewhere but lost it.

These are the old ones with the notch stub mounted on top of the cavities

TIA
--
Clif Holland, KA5IPF
Owner of AVVid, an Authorized Kenwood and Icom Service Center
For more info click on the following
http://rampages.onramp.net/~avvid
or call 1-800-214-5779

1105. FS TenTec Corsair 560 with Matching PS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36C4C0DA.127@ix.netcom.com>
Source record: 116900
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have an excellent condition Corsair Model 560 with Matching power supply. This rig is loaded with all the filters and is a delight to operate. Both units for $675+shipping. 73 Chris VE3NGW/W4 Florida

1106. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <7a2hn9jue1@news-2.news.gte.net>
Source record: 116901
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

:Hi Mr. Hackman,
:I believe you are mixing apples and oranges here without benefit of a
:sauce. Surely we all agree that a $300 GPS receiver of whatever brand
:is potentially not as accurate as a $10,000 surveying instrument. I
:would suggest that in MANY cases, the surveying instrument would be
:totally unsuitable for uses to which the $300 units are put.
:
:When you attempt to qualify one instrument as "better" or "more
:reliable" or "more accurate" or whatever, you must state and be able to
:support your criteria. (That is if you are SERIOUS about such
:statements.)
:
:So... Yes. I believe there are more reliable, more accurate, more
:robust, GPS receivers than Magellan, Garmin, Lowrance and similar
:consumer units. HOWEVER.. If I am not able to quantify these beliefs,
:I am not able to make categorical statements about these areas.
:
:For instance:
:
:Do you know the manufacturer's rated MTBF for each of the receivers you
:are comparing as one being more reliable than the other?
:
:Do you know the actual field measured MTBF for each (or any) of the
:receivers you are comparing as being more reliable than another?
:
:Some suggest that (for instance) Garmin receivers have more failures
:than <say> Lowrance receivers. They say that they are basing their
:statements on the fact that you read more about Garmin failures on the
:newsgroup than Lowrance. Could this be because Garmin receivers are
:more popular with consumer and that as a result they sell many fold more
:units than some other brands? Without good statistics, I cannot say
:for sure. Can you?
:
:If you have *REAL DATA* Please! Lets have it! I am very interested in
:this area, but without *real data* we do not have any basis for
:comparison or even intelligent discussion of comparative reliability.
:

Joe, you might be in a better position to answer this than most.
But who does most of the development in GPS? I was under
the impression that Rockwell and Motorola made most of the
GPS receiver ICs. These are used in most receivers such as
Garmin and Eagle.

At least in the small aircraft are using Garmin. I do see a lot
of Rockwell/Colins equipment as well. Rockwell also has a
the lions share of the military market (PLGR II).

Trimble was great but seems to be dying. Eagle and Magellan
are OK but Garmin seems to be ahead of them in the consumer
market. Garmin is picking up military contracts as well.

Maybe you could give us a better overview.

:--
:Got a Question about GPS technology? Looking for a GPS FAQ site?
:See: http://joe.mehaffey.com

1107. FS/T: Alinco DJ-191 2 meter HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Rick Riverman <rbriver@cybcon.com>
Message-ID: <7a2k3q$9i0$1@remarQ.com>
Source record: 116902

* Alinco DJ-191 2 meter HT
* EDC-63 Charger
* EBP-36N 9.6V 650ma NiCd Battery (for 5W output)
* EDH-16 Alkaline Cell Pack
* Manual

$185.00 or
Trade for 2 meter multimode

Rick Riverman
W7RBR
503-629-5135

1108. Re: Want: Motorola Syntor mobile manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: "R. H." <rh@pcez.com>
Message-ID: <36C4D828.4172297F@pcez.com>
Source record: 116903
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

John,

See the website for MDM Radio.

That's where I bought mine, and I don't see how you can beat the price
(no I don't work for them).

http://www.mdmradio.com

Hope it helps,

Ron, N7TAW

John Burch wrote:

> Looking for Original Motorola manual
> (no copies, please) for Syntor mobile
> model number T44SRA1900AK
>
> Please e-mail me and let me know what
> you want for the manual and shipping.
>
> Thanks de John
> occupant@syix.com
> ..

1109. Re: Price Question on Radio Shack 204

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: larry <kb9ksr@eriecoast.com>
Message-ID: <36C4DFF4.85A0311A@eriecoast.com>
Source record: 116904

look at the adi 600 used price the are almost the same
larry

duane olexa wrote:

> a friend of mine asked how much he should try to sell a used
> Radio Shack 204 dual band hand held for.
>
> anybody know a fair market value for this?
>
> thanks
> duane wm8n

1110. Re: SMA to BNC adaptor warning

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: dcisive@wans.net
Message-ID: <MPG.112e90538380d869897f9@news.wans.net>
Source record: 116905
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner,alt.radio.scanner

There is currently no SMA antenna that is competent below 100mhz, such as 30-50mhz. So until that happens, the adapter will have to be.

1111. FT51R HELP!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Vinny Noto <wx2ny@erols.com>
Message-ID: <36C4E81F.5689@erols.com>
Source record: 116906

When my radio lost power it somehow went into the European mode.
Transmits on 144-146 and 430-440 only. Does anyone now how to get it
back to USA mode. I do have ADMS software if needed. No mods of any kind
were made. Stock radio.

Thanks
Vinny
WX2NY

1112. Re: TS440AT problems. Help!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: w8pu <w8pu@your-net.com>
Message-ID: <36C4E7A6.86A2576B@your-net.com>
Source record: 116907

Check out Kenwoods service bulletins on their website. It lists fixes for PLL troubles due to adhesive used around components.

Gary
--
http://www3.your-net.com/~w8pu

1113. WTT yaesu ft-7 for index labs qrp plus

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: cmb <cmb@owc.net>
Message-ID: <Ve6x2.495$tf2.765@news2.megsinet.net>
Source record: 116908

have a very nice yaesu ft-7 hf rig 80-10 meters.doesnt have the ten meter
crystal at this time but one is on order from jan crystals.has original box
and manual.
looking for a nice index labs qrp plus rig
thanks jack n9iif

1114. Re: Ten- Tec Tkit?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7a2v41cek1@ostrich.cybercomm.net>
Source record: 116909

I have heard good things about it. I checked it out at Dayton last year, and
it
seemed kind of 'light and flimsy'
Also, I wish it had an S meter.
Sure would be a lot of fun to build though!
....Dave
John wrote in message <7a2n2m$5a0@bgtnsc03.worldnet.att.net>...
>anyone out there have a 2 meter Tkit mobile. i just ordered one just want
to
>know what you think of them..
>
>jc
>
>

1115. VX-5r

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: "Glenn E. Frasier" <kd5dmg@digitex.net>
Message-ID: <OBxEKqwV#GA.187@upnetnews03>
Source record: 116910

Can the Vx-5r scan all memories at a time? Such as:

145.47
443.750
154.7825
....

Or is it like the VX-1r that can only scan one band at a time?

--

Glenn E Frasier jr. Kd5dmg
kd5dmg@msn.com
home page http://members.tripod.com/kd5dmg/

Moderator of Photosmart Email list on www.onelist.com
Archives at: http://www.onelist.com/archives.cgi/Photosmart

1116. Ebay Auction of C band up-converter. Lots of SMA goodies with it.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Kyle Wesley <wesleyk@cyberramp.net>
Message-ID: <36C50AF6.F3BA6D73@cyberramp.net>
Source record: 116911
Cross-posted to: rec.radio.swap,sci.electronics.misc,rec.radio.amateur.equipment

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66518588

This is/WAS a C band up-converter used years ago in commerical satellite uplinks. Put 70 mhz IF into the unit and get 6 ghz output. This unit will not be used again in commerical use. However it does contain a lot of goodies that hams or other techs could use. Follow the above link to Ebay take a look at the unit. I put together a big jpg and it may take a minute for phone dial ups to download. However I think you will find it is worth the wait.

1117. Re: Icom 746 ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Dave <recon@vh.net>
Message-ID: <36C4FED6.501F0349@vh.net>
Source record: 116912

I enjoy my Icom 746. I bought it new 3 weeks after it came out. I have every slot filled. I use the Hyperlog 4.09b Logging/Packet/Digital mode/Rig Control Software,

with it. I enjoy it tremendously. I can TX from 100 Hz to 174 MHz w/100 watts.
I have 4 complete HF Stations and this is my favorite. 73 de Dave/N2JBO

"Just Being Obnoxious"

TRG150 wrote:

> I am looking for comments from anyone owning the 746... any major problems???
> any idea why Icom is now offering $200 additional discount??? From what I have
> read and heard - it is a great radio.. Does it receive 108-174 mhz??? original
> QST write up indicated it had extended vhf receive????? thanks
> trg150@aol.com

1118. VX-5R Any Mods??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: jeff <ummhello@hotmail.com>
Message-ID: <7a2731$o4$1@news.monad.net>
Source record: 116913

Ok...I know that people have been asking for extended RX mods. But, are there any known mods at all for this unit yet??? Please post if anyone has any info. Tks

1119. mini plug hot pin

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: swb@tmisnet.com
Message-ID: <79vr6b$rf1$1@nnrp1.dejanews.com>
Source record: 116971

which part of the mini plug (AUDIO JACK) is hot?

I thought that the center plug is hot and the outside is common.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1120. Re: WTB: ICOM IC781

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Don Bertone <dbertone@flash.net>
Message-ID: <36C37156.C8F16918@flash.net>
Source record: 116972
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Look back as there is a guy out here selling one for $3000

Al wrote:

> Please respond with price and condition if you have one for sale.
> Thanks Al

1121. Re: want yaesu ft-8100r mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Greg Ottria <Gottria@Inreach.com>
Message-ID: <iALw2.43304$un6.14194188@news.inreach.com>
Source record: 116973

http://iway1.iw.net/~mac24/mods.htm

Greg Ottria KE6PTP
Castro Valley, California
Gottria@Inreach.com

John B. Andrews wrote in message ...
>I, too, would much appreciate any info on the mods. Please e-mail if
>possible. Note the spamblocker!
>
>Thanks John KF6TJA
>
>--
>The opinions expressed here are my own, with an assist from Robert
Heinlein, Ayn Rand, Dr. Hunter S Thompson, Frank Zappa, and Bill the Cat.
>_____________
>Please remove NOSPAM from my address when replying!

1122. Re: Cleaning copper wire?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Murray Kelly <mkelly@powerup.com.au>
Message-ID: <36C3867E.1901@powerup.com.au>
Source record: 116974

After a brush with the wire brush I dunk it in Amway Metal Paste.
It has citric acid and that cleans up copper quickly. Great for
PCB board, too. Rinse it off after, tho. If left it makes an
even more worser mess! :-(

Ed wrote:
>
> I'd like to hear of methods of easily cleaning stranded copper wire. I have
> some old oxidized #14 stranded wire that I'd like to clean so it will take
> solder for a good connection. Please post replys here.
>
> Ed

--
****
* Murray Kelly vk4aok mkelly@powerup.com.au *
* 29 Molonga Ter. / Graceville/ QLD. 4075/ Australia *
* ph/fax Intl+ 61 7 3379 3307 *
****

1123. Trade commercial TV modulator fully agile 50-550 MHz AM VSB

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Pete <nntp@ibelings.com>
Message-ID: <zILw2.2765$gk.4967994@news3.atl>
Source record: 116975

I have a Scientific Atlanta Continuum modulator for trade. It covers 50 to 550 and is fully agile. It will tune to any frequency or any channel. output is 30mW which will drive a 10 to 15 watt hybrid. It is the top of the line modulator. I will trade for a color sony of supercircuits camera. Ideally the pc27 from www.supercircuits.com.

N4IP

1124. Re: VX-5R Sensitivity

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Steve <test@spam.com>
Message-ID: <YWLw2.1461$sS6.1635911@newse3.tampabay.rr.com>
Source record: 116976

so far it's much better on AM & fm than the vx1 that I have. I also get the feeling it will receive better on 155 & 463 areas...at least stock antennae to stock antennae. I was pulling much more out of my local security force on 154 than I do on the vx1r.

can't comment on 50 mhz yet, nothing around here on. SW seems to be decent. 800 seems good too.

So far a winner!

1125. Re: YEASU NEWSGROUP???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Alan Rabin <kt4gh@bellsouth.net>
Message-ID: <36C3902A.B011A63A@bellsouth.net>
Source record: 116977

www.qth.com or net look for yaesu. p.s. yaesu hf net sundays 1700z
14.328.
73 alan kt4gh

dt wrote:

> Anyone know if there's a Yaesu-dedicated newsgroup? Or an email
> reflector? Ones that specialize in specific Yaesu products?
>
> Tnx/73
> K0DAN

1126. Re: A YAESU RELECTOR??? OR NEWSGROUP??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Alan Rabin <kt4gh@bellsouth.net>
Message-ID: <36C39134.C68AE25D@bellsouth.net>
Source record: 116978

welcome all !!! yaesu users net 14.328 sundays 1700z +or- qrm.. 73, alan kt4gh

"John B. Andrews" wrote:

> In article <rexstout-08029921513200001@dialuph68.ptld.uswest.net>,
> rexstout@uswest.net (John Rollins) wrote:
>
> > > Is there a Yaesu Users Reflector?
> > > Or a Yaesu Newsgroup??
> > Try fox_tango@qth.net and fox-tango@qth.net. Not sure what the difference
> > is, but they are seperate lists. Neither one is very active. To subscribe
> > send a message to majordomo@qth.net and in the body type "subscribe
> > listname"
>
> another is yaesu@qth.net
>
> subscribe the same way as above, I believe.
>
> john kf6tja
>
> --
> The opinions expressed here are my own, with an assist from Robert Heinlein, Ayn Rand,
Dr. Hunter S Thompson, Frank Zappa, and Bill the Cat.
> _____________
> Please remove NOSPAM from my address when replying!

1127. Opinions Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Larry Green <lgreen@nospam.mnsi.net>
Message-ID: <01be5631$305f70e0$94351cd0@default>
Source record: 116979

Does anyone out there have any opinions on the Palstar AT-300CN antenna tuner. I am thinking of buying one and would appreciate any information (good or bad).

The auto tuner on my HF rig has gone 'belly up' and I have decided to go with an external tuner.

Thanks.

Larry Green VE3YET
ve3yet@rac.ca

1128. Re: ADMS-1E Software ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7a0857$6ks$1@nnrp1.dejanews.com>
Source record: 116980

In article <W%6w2.2080$vW6.2723@weber.videotron.net>,
"Francis" <ve2fgs@videotron.ca> wrote:
> Hi there.. I need the ADMS-1E software for my VX-5R.

According to its "maker," it is very close to being issued.

RT Systems' Web site is at:

http://www.rtsars.com/

- Clint Bradford

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1129. WTD: Used frequency counter >= 100MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: M_OstrowskiXXX@yahoo.com
Message-ID: <36c599fc.16977009@news.provide.net>
Source record: 116981

I'd like to find a good used frequency counter for hobby use.
Nothing real fancy, just at least 100MHz, accurate & stable.
Higher frequency would be nice, but 1.3GHz is probably
overkill.

Let me know if you have something you'll part with and
how much you're asking.

Michael Ostrowski - KC8GBM
Saline, MI

M_OstrowskiXXX@yahoo.com
remove XXX when responding directly.

1130. Re: ADMS-1E Software ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7a08dh$6v5$1@nnrp1.dejanews.com>
Source record: 116982

In article <79qvio$srd@dfw-ixnews7.ix.netcom.com>,
kc5egg@ix.netcom.com(Gerald Schmitt) wrote:

> When and if it comes out it will cost $20 US plus shipping.

For registered users of previous versions, of course.

Wouldn't want to mislead anyone....

- Clint Bradford

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1131. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7a08i4$71d$1@nnrp1.dejanews.com>
Source record: 116983

In article <79qv8g$35u@dfw-ixnews9.ix.netcom.com>,
kc5egg@ix.netcom.com(Gerald Schmitt) wrote:

Gerald...why don't you take your one-man, personal, anti-RT Systems nonsense to private email? Not that I will reply to you...but you sure are getting quite annoying with your incessant, pointless rants.

Just some friendly advice.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1132. Re: ADMS-2D Where does one obtain this software?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7a08ql$76g$1@nnrp1.dejanews.com>
Source record: 116984

In article <36C30DE2.257E@DIM.com>,
GregCaDIM.com wrote:
> If you but it from a retailer...

That's the only legitimate, legal way to obtain a copy...

> How much does it cost?? Is it available
> on the web as a free download? --Greg--N0FKI

ADMS is a commercial, copyrighted software/cable package...available from the manufacturer at

http://www.rtsars.com/

or I know Ham Radio Outlets carry it, too.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1133. Re: ADMS-2D Where does one obtain this software?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7a08uf$7e6$1@nnrp1.dejanews.com>
Source record: 116985

In article <79v96f$7oeo$1@newssvr03-int.news.prodigy.com>,
"paul wise" <n3ngo@prodigy.net> wrote:
> not available as a free download. you buy it from a dealer. some people say
> it comes with a cloning cable...

Not a "cloning" cable, of course, but a "programming" cable - from your PC to
the radio...

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1134. Re: VX-5, how do you tell if it's the new version.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7a094j$7hs$1@nnrp1.dejanews.com>
Source record: 116986

In article <36C36859.3437C323@hevanet.com>,
DontHitReplyUseTheHotLinkInTheSignature wrote:
> There's a swap meet coming up next week. I'd like to pick up a VX-5R.
> How can I tell if it's been upgraded with the scanner fixes et al?

1. KNOW the person or dealer you buy it from.

2. Ask what release the unit is.

If you do not know the dealer and his/her reputation, I, personally, would
avoid them for this particular transaction...Of course, I am spoiled by having
the anaheim, CS Ham Radio Outlet only 30 minutes away from me.

- Clint Bradford

> Is there a keysequence that will divulge that info?
> TO REPLY CLICK HERE http://www.hevanet.com/nm7u
>
> Thanks, miker
>
> --
> Big list of WANTS and FORSALES at link below.
> Return Address is Bogus.
> TO REPLY CLICK HERE http://www.hevanet.com/nm7u
> Or you can DELETE the & in the "from" address.
>
>

- Clint Bradford, ATTENTION to Details
http://www.pe.net/~atd

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1135. YAESU FT-1000MP WANTED

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: cslc82@email.mot.com
Message-ID: <36c39d80.15628582@netnews.worldnet.att.net>
Source record: 116987

YAESU FT-1000MP WANTED

Looking for late serial # FT-1000MP, with AC supply, in good shape.

Please state options, price & condition.

Tnx/73
Dan
K0DAN

1136. WTT: Icom Q7A 144/440 Ht...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36c4c638.98223379@news.earthlink.net>
Source record: 116988

WTT: Icom Q7A DualBand Ht
With box and manual,belt clip and carry strap.
Looks BRAND NEW!!.
Will trade for ham gear or commercial gear.
Email,Rich.

1137. WTT: Cherokee AH50 6 MTR HT NEW!!..

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36c6c65c.98259511@news.earthlink.net>
Source record: 116989

WTT: Cherokee AH50 6 Meter HT 50-54 MHz 1watt/5watt
NEW in box not opened. With warranty card.
Want to trade for ham gear or commercial gear.
Let me know what you have to trade.
Rich

1138. TH-79A For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Shannon <burrhead@hereintown.net>
Message-ID: <01be5639$2eabfae0$9260c4cf@burrhead.hereintown.net>
Source record: 116990

```
For Sale:
Kenwood TH79A Dualbander
KSC14 Two port Rapid Charger
BT9 AA Battery Holder
Diamond PF519 Dual Band Antenna
Priced New at $594
Good Condition $475 + Shipping
Call Shannon 304-298-3053 Home or 301-777-2692 Work or 301-759-7050 Pager
Email burrhead@hereintown.net
```

1139. Re: FS: IC28-A and IC48-A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: ke6jao@aol.com
Message-ID: <19990211230151.15020.00000361@ng144.aol.com>
Source record: 116991

--02-11-98

hi, would you like 125.00 for ic-48a?

ke6jao@aol.com (noel)
510-489-2866

1140. Re: WTB: ICOM IC781

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Piero Sassu <n3fvg@worldlynx.net>
Message-ID: <36C3B57E.41EBC1DF@worldlynx.net>
Source record: 116992
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Do a DejaNews search, I have seen one for sale for $3000 and one for sale for $2200. The guy for $2200 wanted to sell quickly because he needed the cash, may be an opportunity for a bargain.

73, Piero - N3FVG

1141. FA: MOTOROLA SABER TEST ACCESSORIES AND PARTS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7a0fa2cck1@nnrp1.dejanews.com>
Source record: 116993

HAVE THE FOLLOWING MOTOROLA SERVICE TOOLS FOR WORKING ON SABER RADIOS...
external antenna adapter
test bed for working on saber that out of its case
batt eliminator/currewnt draw testing adapter.

the units are on ebay for auction. heres the links
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66337079
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66338447
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66340764

all units are in good shape and are not beat up or abused.
thanks
robert

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1142. FA: MOTOROLA SABER PARTS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7a0fk1cnk1@nnrp1.dejanews.com>
Source record: 116994

HAVE THE FOLLOWING MOTO PARTS ON EBAY..
(3) NEW IN BOX SABER SPEAKERS
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66332000

(2)NEW IN BOX PA'S, MAYBE SABER, part number is NLE9471A
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66333734

(1) NEW IN BOX SABER PTT FLEX REPLACEMENT KIT
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66335367

ALL PARTS NEW IN ORIG MOTO BOXES
thanks
robert

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1143. FA: NEW MOTOROLA TELEPHONE STYLE HANDSET

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7a0fpt$cr4$1@nnrp1.dejanews.com>
Source record: 116995

HAVE THE FOLLOWING MOTO PART ON EBAY.. (2) TELEPHONE STYLE HANDSET FOR USE IN HIGH NOISE ENVIROMENTS OR WHERE PRIVACY IS AN ISSUE. THESE ARE NEW WITH DOCS AND SCHEMATIC, CURRENTLY WIRED FOR "MICOR"
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66318175 thanks robert

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1144. FA: COMMERCIAL RADIO TEST CARDS FOR "URDC BATTERY MANAGER UNIT"

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7a0fvt$d2r$1@nnrp1.dejanews.com>
Source record: 116996

HAVE 3 CARDS FOR THIS UNIT. THEYBARE WHITE PLASTIC CARDS THAT SLIDE INTO ANOTHER ASSEMBLY. TWO OF THEM HAVE MX BATT CONNECTORS ON PIGTAILS. MORE INFO AND PART NUMBERS ON EBAY..
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66344314 thanks robert

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1145. FA: ICOM IC-AG1 LOW NOISE PREAMP FOR 430MHZ NEW!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7a0grbdlm1@nnrp1.dejanews.com>
Source record: 116997

NEW IN BOX ICOM IC-AG1 430MHZ PREAMP. UNIT IS ON EBAY, HERES THE LINK..
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=64953122
thanks
robert

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1146. Lakeshore Phasemaster II transmitter??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: The Family <fotolady@magpage.com>
Message-ID: <7a0e8v$j93$0@204.179.92.74>
Source record: 116998

I'm helping settle an estate and a friend of the widow is interested in buying one of the pieces, a Lakeshore Phasemaster II. It's in about a 7-8 condition. It has a single 6146 final, 160-10M coverage, eye tube and VFO on it. What's it worth? I'm not making anything on this one and they'd like to know if there's a fair value on the thing. What's a good ballpark?
Jim

1147. Re: FT-8100r test

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: barryng@ibm.net
Message-ID: <7a0ijo$f1q$1@nnrp1.dejanews.com>
Source record: 116999

I have an 8100 and experience the same problem. I want this repaired as it is
a very annoying characteristic. However, I am undecided as to which warranty
repair facility to send it; Yaesu or RT Systems in Huntsville. Virtually all
my previous experience has been with Icom so I do not have a feel for the
competence of either of these choices. Unfortunately my first major purchase
of a non Icom rig has not proved to be a wise decision so far.

Barry
N4IFE
barryng@ibm.net

> > > "George A. M." wrote:
> > >
> > > > If you have an ft-8100r could you try something? Transmit on any 440
> > > > freq. and see if you get any kind of signal (s-2 or less) on 2 meters.
> > > > Be sure to put squelch at 10 o'clock or less on 2 meters and high power
> > > > on 440.
> > > > I just received my rig from Yaesu after repair for this problem and it
> > > > came back with the same problem.
> > > > They said they changed several things and check it out and realigned it.
> > > >
> > > > Just Yaesu being Yaesu I guess!
> > > >
> > > > Thanks in advance
> > > > George N1NAZ
> > > >
> > > > --
> > > > Geo
> > > > tech77@mediaone.net
> > > > n1naz@amsat.org
> > > > Connected 24 hours a day!
> > >
> > --
> > Geo
> > tech77@mediaone.net
> > n1naz@amsat.org
> > Connected 24 hours a day!
>
>

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1148. Re: VX-5R CTCSS problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: cc13125@cedarnet.org
Message-ID: <36c3c304.123119786@news.cfu-cybernet.net>
Source record: 117000

On Thu, 11 Feb 1999 22:55:15 -0400, "Francis" <ve2fgs@videotron.ca>
wrote:
<snip>
>I bought about 4 days ago a new VX-5R. I think I have a problem with it. I
>would like your opinion on this.
>
>The problem is when I use CTCSS tone in receive mode. When I operate on a
>repeater with CTCSS, my radio is very slow to react to the good tone. That
>means that when I am transmitting, everything is fine, but when I let go the
>PTT, it takes about 1 to 1 1/2 seconds for the radio to re-open the squelch
>by itself. (and the repeater is always transmitting the tone...) Wich means
>that I loss the beginning of the answer that the other person is saying. For
>example, if the person says "ok Francis, so I'll talk to Jeff tomorrow",
>I'll only ear "to Jeff tomorrow".
<snip>

Looks like a low-quality CTCSS decoder circuit in the VX-5R... much
slower than any other radio I've seen... 500-100ms I'm guessing, where
a good PL decoder should be under 200ms.

Rather than fixing the slow decoder, the new batch (serial 8Nxxx)
seems just to wait longer on each memory channel during scan to 'wait'
for the CTCSS decoder to lock-on.

Another black eye on a neat radio (locked out 864-869Mhz and
917-943Mhz is my other irritant).

==========
Chris Conklin, N0CF

Chris Conklin, Amateur Radio: N0CF (was N0PAV)
444.65mhz, PL 136.5 -- Cedar Falls IA

1149. Re: ANTI-CW people.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: cincpac <cincpac@nightmail.com>
Message-ID: <36C3D13A.7E87B7B4@nightmail.com>
Source record: 117001
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

> > Another lying Democrat, George Bush.
> >
>
> QUESTION?!?
>
> Since when is George Bush a Democrat?
>
> I am not even a legal adult and I STILL know a democrat from a republican. I better go back to associating with people my own age who still think before they type.

> teenager - procoder - not to lazy to get up and study for PRIVILEGES I want -
> RealHam.

Mr. Teenager, you're a *real ham* in more ways than you think. You need
to spend less time with archaic modes of communication and more time
learning to interpret satire, irony, double meanings, and other genre of
English writing.
Think, read, and try to discern what was writtten before YOU type.

1150. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <7a0l9k$4bn@dfw-ixnews10.ix.netcom.com>
Source record: 117002

In <7a08i4$71d$1@nnrp1.dejanews.com> clintbrad4d@earthlink.net writes:
>
>In article <79qv8g$35u@dfw-ixnews9.ix.netcom.com>,
> kc5egg@ix.netcom.com(Gerald Schmitt) wrote:
>
>Gerald...why don't you take your one-man, personal, anti-RT Systems
>nonsense to private email?

I have no anti-RT systems nonsense, I do have some anti-Clint-fibs
nonsense however. This all started when you told me and others how
you got a "free upgrade". Now you claim not to have said that sorry
Clint but you did say that.

>Not that I will reply to you...but you sure are getting
>quite annoying with your incessant, pointless rants.
>
But you will stuff my mailbox and others with unwanted crap from you.
If you post something false and misleading in public what good would a
private email do to rectify that.

>Just some friendly advice.

And worth every penny I paid for it. You are free to keep up the
chanber or commerce cheerleading and I am free to disagree. Learn
to live with it.
>
> - Clint Bradford
>
>-----------== Posted via Deja News, The Discussion Network
==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your
Own

1151. need ortitel probe ST514B milliwatmetre

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: HERVE VANDERLEKEM <IRTC@wanadoo.fr>
Message-ID: <7a0r6nsce1@platane.wanadoo.fr>
Source record: 117003

```
73 from F5UEC

need probe ST514b for milliwatmetre 10 mhz - 18 Ghz from ORITEL technologie
with QSJ OM
```

Please send answer to
irtc@wanadoo.fr
73
Herv&#65533;

1152. Wanted: Yaesu FT70G Bateery Pack

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Duncan Walters <Duncan@g4dfv.freeserve.co.uk>
Message-ID: <7a113a$21e$1@news4.svr.pol.co.uk>
Source record: 117004

I need the special clip-on battery pack for a
Yaesu FT70G Portable Manpack HF Transceiver.
Has anyone out there got one for sale, or know
where I can get one?

Please reply by e-mail

Thanks.
Duncan G4DFV

Duncan@g4dfv.freeserve.co.uk

1153. WTB: Kenwood Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: "Glenn J. Torres" <radioman@gulfsouth.verio.net>
Message-ID: <01be5677$31ffd7a0$ad58cccf@default>
Source record: 117005
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hello,
I am looking for Kenwood YK88CN or YK88C Filters.State price, including
shipping and condition.
Please reply via E-Mail.
Thanks,
Glenn
kb5ayo@arrl.net

1154. For Sale & Trade

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: "Christopher Zeman, KB9RHA" <zman@iwc.net.REMOVE>
Message-ID: <wdUw2.1$BL5.47@news6.ispnews.com>
Source record: 117006
Cross-posted to: alt.ham-radio,alt.radio.amateur,rec.ham-radio.swap,rec.radio,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.misc,rec.radio.swap

I have the following equipment for sale and/or trade.

*****SOLD***** Icom IC-25A 144MHz FM Transceiver
Frequency Coverage: 143.800-148.195MHz
Output Power: 25W(High), 1W(Low)
Good condition. Works great! Comes with manual.
$75.00 shipped

6' Equipment Rack
Standard 19" wide rack. Large cooling fan mounted on top.
Great shape! On wheels!
Pickup or delivery only. Will deliver withing 25 miles of Lake Villa, IL.
If you have and idea for shipping arrangements, please run them by me. We might be able to strike up a deal.
$425.00

Siemens Programmable Logic Controller
Two Power Supplies, One CPU, One Handheld Programmer, One Digital Input Module, Two Digital Output Modules, Three Bus Modules.
No, this does not program radios. It has a series of inputs and outputs. Once programmed, it will monitor the inputs and will turn on and off the specific outputs.
$150.00

Sony Hyper HAD Color Video Camera
Excellent condition! Comes with 24VAC Power Supply.
$250.00

I am looking to trade for the following:

Kantronics KAM+ TNC

Icom CT-17 RS-232 Level Converter

Vertical HF Antenna

If you have something else you would like to trade, please tell me and I might just want it!

You can e-mail me or call me by telephone.
E-Mail - zman@iwc.net
Telephone - (847) 587-0551 - I have voice mail, so if I'm don't answer, leave voice mail. I'm usually here, but sometimes I'm too busy to answer.

Thank you,
Christopher Zeman, KB9RHA

1155. FS SB-220 KW Linear Amp (Wah DC)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Jake Arnold <jakeemail@yahoo.com>
Message-ID: <36c41c12.0@news.realnews.net>
Source record: 117007

Problem free Heath SB-220 KW Linear Amplifier
80 -10 meters coverage
Tubes - Pair of 3-500Z's
Quiet Fan
Instant on
Works on 120 or 220 Volts
Comes with Manual & Service Bulletins
Price $535

This Amp is easy to tune and works like a brick. On 80 meters I drive it with a 10 watt AM transmitter which gets 400 watts out and audio good reports. Amp appearance still looks new with no 'knob-wear' marks. Amp is under a wood shelf so it's even been protected from the normal layer of dust that typically gets in open mesh rigs.

Only reason I'm selling is that I have a 160 meter dipole and want something on that band.

Don't want to ship, so looking for a sale in the Mid Atlantic Region. I live near Wash DC.

Bob W4NNG

w4nng@arrl.net

1156. Want: RCA Power-Line Monitor (meter)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: John Burch <occupant@syix.com>
Message-ID: <01be5682$9726eb40$de48abcd@default>
Source record: 117008
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment,sci.electronics.misc

```
Wanted: RCA Power Line Monitor model WV-120A
meter in good to excellent condition. Will pay cash.

Please e-mail me at occupant@syix.com

Thanks for reading.

73 de John
.....
```

1157. Want: Motorola Syntor mobile manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: John Burch <occupant@syix.com>
Message-ID: <01be5683$373e8020$de48abcd@default>
Source record: 117009
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Looking for Original Motorola manual
(no copies, please) for Syntor mobile
model number T44SRA1900AK

Please e-mail me and let me know what
you want for the manual and shipping.

Thanks de John
occupant@syix.com
..

1158. F.S. FT-2400

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Glenn Burks <gburks@uswest.net>
Message-ID: <36C3C072.797D99CD@uswest.net>
Source record: 117010

I have for sale FT-2400 2mtr
Asking $150.00

gburks@uswest.net

1159. VFO-230 problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: wdmilner.ns@auracom.com
Message-ID: <36c4200c.7505171@news.auracom.com>
Source record: 117011
Cross-posted to: rec.radio.amateur.misc;,rec.radio.amateur.equipment

I have a VFO 230 that acts up occasionally. After being on for a while, or after a transmission, the display will "flutter" when trying to change frequency and it won't and then when it does it is very jerky.

Has anyone else had this problem and how did you solve it? Any help would be greatly appreciated as I need this to get far enough out of band for some CFARS frequencies.

73 de VE1CBF

Dean

Note: remove the (.ns) from the user id before emailing.

1160. F.S. Ham IV

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Glenn Burks <gburks@uswest.net>
Message-ID: <36C3C0EA.C772F28A@uswest.net>
Source record: 117012

I have forsale:
Hygain Ham IV rotor
$300 plus shipping
Glenn
gburks@uswest.net

1161. F.S. G-5400B

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Glenn Burks <gburks@uswest.net>
Message-ID: <36C3C144.7D8CFECF@uswest.net>
Source record: 117013

I have forsale:
Yaesu G-5400B rotor with seperation kit.
$350 plus shipping
Glenn
gburks@uswest.net

1162. FS: Ten Tec Paragon (reduced)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Tim Cook <timcook@erinet.com>
Message-ID: <7a1afu$7i6$1@news.erinet.com>
Source record: 117014

Had a couple of tire kickers, few inquirers, one close call, but nothing
firm, so I'm lowering it by $100. Back under the bench after that if no
interest.....

FS: Excellent Condition Late Serial Number Paragon (04B10391)

- Optional 1.8 SSB Filter
- Optional 500, 250 hz CW Filters
- Optional FM Board
- Optional RS-232 Board
- Ghiel Chip (also have stock chip)
- Looks and works excellent, non-smoker
- All documentation
- Power cord

Excellent receiver, carrier right on frequency, no hets when switching
to USB/LSB from an AM signal. Great for SWL'ing or BCB DX'ing using ECCS.

Typical Paragon power output (could be adjusted up or down if need be)
160m - 110w 30m - 90w 15m - 80w
80m - 110w 20m - 90w 12m - 80w
40m - 105w 17m - 80w 10m - 80w

power is adjustable down to ~5w from front panel as is.

$1000 + shipping/insurance (no trades please)
Do not want to sell options separately

Will sell Astron SS-25 power supply that I use with the Paragon for $50 to
the buyer of the Paragon.
Please email direct if interested..
Thanks
Tim

1163. [Fwd: Sensitivity VX-5R]

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: jwa <jwa@tellabs.com>
Message-ID: <36C42B85.EE2718EC@tellabs.com>
Source record: 117015

To clear up the sensitivity questions, here are some measurements
that I made on my VX-5R (SN BL010040) using an H.P. 8920A
Measurements were based on 20 db quiting

Freq.
MHz Sensitivity

108 .8 uV AM
135 1 uV AM
140 .17 uV NFM
146 .17 uV NFM
223 2.2 uV NFM
250 20 uV NFM
300 28 uV NFM
350 .4 uV NFM
400 .31 uV NFM
450 .25 uV NFM
500 .355 uV NFM
550 170 uV NFM
630 3.5 uV NFM
675 2.25 uV NFM
700 2.5 uV NFM
730 1.8 uV NFM
815 2.2 uV NFM
850 2 uV NFM
910 1.5 uV NFM
962 1.8 uV NFM
989 3.1 uV NFM
998 2.5 uV NFM

--

Jack Albert WA9FVP
Tellabs Operations Inc.
1000 Remington Blvd Voice (630) 378-6201
Bolingbrook, IL 60440 FAX (630) 378-5790

Get high on Ham Radio !

1164. Heathkit 8 channel transmitter KIT ----LOOK

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: richard friedrich <dakota@ccwf.cc.utexas.edu>
Message-ID: <36C43E37.58E87F15@ccwf.cc.utexas.edu>
Source record: 117016
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

I have an 8 channel Heathkit transmitter Kit

Unassembled -- Complete -- with instructions

Is anyone interested in it for its nostalgia value?

Should I put it on ebay? any offers?

thanks

richard

1165. TS570D vs. 570D(G)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: ny4t@home.com
Message-ID: <36c73d90.41235232@news.nash1.tn.home.com>
Source record: 117017

I've seen some good prices on the used market for the Kenwood TS570D. I also noticed that the 570D(G), an updated version sells for $400 more new. I am aware that the DSP was enhanced in the (G) version but I wonder, were there problems with the original? Also, were there any other changes made in the upgrade?

The problem I am wrestling with is which used radio to buy in the $800-900 range. I will be using it primarily for contesting, about 75% SSB and 25% CW.

The rigs I've seen in that range that interest me are the 570D, the Kenwood TS450SAT (already own one) and the Yaesu FT767.

Any advice would be appreciated.

73,
Lee (NY4T)
http://www.qsl.net/ny4t

1166. Re: VFO-230 problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Clif Holland <avvid@onramp.net>
Message-ID: <36C43CC7.686B@onramp.net>
Source record: 117018
Cross-posted to: rec.radio.amateur.misc;,rec.radio.amateur.equipment

W. Dean Milner wrote:
>
> I have a VFO 230 that acts up occasionally. After being on for a
> while, or after a transmission, the display will "flutter" when trying
> to change frequency and it won't and then when it does it is very
> jerky.
>
> Has anyone else had this problem and how did you solve it? Any help
> would be greatly appreciated as I need this to get far enough out of
> band for some CFARS frequencies.
>
> 73 de VE1CBF
>
> Dean
>
> Note: remove the (.ns) from the user id before emailing.

I don't remove anti spam so the reply is here. If you want help you
remove it.

The optical encoder needs to be aligned. Requires a 'scope and about 5
minutes..

--
Clif Holland, KA5IPF
Owner of AVVid, an Authorized Kenwood and Icom Service Center
For more info click on the following
http://rampages.onramp.net/~avvid
or call 1-800-214-5779

1167. Re: SMA to BNC adaptor warning

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-12 00:00:00 UTC
From: Shawn Upton <supton@eece.maine.edu>
Message-ID: <36C4415D.FF6@eece.maine.edu>
Source record: 117019
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner,alt.radio.scanner

Lee Rothman wrote:
>
> I have absolutely no problems whatsoever with mine. I use a telescopic
> antenna with a coil, and a Icom IC-R2. It is built like a little brick,
> and has a very well supported SMA base mount area. I suppose some radios
> aren't quite this well made, but oh well.

The problem comes from the SMA connector--it has a small diameter outer conductor (the threaded part). It inheriently will not take much force to snap it, regardless of how well supported it is in other places. I'm glad that you haven't had any problems with yours, but that may be because, unlike me, you try not to sit on your radio. If you're careful, then there shouldn't be any problems with these adapters; I think this thread came about though because us hams tend to "abuse" our equipment, by making them do things that it wasn't intended to do.

Just my two cents.

By the way, I've dropped my radio at least three times, and once from a height of about 6 feet. No damage yet.
--
****
Shawn Upton
Electrical Engineering Student
University of Maine at Orono
webpage: http://www.eece.maine.edu/~supton/
mail: supton@eece.maine.edu
KB1CKT Tech Plus
****

1168. F.S. ICOM IC-281H @ Meter 45 Watt Tranceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Tom <wd5t@stny.lrun.com>
Message-ID: <Wajx2.7875$Ba.5802@newsr1.twcny.rr.com>
Source record: 116820

Comes with mobile bracket and hand microphone. Condition is an
8.5 out of 10. $170
Tom WD5T

1169. FS: Kenwood TS-120s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: arden@teleport.com
Message-ID: <36cabfb6.299280184@news.teleport.com>
Source record: 116821

FS: Kenwood TS-120s A small HF rig with digital readout. Perfect for mobile -- Nice starter HF base rig. In excellent condition - recently realigned and tuned. All brackets and manuals. $320 o.b.o.

Send e-mail to: arden@teleport.com
Call Arden Eby, KI7G at: (503)-651-3164 [please leave a message and I'll call you back - I'm often out]

1170. F.S. Kenwood TH-77a Dual Band Handheld

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Tom <wd5t@stny.lrun.com>
Message-ID: <0gjx2.7876$Ba.5705@newsr1.twcny.rr.com>
Source record: 116822

144/440 Mhz, 5+ watts hi power, 2 watts low power. Excellent condition. Comes with manuals, PB-6, PB-8 low and high power batteries, BC-11 rapid charger, SMC-33 Speaker/Remote control microphone. $165.
Tom WD5T

1171. Re: HF linear amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <7a4fs1$9k$1@news-1.news.gte.net>
Source record: 116823

jdinkel@mum.edu wrote in message <7a46ct$fg2$1@nnrp1.dejanews.com>...
>LA-1000-A linear amplifier, table top model made my Amp. Supply.
Covers 160-
>15 meters (you do not need an amplifier for 10 meters

WELL, *GEE dad*, thanks for making that decision for me - I never was
really certain about what I "needed" on ten meters...

Gary - KJ6Q

1172. Re: ICOM 746 vs YEASU FT920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Seth Miller <seth.miller@NOSPAMworldnet.att.net>
Message-ID: <36C5C862.1475585C@NOSPAMworldnet.att.net>
Source record: 116824

I'd be quite happy to have either radio for free!

Seriously, they are both quite close in performance but have a very different 'feel' to them, in my opinion. I assume that you have played with them both and have some preference one way or the other? I'd go with my gut feeling, will reduce any after-purchase jitters. You really can't go too wrong with either one of these, if you want a new rig, especially now that Icom has dropped the price on the 746 a little.

That having been said, my choice was for the 746. A lot of performance in a small package, and I felt the user interface was much more intuitive. Also better rx performance from what I could tell in the store off of the same antenna, but this is not a very scientific or complete was to compare the units. I also think the DSP on the Icom is a little better. Great CW features as well, but the 920 is pretty stong in that regard too. Either radio is going to need some aftermarket filters, either narrow CW or SSB, depending on your preference. There's room for both in the 746, unsure about the 920, but check out the extra filter capability on both units as this will probably be important to you later.

Just one opinion...

- Seth N6BMB

(Please remove the 'NOSPAM' text from the above address in order to send a personal reply. I apologize for the inconvenience.)

tovsrud wrote:
>
> Due to my fairly recent upgrade I am looking to purchase my first
> base station rig.
> After doing quite a bit of checking I have more or less narrowed
> my choices down to either the ICOM 746 or the YEASU FT920.
> I would appreciate any comments and can probably best check by
> asking if either of the radios was offered to you for free,
> which would you choose?
> Robert K6KDX

1173. VX5/Q7a cable?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: rave_bob@REMOVE.videotron.ca
Message-ID: <rave_bob-1302991351500001@192.168.1.2>
Source record: 116825

Anyone know where to find at a cheap price this cable? I dont need the software cause i can find a software for both radio but buying the one from the company that make ADMS is too expensive..?

thanks
alex

1174. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: mf_luder@my-dejanews.com
Message-ID: <7a4m4a$s30$1@nnrp1.dejanews.com>
Source record: 116826
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

In article <7a3697$mu7$1@nnrp1.dejanews.com>,
bdiaz@my-dejanews.com wrote:
>
> > >"Yaesu has shut down its website, http://www.yaesu.com"
> > >"The amateur community anxiously awaits further word of warranty coverage."
> > >
>
> Nope, I just tried the WEB Page and it works.

Errr, the group solved this one three days ago.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1175. Re: VX5/Q7a cable?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: paul wise <n3ngo@prodigy.net>
Message-ID: <7a4jcp$6fkg$1@newssvr04-int.news.prodigy.com>
Source record: 116827

```
any dealer should be able to get you the cable
i think the price is about $25 for the cable alone...
```

1176. Manuals needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: kolner@leorg.ucdavis.edu
Message-ID: <ljkx2.151$9n4.657@news6.ispnews.com>
Source record: 116828
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.swap

Wanted: Manuals for the following equipment
(original, in good condition, no reproductions please):

Collins: 75S-2 Receiver, PM-2 Power Supply, 312B-4 and 312B-5 Station
Controls,
136A-1, 136B-1 Noise Blankers, 516F-2 Power supply

LTV: G-133F Receiver Manual Part number GTM-D-133.

Hewlett-Packard:

8405A Vector Voltmeter
11570A Accessory Kit
3582A Spectrum Analyzer
606B Signal Generator
3497A Data Acq. Unit
6448B DC Supply
3467A Logging Multimeter
6294A DC Supply
3200B VHF Oscillator
431C Power meter
5223L Counter

Anritsu:

MEV8 Noise Loading Test Set (consists of MG431A Noise generator
and ML415A Noise Receiver).

Wandel and Goltermann:

9003 Noise Loader
RE-50 White noise receiver

Please email directly to me at kolner@leorg.ucdavis.edu

Thanks,

-Brian, K9SN, Moraga, CA

--
Professor Brian H. Kolner
Departments of Applied Science and
Electrical and Computer Engineering
University of California, Davis
228 Walker Hall
Davis, CA 95616
Office Phone: 530.754.4370

Lab Phone: 530.754.4358
Lab FAX: 530.752.1652

1177. Re: USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Don Bertone <dbertone@flash.net>
Message-ID: <36C5C607.9FDD2582@flash.net>
Source record: 116829
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

You could call alwyer but it will cost you. Just make sure you have your receipts and then relax because it will take awhile. Hopefully your life isn't hanging on the sales of radios out here anyway.

Dan wrote:

> Hi Guys,
>
> The VX-1R was insured for $250. What can I expect after I have filed a
> claim?
> I have been told that it'll take months to get a check from them, and they
> give you the royal run-around. Is this true?
> Any and all info is greatly appreciated!!
>
> 73 Dan / N7WPD

1178. Manuals needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: kolner@leorg.ucdavis.edu
Message-ID: <6Akx2.156$9n4.663@news6.ispnews.com>
Source record: 116830
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Wanted: Manuals for the following equipment
(original, in good condition, no reproductions please):

Collins: 75S-2 Receiver, PM-2 Power Supply, 312B-4 and 312B-5 Station
Controls,
136A-1, 136B-1 Noise Blankers, 516F-2 Power supply

LTV: G-133F Receiver Manual Part number GTM-D-133.

Hewlett-Packard:

8405A Vector Voltmeter
11570A Accessory Kit
3582A Spectrum Analyzer
606B Signal Generator
3497A Data Acq. Unit
6448B DC Supply
3467A Logging Multimeter
6294A DC Supply
3200B VHF Oscillator
431C Power meter
5223L Counter

Anritsu:

MEV8 Noise Loading Test Set (consists of MG431A Noise generator
and ML415A Noise Receiver).

Wandel and Goltermann:

9003 Noise Loader
RE-50 White noise receiver

Please email directly to me at kolner@leorg.ucdavis.edu

Thanks,

-Brian, K9SN, Moraga, CA

--
Professor Brian H. Kolner
Departments of Applied Science and
Electrical and Computer Engineering
University of California, Davis
228 Walker Hall
Davis, CA 95616
Office Phone: 530.754.4370

Lab Phone: 530.754.4358
Lab FAX: 530.752.1652

1179. FS: GE MVS VHF MOBILE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Al <K6DJP@postoffice.pacbell.net>
Message-ID: <36C5D8F1.8BB7DD8E@postoffice.pacbell.net>
Source record: 116831
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Radio is in great shape,has 16 programmable channels with scan.35 watt
power and includes mount,mike and power cord.$150 shipped.
Al

1180. TS440S Questions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Terry Brown <browntl@concentric.net>
Message-ID: <36C5E149.B3164921@concentric.net>
Source record: 116832

I'm trying out a used 440Sat and see a couple of oddities. I wonder if anyone can comment on normalities/fixes?

(1) Squelch control does not function.
(2) Notch control cuts all sigs off at about 2 o'clock position (whether Notch is switched on or not).
(3) Mode/Key and Memory keys seem to be overly sensitive (they repeat themselves too easily rather than functioning one press at a time). For example, pressing the "1" key gives multiple 1's, etc. Pressing the Mem/VFO key toggles back and forth between Memory and VFO several times per single key press.

If anyone has any comments or ideas, please let me know before I buy this thing. Thanks.
Terry (KA5IHV)

1181. TM-V7A Problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: QESK41A@prodigy.com
Message-ID: <7a4ov1$8p7m$1@newssvr04-int.news.prodigy.com>
Source record: 116833

Is anyone aware of any problems with the TM-V7A with regards to vibration? I have my radio installed in a 1989 Chevy Suburban, using the factory bracket, and find that the unit is extremely sensitive to road vibration, turning on/off sporadically, and experiencing changes in Modes (ie MR to VFO), as well as strange (Japanese?) characters appearing randomly on the screen.

Is this my radio, or is there a known fix for this?

Any and all help appreciated.

Ed
KB1CTN

1182. Re: HF linear amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: brianburke@my-dejanews.com
Message-ID: <7a4spt$1bq$1@nnrp1.dejanews.com>
Source record: 116834

In article <7a4fs1$9k$1@news-1.news.gte.net>,
"Gary - KJ6Q" <davison7@gte.net> wrote:
>
> jdinkel@mum.edu wrote in message <7a46ct$fg2$1@nnrp1.dejanews.com>...
> >LA-1000-A linear amplifier, table top model made my Amp. Supply.
> Covers 160-
> >15 meters (you do not need an amplifier for 10 meters
>
> WELL, *GEE dad*, thanks for making that decision for me - I never was
> really certain about what I "needed" on ten meters...
>
> Gary - KJ6Q
>
Gary, he's badly mistaken. An amplifier does just what its supposed to do for 10M. While on Guam, I could always tell which Italian was running 10KW - they were far louder than the rest of the European pileup. You kind of had to work them just to get them out of the way. You didn't have to QSL, however. ;^)

Brian/N0iMD

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1183. FS: StandardC510A Pocket-Sized 2m/440 HandiTalkie

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Paul M <paul_m@mindspring.com>
Message-ID: <7a4ti6$p37$1@camel29.mindspring.com>
Source record: 116835

Standard C510A Dual-Band HT for sale at eBay. Mint! Check it out at:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66760923

1184. FS: Icom IC-R10

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Paul M <paul_m@mindspring.com>
Message-ID: <7a4tmreph1@camel29.mindspring.com>
Source record: 116836

Icom IC-R10 for sale at eBay. Mint and full-coverage. Check it out at:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66757895

1185. Re: TM-V7A Problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Francis <ve2fgs@videotron.ca>
Message-ID: <73nx2.3036$J5.1759@weber.videotron.net>
Source record: 116837

I have one of those TM-V7A. Check for bad/dirty connections in the microphone plug and between the display and the rear on the radio. It might be your problem.

_____
Francis VE2FGS
ve2fgs@videotron.ca

Edmund Burke jr a crit dans le message
<7a4ov1$8p7m$1@newssvr04-int.news.prodigy.com>...
|Is anyone aware of any problems with the TM-V7A with regards to vibration?
| I have my radio installed in a 1989 Chevy Suburban, using the factory
|bracket, and find that the unit is extremely sensitive to road vibration,
|turning on/off sporadically, and experiencing changes in Modes (ie MR to
|VFO), as well as strange (Japanese?) characters appearing randomly on the
|screen.
|
|Is this my radio, or is there a known fix for this?
|
|Any and all help appreciated.
|
|Ed
|KB1CTN
|

1186. Re: Icom W32 Ext Receive?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: benjamin@ngfamily.net
Message-ID: <7a52ku$62q$1@nnrp1.dejanews.com>
Source record: 116838

In article <36a049f3.0@hiq.pc-intouch.com>,
"WB3KJX" <wb3kjx@pc-intouch.com> wrote:
> What is the keypad combination for extended receive for a W32A? I know it
> can be done with software, but don't remember the key combinations to do it
> manually!
> Thanks.. Scott
>
>

I saw this procedure before, I don't know if it works because I don't have one
yet. If anyone of you have one to sell, please let me know. I am ready
to buy my first radio. Thanks. Here is the procedure:

****
hold Squelch key and Band Key for 5 seconds while power is applied.
This will open up receive freqs to 300-999MHz on the UHF side.
****

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1187. WTB: Basket case HRO-500, LF-10, Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: kolner@leorg.ucdavis.edu
Message-ID: <hunx2.215$9n4.835@news6.ispnews.com>
Source record: 116839
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

I am looking to buy seriously (or not seriously) broken HRO-500s and LF-10s for spare parts. The speaker or any of the other accessories would be nice too.

Please email me directly to kolner@leorg.ucdavis.edu

Thanks,

-Brian, K9SN

--
Professor Brian H. Kolner
Departments of Applied Science and
Electrical and Computer Engineering
University of California, Davis
228 Walker Hall
Davis, CA 95616
Office Phone: 530.754.4370
Lab Phone: 530.754.4358
Lab FAX: 530.752.1652

1188. Check out my cool stuff for trade!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Pete <nntp@ibelings.com>
Message-ID: <shox2.3431$gk.6596815@news2.atl>
Source record: 116840
Cross-posted to: alt.lasers,rec.radio.amateur.equipment

http://www.ibelings.com/trade

1189. Help with Icom IC-3SAT?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: dunham@removethis.earthlink.net
Message-ID: <MPG.112fb24842afe9bc989689@news.earthlink.net>
Source record: 116841

Hi, I just bought an IC-3SAT. It seems to be a great little radio, and I got a nice deal on it. It has one anomaly that I knew about when I bought it - the receive indicator (the S-meter, not the LED).

When the radio is first turned on, the S-meter is "off." Pressing any key or turning the tuning knob causes it to turn on for five seconds. Scanning causes it to stay on. Any signal causes it to go full scale.

Other than that, it works perfectly.

Has anyone run into this before, or have any ideas?
--
James

For non-commercial reply, delete "removethis" from my address.

1190. FS: Icom IC-706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Robert Stuedemann <kf8ru@netonecom.net>
Message-ID: <36C5E1C8.D5C6B7E7@netonecom.net>
Source record: 116842
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Icom IC -706 HF-2-6 meters. Radio is in excellent condition and comes complete with mic, manual, power cord and factory shipping boxes. Radio is a 9700 serial number. $675

1191. FS: Yaesu FT-920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Robert Stuedemann <kf8ru@netonecom.net>
Message-ID: <36C5E28C.480F3EAD@netonecom.net>
Source record: 116843
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For Sale Yaesu FT-920 hf + 6 meter radio. Radio is three months old and is like new. Has optional FM board installed.Comes complete with mic, manual, power cord and factory shipping boxes. $1250

1192. Misc. For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Robert Stuedemann <kf8ru@netonecom.net>
Message-ID: <36C5E5EB.C657B878@netonecom.net>
Source record: 116844
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

```
Icom SM-20.....$125
Icom SM-8.......$95
Icom SM-6.......$70
Icom OPC-589 $20
Icom UT-102....$40
Icom HM-7 hand Mic...$35
Icom IC-2KL solid stae amp....$1050
Yaesu XF-116c cw filter for FT-920... $75
Yaesu MH-1b8 hand mic...$35
Vibroplex Bug....$95
Dentron Super Tuner plus...$120
Kenwood YK88C cw filter...$60

All equipment in excellent to new condition!
```

1193. equipment for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: cmb <cmb@owc.net>
Message-ID: <_Pox2.1112$tf2.997@news2.megsinet.net>
Source record: 116845

yaesu ft-7 qrp rig 80-10(10 meter crystal is on order)excellent condition,original box,manual,mic,mobile bracket.....$250.00

ranger rci-2950 10 meter mobile excellent condition....$150.00

icom 502 6 meter ssb portable... 12v or c cells telescoping antenna.... $250.00

or best offer

thanks jack n9iif

1194. Re: ICOM 746 vs YEASU FT920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Steve <sbynum@NOSPAMearthlink.net>
Message-ID: <7a556andt1@ash.prod.itd.earthlink.net>
Source record: 116846

Ive tried both. I was very disappointed with the Yaesu receiver. It tends to be a little on the noisy side. I got the specs out and was shocked to see that the receiver only has double conversion ! {2 if stages}. If you have had a rig with triple or quad conversion, you will most likely notice the double conversion performance of the FT 920 quickly.
The IC 746 has quad conversion {4 if stages} in the receiver and is very quiet. This rig is not for the easiest rig to operate "at the start". Once you have went thru the manual and have learned the front panel functions the rig is very user friendly. I find that the IC 746 has the best bang for the buck....a great deal for around $1550. You better hurry though...i hear the IC746 goes back up by $200 in March.

1195. WTB SB-200

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Jim Stone <af4at@coastalnet.com>
Message-ID: <Zdrx2.195$I_1.556@news15.ispnews.com>
Source record: 116847

want to buy good working sb-200... Please call or e-mail with
details...
Jim Stone<
af4at<
910-577-6871 <

1196. Radio FS page updated

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: gundoc <gundoc@iglou.com>
Message-ID: <36c653e8.0@news.iglou.com>
Source record: 116848

Check My radio For sale page for the new additions. If you don't want
to buy I take trades make Me an offer.
http://www.iglou.com/homepages/gundoc/radio/
Thanks
Dean
KF4WJT

1197. Re: ICOM 746 vs YEASU FT920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Steve <sbynum@NOSPAMearthlink.net>
Message-ID: <7a5p2f$m6e$1@birch.prod.itd.earthlink.net>
Source record: 116849

Gary, the rule of thumb is the more stages in the IF the quieter and more selectivity the receiver and these rigs usually cost more $$.
Some rigs with quadruple receivers..
1. TS 950
2. TS 940
3. IC 781
4. IC 765
5. IC 761
6. IC 746
7. FT 1000
8. FT 1000MP
See the tendencies here? All have awesome receivers.

Some Rigs with double conversions...
1. TS120
2. TS 140
3. FT 890
4. FT 920

Gary you totally missed the point. How much adjacent noise can you handle? I have to believe the 3 major Radio companies had a purpose for the 3 and 4 stage receivers in their mid to higher end radios. Name one radio {solid state receiver} that uses double conversion that is well known for its receivers selectivity?

Gary Coffman wrote in message <36cc52c5.24189664@news.atl.bellsouth.net>...
>On Sat, 13 Feb 1999 16:26:52 -0800, "Steve" <sbynum@NOSPAMearthlink.net> wrote:
>> Ive tried both. I was very disappointed with the Yaesu receiver. It tends
>>to be a little on the noisy side. I got the specs out and was shocked to see
>>that the receiver only has double conversion ! {2 if stages}. If you have
>>had a rig with triple or quad conversion, you will most likely notice the
>>double conversion performance of the FT 920 quickly.
>
>Interesting comment. So the phase noise contributed by the two extra
>conversion oscillators, and the noise figure degradation of two extra
>mixer stages, make the receiver "quieter", eh? Fascinating. Totally
>wrong, of course, but fascinating.
>
>It couldn't possibly be that the two receivers have different gain distributions,
>could it? It couldn't possibly be that one has a quieter DDS than the other,

>could it? It couldn't possibly be that one has a DSP demodulator, could it?
>It couldn't possibly be that the two radios have different AF response
>shaping, could it? No, of course not, it must be the number of conversions.
>So we'd have an even better receiver if it had 12 conversions, or perhaps
24
>conversions, hell, why not a *thousand* conversions? Then it would be so
>quiet we couldn't even hear it, right?
>
>Wrong. Given equally good design, the receiver with the least number of
>conversions has the least added noise and spurious products. That's why
>direct conversion receivers can sound so good. So if we have a radio with
>more conversions which still winds up being better *despite* that, then it
>must be better designed in other areas to compensate for the extra noise
>and spurious products introduced by the multiple conversions.
>
>In fact, Icom is a leader in DDS design, and *despite* needing multiple
>conversions to provide IF DSP, the IC746 has excellent gain distribution.
>So *despite* the *extra noise* contributed by those extra conversions, it
>still has excellent performance.
>
>This myth of more conversions being better is as bad as the old myth
>that the radio with the most tubes is better. It isn't necessarily so. The
>quality of the design matters much more. If the quality of design is equal,
>then the radio with the fewest conversions will have the least added
>noise and spurious products.
>
>Gary
>Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
>534 Shannon Way | We break it |
>Lawrenceville, GA | Guaranteed |

1198. Re: USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Steve KC5TJT <kc5tjt@ionet.net>
Message-ID: <7a5826$161$1@ionews.ionet.net>
Source record: 116850
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Dont expect too much... They OWE ME $4000 on a Alpha 77SX they DESTROYED!!!
From last Aug... STILL NO PAY and they accepted resonsibility for the
damage...

Steve
Dan wrote in message <7a4da5$17e$1@news.xmission.com>...
>Hi Guys,
>
> The VX-1R was insured for $250. What can I expect after I have filed a
>claim?
>I have been told that it'll take months to get a check from them, and they
>give you the royal run-around. Is this true?
>Any and all info is greatly appreciated!!
>
>73 Dan / N7WPD
>
>

1199. Re: SMA to BNC adaptor warning

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: qwasty@hotmail.com
Message-ID: <7a2j24$818$1@nnrp1.dejanews.com>
Source record: 116914
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner,alt.radio.scanner

for the cost of a miscellany of adapters you could have a real bona-fide SMA antenna...

In article <36C4415D.FF6@eece.maine.edu>,
Shawn Upton <supton@eece.maine.edu> wrote:
> Lee Rothman wrote:
> >
> > I have absolutely no problems whatsoever with mine. I use a telescopic
> > antenna with a coil, and a Icom IC-R2. It is built like a little brick,
> > and has a very well supported SMA base mount area. I suppose some radios
> > aren't quite this well made, but oh well.
>
> The problem comes from the SMA connector--it has a small diameter outer
> conductor (the threaded part). It inheriently will not take much force
> to snap it, regardless of how well supported it is in other places. I'm
> glad that you haven't had any problems with yours, but that may be
> because, unlike me, you try not to sit on your radio. If you're
> careful, then there shouldn't be any problems with these adapters; I
> think this thread came about though because us hams tend to "abuse" our
> equipment, by making them do things that it wasn't intended to do.
>
> Just my two cents.
>
> By the way, I've dropped my radio at least three times, and once from a
> height of about 6 feet. No damage yet.
> --
> **********
> Shawn Upton
> Electrical Engineering Student
> University of Maine at Orono
> webpage: http://www.eece.maine.edu/~supton/
> mail: supton@eece.maine.edu
> KB1CKT Tech Plus
> **********
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1200. WTB 440 Beam oir vertical

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: bvkirk@kanza.net
Message-ID: <36c4c28d.37659350@news.kanza.net>
Source record: 116915

Looking for a beam or vertical antenna for 440fm

email bvkirk@kanza.net

1201. WTB 440FM rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: bvkirk@kanza.net
Message-ID: <36c4c25b.37609350@news.kanza.net>
Source record: 116916

Looking for a 440 fm rig, just 2 repeaters in the area so basic is all
I need.

email bvkirk@kanza.net

1202. YAESU FT-747 GX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: popmea@aol.com
Message-ID: <19990212192253.03165.00000870@ng18.aol.com>
Source record: 116917

Real nice shape, works great, nice for base or mobil application, manual, box and stock mic. $450.00 shipped.

1203. Re: question for the pros

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: qwasty@hotmail.com
Message-ID: <7a2jhg$88l$1@nnrp1.dejanews.com>
Source record: 116918

good luck, they don't exist (sarcasm). open up any catalog from any company,
just about ALL the radios being sold do what you described.

In article <9A7AC68988B6F255.927A7C9448E5EDB7.F64BF1014298769A@library-
proxy.airnews.net>,
mquest@airmail.net (wizard) wrote:
> I am interested in getting a handheld transceiver 2 meter range. Any
> suggestions regarding the type and kind to look out for. Also is it
> possible to get one to connect to a PC ?
>
> Thanks
> Mark
>
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1204. POWER MODULES!! CHEAP!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: sdlogic@hotmail.com
Message-ID: <7a2khb$94f$1@nnrp1.dejanews.com>
Source record: 116919

I have the following popular power modules used in Alinco, Kenwood, etc. for sale 40% below the parts house price and up to 60% off the radio manufacturer's price. I only have a few so please hurry.

QTY AVAILABLE
(1) Toshiba S-AV17 (140~152MHz, 45W out, 400mW in) list: $64.95 / MINE: $38.97
(1) Toshiba S-AV28 (140~152MHz, 07W out, 020mW in) list: $40.60 / MINE: $24.36
(3) Toshiba S-AU57 (430~450MHz, 05W out, 020mW in) list: $53.90 / MINE: $32.34
(2) Mits M57726 (140~152MHz, 43W out, 400mW in) list: $64.90 / MINE: $38.94
(2) Mits M57726R (140~152MHz, 43W out, 400mW in) list: $81.55 / MINE: $48.93
(1) Mits M57788M (430~460MHz, 45W out, 400mW in) list: $104.05/ MINE: $62.43
(5) Mits M57788MR (430~460MHz, 45w out, 400mW in) list: $111.75/ MINE: $67.05

Shipping extra. I can ship FEDEX COD. List prices taken from RF PARTS, CA.

Please email: sdlogic@hotmail.com if interested.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1205. SP-600's, 51J's/R388 and 75A- CASES

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Bruce Brackin <bbrackin@bellsouth.net>
Message-ID: <36C4CEAC.92BC68E9@bellsouth.net>
Source record: 116920

The following is a message to boat anchor owners, in particular SP-600's, 51J-3/4 or R388 and 75A- Collins series that might be looking for a table top case. RESPOND TO CAL, NOT ME.
Cal needs a minimum of 50 good folks to make an order on a discontinued case. He is still looking for a few good men and women. - Bruce Brackin

You may reach Cal at cal.j.eustaquio@lmco.com Here is part of his message:

"Exact price for the DCR-18100 is $110.52 (as quoted from Premiere). For a
good look at the model I'm ordering, please refer to this web page:
http://pwp.starnetinc.com/k9gdt/radio/vintage/sp600.htm." Your comments and considerations welcome. Cal, N6KYR. "

1206. Ten- Tec Tkit?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: John <JMcgrcom@worldnet.att.net>
Message-ID: <7a2n2m$5a0@bgtnsc03.worldnet.att.net>
Source record: 116921

anyone out there have a 2 meter Tkit mobile. i just ordered one just want to know what you think of them..

jc

1207. Re: Any thoughts on GPS leaders?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Joe Mehaffey <joe@mehaffey.com>
Message-ID: <36C4EC24.21906FCF@mehaffey.com>
Source record: 116922
Cross-posted to: alt.law-enforcement,rec.radio.amateur.equipment,sci.geo.satellite-nav

Hi Greg,
Unfortunately, I have no overall GPS market stats I can quote. The market is quite fragmented with many vendors overseas and in the professional GPS arena that you and I have never heard of.

I hope someone will step in here and give us a good overall market view. I for one would appreciate it.

Thanks for bringing up this topic Greg.

Joe Mehaffey
>
> Joe, you might be in a better position to answer this than most.
> But who does most of the development in GPS? I was under
> the impression that Rockwell and Motorola made most of the
> GPS receiver ICs. These are used in most receivers such as
> Garmin and Eagle.
>
> At least in the small aircraft are using Garmin. I do see a lot
> of Rockwell/Colins equipment as well. Rockwell also has a
> the lions share of the military market (PLGR II).
>
> Trimble was great but seems to be dying. Eagle and Magellan
> are OK but Garmin seems to be ahead of them in the consumer
> market. Garmin is picking up military contracts as well.
>
> Maybe you could give us a better overview.
>
> :--
> :Got a Question about GPS technology? Looking for a GPS FAQ site?
> :See: http://joe.mehaffey.com

--
Got a Question about GPS technology? Looking for a GPS FAQ site?
See: http://joe.mehaffey.com

1208. Re: TS440AT problems. Help!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: nworbekim@my-dejanews.com
Message-ID: <7a2vcahnc1@nnrp1.dejanews.com>
Source record: 116923

I had the same problem several years ago... after some research, I found a bulletin on the Kenwood technical bulletin site about it.

On the vco section of the board, I think its the second one down, can't remember its been a long time. Anyway, its enclosed in a box.... they sprayed the circuit board with some rubbery gunk that was supposed to keep it stable. Well, over the years it gets porous and conductive. If you will carefully scrape out all of that gunk, it will help.

Also, the bulletin goes on to say that you should replace some resistors, as I am real lousy with an iron, I had a friend pull them and make sure the legs were clean, we didn't replace them.....

Its a common problem, fairly easy fix if you can find the info. I still have it somewhere I think, if I can lay my hands on it under one of these piles of junk in my shack, I will post it. seeya!

In article <36c23d99.0@news.wcc.net>,
"Asylum" <asylum@wcc.net> wrote:
> I have a kenwood TS-440AT which is having problems. I posted this message
> last month and got some good responses, then my computer crashed, so I am
> posting again.
>
> I turn on the radio, and after a few seconds, my numbers in the frequency
> disappear. I also lost my volume. I can put in new numbers, but they
> disappear within seconds. Again, no volume.
>
> Can someone please help or provide some advice.
> thanks
> PSE Email me directly asylum@wcc.net
> Bob
> al7nn
>
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1209. FS Yaesu VX-1R For $160+SH

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: xeon <xeon@ultinet.net>
Message-ID: <36C506D2.3063D65D@ultinet.net>
Source record: 116924

YAESU VX-1R

COMES WITH:
Radio , BATTERY , Ant , CHARGER,
Software & Cable And Manuals For Both.
All in there boxes.
With all receipts From ASE

ALL WORKING CONDITION.
Very Clean NoN-Smoker!

$160.00 + SHIPPING

E-mail me @

Xeon@Ultinet.net

1210. Re: VX-5r

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Francis <ve2fgs@videotron.ca>
Message-ID: <m08x2.2362$J5.1117@weber.videotron.net>
Source record: 116925

You can scan anything you want. From 0.5MHz to 998.990MHz, in any of the 220 memories, in any order. And the scanning speed is very acceptable.

Francis VE2FGS
ve2fgs@videotron.ca

Glenn E. Frasier a crit dans le message ...
|Can the Vx-5r scan all memories at a time? Such as:
|
|145.47
|443.750
|154.7825
|....
|
|Or is it like the VX-1r that can only scan one band at a time?
|
|
|
|
|--
|
|Glenn E Frasier jr. Kd5dmg
|kd5dmg@msn.com
|home page http://members.tripod.com/kd5dmg/
|
|Moderator of Photosmart Email list on www.onelist.com
|Archives at: http://www.onelist.com/archives.cgi/Photosmart
|----------
|
|

1211. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: bdiaz@my-dejanews.com
Message-ID: <7a3697$mu7$1@nnrp1.dejanews.com>
Source record: 116926
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

> >"Yaesu has shut down its website, http://www.yaesu.com"
> >"The amateur community anxiously awaits further word of warranty coverage."
> >

Nope, I just tried the WEB Page and it works.

(a) Maybe their ISP had a problem and it's now fixed.

(b) Maybe your ISP had a problem at that time.

(c) Some other reason . . .

In article <HSWv2.14$WB2.208@news3.ispnews.com>,
"Wildcat" <wildcat@tp.net> wrote:
> FT-847's are selling like hotcakes here in New England. So are the new
> VX-5R's. Before you declare them bankrupt, I think maybe you should check
> with THEM first.................
>
> --
>
> Some people look at what is and ask why.................
> Other people look at what isn't and ask why not......
>
> .
> hamoperator@my-dejanews.com wrote in message
> <79ogjvcfg1@nnrp1.dejanews.com>...
> >"Yaesu has shut down its website, http://www.yaesu.com"
> >"The amateur community anxiously awaits further word of warranty coverage."
> >
> >Not surprising with their recent use of back stock FT-1000D's, the recent
> >defects in the new FT-847 and lack of sales due to the P3D launch
> >disappointments.
> >
> >73
> >
> >-----------== Posted via Deja News, The Discussion Network ==----------
> >http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>
>

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1212. FS: Yaesu FRG-7700 communications receiver plus more.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Robert Lonn <rlonn@home.com>
Message-ID: <36C51278.A7AA3422@home.com>
Source record: 116927

$300.00 Very clean from an estate sale FRG-7700 communications receiver with FTR-7700 antenna tuner. Sorry, could not find the manuals. I have attached a series of pictures so you can check it out. For references please check my name under rlonn@home.com at the eBay site, also the other ham gear for sale on eBay like the R-388. NOTE, this radio (FRG-7700) is not on eBay, only on this site. Wanted to try selling this without all the bidding. Buyer pays UPS shipping, payment by US postal money order. Thanks for your interest.
http://cgi3.ebay.com/aw-cgi/eBayISAPI.dll?MfcISAPICommand=ViewListedItems&userid=rlonn%40home.com&include=0&since=-1&sort=2&rows=25
Http://www.members.home.net/rslonn/net/77.jpg
Http://www.members.home.net/rslonn/net/771.jpg
Http://www.members.home.net/rslonn/net/772.jpg
Http://www.members.home.net/rslonn/net/773.jpg
Http://www.members.home.net/rslonn/net/774.jpg
Http://www.members.home.net/rslonn/net/775.jpg
Http://www.members.home.net/rslonn/net/776.jpg

1213. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: "Clifton T. Sharp Jr." <clifto@megsinet.net>
Message-ID: <36C51698.5F45@megsinet.net>
Source record: 116928
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

W4UDX wrote:
> hamoperator@my-dejanews.com wrote:
> > "Yaesu has shut down its website, http://www.yaesu.com"
> > "The amateur community anxiously awaits further word of warranty coverage."
> >
> > Not surprising with their recent use of back stock FT-1000D's, the recent
> > defects in the new FT-847 and lack of sales due to the P3D launch
> > disappointments.
>
> Accessed it fine from here. Stop smoking that crack dude.

Ask him if he realizes that the word "gullible" isn't in the dictionary.

--
Cliff Sharp	All relevant people are pertinent.
WA9PDM	All rude people are impertinent.
	Therefore, no rude people are relevant.
	--Solomon W. Golomb

1214. Rugged Radios - AN/PRC-138 vs. KenYaeCom rigs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: qwasty@hotmail.com
Message-ID: <7a38is$on7$1@nnrp1.dejanews.com>
Source record: 116929

Hey, does anybody have any experience with the AN/PRC-138 radio by Harris? I'm looking for the most rugged radio available that can be used for emergency communications as well as general hamming while DXpeditioning. The ideal radio would TX and RX 1.6-500Mhz, but so far that seems unrealistic. The AN/PRC-138 seems like it would fit the bill for HF-6M operation, which is what I would use most of the time anyway. From what I gather, it's perfectly suited for data transmission, email etc. It'd be nice to have VHF/UHF for satellite work, but I suppose I could get a Yaesu FT-847 along with the AN/PRC-138 to pick up the slack. Does anybody have experience with PRC-138's? pros/cons or general suggestions? I have been able to find very little information about it, and Harris doesn't seem to know how to read email. Anybody know about it's price?

While I'm on this topic, I might as well ask about the FT-847 and Icom's IC-706 series (maybe the FT-100, when it comes out). Does anybody know how tough these radios are? My impressions, just from the pathetic photos that the manufacturers provide, it looks like the 706 is the tougher of the bunch. I've seen at least one complaint in the newsgroups that the 847 is too "plasticy". It doesn't really look very tough and I'd bet a misplaced cup of coffee would be enough to put it out of business. Does anybody know how much of a difference a special custom made container could improve it's ruggedness? I would think that if the circuit boards and solder-pads are cheap to start with, a good jolt in a padded case or out of a padded case wouldn't make any difference. I'd still have to find all the parts that came away from the PCB's. I guess I can't really operate the radio if it's snuggled away behind 6 inches of foam rubber anyways so maybe I'd better get a radio that's invincible to start with...

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1215. Re: Heathkit 8 channel transmitter KIT ----LOOK

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Tom <topdog@advicom.net>
Message-ID: <36C4CDAB.5C3C@advicom.net>
Source record: 116930
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

richard friedrich wrote:
>
> I have an 8 channel Heathkit transmitter Kit
>
> Unassembled -- Complete -- with instructions
>
> Is anyone interested in it for its nostalgia value?
>
> Should I put it on ebay? any offers?
>
> thanks
>
> richard

Richard, I have two of them from 1978. They always worked fine. I went down to the local radio-control flying field in the early 1990s, and the club told me the FCC had recently mandated the use of narrower-band transmitters and changed the channel frequencies so as to place the Heathkits between current channel frequencies. Too bad. But I remember they performed flawlessly.

Good luck- Tom K4AKC

1216. Looks like ICOM did it...the first!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Igor Dobrokhotov <icho@softhome.net>
Message-ID: <7a39ha$9d1$1@mail.nursat.net>
Source record: 116931

Hi folks!
Yesterday I got my Icom IC-706MK2G. Wow! So pretty mighty midget!
I'm already use 706&706MK2, but each time Icom do it better and
better.
My opinion - do not waiting many times promised FT-100, run and buy
ICOM IC-706MK2G, THE mini rig with a lot of enjoyable features. All
we need is...Icom!
Igor UN7GM@QSL.NET

1217. Re: Ten- Tec Tkit?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: "John P. Toscano" <tosca005@tosca005.email.umn.edu>
Message-ID: <36C53249.4A80@tosca005.email.umn.edu>
Source record: 116932

John wrote:
>
> anyone out there have a 2 meter Tkit mobile. i just ordered one just
> want to know what you think of them..
>
I assembled the 222-225 MHz version of that kit for a local ham who wanted the radio but didn't feel up to doing the assembly. Even though the assembly instructions weren't up to the standards I was used to (spoiled by) from my Heathkit building days, they were more than adequate, and I enjoyed assembling it.

I gave the radio some on-the-air testing, and several people commented on the high quality of my signal and audio without even being asked, so I suspect you will be satisfied with your 2 meter version.

I felt that the kit looked quite nice when assembled, and that the case was nice and solid, not at all flimsy. There were a few minor details that I would have designed differently, such as the way that certain sub-assemblies went together that would make it more difficult than necessary to take them apart later for repairs or modifications. But overall, it seemed to be a very high quality radio for the price. Of course, price is a BIG issue with the 222-225 MHz band, since the supply of radios is pretty small.

Anyway, I think you'll be happy with your purchase. Good luck!

John (KB0ZEV)

1218. xx

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: sp8oou@box43.gnet.PL
Message-ID: <000b01be5740$8994b3e0$1afacdc3@8742bk52a705>
Source record: 116933

```
subscribe sp8oou@box43.gnet.pl ham-equip

--------------------------------------------------------------------------------
GETIN Internet Service Provider http://www.getin.pl/ http://www.gnet.pl/
Dostep K56Flex/V.90/ISDN, Darmowe konta BOX43.gnet.pl, Serwer gier SHOT.gnet.pl
Internetowy paszport - dostep w kazdym miejscu Ziemi: www.getin.pl/ipass.html
--------------------------------------------------------------------------------
```

1219. F.S. Yaesu FT-747GX Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: lowry.rouse@ahlstrom.com
Message-ID: <7a3olk$5db$1@nnrp1.dejanews.com>
Source record: 116934

I'm using this rig for mobile operation with a Hustler antenna and it's working great. I've even broke through a few pile-ups on 20 meters, so it does put out a respectable signal. No modifications made. Has FM board, original mic, mobile mounting bracket and owner's manual. The speaker mounted on front face puts out good audio, so no trouble hearing other stations while driving. Simple to operate too. Looks are an 8 (I'm the second owner and a non-smoker so rig is clean). Reason for selling is I bought a rig that has 6 meters. Asking $425.00 and I'll pay shipping. E-mail or phone 770-972-7248 (home) or 770-640-2476 (work) for information or to buy.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1220. RF Equipment FS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Lucian Rusu <rusu@bnr.ca>
Message-ID: <36C55B34.7A312B1D@bnr.ca>
Source record: 116935

Two output stages (2C39C equiped), including plate tuning and output
attenuators, all shielded and silver plated, comming from military power

sweep generators (200-600MHz). $75 per set, two sets available, or trade

for tube audio related items.The sets include the output triodes.
Also, 0-600KHz selective amplifier (300uV FS), impeccable state, $75.

Tel: 613- 726-1779 (home)

1221. FS Amperex 5894, Military Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Lucian Rusu <rusu@bnr.ca>
Message-ID: <36C55B9F.68A3B12F@bnr.ca>
Source record: 116936

Absolutely never used, original boxes, gold pins.
About $40/pce.
Also a wide variety of NOS military tubes (CV2243, 2209, 2128, etc).

1222. WTB: TenTec Remote VFO

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: John Hofstrand <hofstran@olypen.com>
Message-ID: <36C56F02.E1192831@olypen.com>
Source record: 116937

I'm looking for either a Model 263 or Model 263G remote VFO to match the Corsair or Corsair II transcievers. Please email me with the condition and asking price.

1223. Yaesu FT-100 rx spec change?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Dan Elekman <elekman@interaccess.com>
Message-ID: <7a3r73$rk3$1@remarQ.com>
Source record: 116938

Today I received the Amateur Radio Trader. There is a new full page ad for the FT-100. It states that the rx frequency coverage is: 100 kHz-76 MHz, 108-174 MHz, and 420-512 MHz.

Now compare this to the specs on Yaesu's website:

RX :100 kHz - 970 MHZ (Cellular/digital telephone freqencies are blocked)

I hope that Yaesu did not advertise the wide band receive for all these months just to look better than Icom then change the specs just before shipping to the stores.

Can anyone confirm what the actual receive frequencies are for this radio?

1224. Marconi T10A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Simon Cox <simon.cox@breathe.co.uk>
Message-ID: <01be5750$bbcfa3a0$LocalHost@simoncox>
Source record: 116939
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,uk.radio.amateur

I need any help you can supply about the above set.
I believe it's from the 50's. A domestic broadcast receiver
in a brown Bakelite cabinet 18"x14"x12" 250v ac. The back
panel is missing so there are several sockets I need to know
the purpose of. I suspect one valve to be dud as the top cap is
loose, DH63M. Speaker cloth requires replacing and it has a
couple of broken knobs, somehow I must get a photo onto the
Ng's. Does anyone know if Radio Bygones have ever featured
this receiver ? The audio side sounds like it works but nothing
from any of the wavebands.

Model T10A. Ser. No. 38353
Valves X61M
KTW61M
DH63M
KT61
U10

Simon, G1DRY.
--

Peolpe worry about me, I ride a
Kawasaki Z1000 LTD and listen
to Racal RA 17 valve radios.
simon.cox@breathe.co.uk

1225. FA- GE UHF RADIO NO RESERVE!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <l7fx2.2$Ce.1794@sapphire.mtt.net>
Source record: 116940

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=64390229

1226. Idaho HAMFEST

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: wa4vrv@srv.net
Message-ID: <36c58312.829073@news.srv.net>
Source record: 116941

The Eastern Idaho UHF Society will be hosting a hamfest/computer swapmeet in Idaho Falls, Idaho, at the Elks Lodge on April 17th. This is an ARRL sanctioned hamfest with full license testing, swap tables, commercial, and a talk on the FCC licensing and ARRL, DXpeditions and the internet and ham radio.

We have a web page - http://www.srv.net/~wa4vrv/hamfest.htm

Hope to see you there!

de Jay, WA4VRV

Jay C. Greenberg
WA4VRV
email: wa4vrv@srv.net
Phone: (208)524-1388 Evenings/Weekends
(208)526-7033 Weekdays

1227. Re: Looks like ICOM did it...the first!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <7a3vp9jpa1@news-1.news.gte.net>
Source record: 116942

:Hi folks!
:Yesterday I got my Icom IC-706MK2G. Wow! So pretty mighty midget!
:I'm already use 706&706MK2, but each time Icom do it better and
:better.
:My opinion - do not waiting many times promised FT-100, run and buy
:ICOM IC-706MK2G, THE mini rig with a lot of enjoyable features. All
:we need is...Icom!
:Igor UN7GM@QSL.NET
:
:

I only have two complaints.

The radio needs more memories. The FT-100 has 300.
And ICOM needs a screwdriver antenna like ASAS-100.
Or at least a control box that takes the microprocessor
commands and drives one of the current screwdrivers
on the market.

1228. Re: Ten- Tec Tkit?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: dinoal7lz@aol.com
Message-ID: <19990213091957.20967.00001294@ng-fi1.aol.com>
Source record: 116943

I just finished thd 6 meter version and am very pleased with it. Have to agree that the instructions are not quite as detailed as Heathkits used to be, however, TenTec makes up for that with their thorough circuit description that does a very good job of explaining how the various stages work. Mine worked fine, but it sure helps to have some decent test equipment available when things don't go quite like the instructions say the first time around. Was it worth the $100 difference in price? I like to build kits so that's what made the difference for me--if you don't want to spend about 25 hours or so then buy it ready made. Problem with that is that you can probably buy a comparable commercial rig for about the same price with more power and bells & whistles.

73's -- Dino KL0S/4

1229. FREE- By Dennis W3EAL

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: dbbadge@aol.com
Message-ID: <19990213092303.08087.00000933@ng-fv1.aol.com>
Source record: 116944

Make a deal with this guy and he will not live up to it. Just give your stuff to him. And write it off- he cannot be trusted. Another amatuer radio gut W3EAL that will cheat you-Baltimore., MD

1230. Alinco Dx70TH Display Trouble

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Chris <n8cop@qsl.net>
Message-ID: <01be5760$0d6ee180$c4b651d1@hp-customer>
Source record: 116945
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Hi to all. I have an Alinco DX70th that I run in the mobile and as of late, the display begins to blink 5-15 minutes after being powered up. The rig works fine on receive and xmit before the blinking begins, but afterwards, its unusable. I've tried to do a full reset and that has not solved the problem. I believe that some internal part may be going bad once the rig gets warmed up, but i'm not sure.

Anyone with a similar problem or knows of a possible fix please feel free to e-mail me at the address below.

Thanks in advance,
Chris M.
n8cop@qsl.net

1231. FS - Icom 735

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: kk4tl@aol.com
Message-ID: <19990213095149.08955.00001106@ng32.aol.com>
Source record: 116946

Icom 735 (Ser no. 17,026) for sale. Case and front panel are scratch-free. A few minor scuffs on the "trap-door" are about the only blemishes I can find. Package includes manual, power cable and a new Daiwa electret desk mic (model MD-400). $460.00 shipped CONUS, pre-paid with postal MO. Email if interested.

KK4TL@AOL.COM

1232. Re: dual-band commercial HT w/motorola-type paging?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: w0sxi@primenet.com
Message-ID: <36c690e5.385998612@news.primenet.com>
Source record: 116947

On Mon, 08 Feb 1999 03:36:56 GMT, rsimpson@cherryvale.org (Ross)
wrote:
Ron,
Theonly company building a Dual Band Commercial HT right now is
Yaesu/Vertex. FTC-2070 is the model and it runs for around $1400 new.
Bill
>Hi all..
>
>I posted a couple of weeks ago looking for a dual-band motorola ht,
>but it seems such a radio doesn't exist. So, i'm now looking for just
>about any dual-band commercial HT that has the HT/MT1000 style paging
>tones (quickcall, i think). Preferably something buff and tough like
>the motorolas or bendix kings.
>
>If such a thing does exist, can it be programmed with a tone for VHF
>and a different tone for UHF?
>
>Thanks!
>
>----
>Ross Simpson
>NREMT-B
>Cherryvale Fire Protection District
>Boulder County, Colorado
>rsimpson@cherryvale.org

1233. FS: HF linear amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: jdinkel@mum.edu
Message-ID: <7a46ct$fg2$1@nnrp1.dejanews.com>
Source record: 116948

LA-1000-A linear amplifier, table top model made my Amp. Supply. Covers 160-15 meters (you do not need an amplifier for 10 meters!). 1200 watt PEP plate input power. tuned input. uses four 6MJ6 or 6JE6 or 6LQ6 tubes in parallel. in great shape, comes with two extra tubes. Checked out recently by local electronic technician. Looks new inside, excellent outside. Power caps in good shape...put out full plate voltage. asking $250 plus ship.

73

John KM4TI

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1234. FS ATlas 206 remote VFO

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Al Fritsche <fritsche@email.msn.com>
Message-ID: <eDD7oL2V#GA.207@upnetnews05>
Source record: 116949

Have FS Atlas 206 vfo and didgital display, can't test as I have
no other Atlas equipment.. Appearance excellent.

75 +shipping

Al
KD5CML
fritsche@msn.com

1235. WTB Ku Band Downconverter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: "K.R.Burtchaell" <kburt@jps.net>
Message-ID: <36C59878.5A82@jps.net>
Source record: 116950

WTB Norsal 1000A PLL Ku band satellite downconverter.This unit has provisions for external reference oscillator input.Ken W6GHV

1236. FS: Heath HR-1680 receiver with speaker and book *eBay*

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: hiplew@moon.jic.com
Message-ID: <36c59a58.135572872@news2.jic.com>
Source record: 116951

CHeck out;

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66446285

ed

1237. Re: SMA to BNC adaptor warning

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: &NM7U <&NM7U@hevanet.com>
Message-ID: <36C59A2C.DF4604B7@hevanet.com>
Source record: 116952
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner,alt.radio.scanner

I had a Standard C508A for a while. Used an adapter and a Larson
rubber duck about 18" long. I found it less stressfull on the radio
if I carried it by the antenna instead of the radio case.
miker

qwasty@hotmail.com wrote:

> for the cost of a miscellany of adapters you could have a real bona-fide SMA
> antenna...
>
> In article <36C4415D.FF6@eece.maine.edu>,
> Shawn Upton <supton@eece.maine.edu> wrote:
> > Lee Rothman wrote:
> > >
> > > I have absolutely no problems whatsoever with mine. I use a telescopic
> > > antenna with a coil, and a Icom IC-R2. It is built like a little brick,
> > > and has a very well supported SMA base mount area. I suppose some radios
> > > aren't quite this well made, but oh well.
> >
> > The problem comes from the SMA connector--it has a small diameter outer
> > conductor (the threaded part). It inheriently will not take much force
> > to snap it, regardless of how well supported it is in other places. I'm
> > glad that you haven't had any problems with yours, but that may be
> > because, unlike me, you try not to sit on your radio. If you're
> > careful, then there shouldn't be any problems with these adapters; I
> > think this thread came about though because us hams tend to "abuse" our
> > equipment, by making them do things that it wasn't intended to do.
> >
> > Just my two cents.
> >
> > By the way, I've dropped my radio at least three times, and once from a
> > height of about 6 feet. No damage yet.
> > --
> > **********
> > Shawn Upton
> > Electrical Engineering Student
> > University of Maine at Orono
> > webpage: http://www.eece.maine.edu/~supton/
> > mail: supton@eece.maine.edu
> > KB1CKT Tech Plus
> > **********
> >
>
> ----------== Posted via Deja News, The Discussion Network ==----------

> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

--
Big list of WANTS and FORSALES at link below.
Return Address is Bogus.
TO REPLY CLICK HERE http://www.hevanet.com/nm7u
Or you can DELETE the & in the "from" address.

1238. Re: FS/FT: Tokyo Hy-Power HX-240 VHF to HF transverter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: "Caitlyn M. Martin" <cait.martin@ibm.net>
Message-ID: <36C5A373.C5ED073A@ibm.net>
Source record: 116953
Cross-posted to: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment

The Tokyo HyPower HX-240 has been spoken for.

Thanks and 73,
Caity
KU4QD

1239. GE833A on ebay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Ron Kovach <rkovach@1st.net>
Message-ID: <36C5A0A3.5E404D01@1st.net>
Source record: 116954

American made..New in boxes.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=65748826

1240. Mydel Megtrap dipole

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Bob M <g8jnz@netcomuk.co.uk>
Message-ID: <7a48i5$564$2@taliesin.netcom.net.uk>
Source record: 116955

A friend of mine is looking for details, wiring and physical of this antenna. It uses a pair of traps, a pair of insulators, inductors or coils plus a pair of short tails. If anyone's able to supply details any costs will be gratefully reimbursed.

de Bob M
ax25 : g8jnz@gb7stu.#32.gbr.eu
tcp/ip : g8jnz@gb7zhr.ampr.org

1241. DXER'S LIBRARY SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: "Ralph W. Perry" <theperrys@kwom.com>
Message-ID: <lBhx2.16$Et1.235@news9.ispnews.com>
Source record: 116956

Here's some more great stuff, fished out from the shack from a never-again DXer.

1. THE DX EDGE!!! Totally cool 1970s technology for determining daylight/darkness terminator's path at any time. Consists of 12 hard clear plastic sheets with terminator drawn, plus a large map plastic guide within which the terminator plastics slide back and forth, depending on time. Very effective. Grayline Dxers NEED one of these. $22

2. QSLER'S DELIGHT: Four books guaranteed to make you a better verification hunter. 'LA Commercials' by Klemetz/Ingelstrong of DSWCI; 'Secrets of Successful QSLing' by Dexter, both versions, the small and the large; and the 'QSL Address Book' by Dexter. All 4 book for $32.

3. DXER'S LIBRARY: Some great reading in this lot: 'Shortwave Receivers, Past & Present' by Osterman; 'Low-Band Dxing' (ham band 160, 80, 40, but some great takeaway knowledge for SWBC Dxers, too); and '1934 Official SW Manual (reprint). $35 for these three bound books, in super condition.

4. STOCKPILE OF PREPARED QSL CARDS! Here's a stack, about 6 inches high, of multicolored prepared QSL cards in Spanish and Indonesian, handy for verifying those out-of-the-way stations. The Spanish cards are the famed 'Certificado de Sintonia' format (the originals). There must be more than 600 cards here, ready to go. $30 takes 'em all.

Buyer also pays shipping.

==========

And for those of you who missed it, here is an updated version of my earlier ad, featuring other nice material:

RARE AND DESIRABLE, VINTAGE SWBC ITEMS FOR YOUR SHACK!

1. WORLD RADIO TV HANDBOOKS!!! Complete your collection's gaps now!
' 1984 thru 1988 - fine to near mint condition, $12 each
-- 1990 thru 1992 - near mint condition, $11 each

2. 'NUMERO UNO' weekly private DX newsletter: Wow, a complete run of issues from the heyday of this legendary DX weekly, from 1972 - 1984!! Three binders, 3-inches thick each, jammed full of DX news, pioneering reports on rare DX stations, feature articles, controversy, you name it. Finally, you can now see just what all the noise was about and read what those 'elitists' (hi!) were up to! Full-sized 8.5 x 11 sheets, a stack of paper 9-nches thick, 600 issues. Won't break this up, to be sold as one lot. $250 firm.

3. FINE TUNING: Again, a mother lode of early issues from another late 1970s/early 1980s private circulation DX every-couple-weekly: issues 1-70, 113-140, 172-239. One stuffed 3-inch binder. Plenty of great DX info. $50.

4. &#65533;THE RADIO BOYS SEARCH FOR THE INCA&#65533;S TREASURE&#65533;, here&#65533;s one that you never see, a hardcover &#65533;Hardy Boys&#65533; type of radio aficionado&#65533;s novel for kids, copyrighted 1922. Super condition. If you call yourself a diehard LA Dxer, your shack isn&#65533;t complete without this. $50.

5. SOUTH AMERICAN HANDBOOK: Very handy reference, and the historical stuff, of course, doesn&#65533;t age. Maps and geographic info make this classic a must-have. Save twenty bucks and buy a used copy! 1983 - $8. 1976 - $6.

6. BROADCASTING STNS OF THE WORLD (FBIS), BOOKS I & II, 1974. Nice condition, 500 pgs of data from the US govt&#65533;s listening posts. $10.

7. REVIEW OF INT&#65533;L BCSTG: 1983-84 Issues No. 75-87, $3.

8. GRAB BAG OF RADIO REFERENCE BOOKS: Japan&#65533;s &#65533;BCL&#65533; (date?); &#65533;DXing According to NASWA&#65533;; Radio Amateur&#65533;s Handbook 1973; The ARRL Antenna Book. Take &#65533;em all for only $12

9. DANISH SW CLUB INTL BULLETINS: 3/73 TO 7/80, three 3-inch binders chock full of info. Also, bulletins from the Finnish DX Club, 1967/68/71/72. Only $20 for all of it!

10. VINTAGE FRENDX!!!!!!! Saving the good stuff for the end, gang: A lonnnnnnng run of the monthly publication of the North American Shortwave Association, FRENDX, from Jan 1971 through May 1984! That&#65533;s 160 issues of nostalgia, news, radio information and feature articles, old names and faces, history of stations, etc. Virtually priceless! ..... but for you, the entire lot goes for $250, just a shade over a lousy buck-fifty an issue. You&#65533;ll never buy such great reading, so cheaply, again ! (Bonus: a free year of SPEEDX, just for fun.)

11. ANDES FOLKLORICO MUSIC ALBUMS!!!!!!!! Here&#65533;s a classic deal for the Latin DX specialists. Imported LP albums (get out your turntables!) from Ecuador, Peru and Bolivia, featuring that beautiful haunting music from the Andes. Finally, you can learn the different between a huayno and a passacalle! Special deal, assortments of 3 albums for $20, or 10 albums for $50. I have something like 50 albums to sell, so build up your collection now! Sorry, assortments will be as put together by me; no custom orders, please. I will try to make each lot as balanced a set as possible. Also, these are 20 years old and although look to be in tremendous condition, no guarantee that they will all play like new and some warping is probable on the discs.

IN ADDITION TO ALL PRICES ABOVE, BUYER PAYS SHIPPING/HANDLING.

Ralph W. Perry
Phone: (630) 579 &#65533; 6931
Email: ThePerrys@kwom.com
Or RalphPerry@Yahoo.com

1242. FAQ: Plectron and Motorola Alert Monitor Receivers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: parnass@bell-labs.com
Message-ID: <7a48no$dsc@ssbunews.ih.lucent.com>
Source record: 116957
Cross-posted to: rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.info

Last changed: November 30, 1998

Lines changed since the previous issue are marked with a |
character in the right margin.

Add a Plectron or Motorola Alert
Desktop Monitor Receiver
to Your Scanner Collection

by Bob Parnass, AJ9S

[NOTE: This article may not be reproduced in whole or in
part on CDROMS, in bulletin boards, networks, or
publications which charge for service without permission of
the author. It is posted twice monthly on the USENET
groups rec.radio.scanner, alt.radio.scanner, and
rec.radio.info. It is also available electronically from
the rec.radio.scanner ftp archive on the official USENET
FAQ library ftp://rtfm.mit.edu/pub/usenet-by-
group/rec.radio.scanner.]

In the 1960s and 1970s, thousands of firemen and ambulance
squad members came to rely on their crystal controlled,
transistor Plectron and Motorola desktop monitor receivers.
They have now been replaced by battery operated portable
pagers, and the desktop models are often available at
hamfests in the $5 - $25 range. Since many are in rough
condition and need repair, a hamfest special is better
suited for hobbyists who like to fix their own radios.

Plectron and Motorola crystal controlled receivers are
excellent for dedicated monitoring of local frequencies --
a task for which you wouldn't want to tie up your 400
channel programmable scanner. They are desktop models
which can be powered from 117VAC or 12VDC with the proper
mobile cord. The audio quality of a Plectron P1, Plectron
700 series, and Motorola Alert Monitor is far better than
any consumer grade scanner and the sensitivity, image
rejection, and intermod immunity is outstanding when
aligned properly.

Models and Frequency Coverage

The Plectron and Motorola Alert monitors are single band
receivers: VHF-low, VHF-high, or UHF. No single Plectron
or Motorola Alert monitor can cover the entire 30-50 MHz

band, so there were versions optimized for each portion of the VHF-low band. There were different versions to cover low and high "splits" in the VHF-high band, too. For example, low band R8000s come in 30 - 35, 35 - 39, 39 - 49, and 49 - 54 MHz versions. There are two VHF high band versions of the 700 and R8000: 148 - 158 and 158 - 175 MHz.

VHF-low band Motorola Alert monitors come in two splits: 30 - 42 and 42 - 54 MHz.

Although UHF versions of the 700 series were made, they are somewhat rare and coverage is limited to 470 MHz and below.

Plectron made several models with dozens of different options. Both the original P1 and later 700 series are suitable for restoration, although I prefer the newer 700 models. The 8000 series were even newer and very desireable, but they are difficult to find at hamfests. The Plectron 500 "economy" series is less desirable.

The P1 series have black cabinets with a blue-green and silver color scheme used on the front panel. They were made in the Chief (tone decoder & carrier squelch), Patrol (carrier squelch only), and Sentry (tone only) models. The Sentry models lack a carrier squelch and therefore are of little use to hobbyists except for scavenging parts. Model number and frequency information appears on a gummed label on the rear panel:

Band (MHz) Chief Patrol Sentry

_____
25-54 R19 R15 R17
148-174 R20 R16 R18
450-470 R23 R21 R22

Table 1. Plectron P1 models

The R700 series have black cabinets with brown front panels and are slightly smaller than the P1 receivers. R700s were made in the Chief (tone decoder & carrier squelch) and Patrol (carrier squelch only) models:

Band (MHz) Chief Patrol

_____
25-54 R719 R715
148-174 R720 R716
450-470 R723 R721

Table 2. Plectron 700 models

The R8000 series are much smaller than the P1 and R700 and are housed in metal cabinets of various colors. The R8000s use the same MC3357 IF/detector/squelch IC used in crystal

scanners, but their crystals are not interchangeable with ordinary scanners. R8000s were made in the Chief (tone decoder & carrier squelch) and Patrol (carrier squelch only) models:

Band (MHz) Chief Patrol

30-54 R8190 R8150
148-174 R8200 R8160

Table 3. Plectron 8000 models

The Plectron FM Receiver/Recorder is a collector's item. It is essentially a 700 series Chief receiver with a built in cassette tape recorder. The recorder is carrier activated and can tape transmissions while the receiver is unattended. A connector on the rear panel allows for all kinds of remote control possibilities.

I use two Plectron P1s and four R700s in my living room, seven R700s down the basement, and several Plectrons and Alert Monitors stored in reserve. The basement Plectrons are turned on automatically when someone walks downstairs. Power to them is controlled by a modified Radio Shack Safe House infrared motion detector, originally sold as an intrusion alarm.

When a rescue squad member from Missouri advertised a number of Plectrons on USENET, I bought them -- all 20+ of them. I cleaned, fixed, and restored each one. After recrystalling them on local frequencies, I distributed them to members of my scanner club who were glad to get them.

Crystals

Both brands of receiver require special crystals. I sometimes use Radio Shack's generic 3rd overtone scanner crystals in the Plectrons but they oscillate on frequencies far away from their marked frequencies. That's because the Plectron oscillator is designed to be used with a crystal which oscillates on its fundamental, not overtone, frequency.

The best source for crystals is:

International Crystal Mfg Co.
11 N. Lee Ave
Oklahoma City, OK 73102
tel. 405-236-3741, 800-725-1426

You need not bother with calculating the crystal fundamental frequency. Merely supply International with the exact receiver model number, printed on the rear label,

and the frequency you want to monitor. They will perform
the necessary calculations.

Crystals for Plectrons

The Plectron P1 series contain two crystals. The second
local oscillator crystal is 11.155 MHz regardless of band.
On VHF high band (148 - 175 MHz), the P1 series employ this
formula for the first local oscillator crystal:

Crystal frequency (MHz)
= (station freq (MHz) + 10.7) / 4

or

Crystal frequency (MHz)
= (station freq (MHz) - 10.7) / 4

On VHF low band (25 - 54 MHz), the P1 series employ this
formula for the first local oscillator crystal:

Crystal frequency (MHz) = (station freq (MHz) + 10.7)

or

Crystal frequency (MHz) = (station freq (MHz) - 10.7)

There are two crystals (Y1, Y2) used in the Plectron R700
series, one for each local oscillator. The crystal
formulas are:

RF Range (MHz) Y1 (MHz) Y2 (MHz)
_____
25-29 (f+10.7)/3 11.155
29-32.6 (f+10.7)/3 11.155
32.5-35 (f-10.7)/2 10.245
35-41 (f-10.7)/2 11.155
41-47 (f-10.7)/2 11.155 (use 10.245 MHz
for Y2 on 44.62 MHz)
47-54 (f-10.7)/3 11.155
148-158 (f-10.7)/9 11.155
158-175 (f-10.7)/9 10.245
450-470 (f-10.7)/18 11.155

The economy Plectron 500 series use this scheme for the
first local oscillator crystal:

RF Range (MHz) Crystal (MHz)
_____
25 - 35 (f+10.7)
35 - 54 (f-10.7)
148 - 174 (f-10.7)/4

Most Plectron 500s use an 11.155 MHz second local
oscillator crystal. However, a 10.245 MHz crystal is used

instead for receivers in these ranges: 33.4 - 33.78, 44.62, and 158.78 - 158.82 MHz.

Power Cords

AC power cords for both types of receivers use unique connectors and are scarce. I published the pinout for both Plectron and Motorola Alert Monitor receivers in June 1998 Monitoring Times magazine.

You can buy the proper replacement power cords but it's much cheaper to drill a hole on the rear panel and solder on a permanent a power cord. Make sure you use a grommet in the hole to prevent the metal chassis from chafing the line cord.

Many Plectrons and Alert Monitors were equipped with an internal NiCd battery pack, intended to power the receiver if the AC power fails. It's unusual to find a used monitor receiver with the NiCd pack still capable of holding a charge. More often, the batteries have died and the series charging resistor has overheated and burned. Be sure to remove the dead batteries as they often leak.

Squelch and Minimum Volume Setting

If you find the squelch on your Plectron 700 series receiver has too much hysteresis, replace R96, a 180K resistor, with a 560K resistor. On the P1, the resistor is designated R81.

Both Plectron and Motorola Alert monitor receivers are designed purposely to have a minimum volume setting which is still audible. The intent was to prevent firemen from turning the volume down completely, forgetting it was down, then missing an important call.

This "feature" was usually implemented by having a fixed value resistor in series between one end of the volume control and ground. In the R15X5, R14X5, R15X5, and R16X5, a 47 ohm resistor, designated R624, was inserted in series with the violet wire leading from the volume control.

You could decrease the lowest volume setting by decreasing the value of this fixed resistor. Alternatively, you could replace the resistor with a jumper wire to completely silence the receiver at minimum setting of the volume control.

Tone Alert Feature

I have not used the Plectron tone alerting features so I cannot address that except to say that the special coils and capacitors for the dual tone decoders vary depending on

the tone frequencies and are somewhat difficult to obtain.

Repair and Replacement Parts

Repair service and replacement parts for the Plectron P1 and R700 models is offered by:

Weber Electronics
PO Box 212
5138 Laurel Ln.
Broad Run, VA 20137
telephone (540) 347-7760
email: weber@citizen.infi.net

You can also obtain Plectron repairs and parts from:

Northeast Communications
4 Oak Ridge Rd
Newfoundland NJ 07435
201-697-8804

Alert Monitor parts are available from Motorola. Phone (800)972-3226.

Plectron SM-series Scanning Receivers

Plectron also sold an SM series of scanners, manufactured in Japan by the same folks who made Craig (division of Pioneer) scanners. The SM series are consumer-grade models and are included in this article for the sake of completeness. They are crystal controlled radios and feature priority scan and a separate trimmer capacitor for each channel to net the crystals on frequency.

Band Frequency Limits

VHF-low 30 - 50
VHF-high 150 - 174
UHF 450 - 470 MHz

Table 4. Plectron SM Model Band Limits

Model	UHF	VHF-high	VHF-low
SM-301	X	X	X
SM-302	X	X	
SM-303	X	X	
SM-304	X	X	

Table 5. Plectron SM Models

The crystals used in the SM series are quite different from the crystals used in the conventional single channel Plectron monitors. Here are the crystal formulas:

VHF low band:
crystal 3rd overtone freq = receive freq + 10.7 MHz

VHF high band:
crystal 3rd overtone freq = (receive freq - 10.7 MHz)/3

UHF band:
crystal 3rd overtone freq = (receive freq - 10.7 MHz) /
10

Other crystal specifications for the SM series are:

CR 25/U holder
3rd overtone
20 pF load capacitance
parallel resonant
max series resistance 40 ohm
max drive 2 mW

Plectron Alternatives

Too bad Plectron is out of business. If you wish to
purchase a new receiver with "Plectron-like" signaling
capabilities, contact Reach Electronics:

Reach Electronics
1311 West Pacific
Lexington, NE 68850
(308) 324-6661
(800) 445-0007
FAX: (308) 324-4985

Reach sells tone & voice pagers, Alert monitors, and
ENCODERS. They also do contract manufacturing.

I currently have no Plectrons or Motorola Alert Monitors
for sale. I'm hoarding them. :-)

--
==========
Copyright 1999, Bob Parnass, AJ9S parnass@bell-labs.com

Locate & identify transmitters in your area with a color RadioMap(tm)

1243. F.S.yaesu ft-7 qrp rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: cmb <cmb@owc.net>
Message-ID: <LUhx2.738$tf2.661@news2.megsinet.net>
Source record: 116958

```
excellent shape ft-7 qrp rig 80-10 meters
10 is not installed right now but is on order from jan crystals.
original box,manual mobile bracket and mic
$275.00 plus shipping
thanks 73 jack
```

1244. FS: Power Design 6010D(digital) power supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: yulius@shay.ecn.purdue.edu
Message-ID: <7a49sdqce1@mozo.cc.purdue.edu>
Source record: 116959

Hello,

I have a Power Design 6010D(digital display) power supply forsale. It is in
excellent working condition. The specifications: 0-60V, 0-1.5A, constant
current/constant voltage mode, digital display, overvoltage crowbar,
remote programming, and remote sensing. I am asking for $80 + UPS shipping.

If you are interested, please send an email to: yulius@ecn.purdue.edu

Best regards,

Aristo
--
****
* Aristo Yulius | Purdue University *
* Internet: yulius@ecn.purdue.edu | West Lafayette, IN 47907, USA *
****

1245. f.s.icom 502 6 meter portable

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: cmb <cmb@owc.net>
Message-ID: <Wgix2.780$tf2.957@news2.megsinet.net>
Source record: 116960

```
i have an icom 6 meter ssb portable,takes c-cells and has a telescoping
whip. covers ssb only.
$275.00 shipped
73 jack
```

1246. WTB TenTec Pwr.Supply 960/961/962

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Larry McGee <lrmagoo@worldnet.att.net>
Message-ID: <01be5772$df8cfdc0$LocalHost@default>
Source record: 116961

I would like to find a reasonably priced TenTec 960, 961or 962 Power Supply that will match the Paragon. Thanks. Larry

1247. Spirit Pagers UHF fs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: hookit@snet.net
Message-ID: <36c5abb5.8527837@news.snet.net>
Source record: 116962

I have two UHF spirit pagers ,one charger, one service manual
Both seem to work ok power on push button down and they
silence
Make me a offer
Bill

1248. ICOM 746 vs YEASU FT920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: tovsrud <nodak@thegrid.net>
Message-ID: <36C5B2CA.3BC4@thegrid.net>
Source record: 116963

Due to my fairly recent upgrade I am looking to purchase my first
base station rig.
After doing quite a bit of checking I have more or less narrowed
my choices down to either the ICOM 746 or the YEASU FT920.
I would appreciate any comments and can probably best check by
asking if either of the radios was offered to you for free,
which would you choose?
Robert K6KDX

1249. Re: AN/PRC-138 vs normal KenYaeCom rigs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: qwasty@hotmail.com
Message-ID: <7a4fgdmlu1@nnrp1.dejanews.com>
Source record: 116964

Thanks for the info, Gary. Right now I'm not really considering cost. I'll do that after I find out what the *best* is and I'll work down from there, but only if necessary. I can always build and ruggedize my own kit, they're all pretty cheap, especially if I opt for CW only. As far as travelling outside of the country goes, it is a disappointment that I wouldn't be able to explore anywhere I pleased but there's still plenty of land in North America. The Canadian military uses PRC-138's, so obviously the US government isn't too concerned about them stealing technology. I've always wanted to check out the Yukon. I've heard Alaska is better than Yellowstone in the summer. Anyway, if I wanted the radio bad enough, it wouldn't matter how much it was going to cost. I'd figure out a way to afford one. I'm unmarried, which makes it easier. Another thing to take into consideration is that I probably wouldn't be alone. Hence, the financial burden isn't all mine.

Power consumption would be a concern however. My travels would probably last several months rather than a few days or weeks. (Don't ask - you don't want to know, but I'll give you a hint: have you ever read Kon-Tiki by Thor Heyerdahl? hehe) So, I wouldn't be relying entirely on batteries by any means. It'd probably have to be solar or wind generated, with the radio being used intermittently or even rarely.

Another gent sent me an email about my questions. He mentioned the Harris 5800M- MP was capable of 1.6 - 470 Mhz, all mode. That'd be perfect for just about everything, including satellites. There aren't any details about any of Harris's radios on their website, and there isn't even a mention of that model of the Falcon-II. Hopefully my info pack will arrive next week or so.

In article <36d24dd6.168469001@news.atl.bellsouth.net>,
ke4zv@bellsouth.net (Gary Coffman) wrote:
> On Sat, 13 Feb 1999 07:12:51 GMT, qwasty@hotmail.com wrote:
> >Hey, does anybody have any experience with the AN/PRC-138 radio by Harris?
> >I'm looking for the most rugged radio available that can be used for
> >emergency communications as well as general hamming while DXpeditioning. The
> >ideal radio would TX and RX 1.6-500Mhz, but so far that seems unrealistic.
> >The AN/PRC-138 seems like it would fit the bill for HF-6M operation, which is
> >what I would use most of the time anyway. From what I gather, it's perfectly
> >suited for data transmission, email etc. It'd be nice to have VHF/UHF for
> >satellite work, but I suppose I could get a Yaesu FT-847 along with the
> >AN/PRC-138 to pick up the slack. Does anybody have experience with PRC-138's?
> >pros/cons or general suggestions? I have been able to find very little
> >information about it, and Harris doesn't seem to know how to read email.
> >Anybody know about it's price?
>
> If you have to ask, you can't afford it. And you can't take it out of the
country

> without a special permit. It is on the restricted list. (It isn't all that
hot as an
> amateur radio anyway. That's not its primary design goal.)
>
> >While I'm on this topic, I might as well ask about the FT-847 and Icom's
> >IC-706 series (maybe the FT-100, when it comes out). Does anybody know how
> >tough these radios are? My impressions, just from the pathetic photos that
> >the manufacturers provide, it looks like the 706 is the tougher of the bunch.
> >I've seen at least one complaint in the newsgroups that the 847 is too
> >"plasticy". It doesn't really look very tough and I'd bet a misplaced cup of
> >coffee would be enough to put it out of business. Does anybody know how much
> >of a difference a special custom made container could improve it's
> >ruggedness? I would think that if the circuit boards and solder-pads are
> >cheap to start with, a good jolt in a padded case or out of a padded case
> >wouldn't make any difference. I'd still have to find all the parts that came
> >away from the PCB's. I guess I can't really operate the radio if it's
> >snuggled away behind 6 inches of foam rubber anyways so maybe I'd better get
> >a radio that's invincible to start with...
>
> The vulnerabilities of both the IC-706 and the FT847 to mechanical blows
> would be primarily due to the plastic front faceplates they each sport. The
> bodies of both radios are metal, with the FT847 being the more substantial
> of the two. Yaesu took a page from the excellent IC-735 thermal system and
> uses a very substantial internal heatsink which gives the radio great
internal
> rigidity. The IC706 is quite a bit less robustly constructed mechanically,
and
> its removable faceplate is often prone to intermittant connnection problems.
> No one yet knows how well the FT100 is built, but the prototype I saw was
> quite a bit heavier than the IC706. It too has a remotable plastic faceplate,
> so it shares the vulnerabilities and intermittant problems of the IC706 in
> that regard. You'd have to cobble up some way to protect the faceplate of
> any of these radios for rugged use.
>
> As far as mechanical shocks displacing the internal components off the
circuit
> boards, nearly all radios use SMD construction today, and that will easily
handle
> 8,000 G shocks without breaking a solder bond. The cases likely won't stand
up
> to that abuse, equivalent to a 10 foot drop onto concrete, but parts won't
come
> flying off of boards. SMD is inherently very resistant to mechanical shock.
>
> None of these radios is waterproof, of course. Dropping any of them into the
surf
> would quickly put them out of commission due to the corrosive action of salt
water.
> In fact, I wouldn't want to use them exposed to a heavy rain. Their cooling
systems

> would suck water inside of them. This is true for virtually any radio
employing a fan.
> Both the IC706 and FT847 also become squirrelly at low supply voltages, and
both
> are a bit of a current hog on receive (2 amps standby), so they aren't good
choices
> for operation off of a manpack battery.
>
> If you forget manpack operation, the best radio to carry on a Dxpedition is
likely to
> be the one all the other Dxpeditions carry, the Yaesu FT1000D. They have the
proven
> track record. Just pack them well, and they should survive being shipped just
fine.
> You'll need a generator.
>
> If manpack is your thing, you'll probably have to build your own radio to get
what
> you want. There are a number of kits out there that could be repackaged into a
> more robust case. They're QRP of course, but that sort of goes with the
territory
> since you don't want fans and openings in the case, and you want them to be
> easy on the batteries.
>
> Gary
> Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
> 534 Shannon Way | We break it |
> Lawrenceville, GA | Guaranteed |
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1250. Any UHF HTs that use alkaline batteries?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: zeno@magicnet.net
Message-ID: <zeno-1302991245540001@pm58-22.magicnet.net>
Source record: 116965

Prefer at least 4 watts on UHF, that use alkaline batteries. Thanks.

--
If only we knew that money is only an idea. There is no scarcity or loss connected to it.
Nothing cost anything.

1251. USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: Dan <n7wpd@xxmission.com>
Message-ID: <7a4da5$17e$1@news.xmission.com>
Source record: 116966
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi Guys,

The VX-1R was insured for $250. What can I expect after I have filed a
claim?
I have been told that it'll take months to get a check from them, and they
give you the royal run-around. Is this true?
Any and all info is greatly appreciated!!

73 Dan / N7WPD

1252. FS: Yeasu FT 290R II Portable all-mode 2m

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: arden@teleport.com
Message-ID: <36c5bd35.298639160@news.teleport.com>
Source record: 116967

FS: Yeasu FT 290R II Portable all-mode 2m A small full featured all-mode 2m rig. Made for both mobile and portable operation. Brackets and amplifier go in car. Radio detaches for portable operation. Comes with portable battery pack, vinyl case and two portable antennas (rubber duck and telescoping) for portable operation, brackets and amp for mobile.

Price: $425 o.b.o.

Send e-mail to: arden@teleport.com
Call Arden Eby, KI7G at: (503)-651-3164 [please leave a message and I'll call you back - I'm often out]

Also includes all manuals.

Arden Eby KI7G

1253. FS Kenwood TS-850/AT HF Rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: arden@teleport.com
Message-ID: <36c6bd72.298700854@news.teleport.com>
Source record: 116968

FS Kenwood TS-850 HF Rig in good condition. This model includes a good automoatic antenna tuner. Also includes nice matching desk microphone.

Price: $975 o.b.o.

Send e-mail to: arden@teleport.com
Call Arden Eby, KI7G at: (503)-651-3164 [please leave a message and I'll call you back - I'm often out]

Also includes all manuals.

Arden Eby KI7G

1254. FS Yeasu FL-2100B Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-13 00:00:00 UTC
From: arden@teleport.com
Message-ID: <36c8be89.298979905@news.teleport.com>
Source record: 116969

FS Yeasu FL-2100B Amplifier. 1200 watts input and about 500 watts
out. Excellent condition inside and out.

Price: $390 o.b.o.

Send e-mail to: arden@teleport.com
Call Arden Eby, KI7G at: (503)-651-3164 [please leave a message and
I'll call you back - I'm often out]

Also includes all manuals.

Arden Eby KI7G

1255. FS: SPECTRA VHF 100 WATT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Al <K6DJP@postoffice.pacbell.net>
Message-ID: <36C714A3.36ED710A@postoffice.pacbell.net>
Source record: 116721
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Radio is in very nice condition,has a A5 head and is compleate with
control cable,power
cable,speaker,mike and mounts.$600 or trade for high end motorola uhf
radio.
Al

1256. FS: JRC NRD-525

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: "Benjamin A. Wallace" <bwallace@sd.cts.com>
Message-ID: <01be584d$fe5286e0$3506a3cd@bwallace.cts.com>
Source record: 116722

This radio is about as nice as they come.

Included:

- NRD-525 Excellent operational and cosmetic condition.
- NVA-88 matching external speaker, excellent condx
- CMH-532 RS232 interface
- CFL-218A 1.8 kHz SSB filter (installed)
- CMK-165 VHF/UHF converter, 34-60MHz, 114-174MHz, 423-456MHz
- AC Power cord
- original operator manual
- original box, but no original packing

VHF/UHF converter is all mode.
$575 (M/O or Certified Check) US shipped CONUS

Ben -- WB8HUR
San Diego
bwallace@sd.cts.com

1257. FS: Icom 706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: kvanderlin@aol.com
Message-ID: <19990214141809.00876.00001617@ng127.aol.com>
Source record: 116723

Icom 706 HF+6+2 meters. Radio is in **AS NEW** condition in
all respects. Limited use, NEVER mobile. 12,000+ serial number.
Complete with mic, manual, mb-62 mmb, power cord and factory
shipping boxes. $700 OBO shipped Conus.

1258. Standard C710

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: 106255.1565@compuserve.com
Message-ID: <36c71c95.4742208@news.compuserve.com>
Source record: 116724

I have just seen an advert for a Standard C710 tribander which quotes
a price in England that one normally pays for a 2m handie. Does
anyone know this beast? It seems to have 1W/1W/280mW output (280mW
on 1200 MHz) and runs on just 3 AAs but has available a 20W amplifier.
Sounds useful but suspiciously cheap.
Richard

1259. FS: Palomar Engineers RX Noise Bridge **eBay**

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: hiplew@moon.jic.com
Message-ID: <36c721f3.74633358@news2.jic.com>
Source record: 116725

check out:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67087280

ed

1260. Field programming Bendix/King EPH 5990A VHF portable?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Mike Beaty <mbeaty@nyx.net>
Message-ID: <919022872.712061@iris.nyx.net>
Source record: 116726

I recently acquired a Bendix/King EPH 5990A VHF portable. It is the predecessor to the current EPH 5102 series. From what I understand, it does not have the current narrow-band capability but it *is* DES capable. I don't want to use the DES capability.

I have the needed software and computer interface cables for it and can program frequency, CTCSS, and alpha indicator information with no difficulty. However, I'd like to be able to program it in the field as well.

I have the programming plug and can get it into what I assume is the normal programming mode. However, unlike my LPH portable, it first asks me for a KEY ID. I can't get past that point. I don't want to enter a valid key for fear that I'll get stuck encrypting/decrypting, which isn't what I want.

Anyone have one of these beasts or know how to field program one? I'd happily pay for copying and shipping costs of a programming manual. Or trade for one of my LPH or EMH manuals.

Posting here because it can do the 2-meter band and because much expertise seems to reside in this group.

Thanks in advance!

Mike

1261. FA - MIDLAND LMR MOBILE SPKR - $2.00

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <RtGx2.93$IH1.483037@sapphire.mtt.net>
Source record: 116727

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67025029

1262. Re: Icom W32 Ext Receive?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: tresa6942@aol.com
Message-ID: <19990214155523.15890.00001761@ng-fp1.aol.com>
Source record: 116728

hi there

The keypad combo does work for the extended receive.. just did it .. have fun with it!

Michele

1263. Re: ICOM-706 Tuner Control Socket

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: CJ <cjr@visi.com>
Message-ID: <36C73A88.440878B0@visi.com>
Source record: 116729

According to the Service Manual, the 13.8v pin on the "Tuner Control Socket" is connected directly to the power relay through the internal 4 amp fuse. I recall blowing that fuse several times while building a little box that connected to the ACC socket, so yes they must be the same 13.8v. But they are certainly connnected together by a long complex path which I'd rather not try to trace! Hope that helps.

73, CJ K0CJ

w2ltu@pipeline.com wrote:
>
> Regarding the 4 pin "Tuner Control Socket" on the rear of the
> ICOM-706. There is one pin that has 13.8 V on it.....does anyone know
> what current it can support? Is this the same 13.8 V that appears on
> Pin 8 of the ACC Socket? Thanks.
> w2ltu@pipeline.com

1264. Wanted: Service manual for Tempo CS-15

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7a7e5u$nle@news.Hawaii.Edu>
Source record: 116730
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have a Tempo CS-15 HT (covers 150-159 MHz via thumbwheel switches)
which I want to place on 2m. I'd like to purchase a service manual.
(This radio is the commercial band version of the Tempo S-1. If anyone
desires to buy this HT contact me before I take a soldering gun to it!)

73 from Hawaii, Jeff WH6U

1265. Looking for Collins 71S-1

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Kurt Brandstetter <kurt.brandstetter@teleweb.at>
Message-ID: <foHx2.5077$d83.117644@news.chello.at>
Source record: 116731
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

Hello to all!

I'm looking for a Collins 71S-1 in good or very good condition.
Have you have one to sell, pse info to my email adress
kurt.brandstetter@teleweb.at
Thank you.

--
73's de OE 1002419
Kurt from Vienna Austria

Email: kurt.brandstetter@teleweb.at
HomePage: http://members.teleweb.at/kurt.brandstetter/

1266. FS: Swan Mark II Linear Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36C740DA.ED7587DD@cfu.net>
Source record: 116732

SELL Swan Mark II 2kw 80-10 linear amp. Top condition (8.5+), just serviced by prof. tech., near-new tubes, full output. Includes p.s., manual. $595 firm + shipping. Jan N0JR, swanman@cfu.net

1267. Re: TS440S Questions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: cmjk2og@aol.com
Message-ID: <19990214163713.13936.00001534@ng90.aol.com>
Source record: 116733

Don't buy it. There are plenty of 440's in good shape at very reasonable prices.

C. Jespersen
K2OG

1268. WTB: Large Prop pitch motor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <GIHx2.234$0r2.557355@brnws01.ne.mediaone.net>
Source record: 116734
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

I'm looking for a large prop pitch motor, the one with the 6 inch
diameter motor housing cover. Any one have one available?
Thanks!
Chuck...K1KW

1269. WTB: Icom IC-281H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: n4jzh@amsat.org
Message-ID: <36c74a9d.555773509@news.mindspring.com>
Source record: 116735

```
WTB: Icom IC-281H no junk or clunkers.
need mike,power cord,bracket, all acc.
email me with your offers. 73 n4jzh Donnie
n4jzh@amsat.org
```

1270. Re: Manuals needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: ejune@intuitive-data.com
Message-ID: <09990114002819.OUI92.ejune@intuitive-data.com>
Source record: 116736

You might find what you are looking for here:

http://www.radioera.com/ham.htm

http://www.mnsinc.com/bry/mega/manuals.htm

--
Regards,

Eric June
KU6J

1271. FS/FT: HR2600 W/Mod

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Gary <catlink@erols.com>
Message-ID: <7a7rrd$p2f$1@winter.news.rcn.net>
Source record: 116737

FS/FT: President HR2600 10m transceiver (W/Mic/Mobile Bracket). This equipment is in like-new condition,never mobile and has only been in a nonsmoking environment. The radio has the HR2510 CPU installed and has the mod for the extra 11m band. It also has an end-of-transmission "K" beep which can be disabled by the RPT offset switch which is not needed with the HR2510 CPU due to losing the RPT offset function. I also have the original CPU which may be reinstalled to restore to original operation. This is a very nice radio in excellent condition. I do not need it due to other 10m equipment I own. The price is $200 shipped or trade for other equipment within my state of Maryland.
Gary (N5IXI) <catlink@erols.com>

1272. Re: USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Greg Renner <grenner@uswest.net>
Message-ID: <36C7726E.C4A7CF42@uswest.net>
Source record: 116738
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

>
>
> The VX-1R was insured for $250. What can I expect after I have filed a
> claim?
> I have been told that it'll take months to get a check from them, and they
> give you the royal run-around. Is this true?
> Any and all info is greatly appreciated!!
>
>

USPS just lost a PRO 2006 I sold to someone and there are hoops necessary to collect the insurance. They will not accept a claim until 30 days after the shipping date. You will then need to get a form 1000 from your local post office. You will need to have a signed letter from the addressee stating that they did not get the item and finally proof of the value of the item. Shipping costs are not refunded.

I am in the middle of this process and have not found out how long til the person I sold it to gets his money. From here on out it is FedEx only, they are worth the extra money.

Greg

1273. WTB: 3CX1200A7

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: John Stucka <johnstucka@junct.com>
Message-ID: <36C778BB.5F37933F@junct.com>
Source record: 116739
Body handling: Binary attachment payload not displayed: vcard.vcf

Need 3CX1200A7

Please e-mail information

John Stucka, Jr., N3JM

[One or more binary attachments are retained only in the source text.]

1274. Filters for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: steve <shfoster@usa.net>
Message-ID: <36C77DB0.6AB244BD@usa.net>
Source record: 116740
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have the following filters for sale.

Icom fl 223 MHz 1.9 ssb $65
Icom fl44a 455mhz 2.4 ssb $90
I.R. 455 mhz 2.1 ssb $75

Yaesu xf 10.9m 2.0 ssb (990) $75

Inrad filter coupon for any filter/filters up to $150 $90

If interested. Let me know. Steve

1275. Re: Which HF Rig in this price range??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: STEVEN L UMBACH <N9ROU@prodigy.net>
Message-ID: <7a846m$5bnq$1@newssvr03-int.news.prodigy.com>
Source record: 116741

Without a doubt you should consider the Kenwood TS850SAT as a top
choice. You might have to spend $50 - $100 bucks more to get one with a cw
filter. --- Steve KK9ZZ

Lee Hall wrote in message <36c8841b.86284646@news.nash1.tn.home.com>...
>OK, here is the question. I plan on buying an HF rig in the next
>couple of months. I will probably have about $900 to spend. I will
>be using the rig primarily for contesting, about 75% phone and 25% CW.
>I already own a Kenwood TS450SAT which I am very happy with.
>So, I need to narrow my choices. I am leaning toward a mid-range used
>rigs with only a few years on it. Here is what I have found I can get
>in this price range. I need opinions onthe advantages and
>disadvantages of the rigs for the type of use I will have and any
>personal opinions on which rig you would choose. An automatic tuner is
>an absolute requirement. Speed and ease of use are as well.
>
>Another TS450SAT, with accessories for this price
>Yaesu FT 767
>Kenwood TS940
>Kenwood TS570D
>Icom 751a
>Yaesu FT890
>Ten-Tec Omni V
>Kenwood TS690
>Others???
>
>Thanks in advance es 73,
>Lee (NY4T)
>http://members.home.net/ny4t
>

1276. Re: Which HF Rig in this price range??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <7a84noiid1@news-2.news.gte.net>
Source record: 116742

Lee Hall wrote in message
<36c8841b.86284646@news.nash1.tn.home.com>...
>OK, here is the question. I plan on buying an HF rig in the next
>couple of months. I will probably have about $900 to spend. I will
>be using the rig primarily for contesting, about 75% phone and 25%
CW.

2 years ago, I owned a new TS-850 and TS-450 - the 850 was my fixed station rig and the 450 was mobile/portable. We spent Thanksgiving/Christmas in the Orlando area, and I experienced LARGE amounts of line noise due to many trees in the power lines. I bought a new TS-570D while there to counteract the noise level and absolutely LOVE the rig!

Upon return to our California QTH, I IMMEDIATELY sold both the 850 and 450, and am currently using the 570 as my sole rig - if a better fixed-station rig comes along, I will consider it.

For *my* money, all the features and sophistication of the 570, especially the DSP, absolutely ran circles around the 850 and 450 - and even the builtin antenna tuner is substantially better!

If I was in the market for a second rig today, it would absolutely be another 570!

Gary - KJ6Q

1277. ICOM HF Station for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Thompson <ww0l@gte.net>
Message-ID: <7a851d$4pc$1@news-1.news.gte.net>
Source record: 116743

I have the following station items for sale;

Icom IC735 (Xcvr)
EX243 (Electronic keyer)
FL32 (500 Hz cw filter)
PS55 (Pwr. supply)
SM6 (Desk Mic.)

You can contact me (N4AX Byron Allen) anytime for further details/prices at
(256) 797-3079.

1278. FS: Heathkit Items On Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Matt Robbins <robbinsm@umich.edu>
Message-ID: <UNMx2.7206$Ge3.29220847@news.itd.umich.edu>
Source record: 116744

I have the following Heathkit Items on Ebay:
SBA-300-3 6 Meter Converter
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66788194
SBA-300-2 2 Meter Converter
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66789471
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66790512
GR-98 VHF Receiver
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66791903
IO-21 General Purpose Scope
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66793681
SB-401 Panel
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66795320

1279. mods for TM-G707

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Bo Chan <VE7WBC@qsl.net>
Message-ID: <36c7a8be.0@carrera.intergate.ca>
Source record: 116745

Does anyone have the mod of TM-G707?

1280. TS-430S W/SSB Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Paul <paul@triconnect.com>
Message-ID: <36C7C33B.4D717E2B@triconnect.com>
Source record: 116746

Kenwood TS-430S
In great working order.
Includes new hand mike, manual and new (not needed) lithium battery.
Also includes SSB Nar. filter. (Installed)

Asking $500.00

Paul

1281. FS: SG2020

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Wayne Montague <montaw@tdbank.ca>
Message-ID: <36C66F5B.5CBA@tdbank.ca>
Source record: 116747

SG2020 For Sale
==========

This radio was purchased in May, 1998 for use at the
cottage. Since that time, I've used it briefly on 40 CW
at home and one cottage visit.

The radio is flawless due to its limited use, and that
is the reason for its sale. Original packing just as if
you had bought one from the dealer. I challenge anyone to
be able to tell the difference.

The radio puts out well in excess of its nominal 20 watt
rating.

I won't detail its features and specifications, for it
can be researched best at www.sgcworld.com

ROM version 1.04 and I will have it updated to the
latest ROM 1.05 as part of the purcase.

Price - $525 US shipped CONUS

Wayne
VE3EFJ

montaw@tdbank.ca

1282. FS ICOM IC-756 $1650.00 FIRM SHIP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Gabriel G Melo <n1hhf@110.net>
Message-ID: <7a6k0dirs1@stalker.oem.net>
Source record: 116748

n1hhf@110.net

1283. FS KENWOOD TS-440AT $650.00 FIRM SHIP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Gabriel G Melo <n1hhf@110.net>
Message-ID: <7a6k22jfm1@stalker.oem.net>
Source record: 116749

n1hhf@110.net

1284. FS AMERITRON AMP AL-80B $750.00 FIRM SHIP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Gabriel G Melo <n1hhf@110.net>
Message-ID: <7a6k4bjmf1@stalker.oem.net>
Source record: 116750

n1hhf@110.net

1285. FT8100R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Patrick Vermote <pvermote@club-internet.fr>
Message-ID: <7aa3uo$t7t$1@front1.grolier.fr>
Source record: 116751

Hi,

I'm looking ADMS software for my FT8100R . Tnx for answer !

Pat

1286. Please help me with TR-9130

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: SUBUR HENDRO SUBEKTI <suburhs@indosat.net.id>
Message-ID: <01be57d9$871b8500$45069bca@suburhs.indosat.net.id>
Source record: 116770

Dear My Friends,
Could you give information abaout my radio TR-9130 :
1. How is MIC pin configuration ?
2. What for BACKUP, AUK, KEY, STBY connector ?
3. How is BACKUP, AUK, KEY, STBY pin configuration ?
4. Im loking for the manual Book TR-9130, Where I can find ?

Please send me email as soon as posible at suburhs@indosat.net.id especialy
question No. 4
--
==========
SUBUR HENDRO SUBEKTI

PT INDOSAT JATILUHUR SATELLITE EARTH STATION
Jl. Lurah Kawi Cilegong - Purwakarta
Jawa Barat - Indonesia 41152
Telp. 62-21-3848310, 62-264-200796
Fax. 62-21-3865651

1287. Re: ICOM 746 vs YEASU FT920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <36cc52c5.24189664@news.atl.bellsouth.net>
Source record: 116771

On Sat, 13 Feb 1999 16:26:52 -0800, "Steve" <sbynum@NOSPAMearthlink.net> wrote:
> Ive tried both. I was very disappointed with the Yaesu receiver. It tends
>to be a little on the noisy side. I got the specs out and was shocked to see
>that the receiver only has double conversion ! {2 if stages}. If you have
>had a rig with triple or quad conversion, you will most likely notice the
>double conversion performance of the FT 920 quickly.

Interesting comment. So the phase noise contributed by the two extra
conversion oscillators, and the noise figure degradation of two extra
mixer stages, make the receiver "quieter", eh? Fascinating. Totally
wrong, of course, but fascinating.

It couldn't possibly be that the two receivers have different gain distributions,
could it? It couldn't possibly be that one has a quieter DDS than the other,
could it? It couldn't possibly be that one has a DSP demodulator, could it?
It couldn't possibly be that the two radios have different AF response
shaping, could it? No, of course not, it must be the number of conversions.
So we'd have an even better receiver if it had 12 conversions, or perhaps 24
conversions, hell, why not a *thousand* conversions? Then it would be so
quiet we couldn't even hear it, right?

Wrong. Given equally good design, the receiver with the least number of
conversions has the least added noise and spurious products. That's why
direct conversion receivers can sound so good. So if we have a radio with
more conversions which still winds up being better *despite* that, then it
must be better designed in other areas to compensate for the extra noise
and spurious products introduced by the multiple conversions.

In fact, Icom is a leader in DDS design, and *despite* needing multiple
conversions to provide IF DSP, the IC746 has excellent gain distribution.
So *despite* the *extra noise* contributed by those extra conversions, it
still has excellent performance.

This myth of more conversions being better is as bad as the old myth
that the radio with the most tubes is better. It isn't necessarily so. The
quality of the design matters much more. If the quality of design is equal,
then the radio with the fewest conversions will have the least added
noise and spurious products.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

1288. Re: Yaesu FT-920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Gary <catlink@erols.com>
Message-ID: <7a5muqkgo1@winter.news.rcn.net>
Source record: 116772
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

You offered this radio a couple of weeks ago for $950 and said you had two of them for that price. You also said the radios were used for testing your products at your company. I sent you an email requesting what they were used for and you never responded. Now you are trying to sell them for $1250! What is going on here?

==========

Robert Stuedemann wrote in message <36C5E28C.480F3EAD@netonecom.net>...
>For Sale Yaesu FT-920 hf + 6 meter radio. Radio is three months old and
>is like new. Has optional FM board installed.Comes complete with mic,
>manual, power cord and factory shipping boxes. $1250
>

1289. WTB: Standard C5900 Tri-band mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Greg Ottria <Gottria@Inreach.com>
Message-ID: <%Dtx2.43593$un6.15567715@news.inreach.com>
Source record: 116773
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Looking for a good condition Standard C5900 Tri-band mobile.

Greg Ottria KE6PTP
Castro Valley, California
Gottria@Inreach.com

1290. CQ CQ CQ

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990214010200.27797.00001461@ng119.aol.com>
Source record: 116774

You HAVE to check out this file system for qsl cards. It beats keeping your cards in an old shoebox hands down!

This thing holds and displays 400 cards. It hangs on the wall and is really slick. At 25 bucks it's a steal. Whenever people see my cards displayed in this thing they are really impressed. I got one at the breezeshooters hamfest last year and paid over $40 dollars.

I have no financial interest in this guys operation at all. If you QSL, you HAVE to look at this!

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=65950622

1291. WTB: 2 Meter All Mode

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Patrick Burke <pburke@cpinternet.com>
Message-ID: <SHtx2.1667$_B2.39376@newsfeed.slurp.net>
Source record: 116775

Hi,
I am looking for an older 2 meter all mode radio. Base or mobile would be fine. Will consider equipment like the Kenwood TS-700 or whatever you have. The main consideration is that it is operational on all modes and that the price is reasonable.
If you have something like this that you are looking to move, please email me with details and price.
73,
Patrick, KB0BRO

1292. For Sale HR 2510.. MINT!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36c778ba.540654@netnews.worldnet.att.net>
Source record: 116776

selling a mint cond HR 2510 Uniden Radio
10-11 meters all modded... comes with stock mic
and Astic Power mic like new.... has box and manual and
bracket... price is 230.00 with 2 mics or 200.00 with stock mic
eamil me or call me 714 960-2835 mike so cal....thanks

1293. Re: ICOM 746 vs YEASU FT920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: drgrant@ziplink.net
Message-ID: <36c89380.370296628@news.tiac.net>
Source record: 116777

On Sat, 13 Feb 1999 22:06:11 -0800, "Steve"
<sbynum@NOSPAMearthlink.net> wrote:

>Gary, the rule of thumb is the more stages in the IF the quieter and more
>selectivity the receiver and these rigs usually cost more $$.
> Some rigs with quadruple receivers..
>1. TS 950
>2. TS 940
>3. IC 781
>4. IC 765
>5. IC 761
>6. IC 746
>7. FT 1000
>8. FT 1000MP
>See the tendencies here? All have awesome receivers.
>
The MP and the 746 are Triple conversion; they throw the
fourth stage in for the IF DSP, and I really don't consider that
a true conversion, especially if the DSP is off, Course thats
just symantics. Apparently you didn't read Gary's post, he said
that if the reciever is fundamentally better, then THAT is the reason
why a dual conversion sucks compared to quadruple conversion; only
because the radios where dual conversion is found in, they are
typically in a lower price class, so they're not as fundamentally
robust. I do believe you are right in saying that the more
conversions, the better the selectivity is. That doesn't mean
your going to get a quieter reciever though, the only reason it
happens with todays riceboxes is because of the way the
cards fall. Cheaper radios simply will not have the robust circuitry
that the big dogs have.... thats why this "phenomena" occurs.

>Some Rigs with double conversions...
>1. TS120
>2. TS 140
>3. FT 890
>4. FT 920
>
> Gary you totally missed the point. How much adjacent noise can you
>handle? I have to believe the 3 major Radio companies had a purpose for the
>3 and 4 stage receivers in their mid to higher end radios. Name one radio
>{solid state receiver} that uses double conversion that is well known for
>its receivers selectivity?
>

You had to mention all the bad ones... only one out of that list thats really good is the FT-890. Now, THAT, is an idea of a well built double conversion reciever. And really, for everyday use, the 890 is a wonderful radio. I'm sure under "contest" conditions its not as good as the big dogs, but it has more than enough rejection for most applications. I think the same thing probably holds true to the 920....

I think the 920 is a decent radio, aside from the fact that the look and feel of the radio all screams towards "CHEAP". It is definitely not an FT-990 replacement, in the ergonomics/styling department.

The bottom line is, that the final decision in choosing the radio lies in the operators individual tastes more than anything else. For all we know the FT-920 may be the best dual conversion reciever on earth, but if I listen to it and I just dont like the way it sounds to my ear, then I will condemn it to damnation, and choose another radio, due to my personal preference. It's always imporant to sit down and USE THE RIG (either at a store display, or better yet, a fellow operator's shack) before you buy. You may find that "good specs" dont always mean a radio that you will like. Then there are

opinions all over the place. I have a TS-850. I've heard guys say the radio sounds like a cement mixer in terms of phase noise. But you know what? I like the radio, and it suits me well. I think its a good piece of equipment. I mean sure, there are radios that are much better than others and the differences are blatantly obvious, but in most cases opinion ends up being 25% actual radio construction and 75% operator bias when someone tells you how good or bad a radio is.

-Mike

1294. specs database

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Hamish Moffatt <hamish@rising.com.au>
Message-ID: <7a6grh$pp0$1@arachne.labyrinth.net.au>
Source record: 116778

Does something like a radio specs database exist on the web?
I've been looking through some ads and have no idea what some of the radios
actually are. For example, an FT901DM and an FT212RH -- searches for these
on the web have shown up nothing, I can't get to yaesu's web site, and
most of the manufacturers have no information on obselete radios online
anyway.

Interesting specs would be: age, band(s), power needs (12V or 110/240V),
and power output.

thanks,
Hamish
--
Hamish Moffatt Mobile: +61 412 011 176 hamish@rising.com.au

Rising Software Australia Pty. Ltd.
Developers of music education software including Auralia & Musition.
31 Elmhurst Road, Blackburn, Victoria Australia, 3130
Phone: +61 3 9894 4788 Fax: +61 3 9894 3362 USA Toll Free: 1-888-667-7839
Internet: http://www.rising.com.au/

1295. FT51R Templete

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Vinny Noto <wx2ny@erols.com>
Message-ID: <36C6CC31.5DE@erols.com>
Source record: 116779

Can any one send me a templete made on ADMS software for the FT51R.
The correct file extension is .tpl.

This would be greatly appreciated. I never made one from my radio and
now its stuck in European mode after a power failure. I think changing
the templete will solve the problem.

Vinny Noto
WX2NY

1296. FS: 2meter beam & rotor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: ^Fretts <n2rif@kwiknet.net>
Message-ID: <o6Ax2.25$zC5.243@news14.ispnews.com>
Source record: 116780
Cross-posted to:
nj.forsale,pa.forsale,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

```
Forsale:
2 meter Cushcraft 8elem {ssb or fm} beam with 50ft coax,
RadioShack rotor and control box $80/obo for all. Sorry I
can not ship.. If interested please Call (609)386-9382... If
busy call (609)386-3272 [please afternoon's only!! Ederly
mother is very ill]
Cordially Thom j. de N2RIF aka ^Fretts -73
Email: n2rif@kwiknet.net Or just remove "knowspam"
when you hit ur reply button..
```

1297. FS: Astron 12amp Pwr Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: ^Fretts <n2rif@kwiknet.net>
Message-ID: <aeAx2.26$zC5.50@news14.ispnews.com>
Source record: 116781
Cross-posted to: nj.forsale,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Forsale: Astron 12amp {15amp surge} power supply hardly
used. New $80 price $50/bo +shipping.. If you're interested
Call: (609)386-9382... If busy Call: (609)386-3272 [please
afternoon's only!! Ederly mother is very ill]
Cordially Thom j. de N2RIF -73
Email: n2rif@kwiknet.net Or remove "knowspam"
when you hit ur reply button..

1298. Re: FT51R HELP!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <36C6CF76.82FA0A73@flash.net>
Source record: 116782

I had one that did the same thing and I did the mod reset(hold down
both up and down arrow while turning the radio on) also you might have
to do a cpu reset. Hold down the vfo and mr and 2 key while turning on
the radio.
AFTER that put in a freq. out of band on the left side in the 440 range,
like 462.5625. after a while of putting in out of band freq on the left
side it started working again. Dont ask me why but it did... Its worth a
try anyway.
K5JOE

Vinny Noto wrote:
>
> When my radio lost power it somehow went into the European mode.
> Transmits on 144-146 and 430-440 only. Does anyone now how to get it
> back to USA mode. I do have ADMS software if needed. No mods of any kind
> were made. Stock radio.
>
> Thanks
> Vinny
> WX2NY

1299. HEATH CR-1 Crystal Set

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: searay270@juno.com
Message-ID: <7a6lrodnv1@nnrp1.dejanews.com>
Source record: 116783
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

I recently picked up a Heath CR-1 Crystal Receiver set at a hamfest. Any readers who could answer questions I have?

Thanks for reading.

Jack Myers W3RU
Sarasota, FL

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1300. Re: FREE- By Dennis W3EAL

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <srAx2.36$lH1.267258@sapphire.mtt.net>
Source record: 116784

In article <19990213092303.08087.00000933@ng-fv1.aol.com>
dbbadge@aol.com (DBBADGE) wrote:

> news@aol.com

Can you provide detail of the transaction? Might want to
cross-post this to res.radio.swap also

1301. Re: USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <olAx2.35$lH1.264711@sapphire.mtt.net>
Source record: 116785
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Dan

Guess I was lucky and they found my package 2 weeks later. Just call them everyday.
Yep, everyday 3 x...Provide the full details and such. When they found it 1/2 across the world
they sent it Over-night AIR Express for FREE...I Guess I got lucky...How long u been waiting?

dave

> Steve
> Dan wrote in message <7a4da5$17e$1@news.xmission.com>...
>>Hi Guys,
>>
>> The VX-1R was insured for $250. What can I expect after I have filed a
>>claim?
>>I have been told that it'll take months to get a check from them, and they
>>give you the royal run-around. Is this true?
>>Any and all info is greatly appreciated!!
>>
>>73 Dan / N7WPD
>>
>>
>

1302. WTD: 6 PIN TUBE BASES

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: dialcover@webtv.net
Message-ID: <12514-36C6B964-3@newsd-123.bryant.webtv.net>
Source record: 116786

IF YOU HAVE ANY 6 PIN TUBE BASES FROM OLD OR BROKEN TUBES , I NEED THEM. WILLING TO PAY 50 CENTS EACH. WA0ABI

disregard caps, visual problem
Bill Turner, 1117 Pike Street
St, Charles, MO 63301-2907

1303. FS FT-50R Free mod

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: tnic <tnic@erols.com>
Message-ID: <7a6k4o$e50$1@winter.news.rcn.net>
Source record: 116787

All Items in excellent condition.
FS YAESU FT-50R Freeband Mod done. Receives everythng you want.
We split the shipping and COD cost. Contact tnic@Erols.com

$220 INCLUDES:
Original box.
Manual
Wall charger
Antenna
Voice recorder
Yaesu 5 watt FNB-41 600 mha NiCad Battery.

GOODIES FOR SALE some of this is too small/inexpensive to sell/ship alone.

Orange rubber gasket (2 pieces) RH-1 $5 each
Black rubber gasket (2 pieces) RH-1 $5 each

--Yaesu FNB-41 Nicad Battery 600 ma Orig cost $58 will sell $40.
--MAHA Nickel Metal Hydride FNB-40 650 mah 7.2 volt thin battery Orig cost $60 each will sell $40 each (2 pieces)
--MAHA Nickel Metal Hydride FNB-41 900 mah 9.6 volt battery Orig cost $56 will sell $40.
--MAHA Nickel Metal Hydride FNB-V47 1800 mah 9.6 volt battery Orig cost $70 each will sell $46.
--Charger stand CA-15 allows you to use the wall charger to charge batteries without the radio.
(2 pieces) Orig cost $26 will sell $20 each.
We split the shipping & COD cost. Contact tnic@erols.com

1304. FS: KENWOOD DSP-100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: K2GV <gvibert@optonline.net>
Message-ID: <36C6D881.C682E7C3@optonline.net>
Source record: 116788

I have for sale a Kenwood Digital Signal Processor
DSP-100 in excellent condition
price: $ 270.00 and I will ship in US
comes in original box with manual and all cables

Thanks for reading

Jerry / K2GV
(516)-785-7313

1305. Re: USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: n0jvt@feist.com
Message-ID: <n0jvt-1402990821150001@fsict-tc5-36.feist.com>
Source record: 116789
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

U.P.S = " Universal Package Smashers "
When it absoulty Positivly Has to Be smashed inroute

About 2 Years ago after a long search i finally got my hands on a nice
Kenwood TS-700S and when it arrived at my QTH the radio looked likre it
had been dropped on its face from a good 6Ft.....$400+ worth of
radio turned into 28 Lbs of junk (Kenwood in longbeach Est a min of $700
to repair all the cosmetic and electrical damage to the radio

The vfo had been driven backwards THROUGH the Display Board among
other damage

I've also noticed when i over insure items shipped they never get damaged

Have a nice one all

DE n0jvt (sk)

P.S: UPS did finally pay off after 6 months but after
all the long distance phone calls Etc. i lost about 250-300

1306. Want: Motorola Syntor UHF manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: John Burch <occupant@syix.com>
Message-ID: <01be582e$5acee140$184aabcd@default>
Source record: 116790
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Looking for a gen-u-ine original Motorola
manual for a model T44SRA1900AK
Syntor mobile. Will pay cash.

Thanks

John
occupant@syix.com
...

1307. Want: RCA Power-Line Monitor (meter)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: John Burch <occupant@syix.com>
Message-ID: <01be582e$abac7aa0$184aabcd@default>
Source record: 116791
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment,sci.electronics.misc

Wanted: RCA Power Line Monitor model WV-120A
meter in good to excellent condition. Will pay cash.

Please e-mail me at occupant@syix.com

Thanks for reading.

73 de John
.....

1308. 1150 Mhz bandpass filter 70db is up for auction on ebay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Kyle Wesley <wesleyk@cyberramp.net>
Message-ID: <36C6EB55.4E6A7B35@cyberramp.net>
Source record: 116792
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment,sci.electronics.equipment

I've got this really cool bandpass filter for auction on ebay. So far
the bid is $1.56.
This filter is a heavy duty commerical filter.
If you want to go take a look follow the url below.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66094802

L Band Filter

Reactel Inc.

Part Number 7C7-1150-50S11
Center Frequency = 1150 MHz
3 dB BW = 50 MHz
IL <= 2 dB @ CF (<= 1 dB typical)
>= 70 dB @ 1080 MHz
>= 80 dB @ 1270 to 1310 MHz
VSWR <= 1.5:1 @ 1130 to 1170 MHz
Connectors: SMA Female in / out
Size: 1" x 2" x 5.55" nominal excluding connectors

1309. Re: TM-V7A Problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: paul wise <n3ngo@prodigy.net>
Message-ID: <7a6q59$6hmi$1@newssvr03-int.news.prodigy.com>
Source record: 116793

i have no vibration problems with my v7
sounds to me like your removeable face either is not seated properly, or the
contacts are dirty.
only problems i have with rig are the display is difficult/impossible to
read in cold temperatures
and it seems to be an intermod magnet...

1310. J.W. MILLER AT-2500 AUTO TUNER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: landaircom@aol.com
Message-ID: <19990214103136.17822.00001000@ng155.aol.com>
Source record: 116794

Unit in good condition $600.00 Contact Hal at 718-8473090

1311. Re: USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: PAW <73457.650@CompuServe.COM>
Message-ID: <#7juj2CW#GA.120@ntdwwaaw.compuserve.com>
Source record: 116795

I had a radio which took a UPS shot which rendered it to the junk pile. They reimbursed after returning the remains to the seller and settled in a timely manner. No BIG hassle, just a inconvienience.

--
PAW
(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
http://ourworld.compuserve.com/homepages/w9jmn

1312. RCA Series 700 UHF Repeater, need shop manual.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: ggately@my-dejanews.com
Message-ID: <7a6tpojua1@nnrp1.dejanews.com>
Source record: 116796
Cross-posted to: rec.radio.amateur.misc,alt.ham-radio.marketplace,rec.radio.amateur.equipment

I have an RCA Series 700 UHF repeater. I
am looking for a a service, shop manual for it.
I need information for tuning up the RX/TX sections
and basic controller wiring (RX/TX audio, PTT and
REC COR) tap off points, for my external (CAT 300)
controller.

If you have such a manual for sale, or could copy
the appropriate sections and mail or fax them to me, I
would gladly pay for these services.

Thanks;
A-American Inc.
Gregory Gately (K9OYO)
Brookfield, Il. 60513
(708) 387-2474
(708) 387-2475 (FAX)

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1313. Re: Marconi T10A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Chris McCarthy <chris.spam@g3xvl.removespams.freeserve.co.uk>
Message-ID: <7a6r76$5dg$1@news7.svr.pol.co.uk>
Source record: 116797
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,uk.radio.amateur

Simon Cox wrote in message
>I need any help you can supply about the above set.
>I believe it's from the 50's. A domestic broadcast receiver
This set was released in OCT 1947 the circuit is in the Radio &Television
Servicing Handbook by E.Pooley & W.F.Poole pub Newnes, should be available
in your local library.
Chris

1314. Re: Yaesu FT-840 - $550

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: amen105073@aol.com
Message-ID: <19990214110902.09749.00001595@ng133.aol.com>
Source record: 116798

How can i cantac you to buy the rodio, ok please ... thank you

1315. FS: Yaesu FT-290RII 2 meter All Mode

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: kf4tuz@qsl.net
Message-ID: <36c8f365.659963467@news.blueridge.net>
Source record: 116799

In good condition, with a few dings on the top from mobile use,
would be excellent for field work, made extrememly durable.
I have used it greatly, has awesome sensitivity in all modes...
for more information check here:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66941584

1316. FS: Cherokee AH-50 6 Meter FM HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: kf4tuz@qsl.net
Message-ID: <36c9f41b.660145736@news.blueridge.net>
Source record: 116800

Like new, bought and then got a good deal on a Icom 706MKII, so I
don't need it anymore... still has plastic protector on LCD readout..
.no scratches... for more info on the sale, check this page:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66860158

1317. more items for trade. Pictures at:

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Pete <nntp@ibelings.com>
Message-ID: <ISCx2.3573$gk.6888788@news2.atl>
Source record: 116801

http://www.ibelings.com/trade

1318. Where can I find crystals for my RCA 1000?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Daniel J Velez <dvelez@citizen.infi.net>
Message-ID: <7a6te4$k66$1@nw001t.infi.net>
Source record: 116802

One of these radios happened along my way and I have no idea where to get the crystals and the crystal packages. Can you help?

73 de Dan
W4DJV

1319. Re: Yaesu FT-920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Gary <catlink@erols.com>
Message-ID: <7a6u0geuq1@winter.news.rcn.net>
Source record: 116803
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

BIG OOPS!!!

I apologize Robert! I did have you confused with someone else. This is a copy of the original message of which I had you confused.

==========
-----Original Message-----
From: STRIDSBERG <stridsberg@email.msn.com>
Newsgroups: rec.radio.amateur.equipment
Date: Wednesday, February 03, 1999 7:39 PM
Subject: FS: YAESU FT920 Transceivers (2 units)

>Our company have for sale 2 ea. Yaesu FT-920 Transceivers.
>These radios are very new (less than 3 month) and in spotless condition.
>Radios have been used in our engineering department for evaluation of our
>own products. All packaging and manual intact.
>
>Price: $995.00 including ground shipping and insurance in CONUS.
>
>If interested, give us a call.
>
>We take VISA/MasterCard and American Express cards.
>
>Best regards:
>
>STRIDSBERG ENGINEERING, INC
>SHREVEPORT, LA USA.
>
>TEL: (318) 861-0660

==========

Gary wrote in message <7a5muqkgo1@winter.news.rcn.net>...
>You offered this radio a couple of weeks ago for $950 and said you had two
>of them for that price. You also said the radios were used for testing your
>products at your company. I sent you an email requesting what they were
used
>for and you never responded. Now you are trying to sell them for $1250!
What
>is going on here?
>
>==========
>Robert Stuedemann wrote in message <36C5E28C.480F3EAD@netonecom.net>...
>>For Sale Yaesu FT-920 hf + 6 meter radio. Radio is three months old and
>>is like new. Has optional FM board installed.Comes complete with mic,

>>manual, power cord and factory shipping boxes. $1250
>>
>
>

1320. FS: WA4DSY 56k modem and PackeTwin card, $420

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: qwasty@hotmail.com
Message-ID: <7a71lpmoq1@nnrp1.dejanews.com>
Source record: 116804

I bought a WA4DSY 56k modem and PackeTwin card last summer and I have never used them. The PackeTwin card has never been installed into a PC and the WA4DSY 56Kbps modem has never been powered up. They are both brand-spankin' new, from Paccomm. You can see photos and info about them at http://www.paccomm.com the PackeTwin card is capable of doing 2Mbps if you can find or build a modem that is that fast. It's great for hi speed microwave data or digital video and such. I have all the original packaging, manuals, shipping containers etc. I haven't checked on this to be sure, but you may have to get a different protocol IC from Paccomm for their PackeTwin card in order to interface it with the WA4DSY modem. You also will need transverters for the modem to your preferred operating frequency.

Not including shipping, I paid $350 for the modem and $250 for the PackeTwin for a total of $600. The reason I am selling these units is because I am a college student and I don't have the time it takes to get these things running. On top of that, there's almost nobody in Utah (that I know of) with similar equipment. So, what good is it if there's nobody to link to?

I'd like to sell them together if possible. They are worth $600 together, I will sell them for $420. I'll ship them when your check/money order clears my bank. If you have questions, send me an email or something. My nick is badon on EFnet (IRC) if you want to chat.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1321. Standard C5900 and Frequency coverage

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Greg Ottria <Gottria@Inreach.com>
Message-ID: <YeDx2.43665$un6.15789220@news.inreach.com>
Source record: 116805

Do all Standard C5900 receive below 44Mhz? A friend has one that goes to the 42Mhz area. He said not all C5900 goes below the 44Mhz that Standard advertises.

Greg Ottria KE6PTP
Castro Valley, California
Gottria@Inreach.com

1322. Re: FS/FT: President HR2600 10m

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Gary <catlink@erols.com>
Message-ID: <7a6vlkrou1@winter.news.rcn.net>
Source record: 116806

Correction on the price of this radio. It is $200 NOT $250.

Gary

Gary wrote in message <7a5mekgqg1@winter.news.rcn.net>...
>FS/FT: President HR2600 10m transceiver. This equipment is in like-new
>condition,never mobile and has only been in a nonsmoking environment. The
>radio has the HR2510 CPU installed and has the mod for the extra 11m band.
>It also has an end-of-transmission "K" beep which can be disabled by the
RPT
>offset switch which is not needed with the HR2510 CPU due to losing the RPT
>offset function. I also have the original CPU which may be reinstalled to
>restore to original operation. This is a very nice radio in excellent
>condition. I do not need it due to other 10m equipment I own. The price is
>$250 shipped or trade for other equipment within my state of Maryland.
>Gary (N5IXI) <catlink@erols.com>
>
>
>

1323. Re: ICOM 746 vs YEASU FT920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Steve <sbynum@NOSPAMearthlink.net>
Message-ID: <7a6u8gruu1@oak.prod.itd.earthlink.net>
Source record: 116807

drgrant@ziplink.net wrote in message <36c89380.370296628@news.tiac.net>...
>On Sat, 13 Feb 1999 22:06:11 -0800, "Steve"
><sbynum@NOSPAMearthlink.net> wrote:
>
>>Gary, the rule of thumb is the more stages in the IF the quieter and more
>>selectivity the receiver and these rigs usually cost more $$.
>> Some rigs with quadruple receivers..
>>1. TS 950
>>2. TS 940
>>3. IC 781
>>4. IC 765
>>5. IC 761
>>6. IC 746
>>7. FT 1000
>>8. FT 1000MP
>>See the tendencies here? All have awesome receivers.
>>
>The MP and the 746 are Triple conversion; they throw the
>fourth stage in for the IF DSP, and I really don't consider that
>a true conversion, especially if the DSP is off, Course thats
>just symantics. Apparently you didn't read Gary's post, he said
>that if the reciever is fundamentally better, then THAT is the reason
>why a dual conversion sucks compared to quadruple conversion; only
>because the radios where dual conversion is found in, they are
>typically in a lower price class, so they're not as fundamentally
>robust. I do believe you are right in saying that the more
>conversions, the better the selectivity is. That doesn't mean
>your going to get a quieter reciever though, the only reason it
>happens with todays riceboxes is because of the way the
>cards fall.

Thats the way the cards fall? Ok..The fact that ALL the high end rigs are mostly quadruple conversion {ok a few technically triple} and have wonderful receivers is just luck ? And each companies top of the line rig is quad conversion has nothing to do with its receivers performance ? I can see we will never agree here but thats ok. I guess thats where "theory" applies :O) .

1324. Re: SMA to BNC adaptor warning

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Alun <AJB@alunbell.demon.co.uk>
Message-ID: <SAs6rIAgJwx2EwL1@alunbell.demon.co.uk>
Source record: 116808
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner,alt.radio.scanner

In article <MPG.112d3fa2262cff869897f5@news.wans.net>, Lee Rothman
<dcisive@wans.net> writes
>I have absolutely no problems whatsoever with mine. I use a telescopic
>antenna with a coil, and a Icom IC-R2. It is built like a little brick,
>and has a very well supported SMA base mount area. I suppose some radios
>aren't quite this well made, but oh well.

Same here. The build is very solid. Dropped my R2 onto concrete from 5ft
the other day - not a scratch, and the antenna was fine.
--
Alun

1325. FS: Viking KW Matchbox

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: MindSpring User <blyall@mindspring.com>
Message-ID: <7a70f7$b7b$1@camel18.mindspring.com>
Source record: 116809

FS: JOHNSON VIKING KW MATCHBOX with Coupler. Good Condition, no manual.
$275 plus shipping. Metro Atlanta area. Reply to blyall@mindspring.com .

1326. Ft-50r - front end 220 mhz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: rossi <g.rossi@mailcity.com>
Message-ID: <36C6FBC1.6ACC150A@mailcity.com>
Source record: 116810

I don't receve 220 mhz band.
the cpu change this band, but the front end not exist!
anyone know how i can enable 220 mhz in the 300/400 band or 50/221
band.
mny tnks

Quality (quality@datablast.net) wrote:

: Gary LaRocco wrote in message ...
: >The problem is between 470.00 and 799.99. While I can rx in this range,
: >the sql is wide open, regardless of the actual setting. When I try to
: >set it, the value won't change.
: >
: >Anyone here have any thoughts?

: Go to selection #30, WSQL, and make the adjustment there.

NOPE....although you are on the right track....
WSQL needs to be set to 0

The correct selection is #32, RMOD.
Probably you will find it set to W-FM.
Rotate the knob so that the display says N-FM.
Save the setting, and you should solve it.
OTOH, if you WANT the unit to RX wide-fm in that frequency range, then you
SHOULD reset #30-but the W-FM performance will suffer, as the 50 has a
rough time breaking squelch on W-FM.

1327. Ft-50r - front end 220 mhz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: rossi <g.rossi@mailcity.com>
Message-ID: <36C6FBE1.383B1D87@mailcity.com>
Source record: 116811

I don't receve 220 mhz band.
the cpu change this band, but the front end not exist!
anyone know how i can enable 220 mhz in the 300/400 band or 50/221
band.
mny tnks

Quality (quality@datablast.net) wrote:

: Gary LaRocco wrote in message ...
: >The problem is between 470.00 and 799.99. While I can rx in this range,
: >the sql is wide open, regardless of the actual setting. When I try to
: >set it, the value won't change.
: >
: >Anyone here have any thoughts?

: Go to selection #30, WSQL, and make the adjustment there.

NOPE....although you are on the right track....
WSQL needs to be set to 0

The correct selection is #32, RMOD.
Probably you will find it set to W-FM.
Rotate the knob so that the display says N-FM.
Save the setting, and you should solve it.
OTOH, if you WANT the unit to RX wide-fm in that frequency range, then you
SHOULD reset #30-but the W-FM performance will suffer, as the 50 has a
rough time breaking squelch on W-FM.

1328. Re: USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Michael D Worrell <mworrell@mail.bna.bellsouth.net>
Message-ID: <36C709A4.8461B47A@mail.bna.bellsouth.net>
Source record: 116812
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Agree, when I returned radio to ham station in Indiana, microphone sustained damage even thought it was well packed. Box looked like it had been crushed.
Mike

"Michael W. McGinley" wrote:

> U.P.S = " Universal Package Smashers "
> When it absoulty Positivly Has to Be smashed inroute
>
> About 2 Years ago after a long search i finally got my hands on a nice
> Kenwood TS-700S and when it arrived at my QTH the radio looked likre it
> had been dropped on its face from a good 6Ft.....$400+ worth of
> radio turned into 28 Lbs of junk (Kenwood in longbeach Est a min of $700
> to repair all the cosmetic and electrical damage to the radio
>
> The vfo had been driven backwards THROUGH the Display Board among
> other damage
>
> I've also noticed when i over insure items shipped they never get damaged
>
> Have a nice one all
>
> DE n0jvt (sk)
>
> P.S: UPS did finally pay off after 6 months but after
> all the long distance phone calls Etc. i lost about 250-300

1329. ICOM-706 Tuner Control Socket

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: w2ltu@pipeline.com
Message-ID: <36c70b9d.1758920@news.mindspring.com>
Source record: 116813

Regarding the 4 pin "Tuner Control Socket" on the rear of the
ICOM-706. There is one pin that has 13.8 V on it.....does anyone know
what current it can support? Is this the same 13.8 V that appears on
Pin 8 of the ACC Socket? Thanks.
w2ltu@pipeline.com

1330. Re: specs database

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: qwasty@hotmail.com
Message-ID: <7a7581phg1@nnrp1.dejanews.com>
Source record: 116814

Most manufacturers *barely* have information on *current* radios! What the hell is wrong with all of these companies? they spend millions making sophisticated equipment but they can't pay some geek high-school student 10 bucks an hour to scan a few extra pics, add a few reviews, and maybe a PDF of the manual!!! So far, the best manufacturer in this regard is SGC (I hear their radios suck tho), and second best is Kenwood. The rest just don't care whether you buy their stuff or not, apparently. And so far, NONE, I repeat, nobody gives a flying fuck what happens to you or your radios, AFTER they sell it to you. A good manufacturer would go out of their way to make sure that their stuff gets the highest prices on rec.radio.swap simply because it's a sign of professionalism. Car manufacturers are always trying to claim that their stuff is so much better than the rest that they always sell for the highest prices years after the original owner trades it in. If an old radio sells for a consistently high price, it suggests the former owners aren't selling them because they're junk! If they don't have info on their older models, obviously they don't care. My next radio is not going to be a kenwood, yaesu, or an icom if I can find something better.

In article <7a6grh$pp0$1@arachne.labyrinth.net.au>,
Hamish Moffatt <hamish@rising.com.au> wrote:
> Does something like a radio specs database exist on the web?
> I've been looking through some ads and have no idea what some of the radios
> actually are. For example, an FT901DM and an FT212RH -- searches for these
> on the web have shown up nothing, I can't get to yaesu's web site, and
> most of the manufacturers have no information on obselete radios online
> anyway.
>
> Interesting specs would be: age, band(s), power needs (12V or 110/240V),
> and power output.
>
> thanks,
> Hamish
> --
> Hamish Moffatt Mobile: +61 412 011 176 hamish@rising.com.au
>
> Rising Software Australia Pty. Ltd.
> Developers of music education software including Auralia & Musition.
> 31 Elmhurst Road, Blackburn, Victoria Australia, 3130
> Phone: +61 3 9894 4788 Fax: +61 3 9894 3362 USA Toll Free: 1-888-667-7839
> Internet: http://www.rising.com.au/
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1331. Motorola Saber Info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Russ Freeman <jrf9949@garnet.acns.fsu.edu>
Message-ID: <36C70DDB.C93EE632@garnet.acns.fsu.edu>
Source record: 116815

What is the difference between a Saber I/II/III? I know that some have displays and DTMF pads and that some scan and some don't. Is the ASTRO option a whole different radio or an optional module?
Russ, KF4ZFS

1332. Alinco DJ-C5T earphone/mic?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: KD5GEH <kd5geh@koogles.net>
Message-ID: <7a73becmv1@newnews.startext.net>
Source record: 116816

Where would I buy such? The local dealers don't carry it, and the Alinco website has no 'provisions' for ordering it.
The thing, if it's what I think it is (I have a similar 'device' on another radio) picks up your voice thru your ear.. Works great for bicycling, since the wind-noise isn't picked up by it.. Something the Alinco's built-in mic seems to prefer over voice...

Thanks!

PS. The part #'s EME-17, and the webpage says that an EDS-7 (no idea what that is) is required...
There might be some dealer reading this, that happens to have it in stock...
:)

1333. Re: Alinco DJ-C5T earphone/mic?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: fishbags@aol.com
Message-ID: <19990214133833.04015.00000076@ng139.aol.com>
Source record: 116817

It is a seperate earphone/lapel mike, not a "talk thru your ear canal" mike.

1334. DJ580 for sale or swap

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Chris <chris@g0wyf.freeserve.co.uk>
Message-ID: <7a75fj$t6k$1@news4.svr.pol.co.uk>
Source record: 116818

DJ580 alinco dual band hand held, (2mtr/70cm).
C/W drop in charger, new battery pack, speaker mic, mobile bracket and some antenna bits.

£160 or consider swap for pentium based PC unit or playstation
chris@g0wyf.freeserve.co.uk
mid Hampshire.

1335. Re: which linear..new or used??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: donrm@sr.hp.com
Message-ID: <7a769a$889@canyon.sr.hp.com>
Source record: 116819

Bill Clarke (w2blc599@bigfoot.com) wrote:

[text deleted]
> or four 811As. You will notice the difference if you have to replace the
> tube though. 3-500s are expensive and 811As are cheap, of course you need
> four of them!
{text deleted]

I bought 20 used 811As at a flea market a couple of years ago for $5.
Several had holes in the plates and were discarded; I tested the remainder
for emission and found 8 of them usable. Four of these are now in my 30L-1
at full output.

The 811A is a nice cheap tube, but you can't abuse them by holding the
key down for more than about 5 seconds while tuning up at full plate
voltage.

Don, K6LTS
donrm@sr.hp.com

1336. FS: Icom IC-706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: kvanderlin@aol.com
Message-ID: <19990213193932.15560.00000836@ng151.aol.com>
Source record: 116851

Icom IC-706 HF/6/2 meter Transceiver. Guaranteed in **AS NEW** condition. Limited use, NEVER Mobile. 12,000+ serial number. Mic, manual, MMB, power cord and factory shipping boxes. $700 shipped Conus.

Van

1337. Need Manual for CEI VLF-354 Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: "Tom (The other one)" <badger@telalink.net>
Message-ID: <h1px2.3440$gk.6613713@news2.atl>
Source record: 116852
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Almost a boatanchor! Mid sixties vintage solid state rx.
Need a good manual copy if anyone has one available.

73

Tom KA4RKT
badger@telalink.net

1338. Re: SMA to BNC adaptor warning

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Asmodean <kf4ytrREMOVETHIS@bellsouth.net>
Message-ID: <A9px2.3441$gk.6616302@news2.atl>
Source record: 116853
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner,alt.radio.scanner

```
--
Asmo
KF4YTR
IGWT--AOPC
Charter Member of NO MA'AM

Shawn Upton wrote in message <36C4415D.FF6@eece.maine.edu>...
> us hams tend to "abuse" our
>equipment, by making them do things that it wasn't intended to do.
>

I make my HTX-202 dance on the table... ;-)

>--
>**********************************************
>Shawn Upton
>Electrical Engineering Student
>University of Maine at Orono
>webpage: http://www.eece.maine.edu/~supton/
>mail: supton@eece.maine.edu
>KB1CKT Tech Plus
>**********************************************
```

1339. Re: AN/PRC-138 vs normal KenYaeCom rigs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: dpanek@mindspring.com
Message-ID: <36c62728.7991341@news.mindspring.com>
Source record: 116854

A new PRC 138 will cost around $18,000

qwasty@hotmail.com wrote:

>Thanks for the info, Gary. Right now I'm not really considering cost. I'll do
>that after I find out what the *best* is and I'll work down from there, but
>only if necessary. I can always build and ruggedize my own kit, they're all
>pretty cheap, especially if I opt for CW only. As far as travelling outside
>of the country goes, it is a disappointment that I wouldn't be able to
>explore anywhere I pleased but there's still plenty of land in North America.
>The Canadian military uses PRC-138's, so obviously the US government isn't
>too concerned about them stealing technology. I've always wanted to check out
>the Yukon. I've heard Alaska is better than Yellowstone in the summer.
>Anyway, if I wanted the radio bad enough, it wouldn't matter how much it was
>going to cost. I'd figure out a way to afford one. I'm unmarried, which makes
>it easier. Another thing to take into consideration is that I probably
>wouldn't be alone. Hence, the financial burden isn't all mine.
>

1340. Re: Lakeshore Phasemaster II transmitter??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: gil@svs.com
Message-ID: <7a5ct1$e82$1@nnrp1.dejanews.com>
Source record: 116855

Not more than $10. I had one . In todays world, it's not too useful

Gil, W9BUB

In article <7a0e8v$j93$0@204.179.92.74>,
"The Family" <fotolady@magpage.com> wrote:
> I'm helping settle an estate and a friend of the widow is interested in
> buying one of the pieces, a Lakeshore Phasemaster II. It's in about a 7-8
> condition. It has a single 6146 final, 160-10M coverage, eye tube and VFO
> on it. What's it worth? I'm not making anything on this one and they'd
> like to know if there's a fair value on the thing. What's a good ballpark?
> Jim
>
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1341. Motorola GP300 & GM300

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Colin Lowe <colinlowe@jet.es>
Message-ID: <7a531b$ss8$1@lola.ctv.es>
Source record: 116856

Have a look at my homepage for a simple interface for programming the
Motorola GP300 and GM300

http://web.jet.es/colinlowe/index.htm
Take a look at my homepage, the URL is:

1342. FS: Radio Shack HT Freq Counter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Tony Heatwole <heatwole@shell.clark.net>
Message-ID: <7a5fj4$2to$5@clarknet.clark.net>
Source record: 116857

Hello. I have a Radio Shack Handheld Frequency Counter for sale at $55 shipped. It's exactly like the new HT Frequency counter that RS has now. It's in excellent working and excellent cosmetic condition and has very little use on it. Let me know if your interested. Here's all of the information on it:

-Covers Every Frequency From 1-1300 MHz
-Reads Up To 4 Spaces To The Right Of The Decimal
-Will Pick Up Transmissions On AM/FM/CW
-Selectable Bellow Or Above 50 MHz
-Slow/Fast Gate Speed Selectable
-Has Back Light Switch Also
-Includes Batteries, Telescopic Antenna, Original Box, Original Packaging, and Original Manual

Will trade for a 20 amp or higher DC power supply, any Kenwood HF accessories, or an All Mode (AM/FM/SSB/CW/RTTY) base frequency counter. Or if you have anything else let me know. Thanks for reading.

Nat Heatwole
heatwole@clark.net
KB3CBW, General

1343. FS: MFJ-862 144/220/440 Meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Tony Heatwole <heatwole@shell.clark.net>
Message-ID: <7a5flp$2to$8@clarknet.clark.net>
Source record: 116858

Hello. I have a MFJ-862 144/220/440 cross-needle 300w SWR/Watt meter for sale. New cost is $50 plus shipping. My price is $35 shipped. It's in excellent working and excellent cosmetic condition and has very little use on it. Let me know if interested. Here's all of the information on it:

-30w/300w Switch
-Works On 144/220/440 Ham Bands
-Measures SWR And Wattage
-Add A 12v DC Power Cord To Light The Meter
-Includes Original Manual, Box, And Original Packaging

Will trade for a 20 amp or higher DC power supply, any Kenwood HF accessories, or an All Mode (AM/FM/SSB/CW/RTTY) base frequency counter. Or if you have anything else let me know. Thanks for reading.

Nat Heatwole
heatwole@clark.net
KB3CBW, General

1344. Re: Any UHF HTs that use alkaline batteries?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7a5j5a$j8c$1@nnrp1.dejanews.com>
Source record: 116859

In article <zeno-1302991245540001@pm58-22.magicnet.net>,
zeno@magicnet.net wrote:
> Prefer at least 4 watts on UHF, that use alkaline batteries. Thanks.

Most modern HTs will use alkaline batteries...their manufacturers offer
"alkaline battery trays" that you can stuff with whatever cells you desire.

Yours is an uncommon requirement...why the need for alkalines only?

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1345. FEDERAL/CMI MOVING RADAR ON EBAY(35 MIN LEFT)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Pab <pab1@home.com>
Message-ID: <Msrx2.328$0A4.1020@news.rdc1.mi.home.com>
Source record: 116860

This is the link:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=64535796

1346. FS: Radio Shack 7ch WX Alert

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Tony Heatwole <heatwole@shell.clark.net>
Message-ID: <7a5fpg$2to$13@clarknet.clark.net>
Source record: 116861

Hello. I have a Radio Shack 7 Channel Digital WX Alert for sale. New cost is $40 plus tax. My price is $25 shipped. It's in excellent working and very good cosmetic condition and has very little use on it. Let me know if interested. Here's all of the information on it:

-7 NOAA Weather Channels Programmed In
-Volume Control With External Antenna Jack
-Sounds Full Volume NOAA Alert
-Also Has Test Button And Built In Speaker
-Includes AC Power Cord, Telescopic Antenna, Manual, NOAA WX Pamphlet, Original Box

Will trade for a 20 amp or higher DC power supply, any Kenwood HF accessories, or an All Mode (AM/FM/SSB/CW/RTTY) base frequency counter. Or if you have anything else let me know. Thanks for reading.

Nat Heatwole
heatwole@clark.net
KB3CBW, General

1347. radio conversion

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: bujiaj8@aol.com
Message-ID: <19990213225415.18047.00001181@ng-fb1.aol.com>
Source record: 116862

I have an old midland 13-892 ssb cb... I have heard of converting some of these older radios for 10 meter use... I believe there is a formula for the determination of crystal frequency useage... Any guys out there with info..please email...
tnx
bill

1348. Re: FS: Yeasu FT 290R II Portable all-mode 2m

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: ny4t@home.com
Message-ID: <36c84b15.6138419@news.nash1.tn.home.com>
Source record: 116863

Good price. I sold mine for $450 but I see them all the time for over
$500.

Lee (NY4T)
http://www.qsl.net/ny4t

On Sat, 13 Feb 1999 17:59:05 GMT, arden@teleport.com (Arden) wrote:

>
>
>FS: Yeasu FT 290R II Portable all-mode 2m A small full featured
>all-mode 2m rig. Made for both mobile and portable operation.
>Brackets and amplifier go in car. Radio detaches for portable
>operation. Comes with portable battery pack, vinyl case and two
>portable antennas (rubber duck and telescoping) for portable
>operation, brackets and amp for mobile.
>
>Price: $425 o.b.o.
>
>Send e-mail to: arden@teleport.com
>Call Arden Eby, KI7G at: (503)-651-3164 [please leave a message and
>I'll call you back - I'm often out]
>
>Also includes all manuals.
>
>Arden Eby KI7G
>

1349. WTB: ICOM FL 44A filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Tom McIntyre <tommac@pressenter.com>
Message-ID: <01be57cf$c5290840$a314e0d1@tommac.pressenter.com>
Source record: 116864

```
Wanted Icom FL 44A filter for Icom 745. Please
reply to tommac@pressenter.com
Phone 715-425-6440 K9FLY
```

1350. Re: FS - Icom 735

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: kk4tl@aol.com
Message-ID: <19990213232744.10866.00001386@ng-fx1.aol.com>
Source record: 116865

Sold.

Thanks for all the replies.

1351. Re: TM-V7A Problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: qin2@aol.com
Message-ID: <19990213232912.20964.00001811@ng-fi1.aol.com>
Source record: 116866

I have 2 in mobiles with no problems.Good Luck

1352. FS: Yaesu FT-290RII, click on link for more info!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: kf4tuz@qsl.net
Message-ID: <36c64e0f.617631181@news.blueridge.net>
Source record: 116867

In great condition, click on link for more information...

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66941584

1353. FS/FT: President HR2600 10m

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Gary <catlink@erols.com>
Message-ID: <7a5mekgqg1@winter.news.rcn.net>
Source record: 116868

FS/FT: President HR2600 10m transceiver. This equipment is in like-new condition,never mobile and has only been in a nonsmoking environment. The radio has the HR2510 CPU installed and has the mod for the extra 11m band. It also has an end-of-transmission "K" beep which can be disabled by the RPT offset switch which is not needed with the HR2510 CPU due to losing the RPT offset function. I also have the original CPU which may be reinstalled to restore to original operation. This is a very nice radio in excellent condition. I do not need it due to other 10m equipment I own. The price is $250 shipped or trade for other equipment within my state of Maryland.
Gary (N5IXI) <catlink@erols.com>

1354. Re: ADMS-2D Where does one obtain this software?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-14 00:00:00 UTC
From: Bill Kirkner <billrk@desupernet.net>
Message-ID: <36C65D87.A45729C9@desupernet.net>
Source record: 116869

http://www.rtsars.com/ Does not work.. Check it again please..

Bill
N3PZA

clintbrad4d@earthlink.net wrote:

> In article <36C30DE2.257E@DIM.com>,
> GregCaDIM.com wrote:
> > If you but it from a retailer...
>
> That's the only legitimate, legal way to obtain a copy...
>
> > How much does it cost?? Is it available
> > on the web as a free download? --Greg--N0FKI
>
> ADMS is a commercial, copyrighted software/cable package...available from the
> manufacturer at
>
> http://www.rtsars.com/
>
> or I know Ham Radio Outlets carry it, too.
>
> - Clint Bradford
>
> ----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1355. WTB: Icom filter>> FL-53A 250Hz CW/RTTY filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: KD5CAS@iamerica.net
Message-ID: <36cd96d3.25139377@news.iamerica.net>
Source record: 116621
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.swap

Looking to buy FL-53A 250Hz CW/RTTY filter for my Icom IC-751A

Please reply with price, shipping requirements, to KD5CAS@qsl.net or
KD5CAS@iamerica.net

Thanks!
Scott, KD5CAS

1356. FS: Collection of RCA Tube Manuals

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: yulius@shay.ecn.purdue.edu
Message-ID: <7aa35vgdb1@mozo.cc.purdue.edu>
Source record: 116622

Newsgroups: rec.audio.tubes
Subject: FS: Collection of RCA tube manuals
Summary:
Followup-To:
Distribution: usa
Organization: Purdue University, W. Lafayette, IN
Keywords:
Cc:

Hello,

I have a collection of RCA receiving tube manuals forsale. Here is the list:

1. RCA RC-14 1940
2. RCA RC-15 1947
3. RCA RC-16 1950
4. RCA RC-17 1954
5. RCA RC-20 1960
6. RCA RC-21 1961
7. RCA RC-22 1963
8. RCA RC-23 1964
9. RCA RC-24 1965
10. RCA RC-26 1968
11. RCA RC-27 1970
12. RCA RC-30 1975

These manuals are very good source for tubes related audio and radio design.
On average, the manuals are in very good condition. The pages are complete
and no loose page in all manuals. Each manuals is $20(shipped). Or, it is
$170.00(for all) + UPS shipping.

If you are interested, please send an email to: yulius@ecn.purdue.edu

Best regards,

Aristo
--
****
* Aristo Yulius | Purdue University *
* Internet: yulius@ecn.purdue.edu | West Lafayette, IN 47907, USA *
****

1357. FORSALE - Mint Icom-735/cw filter/mic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7aa32g$5s3@nntpa.cb.lucent.com>
Source record: 116623
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,nj.forsale

```
-----------------------------------------------------------------------
FORSALE - MINT Icom 735 HF rig.
-----------------------------------------------------------------------

I have an absolutely mint condidtion Icom 735 HF rig that
I'd like to sell. The rig includes the optional 500-Hz
CW filter, original hand mike with up/down controls, original
manual, and all original packing. I am a non-smoker.

Rig is located in Monmouth County, NJ.
$550 plus shipping.

Joe Levantino
KB2FSH
(732) 949-0664.
```

1358. FS Microwave Directional Detectors

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Mike Kulyk <mkulyk@att.net>
Message-ID: <01be592a$7433c180$6a06440c@default>
Source record: 116624
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

Systron Donner

1 pc 3.2-6 ghz (untested) $10.00

2pcs. 3.7-6.5 ghz(untested) $10.00 ea

4 pcs 7-12.4 ghz (tested xtals have output) $20.00 ea

All prices plus shipping

Mike

1359. FS Accton Pocket Ethernet Adapter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Mike Kulyk <mkulyk@att.net>
Message-ID: <01be592a$063cd0e0$6a06440c@default>
Source record: 116625
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

Accton Model EN2209 R01 10 Base 2 and 10 base T. Connects to Parallel port.
Includes copy of driver disk from Accton and Manual

$55.00

Mike

1360. Re: Which HF Rig in this price range??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: KD5CAS@iamerica.net
Message-ID: <36cf97ef.25423409@news.iamerica.net>
Source record: 116626

I've had both a Kenwood TS-430S and and Icom IC-751A as my base rig.
Hands down, the Icom is the better rig, in both SSB and CW modes.
Seems to have a better receiver, and get excellent reports on my
transmitted audio.

--KD5CAS

On Mon, 15 Feb 1999 02:27:38 GMT, ny4t@home.com (Lee Hall) wrote:

>OK, here is the question. I plan on buying an HF rig in the next
>couple of months. I will probably have about $900 to spend. I will
>be using the rig primarily for contesting, about 75% phone and 25% CW.
>I already own a Kenwood TS450SAT which I am very happy with.
>So, I need to narrow my choices. I am leaning toward a mid-range used
>rigs with only a few years on it. Here is what I have found I can get
>in this price range. I need opinions onthe advantages and
>disadvantages of the rigs for the type of use I will have and any
>personal opinions on which rig you would choose. An automatic tuner is
>an absolute requirement. Speed and ease of use are as well.
>
>Another TS450SAT, with accessories for this price
>Yaesu FT 767
>Kenwood TS940
>Kenwood TS570D
>Icom 751a
>Yaesu FT890
>Ten-Tec Omni V
>Kenwood TS690
>Others???
>
>Thanks in advance es 73,
>Lee (NY4T)
>http://members.home.net/ny4t

1361. FS 286 & 386 computers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Mike Kulyk <mkulyk@att.net>
Message-ID: <01be592b$27166f00$6a06440c@default>
Source record: 116627
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have a number of 286 and 386 computers just CPUs
These are untested units, removed from a company. I have a few monitors
most mono, I don't know if they match the CPU's

Prices are $10-$15 each for the CPU's, and $10 for a mono monitor. I will
make a effort to match and test the units. All prices plus shipping

Mike WB2GLW

1362. FS 2 mtr Halo Antenna Made by KB6KQ

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Mike Kulyk <mkulyk@att.net>
Message-ID: <01be592b$6b58cc80$6a06440c@default>
Source record: 116628
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Like new in the box 2 mtr halo antenna. $35.00 plus shipping

Mike WB2GLW

1363. FS: Collection of RCA Tube Manuals

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: yulius@shay.ecn.purdue.edu
Message-ID: <7aa3b2gef1@mozo.cc.purdue.edu>
Source record: 116629

Newsgroups: rec.audio.tubes
Subject: FS: Collection of RCA tube manuals
Summary:
Followup-To:
Distribution: usa
Organization: Purdue University, W. Lafayette, IN
Keywords:
Cc:

Hello,

I have a collection of RCA receiving tube manuals forsale. Here is the list:

1. RCA RC-14 1940
2. RCA RC-15 1947
3. RCA RC-16 1950
4. RCA RC-17 1954
5. RCA RC-20 1960
6. RCA RC-21 1961
7. RCA RC-22 1963
8. RCA RC-23 1964
9. RCA RC-24 1965
10. RCA RC-26 1968
11. RCA RC-27 1970
12. RCA RC-30 1975

These manuals are very good source for tubes related audio and radio design.
On average, the manuals are in very good condition. The pages are complete
and no loose page in all manuals. Each manuals is $20(shipped). Or, it is
$170.00(for all) + UPS shipping.

If you are interested, please send an email to: yulius@ecn.purdue.edu

Best regards,

Aristo
--
****
* Aristo Yulius | Purdue University *
* Internet: yulius@ecn.purdue.edu | West Lafayette, IN 47907, USA *
****

1364. WTB: Telechron S1 clock rotor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: "Robert G. Schaffrath, N2JTX" <rschaffrath@acm.org>
Message-ID: <36C89408.6511@acm.org>
Source record: 116630

I am looking for a used or new Telechron S1 clock rotor for an old
radio. Any information on a source for this item is appreciated.
--
Robert G. Schaffrath, N2JTX (RGS71)
+1.516.759.4313
mailto:rschaffrath@acm.org
http://tonto.netsurftech.com/rgs

1365. Compare: IC751A vs TS850 vs ?.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: radiofreq0@aol.com
Message-ID: <19990215165138.28069.00001170@ng-ch1.aol.com>
Source record: 116631

Any and All,
Please let me know the pluses and minuses regarding my potentially purchasing opne of the above rigs. I need the best Rx, more then addes bells and whistles. Abilty to upgraded using filters etc is a plus if the fully upgraded rig is superior to the upgraded other rig.
I think you know what I am neeing to learn.
Also, please let me know what each rig should be available for in terms of a fair price for an excellent condition rig. Thnx,
Jeff

1366. FS: Collection of Sylvania Tube Manuals

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: yulius@shay.ecn.purdue.edu
Message-ID: <7aa40v$gn0$1@mozo.cc.purdue.edu>
Source record: 116632

Hello,

I have a collection of Sylvania tube manuals forsale. Here is the list:

1. Sylvania Technical Manual 5th ed. 4th print. 1942
2. Sylvania Technical Manual 7th ed. 1st print. 1949
3. Sylvania Technical Manual 9th ed. 1st print. 1953
4. Sylvania Technical Manual 10th ed. 1st print. 1955
5. Sylvania Technical Manual 12th ed. 1st print. 1960

These manuals are very good source for tubes related audio and radio design. On average, the manuals are in very good condition. The pages are complete and no loose page in all manuals. Each manual is $25(shipped). Or, it is $90.00(for all) + UPS shipping.

If you are interested, please send an email to: yulius@ecn.purdue.edu

Best regards,

Aristo
--
****
* Aristo Yulius | Purdue University *
* Internet: yulius@ecn.purdue.edu | West Lafayette, IN 47907, USA *
****

1367. Scanning facilities on Kenwood TM-G707E?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Mark Turner <mark@kram.org>
Message-ID: <7aa5jp$s6q$1@plug.news.pipex.net>
Source record: 116633
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Can anyone tell me please what scanning capabilities the Kenwood TM-G707E has? The magazine adverts and Kenwood's web site don't say, as far as I can tell. I'm wondering whether it would allow me to set up "banks" of channels with a mixture of 2m and 70cm channels in each bank so that I can scan any of:

1) Local repeaters on 2m and 70cm plus both calling channels.
2) All repeaters on 2m and 70cm plus both calling channels.
3) As option 2 but also all simplex channels on both 2m and 70cm.
4) Just the calling channels on 2m and 70cm.

Depending on where I am and what mood I'm in I'd like to be able to select any of the 4 scenarios above *without* having to reprogram the memories. I can do this with my MVT7100 handheld scanner, but I'd like to be able to do it with a transceiver so that I don't have to carry the scanner around.

Is there any other mobile dual-band radio with remote-mountable head that has better than basic scanning abilities? I currently use an ICOM IC207H, which is a very nice radio, but that has only very simple scanning options.

Cheers,

Mark.

1368. WTB: Dead/Dying/Battered FT736R for spares

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <fzNXAfAxfJy2EwAV@pacsat.demon.co.uk>
Source record: 116634

```
Wanted Urgently
---------------

FT736R dead/dying/wounded radio, for spares. Need the front panel and
control boards.

Would buy battered radio with no modules if price OK.

Email or phone (01436) 679610

73 Simon GM4PLM
+--------------------------------------------------------------------+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+--------------------------------------------------------------------+
```

1369. Wanted: Police motorcycle radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Mark Masa <mark@kelltech.com>
Message-ID: <36C89A23.919DCD5B@kelltech.com>
Source record: 116635

I am interested in police motorcycle radios, literature and schematics.
I am especially interested in ANYTHING 20 years old or older, especially
units with tubes. Most units were made by RCA, Motorola and Link
Vetric. If you have any items for sale or even if you have information
as to which units were used on police motorcycles, I would like to hear
from you.
Thanks
Mark

1370. FS: KENWOOD DIGITAL SIGNAL PROCESSOR

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: K2GV <gvibert@optonline.net>
Message-ID: <36C89D2D.937A5B44@optonline.net>
Source record: 116636

I have for sale a Kenwood Digital Signal Processor
DSP-100 in excellent condition
price: $ 270.00 and I will ship in US
comes in original box with manual and all cables

Thanks for reading

Jerry / K2GV
(516)-785-7313

1371. Drake TT Mic and HP Filter FS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Ken Simpson <W8EK@usa.net>
Message-ID: <LW2y2.755$zc1.3846@monger.newsread.com>
Source record: 116637

Anyone need a touch-tone mic for their rig? I have a Drake 1525EM available. It will provide TT to most any rig. Low Z mic. Presently wired for Drake, 4 pin connector, but could be changed. $ 45 plus shipping from Florida.

If you have TVI, you might need a High Pass Filter for the TV set. Drake TV-300-HPF, $ 10 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-Mail to W8EK@usa.net or W8EK@fdt.net
http://www.gnv.fdt.net/~kenmar
Voice Phone (352) 732-8400

1372. Yaseu FT-530 Batters Needed???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Bob Muskie <muskybob@sprint.ca>
Message-ID: <%q3y2.35353$b8.15437261@hme2.newscontent-01.sprint.ca>
Source record: 116638
Cross-posted to: es.rec.radio.amateur,es.rec.radio.misc,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

Hello
Does any body know of a source for one of these batteries
for the FT-530??. 12volt for the hand held..

I am in Southern Ontario
thanks in advance.
Bob
VE3BDQ
muskybob@sprint.ca

1373. Re: Looks like ICOM did it...the first!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Bill Clarke <W2BLC599@bigfoot.com>
Message-ID: <7aaf99fon1@paxfeed.eni.net>
Source record: 116639

There used to be a device called the QSYer made by Stone Mountain Engineering of that town down in Georgia. No longer in business.

Too bad - the QSYer is just what is needed for these little rigs. It is a telephone keypad with a processor and eprom that sends a serial signal to the rig's CPU.

Wish I had the knowledge to design something like it. How about some of you wizards working up a starting point. I'd be happy to assist. I think there is a good profit potential here.

--
Bill Clarke W2BLC
W2BLC@bigfoot.com

1374. 206 VFO Sold

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Al Fritsche <fritsche@email.msn.com>
Message-ID: <#7UMqcUW#GA.203@upnetnews05>
Source record: 116640

Title says it all.

73 KD5CML

1375. FS: FT-50R dual band HT for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Ron Jones <rjones@inquo.net>
Message-ID: <7aagnv$4qa$1@quartz.inquo.net>
Source record: 116641

Yaesu FT-50R dual band HT
with optional alkaline battery case
hardly ever used
about a year old
asking $260
never been modified, but there are a slug of things you can modify on these
gems!

Ron K7RJ
rjones@inquo.net

1376. WTD Swan knobs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: J Peitsch <peitsch@concentric.net>
Message-ID: <7aajic$c3o@journal.concentric.net>
Source record: 116642

I need several knobs for a Swan 270B, Anyone have a junker Swan
with good knobs? Any 350 or later will do.

Thanks

Butch

1377. Re: Looking for Collins 71S-1

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Bill Newkirk <wnewkirk@iu.net>
Message-ID: <7aakl2$2l8$1@east43.supernews.com>
Source record: 116643
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

i don't think so...

51 was used for a wide variety of receivers (such as 51RV being an aircraft nav receiver...)

i don't know if you can get to the equipment type listing from the outside..start at http://www.collins.rockwell.com and see if there's an entry for that. (or check the publications indexes that are available from there...)

skywaves@bw.webex.net wrote in message <7a88kd$m12$1@nnrp1.dejanews.com>...
>Is there a 71S1? 51S1 is 2-30MHz general coverage. 75S1 is HF ham bands.
>
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1378. NRD-525 v.s. ICOM R-71A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: michaelt <michaelt@locallink.net>
Message-ID: <RN4y2.45$nr1.170343424@news.siscom.net>
Source record: 116644

I am considering the purchase of either a JRC NRD-525 or a IC R-71A
reciever.
Can anyone give me some advise as to the performance of these two receivers
relative to each other?
I am primarily interested in their performance in SSB & CW.
Any information would be appreciated.

Thanks,
Mike

1379. FS YAESU FT-50R (Two Radios $200 each) Freeband done.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: tnic <tnic@erols.com>
Message-ID: <7aan9omcv1@winter.news.rcn.net>
Source record: 116645

Receives and transmits all over the place. 800mhz receive open.
We split the shipping and COD cost.
Contact tnic@Erols.com

$200 Each (two units) Serial # Prefix 6G050

INCLUDES:
Original box.
Manual
Wall charger
Aantenna
Voice recorder
Yaesu 5 watt FNB-41 600 mha NiCad Battery.

GOODIES FOR SALE some of this is too small/inexpensive to sell/ship alone

Orange rubber gasket (2 pieces) RH-1 $5 each
Black rubber gasket (2 pieces) RH-1 $5 each

--Yaesu FNB-41 Nicad Battery 600 ma Orig cost $58 will sell $40.

--MAHA Nickel Metal Hydride FNB-40 650 mah 7.2 volt thin battery Orig cost $60 each will sell $40 each (2 pieces)

--MAHA Nickel Metal Hydride FNB-41 900 mah 9.6 volt battery Orig cost $56 will sell $40.

--MAHA Nickel Metal Hydride FNB-V47 1800 mah 9.6 volt battery Orig cost $70 each will sell $46.

--Charger stand CA-15 allows you to use the wall charger to charge batteries without the radio.
(2 pieces) Orig cost $26 will sell $20 each.

We split the shipping & COD cost. Contact tnic@erols.com

1380. Wanted:Police motorcycle radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Mark Masa <mark@kelltech.com>
Message-ID: <36C917DD.B2BD7F37@kelltech.com>
Source record: 116646

I'm interested in older police motorcycle radios, literature and schematics. I am especially interested in ANYTHING 20 years old or older, especially units with tubes. Most units were made by RCA, Motorola and Link Vetric. If you have any items for sale or even if you have information as to which units were used on police motorcycles, I would like to hear from you. I need one particular unit for a 1952 Harley I'm restoring. I believe it is a Motorola T43. It consists of two boxes and a control head and a mic.
Thanks
Mark

1381. need help on motorola id

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Mark Masa <mark@kelltech.com>
Message-ID: <36C91944.49C808CE@kelltech.com>
Source record: 116647

I have the following motorola police motorcycle radio and need to know how to determine its year of manufacture.

Model: T34 DCN-1130A SP1
Type: CC4067
Serial: GK773F

Please help
Mark

1382. WTB Aerotron MPAC-2

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: "Donald E. Smith" <desmith@innercite.com>
Message-ID: <36C90418.6FA45C2A@innercite.com>
Source record: 116648
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

I am in need of an Aerotron MPAC-2 UHF mobile to make into a repeater.
Will trade a couple of VHF MPAC's or buy outright. Do not need
accessories. Please email with price and shipping. Thanks Don KB6GQA

1383. Yaesu FT-101EE Complete Base Station

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: icstars@nmia.com
Message-ID: <36c9420a.9311473@news.nmia.com>
Source record: 116649

I have an absolutely mint, complete Yaesu HF rig.

I. HF-101EE Transceiver
Still has the plastic on front.
2. YC-601B Digital Display
3. FV- 101 External VFO
4. Phone Patch - Landliner\Speaker
5. 1 set of extras finals

This rig has been in storage and has seen little use. The 101 is still
in the original box with original packing.

The transceiver was bought from Webster Radio in Fresno, Calif.
I have the owners manuals and the service manual for the 101in mint
condition.

I want to see it put to use by a new ham or someone who knows and
respects the 101 line.

KB5XE

Will NOT separate. price: $575.00 plus Shipping

Contact: icstars@nmia.com

1384. **WANTED** Kenwood tm 251 radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36c7db61.3943585@netnews.worldnet.att.net>
Source record: 116671

like to buy a kenwood tm 251 2meter radio if you have one for sale
get back to me thanks...KC6 RdJ

1385. Need schematic IC-31 (not W31)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: gelleric@goethe.informatik.uni-stuttgart.de
Message-ID: <7a8n92$4e3$1@inf2.informatik.uni-stuttgart.de>
Source record: 116672

The Icom IC-31 (not W31!) is a crystal-based transceiver for 70 cm. It looks as if it were built in the mid-70ies. That radio should be nice for paked radio. However, I am lacking any dcoumentation and I couldn't get anything here in DL. It seems as if the IC 31 were not sold in Europe.

Does anyone have a schematic and a manual for that trx and would send my a copy (of course, I'll pay costs) ?

Mni tnx & 73,

Wolfgang DJ3TZ

1386. Op/SVC Manual for Trio/Kenwood TS-120V

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Tan Boen Hian <bh9v1zh@singnet.com.sg>
Message-ID: <7a8s1ucso1@mawar.singnet.com.sg>
Source record: 116673

I am looking for the Operation and Service Manual for Trio/Kenwood TS-120V.
Thanks in advance.
BH Tan, 9V1ZH

1387. FS Yeasu VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Dennis VanHoose <davan>
Message-ID: <7a8tkc$16ao$1@news.gate.net>
Source record: 116674

I have a Yaesu VX-5r for sale. Bought 2 weeks ago. LOVE this radio but can't afford all the new toys at once so it lost. Box, manual, warranty card. (NEW Condition). $320.00

1388. Kenwood/Stuff/Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: randy roche <roachs@erols.com>
Message-ID: <36C7FE62.6D2A2EB1@erols.com>
Source record: 116675

Wanted... Kenwood power supply power supply and speaker to match my
Kenwood TS-430S
and any other matching stuff! must be 430 !!!!!!!!!!!!

Randy

1389. WTB: HTX-242 2 meter mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: jordan@santanet.com
Message-ID: <7aa627$871$1@nnrp1.dejanews.com>
Source record: 116676

Looking to buy a second 2 meter mobile for my truck. Just bought one for the wifes truck and she said I could get one for my truck now.. Funny how that works hunh??

Well, I'm in the market for an HTX-242 from Radio Shack so if you have one in good condition for sale, let me know a price to include shipping to Fairbanks, AK (99702)

73
KL0AN
Paul Jordan

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1390. HP 8601A Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Conrad Hoffman <crhoff@bestnetpc.com>
Message-ID: <7a92ni$b1a$1@news.iag.net>
Source record: 116677

Hi All,

Would like to exchange a couple of e-mails with someone who has used and is familiar with the HP 8601A signal generator.

Thanks,

Conrad W8MHH crhoff@bestnetpc.com

1391. Re: specs database

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Hamish Moffatt <hamish@rising.com.au>
Message-ID: <7a95mtace1@arachne.labyrinth.net.au>
Source record: 116678

qwasty@hotmail.com wrote:
> Most manufacturers *barely* have information on *current* radios! What the
> hell is wrong with all of these companies? they spend millions making
> sophisticated equipment but they can't pay some geek high-school student 10
> bucks an hour to scan a few extra pics, add a few reviews, and maybe a PDF of
> the manual!!! So far, the best manufacturer in this regard is SGC (I hear
> their radios suck tho), and second best is Kenwood. The rest just don't care
> whether you buy their stuff or not, apparently. And so far, NONE, I repeat,
> nobody gives a flying fuck what happens to you or your radios, AFTER they

It's true that there is very little information on the net from manufacturers
about obselete models, which is why I asked about a specs database.
Kenwood do have some information but specs are still hard to come by.

I ordered user and serivce manuals for an old Yaesu handheld from their
service department by email with no problem at all, too. Service is available.

If no such database exists, I am interested in creating one.
Would anyone find this useful? Would people contribute radio info to it?
All I have myself is an IC-726 and an FT-411; doesn't make for much of a db!

Hamish
--
Hamish Moffatt Mobile: +61 412 011 176 hamish@rising.com.au

Rising Software Australia Pty. Ltd.
Developers of music education software including Auralia & Musition.
31 Elmhurst Road, Blackburn, Victoria Australia, 3130
Phone: +61 3 9894 4788 Fax: +61 3 9894 3362 USA Toll Free: 1-888-667-7839
Internet: http://www.rising.com.au/

1392. DALTON,GA SWAPFEST

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Leon Snider <leons@worldnet.att.net>
Message-ID: <7a96q6$ofc@bgtnsc01.worldnet.att.net>
Source record: 116679

02/27/99 The BEST!!

1393. PSK31 ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: gary.THrelfall@littlewoods.co.UK
Message-ID: <TFSNQCQS@littlewoods.co.uk>
Source record: 116680

Hi Folks,
Can anyone point me to a site that can do a Http download
of the Psk31 software for Windoze and Soundblaster, my proxy
at work wont allow FTP.
Even better, seeing as the file is teeny, can some kind person
mail it to me at gary.threlfall@nospamlittlewoods.co.uk.
Just remove the nospam for correct address.
Many thanks in advance.
Cheers, Gary - G7TOK

Littlewoods Home Shopping Group Limited

Registered Office

Sir John Moores Building
100 Old Hall Street
Liverpool
L70 1DX

Registered in England No 421258

This message is intended only for the use of the
individual to which it is addressed and may contain
information that is privileged, confidential and
exempt from disclosure. If the reader of this message
is not the intended recipient or an employee or agent
responsible for delivering the message to the intended
recipient, you are hereby notified that any dissemination
distribution or copying of this communication is strictly
prohibited. If you have received this communication in
error, please notify us immediately by replying to the
sender and deleting the original document.

1394. FS: Yaesu FT-840

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: "Kenneth M. Gianino" <ken@hnvr.com>
Message-ID: <36C81E94.1AE7CDE7@hnvr.com>
Source record: 116681
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale: Yaesu FT-840 HF transceiver, FP-800 HD power supply. $695
plus shipping from St. Louis (63101) for all.
Ken - WB0QNA
(day) 314-241-1188 x203

1395. Re: Where can I find crystals for my RCA 1000?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Daniel J Velez <dvelez@citizen.infi.net>
Message-ID: <7a98oj$20c$1@nw001t.infi.net>
Source record: 116682

Thanks, Paul. Another gentleman also emailed me about icmfg. I'll give them a call but I'm not sure of the terminology of the specific components involved. The crystal (I assume I can figure out the case style number from their docs) is housed in a cartridge with active discreet components (xistor, resistors, potentiometer, etc). What is this element called? Is that the TCXO?

73 de Dan

Paul Plants wrote in message ...
www.icmfg.com This is where we buy all the crystals for our repeaters. They are all RCA 500, 300,and 1000.
I just received the tcxo for the 442.125 repeater a RCA 500.
BTW: The 1000 and 500 use the same tcxo and crystal.

--
--
Paul L. Plants Callsign
680 1/2 Broad Street N3WMV
Washington, PA 15301 442.125+
USA 145.490-
DO NOT SEND ANY FORM OF ADVERTISING TO ANY OF THESE ADDRESSES
Daniel J Velez wrote in message <7a6te4$k66$1@nw001t.infi.net>...
>One of these radios happened along my way and I have no idea where to get
>the crystals and the crystal packages. Can you help?
>
>73 de Dan
>W4DJV
>
>
>

1396. Re: ICOM HF Station for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: James Skalski <jskalski@buffnet.net>
Message-ID: <36C82732.93DFEFC4@buffnet.net>
Source record: 116683

Thompson wrote:
>
> I have the following station items for sale;
>
> Icom IC735 (Xcvr)
> EX243 (Electronic keyer)
> FL32 (500 Hz cw filter)
> PS55 (Pwr. supply)
> SM6 (Desk Mic.)
>
> You can contact me (N4AX Byron Allen) anytime for further details/prices at
> (256) 797-3079.

How much do you want for the cw filter
--
73,

Jim

1397. Re: FS Yeasu VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Dennis VanHoose <davan>
Message-ID: <7a994o$2mpc$1@news.gate.net>
Source record: 116684

davan@icanect.net , sorry

1398. Re: ICOM-706 Tuner Control Socket

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: jwa <jwa@tellabs.com>
Message-ID: <36C82ABF.6BAE8F0C@tellabs.com>
Source record: 116685

w2ltu@pipeline.com wrote:

> Regarding the 4 pin "Tuner Control Socket" on the rear of the
> ICOM-706. There is one pin that has 13.8 V on it.....does anyone know
> what current it can support? Is this the same 13.8 V that appears on
> Pin 8 of the ACC Socket? Thanks.
> w2ltu@pipeline.com

Be very careful while using the the 13.8 volt pin. Normally Icom doesn't

provide fuse protection. A short to ground can damage the PCB or the
wire harness.

--
Jack Albert WA9FVP
Tellabs Operations Inc.
1000 Remington Blvd Voice (630) 378-6201
Bolingbrook, IL 60440 FAX (630) 378-5790

Get high on Ham Radio !

1399. FS Icom u-4AT and Acces.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: KC1RW <krysbs@esslink.com>
Message-ID: <RpWx2.24$ry.290@news12.ispnews.com>
Source record: 116686

FS Icom u-4AT 440mhz w/BP 23 battery packs need new cells;
AD-11 battery adapter for BP-2,3,4,5,8; AD-10 adapter for using BC-35 or 36
all $100 obo; Also, Icom SM-2 desk mic $45 and Comet CX-224 mobile antenna
144, 220, 440 mhz PL-259 mount $45

1400. Icom 746 vs Icom 756 vs Yeasu FT920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: tovsrud <nodak@thegrid.net>
Message-ID: <36C8427E.7BD7@thegrid.net>
Source record: 116687

Of the Icom 746 vs Icom 756 vs Yeasu FT920, which has the most
effective noise blanker and DSP?
Are any differences large?
Does the ICOM 746 have a more effective noise blanker and DSP than
the ICOM 706 MKII?
I am especially interested in 6M performance.
Robert K6KDX

1401. WTB: Meter for Kenwood T-599d Transmitter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Steve Merrick <smerrick@texasonline.net>
Message-ID: <7a9foe$b9c$1@hornet.fibr.net>
Source record: 116688

Looking for Meter that will work in my Kenwood T-599D Transmitter.Hoping someone might be parting out this radio and have a working meter.I think that meter was damaged when my radio was shipped.

Thanks,
Steve Merrick KC5ZOS

1402. Atlas radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Shawn Upton <supton@eece.maine.edu>
Message-ID: <36C8421C.63DE@eece.maine.edu>
Source record: 116689

I have an Atlas 350XL; does anyone else out there have one? I ask
because mine is broken, and I have started to repair it, but I am
curious to see if anyone else has some familiarity with this radio.
--
****
Shawn Upton
Electrical Engineering Student
University of Maine at Orono
webpage: http://www.eece.maine.edu/~supton/
mail: supton@eece.maine.edu
KB1CKT Tech Plus
****

1403. WTB: 9:1 Beverage UNUN

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Dwight W9YQ <dgbcms@netnet.net>
Message-ID: <7a9g4k$s24$1@news.inc.net>
Source record: 116690

Please e-mail me with full description and price wanted?

Dwight W9YQ

1404. WTB: 751A-Blackface

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Charles Cabral <n1fnr@home.com>
Message-ID: <36C84B07.AAF9EEFC@home.com>
Source record: 116691

looking for a good 751A/Black Faceplate
send details to Mailto:n1fnr@home.com
thanks, 73 and good DX, Charlie n1fnr

1405. Watkins Johnson Low Noise Amp (TWT) FA at Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: "calvinf15@prodigy.net" <calvinf15@prodigy.net>
Message-ID: <36C8504D.77CA@prodigy.net>
Source record: 116692
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner.radio.shortwave,alt.ham-radio.marketplace,rec.radio.amateur.misc

7-12 GHz Low Noise Amp by Watkins-Johnson

Model number WJ-297-5. This unit provides about 30 dB gain across the entire 7-12 GHz range, nicely covering the 10 GHz ham band. It is based on a Traveling Wave Tube (TWT). Self-contained power supply. Power requirements are 110VAC at 7 watts. Thanks.

bidding ends 2/17 @ 17:04 PST

For more info, Plz goto:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=65888839

1406. Re: Icom 746 ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Ron Higgs <erhiggs@flash.net>
Message-ID: <36C85795.D7E3C7C9@flash.net>
Source record: 116693

Dave, I love my 746 too, but can't quite get mine to transmit down to 100 Hz. :-)

Regards, Ron

Richwood, Texas

1407. Re: Looks like ICOM did it...the first!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Ron Higgs <erhiggs@flash.net>
Message-ID: <36C85942.F91AA571@flash.net>
Source record: 116694

I think that 300 memories is academic. What is needed on ALL rigs is a way of entering the memory number direcly without having to rotate a dial through so many memory steps to get where you want to go. THAT is the deficiciency on my ICOM and my KENWOOD. I only use about twenty maximum 'cos it's too much of a nuisance to dial any further. I just enter the frequency I need on the number pad, it's faster.

1408. FS..rummage sale website

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Jim <jimbaran@execpc.com>
Message-ID: <7a9m5c$8iu@newsops.execpc.com>
Source record: 116695

Hi,

I have this rummage sale that I add to as I get time. You might want to bookmark it and check back..I keep finding things in the garage, basement and attic and make a new page for each item I find. I will have alot more radio stuff listed as I dig it out.

Thanks for your time!

Jim

http://www.execpc.com/~jimbaran/index.html

1409. Re: PSK31 ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Ron Higgs <erhiggs@flash.net>
Message-ID: <36C85C7B.F2DF52D3@flash.net>
Source record: 116696

http://aintel.bi.ehu.es/psk31.html

gary.THrelfall@littlewoods.co.UK wrote:
>
> Hi Folks,
> Can anyone point me to a site that can do a Http download
> of the Psk31 software for Windoze and Soundblaster, my proxy
> at work wont allow FTP.
> Even better, seeing as the file is teeny, can some kind person
> mail it to me at gary.threlfall@nospamlittlewoods.co.uk.
> Just remove the nospam for correct address.
> Many thanks in advance.
> Cheers, Gary - G7TOK

1410. Re: Hamfest NIMH Batteries (soldering to cells)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: davem@groucho.cs.ubc.ca
Message-ID: <7a9m10$kbb@groucho.cs.ubc.ca>
Source record: 116697

brianburke@my-dejanews.com writes:
>A 25 watt slodering iron is plenty, and I kept the warning in the
>back of my mind (battery can explode, leak, or catch fire if heated or
>exposed to fire or high temperatures...). No big deal since every
>manufacturer solders their battery packs.

You may have a problem here. If you look at any manufacturer-assembled battery pack, you will find that the conductor strips are *welded*, not soldered, to the cells. The end connections may be soldered, but they are soldered to tabs that are welded to the cells, not to the cell caps themselves.

The reason for this is that soldering heat can damage the plastic or rubber seals on the cells. The welding is done very rapidly by a spot welder, and doesn't heat the cell significantly.

Soldering directly to the cell is unlikely to explode it, since the heat is still pretty localized unlike throwing the cell into a fire. But it may damage the seal, and you may find your cells leaking.

(I found this out the hard way).

Dave

1411. COMPLETE HF SETUP FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: ham1964@aol.com
Message-ID: <19990215130003.29666.00001951@ng108.aol.com>
Source record: 116698

FOR SALE: KENWOOD TS850 S/AT , WITH 2 SSB FILTERS, 2 CW FILTERS, MC-60 MIC, PS-52 POWER SUPPLY, SP-31 SPEAKER, ALL MANUALS, ALL ORIGINAL BOXES, ALL EQUIPMENT IS IN MINT CONDITION! $1400 YOU PAY SHIPPING. PLEASE CONTACT RAY (K1MFZ) AT HIS E-MAIL ADDRESS OF FOXZULU@AOL.COM

1412. FS: Heathkit Items On Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Matt Robbins <robbinsm@umich.edu>
Message-ID: <veZx2.7352$Ge3.29531700@news.itd.umich.edu>
Source record: 116699

Heathkit IPA-5280-1 Power Supply
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67472904

Heathkit MT-1 "Cheyanne" Tranmitter Parts Rig
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67472294

Heathkit Microphone
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67471914

Heathkit IG-102 Signal Generator
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67471599

RARE Heathkit and Accessory
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67292236

5 Heathkit VTVMs
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67330471

Heathkit DX-35 Parts Unit
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67331155

Heathkit AT-1 Transmitter Parts Unit
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67332098

Heathkit AT-1 Transmitter Cabinet
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67332951

1413. Re: Hamfest NIMH Batteries

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Dave Edwards <ham@cybercomm.net>
Message-ID: <7a9n32jdd1@ostrich.cybercomm.net>
Source record: 116700

They were probably meant to be assembled in a
battery 'pack'.
They are not soldered, but have tabs 'tack welded' to
them which are soldered to.
Not exactly sure, but the tack welding is a zapping process where
no heat is built up. I don't think it was a great idea to be
soldering to a NiMH battery directly.
.....Dave
brianburke@my-dejanews.com wrote in message
<7a9fankac1@nnrp1.dejanews.com>...
>At the St Charles, MO Winterfest, I found a vendor selling NiMH AA
batteries
>for $1.25 each. Wow! I found a small problem when I got home, however.
The
>positive side of the battery is missing the "button" that makes contact
with
>your battery holder. Perhaps these were meant to have the tabs, but never
got
>that far in the manufacturing process. I dunno. I searched the house for
>something to solder on the battery in place of the tabs. I settled on some
>really small steel washers. While attempting the soldering job, the steel
>washers weren't sticking, and at that point decided to go with just a blob
of
>solder. A 25 watt slodering iron is plenty, and I kept the warning in the
>back of my mind (battery can explode, leak, or catch fire if heated or
>exposed to fire or high temperatures...). No big deal since every
>manufacturer solders their battery packs. I had to do it a second time as
the
>first pass with the solder wasn't high enough to make good mechanical
contact
>in by battery holders. Also, be sure to use a file and expose the lead on
>the tip of your solder blob. I was using some really nice Heathkit solder
and
>it left a rosin coating on my solder blobs which wouldn't make good
>electrical contact.
>
>They were green cased, generic-like, with the following info:
>Size AA, 1.2V
>DHAA120
>nickel metal hydride rechargeable battery
>Caution: battery can explode...
>Made in Japan
>Duracell, Inc.
>

>73,
>Brian/N0iMD
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1414. Yaesu FT-2400H and morse keyer for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Carlos Della Mora <ve7@direct.ca>
Message-ID: <01be590e$91ae8360$738942d8@fujitsu>
Source record: 116701

For sale: Yaesu 2 Mt FT-2400H few hour of use, original box, with Cushcraft Ringo Ranger II antenna and car antenna. Bencher Keyer with MFJ Econo keyer II. All $ 250 USD

1415. WTB: IC-751a w/black faceplate

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Charles Cabral <n1fnr@home.com>
Message-ID: <36C86A94.636D6A2B@home.com>
Source record: 116702

goofed on previous posting, I wtb the 751a radio w/black faceplate,
circa 92/93. Please send detailed info, Mailto:n1fnr@home.com
thanks, 73, Charlie n1fnr

1416. Icom IC-71

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: canfield@scci.NET
Message-ID: <199902151843.NAA20575@gdi4.gdi.net>
Source record: 116703

Hello:

Recently purchased an IC-71, 6Meter AM/FM rig. Looking for a manual.
Will pay copy cost and postage. Can anyone out there help me?
Thanks
Bill KF4PGU

1417. Re: Manuals Needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: ejune@intuitive-data.com
Message-ID: <09990115113318.OUI00.ejune@intuitive-data.com>
Source record: 116704

Try here:

http://www.radioera.com/ham.htm

http://www.mnsinc.com/bry/mega/manuals.htm

--
Regards,

Eric June
KU6J

1418. Swapmeet Smithville,TX Feb 20

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Jeff Schmidt <rsja60@email.sps.mot.com>
Message-ID: <36C85CCC.8BD382A9@email.sps.mot.com>
Source record: 116705
Cross-posted to: rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateur.equipment

All,
Here's info on a nice country swapmeet. Even more laid back than Georgetown!
N5MNW Jeff

Smithville Swapmeet this Saturday, Feb 20 at Riverbend Park, just off SH71,
east of Bastrop. 8AM till whenever... Meet at the park Friday night for early
setup and eat dinner with us!

For more info call 512-360-3670, 512-237-3817, 512-321-1074 or kc5kfv@onr.com

Talk-in on 145.350(-) or 443.750(+)

FREE ADMISSION

Tables inside- $10
Outside covered- $5
Tailgate- $3

1419. WANTED Kenwood TM2400

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: "Richard D. Reese" <richardr@sssnet.com>
Message-ID: <36C87EFC.676D50D6@sssnet.com>
Source record: 116706
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf,rec.radio.swap

I am looking for a Kenwood TM-2400 Cash or trade.

Thanks in advance.

--
Richard D. Reese WA8DBW
224.320, 444.200, 920.000,2411.200 MHz
Voice 330-335-0122
http://www.wa8dbw.ifip.com

1420. WANTED: AN/PRC-70 XCVR

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Vic Link News <faulkner@viclink.com>
Message-ID: <P6%x2.213$ft3.4043@newsfeed.slurp.net>
Source record: 116707

Former Viet Nam vet radio op looking for PRC-70 in good, operational condition. I will be using on amateur bands. I am seriuos buyer willing to pay premium price for the right unit. Reply via email to n7gsu@qsl.net with condition, accessories, price. Also looking for AN/PRC-74, AN/PRC-64, TRC-77, AN/GRC-109(a).

Thanks,

N7GSU

1421. FORSALE(or trade), Best offer, Tinsley Labs classical cass telescope

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7a9v5k$58q@nntpa.cb.lucent.com>
Source record: 116708
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I MUST sell this asap -- best offer takes this beautiful
classic telescope. An EXCELLENT value for someone who wants
a classic, top quality scope.
Contact me at 732-949-0664 or via e-mail.

Original ad follows:

FORSALE -- TINSLEY LABS CLASSICAL CASSEGRAIN TELESCOPE !!!

I have for sale a Tinsley Labs 8-inch Classical Cassegrain
telescope, complete with the original German equitorial
mount and clock drive. Tinsley produced these fine scopes
in the mid 1960s and are known for their fine optical and
mechanical properties. They were (are) research quality
instruments which are quite rare and retain their value.

In mint shape, they go for around $3000. The one that
I have is in very good condition, but needs a few minor
items to bring it to "mint", as follows:

- mirrors are excellent, no scratches or chips, and
bright. Although very good and workable, a
recoating would make them mint.

- clock drive needs an external 12V battery pack and
rheostat to make it operational (this is as it was
intended). A nicad pack or motorcycle battery would
be appropriate.

- A low tripod or pedestal base (about 20" high) and
"rocker box" is needed for the equitorial mount to
sit on.

- the optical tube has some scratches in the paint and
a small dent, which absolutely does NOT interfere with
the optical path. Paint scheme is the original Tinsley
gray.

Thats about it. I just don't have the time to use this
scope and it's too valuable to just let it lay idle.

I'm was asking $2150. for scope and mount (and absolutely will
NOT sell them separately) but am open to any reasonable
offers. Please, I must

find a good home for this; make a bid!

The equipment is located in Monmouth County, NJ. For
further information, please contact me.

Thanks,

Joe Levantino
Lucent Technologies - Bell Laboratories
732-949-0664 (days)
jlevantino@lucent.com

PS -- I will consider a trade for equally valued Amateur
Radio Equipment, in particular a high quality, heavy
duty, HF linear amplifier (Ten-tec, etc).

1422. ***For Sale, or Trade: FT-530 with FULL access.*** wanted: Icom T8A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: John Alley <chia@korrnet.org>
Message-ID: <Pine.GSO.3.95.990215150346.2065A-100000@georgia.korrnet.org>
Source record: 116709
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I am interested in a possible trade here. I would really like to get one of these new Icom tri-band HT's. But money is rather tight right now. So, I would like to offer this in trade. I have FT530 in great condition. I am a non-smoker. You MUST see this HT to see how clean it is, and how nice the shape is in. No scratches or problems at all. I have all boxes, docs. etc. and the following accessories :

1/ Yaesu tech. manual [not a photo copy]. 2/ Yaesu MH-29 display / speaker mic. [cord not stretched to hell]. 3/ Yaesu YH-2 vox head set [clean]. 4/ Yaesu FNB-26 1000Ma. batt. [in box never been charged] . 5/ (2) Yaesu FNB-25 600Ma.batts. [one has been repacked with new, Yaesu ni.-cads.] ...all excellent condition 6/ DC. 12 volt cable. 7/ Packet control cable wired for AEA.-PK232 MBX.. 8/ New Yaesu replacement rubber duck antenna, [the original duck antennas Yaesu supplied would not resonate worth anything on 70cm. band ?] 9/ 800 Mhz. mod. w/MARS/CAP mod [done by dealer] . This hand held was mostly used in the house on packet... I may also have a BRAND new Quick charger for the FNB series batteries, AND a Mr.NiCD 7.2V 1500mAh nickel metal hydride pack to go with it. They are only 2 weeks old! With receipts...! For now it is sold here locally, but if that doesn't work out I'll throw it in also!

Please let me know if you may be interested. Please E-Mail me at one of the addresses below and then we can get together from there. I would sell it all together for $355 (shipping included to CONUS) but I do not want to separate any of it.

====----****----====
73 de KF4UAE
KF4UAE@qsl.net
chia@korrnet.org
John R. Alley

1423. FORSALE - MINT Kenwood TS-520S w/CW filter, mic, MFJ tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7aa0sj$5gg@nntpa.cb.lucent.com>
Source record: 116710
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,nj.forsale,rec.radio.amateur.boatanchors

I have a mint Kenwood TS-520S that I would like to sell.
In my opinion, the 520 and 520S are
some of the best rigs around and would make a
fantastic beginner station or a great backup rig.

For any novices not familiar with this radio, it is all solid state
(discrete components, so its very easy to repair if ever needed)
except for a tube driver and a pair of very
robust 6146 tubes as the finals. It has a builit in power supply,
but can also run off of 12VDC with an optional DS-1A
DC-DC convertor (not included). It also has connections for the
Kenwood DG-5 digital display.
It covers 160,80,40,20,15, and 10 meters in CW and SSB (upper and lower) modes.
The receiver section is excellent and I always get excellent audio quality
reports. Many folks say that these older Kenwoods are some of the best
sounding rigs on the air.

This rig also has the optional 500Hz CW filter
installed (genuine Kenwood option). Also included
is the Kenwood hand mic and (if you need it) an
MFJ antenna tuner (I forgot model no - older unit
but works fine).

The price is $350 firm + shipping. You might find one for a few $ less,
but NOT is this great condition.

Joe Levantino
KB2FSH

(732) 949-0664

1424. FS HP Network Analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Mike Kulyk <mkulyk@att.net>
Message-ID: <01be5927$aff1ab40$6a06440c@default>
Source record: 116711
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

Main Frame and HP 8410B network analyzer, and 8413A Phase gain indicator.
Unit Missing input cable and input box.

I do have a copy of the catalog page, I would be willing to FAX to serious
inquiries.

$195.00 plus shipping

Mike

1425. FS Microwave freq. meter 33-50 GHZ

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Mike Kulyk <mkulyk@att.net>
Message-ID: <01be5927$45bf15a0$6a06440c@default>
Source record: 116712
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

Yes 33-50 ghz
Made by Alpha Industries model TRG 551

$80 plus Shipping

Photos Available by e-mail

Mike

1426. FS HP Microwave Variable Attenuators

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Mike Kulyk <mkulyk@att.net>
Message-ID: <01be5926$cdb9fca0$6a06440c@default>
Source record: 116713
Cross-posted to: rec.radio.swap,misc.industry.electronics.marketplace,rec.radio.amateur.equipment

Model HP 382A 0-50db WR112 waveguide outputs with transitions

$40ea plus shipping

Photo available by e-mail

Mike

1427. FS New DC to DC converters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Mike Kulyk <mkulyk@att.net>
Message-ID: <01be5927$fb4ee1c0$6a06440c@default>
Source record: 116714
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

New in boxes 2 pcs 48v 400watts input 24v 300 watts output, in original packing with spec and catalog pages $55.00 ea plus shipping

Mike

1428. FS 80 Mhz TCXO ref OSC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Mike Kulyk <mkulyk@att.net>
Message-ID: <01be5929$0ec56020$6a06440c@default>
Source record: 116715
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

Piezo Crystal Co Model 2910106 80.000 mhz $20.00 plus shipping.
Unit is untested 24 vdc SMA female output
Mike

1429. FS Channelmaster Satellite Dish 1 meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Mike Kulyk <mkulyk@att.net>
Message-ID: <01be5928$60029b20$6a06440c@default>
Source record: 116716
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

Offset fed Fiberglass Dish antenna. I do not have the mounting hardware or the feed hardware just the white fiberglass antenna

$150 plus shipping from Long Island

Photo available via e-mail

Mike

1430. FS-WTD Oki Transportable/Bag Cell Phone

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Mike Kulyk <mkulyk@att.net>
Message-ID: <01be5929$7e56c6e0$6a06440c@default>
Source record: 116717
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

This is a 3 watt Cellular Phone, it would be very easy to turn it into a mobile phone, or leave it in the bag as I use the other one we own. My wife wanted a handheld phone.

Best Reasonable offer comes with nicad and wall charger

Mike

1431. FS Aydin 14-14.5 ghz preamp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Mike Kulyk <mkulyk@att.net>
Message-ID: <01be5928$b5da5060$6a06440c@default>
Source record: 116718
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

Aydin GaAs Fet Amplifier Gain 20 db P/N a22796 Rev A

15 vdc SMA female connectors

$50.00 plus shipping

Mike

1432. FS:KENWOOD PS-52 Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: wricharz@charlotte.INfi.NET
Message-ID: <3.0.1.32.19990215161940.0080da60@charlotte.infi.net>
Source record: 116719

Heavy Duty 22.5 amp Kenwood PS-52 Power supply. Matches
TS-858, 870, etc. Orginal boxes, manuals, and schematic.
$150. Bill, N4DH (704)545-9368, Charlotte, NC.

1433. WTB:MICOR DTMF MIKE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Al <K6DJP@postoffice.pacbell.net>
Message-ID: <36C86EA3.B8316DD2@postoffice.pacbell.net>
Source record: 116720
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Do not know the model nunber.Please let me know price and condition if
you have one for sale.
Al

1434. Re: Standard C5900 and Frequency coverage

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Igor Dobrokhotov <icho@softhome.net>
Message-ID: <7a73ddkcs2@mail.nursat.net>
Source record: 116752

Greg Ottria wrote O©╣ O©╣O©╣O©╣O©╣O©╣O©╣O©╣O©╣O©╣ ...
>Do all Standard C5900 receive below 44Mhz? A friend has one that
goes to
>the 42Mhz area. He said not all C5900 goes below the 44Mhz that
Standard
>advertises

Hi Greg,
Just now check it. Yep, it works down to 40 MHz, then jumped to
99.995 MHz.
Excellent RX/TX, very high intermod, the singe radio what I can use
w/o disturbing pagers/trunks, but inconvenient ergonomics.Want to
know more? Mail me.
Igor UN7GM

1435. Re: Looking for Collins 71S-1

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: skywaves@bw.webex.net
Message-ID: <7a88kd$m12$1@nnrp1.dejanews.com>
Source record: 116753
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

Is there a 71S1? 51S1 is 2-30MHz general coverage. 75S1 is HF ham bands.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1436. Racal Spare Parts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: kuwaiti@my-dejanews.com
Message-ID: <7a92bs$a5u$1@nnrp1.dejanews.com>
Source record: 116754

Hi,

Looking for Racal Syncal30 TRA391X spare parts,adresses, website.

Thanks for any help you can provide.

Faisal

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1437. Hamfest NIMH Batteries

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: brianburke@my-dejanews.com
Message-ID: <7a9fankac1@nnrp1.dejanews.com>
Source record: 116755

At the St Charles, MO Winterfest, I found a vendor selling NiMH AA batteries for $1.25 each. Wow! I found a small problem when I got home, however. The positive side of the battery is missing the "button" that makes contact with your battery holder. Perhaps these were meant to have the tabs, but never got that far in the manufacturing process. I dunno. I searched the house for something to solder on the battery in place of the tabs. I settled on some really small steel washers. While attempting the soldering job, the steel washers weren't sticking, and at that point decided to go with just a blob of solder. A 25 watt slodering iron is plenty, and I kept the warning in the back of my mind (battery can explode, leak, or catch fire if heated or exposed to fire or high temperatures...). No big deal since every manufacturer solders their battery packs. I had to do it a second time as the first pass with the solder wasn't high enough to make good mechanical contact in by battery holders. Also, be sure to use a file and expose the lead on the tip of your solder blob. I was using some really nice Heathkit solder and it left a rosin coating on my solder blobs which wouldn't make good electrical contact.

They were green cased, generic-like, with the following info:
Size AA, 1.2V
DHAA120
nickel metal hydride rechargeable battery
Caution: battery can explode...
Made in Japan
Duracell, Inc.

73,
Brian/N0iMD

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1438. KENWOOD 931

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: bujiaj8@aol.com
Message-ID: <19990214195303.23269.00001536@ng116.aol.com>
Source record: 116756

I JUST WOUND UP WITH A KENWOOD 931 . IT APPEARS TO BE A 900 MHZ RADIO FOR ALL I KNOW ABOUT THINGS. IS THIS RADIO GOOD FOR ANYTHING I CAN USE. CAN IT PERHAPS BE CONVERTED TO A 440 RIG OR SOMETHING LIKE THAT. EMAIL ME WITH ANY INFO. I WOULD APPRECIATE IT.

BILL

1439. Re: USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Bill Crocker <bcrocker@home.com>
Message-ID: <XbLx2.386$0A4.1065@news.rdc1.mi.home.com>
Source record: 116757
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Greg:

How does FedEx respond to these types of claims? I've never delt with them.

Thanks,
Bill Crocker

Greg Renner wrote in message <36C7726E.C4A7CF42@uswest.net>...
>
>USPS just lost a PRO 2006 I sold to someone and there are hoops necessary
to
>collect the insurance. They will not accept a claim until 30 days after
the
>shipping date. You will then need to get a form 1000 from your local post
>office. You will need to have a signed letter from the addressee stating
that
>they did not get the item and finally proof of the value of the item.
>Shipping costs are not refunded.
>
>I am in the middle of this process and have not found out how long til the
>person I sold it to gets his money. From here on out it is FedEx only,
they
>are worth the extra money.
>
>Greg
>
>

1440. Re: USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: jmweber@goodnet.com
Message-ID: <36c8843f.1165168@news.goodnet.com>
Source record: 116758
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

On Mon, 15 Feb 1999 01:59:19 GMT, "Bill Crocker" <bcrocker@home.com>
wrote:

>Greg:
>
>How does FedEx respond to these types of claims? I've never delt with them.
>
Not much better. I had a parcel disappear for 6 weeks, the only thing
I got was a bunch of lies, and ultimately, the freight charges back.
It was a warranty return, and unfortunately in the 6 weeks it was
missing, the warranty did run out...

If it absolutely, positively has to be there, ship with somoene
else......

1441. TS570D vs 570D(G) Thanks !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: ny4t@home.com
Message-ID: <36c783d3.86211849@news.nash1.tn.home.com>
Source record: 116759

Thanks for all the response to my query (12) on the 570.

73,
Lee (NY4T)
http://members.home.net/ny4t

1442. Which HF Rig in this price range??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: ny4t@home.com
Message-ID: <36c8841b.86284646@news.nash1.tn.home.com>
Source record: 116760

OK, here is the question. I plan on buying an HF rig in the next couple of months. I will probably have about $900 to spend. I will be using the rig primarily for contesting, about 75% phone and 25% CW. I already own a Kenwood TS450SAT which I am very happy with.
So, I need to narrow my choices. I am leaning toward a mid-range used rigs with only a few years on it. Here is what I have found I can get in this price range. I need opinions onthe advantages and disadvantages of the rigs for the type of use I will have and any personal opinions on which rig you would choose. An automatic tuner is an absolute requirement. Speed and ease of use are as well.

Another TS450SAT, with accessories for this price
Yaesu FT 767
Kenwood TS940
Kenwood TS570D
Icom 751a
Yaesu FT890
Ten-Tec Omni V
Kenwood TS690
Others???

Thanks in advance es 73,
Lee (NY4T)
http://members.home.net/ny4t

1443. Re: Field programming Bendix/King EPH 5990A VHF portable?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: scout1107@aol.com
Message-ID: <19990214214541.28840.00001697@ng-fd1.aol.com>
Source record: 116761

Hey Mike, to program your vhf you just need to enter the six digit ID number then push enter to enter normal programming mode, default is 000000 from factory, but you can change manually or in the global paramaters in the software. I hope this works for ya,
Mike -- scout1107@aol.com

1444. QTY 4 NTN7143 HT/MT/MTS BATTERIES

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: ilonka00@hotmail.com
Message-ID: <36c794cf.34182581@netnews.worldnet.att.net>
Source record: 116762

NTN7143 BATTERIES
Qty four (4) Motorola "JEDI" batteries for the HT1000, MT2000, and MTS2000. Used, but like new, and guaranteed. $65 for all, plus shipping charges. Sorry, will not split up.

1445. MX360-T 800 MHZ RADIOS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: ilonka00@hotmail.com
Message-ID: <36c99534.34283957@netnews.worldnet.att.net>
Source record: 116763

MX360 PORTABLES

We have a number of MX-T 800 MHz
portables N1336A.

These are MX360 housings with chrome
cover and imbedded black DTMF keypad.

Units are probably operable but
are better suited for robbing
parts for UHF/VHF units.

$25 each includes shipping.

1446. VX-5 Mod

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: Carl_KE4ZCL@my-dejanews.com
Message-ID: <7a9oj3$sc0$1@nnrp1.dejanews.com>
Source record: 116764

Has anyone figured out how to open the receive in the 864-868 mHz area yet?
My local police department uses this area and I was hoping to listen to that.
Besides this dilemma, I am very pleased with the radio! I love it :-)

Carl-KE4ZCL

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1447. Re: VX-5R CTCSS problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: cc13125@cedarnet.org
Message-ID: <36caa113.29839456@news.cfu-cybernet.net>
Source record: 116765

Errrr..... BUZZ! WRONG !

My VX-5R (and the next serial numbered unit owned by a friend) has horrible PL decode time, regardless of whether a PTT cycle was just finished or scanning or just sitting on a frequency (with the battery saver disabled, of course).

Now, if these two units are out of the norm forgive my rudeness (above)... but my experiences with PL decode times approaching 1000ms (1 second) is explained by Yaesu using the main CPU for PL decoding and explains the scan/decode problem that everyone discusses.

The FT-50, FT-51, any number of Standard, Icom, GE, Motorola and Kenwood handhelds have varying delays in decoding a PL tone, but none are anywhere as poor as the VX-5R.

On Fri, 12 Feb 1999 11:31:15 -0400, "Francis" <ve2fgs@videotron.ca> wrote:

>The problem is not all the time, it's only after a transmission with the
>radio. If the radio is just waiting on a frequency with a PL, everithing is
>very fine. If the radio is scanning, if it stops on a frequency, the PL will
>be decoded very fast and I have nothing to say about it. The problem is
>after a PTT. Every time you use the PTT knob, when you release it, it takes
>the radio more than a second to re-open the squelch (PL decoding). Even if
>the repeater is always transmitting that PL tone. That is my problem. If you
>do not transmit with the radio, you will never have the problem.
>
>
>Chris Conklin (n0cf) a ï¿½crit dans le message
><36c3c304.123119786@news.cfu-cybernet.net>...
>|On Thu, 11 Feb 1999 22:55:15 -0400, "Francis" <ve2fgs@videotron.ca>
>|wrote:
>|<snip>
>|>I bought about 4 days ago a new VX-5R. I think I have a problem with it. I
>|>would like your opinion on this.
>|>
>|>The problem is when I use CTCSS tone in receive mode. When I operate on a
>|>repeater with CTCSS, my radio is very slow to react to the good tone. That
>|>means that when I am transmitting, everything is fine, but when I let go
>the
>|>PTT, it takes about 1 to 1 1/2 seconds for the radio to re-open the
>squelch
>|>by itself. (and the repeater is always transmitting the tone...) Wich
>means
>|>that I loss the beginning of the answer that the other person is saying.

>For
>|>example, if the person says "ok Francis, so I'll talk to Jeff tomorrow",
>|>I'll only ear "to Jeff tomorrow".
>|<snip>
>|
>|Looks like a low-quality CTCSS decoder circuit in the VX-5R... much
>|slower than any other radio I've seen... 500-100ms I'm guessing, where
>|a good PL decoder should be under 200ms.
>|
>|Rather than fixing the slow decoder, the new batch (serial 8Nxxx)
>|seems just to wait longer on each memory channel during scan to 'wait'
>|for the CTCSS decoder to lock-on.
>|
>|Another black eye on a neat radio (locked out 864-869Mhz and
>|917-943Mhz is my other irritant).
>|
>|====================
>|Chris Conklin, N0CF
>|
>|--
>|Chris Conklin, Amateur Radio: N0CF (was N0PAV)
>|444.65mhz, PL 136.5 -- Cedar Falls IA

Chris Conklin, Amateur Radio: N0CF (was N0PAV)
444.65mhz, PL 136.5 -- Cedar Falls IA

1448. Re: FT-101EE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: "Richard R. Plourde (Dick)" <rplourde@worldnet.att.net>
Message-ID: <7a89ik$6eu@bgtnsc03.worldnet.att.net>
Source record: 116766

Brian or Wayland wrote in message <36c7678b.0@205.238.18.7>...
:Hello
: I have a good ham friend that has a FT-101EE rig for sale. He said it
:was recently alliend. and is selling for a very good price. Are the 101EE
:radio's pretty good. Like will it be good for a first time HF operator. And
:also If by chance I need a new Tube for it are they hard to find? Any other
:info will be nice. Thanks

Hello Brian...

I've had a Yeasu FT-101 for 4years it's my first HF rig and I think it's a
great beginner's rig. I think these old ones have a great look to them also.
The FT-101 was very popular and many, many are still cranking out.

Check out this great Yeasu FT 101 site...

http://www.qsl.net/nw2m/ft101.html

E-Mail me if you have questions because I don't monitor this newsgroup.

--
73 de Dick, N1SJM
http://qsl.net/n1sjm/

1449. Re: IN NEED ***** Yaesu FT-767 INFO****

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: "Robin K. K." <rkk@ascom.dk>
Message-ID: <ukPx2.86$Jv.568@news.get2net.dk>
Source record: 116767

I have a 767 and yes, it did have the wobble. So I went and bought a new digital encoder (or whatever it is called) and installed it, quite easy. BUT, even as new it still has a small wobble, which tells me that the dial knob is just too heavy for the mechanism that supports it. I have not seen this as only a 767 problem, I have seen 757s with mega-wobbles. I have also heard some story that Yaesu made these encoders with an aluminium bearing, which was too soft and then later made it from brass which was a bit better. Anyway, if you are going to replace the thing it will set you back about 60 US.

73
Robin
OZ6ABM
"hambone" wrote in message <7a7kde$k81$1@news-2.news.gte.net>...
Hello,
I am in the market for a 767, found one and it has a little wobble in the tuning knob, was told it works fine and that is normal for the 767 series to do so.
Can you help with any feedback.
Thanks,
hambone
e-mail: uniquehc@gte.net

1450. Manuals Needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: kc7vwq@aol.com
Message-ID: <19990215013308.23215.00001201@ng-fc1.aol.com>
Source record: 116768

I need the manuals for the following radios:

Hammarlund HQ-129-X
Icom IC-02AT

I will pay for copying and shipping. Thanks to anyone that can help...

Kris Arens
KC7VWQ

1451. WTB: Kenwood TM-431 or TM-441 mobile.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-15 00:00:00 UTC
From: rpowell907@aol.com
Message-ID: <19990215023414.07105.00001717@ng117.aol.com>
Source record: 116769

Would like to purchase a used Kenwood TM-431 or Tm-441 mobile. These units are 440 radios and I would like to purchase one in good condition.

Thanks,

Randy Powell - KC4AQS
RPowell907@aol.com

1452. FS 6GK5/6FQ5 NOS various brands.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: KEN CHAIT <atsi@herald.infi.net>
Message-ID: <36CA2818.A9DFC71C@herald.infi.net>
Source record: 116521
Cross-posted to: rec.audio.marketplace,rec.audio.misc,rec.audio.opinion,rec.audio.tubes,rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment

NIB 6GK5/6FQ5 NOS tubes for sale. Various brands; GE, RCA, Sylvania, Westinghouse, etc. Tested. $2.50 ea. + shipping.

Ken Chait

1453. FS 6GK5/6FQ5 NOS various brands.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: KEN CHAIT <atsi@herald.infi.net>
Message-ID: <36CA2840.A4469D2B@herald.infi.net>
Source record: 116522
Cross-posted to: rec.audio.marketplace,rec.audio.misc,rec.audio.opinion,rec.audio.tubes,rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment

NIB 6GK5/6FQ5 NOS tubes for sale. Various brands; GE, RCA, Sylvania, Westinghouse, etc. Tested. $2.50 ea. + shipping.

Ken Chait

1454. FA 6GK5 electron tubes, NIB.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: KEN CHAIT <atsi@herald.infi.net>
Message-ID: <36CA28B3.6B3B77A7@herald.infi.net>
Source record: 116523
Cross-posted to: rec.audio.marketplace,rec.audio.misc,rec.audio.opinion,rec.audio.tubes,rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment

NIB 6GK5/6FQ5 NOS tubes for sale. Various brands; GE, RCA, Sylvania, Westinghouse, etc. Tested. $2.50 ea. + shipping.

Ken Chait
http://www.electron-tube-audio.com

1455. Need Schematic: Henry 2K-4..Please

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <36CA2E74.5F3A383B@iglobal.net>
Source record: 116524
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.swap

got a small problem with a 2K4...need a schematic...will pay whats necessary to get one...thanks Murray

1456. Re: FS HP Network Analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: "John D. Adamson" <john@jnadamson.mv.com>
Message-ID: <36CA32D4.7D2484A5@jnadamson.mv.com>
Source record: 116525
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

Please fax me the information @ 978-244-2140

I would like more information.

Thanks and 73,
John
w1hzh

Mike Kulyk wrote:

> Main Frame and HP 8410B network analyzer, and 8413A Phase gain indicator.
> Unit Missing input cable and input box.
>
> I do have a copy of the catalog page, I would be willing to FAX to serious
> inquiries.
>
> $195.00 plus shipping
>
> Mike

1457. Re: Icom 746 vs Icom 756 vs Yeasu FT920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: "John D. Adamson" <john@jnadamson.mv.com>
Message-ID: <36CA3247.84C3AD98@jnadamson.mv.com>
Source record: 116526

I own a 920 and it is super on all bands. Six works just fine
and with the built in ant tuner on all bands.

I have the narrow filter and the fm unit and have fun with both
6 and 10 mtr repeters.

To each their own, but this is the first new (last year for me) rig
I have had in > 10 years and it was worth the wait.

73,
W1HZH

tovsrud wrote:

> Of the Icom 746 vs Icom 756 vs Yeasu FT920, which has the most
> effective noise blanker and DSP?
> Are any differences large?
> Does the ICOM 746 have a more effective noise blanker and DSP than
> the ICOM 706 MKII?
> I am especially interested in 6M performance.
> Robert K6KDX

1458. Lunar 2mtr Amp Manual Needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: lbooth <lbooth@comm.net>
Message-ID: <7adc70$5um$1@news.ametro.net>
Source record: 116527
Cross-posted to:
alt.ham-radio.packet,alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.swap

I need the manual or schematic for a Lunar Electronics 2M10-80P amplifier.
This is a 10 watt in/80 watt out amplifier with a receive preamp. I'll
cover Xerox and postage, whatever is fair.

Tnx

N5LB

1459. Re: FS: KENWOOD TS-570DG Transceiver.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <7addr7$9c7$1@news-2.news.gte.net>
Source record: 116528
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

DUNNO - I sure wouldn't want to sell mine, if I wasn't able to replace
it a newer one... (570D)

Gary - KJ6Q
==========
LOVE *my* 570D.... Much better than
my previous 450 and 850...

Stuart wrote in message <36CA01F3.18ADA9F0@valon.net>...
>
>
>Jim Bolin wrote:
>
>> For sale a new TS-570DG Transceiver.. $1000 Plus shipping. Contact
Jim KB8NN
>> here or 937-845-0943. See other rigs at;
>> http://www.angelfire.com/oh/kb8nnhomepage
>
>Jim:
>Could you please tell me why so many TS-570xx tranceivers are showing
up for
>swap? I'm not interested in purchasing one as I am very satisfied
with my
>TS-450S, just curious.
>
>Also, I noticed on your web site that you have a IC-281H for sale.
Do you know
>were I can find an image of this radio. I had an IC-271H, is this
similar with
>440 receive?
>
>Thanks for your responses.
>--
>Stuart Rumley ki6qp
>VALON RF/Microwave Engineering
>ph: (650)369-0575
>fx: (650)369-0577
>
>

1460. ICOM IC-281H for sale or trade

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Vic Link News <faulkner@viclink.com>
Message-ID: <XZqy2.977$Sd4.10156@newsfeed.slurp.net>
Source record: 116529

I have an IC-281H in very good shape. It has the programmable hand mic, all factory options (including the voice talk-back of freq., etc.) It is missing the screws for securing the set to the mobile mount (I just can't find the suckers). Sure new ones can be had from ICOM or other supplier.

Asking $225 U.S., OBO. I would also trade for QRP or working military gear. Email at n7gsu@qsl.net

Robin, N7GSU

1461. ICOM IC-281H for sale or trade

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Vic Link News <faulkner@viclink.com>
Message-ID: <S5ry2.986$Sd4.9700@newsfeed.slurp.net>
Source record: 116530

I have an IC-281H in very good shape. It has the programmable hand mic, all factory options (including the voice talk-back of freq., etc.) It is missing the screws for securing the set to the mobile mount (I just can't find the suckers). Sure new ones can be had from ICOM or other supplier.

Asking $225 U.S., OBO. I would also trade for QRP or working military gear. Email at n7gsu@qsl.net

Robin, N7GSU

1462. ICOM IC-281H for sale or trade

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Vic Link News <faulkner@viclink.com>
Message-ID: <Q3ry2.983$Sd4.10312@newsfeed.slurp.net>
Source record: 116531

I have an IC-281H in very good shape. It has the programmable hand mic, all factory options (including the voice talk-back of freq., etc.) It is missing the screws for securing the set to the mobile mount (I just can't find the suckers). Sure new ones can be had from ICOM or other supplier.

Asking $225 U.S., OBO. I would also trade for QRP or working military gear. Email at n7gsu@qsl.net

Robin, N7GSU

1463. Re: Yaesu FT-100 rx spec change?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Dan Elekman <elekman@interaccess.com>
Message-ID: <7adf7fhbg1@remarQ.com>
Source record: 116532

Yaesu responded that the rx spec is actually 30 kHz - 970 MHz
(Cellular/digital telphone frequencies are blocked).

The FT-100 web page will be changed shortly to reflect this wider rx range.

Way to go Yaesu!

Dan Elekman wrote in message <7a3r73$rk3$1@remarQ.com>...
>Today I received the Amateur Radio Trader. There is a new full page ad for
>the FT-100. It states that the rx frequency coverage is: 100 kHz-76 MHz,
>108-174 MHz, and 420-512 MHz.
>
>Now compare this to the specs on Yaesu's website:
>
>RX :100 kHz - 970 MHZ (Cellular/digital telephone freqencies are blocked)
>
>I hope that Yaesu did not advertise the wide band receive for all these
>months just to look better than Icom then change the specs just before
>shipping to the stores.
>
>Can anyone confirm what the actual receive frequencies are for this radio?
>
>
>

1464. I.F. or A.F. DSP?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Rick and Theresa Low <pilots@mbay.net>
Message-ID: <36CA4BB1.2B1EC6C3@mbay.net>
Source record: 116533

Intermediate Frequency or Audio Frequency DSP? That is the question. Any experience out there with either or both applications, effectiveness, ease of use, specific rigs, opinions or otherwise? Need help with a decision on my next rig!
73 and TIA,
Rick N6CY

1465. Re: Yaesu FT51R 2mtr Dual Band for Trade or Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: KD5GEH <kd5geh@koogles.net>
Message-ID: <7adji8$2jf$1@newnews.startext.net>
Source record: 116534

Are both bands 2 meters?

casey romanski <c-romanski@ti.com> wrote in message
news:36C9CC0F.2679FCE7@ti.com...
>2 Meter Dual Band Handheld (Yaesu FT51R)
>
>3 batteries and alkaline case (High, Mid power and Compact + Batt case)
>
>Remote microphone/with display (MH-29)
>Car Charger with built in fan (PA-10)
>Headset Microphone with vox/ppt (VC-22)
>
>$550 USD
>
>Call 972-462-4878 7am-3pm or 940-497-4774 pm ask for Casey (KA5OAC)

1466. Re: SX-28 & SX-28A--what's the difference?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <36CA7102.EB855DAA@wenet.net>
Source record: 116535

Brian,
Woderful information. Good Job!!
de K6hm
Young

N3XBU wrote:

> The SX-28A is a later version that came out in 1944. It was advertised as a
> "postwar model" incorporating many design changes suggested during its "combat
> use" during the war years. The 28 came out in '41. The 28A has modular sections
> for easier servicing. The transformer is potted. The 28 sold for $159.50, the
> 28A for $223.00 The 28A uses a 6BA7 in the first RF and in the noise amp
> instead of 6SK7's. They advertised the PM-23 as an accompanying speaker for
> the 28A instead of the R-8 or R-12. My SX-28A is marked as such on the front.
> Many are not. Yours COULD be a 28A...look and see if it has 6BA7 markings on
> the chassis, for the aforementioned functions and an easily removable clip-on
> cover over the ganged tuning capacitors. If it does it's an SX-28A, if not it
> is an SX-28. In practice, the changes don't mean much except for servicing and
> "perceived" rarity. Neither are rare. Both are highly regarded, collectible and
> usable boatanchors with excellent audio.
>
> Brian K3VR

1467. Re: Hamfest NIMH Batteries

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Russell Houlton <R_Houlton@nospam~csi.com>
Message-ID: <eGW6DIIW#GA.114@nih2naaf.prod2.compuserve.com>
Source record: 116536

The key to soldering batteries is to take a file and rough up the surface.
I did that and it soldered up real quick.

1468. FS: 6 METER ALLMODE IC-551

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Patricia Pokrocos <patp@princeton.edu>
Message-ID: <36CA24F7.639B@princeton.edu>
Source record: 116537

HI, HAVE A ICOM IC-551 6 METER ALLMODE FOR SALE. 120V/12VDC BASE RADIO
IN AS NEW COND. DOES: AM/USB/LSB/CW. COMES W/MIKE/MANUAL/120 CORD/BOX
$350.SWAP?? LOU AT 609-890-0380. DO NOT AUTO ANSWER. CONTACT ME AT
MIDATLANTIC@HOTMAIL.COM

1469. mods for FT-221R or the FT747GX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: gx0vzs@aol.com
Message-ID: <19990216054831.20272.00000375@ngol03.aol.com>
Source record: 116571

I would be gratefull if anyone knows of any modifications for either the Yaesu FT-221R 2m multimode or the Yaesu FT-747GX HF Rig.

Please Email to.....
gx0vzs@aol.com

thanks in advance - Bill - M0BTZ

1470. Re: FS YAESU FT-50R (Two Radios $200 each) Freeband done.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Mitchell Katz <mcguyver@bv.net>
Message-ID: <36C94DE5.211BBB03@bv.net>
Source record: 116572

Let me know if one of the 50's is available, I'd like it...
Mitch

1471. Making an extention cable for a Kenwood TM-V7A Microphone.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: kf4tuz@qsl.net
Message-ID: <36c95852.31985541@news.blueridge.net>
Source record: 116573

Could I use Cat 5 twisted pair cable for this and a RJ-45 and female RJ-45 (don't know the # for that end)... I have a bunch of this cable laying around, and didn't know if it took a special type cable, plus if it being longer would have any effect on the radio, etc.. seems like they make an extention for it... but it doesn't look like it would be to hard to make myself.

Thanx,
KF4TUZ

1472. FS: RFConcepts 4-310 Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-1602990627500001@pom1.mbl.edu>
Source record: 116574
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

This unit is mint, very little use, up to 30W in for 100W out with preamp.
I have also interfaced a Mirage RC-1 remote control head with this for
remote mounting, 225.00 for both or 200.00 without control head.

1473. Re posting, Moving coil meter repair

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Simon Cox <simon.cox@breathe.co.uk>
Message-ID: <01be59a5$47dd1660$LocalHost@simoncox>
Source record: 116575
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.radio.amateur

Can anyone point me in the direction of a UK company that
could repair / rewind old Ernest Turner moving coil meters as
used in Racal RA 17 receivers, thanks.

--

Peolpe worry about me, I ride a
Kawasaki Z1000 LTD and listen
to RA 17 valve radios.
simon.cox@breathe.co.uk

1474. ICOM reflector, where is it

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: llefczik@motown.lmco.com
Message-ID: <7abv3l$n6l$1@nnrp1.dejanews.com>
Source record: 116576

I heard some people on the are refer to the "ICOM reflector". Can anybody tell me how to get to it?

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1475. Re: Making an extention cable for a Kenwood TM-V7A Microphone.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Shanon Lee Herron KA8SPW <sherron@visteon.com>
Message-ID: <36C97107.7E6BAD8E@visteon.com>
Source record: 116577

I have done just what you want to do for a friend. I used a
Belden shielded cable for the extention and crimped on the
modular connector. The cable was 10 conductor (5 twisted
pairs) with shield about 20 feet. I used two of the extra
conductors to run the speaker output along with it. There
was no problem with running them together. I mounted a cat5
jack in an old AT&T speaker phone speaker that I had gutted.
He uses it for doing the Free Press Marathon Run and such.
Sets up a table next to his truck under an umbrella and it
worked just fine. I made him promise not to tell anybody
where he got it!!! If you would like I can get you the Belden
cable number or even send you a chunk for postage.
73 Shanon KA8SPW

Please reply directly to ka8spw@wwnet.net and sherron@ford.com

Mike Thompson wrote:
>
> Could I use Cat 5 twisted pair cable for this and a RJ-45 and female
> RJ-45 (don't know the # for that end)... I have a bunch of this cable
> laying around, and didn't know if it took a special type cable, plus
> if it being longer would have any effect on the radio, etc.. seems
> like they make an extention for it... but it doesn't look like it
> would be to hard to make myself.
>
> Thanx,
> KF4TUZ

1476. FS Johnson SSB Adapter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: avitko@harris.com
Message-ID: <7ac2on$qg6$1@nnrp1.dejanews.com>
Source record: 116578

FS

EF Johnson SSB Adapter. Good condition, some scratches, electrically and mechanically complete. Last used 15 years ago and was working. I do not have the power supply.

Price $200

Thanks, Al

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1477. Compare: IC751A vs TS850 vs ?.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: KD5CAS@iamerica.net
Message-ID: <36c987cd.86838783@news.iamerica.net>
Source record: 116579

On 15 Feb 1999 21:51:38 GMT, radiofreq0@aol.com (RadioFreq0) wrote:

>Any and All,
>Please let me know the pluses and minuses regarding my potentially purchasing
>opne of the above rigs. I need the best Rx, more then addes bells and whistles.
>Abilty to upgraded using filters etc is a plus if the fully upgraded rig is
>superior to the upgraded other rig.
>I think you know what I am neeing to learn.
>Also, please let me know what each rig should be available for in terms of a
>fair price for an excellent condition rig. Thnx,
>Jeff
==========
Try this URL for some help:
http://www.aade.com/hampedia/hampedia.htm

Prices on E-bay recently
Rig Qty Low Avg High
IC-751A 8 $560.00 $619.52 $745.00
TS-850S 2 $891.10 $1,095.55 $1,300.00

I currently have an IC-751A. It's a great rig. I paid $600 for it,
with the matching Icom power supply. Has all filters installed, fully
functional, excellent condition.

The 751A is a dream to operate (replaced my Kenwood TS430).

--Scott, KD5CAS

1478. FS/MFJ Keyer Paddle Combo

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: pmayer7309@aol.com
Message-ID: <19990216103308.08419.00002292@ng-fs1.aol.com>
Source record: 116580

For Sale MFJ Keyer Paddle combo Model MFJ-422c. Excellant Condition Never used. Brand New condition

Asking $75.00 buyer pays shipping

PMAYER7309@aol

1479. FS: Mint Swan 300B

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36C994AD.1C3927C6@cfu.net>
Source record: 116581

SELL mint (9 out of 10) Swan 300B "Cygnet de Novo," latest and best of the Cygnet xcvrs. A collector's item complete in all respects, this is the nicest one I've seen since they were new in the 1970's. Includes extra 8950 final, original manual, Swan carton. $295 + shipping. Jan N0JR, swanman@cfu.net

1480. Re: FS YAESU FT-50R (Two Radios $200 each) Freeband done.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: KD5GEH <kd5geh@koogles.net>
Message-ID: <7ac39d$br7$1@newnews.startext.net>
Source record: 116582

Haven't discovered email yet? It usually gets to the sendee within minutes
(or seconds).. ng posts can take anywhere from several hrs to several weeks,
depending on the locations...

Mitchell Katz <mcguyver@bv.net> wrote in message
news:36C94DE5.211BBB03@bv.net...
>Let me know if one of the 50's is available, I'd like it...
>Mitch
>

1481. Looking for a Heathkit 2060 tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: ronfisher1@aol.com
Message-ID: <19990216105635.10606.00002326@ng-fw1.aol.com>
Source record: 116583

Hi,
Looking for a Heathkit 2060 tuner at a reasonable price.Please reply with condition and price.

Thanks, Ron KA1SRZ

1482. Want to buy: Collins 75S-1 or similar

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Kurt Brandstetter <kurt.brandstetter@teleweb.at>
Message-ID: <2Kgy2.1337$Za4.27299@news.chello.at>
Source record: 116584

If you have one, please send me an email to adress below.

--
73's de OE 1002419
Kurt from Vienna Austria

Email: kurt.brandstetter@teleweb.at
HomePage: http://members.teleweb.at/kurt.brandstetter/

1483. TM241A Display problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Jeff Schmidt <rsja60@email.sps.mot.com>
Message-ID: <36C98685.901AF65F@email.sps.mot.com>
Source record: 116585

All,
Anyone know of a fix for a wacky display on the TM241A?

I have a Kenwood TM241A I'm trying to fix. It works FB except for an aggravating symptom in the LCD display. Occasionally, all pixels will show up on screen. The rig still knows what VFO freq/mem channel it's on, but the display does not change. VFO and main reset correct the problem but not for long. Owner says it's been like that for quite a while. I have yet to go in and look at the backup cell, etc, but thought I'd knock it around here first. Maybe Kenwood has a service bulletin for latch-up protecting the display IC? Thanks, N5MNW Jeff

P.S. it's not the "ENJOY HOBBY" feature seen on the TM732A.

1484. Re: Looks like ICOM did it...the first!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Ron Higgs <erhiggs@flash.net>
Message-ID: <36C99DAB.6BC5FE8E@flash.net>
Source record: 116586

Actually Bill, when I think about it, the newer Y I K rigs can all be software controlled so maybe quick entry of the memory cells (along with an identifier for that cell) could be easily done via the hamshack computer.

Ron

Bill Clarke wrote:
>
> There used to be a device called the QSYer made by Stone Mountain
> Engineering of that town down in Georgia. No longer in business.
>
> Too bad - the QSYer is just what is needed for these little rigs. It is a
> telephone keypad with a processor and eprom that sends a serial signal to
> the rig's CPU.
>
> Wish I had the knowledge to design something like it. How about some of you
> wizards working up a starting point. I'd be happy to assist. I think there
> is a good profit potential here.
>
> --
> Bill Clarke W2BLC
> W2BLC@bigfoot.com

1485. Re: ADI AT-600

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Shawn Upton <supton@eece.maine.edu>
Message-ID: <36C99FF5.1372@eece.maine.edu>
Source record: 116587

Warren Wu wrote:
>
> What are your experiances with this radio? Is it a good radio or should I
> spend my money on something else? As a 15 year old, my funds are not
> necessarily what one would describe as plentiful (~$300), and this radio
> appears to have a good mix of features for the price. My intended uses are
> voice, packet and maybe some CW. Is this radio capable of doing packet or
> CW? Any opinions would be appreciated.
>
> --
> Warren Wu
> "Everything's dangerous if you're stupid."
> WarrenWu [at] rocketmail [dot] com | ICQ UIN# 26034609

First off, as far as I know of, the ADi AT-600 is a FM only radio. It might have the AM recieve, but, as such, it won't do CW like I think you might like it to do. [You can build a CW "box" to do CW over FM, but it's not true CW; this sort of thing is done by people wanting to just practice.]

Some questions to ask yourself about this up and coming purchase: What will you use this radio mostly for? Do you have a need for 70cm? What bands are you really interested in? You can buy a single band radio for less; and there are other manufacturors out there.

I faced the same problem you did, still do today. I bought a FT-50, the 5W version, which I really liked, but even as a good radio, I wound up wanting more after buying it. Like, better antennas, more power, etc. If you plan on using your radio for several purposes, ie, as the HT it is, and also as a mobile radio (with an antenna on the car, and an atenna in the house), get one with a BNC on it. [The 600 does have this; the 50 does not.] I say this because I think it swaps connectors much better than the sma does. [the sma connector is the screw-on kind.]

Also, I found that 5W only eats up batteries; better to stick with the 2.5W version [I think the batteries have more capacity to them, and will last longer.] Get the alkaline battery pack also.

You want to do packet also? Do you already have the stuff needed to do packet? I don't even know what yet is needed to do that, but I do know you need a TNC and a computer. Someone else can address this need.

Finally, I hope you are involved with a club of some sort or another. The help from one can be priceless. I know that it was with the help of some friends that I was able to build my first HT accessory--the

infamous twin-lead J-pole antenna.

My recommendations: buy a lower cost radio. Sure, it might not be as fancy, but I think you will find that you want to do some other things, get on some other bands using some other radios, etc. Spend slowly, don't buy impulsively. I've done that before; I've paid the price too.

Hope you enjoy whatever radio you do get!

--
****
Shawn Upton
Electrical Engineering Student
University of Maine at Orono
webpage: http://www.eece.maine.edu/~supton/
mail: supton@eece.maine.edu
KB1CKT Tech Plus
****

1486. Kenwood TS570D experience

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Edward Legenza <n6xa@email.msn.com>
Message-ID: <#3fkv0cW#GA.285@upnetnews03>
Source record: 116588

A couple of time, I have responded to people asking for experience/advice on the KWD 570 series. Mostly my response has been positive. However, a recent experience leaves me dumbfounded.

Having purchased, and re-wired a older Kenwood MC50 desk microphone to go with this rig, I was initially a bit disappointed that the mic did not have enough gain even when the "mic" gain on the rig was set to maximum (scale on display goes up to 100 when front panel "mic" button is activated). What really amazed me, is that wether I set the mic gain for 10 or 100 it seemed to make no difference in the mics sensitivity.

Guess what, after carefully reading the manual, it turns out that the "processor" feature of this transceiver must be turned off for the "mic" adjustment to have any effect. If the processor is on, you can adjust the mic gain in the display, but it has no effect. If the processor is off, the mic gain can really be adjusted and then the processor re-activated.

Well bother that, a display that lies from Kenwood. The MC50 has plenty of gain now, but just had to share this humorous experience with all.

Wonder if the "G" upgrade is more honest?

Ed Legenza
n6xa

1487. FS: MFJ Transceiver Preselector

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36C9A4E8.51B3E619@cfu.net>
Source record: 116589

Model 1040B in as-new condition, $55 + $5 to ship. jan N0JR

1488. Re: Which HF Rig in this price range??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Edward Legenza <n6xa@email.msn.com>
Message-ID: <OtUdC3cW#GA.240@upnetnews03>
Source record: 116590

I agree, the Kenwood 850 series are great rigs, just listen to them on the air.

Ed Legenza/N6XA
K7jy wrote in message <19990215195508.08076.00002158@ng-fv1.aol.com>...
>The Kenwood TS 850 beats all of them and is very close to your price range in
>the used market. Check out the specs in the QST product reviews. Not much beats
>it. I've got one, along with my FT 1000MP. The 850 receiver is superb. gd luck,
>K7JY.

1489. Need Heath HW-8 Schematic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: danny@mtu.edu
Message-ID: <danny-1602991128170001@techmac11.tech.mtu.edu>
Source record: 116591

I just picked up a used HW-8, with manual. My problem is that the manual has no schematic in it(maybe the schematic was on a foldout page????????).

I need a schematic to fix this thing, any help?

1490. WTT: Icom Q7A 144/440 Ht.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36cbcf58.22872894@news.earthlink.net>
Source record: 116592

```
WTT: Icom Q7A DualBand Ht
With box and manual,belt clip and carry strap.
Looks BRAND NEW!!.
Will trade for ham gear or commercial gear.
Email,Rich.
ps: Or make an offer, please don't ask how much I want,just make an
offer.
Rich NJ
```

1491. FS; Mirage B-1016 2 meter Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: KC5ALC <kc5alc@mindspring.com>
Message-ID: <7accn5$v53$1@camel15.mindspring.com>
Source record: 116593
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Have Mirage B-1016 2 Meter amp with matching RC-1 remote control box. Remote never used. 10w in 160w out $200 plus shipping.

Contact kc5alc@mindspring.com

1492. Re: ICOM reflector, where is it

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: ma_locksmith <ma_locksmith@email.msn.com>
Message-ID: <Oi3T8jdW#GA.185@upnetnews05>
Source record: 116594

send an e-mail addressed to

majordomo@qth.net

no subject

the following three lines in the text:

subscribe icom
lists
end

you will get back an authentication message. Follow the directions and you will be subscribed. You will also get a message with a list of the other reflectors available for subscription.

Ed
llefczik@motown.lmco.com wrote in message
<7abv3l$n6l$1@nnrp1.dejanews.com>...
>I heard some people on the are refer to the "ICOM reflector". Can anybody
>tell me how to get to it?
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1493. SX-28 & SX-28A--what's the difference?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: jwudgy@no.spam.for.me.please
Message-ID: <36c9bd2e.2154440@news.tdsnet.com>
Source record: 116595

Can anybody tell me what the difference was between the Hallicrafters SX-28 and the SX-28A? I'm selling my SX-28 on eBay and a prospective purchaser asked the question.

Thanks for any replies.

Gary
jwudgy@tdsnet.com

1494. SX-28 & SX-28A--what's the difference?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: jwudgy@no.spam.for.me.please
Message-ID: <36c9bd8a.2246236@news.tdsnet.com>
Source record: 116596

Can anybody tell me what the difference was between the Hallicrafters SX-28 and the SX-28A? I'm selling my SX-28 on eBay and a prospective purchaser asked the question.

Thanks for any replies.

Gary
jwudgy@tdsnet.com

1495. SX-28 & SX-28A--what's the difference?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: jwudgy@no.spam.for.me.please
Message-ID: <36c9be4f.2443548@news.tdsnet.com>
Source record: 116597

Can anybody tell me what the difference was between the Hallicrafters SX-28 and the SX-28A? I'm selling my SX-28 on eBay and a prospective purchaser asked the question.

Thanks for any replies.

Gary
jwudgy@tdsnet.com

1496. Re: Kenwood TS570D experience

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: ignacy@num.ads.uga.edu
Message-ID: <36c9d1ec1vtanpl$mr2ice@news.uga.edu>
Source record: 116598

>Having purchased, and re-wired a older Kenwood MC50 desk microphone to go
>with this rig, I was initially a bit disappointed that the mic did not
>have enough gain even when the "mic" gain on the rig was set to maximum
>(scale on display goes up to 100 when front panel "mic" button is
>activated). What really amazed me, is that wether I set the mic gain for
>10 or 100 it seemed to make no difference in the mics sensitivity.

>Guess what, after carefully reading the manual, it turns out that the
>"processor" feature of this transceiver must be turned off for the "mic"
>adjustment to have any effect. If the processor is on, you can adjust
>the mic gain in the display, but it has no effect. If the processor is
>off, the mic gain can really be adjusted and then the processor
>re-activated.

Perhaps this feature has been with Kenwood for long time. In TS-850, when
speech compression is on, mic-gain functions as post-processor gain, i.e.,
when it is low the power output is low.

Ignacy, NO9E

1497. Re: Re posting, Moving coil meter repair

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: G4XOU <g4xou@psilink.co.uk>
Message-ID: <36c9c54a.0@nnrp1.news.uk.psi.net>
Source record: 116599
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.radio.amateur

try Anchor supplies cattlemarket road nottingham they may even sell you a
new meter

Simon Cox wrote in message <01be59a5$47dd1660$LocalHost@simoncox>...
>Can anyone point me in the direction of a UK company that
>could repair / rewind old Ernest Turner moving coil meters as
>used in Racal RA 17 receivers, thanks.
>
>--
>
>
>Peolpe worry about me, I ride a
>Kawasaki Z1000 LTD and listen
>to RA 17 valve radios.
>simon.cox@breathe.co.uk

1498. FS: KENWOOD TS-570DG Transceiver.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Jim Bolin <kb8nn@erinet.com>
Message-ID: <7achun$3i5$1@news.erinet.com>
Source record: 116600
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For sale a new TS-570DG Transceiver.. $1000 Plus shipping. Contact Jim KB8NN here or 937-845-0943. See other rigs at;
http://www.angelfire.com/oh/kb8nnhomepage

1499. Yaesu FT51R 2mtr Dual Band for Trade or Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: casey romanski <c-romanski@ti.com>
Message-ID: <36C9CC0F.2679FCE7@ti.com>
Source record: 116601

2 Meter Dual Band Handheld (Yaesu FT51R)

3 batteries and alkaline case (High, Mid power and Compact + Batt case)

Remote microphone/with display (MH-29)
Car Charger with built in fan (PA-10)
Headset Microphone with vox/ppt (VC-22)

$550 USD

Call 972-462-4878 7am-3pm or 940-497-4774 pm ask for Casey (KA5OAC)

1500. WTB: Manual for Mirage A1015 6M Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Paul Knight <paul.knight@prairiecomm.com>
Message-ID: <7acjcohde1@eve.enteract.com>
Source record: 116602
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.swap

Hi! I'd like to pick up a copy of the manual for the Mirage A1015 6M amp. This is not the new, A-1015G flavor, but the old, original A-1015 (with just a power switch and preamp switch on the front). In lieu of that, the pinout for the accessory connector on the back would be a great help.

I've already checked with several of the "Vintage Manuals" shops, with no luck.

Thanks,

Paul WD8DKY
paul.knight@prairiecomm.com

1501. WANTED: HW100-HW101-SB104 Heath TRCV

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Peter Hofmann <peter.hofmann@teleweb.at>
Message-ID: <Vhky2.1839$Za4.33298@news.chello.at>
Source record: 116603

I am looking for Heath-Transceivers HW100-HW101-SB104 and
power supplies HP23-HP13-HP1144. Equipment can be defective.
Your offer to peter.hofmann@teleweb.at

1502. Re: Kenwood TS-140S 45-60 MHz TX? NOT POSSIBLE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: ypwhich@hotmail.com
Message-ID: <7acocsfcv1@nnrp1.dejanews.com>
Source record: 116604

Tony,
It turns out I got an "athoritative" response from Kenwood, which
is:

Sorry, the only MARS CAP modifications we have for the TS-140S is to allow you
to transmit and receive from .5 - 30 MHz. We know of no TX/RX mod to go
out of this range.

In article <79imog$4pk$4@clarknet.clark.net>,
Tony Heatwole <heatwole@shell.clark.net> wrote:
> I found the mod for the TS-140S, snipping diodes 29 and 31.
> Fine, so I think diode 31 gives you more power on all the bands
> because i did that first. Then I snipped 29 and reset and checked
> it out. It added 45Mhz-60Mhz to my receive, except for one little
> problem. When listing between 45-60Mhz, the display goes blank
> (except for dots), and it does Morse code that says "unlock". I
> checked the service manual and the normal manual and this is a
> "feature". It turns out that the processors catches the fact that it is
> recieving out of the allowable area and immediatly shuts down
> the reciever volume. Well i don't call that much of a mod.
>
> So how can i actually LISTEN to stuff from 45-60Mhz? Also, It
> now transmits from 49 to 55Mhz, but that is not so usefull as i'm
> interested in getting it to work on 47.xx Mhz (Red Cross Freq).
>
> If anyone can shed light on how to trick the processor into thinking
> it's not out of band, so that i can actually listen, or if i've done the
> wrong mod....Or if there is another mod... i would be very greatful
> for this information. I've searched the WWW endlessly, and other
> than a short note of some guy telling another to snip D29 and D31,
> I've come up with nothing substantial...Let me know if you have
> anything that might be of help.
>
> Nat Heatwole
> heatwole@clark.net
> KB3CBW, General
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1503. WTB HK21

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: "R.L. Tannehill, P.E." <rickw7rt@mail.firstinter.net>
Message-ID: <36C9D95B.EE@mail.firstinter.net>
Source record: 116605

Hi All,
I'm looking for a Heath HK21 "Pocket-packet" in good working condition.

Call (602) 435-9584 after 6 PM MST, or e-mail rickw7rt@firstinter.net

Rick T.
W7RT

1504. Crystal Oscillator and Microwave Oscillator plus more at Ebay Auction.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Kyle Wesley <wesleyk@cyberramp.net>
Message-ID: <36C9D9BF.43EED700@cyberramp.net>
Source record: 116606
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,sci.electronics.equipment,misc.industry.electronics.marketplace

Bulova Crystal Oscillator 10.1916666mhz with oven
Frequency Sources Inc. Microwave Oscillator 5855 to 6355 mhz, 6185
mhz with supplied oscillator.

Plus a 5 to 500mhz amp.
Lots of SMA adapters, mixers, circulators and more.

Current bid on ebay is $51 with 3 days left in this auction.

http://cgi3.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=wesleyk@cyberramp.net

1505. Re: TM241A Display problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <36C9DCE5.2A16AA32@flash.net>
Source record: 116607

Hello Jeff, that is a common problem on the 241 kenwood.
The display is plugged in to a circut board inside the radio and that
plug gets grung and oxidation on it. You will have to take the radio
apart and unplug the display from the circutboard and clean the plug and
reinstall.
Good Luck.
K5JOE
Joe in Little Rock, Ar

Jeff Schmidt wrote:
>
> All,
> Anyone know of a fix for a wacky display on the TM241A?
>
> I have a Kenwood TM241A I'm trying to fix. It works FB except for an
> aggravating symptom in the LCD display. Occasionally, all pixels will show up
> on screen. The rig still knows what VFO freq/mem channel it's on, but the
> display does not change. VFO and main reset correct the problem but not for
> long. Owner says it's been like that for quite a while. I have yet to go in
> and look at the backup cell, etc, but thought I'd knock it around here first.
> Maybe Kenwood has a service bulletin for latch-up protecting the display IC?
> Thanks, N5MNW Jeff
>
> P.S. it's not the "ENJOY HOBBY" feature seen on the TM732A.

1506. FS: VHF Micor Repeater on 147.165 MHz +

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: tracy585@aol.com
Message-ID: <19990216160752.13614.00000028@ng06.aol.com>
Source record: 116608

Colorado-Utah-Wyoming-Kansas-New Mexico Ham Clubs:

FS: VHF Micor Repeater/Base Station Rack Mount in 42" Motorola Lockable Cabinet. Tuned to 147.165 MHz TX and 147.765 MHz RX. 60W PA., AC Power Supply. On-board Motorola Controller functional with no ID'er. Ready for your club's choice of controller to be installed. Includes brand new regulator board in Power Supply, Control & Applications Manual and info on adding your club's controller. $500 OBO. Pick up from Western Colorado.

K0DOE

1507. FORSALE - MINT Kenwood TS-520S w/CW filter, mic, MFJ tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7acmp5$gum@nntpb.cb.lucent.com>
Source record: 116609
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,nj.forsale,rec.radio.amateur.boatanchors

I have a mint Kenwood TS-520S that I would like to sell.
In my opinion, the 520 and 520S are
some of the best rigs around and would make a
fantastic beginner station or a great backup rig.

For any novices not familiar with this radio, it is all solid state
(discrete components, so its very easy to repair if ever needed)
except for a tube driver and a pair of very
robust 6146 tubes as the finals. It has a builit in power supply,
but can also run off of 12VDC with an optional DS-1A
DC-DC convertor (not included). It also has connections for the
Kenwood DG-5 digital display.
It covers 160,80,40,20,15, and 10 meters in CW and SSB (upper and lower) modes.
The receiver section is excellent and I always get excellent audio quality
reports. Many folks say that these older Kenwoods are some of the best
sounding rigs on the air.

This rig also has the optional 500Hz CW filter
installed (genuine Kenwood option). Also included
is the Kenwood hand mic and (if you need it) an
MFJ antenna tuner (I forgot model no - older unit
but works fine).

The price is $350 firm + shipping. You might find one for a few $ less,
but NOT is this great condition.

Joe Levantino
KB2FSH

(732) 949-0664

1508. Re: USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: triage@worldnet.att.net
Message-ID: <7acuii$l36$1@nnrp1.dejanews.com>
Source record: 116610
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I've always had great luck with UPS. Never a lost or damaged package in the
many years I have shipped. Fedex, on the other hand, lost a shipment of mine
last year (never found) and took over 3 months to reimburse me-a very
frustrating experience....It's UPS for me....

In article <XbLx2.386$0A4.1065@news.rdc1.mi.home.com>,
"Bill Crocker" <bcrocker@home.com> wrote:
> Greg:
>
> How does FedEx respond to these types of claims? I've never delt with them.
>
> Thanks,
> Bill Crocker
>
> Greg Renner wrote in message <36C7726E.C4A7CF42@uswest.net>...
> >
> >USPS just lost a PRO 2006 I sold to someone and there are hoops necessary
> to
> >collect the insurance. They will not accept a claim until 30 days after
> the
> >shipping date. You will then need to get a form 1000 from your local post
> >office. You will need to have a signed letter from the addressee stating
> that
> >they did not get the item and finally proof of the value of the item.
> >Shipping costs are not refunded.
> >
> >I am in the middle of this process and have not found out how long til the
> >person I sold it to gets his money. From here on out it is FedEx only,
> they
> >are worth the extra money.
> >
> >Greg
> >
> >
>
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1509. Re: Re posting, Moving coil meter repair

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: olympus@0spam.prestel.co.uk
Message-ID: <36c9e38a.13185379@news.prestel.co.uk>
Source record: 116611
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.radio.amateur

On 16 Feb 1999 12:10:52 GMT, "Simon Cox" <simon.cox@breathe.co.uk> wrote:

>People worry about me, I ride a
>Kawasaki Z1000 LTD and listen
>to RA 17 valve radios.

Surely not at the same time?

Incidentally, I found a '9-Pin Miniature Tall Test Socket Adapter'
Model 1449 by Pomona Electronics of Calif. It extends the valve base
of an awkwardly placed B9A valve base out by 5.5cms with a base on
top for the valve and nine tags to connect instruments to for
measurements. Do you want it?

--
- 73 de Jim, g(m)4rga | _______
olympus%jimdee.prestel.co.uk | | |
dynastic%cwcom.net | Only | 2 | more nights to do!!
marula%zdnetmail.com | |_____|
g4rga@gb7tjf.#45.gbr.eu |
Rallies Info: www2.prestel.co.uk/jimdee
Pgp key: pgpkeys.mit.edu:11371

1510. Re: Re posting, Moving coil meter repair

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Frank Erskine <frank@g3wte.demon.co.uk>
Message-ID: <XvZZLLArVfy2Ewgn@g3wte.demon.co.uk>
Source record: 116612
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.radio.amateur

In article <36c9e38a.13185379@news.prestel.co.uk>, Jim Dunnett
<olympus@0spam.prestel.co.uk> writes
>On 16 Feb 1999 12:10:52 GMT, "Simon Cox" <simon.cox@breathe.co.uk> wrote:
>
>>People worry about me, I ride a
>>Kawasaki Z1000 LTD and listen
>>to RA 17 valve radios.
>
>Surely not at the same time?
>
>Incidentally, I found a '9-Pin Miniature Tall Test Socket Adapter'
>Model 1449 by Pomona Electronics of Calif. It extends the valve base
>of an awkwardly placed B9A valve base out by 5.5cms
~~~~~~ ?

What's that in real money? A couple of inches, I'd imagine :-)

73 -
--
Frank Erskine
Sunderland
Don't go metric - feet, BSF, Whitworth and inches are miles better

Still looking for 67.5V and 100V HT batteries
~~~~~~

1511. Guide to the rec.radio Newsgroups

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7actgb$r7j@news.Hawaii.Edu>
Source record: 116613
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Archive-name: radio/personal-intro

This message describes the rec.radio.amateur.*, rec.radio.cb, rec.radio.info, and rec.radio.swap newsgroups, as well as their Internet mailing list counterparts and complements. It is intended to serve as a guide for the new reader on what to find where. Questions and comments may be directed to Jeffrey Herman, WH6U, (jeffreyh@hawaii.edu), or Paul Schleck, K3FU, pschleck@novia.net.

This message was last changed on 14 March, 1998.

History
=======

Way back when, before there was a Usenet, the Internet hosted a mailing list for hams, called (appropriately enough) INFO-HAMS. Ham radio discussions were held on the mailing list, and sent to the mailboxes of those who had signed up for it. When the Usenet software was created, and net news as we now know it was developed, a newsgroup was created for hams: net.ham-radio. The mailing list and the newsgroup were gatewayed together, eventually.

Over the years, as the net grew, the volume of discussion became progressively higher. First one by one, and then as part of two reorganizations, what was once one group became many. In the process, developments elsewhere on the net were reflected in the groups as they were created, most notably the change to place all of the ham radio groups in one hierarchy.

The collection of newsgroups continues to grow as more people join the net, and as more topics of discussion gain volume, I expect to see more groups be created as well. This follows what is happening on the rest of the net.

Nearly all of the radio newsgroups have corresponding mailing lists, the notable exception being rec.radio.swap. There are also a few mailing lists that don't have newsgroups.

The Current Groups
==================

It's important to post messages to the group that's appropriate for them, and not to the groups that aren't. The whole idea of having different newsgroups is so that folks who aren't interested in, say, homebrewing, don't have to wade through messages about homebrewing on the way to read about Field Day. Posting appropriately is just good etiquette.

The rec.radio.amateur.misc group is the catchall. It is what rec.ham-radio was renamed to during the first major reorganization. Any message that's not more appropriate in one of the other groups belongs here, from contesting to DX to ragchewing on VHF to information on becoming a ham.

The group rec.radio.amateur.digital.misc is for discussions related to (surprise!) digital amateur radio. This doesn't have to be the common two-meter AX.25 variety of packet radio, either; some of the most knowledgeable folks in radio digital communications can be found here, and anything in the general area is welcome. The name was changed to emphasize this, and to encourage discussion not only of other text-based digital modes, such as AMTOR, RTTY, and Clover, but things like digital voice and video as well. The former group, rec.radio.amateur.packet, was removed on September 21st, 1993. It is obsolete, and you should use .digital.misc instead (or the appropriate new mailing list, mentioned below). The group has .misc as part of the name to allow further specialization if the users wish it, such as .digital.tcp-ip.

The swap group is rec.radio.swap. This recognizes a fact that became evident shortly after the original group was formed: Hams don't just swap ham radio gear, and other folks besides hams swap ham equipment. If you have radio equipment, or test gear, or computer stuff that hams would be interested in, here's the place. Equipment wanted postings belong here too. Discussions about the equipment generally don't; if you wish to discuss a particular posting with the buyer, email is a much better way to do it, and the other groups, especially .equipment and .homebrew, are the place for public discussions. There is now a regular posting with information on how to go about buying and selling items in rec.radio.swap; please refer to it before you post there. To answer a frequently asked question: No, there is no mailing list that goes along with this group. If you can't read Usenet news directly, you're out of luck.

The group rec.radio.amateur.policy was created as a place for all the discussions that seem to drag on interminably about the many rules, regulations, legalities, and policies that surround amateur radio, both existing and proposed. Recent changes to the Amateur Radio Rules (FCC Part 97) have finally laid to rest the Great Usenet Pizza Autopatch Debate - it's now legal to order a pizza on the autopatch, if you're not in the pizza business - as well as complaints about now-preempted local scanner laws hostile to amateurs, but plenty of discussion about what a bunch of rotten no-goodniks the local frequency coordinating body is, as well as the neverending no-code debate, may still be found here.

The group rec.radio.cb is the place for all discussion about the Citizens' Band radio service. Such discussions have been very inflammatory in rec.ham-radio in the past; please do not cross-post to both rec.radio.cb and rec.radio.amateur.* unless the topic is genuinely of interest to both hams and CBers - and very few topics are.

The rec.radio.info group is just what its name implies: it's the place where informational messages from across rec.radio.* may be found, regardless of where else they're posted. As of this writing, information posted to the group includes Cary Oler's daily solar progagation bulletins, ARRL

bulletins, the Frequently Asked Questions files for the various groups, and radio modification instructions. This group is moderated, so you cannot post to it directly; if you try, even if your message is crossposted to one of the other groups, your message will be mailed to the moderator, who is currently David Dodell, WB7TPY. The email address for submissions to the group is rec.radio.info-moderator@primenet.com. Inquires and other adminis-trivia should be directed to rec.radio.info-request@primenet.com. For more information about rec.radio.info, consult the introduction and posting guidelines that are regularly posted to that newsgroup.

The groups r.r.amateur.antenna, .boatanchors, .dx, .equipment, .homebrew, and .space are for more specialized areas of ham radio: discussions about antennas, the older tube based amateur, military, and commercial gear, commercially-made equipment, homebrewing, and amateur radio space operations. The .equipment group is not the place for buying or selling equipment; that's what rec.radio.swap is for. Similarly, the .space group is specifically about amateur radio in space, such as the OSCAR program and SAREX, the Shuttle Amateur Radio EXperiment; other groups cover other aspects of satellites and space. Homebrewing isn't about making your own alcoholic beverages at home (that's rec.crafts.brewing), but rather construction of radio and electronic equipment by the amateur experimenter. The .dx group is devoted to long distance amateur communications. Each of these subgroups has its own charter and FAQ; please refer to the archives to find these documents.

Except for rec.radio.swap and rec.radio.cb, all of these newsgroups are available by Internet electronic mail in digest format; send a mail message containing "help" on a line by itself to listserv@ucsd.edu for instructions on how to use the mail server.

All of the groups can be posted to by electronic mail, though, by using a gateway at the University of Texas at Austin. To post a message this way, change the name of the group you wish to post to by replacing all of the '.'s with '-'s - for example, rec.radio.swap becomes rec-radio-swap - and send to that name@cs.utexas.edu (rec-radio-swap@cs.utexas.edu, for example). You may crosspost by including multiple addresses as Cc: entries (but see below). This gateway's continued availability is at the pleasure of the admins at UT-Austin, and is subject to going away at any time - and especially if forgeries and other net.abuses become a problem. You have been warned.

Mailing Lists

In addition to the mailing lists that mirror the Usenet newsgroups, there also are a few that stand alone. These cover specific areas of ham radio, and discussion is focused on just those areas.

The cq-contest mailing list is for discussions of contesting in ham radio. To join, send email with the word "subscribe" on a line by itself to cq-contest-request@tgv.com.

The DX mailing list covers the finer points of DXing. This one is also joined by mailing "subscribe" on a line by itself, this time to

dx-request@unbc.edu.

There's also a VHF mailing list, for VHF operators of the weak signal persuasion. You can join this one be sending "subscribe vhf" on a line by itself to vhf-request@w6yx.stanford.edu.

The QRP-L list is devoted to building and operating gear at low-power outputs. To subscribe, send an email to listproc@lehigh.edu and only write: subscribe qrp-l Your Name.

The TopBand e-list is devoted to all areas of operation on 160m. To subscribe, send an email to majordomo@contesting.com and only write: subscribe topband and follow the instructions you'll be sent.
This site, contesting.com, also hosts a couple dozen other ham-related e-lists. Use the above address, and only write: lists to get the entire index.

The Boatanchors e-list is devoted to the older tube-based ham, military, and commercial communications gear. To subscribe, send an email to: listserv@listserv.tempe.gov and only write: subscribe boatanchors

For homebuilding transmitters and receivers using tube technology, there is the Glowbugs e-list; send an email to:
majordomo@piobaire.mines.uidaho.edu and only write:
subscribe glowbugs <your@address.here>

The VHF DX discussion list can be accessed by sending an email to: majordomo@blacksheep.org and only writing: subscribe VHF-DX-discuss.

We now have a list devoted to amateur radio history. To subscribe, send an email to: ham-radio-history-subscribe@egroups.com - leave the body of the message blank.

Qth.net hosts over 100 ham-related e-lists, including lists devoted to each state, manufacturer, mode, band - too many to state here. Send an email to majordomo@qth.net and only write: lists to get the complete index.

For one of the most complete indexes of email lists, see the excellent web site http://pw2.netcom.com/~ac6v/pageae.html

Please do NOT send subscription requests to the mailing lists themselves; that doesn't work very often, and is very annoying to those on the list. Also, please keep your electronic mail address current with any mailing lists you subscribe to, as dealing with returned email is a nuisance for the person maintaining the mailing list.

A Few Words on Crossposting
==========

Please do not crosspost messages to two or more groups unless there is genuine interest in both groups in the topic being discussed, and when you do, please include a header line of the form "Followup-To: group.name" in your article's headers (before the first blank line). This will cause followups to your

article to go to the group listed in the Followup-To: line. If you wish to have replies to go to you by email, rather than be posted, use the word "poster" instead of the name of a group. Such a line appears in the headers of this article.

One of the few examples of productive cross-posting is with the rec.radio.info newsgroup. To provide a filtered presentation of information articles, while still maintaining visibility in their home newsgroups, the moderator strongly encourages cross-posting. All information articles should be submitted to the rec.radio.info moderator so that he may simultaneously cross-post your information to the appropriate newsgroups. Most newsreaders will only present the article once, and network bandwidth is conserved since only one article is propagated. If you make regular informational postings, and have made arrangements with the moderator to post directly to the group, please cross-post as appropriate.

--
Jeffrey Herman, WH6U, rec.radio.amateur working-group
jeffreyh@hawaii.edu

1512. Re: WTT: Icom Q7A 144/440 Ht.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Mitchell Katz <mcguyver@bv.net>
Message-ID: <36C9FE4B.EA463603@bv.net>
Source record: 116614

Q7A gone yet? Cosider trade for GE/Ericsson mobile UHF, model #344A4210P13?

richcom wrote:

> WTT: Icom Q7A DualBand Ht
> With box and manual,belt clip and carry strap.
> Looks BRAND NEW!!.
> Will trade for ham gear or commercial gear.
> Email,Rich.
> ps: Or make an offer, please don't ask how much I want,just make an
> offer.
> Rich NJ

1513. Re: FS: KENWOOD TS-570DG Transceiver.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Stuart <stuart@valon.net>
Message-ID: <36CA01F3.18ADA9F0@valon.net>
Source record: 116615
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Jim Bolin wrote:

> For sale a new TS-570DG Transceiver.. $1000 Plus shipping. Contact Jim KB8NN
> here or 937-845-0943. See other rigs at;
> http://www.angelfire.com/oh/kb8nnhomepage

Jim:
Could you please tell me why so many TS-570xx tranceivers are showing up for swap? I'm not interested in purchasing one as I am very satisfied with my TS-450S, just curious.

Also, I noticed on your web site that you have a IC-281H for sale. Do you know were I can find an image of this radio. I had an IC-271H, is this similar with 440 receive?

Thanks for your responses.
--
Stuart Rumley ki6qp
VALON RF/Microwave Engineering
ph: (650)369-0575
fx: (650)369-0577

1514. FS-Shortwave Receivers,2nd Ed. by Osterman

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Kellie Knox <kellie@mhtc.net>
Message-ID: <36CA0834.A14BDDFC@mhtc.net>
Source record: 116616

Check out my auction at eBay of this great book.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67514056

I used it to research which receiver to buy, and am done with it. It
sure is comprehensive! Thanks for looking!

1515. WTT: Kenwood DFC-230 (Digital VFO)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Argus <rlong3@ix.netcom.com>
Message-ID: <7ad2qo$q96@dfw-ixnews11.ix.netcom.com>
Source record: 116617

Gentlemen:

I have a mint condition Kenwood digital VFO. This unit is in the original box w/instructions. I've used it on my TS-130S and it is functioning perfectly. This unit is directly compatible with the 120, 130, 520, & 830. It can be used with other Kenwoods if you care to replace the connector.

I wish to trade for a 6 meter all-mode transceiver.

Thanks for reading

Roy

1516. Re: please help me with my ft-73

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Ralph Mowery <rmowery@ibm.net>
Message-ID: <36CA1013.1A20088E@ibm.net>
Source record: 116618

It probably tunes there but the phase lock loop probably does not have very much range to it. Doubt the front end will cover the large range either.

John Haberkern wrote:

> I recently moded my ft-73 with mods i got from some internet sources.I
> now have a radio that the digital display will read from 200 mhz to 550
> mhz but will only receive signals from 430 to 450 mhz.what do i need to
> get the radio hearing the frequencies the display shows i should be
> hearing? any help would be greatly appreciated. John

1517. FS Kewood IC232 serial adapter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Jeff Kelly <jkelly@bellatlantic.net>
Message-ID: <7ad5c3$jf5@world1.bellatlantic.net>
Source record: 116619

```
FS Kewood IC232 serial adapter
Some light scratches on case.

Unit and cable $50

Jeff Kelly
jkelly@bellatlantic.net
```

1518. Yaesu FT-5200 - $325

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7ad57d$81n@dfw-ixnews5.ix.netcom.com>
Source record: 116620

Nice, clean, with manual, mic, bracket. $325. 45watt-2 meter
35watt-450.
Frank 630-653-9090

1519. Narrow FM mode on FT-50R..?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Seth Miller <seth.miller@NOSPAMworldnet.att.net>
Message-ID: <36C8B6F5.723A3A20@NOSPAMworldnet.att.net>
Source record: 116650

I seem to remember reading somewhere that there was a way to program a Yaesu FT-50R to work in FM 'narrow split' mode (15 kc channel spacing), as is used in Europe. I think that this option, when enabled, mostly amounted to reducing deviation of transmitted audio.

Does anyone know anything about this, or am I in outer space here..?

Thanks in advance -

- Seth N6BMB

(Please remove the 'NOSPAM' text from the above address in order to send a personal reply. I apologize for the inconvenience.)

1520. Are you using a Kansas City Tracker ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Geert Pirens <geert.pirens@ping.be>
Message-ID: <7aagh5$3g$1@news3.Belgium.EU.net>
Source record: 116651
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,tw.bbs.rec.radio.amateur,uk.radio.amateur

Hello.

Are you an Kansas City Tracker user ?

Than mabe you wil share some information ?

I'm collect all the names of programs that works with the KCT !
It doesnt matter what for program !
Than I'll make a list of it of all available programs and put it on my home page so that all user of this card can see the software possibillities !

PLEASE, vissit my homepage http://www.ping.be/~p4u11324/ and fill in the KCT Question form.

Geert Pirens
Vissit my home page: http://www.ping.be/~p4u11324/

1521. ATTENTION to all Kansas City Tracker USERS !!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Geert Pirens <geert.pirens@ping.be>
Message-ID: <7aagh6$3g$2@news3.Belgium.EU.net>
Source record: 116652
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,tw.bbs.rec.radio.amateur,uk.radio.amateur

Hello Kansas City Tracker Users.

I'm collect the names of all the available programs that being written, or suppot the kansas city tracker.

All these information wil be placed in a Database and wil be available to all of you.

On my homepage http://www.ping.be/~p4u11324/ you wil find a list of all available software.
If you know a program that not being in the list, PLEASE fill in the Question form:

If you click here, you go wright to the question form
http://www.ping.be/~p4u11324/KCT_Ques.html

Thanks to all of you !

Geert Pirens
Vissit my home page: http://www.ping.be/~p4u11324/

1522. Re: FS: Icom 706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: kvanderlin@aol.com
Message-ID: <19990215195252.05874.00002161@ng126.aol.com>
Source record: 116653

SOLD. Thanks to all who responded.

Van

1523. Re: Which HF Rig in this price range??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: k7jy@aol.com
Message-ID: <19990215195508.08076.00002158@ng-fv1.aol.com>
Source record: 116654

The Kenwood TS 850 beats all of them and is very close to your price range in the used market. Check out the specs in the QST product reviews. Not much beats it. I've got one, along with my FT 1000MP. The 850 receiver is superb. gd luck, K7JY.

1524. ADI AT-600

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Warren Wu <WarrenWu@worldnet.att.net>
Message-ID: <7aahv5$dmj@bgtnsc03.worldnet.att.net>
Source record: 116655

What are your experiances with this radio? Is it a good radio or should I spend my money on something else? As a 15 year old, my funds are not necessarily what one would describe as plentiful (~$300), and this radio appears to have a good mix of features for the price. My intended uses are voice, packet and maybe some CW. Is this radio capable of doing packet or CW? Any opinions would be appreciated.

--
Warren Wu
"Everything's dangerous if you're stupid."
WarrenWu [at] rocketmail [dot] com | ICQ UIN# 26034609

1525. WTB: Drake R8B

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: malloy@execpc.com
Message-ID: <7aajff$60f@newsops.execpc.com>
Source record: 116656
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I am seeking an R8B in like new condition. If you have one for sale
please send email.

1526. please help me with my ft-73

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: John Haberkern <jhabs@worldnet.att.net>
Message-ID: <36C8E203.577C@worldnet.att.net>
Source record: 116657

I recently moded my ft-73 with mods i got from some internet sources.I now have a radio that the digital display will read from 200 mhz to 550 mhz but will only receive signals from 430 to 450 mhz.what do i need to get the radio hearing the frequencies the display shows i should be hearing? any help would be greatly appreciated. John

1527. Re: NRD-525 v.s. ICOM R-71A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Mark Bryant <bryant@sohobusiness.com>
Message-ID: <01be595d$c3f50d40$a43a56d1@nimitz>
Source record: 116658

I have several years use of both the 525 and R71A and have found the 525 to be better across the board, both stock and stacked with KIWA filters. Both radios have a reputation for "wooly audio" but that should not manifest itself on SSB or CW. Service for the NRD is very easy at Universal Radio, Sherwood Eng and KIWA for both tuning and custom work.

Good luck

Mark Bryant

michaelt <michaelt@locallink.net> wrote in article
<RN4y2.45$nr1.170343424@news.siscom.net>...
> I am considering the purchase of either a JRC NRD-525 or a IC R-71A
> reciever.
> Can anyone give me some advise as to the performance of these two
receivers
> relative to each other?
> I am primarily interested in their performance in SSB & CW.
> Any information would be appreciated.
>
> Thanks,
> Mike
>
>
>

1528. Re: FS Yeasu VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: jerry r <jerryrc@pobox.com>
Message-ID: <36C8ED09.A88D5DB5@pobox.com>
Source record: 116659

Is this Vx5 you have, experience the PL scan/decode problem ?

Dennis VanHoose wrote:

> I have a Yaesu VX-5r for sale. Bought 2 weeks ago. LOVE this radio but can't
> afford all the new toys at once so it lost. Box, manual, warranty card. (NEW
> Condition). $320.00

1529. F.S.HW-99 XCVR

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: jgbotts@aol.com
Message-ID: <19990215231553.08420.00002522@ng-fs1.aol.com>
Source record: 116660

This is a brief repost of an item posted to Boatanchor NG. 35 Watt, 80,40, 15 and 10 meter Heath "Novice" type all solid state , CW only, transceiver. Has built in power supply. Asking $200 plus shipping from 37617. Contact k4ejq@juno.com if interested. Thanks, Bunky, K4EJQ

1530. FS: New Minitor III (3) pagers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: pwserctr@aol.com
Message-ID: <19990215234107.10927.00000419@ng32.aol.com>
Source record: 116661

Just added to our web site a price listing of Minitor III (3) pagers starting at just $299. This includes the pager on your frequency and tones with charger and batteries. Also available 2 channel versions, vibrate models and stored voice versions. Please visit our web site for more details.

http://www.pwservice.com

1531. FS: B&K 520B Transistor Tester

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: yulius@shay.ecn.purdue.edu
Message-ID: <7aau1rqur1@mozo.cc.purdue.edu>
Source record: 116662

Hello,

I have a B&K Precision 520B Transistor Tester forsale. It can test NPN/PNP/FET
in and out circuits. It can also determine whether the transistor is NPN/PNP,
determine B,E,C leads, identify if the transistor is Silicon or Germanium,
measure leakage current. The tester is in excellent working condition
and coming with complete manuals and test leads.

I am asking for $110.00(shipped). If interested, please send email to
yulius@ecn.purdue.edu

Best regards,

Aristo Yulius
--
****
* Aristo Yulius | Purdue University *
* Internet: yulius@ecn.purdue.edu | West Lafayette, IN 47907, USA *
****

1532. Final call for bids: HP 1630D

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: joe@widind.com
Message-ID: <7ab008ksr1@news.jump.net>
Source record: 116663
Cross-posted to:
misc.industry.electronics.marketplace,sci.electronics.equipment,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.repair

HP 1630D with all pods and leadsets in very good condtion going to the best offer. Bidding will close at midnight Feb 22, 1999 unless extended by higher bids in the final 48 hours. Present high bid is $450.

Other items such as
Tek 2456A $910
Tek 2455A $850
Tek 1503C $850
and
HP 1631C $600 being sold by the same process.

See: http://www.widind.com/auctions/hpgear.htm

email bids.

--
Thanks and Best Regards
Joe Westenhaver W4FEC joe@widind.com
http://www.widind.com/
http://www.widind.com/auctions/

1533. FS: RCA TT-3 Transmitting Tube Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: yulius@shay.ecn.purdue.edu
Message-ID: <7ab02c$s3v$1@mozo.cc.purdue.edu>
Source record: 116664

Hello,

I have a RCA Transmitting Tube Manual TT-3 forsale. The manual is a very
good source for tubes related audio and radio design. The manual is in
very good condition. The pages are complete and no loose page in the manual.
I am asking for $20(shipped).

If you are interested, please send an email to: yulius@ecn.purdue.edu

Best regards,

Aristo
--
****
* Aristo Yulius | Purdue University *
* Internet: yulius@ecn.purdue.edu | West Lafayette, IN 47907, USA *
****

1534. FS: Hallicrafters SX-28 Super Skyrider

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: jwudgy@no.spam.for.me.please
Message-ID: <36c90587.16877146@news.tdsnet.com>
Source record: 116665

I'm selling my personal Hallicrafters SX-28 Super Skyrider. I am neither a dealer nor am I selling this as a broker. I've owned it since 1962 and it is in great condition--a table radio with the full metal case and not a rack mount radio. I've posted several pictures of it on the auction page. I'm selling it because my XYL and I are building a new home and there just won't be room for it--or an antenna. Bummer.

You can find it at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&Item=67741617

The auction started on Monday night, Feb. 15 at about 10:30 p.m.; it ends on Monday night, Feb. 22 at the same time.

The SX-28 is a great historical radio. If you've ever been to the Harry S Truman library complex in Kansas City, MO, they have a life size replica of the oval office as it was in Harry's time. Right there behind the President's chair is a perfect SX-28. This was THE radio during World War II and thereafter.

Thanks for taking a peek.
jwudgy@tdsnet.com
jwudgy@tdsnet.com

1535. For Sale HR 2510 Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36c92350.3608071@netnews.worldnet.att.net>
Source record: 116666

selling a mint cond 2510 uniden radio 10-11 meters mint cond
price is 200.00 plus shipping email me thanks..with box and manual

1536. For Sale Kenwood 731 duel bander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36ca2393.3674991@netnews.worldnet.att.net>
Source record: 116667

```
selling a good cond duel band tm 731 kenwood radio
price is 275.00 plus shipping works great... has manual also
email me thanks
```

1537. **WANTED KEnwood TM 251 Mobie radio**

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36cb23cf.3734466@netnews.worldnet.att.net>
Source record: 116668

looking for a kenwood 251 mobile 2 meter
email me thanks

1538. Yaesu FT-530 batteries needed.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: Ken Page <vk4akp@usa.net>
Message-ID: <01be58b7$fef0b580$e0ce6ccb@default>
Source record: 116669

Giday! Can anyone tell me the cheapest place to get replacement batteries
for my Yaesu FT-530 Dual Band hand held? I have tried here in Australia
with no luck.

I have two unit's and the batteries on both have died. :(
They are, FNB-26, 7.2v 1000mAh NI-CD.

I would be interested in cheap re-pack techniques (These batteries have a
moulded case, IE no screws) :(. But only Ni-CD cell's as I believe in slow
charging and want to get a long life out of the replacements. Ni-Mi's &
Li-Ion's tend to have a cycle life of only 500 cycles.. :(

Are complete replacement unit's available at a reasonable price?
7.2v packs?
12v packs?
Dry cell packs?
DC leads?
knob's for the top of the unit. (Mine are rubber and are falling apart!) :(

Other than the sealed batteries being hard to re-pack. I have been very
happy with these unit's and wouldn't even consider the new HT's.

Any help appreciated.
73's de VK4AKP (Ken).
Inet: vk4akp@usa.net
ampr: vk4akp@vk4wip

1539. Re: need help on motorola id

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-16 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <9Bby2.53$YO6.12785@sapphire.mtt.net>
Source record: 116670

In article <36C91944.49C808CE@kelltech.com>
Mark Masa <mark@kelltech.com> wrote:

> I have the following motorola police motorcycle radio and need to know
> how to determine its year of manufacture.
>
> Model: T34 DCN-1130A SP1
> Type: CC4067
> Serial: GK773F
>
> Please help
> Mark

Mark,

Try rec.radio.swap You have a better chance of
finding the info there..Subj - Motorola ID Expert

1540. Wanted: HK-232 (PK-232) Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: JK <jon@bitblaster.com>
Message-ID: <36CB848C.60CC@bitblaster.com>
Source record: 116421

Hi!

I just got ahold of a working HK-232, but it has no manual. I
figured out some functions with the "HELP", and can receive CW...
but I really need a manual to wire it up for transmit, etc.

Can anybody photocopy the pertinent parts? I will reimburse.

Thanks and 73s

Jon KA7PGB

jon@bitblaster.com

1541. Re: Kenwood TS-140S 45-60 MHz TX? NOT POSSIBLE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: wd0fkc@dailypost.com
Message-ID: <yHLy2.9619$Vz3.71998603@WReNphoon1>
Source record: 116422

Hi Tony,

The reason for the TS-140S indicating dots is this
indicates PLL unlock.
The TS-140 does not have the PLL circuitry for
this to ever work for you and it is missing the Final
unit for it to transmit on this freq. The unit does
have some of the same control circuitry as the TS-680
which does work on 6 meters.

TNX.Tim wd0fkc

-**** Posted from Supernews, Discussions Start Here(tm) ****-
http://www.supernews.com/ - Host to the the World's Discussions & Usenet

1542. Re: (No subject)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: msb <msbSPAMMAPS@newpony.com>
Message-ID: <36CB88D7.6B8DAC81@newpony.com>
Source record: 116423
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

mark,

i dont have the answer to your question. know what you
mean about 'they get way to[o] much' for the cables...

kenwood makes a nice DC pwr cable w/ the 'T'. comes on
a correctly fused also. is it me or does ICOM put the fuses
on the wrong end of the mobile rig cable supplied w/ ic-208
and ic-2710?

consider also your time is worth something. i modified two of the
icom cables and just purchased the third that i described above.

good question though, mark.

r/ msb
(not associated w/ any company mentioned)

kb2ehj@mindspring.com wrote:

> Anybody have any idea on were to find or have the p/n for the power
> plugs found on most mobile rigs these days? I'm talking the connector
> that looks like a 'T'. Both my Kenwood TM-V7A and Yeasu FT-8100 have
> the same connector. I also know that the Icom 2000H had this
> connector (used to one one before the above two radios were
> purchased).
>
> I would rather not buy one from either of the above companies since
> they get way to much money for them.
>
> Tnx Mark
> KB2EHJ

1543. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Bill Newkirk <wnewkirk@iu.net>
Message-ID: <7ag25a$p3o$1@east44.supernews.com>
Source record: 116424
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Erik Hoover wrote in message <36CB5BCC.3415@montana.com>...
>HAVEN'T WE ALREADY BEEN THROUGH THIS ONCE BEFORE PEOPLE?

some folks get the message a bit later than others...

1544. WTD, Compaq laptop HD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7ag336$8d9@dfw-ixnews3.ix.netcom.com>
Source record: 116425

Anyone out there know where I can find a HD for a Compaq laptop? Compaq wants $800 for a HD, 1.0G!!!
Frank

1545. Re: FS HTX-404

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: headhamster <headhamster@erols.com>
Message-ID: <36CB9BE5.CBC42C0A@erols.com>
Source record: 116426
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.misc

Unit is sold. Tnx for the interest.

1546. Virus alert! (was: cancel <36CA2818.A9DFC71C@herald.infi.net>)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: KD5GEH <kd5geh@arrl.net>
Message-ID: <7ag8u2$2qp$1@newnews.startext.net>
Source record: 116427
Cross-posted to: rec.audio.marketplace,rec.audio.misc,rec.audio.opinion,rec.audio.tubes,rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment

```
Might want to forward that post (with happy99.exe attachment), along with
the headers, to support@infi.net
and explain to 'em what it is...

PS. The attachment's not included with this follow-up...

Header...
---
From: KEN CHAIT <atsi@herald.infi.net>
Newsgroups:
rec.audio.marketplace,rec.audio.misc,rec.audio.opinion,rec.audio.tubes,rec.r
adio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: cancel <36CA2818.A9DFC71C@herald.infi.net>
Date: 17 Feb 1999 23:27:38 GMT
Organization: InfiNet
Lines: 227
Message-ID: <7afj9a$989$2@nw001t.infi.net>
NNTP-Posting-Host: pm4-31.mia.infi.net
X-Spanska: Yes

KEN CHAIT <atsi@herald.infi.net> wrote in message
news:7afj9a$989$2@nw001t.infi.net...
```

1547. Help With Damage Assessment Please?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <01be5ac6$0ea56f60$058592d0@Bit-Net.bit-net.com>
Source record: 116428
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Two boxes arrived USPS yesterday, many items were damaged.

I need to provide USPS with value and cost-to-repair or replace. Can anyone help, please?

The Kenwood TS-530SP suffered the bending of three knobs (Load, Plate, Drive) with damage to one knob (the transparent plastic piece behind the Plate knob) and some shaft binding but all seems to be working OK electrically. There was some additional cosmetic damage to the edges of the bezel and to the chassis but the face wasn't scratched.

Questions:

1. Is the bezel available for this?
2. Should I be worried that the bending of the controls may be more serious than it appears externally?

The front of the stem of the Shure 444D mike was badly scratched and scuffed its full length. The base suffered minor scratches and the head only
a couple of tiny nicks. It looks looks awful but works fine!

The Heath HD-1422 Antenna Noise Bridge suffered a serious dent and many scratches to the top of the case (seems OK at first glance otherwise).

The Autek Research WM-1 Computing Meter was badly crushed on the face with all three front switches broken and the meter casings destroyed. (Unsure if the meter movements survived but doubt this is worth repairing.)

The Yaesu FRG-9600 Receiver suffered some minor scratches and some nicks to the edges of the front bezel. The bezel should probably be replaced
to maintain value.

The Unadilla 40m antenna suffered irrepairable damage to one of the trap/coils.

I spoke with the Postmaster here and she said that I need to make a list of the damage and get an estimate of the cost to repair or replace

I sure would appreciate informed feedback!

Thanks! & 73,
~~~

\ ~ / .... DavidC K1YP
~~~

1548. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: "Edward L. Dowdy" <eldowdy@net66.com>
Message-ID: <g9By2.59$a66.33@news12.ispnews.com>
Source record: 116471
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

I like that! "Bull dukey!" :)

Hambone wrote in message ...
>Bull dukey!!!!
>
>
>hamoperator@my-dejanews.com wrote in message
><79ogjvcfg1@nnrp1.dejanews.com>...
>>"Yaesu has shut down its website, http://www.yaesu.com"
>>"The amateur community anxiously awaits further word of warranty
coverage."
>>
>>Not surprising with their recent use of back stock FT-1000D's, the recent
>>defects in the new FT-847 and lack of sales due to the P3D launch
>>disappointments.
>>
>>73
>>
>>-----------== Posted via Deja News, The Discussion Network ==----------
>>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>
>

1549. HAL P-38 tuning indicator

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Rick Mintz <Rmintz@Frontiernet.net>
Message-ID: <7aep89$1454$2@node17.cwnet.frontiernet.net>
Source record: 116472

Hi gang,

Has a nice chat with the HAL folks at the Miami Hamfest (really computer show, as it turns out), and....

I am considering the purchase of a HAL P-38 RTTY board. There seems to be a gap in my knowledge though.

How do you tune this beast? I'm used to the LED's on the PK-232. I'm not using RITTY or anything else, software wise besides WF1B. HAL makes a tuning indication (RTTY-1 is the product), but $90 for an LED indicator seems a bit steep.

So what are the other options?

(Also, if you have experience with a P-38, I'd appreciate a quick comment as to it's efficiency over other TNC's like the PK-232 and the KAM. Basically looking to be sure the investment is worthwhile.)

Please email reply direct (and also to the group if you want.)

Thanks.....

Rick Mintz, W1TY
Rochester (NY) DX Association
Rmintz@Frontiernet.net

1550. ranger 2990

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: mark yuhas <myuhas@sunlink.net>
Message-ID: <f4Cy2.57$Js4.166@news9.ispnews.com>
Source record: 116473

i was wondering if anybody had the power supply mods for this radio.thanks

1551. WTB Kenwood SP-930

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: wb4una@aol.com
Message-ID: <19990217120050.29077.00002929@ng128.aol.com>
Source record: 116474

looking for a 930 speaker. if you have one drop me a line and tell me the price and the condition..

thanks randy
WB4UNA
Randy Chavis
247 Goff Court
West Columbia,SC 29172
803-796-4222
Ham since 1970
Grid Square EM-93
HF-6-2-432 SSB,CW

1552. Re: jpeg of ts450sat??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Steve <sbynum@NOSPAMearthlink.net>
Message-ID: <7aereb$2bj$1@holly.prod.itd.earthlink.net>
Source record: 116475
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,uk.radio.amateur

Ive got one i will send you.

Dave26at163 wrote in message <36CAD979.EAE20AB6@cwcom.net>...
>Hi.
> Looking for a jpeg of the above radio.Please send private thanks

1553. FORSALE - QST

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7aesi2$q74@nntpb.cb.lucent.com>
Source record: 116476
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,nj.forsale,rec.radio.amateur.boatanchors

I have a COMPLETE SET of QST magazines from 1980 through 1994
(15 years, 180 issues!) that I need to sell. I'd love to
keep them but just don't have the room. They are in very
good condition. This is a fantastic resource for anyone who
is seriously interested in Amateur Radio.

I am now taking bids on them. I will only sell as a complete
set, buyer picks up (NJ) or pays shipping. I'm thinking that
the minimum bid should be about $180 (ie, $1.00 per issue).

Please respond if your interested.

Thanks.

Joe Levantino - KB2FSH
Lucent Technologies, Bell Laboratories
Holmdel, NJ
732-949-0664

1554. Vectron Labs Crystal Oscillator 114.272 mhz at Ebay auction

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Kyle Wesley <wesleyk@cyberramp.net>
Message-ID: <36CAFE45.41D12B5D@cyberramp.net>
Source record: 116477
Cross-posted to:
misc.industry.electronics.marketplace,sci.electronics.equipment,rec.radio.swap,rec.radio.amateur.equipment,sci.electronics.misc

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=68184997

1555. FS:Mobile and HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: casey romanski <c-romanski@ti.com>
Message-ID: <36CAFAB2.C1FDE3BE@ti.com>
Source record: 116478

Kenwood Dual Band (2mtr/440) Mobile w/ remote control head, cable,
duplexer, antenna. $500 OBO

---
2 Meter Dual Band Handheld (Yaesu FT51R)

3 batteries and alkaline case (High, Mid power and Compact + Batt case)

Remote microphone/with display (MH-29)
Car Charger with built in fan (PA-10)
Headset Microphone with vox/ppt (VC-22)

$550 USD

or $850 (FIRM) for all

Call 7am-3pm 972-462-4878 or after 4pm 940-497-4774 ask for Casey

1556. Re: FS: KENWOOD TS-570DG Transceiver.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: adam@onramp.net
Message-ID: <MPG.1134b8c4bd861be598969c@news.onramp.net>
Source record: 116479
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

In article <36CA01F3.18ADA9F0@valon.net>, stuart@valon.net says...

> Could you please tell me why so many TS-570xx tranceivers are showing up for
> swap? I'm not interested in purchasing one as I am very satisfied with my
> TS-450S, just curious.

I couldn't really hazard a guess, unless the people selling have
decided to upgrade their rig with something better. I am happy with my
570D. If I could afford the price difference between the 570 I have and
something in the Kenwood 870 or Icom 756 I would think about selling it,
but since that isn't on the horizon now, I will keep it.

Adam, KM5SS

1557. FA: Collector's Swan 250C 6m

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36CB041D.DBEAF41D@cfu.net>
Source record: 116480

See ebay.com item # 68143643. Till 2/22

1558. NFS:Radio Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Orchsmel Ixmyein <brobo@tolmyl.net>
Message-ID: <7aebgf$mh2$1@news.mr.net>
Source record: 116481

I have several pieces of radio equipment which are not for sale. Please do not contact me.

1559. Re: Does anyone still offer any GOOD HF xcvr kits?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: ejune@intuitive-data.com
Message-ID: <09990117100903.OUI08.ejune@intuitive-data.com>
Source record: 116482

Check out the K2 at http://www.elecraft.com/

--
Regards,

Eric June
KU6J

1560. ICOM CI-V manual here!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Paul N8PSM <psm@intrepid.net>
Message-ID: <36CB0C0E.AA184B67@intrepid.net>
Source record: 116483

I have been getting a many requests for a copy of the CI-V manual in PDF format. I am concerned about distributing it without permission from ICOM. So I am posting the URL where I found it. So if you want a copy of the CI-V manual look here:

http://www.info-tel.com/areamarc/index.htm

The web site is in Italy and is kindof slow but it works! Try late at night if you can. DO NOT SEND me email requesting a copy, It will be ignored without reply.

Good luck and 73 to all you ICOM users,

Paul K8IDX

1561. Re: Happy99.exe Virus attached in Ham-Equip Digest Tue, 16 Feb 99 Volume 99 : Issue 47

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: cslc82@email.mot.com
Message-ID: <36cb0dbb.89856296@netnews.worldnet.att.net>
Source record: 116484

The HAPPY99.EXE is going around. Generally, users don't know they're sending it. It's a worm, which if you run it will attach to your system files and cause you to resend it (unknowingly) as attachments to email and newsgroups.

Latest versions of Norton AntiVirus, McAfee, etc., can find and remove it.

If you receive the file, don't run it!

On 17 Feb 99 05:10:40 GMT, gary@sginet.COM (Gary Zabriskie) wrote:

>Did anyone else notice (and hopefully din't catch) the Happy99.exe Virus
>that was attached in Ham-Equip Digest Tue, 16 Feb 99 Volume 99 : Issue 47
>
>I e-mailed the poster about it. He maybe doesn't even know he is spreading
>it. We had the virus (worm) hit our office. Be careful with what you find
>attached. This one is particularly nasty.
>
>73,
>
>Gary Zabriskie N7ARE
>I.T. Coordinator
>Five County Association of Governments
>St. George, UT

1562. VX-1R FOR SALES (MODIFIED 800MHZ REC.)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: jrt1@idt.net
Message-ID: <7af33hfev1@nnrp1.dejanews.com>
Source record: 116485

The radio is an early production version that is modified to receive the entire 800Mhz band. I also have the AA battery holder for the radio. The radio looks and works perfect. I have the original box and all documentation. Make me an offer if you are interested in this radio.

John (N6DGV)

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1563. FS Yaesu FT-990

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: wb4una@aol.com
Message-ID: <19990217140407.16532.00000234@ng22.aol.com>
Source record: 116486

Selling my 990 so i can play with something else. it is in real good condition with the tuner installed. It is the DC version. I have the box and manual. 1000.00+ shipping..

randy wb4una
WB4UNA
Randy Chavis
247 Goff Court
West Columbia,SC 29172
803-796-4222
Ham since 1970
Grid Square EM-93
HF-6-2-432 SSB,CW

1564. Trade UTC 01 for A10,11,12,16,17,18,19,24,25,26, HA, LS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: markhugh@aol.com
Message-ID: <7af7a1$jf7$1@nnrp1.dejanews.com>
Source record: 116487
Cross-posted to: in.ham-radio,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

Trade UTC 01 for A10,11,12,16,17,18,19,24,25,26, HA, LS

Have some UTC O1's

need
A-10, 11, 12, 16, 17, 18, 19, 24, 25, 26
HA-100, 100X,133
LS-10, 12,14, 19, 21, 52, 55, 56, 57, 63

whatcha got?
markhugh@aol.com

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1565. GUNN Diodes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Greg Flynn <gflynnNO_SPAM@mail.gl.com>
Message-ID: <VLEy2.14416$lx.9725@news2.giganews.com>
Source record: 116488
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Does anyone know a good cheap source for these components? I am interested in the K and X band.

Also if anyone knows a good source for electronic components in general? I know who the regulars are but I was hoping to save some money.

A website would be the best but a name would be just fine. Also please respond to email or email + newsgroup so that I don't miss your reply. You must remove NOSPAM from my email address.

Thanks Greg

1566. Re: NFS:Radio Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Mark Bryant <bryant@sohobusiness.com>
Message-ID: <01be5aad$14b80980$bb3a56d1@nimitz>
Source record: 116489

Ok, but if you do decide to sell it, don't contact us. We already didn't buy from someone else.

Orchsmel Ixmyein <brobo@tolmyl.net> wrote in article <7aebgf$mh2$1@news.mr.net>...
> I have several pieces of radio equipment which are not for sale. Please do
> not contact me.
>
>
>

1567. Re: Compare: IC751A vs TS850 vs ?.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: tuomi@sci.fi
Message-ID: <7af67cchg2@tron.sci.fi>
Source record: 116490

In article <7ad6nurnm1@nnrp1.dejanews.com>, 8877@my-dejanews.com wrote:
>> The 751A is a dream to operate (replaced my Kenwood TS430).
>
>Also can be a nightmare, it changes frequency when you change mode, i find it
>VERY stupid. CT
>

IT depends how do you understand word frequency !!! Those Icom rigs, like mine 751A, show carrier frequency. When you change mode, yes carriage freq which can be seen in the readout, changes. But passband (where your transmissions frequency components are) does not move.

So I could say that in radios where frequency readout does not "change" (for example whe moving from LSB to USB) the passband moves.

VERY stupid... ;-)

Ok, ok, both are ok. Different ways to build a radio. But let's be carefull when saying that "frequency moves".

Pasi, oh3nps

1568. Re: Need Schematic: Henry 2K-4..Please

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: k5cf <k5cf@clnk.com>
Message-ID: <01be5ab1$df542ee0$61e4050c@vancegil>
Source record: 116491
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.swap

JM: Try www.w7fg.com 73 & Gl Vance k5cf

J. Murray Neece <kc5mdm@iglobal.net> wrote in article
<36CA2E74.5F3A383B@iglobal.net>...
> got a small problem with a 2K4...need a schematic...will pay whats
> necessary to get one...thanks Murray
>
>

1569. FT-50 Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: "Michael H. Ward" <ward@draco.as.utexas.edu>
Message-ID: <36CB2372.42311554@draco.as.utexas.edu>
Source record: 116492

I have a friend who just got his ham license. He wants to buy a FT50 but is concerned about a rumor that he heard about the new FT50's not being able to be modified for the expanded TX. Anyone know anything about this?

73's
Mike
KM5EM

1570. FS: Yaesu FT-530 HT and Kenwood TMV-7A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: hodgesmn@email.uc.edu
Message-ID: <7af9ba$6gm$1@news.ececs.uc.edu>
Source record: 116493

I have the following two pieces of equipment for sale.

1) Yaesu FT-530 HT dualbander which includes:

- 1, 7.2V 800ma 2W Ni-Cd pack (pack used about 7 times)
- 2, 12V 1300ma 5W Ni-Mh packs (each pack used no more than 3 times)
- Trickle charger

The radio is in excellent-new condition. Make offer.

2) Kenwood TMV-7A Mobile dualbander.

This radio has never been used. It is still in the box with the plastic covering on the LCD display. I bought it at Dayton last year with the intention of replacing the ICOM 2350H in my car but decided to keep the ICOM. I have another TMV-7A as my base. Make offer.

If interested or if you have questions, reply to the above address. Thanks.

Mike

1571. WTB HP4800a Vector Impedance Meter.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: gary ferran <ferran_group@connecti.com>
Message-ID: <7afci4$of1$1@nnrp1.dejanews.com>
Source record: 116494

WANTED: 4800a Vector Impedance Meter Clean and Working.
May consider non-working complete unit. Thanks - Gary.

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1572. Re: NFS:Radio Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: jordan@santanet.com
Message-ID: <7affhgrae1@nnrp1.dejanews.com>
Source record: 116495

Maybe he should put this note on E-Bay so they can NOT bid on it.. Oh but wait.. They'll bid on anything over there.. never mind...

And whatever happened to the old saying that "Everything is for sale at the right price"... I bet we can get him to sell something.. Come on, whaddya say??

In article <01be5aad$14b80980$bb3a56d1@nimitz>,
"Mark Bryant" <bryant@sohobusiness.com> wrote:
> Ok, but if you do decide to sell it, don't contact us. We already didn't
> buy from someone else.
>
> Orchsmel Ixmyein <brobo@tolmyl.net> wrote in article
> <7aebgf$mh2$1@news.mr.net>...
> > I have several pieces of radio equipment which are not for sale. Please
> do
> > not contact me.
> >
> >
> >
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1573. Re: NFS:Radio Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Orchsmel Ixmyein <brobo@tolmyl.net>
Message-ID: <7aenitovi1@news.mr.net>
Source record: 116496

Ok, I will not contact you or anyone else who does not want the equipment.
Even if I do not want to not sell it in the future and you do not want to
buy from someone else.

Mark Bryant wrote in message <01be5aad$14b80980$bb3a56d1@nimitz>...
>Ok, but if you do decide to sell it, don't contact us. We already didn't
>buy from someone else.
>
>Orchsmel Ixmyein <brobo@tolmyl.net> wrote in article
><7aebgf$mh2$1@news.mr.net>...
>> I have several pieces of radio equipment which are not for sale. Please
>do not contact me.

1574. Millivac MV28B-Need Schematic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Conrad Hoffman <crhoff@bestnetpc.com>
Message-ID: <7afe3m$8sm$1@news.iag.net>
Source record: 116497

Hi All,

Anyone got one. It's a RF microvoltmeter.

Thanks,

Conrad W8MHH crhoff@bestnetpc.com

1575. Re: Yaseu FT-530 Batters Needed???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: smitty <smitty@dzn.com>
Message-ID: <7afeed$65k@news.dx.net>
Source record: 116498
Cross-posted to: es.rec.radio.amateur,es.rec.radio.misc,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

Check out Mr. NiCd (E.H. Yost & Company) 7344 Tetiva Rd. Sauk City, WI.
53595
Phone: (608) 831-3443/ fax (608) 831-1082 Great selection and Prices...
I purchase about 4 batteries a year for my Handheld.. "Smitty" N5WPV

Bob Muskie <muskybob@sprint.ca> wrote in message
news:%q3y2.35353$b8.15437261@hme2.newscontent-01.sprint.ca...
>Hello
>Does any body know of a source for one of these batteries
>for the FT-530??. 12volt for the hand held..
>
>I am in Southern Ontario
>thanks in advance.
>Bob
>VE3BDQ
>muskybob@sprint.ca
>
>
>

1576. Re: Making an extention cable for a Kenwood TM-V7A Microphone.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: kb0vof@my-dejanews.com
Message-ID: <7afilo$ua1$1@nnrp1.dejanews.com>
Source record: 116499

Hey Mike, Cat 5 is perfect, but rather than use cable that you have to crimp connectors to, use one of those ready-made cables with the connectors molded on the ends. Then you get one of the female-female adaptors ($2.50) and you're ready to go in no time. I got a 6' black cable ($7; other sizes and colors available), ran it under the carpet in my car, and plugged in. One thing to remember: either the cable or the adaptor has to "reverse" the wiring so it lines up properly. 73 Gerry KB0VOF

> Mike Thompson wrote:
> >
> > Could I use Cat 5 twisted pair cable for this and a RJ-45 and female
> > RJ-45 (don't know the # for that end)... I have a bunch of this cable
> > laying around, and didn't know if it took a special type cable, plus
> > if it being longer would have any effect on the radio, etc.. seems
> > like they make an extention for it... but it doesn't look like it
> > would be to hard to make myself.
> >
> > Thanx,
> > KF4TUZ
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1577. Re: FT-50 Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Richard Levenberg <richardl@ufp.com>
Message-ID: <Pine.BSF.4.05.9902171428230.8836-100000@shell7.ba.best.com>
Source record: 116500

Check out http://members.aol.com/aeimn/ft50/index.htm. This is definitive source for FT-50 mods.

richardl
KE6RQD

On Wed, 17 Feb 1999, Michael H. Ward wrote:

> I have a friend who just got his ham license. He wants to buy a FT50
> but is concerned about a rumor that he heard about the new FT50's not
> being able to be modified for the expanded TX. Anyone know anything
> about this?
>
> 73's
> Mike
> KM5EM
>
>

1578. Yaesu Battery Help Question????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Bob Muskie <muskybob@sprint.ca>
Message-ID: <RvHy2.39327$b8.16816664@hme2.newscontent-01.sprint.ca>
Source record: 116501
Cross-posted to: alt.ham-radio.marketplace,es.rec.radio.amateur,es.rec.radio.misc,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

Hello...
I am buying a couple of 12volt 1200MAH batteries for my
Yaesu FT-530 handheld.Aftermarket..
When I bought my radio I got a battery charger #NC-18B which
will charge at 14.5volt 50MA... I know that this charger is good
for the 12v 600ma batteries that I first had but is it still good for
the newer stronger batteries??????
is the charging time just doubled..???
The charge time for this charger is 15hours for the 12v 600ma..

these batteries are now only available through Yaesu for twice the money
as the newer batteries.....
Please advise..
thanks in advance.
Bob
muskybob@sprint.ca

1579. Re: FT-50 Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: kb2ehj@mindspring.com
Message-ID: <OnJet0TDpclF-pn2-vZdnrQZMhV3o@user-38ld9ej.dialup.mindspring.com>
Source record: 116502

Why should he be concerned about this? Is he planning on TX out of
band, which of course is illegal.

On Wed, 17 Feb 1999 20:15:46, "Michael H. Ward"
<ward@draco.as.utexas.edu> wrote:

> I have a friend who just got his ham license. He wants to buy a FT50
> but is concerned about a rumor that he heard about the new FT50's not
> being able to be modified for the expanded TX. Anyone know anything
> about this?
>
> 73's
> Mike
> KM5EM

1580. Re: Looks like ICOM did it...the first!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Bill Clarke <W2BLC599@bigfoot.com>
Message-ID: <7afimi$4o7$1@paxfeed.eni.net>
Source record: 116503

Yes, that's one way - but the preferred method is a small stand-alone box
that goes where the rig goes. Car, boat, airplane, etc.

--
Bill Clarke W2BLC
W2BLC@bigfoot.com

1581. Re: NFS:Radio Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: tresa6942@aol.com
Message-ID: <19990217181946.10880.00003277@ng15.aol.com>
Source record: 116504

Thats a new one! Havent heard that one yet..

1582. Re: USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Bill M <chillout@usa.net>
Message-ID: <36CB4CEA.E4D3CA50@usa.net>
Source record: 116505
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

A package I mailed is undergoing a trace right now. Get this - I purchased insurance, the postal clerk filled out the form - It was the wrong form and I was told if the package is not found it is not insured because of the wrong form......

ignacy@num.ads.uga.edu wrote:

> In <7acuii$l36$1@nnrp1.dejanews.com>, on 02/16/99
> at 11:22 PM, triage@worldnet.att.net said:
>
> >I've always had great luck with UPS. Never a lost or damaged package in
> >the many years I have shipped. Fedex, on the other hand, lost a shipment
> >of mine last year (never found) and took over 3 months to reimburse me-a
> >very frustrating experience....It's UPS for me....
>
> I had a frustrating experience wth priority mail. Out of 4 packages sent
> recently, two made it on time, one after 9 days and one never. I was told
> by the postal employees that priority mail is now serviced by a
> third-party.
>
> Ignacy, NO9E

1583. (No subject)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: kb2ehj@mindspring.com
Message-ID: <OnJet0TDpclF-pn2-bgk6g0TVIgxz@user-38ld9ej.dialup.mindspring.com>
Source record: 116506
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Anybody have any idea on were to find or have the p/n for the power plugs found on most mobile rigs these days? I'm talking the connector that looks like a 'T'. Both my Kenwood TM-V7A and Yeasu FT-8100 have the same connector. I also know that the Icom 2000H had this connector (used to one one before the above two radios were purchased).

I would rather not buy one from either of the above companies since they get way to much money for them.

Tnx Mark
KB2EHJ

1584. Re: GUNN Diodes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: John Miles <jmiles@pop.removethistomailme.net>
Message-ID: <36CB560F.5A69@pop.removethistomailme.net>
Source record: 116507
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Greg Flynn wrote:
>
> Does anyone know a good cheap source for these components? I am interested
> in the K and X band.

I've been very happy with http://www.shfmicro.com. Very responsive and knowledgeable "tech support" from Alan! They don't take credit cards or phone orders, though -- you have to order via email or fax, and pay via snail mail or COD.

>
> Also if anyone knows a good source for electronic components in general? I
> know who the regulars are but I was hoping to save some money.

http://www.newark.com has almost everything, but they can be somewhat expensive. Their printed catalog is the size of a major metropolitan telephone book, so the higher prices are somewhat justified IMHO.

http://www.digikey.com has less stuff, but it tends to be cheaper than Newark.

http://www.mouser.com and http://www.circuitspecialists.com can also be good places to look.

-- jm KE5FX

Note: My E-mail address has been altered to avoid spam

1585. Need manuel AT-230 Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Hanson Family <hansfam@midcoast.com>
Message-ID: <ABIy2.92$3E4.3047@newsfeed.slurp.net>
Source record: 116508

Help-need manuel for Kenwood AT-230 Antenna Tuner.
Thanks

1586. VFO 240 or 230

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Hanson Family <hansfam@midcoast.com>
Message-ID: <zMIy2.110$3E4.3011@newsfeed.slurp.net>
Source record: 116509

Need VFO for 1981 KENWOOD TS830S.
VFO230 or 240

1587. Re: cancel <36CA2818.A9DFC71C@herald.infi.net>

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: entropious <entropious@hotmail.com>
Message-ID: <7afksj$kf0$1@fir.prod.itd.earthlink.net>
Source record: 116510
Cross-posted to: rec.audio.marketplace,rec.audio.misc,rec.audio.opinion,rec.audio.tubes,rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment

What is happy99.exe? It is attached to this post. Virus........

what a dickhead.

1588. Need manuel AT-230

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Hanson Family <hansfam@midcoast.com>
Message-ID: <2_ly2.131$3E4.4342@newsfeed.slurp.net>
Source record: 116511

Clueless new ham needs manuel for
Kenwood AT-230 Antenna Tuner.
Will pay-and will really appreciate.
KB1DQI

1589. WTB: DSP unit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Ian McCloy <ian_mccloy@bc.symaptico.ca>
Message-ID: <J4Jy2.13539$BP1.424605@news.bctel.net>
Source record: 116512

Anyone have a used dsp box for sale at a reasonable price. Please let
me knw.

Ian ve7ira

1590. WTB: Icom Q7A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Ian McCloy <ian_mccloy@bc.symaptico.ca>
Message-ID: <G5Jy2.13540$BP1.425169@news.bctel.net>
Source record: 116513

would like to but another Icom Q7A dualband

Ian Ve7ira

1591. Re: FT-101EE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Sam Moore <2smoore@nemontel.net>
Message-ID: <7afmfm$4jk$1@news.montanavision.net>
Source record: 116514

Brian

FT101EE was my first rig. It is reliable, fairly easy to use and you learn a lot from it. It takes a little time to learn to tune it, but once you get the procedure down it is very simple. I have since traded up after using it for about 4 years, the only mistake I made was selling it to trade up, should have kept it for a second radio.

Sam
KB7SDE

1592. FS:KENWOOD TR-7200G

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: ve3ios <ve3ios@worlddrive.com>
Message-ID: <36CB6561.8CA9BCCA@worlddrive.com>
Source record: 116515
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

2 meter base/mobile tranceiver, crystaled for local repeater here. Excellent for APRS/PACKET. Mic,manuel, mounting bracket, plugs into car lighter.
$175.00
ve3ios

>
>
>

1593. Yaesu ft-920 on ebay $1200

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Dave <k4de@mindspring.com>
Message-ID: <7afpotoco1@camel15.mindspring.com>
Source record: 116516

Check out my like new ft-920

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67549057

1594. WTB: Yaseu VX1r

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Ian McCloy <ian_mccloy@bc.symaptico.ca>
Message-ID: <WXJy2.13575$BP1.450362@news.bctel.net>
Source record: 116517

If you have one of these for sale at a reasonable price.
Let me know.

Ian ve7ira

1595. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Erik Hoover <hoover@montana.com>
Message-ID: <36CB5BCC.3415@montana.com>
Source record: 116518
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

HAVEN'T WE ALREADY BEEN THROUGH THIS ONCE BEFORE PEOPLE?

Edward L. Dowdy wrote:
>
> I like that! "Bull dukey!" :)
>
> Hambone wrote in message ...
> >Bull dukey!!!!
> >
> >
> >hamoperator@my-dejanews.com wrote in message
> ><79ogjvcfg1@nnrp1.dejanews.com>...
> >>"Yaesu has shut down its website, http://www.yaesu.com"
> >>"The amateur community anxiously awaits further word of warranty
> coverage."
> >>
> >>Not surprising with their recent use of back stock FT-1000D's, the recent
> >>defects in the new FT-847 and lack of sales due to the P3D launch
> >>disappointments.
> >>
> >>73
> >>
> >>==========-- Posted via Deja News, The Discussion Network --==========
> >>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
> >
> >

1596. FS: Yaesu VX-1R VHF/UHF Mini HT, $185

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Ben Klausner <klausner@austin.ibm.com>
Message-ID: <36CB8059.D003A948@austin.ibm.com>
Source record: 116519

YAESU VX-1R Miniature VHF/UHF Dual Band Amateur Handheld. Radio in original box, and in excellent condition. Complete with two lithium batteries, manual, dual band antenna, and wall charger. $185.

--
~~~~~~

Ben Klausner, N5DJL | The difference between practice and theory,

klausner@frijoles.net | is greater in practice than in theory.
Austin, TX
~~~~~~

1597. WTB: Yaesu 736R Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36CB86AC.AE8D24A9@cfu.net>
Source record: 116520

Looking for FEX-736-1.2 Ghz. module, FIF-232C interface, FTS-8 encoder/decoder, FVS-1A voice synthesizer, Keyer-B, SP-767 spkr. Jan N0JR

1598. Re: Compare: IC751A vs TS850 vs ?.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: 8877@my-dejanews.com
Message-ID: <7ad6nurnm1@nnrp1.dejanews.com>
Source record: 116538

In article <36c987cd.86838783@news.iamerica.net>,
KD5CAS@iamerica.net wrote:
> On 15 Feb 1999 21:51:38 GMT, radiofreq0@aol.com (RadioFreq0) wrote:
>
> >Any and All,
> >Please let me know the pluses and minuses regarding my potentially purchasing
> >opne of the above rigs. I need the best Rx, more then addes bells and whistles.
> >Abilty to upgraded using filters etc is a plus if the fully upgraded rig is
> >superior to the upgraded other rig.
> >I think you know what I am neeing to learn.
> >Also, please let me know what each rig should be available for in terms of a
> >fair price for an excellent condition rig. Thnx,
> >Jeff
> ======================
> Try this URL for some help:
> http://www.aade.com/hampedia/hampedia.htm
>
> Prices on E-bay recently
> Rig Qty Low Avg High
> IC-751A 8 $560.00 $619.52 $745.00
> TS-850S 2 $891.10 $1,095.55 $1,300.00
>
> I currently have an IC-751A. It's a great rig. I paid $600 for it,
> with the matching Icom power supply. Has all filters installed, fully
> functional, excellent condition.
>
> The 751A is a dream to operate (replaced my Kenwood TS430).

Also can be a nightmare, it changes frequency when you change mode, i find it
VERY stupid. CT

>
> --Scott, KD5CAS
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1599. Re: ICOM reflector, where is it

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: kvanderlin@aol.com
Message-ID: <19990216200013.27064.00000720@ng140.aol.com>
Source record: 116539

Send an email:

To: majordomo@qth.net
Subject:
Body: subscribe icom

and you'll be on. You will get a message
back welcoming you to the reflector with
some faq's.

Van,
W0NZV

1600. Spill, Shock & RF Protected Laptops?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <01be5a12$4300f540$c18492d0@Bit-Net.bit-net.com>
Source record: 116540

After watching a recent news digest program about the use of
focused radar pulses as anti-personnel and anti-hardware weapons
it occured to me that there are many potential less-intentional
sources of interference to communications and computing.

Panasonic is marketing a magnesium alloy case laptop as spill
and shock resistant:

http://www.panasonic.com/computer/notebook/product.htm

I am wondering if this or other brand laptops might provide reasonable
defense against strong magnetic and/or RF forces?

I am in the market for a Pentium II laptop and reliability in the field
under a variety of weather and RF conditions is an issue

Thanks! & 73, DavidC K1YP

1601. Icom 2710 Lost Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: punkear@aol.com
Message-ID: <19990216204759.10963.00003409@ng16.aol.com>
Source record: 116541

Several weeks ago either on this board or a modification webstie I ran across several mods for this dual band radio. The modification had to do with installing a second SO239 pig tail to pick up 800Mhz transmissions. There were some other items as well. If you've seen this information could you please forward it.

Thanks
Brad
KE0XS

1602. Does anyone still offer any GOOD HF xcvr kits?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: MelissaY@Zdimensional.com
Message-ID: <Lnpy2.295$5w.641@wormhole.dimensional.com>
Source record: 116542
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Does anyone sell any good quality modern all band HF transceiver kits that you can build yourself? Something that would computer interface and include a spectrum scope through the computer would be really nice.

And that's just my opinion, I could be wrong. :)

- Melissa <http://www.dimensional.com/~melissa/>

Basic personal or small business web page design:
<http://www.dimensional.com/~melissa/webpages.htm>

To email me, remove the spam proofing capital letters on each side of the @ in my email address.

1603. manuals needed, items for sale, item needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: canfield@scci.NET
Message-ID: <199902170221.VAA29586@gdi4.gdi.net>
Source record: 116543

Need the following manuals:

Icom IC-71 6 meter AM/FM rig

Ringo Ranger ARX-2B antenna

Willing to pay xeroxing and shipping cost.

Have the following items for sale. Prices do not include shipping.

Palomar Bi-linear Amplier Model 310M Has 4 8950 tubes SSB/AM works,
tubes good. In fair
condition....$50.00

Sears road talker (40 channels) converted to 10 meters. In good condition.
Works very well.

Looking for a Clegg Venus 6 meter SSB rig.

Thanks for the bandwidth and reading.

Bill
canfield@scci.net

1604. WTB GE Delta

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: John <jay_cee@worldnet.att.net>
Message-ID: <12D6EFCC.3C6AE8ED@worldnet.att.net>
Source record: 116544

Looking for a 110 Watt GE Delta SX VHF radio. Must be working, with eproms, 16 channel, scan head. Or Multi-mode head (128 Ch.)

John
N2VJE

1605. Heathkit 2060 tuner Found Thanks

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: ronfisher1@aol.com
Message-ID: <19990216225840.13210.00002744@ng-fu1.aol.com>
Source record: 116545

Hi All,
Found a heathkit 2060 Tuner .

Thanks, Ron Ka1SRZ

1606. Happy99.exe Virus attached in Ham-Equip Digest Tue, 16 Feb 99 Volume 99 : Issue 47

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: gary@sginet.COM
Message-ID: <199902170508.VAA24113@mailbox1.ucsd.edu>
Source record: 116546

Did anyone else notice (and hopefully din't catch) the Happy99.exe Virus
that was attached in Ham-Equip Digest Tue, 16 Feb 99 Volume 99 : Issue 47

I e-mailed the poster about it. He maybe doesn't even know he is spreading
it. We had the virus (worm) hit our office. Be careful with what you find
attached. This one is particularly nasty.

73,

Gary Zabriskie N7ARE
I.T. Coordinator
Five County Association of Governments
St. George, UT

1607. FS: 2 Meter HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: headhamster <headhamster@erols.com>
Message-ID: <36CA50EF.22D0C337@erols.com>
Source record: 116547

I have a Santec ST-144up 2 meter HT and the drop in rapid charger for sale. This is a 5 watt synthesized HT with 10 memories, clock, etc. It has LOUD audio, from a full sized speaker. Radio comes with the desk top

rapid charger.
Will sell the HT and charger for $50 plus shipping.

73, de Rich - W2YQ

1608. Re: ICOM reflector, where is it

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Tim Randa <randas@mindspring.com>
Message-ID: <7adjhjear1@camel0.mindspring.com>
Source record: 116548

They had to send it back to the factory...

llefczik@motown.lmco.com wrote in message
<7abv3l$n6l$1@nnrp1.dejanews.com>...
>I heard some people on the are refer to the "ICOM reflector". Can anybody
>tell me how to get to it?
>
>------------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1609. Trade: dx-300 for hf rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: itzack@hotmail.com
Message-ID: <7adn9l$9is$1@nnrp1.dejanews.com>
Source record: 116549

Hello,
I am looking for an hf rig with 80-10 meters. I have a dx-300 in good shape with manual, for trade for a nice hf unit. I was hopeing to find something I could reduce the power to less then 25 watts or so.

John Kc4npd

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1610. Tempo One Power Cord

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Keith Braithwaite <kbraithwaite@mail.gcnet.net>
Message-ID: <36CA58CB.783A@mail.gcnet.net>
Source record: 116550

Need power cord for a Tempo One HF rig. Misplace mine.

1611. Re: SX-28 & SX-28A--what's the difference?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990217010032.29666.00002827@ng108.aol.com>
Source record: 116551

The SX-28A is a later version that came out in 1944. It was advertised as a "postwar model" incorporating many design changes suggested during its "combat use" during the war years. The 28 came out in '41. The 28A has modular sections for easier servicing. The transformer is potted. The 28 sold for $159.50, the 28A for $223.00 The 28A uses a 6BA7 in the first RF and in the noise amp instead of 6SK7's. They advertised the PM-23 as an accompanying speaker for the 28A instead of the R-8 or R-12. My SX-28A is marked as such on the front. Many are not. Yours COULD be a 28A...look and see if it has 6BA7 markings on the chassis, for the aforementioned functions and an easily removable clip-on cover over the ganged tuning capacitors. If it does it's an SX-28A, if not it is an SX-28. In practice, the changes don't mean much except for servicing and "perceived" rarity. Neither are rare. Both are highly regarded, collectible and usable boatanchors with excellent audio.

Brian K3VR

1612. Re: Compare: IC751A vs TS850 vs ?.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990217010811.29666.00002831@ng108.aol.com>
Source record: 116552

Watch out for the battery for the memory. It's very tricky to replace and lots of people just send them back to Icom$$$. I liked my 751A, it sounds the best (better than my 1000D) for listening to shortwave with its 8KHZ filter. It is a great radio. Never owned the kenmore 850.

1613. Want: RCA Power-Line Monitor (meter)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: John Burch <occupant@syix.com>
Message-ID: <01be5a3c$b9bd96a0$e44aabcd@default>
Source record: 116553
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment,sci.electronics.misc

Wanted: RCA Power Line Monitor model WV-120A
meter in very good to excellent condition. Will pay cash.

Please e-mail me at occupant@syix.com

Thanks for reading.

73 de John
..

1614. Re: Field programming Bendix/King EPH 5990A VHF portable?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Mike Beaty <mbeaty@nyx.net>
Message-ID: <919235440.219040@iris.nyx.net>
Source record: 116554

In article <19990214214541.28840.00001697@ng-fd1.aol.com>, Scout1107
<scout1107@aol.com> wrote:

> To program your vhf you just need to enter the six digit ID number
> then push enter to enter normal programming mode, default is 000000
> from factory, but you can change manually or in the global paramaters
> in the software.

We agree -- that's what works for the EPH 5102's. But this beast has
DES. When I do the programming plug and key sequence to enter the
keyboard programming mode, it says:
--- 1D

I assume that it wants me to enter a DES key to use. I don't want to
use DES. In fact, I'd like to disable it. My software is EPHEDIT
v1.1 copyright 1990 and doesn't have any DES options.

If anyone knows any way around this, I'd like to hear of it. I mean,
field programming from the keyboard can come in handy occasionally!

I may have to try my hand with the factory techs. They're usually
helpful, but I didn't want to bother them if this was an easy question
to answer.

Thanks!

Mike
--
Mike Beaty Assistant Chief and Personnel Officer
mbeaty@nyx.net Boulder Rural Fire Department, Boulder CO
Mike.Beaty@BRFD.boulder.co.us http://www.brfd.boulder.co.us/

Originally, I wrote:

> I recently acquired a Bendix/King EPH 5990A VHF portable. It is the
> predecessor to the current EPH 5102 series. From what I understand,
> it does not have the current narrow-band capability but it *is* DES
> capable. I don't want to use the DES capability.
>
> I have the needed software and computer interface cables for it and
> can program frequency, CTCSS, and alpha indicator information with no
> difficulty. However, I'd like to be able to program it in the field
> as well.
>
> I have the programming plug and can get it into what I assume is the
> normal programming mode. However, unlike my LPH portable, it first
> asks me for a KEY ID. I can't get past that point. I don't want to

> enter a valid key for fear that I'll get stuck encrypting/decrypting,
> which isn't what I want.

1615. Re: Happy99.exe Virus attached in Ham-Equip Digest Tue, 16 Feb 99 Volume 99 : Issue 47

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Kurt Brandstetter <kurt.brandstetter@teleweb.at>
Message-ID: <bwuy2.2267$Za4.43422@news.chello.at>
Source record: 116555

This "worm" (It is not really a virus) was also sent yesterday to
boatanchor@qth.net .
I sent the following message to the net:

Be carefull!!!!!!
A message from Patrick McAuliffe contains the Happy99 Worm (similar to a
virus)

Don' open the EXE File !!!!!!!!!!!!!!!
The subject of the worm containing file is:
PTT for DX-60B

How to cure: http://www.geocities.com/SiliconValley/Heights/3652/SKA.HTM and

http://www.zdnet.com/zdnn/stories/news/0,4586,2195075,00.html

--
73's de OE 1002419
Kurt from Vienna Austria

Email: kurt.brandstetter@teleweb.at
HomePage: http://members.teleweb.at/kurt.brandstetter/
Gary Zabriskie schrieb in Nachricht
<199902170508.VAA24113@mailbox1.ucsd.edu>...
>Did anyone else notice (and hopefully din't catch) the Happy99.exe Virus
>that was attached in Ham-Equip Digest Tue, 16 Feb 99 Volume 99 : Issue 47
>
>I e-mailed the poster about it. He maybe doesn't even know he is spreading
>it. We had the virus (worm) hit our office. Be careful with what you find
>attached. This one is particularly nasty.
>
>73,
>
>Gary Zabriskie N7ARE
>I.T. Coordinator
>Five County Association of Governments
>St. George, UT
>

1616. Re: SX-28 & SX-28A--what's the difference?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7adtl2$2to$1@winter.news.rcn.net>
Source record: 116556

I think the main reason behind the SX-28A was to incorporate Hallicrafters' new RF coil design. Have two SX-28 receivers, one is really a SX-28A having the postwar mods noted by Brian.

Peter

N3XBU wrote in message <19990217010032.29666.00002827@ng108.aol.com>...
>The SX-28A is a later version that came out in 1944. It was advertised as a
>"postwar model" incorporating many design changes suggested during its "combat
>use" during the war years. The 28 came out in '41. The 28A has modular sections
>for easier servicing. The transformer is potted. The 28 sold for $159.50, the
>28A for $223.00 The 28A uses a 6BA7 in the first RF and in the noise amp
>instead of 6SK7's. They advertised the PM-23 as an accompanying speaker for
>the 28A instead of the R-8 or R-12. My SX-28A is marked as such on the front.
>Many are not. Yours COULD be a 28A...look and see if it has 6BA7 markings on
>the chassis, for the aforementioned functions and an easily removable clip-on
>cover over the ganged tuning capacitors. If it does it's an SX-28A, if not it
>is an SX-28. In practice, the changes don't mean much except for servicing and
>"perceived" rarity. Neither are rare. Both are highly regarded, collectible and
>usable boatanchors with excellent audio.
>
>Brian K3VR

1617. Re: Does anyone still offer any GOOD HF xcvr kits?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <wt98HTAyzny2Ewlz@pacsat.demon.co.uk>
Source record: 116557
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <Lnpy2.295$5w.641@wormhole.dimensional.com>, Melissa
<MelissaY@Zdimensional.com> writes
>Does anyone sell any good quality modern all band HF transceiver kits that you
>can build yourself? Something that would computer interface and include a
>spectrum scope through the computer would be really nice.
>
>
>And that's just my opinion, I could be wrong. :)

I have your dream radio

Try www.elecraft.com

73 Simon GM4PLM
+--+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+--+

1618. KD4LYP's scanner page has moved!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Danny <danny@webdeals.net>
Message-ID: <36CA82BF.28DA@webdeals.net>
Source record: 116558
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner,alt.radio.scanner

Just a note,

My scanner and ham pages have been moved to:
http://www.webdeals.net/kd4lyp.htm

It will take some time to get all the changes into the search engines
and the links from the other scanner pages changed. If you have a link
to my page....please update it.

Thanks
kd4lyp
Dan

1619. KD4LYP's scanner page has moved!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Tammie B <consignment@webdeals.net>
Message-ID: <36CA8985.388E@webdeals.net>
Source record: 116559
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner,alt.radio.scanner

> Just a note,
>
> My scanner and ham pages have been moved to:
> http://www.webdeals.net/kd4lyp.htm
>
> It will take some time to get all the changes into the search engines
> and the links from the other scanner pages changed. If you have a link
> to my page....please update it.
>
> Thanks
> kd4lyp
> Dan

1620. Re: Compare: IC751A vs TS850 vs ?.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: ThomasS <galaxy@jorsm.com>
Message-ID: <36CA9A47.4E3A@jorsm.com>
Source record: 116560

> Watch out for the battery for the memory. It's very tricky to replace and lots
> of people just send them back to Icom$$$.

To anyone interested...Their is a guy who makes/sells a ROM-memory
battery board to replace the Icom unit.

WillCo Electronics (1-815-723-1874) Email:willco788@aol.com

Unit works in Icom 745, 751, 271, 471, 1271, r71 +it offers 1024
memories if needed!

I have one in my 271a and it works great!

ThomasS

1621. Ozradio Websites

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Ozradio Websites <ozradio@webaxs.net>
Message-ID: <F2xy2.37$C02.907@vic.nntp.telstra.net>
Source record: 116561

All my websites have now been moved to the following locations:

OZRADIO WEBSITES

RADIO COMMUNICATIONS - SCANNING - MODS - ANTENNA DESIGN
****

AVALON INTERNATIONAL AIRSHOW 99 WEBSITE
MARITIME COMMUNICATIONS WEBSITE

****

Ozradio's website for the avalon airshow is now online!

This is the "Unofficial Avalon Airshow" website
containing info for scanning and aviation
enthuisiasts alike.

Available on the website is:

* Avalon Airfield Maps & Tracking Patterns

* Avalon Airfield & Geelong Location Maps

* Melbounre Air Traffic Channels / Freqs

* Avalon Air Traffic Channels / Freqs

* Geelong Air Traffic Channels / Freqs

* K & J District Police Channels

* Marine Rescue Channels (Plus Maps)

* Media & Taxi Frequency Allocations

* State Emergency Service & Ambulance Allocations

* MP3 Audio File Archives

* Real Audio HTTP Streams

Login at: www.webaxs.net/~ozradio/avalon
OR
203.55.252.4/~ozradio/avalon
****

This site has been officially authourised by
Airshows Downunder. All audio content has been
authourised by Airshows Downunder & the Australian

Communications Authority.

All material on the site is copyright:
"Airshows Downunder" & "Ozradio Websites" ©1999.

www.webaxs.net/~ozradio/avalon
203.55.252.4/~ozradio/avalon
ozradio@webaxs.net

****

MARITIME WEBSITE - CLOSURE OF 500 KHZ

* Recordings Of The Final Transmissions

* Transcriptions of the transmissions

Login At: www.webaxs.net/~ozradio/marine
OR
203.55.252.4/~ozradio/marine

www.webaxs.net/~ozradio/marine
203.55.252.4/~ozradio/marine
ozradio@webaxs.net

****

1622. SAFT SPS200 Stand by power supply help needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: nworbekim@my-dejanews.com
Message-ID: <7aeccpqra1@nnrp1.dejanews.com>
Source record: 116562

Hi, my ups inverter has failed. The charger works, at least the batteries show fully charged, but when the power is removed, it only shows a few mv's on the plug outlets.

I have looked thru the web for info, but can't find anything. Anyone have a schematic for the inverter board?

thanks!
de KM4IY in southern KY

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1623. Re: Yaesu FT51R 2mtr Dual Band for Trade or Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: davem@groucho.cs.ubc.ca
Message-ID: <7aecgf$aco@groucho.cs.ubc.ca>
Source record: 116563

"KD5GEH" <kd5geh@koogles.net> writes:
>Are both bands 2 meters?

The FT-51 is a 2 m/70 cm (440 MHz) dual band. True dual receive,
so you can do full-duplex conversations and crossband repeat.

It will also receive VHF on the UHF "side" or UHF on the VHF "side",
so you can listen to two VHF or two UHF frequencies. But some step
sizes aren't available and receiver performance is somewhat less when
listening to the "wrong" band for that side of the radio.

It also has CTCSS encode/decode, "spectrum analyzer" display,
alphanumeric memories, alphanumeric messages sent from one FT-51 to
another, and just about any other bell and whistle that you can
think of.

Dave

1624. Re: USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: ignacy@num.ads.uga.edu
Message-ID: <36cad461$3$vtanpl$mr2ice@news.uga.edu>
Source record: 116564
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

In <7acuii$l36$1@nnrp1.dejanews.com>, on 02/16/99
at 11:22 PM, triage@worldnet.att.net said:

>I've always had great luck with UPS. Never a lost or damaged package in
>the many years I have shipped. Fedex, on the other hand, lost a shipment
>of mine last year (never found) and took over 3 months to reimburse me-a
>very frustrating experience....It's UPS for me....

I had a frustrating experience wth priority mail. Out of 4 packages sent
recently, two made it on time, one after 9 days and one never. I was told
by the postal employees that priority mail is now serviced by a
third-party.

Ignacy, NO9E

1625. Re: Misc. For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Ted Onyshczak <tedezak@bangornews.infi.net>
Message-ID: <7aei2mrng1@nw003t.infi.net>
Source record: 116565
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Where do I send the check for the Vibroplex 'bug'?

Thanks,

Ted

1626. Re: FT51R Templete

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <7aekod$inf@sjx-ixn6.ix.netcom.com>
Source record: 116566

In <36C6CC31.5DE@erols.com> Vinny Noto <wx2ny@erols.com> writes:
>
>Can any one send me a templete made on ADMS software for the FT51R.
>The correct file extension is .tpl.
>
>This would be greatly appreciated. I never made one from my radio and
>now its stuck in European mode after a power failure. I think changing
>the templete will solve the problem.
>
>Vinny Noto
>WX2NY

Vinny,

You need a template from a radio in the same serial number series
ie xN or xM etc. with the same hardware mods. I have templates from
both M and N series radios but both have the hardware mods. I'll
send you a template if your hardware fits the profile.

Jerry

1627. FORSALE - Great starter station, only $350!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7ael62$p4n@nntpb.cb.lucent.com>
Source record: 116567
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,nj.forsale,rec.radio.amateur.boatanchors

I have a mint Kenwood TS-520S that I would like to sell.
In my opinion, the 520 and 520S are
some of the best rigs around and would make a
fantastic beginner station or a great backup rig.
I'm also including an MFJ 941-c antenna tuner and a
Kenwood noise cancelling hand mic, so this is a complete
station expect for the antenna (longwire or dipole would work
fine) and a key. $350 for the whole setup. The rig ALSO
has the optional Kenwood 500hz CW filter in it.

For any novices not familiar with this radio, it is all solid state
(discrete components, so its very easy to repair if ever needed)
except for a tube driver and a pair of very
robust 6146 tubes as the finals. It has a builit in power supply,
but can also run off of 12VDC with an optional DS-1A
DC-DC convertor (not included). It also has connections for the
Kenwood DG-5 digital display.
It covers 160,80,40,20,15, and 10 meters in CW and SSB (upper and lower) modes.
The receiver section is excellent and I always get excellent audio quality
reports. Many folks say that these older Kenwoods are some of the best
sounding rigs on the air.

Joe Levantino
KB2FSH
(732) 949-0664
jlevantino@lucent.com

1628. jpeg of ts450sat??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Dave26at163 <alfatango@cwcom.net>
Message-ID: <36CAD979.EAE20AB6@cwcom.net>
Source record: 116568
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,uk.radio.amateur

Hi.
Looking for a jpeg of the above radio.Please send private thanks

1629. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: Hambone <ur_blowin_smoke@us.com>
Message-ID: <t7By2.11977$OS5.11699789@news3.mia>
Source record: 116569
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Bull dukey!!!!

hamoperator@my-dejanews.com wrote in message
<79ogjvcfg1@nnrp1.dejanews.com>...
>"Yaesu has shut down its website, http://www.yaesu.com"
>"The amateur community anxiously awaits further word of warranty coverage."
>
>Not surprising with their recent use of back stock FT-1000D's, the recent
>defects in the new FT-847 and lack of sales due to the P3D launch
>disappointments.
>
>73
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1630. Kenwood station for sale (TS-940S, SM-220, IF-232C, MC-50, PC-1, SP-940)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-17 00:00:00 UTC
From: kr4wmNO@SPAMbigfoot.com
Message-ID: <MPG.1134aa15d8b69bf59896ae@news.infoave.net>
Source record: 116570

BEFORE YOU READ THIS AD: You must be aware that to REPLY to it, you MUST REMOVE the characters NO before the @ and SPAM after the @!!! Failure to do this will result in your mail being "bounced".

I have for sale a complete Kenwood station, minus the tuner and amp. The set consists of:

Kenwood TS-940S with autotuner, computer interface chip installed, CW filters, voice announcement of frequency/mode. Does LSB/USB/AM/FM/FSK. (includes factory service manual and all updates)

Kenwood SM-220 'scope

Kenwood PC-1 Phone patch

IF-232C computer control interface

Kenwood HamWindows software

MC-50 microphone

SP-940 external speaker

The rig is in flawless condition, provided I don't scratch it when I remove it from the rack it sits in. Same with the speaker. The SM-220 scope was bought used, but was owned by a smoker, otherwise it's in good condition, with a few minor scratches. PC-1 phone patch has never been connected by me, and has glue from tape on the top. The patch cosmetically matches the rig, but was bought used separately. The IF-232C is as-new. I bought it recently from Burghardt, and I suppose it's still under warranty. Prices is $1650.

Will not not part it out. Price does NOT include shipping or packaging. If shipped, packaging will be done by mailboxes & Etc. at your cost. This is too nice a rig for me to throw it in a box with a few peanut shells and have you suffer the consequences. I am willing to cart it from Mailboxes & Etc. to the local UPS depot which could save you as much as $50 on the shipping, depending on how many boxes it takes. Obviously because of size and weight, would prefer local pickup, or will deliver out to 100 miles. The original rig box comes

with it, but don't expect much, squirrels got into my storage shed and ravaged all my cardboard boxes. Will be going to Asheville, NC via Spartanburg, SC in mid-March to pick up a new rig if this helps (can drop it off to you then if you're along the route).

E-mail to kr4wmNO@SPAMbigfoot.com

Reason for selling- located a different piece of equipment that I want. I change rigs on a regular basis just for the hell of it! The only rig I'll never part with is my Ten Tec Corsair II. If you've never owned one, you'll never know why!

DON'T FORGET TO REMOVE NO and SPAM from the reply!!!

73 all, -Web in Myrtle Beach, SC

1631. UPDATE re. Damage Assessment & Parts Sources

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <01be5b69$798b0440$e38492d0@Bit-Net.bit-net.com>
Source record: 116371
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Several folks have asked me to update the list re.
this situation, here is what I learned about Kenwood
parts for the TS-530SP.

I discovered that:
http://www.pacparts.com/

has TS-530SP parts:

KENWOOD MODEL NO. TS530SP
AMATEUR RADIO TRANSCEIVER BASE UNIT
MANUFACTURE 1985
Description Part # FRONT PANEL A20-2499-03 $85.94
MICRO-FICHE N/A
OWNERS MANUAL B50-4075-00 $7.00
SERVICE MANUAL B51-0935-10 $12.60
TOP COVER A01-0778-11 $47.65

I also found:
yaesuparts@worldnet.att.net
Parts Department (Manuals, Parts 8 am - 4 pm PST):
(562) 404-2700
(562) 404-4828 FAX

So far they have failed to reply to my E-mail inquiry about
parts for the YAESU MODEL NO. FRG-9600

Thanks to all who E-mailed suggestions, will advise further
as to how the USPS responds.

73, DavidC K1YP

1632. Re: Happy99.exe Virus attached in Ham-Equip Digest Tue, 16 Feb 99 Volume 99 : Issue 47

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Solarpower1watt@Juno.com
Message-ID: <LTYy2.1227$3E4.16198@newsfeed.slurp.net>
Source record: 116372

In article <7ahicu$4kv$1@news1.rmi.net>, Jonesy <jonesy@rmi.nospam.net> wrote:

>As for viruses, I've yet to see one that has infected an OS/2
>system. Probably the same can be said for Linux.
>It's just that MicroSloth systems are soooooooo easy (,and, probably
>fun) to break and injure.

The reason you don't seem to have a problem is that no one, virus hackers,
or even decent application developers bothers to write code for you OS.

Ed

REPLY INFO:
==========
Return address modified to prevent automatic SPAM response.
TO REPLY: remove the "watt" from my return address.
==========

1633. STD PK Pakratt software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Edward Legenza <n6xa@email.msn.com>
Message-ID: <ulidl72W#GA.96@upnetnews03>
Source record: 116373

Does anyone have a copy of the PK Pakratt software for the AEA Pk232 multimode controller that they can upload over the internet. I bought a used controller, but the software is on 5 1/2 drive which I can not use.

Don't do this if it is illegal to do so under copyright law, I am not a lawyer and do not know such things.

Ed Legenza
N6XA@msn.com

TNX

1634. Alinco DX-70 - $550

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7ahngk$67u@dfw-ixnews7.ix.netcom.com>
Source record: 116374

I have a few of these. Seems like they multiplied.
With box, manual, etc. plus shipping.
Frank KG9H

1635. Ten Tec Century 22 - $250

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7ahnrc$6eg@dfw-ixnews7.ix.netcom.com>
Source record: 116375

Yet, another spare radio. I have this as an extra one. Frank

1636. Icom IC-230 - $65

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7ahns8$6ek@dfw-ixnews7.ix.netcom.com>
Source record: 116376

The last spare radio. Frank

1637. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Edward Legenza <n6xa@email.msn.com>
Message-ID: <#XxwtA3W#GA.172@upnetnews03>
Source record: 116377
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Dear Hambone, I just tried the http://www.yaesu.com and it they are still there! Is this a running joke or something?

Ed Legenza n6xa

Hambone wrote in message ...
>Bull dukey!!!!
>
>
>hamoperator@my-dejanews.com wrote in message
><79ogjvcfg1@nnrp1.dejanews.com>...
>>"Yaesu has shut down its website, http://www.yaesu.com"
>>"The amateur community anxiously awaits further word of warranty coverage."
>>
>>Not surprising with their recent use of back stock FT-1000D's, the recent
>>defects in the new FT-847 and lack of sales due to the P3D launch
>>disappointments.
>>
>>73
>>
>>-----------== Posted via Deja News, The Discussion Network ==----------
>>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>
>

1638. Kenwood Parts Sources

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <01be5b71$6ec52b00$e38492d0@Bit-Net.bit-net.com>
Source record: 116378
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Just received the following from Kenwood, still nothing
from Yaesu.
~~~
���
\ ~ / .... DavidC K1YP

Dear Kenwood Customer,

Thank you for your e-mail inquiry. To order replacement parts and manuals,

please contact one of our Parts Distributors listed below.

Pacific Coast Parts (800) 262-1312
15204 Staff Court (310) 515-0207
Gardena , CA 90248 Fax(310) 538-4919
Internet: http://www.pacparts.com
E-Mail orders@pacparts.com

8:00AM - 4:30PM PST

East Coast Transistor Parts Inc. (800) 637-0388
2 Marlborough Road (516) 483-5742
West Hempstead, NY 11552 Fax (516) 483-5904

9:00AM - 5:30PM EST

For manuals that are no longer available from Kenwood,
call Howard W. Sams 800-428-4267 or 317-298-5566.

If you need further assistance, please e-mail us again.

Sincerely,
Kenwood Customer Care

---
We look forward to many new exciting features and more available
information
via the homepage and FTP site.

Visit our FTP site for:
* Application Notes Addendum to manuals
* Instruction Manual Current Manuals in PDF format
* Service Bulletins Solutions to common repairs
* Software Radio Control and Memory Control Programs
Kenwood Communication Corp.
---
~~~

1639. Re: Kenwood TS-690S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: STEVEN L UMBACH <N9ROU@prodigy.net>
Message-ID: <7ahosq$5ljs$1@newssvr04-int.news.prodigy.com>
Source record: 116379

I believe the tuner in the Kenwood 450/690 works on transmit only. ---
Steve KK9ZZ

Ted Trostle wrote in message ...
>Would any one know how to open up the operation to allow use of the
built-in
>antenna tuner to tune ALL frequencies the receiver is capable to receive?
>
>

1640. Fs/Ft Yaesu Ft-727

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: MRussel1@twcny.rr.com
Message-ID: <36cc66e4.2832273@news-server>
Source record: 116380

For sale or trade Yaesu FT-727r dual band ht with brand new 12v 1100ma battery and W&W Associates master charger.

Radio is in fine working order with the exeption of the vox button is missing and the rubber grips on the volume and sql controls or gone. I have the original owners manual but no box.

Would like to trade for a 220mhz radio also in good condidtion and working order.

Or would like $200 for the radio or b/o.

Thanks N2HYO - Mike

1641. Kantronics KAM+

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: adam@onramp.net
Message-ID: <MPG.1136275c60fa487d98969d@news.onramp.net>
Source record: 116381
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.swap

I bought a Kantronics KAM+ about 4 months ago to play with the
digital modes, and discovered that I am not all that keen on RTTY, PACTOR
or packet. Therefore, the KAM+ is up on the block for sale, to finance
other hobby expenditures.
It has the 7.1 firmware installed and is in excellent condition.
The 12vdc adapter is included, along with a HF cable that will work with
Kenwood 8 pin microphone plugs. All original packing and documentation
is included, along with some notes that are not part of the original.
The asking price is $200, or a reasonable offer. I am located in
the Dallas, TX area.

73,

Adam Adkins, KM5SS
adam@onramp.net

1642. Re: Happy99.exe Virus attached in Ham-Equip Digest Tue, 16 Feb 99 Volume 99 : Issue 47

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Dan K Nelson <kf6knb@usa.net>
Message-ID: <7ahtc0$2t6$1@news-1.news.gte.net>
Source record: 116382

Ed wrote in message ...
>In article <7ahicu$4kv$1@news1.rmi.net>, Jonesy <jonesy@rmi.nospam.net>
wrote:
>
>>As for viruses, I've yet to see one that has infected an OS/2
>>system. Probably the same can be said for Linux.
>>It's just that MicroSloth systems are soooooooo easy (,and, probably
>>fun) to break and injure.
>
> The reason you don't seem to have a problem is that no one, virus
hackers,
>or even decent application developers bothers to write code for you OS.
>
>
> Ed
>

Boy, isn't that the truth....

<<< Dan >>>

1643. Re: Does anyone still offer any GOOD HF xcvr kits?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: MelissaY@Zdimensional.com
Message-ID: <%X_y2.418$5w.816@wormhole.dimensional.com>
Source record: 116383
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <wt98HTAyzny2Ewlz@pacsat.demon.co.uk>,
Simon Lewis <slewis@pacsat.demon.co.uk> wrote:
>In article <Lnpy2.295$5w.641@wormhole.dimensional.com>, Melissa
><MelissaY@Zdimensional.com> writes
>>Does anyone sell any good quality modern all band HF transceiver kits that
you
>>can build yourself? Something that would computer interface and include a
>>spectrum scope through the computer would be really nice.
>>
>>
>>And that's just my opinion, I could be wrong. :)
>
>I have your dream radio
>
>Try www.elecraft.com

I took a quick look but it doesn't seem to have a computer interface.

And that's just my opinion, I could be wrong. :)

- Melissa <http://www.dimensional.com/~melissa/>

Basic personal or small business web page design:
<http://www.dimensional.com/~melissa/webpages.htm>

To email me, remove the spam proofing capital letters on each side of the @
in my email address.

1644. Re: 222mhz?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: resq106@aol.com
Message-ID: <19990218155843.27797.00003613@ng119.aol.com>
Source record: 116384

I agree, I enjoy the 220 band when I am on it. You get range simmilar to 2m and clarity simmilar to 440. Kenwood makes the 742 and optional 220 mhz unit for it. Tha t would be my suggestion to you. Brodie KE6BZY

1645. RE: ***For Sale, or Trade: FT-530 with FULL access.*** wanted: Icom , T8A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: John Alley <chia@korrnet.org>
Message-ID: <Pine.GSO.3.95.990218155228.27291A-100000@georgia.korrnet.org>
Source record: 116385
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

The HT and the access. have been sold. Thanks to all those that
replied.

====----****----====
73 de KF4UAE
KF4UAE@qsl.net
chia@korrnet.org
John R. Alley

1646. Swappage? URL?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7ai05c$n8l@sjx-ixn5.ix.netcom.com>
Source record: 116386

I cannot find the w60y swappage. Anyone know the URL??
frank

1647. Re: Does anyone still offer any GOOD HF xcvr kits?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Dan <n7wpd@xxmission.com>
Message-ID: <7ai0lp$s8g$1@news.xmission.com>
Source record: 116387
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

I also looked at it, and appears that they're considering putting computer
control on it.
I am under the impression that it currently does not have computer control.

Dan

Melissa <MelissaY@Zdimensional.com> wrote in message
news:%X_y2.418$5w.816@wormhole.dimensional.com...
>In article <wt98HTAyzny2Ewlz@pacsat.demon.co.uk>,
> Simon Lewis <slewis@pacsat.demon.co.uk> wrote:
>>In article <Lnpy2.295$5w.641@wormhole.dimensional.com>, Melissa
>><MelissaY@Zdimensional.com> writes
>>>Does anyone sell any good quality modern all band HF transceiver kits
that
>you
>>>can build yourself? Something that would computer interface and include a
>>>spectrum scope through the computer would be really nice.
>>>
>>>
>>>And that's just my opinion, I could be wrong. :)
>>
>>I have your dream radio
>>
>>Try www.elecraft.com
>
>I took a quick look but it doesn't seem to have a computer interface.
>
>
>And that's just my opinion, I could be wrong. :)
>
>- Melissa <http://www.dimensional.com/~melissa/>
>
>Basic personal or small business web page design:
><http://www.dimensional.com/~melissa/webpages.htm>
>
>To email me, remove the spam proofing capital letters on each side of the @
>in my email address.

1648. ATTENTION to all Kansas City Tracker USERS !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Geert Pirens <geert.pirens@ping.be>
Message-ID: <7ai2va$7sb$1@news3.Belgium.EU.net>
Source record: 116388
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,tw.bbs.rec.radio.amateur,uk.radio.amateur

Hello Kansas City Tracker Users.

I'm collect the names of all the available programs that being written, or suppot the kansas city tracker.

All these information wil be placed in a Database and wil be available to all of you.

On my homepage http://www.ping.be/~p4u11324/ you wil find a list of all available software.
If you know a program that not being in the list, PLEASE fill in the Question form:

If you click here, you go wright to the question form
http://www.ping.be/~p4u11324/KCT_Ques.html

Thanks to all of you !

Geert Pirens
Vissit my home page: http://www.ping.be/~p4u11324/

1649. Re: Swappage? URL?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Al Dolgosh <al.dolgosh@hamradio.org>
Message-ID: <36CC9060.62181E13@hamradio.org>
Source record: 116389

Maybe it's because his call is KO6OY. Try this URL:

http://www.fishnet.net/~ko6oy/swapage4.htm

Hope this helps,

Al - K8EUR

Frank Krozel wrote:

> I cannot find the w60y swappage. Anyone know the URL??
> frank

1650. Software Criminal Conspiracy

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Attila <attila@hun.com>
Message-ID: <36CC8AA5.2765@hun.com>
Source record: 116390
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Are you asking somewhat to participate in committing a crime just so you could have your own private copy of pirated software? The Big M has been suing people all over for doing just what you are asking. Let us know what knuckle dragger responds and implicates himself.

Wake up and stay legal!

Fox Mulder wrote:
>
> If anyone got programming software for Motorola radius GP1280 portable
> handie i would be more than thankfull to him to e-mail me a copy .!!
>
> I can send you some other in return if required .!!!
>
> Fox
>
> fox/mulder@usa.net

1651. FS: Kenwood 4-trace oscilloscope

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: yulius@shay.ecn.purdue.edu
Message-ID: <7ai769$9fl$1@mozo.cc.purdue.edu>
Source record: 116391

Hello,

I have a Kenwood CS-6040 oscilloscope forsale. Here is the specifications:

150 MHz
100 programmable steps
NTSC & PAL TV-line counter
4-channel, 10-trace
High-intensity CRT (20 kV)
Logic control
A/B trigger mode
Time difference between channels is 0.5 ns or less
Dynamic range of 8 div
Automatic trigger
TV sync
CH-1 output
Single sweep
Holdoff
Cursors: delta T, delta V
Screen readouts

Pictures of the oscilloscope:

http://expert.cc.purdue.edu/~yulius/kenwood.html

I think this is the top of line Kenwood 150Mhz oscilloscope. The oscilloscope
is in excellent working condition. I am asking for $550.00 + UPS Shipping.

If you are interested, please send an email to: yulius@ecn.purdue.edu

Best regards,

Aristo
--
****
* Aristo Yulius | Purdue University *
* Internet: yulius@ecn.purdue.edu | West Lafayette, IN 47907, USA *
****

1652. Re: 222mhz?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: ne2e@aol.com
Message-ID: <19990218183114.23268.00003469@ng116.aol.com>
Source record: 116392

Icom makes the tm331... Adi sell a mobile also.. and if you want commercial grade a Motorola Micor vhf transceiver can be modified for 222mhz ..

Fred ne2e

1653. FS: Maxon SP-4000 UHF, 40W / 16 channel radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Mitchell Katz <mcguyver@bv.net>
Message-ID: <36CCAA7C.9A8CD944@bv.net>
Source record: 116393
Cross-posted to: rec.radio.swap,rec.radio.scanner,rec.radio.amateur.equipment,alt.radio.scanner

This is a GE Ericsson labled, MAXON MFG radio. Specs at link below. 16 channel, bandsplit 450-470MHz, CTCSS... With mic, no
mounting hdwr. Unit powers up fine and displays '4000' (model #) I had to search to find this on FCC database. I have no
dummy load to test, but all seems fine..

http://www.maxonusa.com/specsht2.htm#4150spec

Make offer, will consider trades...

1654. Re: Virus alert! (was: cancel <36CA2818.A9DFC71C@herald.infi.net>)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: KD5GEH <kd5geh@arrl.net>
Message-ID: <7ai9g2pae1@newnews.startext.net>
Source record: 116394
Cross-posted to: rec.audio.marketplace,rec.audio.misc,rec.audio.opinion,rec.audio.tubes,rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.cb

And just how does a bitmap (.bmp?) file execute?

Wildcat <wildcat@tp.net> wrote in message
news:jfVy2.11$bc4.34@news15.ispnews.com...
>The deadliest virus Ive seen lately is called DOOMSDAY 9. Someone will send
>you a Bitmap file via email and when you open it the virus is put into RAM.
>Its held there until the next startup (just like SAVE SETTINGS ON EXIT),
and
>then wraps itself around the registry upon reboot. The virus itself is
>triggered when a SCREEN SAVER program kicks in. The creators of the virus
>knew if you screen saver engages, you most likely wont be in front of your
>computer.
>
>The 1st thing it starts to gobble up (once the screen saver engages) is
>*.INI files. Once done it looks for *.DLL files and then finally *.EXE's.
By
>the time you realize (when you return to your system) happened, its usually
>too late. This one is nasty!
>
>A friend of mine sent a zipped up file of this virus to use on obnoxious
>jerks however, even they are too good for this bad-boy.
>
>--
>
>Some people look at what is and ask why.................
>Other people look at what isn't and ask why not......
>
>.
>KD5GEH wrote in message <7ag8u2$2qp$1@newnews.startext.net>...
>>Might want to forward that post (with happy99.exe attachment), along with
>>the headers, to support@infi.net
>>and explain to 'em what it is...
>>
>>PS. The attachment's not included with this follow-up...
>>
>>Header...
>>---
>>From: KEN CHAIT <atsi@herald.infi.net>
>>Newsgroups:
>>rec.audio.marketplace,rec.audio.misc,rec.audio.opinion,rec.audio.tubes,rec
.
>r
>>adio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment

>>Subject: cancel <36CA2818.A9DFC71C@herald.infi.net>
>>Date: 17 Feb 1999 23:27:38 GMT
>>Organization: InfiNet
>>Lines: 227
>>Message-ID: <7afj9a$989$2@nw001t.infi.net>
>>NNTP-Posting-Host: pm4-31.mia.infi.net
>>X-Spanska: Yes
>>
>>KEN CHAIT <atsi@herald.infi.net> wrote in message
>>news:7afj9a$989$2@nw001t.infi.net...
>>
>>
>
>

1655. WANTED: TM-241A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <36CCCA27.312F@erols.com>
Source record: 116395

WANTED: Clean, operating Kenwood TM-241A 2 meter transceiver. Please state condition and price. 73 Murray, K3BEQ

1656. Re: USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7aie9ullf1@winter.news.rcn.net>
Source record: 116396
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Priority Mail is simply First Class mail. There
is no special handly for Priority Mail.

Peter

>I had a frustrating experience wth priority mail. Out of 4 packages sent
>recently, two made it on time, one after 9 days and one never. I was told
>by the postal employees that priority mail is now serviced by a
>third-party.
>
>Ignacy, NO9E
>

1657. need INFO.: Bearcat 201 AC adapter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Mike Perry <mrmike@froggernet.com>
Message-ID: <36ccc864@news.pcom.net>
Source record: 116397

I got a Bearcat 201 scanner without AC adapter at a garage sale. I need to know
the power requirements of this receiver and Polarity of plug. Manual says
AC adapter is model no. AD-200 or 14-05T, but no info. on what
voltages/polarity. Bearcat 200 adapter similar, I think...
Thanks in advance for help ! email me: n2cod@hotmail.com

1658. KO6OY Swap page URL

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Mike Perry <mrmike@froggernet.com>
Message-ID: <36ccc9ae@news.pcom.net>
Source record: 116398

here's the address for Danny, KO6OY's SMRA Swap page:

http://www.fishnet.net/~ko6oy/swapage4.htm

1659. FS: ICOM IC-730

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Al Cristaldi <megaman@cybernet1.com>
Message-ID: <7aii5a$7d2$1@nntp.or.nw.verio.net>
Source record: 116399

Have an Icom IC-730 for sale. Rig in very good condition serviced, aligned etc in March of 1997 by Icom. $400.00 plus shipping.

1660. ICOM IC - 730 FS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Al Cristaldi <megaman@cybernet1.com>
Message-ID: <7aii8j$7da$1@nntp.or.nw.verio.net>
Source record: 116400

Icom IC - 730 in very good condition. Factory aligned and checked March of 1997. $400.00 plus shipping.

Al KK7GV

1661. WTB: Yaseu VX1R or Icom Q7A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Ian McCloy <ian_mccloy@bc.symaptico.ca>
Message-ID: <q94z2.58$rF4.178141@news.bctel.net>
Source record: 116401

If anyone has one of these radios for sale . If they are fairly new , I am interested. Please let me know.

Ian Ve7ira

1662. Re: Virus alert! (was: cancel <36CA2818.A9DFC71C@herald.infi.net>)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Wildcat <wildcat@tp.net>
Message-ID: <ck4z2.204$Xs6.941@news3.ispnews.com>
Source record: 116402
Cross-posted to: rec.audio.marketplace,rec.audio.misc,rec.audio.opinion,rec.audio.tubes,rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.cb

A bitmap file is a graphical file (LIKE A PICTURE or A DRAWING) however, a graphical file needs a program to view the graphic. Corel, Photomorph and even Internet Explorer can open a Bitmap image file. The virus uses certain setup files within the Bitmap viewing program to open it. It is this process that embeds the virus in the registry of the host computer. The rest is literally history.....Like I said, it is very, very nasty. Especially if one doesn't back up files on a zip drive or jazz drive often.

--

Some people look at what is and ask why.....
Other people look at what isn't and ask why not.....

.
KD5GEH wrote in message <7ai9g2pae1@newnews.startext.net>...
>And just how does a bitmap (.bmp?) file execute?
>
>Wildcat <wildcat@tp.net> wrote in message
>news:jfVy2.11$bc4.34@news15.ispnews.com...
>>The deadliest virus Ive seen lately is called DOOMSDAY 9. Someone will
send
>>you a Bitmap file via email and when you open it the virus is put into
RAM.
>>Its held there until the next startup (just like SAVE SETTINGS ON EXIT),
>and
>>then wraps itself around the registry upon reboot. The virus itself is
>>triggered when a SCREEN SAVER program kicks in. The creators of the virus
>>knew if you screen saver engages, you most likely wont be in front of your
>>computer.
>>
>>The 1st thing it starts to gobble up (once the screen saver engages) is
>>*.INI files. Once done it looks for *.DLL files and then finally *.EXE's.
>By
>>the time you realize (when you return to your system) happened, its
usually
>>too late. This one is nasty!
>>
>>A friend of mine sent a zipped up file of this virus to use on obnoxious
>>jerks however, even they are too good for this bad-boy.
>>
>>--
>>
>>Some people look at what is and ask why.....

>>Other people look at what isn't and ask why not......
>>
>>.
>>KD5GEH wrote in message <7ag8u2$2qp$1@newnews.startext.net>...
>>>Might want to forward that post (with happy99.exe attachment), along with
>>>the headers, to support@infi.net
>>>and explain to 'em what it is...
>>>
>>>PS. The attachment's not included with this follow-up...
>>>
>>>Header...
>>>---
>>>From: KEN CHAIT <atsi@herald.infi.net>
>>>Newsgroups:
>>>rec.audio.marketplace,rec.audio.misc,rec.audio.opinion,rec.audio.tubes,re
c
>.
>>r
>>>adio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
>>>Subject: cancel <36CA2818.A9DFC71C@herald.infi.net>
>>>Date: 17 Feb 1999 23:27:38 GMT
>>>Organization: InfiNet
>>>Lines: 227
>>>Message-ID: <7afj9a$989$2@nw001t.infi.net>
>>>NNTP-Posting-Host: pm4-31.mia.infi.net
>>>X-Spanska: Yes
>>>
>>>KEN CHAIT <atsi@herald.infi.net> wrote in message
>>>news:7afj9a$989$2@nw001t.infi.net...
>>>
>>>
>>
>>
>
>

1663. Re: Software Criminal Conspiracy

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: mike frye <km6ab@pacbell.net>
Message-ID: <36CCD0A1.D4F1B346@pacbell.net>
Source record: 116403
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

I hope he gets and gives a million copies for free. Make that two
million.......

Attila wrote:

> Are you asking somewhat to participate in committing a crime just so you
> could have your own private copy of pirated software? The Big M has
> been suing people all over for doing just what you are asking. Let us
> know what knuckle dragger responds and implicates himself.
>
> Wake up and stay legal!
>
> Fox Mulder wrote:
> >
> > If anyone got programming software for Motorola radius GP1280 portable
> > handie i would be more than thankfull to him to e-mail me a copy .!!
> >
> > I can send you some other in return if required .!!!
> >
> > Fox
> >
> > fox/mulder@usa.net

1664. What kind of Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Ian McCloy <ian_mccloy@bc.symaptico.ca>
Message-ID: <Bo4z2.63$rF4.185830@news.bctel.net>
Source record: 116404

Frank what kind of radio is this.

Ian ve7ira

1665. FA: Collector's Swan 508 HF VFO

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36CCD3AC.501D3268@cfu.net>
Source record: 116405

SEE ebay.com item # 68754025. Till 2/21

1666. GE Custom MVP Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: "Ralph J. Gable" <rgable@cancom.net>
Message-ID: <36CCD9E7.6F93@cancom.net>
Source record: 116406
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.homebrew

I have a GE Custom MVP single frequency radio transmitter-receiver.

The numbers on the back are
EU:CT56AAS66A
SERIAL: 9110909
KT: 134-A DOC: 101264429
ER: 92-A DOC: 101264430
OPTION: 1928

I have no data on this radio and am looking for manuals, schematics, or
any data that may be available on it

Please reply by e-mail to: rgable@cancom.net

Thanks . . .
--
Ralph
VE4PUX/WA2PUX
/==================================\
From the Desk of
Rev. Ralph J. Gable
\==================================/
"for all have sinned . . ." Romans 3:23
"for the wages of sin is death . . ." Romans 6:23a
"And anyone not found written in the Book
of Life was cast into the lake of fire."
Revelation 20:15
"But as many as received Him (Jesus), to them
He gave the right to become children of God,
to those who believe on His (Jesus') name."
John 1:12
". . . but the free gift of God is eternal life in
Jesus Christ our Lord."
Romans 6:23b

1667. FT736 Yaesu

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: LeRoy Prosic <ve3lgp@tct.net>
Message-ID: <7aipjn$51b@sabik.tct.net>
Source record: 116407

WTB 1.2 Gig. module in good working order with installation kit... Please reply www.ve3lgp@tct.net I have a Mich. mailing address.

1668. Kenwood display problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: rnielsen@news.uidaho.edu
Message-ID: <7ahkptmsg1@newshound.csrv.uidaho.edu>
Source record: 116408

I'm trying to help with a Kenwood 2m mobile (sorry I don't know the model number) that has problems with the display. It goes blank after the radio has been running a while.

About last November there was a discussion about a similar problem arising from a bad contact in the circuit board foil (?)

I can't find the discussion on Deja News, so I was hoping someone would be kind enough to post or repost some help.

Thanks.

--

Richard Nielsen, Dept. of Civil Engrg, Univ. of Idaho, Moscow ID 83844-1022
voice: 208-885-8961 fax: 208-885-6608

1669. HW 101 chassis

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: LEE <leel@uniserve.com>
Message-ID: <36CD01B2.978A2C24@uniserve.com>
Source record: 116409

Hello, everyone, I have a mint shape HW101 (from Heathkit) to give to a new home. The unit doesn't have a vfo, but everything else in installed. The unit was put together by Heathkit many years ago, used for about 100 hours, then the vfo was removed(I was helping a friend out with his unit and gave him mine).

The chassis is mint, contains all tubes, parts, etc...anyone like to have this piece of history? Well, you pay shipping and the rest is yours...

Thanks Everyone,

Lee
leel@uniserve.com

1670. Re: FT-50 Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: farnsworth <farnsworth@parg.org>
Message-ID: <36CD0721.56E4@parg.org>
Source record: 116410

Roger D. good buddy. Not being able to tx out of band on all the
funnies, terrible sitchamatation. Look for one of the earlier ones,
you'll have to get ur own info on the serial #'s. Actually I only heard
you couldn't listen to cell phone QSO's on the new ones. GL OM ..

Michael H. Ward wrote:
>
the new FT50's not
> being able to be modified for the expanded TX.

1671. SM-20 wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Marc Robins <marc29400@ez2.net>
Message-ID: <7aj1ro$2uvq@enews3.newsguy.com>
Source record: 116411

Loooking for a ICOM SM-20 desk microphone.

73 de WA6NJR
Marc

1672. Re: Does anyone still offer any GOOD HF xcvr kits?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <nDNZMLA2iJz2Ewsc@pacsat.demon.co.uk>
Source record: 116412
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

```
In article <%X_y2.418$5w.816@wormhole.dimensional.com>, Melissa
<MelissaY@Zdimensional.com> writes
>In article <wt98HTAyzny2Ewlz@pacsat.demon.co.uk>,
> Simon Lewis <slewis@pacsat.demon.co.uk> wrote:
>>In article <Lnpy2.295$5w.641@wormhole.dimensional.com>, Melissa
>><MelissaY@Zdimensional.com> writes
>>>Does anyone sell any good quality modern all band HF transceiver kits that
>you
>>>can build yourself? Something that would computer interface and include a
>>>spectrum scope through the computer would be really nice.
>>>
>>>
>>>And that's just my opinion, I could be wrong. :)
>>
>>I have your dream radio
>>
>>Try www.elecraft.com
>
>I took a quick look but it doesn't seem to have a computer interface.
>
>
>And that's just my opinion, I could be wrong. :)
>

read carefully! Computer IO is to follow shortly!

73 Simon (just completed his K2 - very very good!)
+--------------------------------------------------------------------+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+--------------------------------------------------------------------+
```

1673. FS: Boonton 4200 Power Meter 100KHz-110GHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: yulius@shay.ecn.purdue.edu
Message-ID: <7afmee$7h9$1@mozo.cc.purdue.edu>
Source record: 116429

Hello,

I have a Boonton 4200-S/21 Power Meter forsale. It is in excellent working condition. The specifications are -70 to +30 dBm, 100KHz - 110GHz(sensors dependent). The unit can also be upgraded to 2 channel sensor and IEEE-488. This unit comes with power sensor 4200-6E(100KHz-18GHz, -40 to +30 dBm), power cord and complete manual. I am asking for $550.00(shipped).

If you are interested, please send an email to: yulius@ecn.purdue.edu

Best regards,

Aristo
--
****
* Aristo Yulius | Purdue University *
* Internet: yulius@ecn.purdue.edu | West Lafayette, IN 47907, USA *
****

1674. Re: Hamfest NIMH Batteries (soldering to cells)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: brianburke@my-dejanews.com
Message-ID: <7afs06$6eg$1@nnrp1.dejanews.com>
Source record: 116430

In article <7a9m10$kbb@groucho.cs.ubc.ca>,
davem@groucho.cs.ubc.ca (Dave Martindale) wrote:
> brianburke@my-dejanews.com writes:
> >A 25 watt slodering iron is plenty, and I kept the warning in the
> >back of my mind (battery can explode, leak, or catch fire if heated or
> >exposed to fire or high temperatures...). No big deal since every
> >manufacturer solders their battery packs.
>
> You may have a problem here. If you look at any manufacturer-assembled
> battery pack, you will find that the conductor strips are *welded*, not
> soldered, to the cells. The end connections may be soldered, but they
> are soldered to tabs that are welded to the cells, not to the cell caps
> themselves.
>
> The reason for this is that soldering heat can damage the plastic or
> rubber seals on the cells. The welding is done very rapidly by a spot
> welder, and doesn't heat the cell significantly.
>
> Soldering directly to the cell is unlikely to explode it, since the heat
> is still pretty localized unlike throwing the cell into a fire. But it
> may damage the seal, and you may find your cells leaking.
>
> (I found this out the hard way).
>
> Dave
>

Oh oh. Doesn't sound good. I'll post what happens when I run them throught
teh RS 5 hour charger again. Thanks, Brian/N0IMD

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1675. Re: Field programming Bendix/King EPH 5990A VHF portable?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: scout1107@aol.com
Message-ID: <19990217200814.28837.00002897@ng-fd1.aol.com>
Source record: 116431

Sorry Mike, I havent had any experience with the DES kings, I have one with the UCOM option module , and the software to program that, but I dont think it will do anything with the DES , Looks like its king techs or someone with more experience, sorry I couldnt help
Mike

1676. Re: Hamfest NIMH Batteries

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: brianburke@my-dejanews.com
Message-ID: <7afshv$6ne$1@nnrp1.dejanews.com>
Source record: 116432

In article <eGW6DIlW#GA.114@nih2naaf.prod2.compuserve.com>,
"Russell Houlton" <R_Houlton@nospam~csi.com> wrote:
> The key to soldering batteries is to take a file and rough up the surface.
> I did that and it soldered up real quick.
>

Russ, the solder held fine - it was the steel washers that wouldn't stick.
The part that I filed was the thin rosin coating afterwards.

Brian

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1677. WTB: Manual for CEI VLF-354 VLF Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: "Tom (The other one)" <badger@telalink.net>
Message-ID: <G0Ky2.1814$Mu.2707693@news4.atl>
Source record: 116433
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur,rec.radio.amateur.boatanchors

Almost a boatanchor! Mid sixties vintage solid state rx.
Need a good manual copy if anyone has one available.

73

Tom KA4RKT
badger@telalink.net

1678. NEEDED: Service and Owners Manuals for Motorola MDT 9100-20

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: hargis@mail.org
Message-ID: <36cf6cba.92134247@news2.fwi.com>
Source record: 116434
Cross-posted to: rec.radio.swap;,rec.radio;,rec.radio.amateur;,rec.radio.amateur.boatanchors;,rec.radio.amateur.digital;,rec.radio.amateur.digital.misc;,rec.radio.amateur.dx;,rec.radio.amateur.equipment

I am looking for service and owners manuals for the Motorola MDT
9100-20. If you can be of any help please e-mail me at hargis@mail.org

Thanks,
Todd Hargis

1679. WANTED: User manual for IC-W2A dual band handie

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: "Tom (The other one)" <badger@telalink.net>
Message-ID: <p2Ky2.1815$Mu.2708310@news4.atl>
Source record: 116435

Need the users manual for an Icom IC-W2A 2m/70cm portable.
The service manual would be handy to have as well.

(yes, I know, I can ask Icom, but thought I would ask here first.)

Thanks

Tom KA4RKT
badger@telalink.net

1680. Re: FS: KENWOOD TS-570DG Transceiver.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: ny4t@home.com
Message-ID: <36cb72c2.89693250@news.nash1.tn.home.com>
Source record: 116436

On Tue, 16 Feb 1999 15:40:35 -0800, Stuart <stuart@valon.net> wrote:

>
>
>Jim Bolin wrote:
>
>> For sale a new TS-570DG Transceiver.. $1000 Plus shipping. Contact Jim KB8NN
>> here or 937-845-0943. See other rigs at;
>> http://www.angelfire.com/oh/kb8nnhomepage
>
>Jim:
>Could you please tell me why so many TS-570xx tranceivers are showing up for
>swap? I'm not interested in purchasing one as I am very satisfied with my
>TS-450S, just curious.
>
>Also, I noticed on your web site that you have a IC-281H for sale. Do you know
>were I can find an image of this radio. I had an IC-271H, is this similar with
>440 receive?

The IC-281H is a 2M mobile with 440 receive. It is also the worst
clunker I have ever owned. I bought one new several years ago and I
didn't keep it very long. It is more prone to intermod than any other
2M rig I have owned and has very tinny receive audio and an overly hot
front end. It might be okay if you live in a rural area and have a
high frequency hearing loss but otherwise, I would avoid it like the
plague.
>
>Thanks for your responses.

1681. Re: Happy99.exe Virus attached in Ham-Equip Digest Tue, 16 Feb 99 Volume 99 : Issue 47

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Tom@astro.net
Message-ID: <7afs9b$o8r$1@remarQ.com>
Source record: 116437

Here's how to deal with it if you don't have an anti-virus program (and why DON'T you?!!!). I got the info from another person:

This virus attacks the Wsock dll file only. That is the file that runs you E-Mail and internet. My got to the point where it would not connect to the internet

So if you are infected. You must follow these instructions!

1 Get the latest updates from Norton anti virus.

2 Run your virus scan (The infected file along with the virus should appear.)

3 Put these files in quarantine

4 Copy a new Wsock file from a friends computer.

5 Delete the infected files

6 Download the new Wsock file

This will free you from that dreaded Happy 99 virus.

In article <36cb0dbb.89856296@netnews.worldnet.att.net>, cslc82@email.mot.com (dt) wrote:
>The HAPPY99.EXE is going around. Generally, users don't know they're
>sending it. It's a worm, which if you run it will attach to your
>system files and cause you to resend it (unknowingly) as attachments
>to email and newsgroups.
>
>Latest versions of Norton AntiVirus, McAfee, etc., can find and remove
>it.
>
>If you receive the file, don't run it!
>
>On 17 Feb 99 05:10:40 GMT, gary@sginet.COM (Gary Zabriskie) wrote:
>
>>Did anyone else notice (and hopefully din't catch) the Happy99.exe Virus
>>that was attached in Ham-Equip Digest Tue, 16 Feb 99 Volume 99 : Issue 47
>>
>>I e-mailed the poster about it. He maybe doesn't even know he is spreading
>>it. We had the virus (worm) hit our office. Be careful with what you find
>>attached. This one is particularly nasty.
>>
>>73,

>>
>>Gary Zabriskie N7ARE
>>I.T. Coordinator
>>Five County Association of Governments
>>St. George, UT
>

1682. Re: NFS:Radio Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: resq106@aol.com
Message-ID: <19990217211723.02814.00001928@ng-fq1.aol.com>
Source record: 116438

Only on the Web can you find such lively entertainment!

1683. Re: FT-50 Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Ivers Timothy <tivers@optonline.net>
Message-ID: <36CB7D64.A8FFB3BE@optonline.net>
Source record: 116439

I purchased my FT50 before Christmas and with the current available mods
it will not transmit above 470 Mhz.

"Michael H. Ward" wrote:

> I have a friend who just got his ham license. He wants to buy a FT50
> but is concerned about a rumor that he heard about the new FT50's not
> being able to be modified for the expanded TX. Anyone know anything
> about this?
>
> 73's
> Mike
> KM5EM

1684. G.E. Master Executive II Instructions.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: mbiasin@cybertours.com
Message-ID: <7ag6oe$f83$1@nnrp1.dejanews.com>
Source record: 116440

Hi everyone. I'm new to this forum. I have a GE Master Executive II and need instructions for putting it together. I bought it used a year or so ago, and it's all in the box in a zillion different pieces, wires all tangled etc. If you can give me some directions about what to do with this thing, I'd appreciate it. My call is KA1TJR. I have a General Class License. I live in Maine. You can email me directly with this information. My e-mail address is mbiasin@cybertours.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1685. Re: Yaseu FT-530 Batters Needed???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: 15grow <15grow@emcyber.com>
Message-ID: <36CBB583.F40E173D@emcyber.com>
Source record: 116441
Cross-posted to: es.rec.radio.amateur,es.rec.radio.misc,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

Hello Bob,
I have a source for you that I ordered from and am satisfied with.
Periphex, Inc.
300 Centre Street
Hoolbrook, MA 02343
Phone #- (800) 634-8132

73's
Jeff, N3VKN

Bob Muskie wrote:

> Hello
> Does any body know of a source for one of these batteries
> for the FT-530??. 12volt for the hand held..
>
> I am in Southern Ontario
> thanks in advance.
> Bob
> VE3BDQ
> muskybob@sprint.ca

1686. 222mhz?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: KD5GEH <kd5geh@arrl.net>
Message-ID: <7agcgb$414$1@newnews.startext.net>
Source record: 116442
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

That not a very popular band? I've come accross very few radios capable of 'supporting' it while websearching (the nearest radio store's quite aways from here, so I'm trying to educate myself before the trip)... I was really wanting a 2m/222/442 mobile radio (my local club has repeaters on those 3 bands), and.... Nada...

Anyway.. I'm not putting 2-3 more radios in my car, no matter how useful they may be.. :)

1687. Winradio and Amateur Radio Astronomy

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Jose <superwarbird@juno.com>
Message-ID: <919335976.515414@soam.wwnet.net>
Source record: 116443

Hello,
Has anyone used a Winradio as part of an Amateur Radio Telescope? If so, do you think Winradio is suitable for the purpose?

Thanks in advance!
Jose

1688. Re: FT-50 Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7agv2o$3cv$1@nnrp1.dejanews.com>
Source record: 116444

In article <36CB2372.42311554@draco.as.utexas.edu>,
ward_die_spambot@draco.as.utexas.edu wrote:
> I have a friend who just got his ham license...and wants to transmit
> illegally...

Did your "friend" also acquire MARS and/or CAP licenses/permits for such activity?

Inquiring mind, you know. I find it fascinating that so many "new" Amateur radio operators feel a "need" to transmit out of band...

- Clint Bradford, KE6LCS

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1689. Re: WTB: Yaseu VX1r

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7agv6d$3ek$1@nnrp1.dejanews.com>
Source record: 116445

In article <WXJy2.13575$BP1.450362@news.bctel.net>,
"Ian McCloy" <ian_mccloy@bc.symaptico.ca> wrote:
> If you have one of these for sale at a reasonable price.

Just FYI, HRO has 'em for $229.95...new and warranteed.

- Clint Bradford

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1690. Re: Hamfest NIMH Batteries (soldering to cells)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: gsm@nardis.bfr.co.il
Message-ID: <slrn7cnu09.jme.gsm@nardis.bfr.co.il>
Source record: 116446

Sorry, I did not get into this thread at the start.

I have soldered to lots of batteries. here in Israel, batteries are very expensive, about $1.50 each for AA alkalines and getting anything with tabs is almost impossible. I do the following (YMMV).

I use a temperature controlled iron at about 375 C and (here's the trick) SILVER SOLDER. I use a roll of "silver bearing solder" I bought at radio shack when I lived in the US.

The silver sticks to the battery case and the lead/tin mixture sticks to the silver.

Work quickly, wear eye protection and let the battery cool between connections.

Wet the battery with silver solder and let the rest of it build up in a drop on top of the silver. Let it cool. Melt the top of the drop with the tip of the iron and stick a tinned wire in it.

Works every time for me. Doing it with regular solder resulted in a lot of wasted lithium button cells.

Geoff.

1691. FA Knight Grid dip meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: WA1DCP <vital@gate.net>
Message-ID: <01be7142$d1007180$2b69e3c7@vital.gate.net>
Source record: 116447
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=66142819

1692. WTB R-390A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: James Skalski <jskalski@buffnet.net>
Message-ID: <36CC1875.CF5EA193@buffnet.net>
Source record: 116448

Please respond directly with description,approximate serial number and price.

-
73,

Jim N2go

1693. WTB VFO 230

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Hanson Family <hansfam@midcoast.com>
Message-ID: <oSUy2.953$3E4.14750@newsfeed.slurp.net>
Source record: 116449

Need for Kenwood 830S- VFO 240, 230,
or 120.
Thanks.
hansfam@midcoast.com

1694. Re: Virus alert! (was: cancel <36CA2818.A9DFC71C@herald.infi.net>)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Wildcat <wildcat@tp.net>
Message-ID: <jfVy2.11$bc4.34@news15.ispnews.com>
Source record: 116450
Cross-posted to: rec.audio.marketplace,rec.audio.misc,rec.audio.opinion,rec.audio.tubes,rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.cb

The deadliest virus Ive seen lately is called DOOMSDAY 9. Someone will send you a Bitmap file via email and when you open it the virus is put into RAM. Its held there until the next startup (just like SAVE SETTINGS ON EXIT), and then wraps itself around the registry upon reboot. The virus itself is triggered when a SCREEN SAVER program kicks in. The creators of the virus knew if you screen saver engages, you most likely wont be in front of your computer.

The 1st thing it starts to gobble up (once the screen saver engages) is *.INI files. Once done it looks for *.DLL files and then finally *.EXE's. By the time you realize (when you return to your system) happened, its usually too late. This one is nasty!

A friend of mine sent a zipped up file of this virus to use on obnoxious jerks however, even they are too good for this bad-boy.

--

Some people look at what is and ask why.....
Other people look at what isn't and ask why not......

.
KD5GEH wrote in message <7ag8u2$2qp$1@newnews.startext.net>...
>Might want to forward that post (with happy99.exe attachment), along with
>the headers, to support@infi.net
>and explain to 'em what it is...
>
>PS. The attachment's not included with this follow-up...
>
>Header...
>---
>From: KEN CHAIT <atsi@herald.infi.net>
>Newsgroups:
>rec.audio.marketplace,rec.audio.misc,rec.audio.opinion,rec.audio.tubes,rec.
r
>adio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
>Subject: cancel <36CA2818.A9DFC71C@herald.infi.net>
>Date: 17 Feb 1999 23:27:38 GMT
>Organization: InfiNet
>Lines: 227
>Message-ID: <7afj9a$989$2@nw001t.infi.net>
>NNTP-Posting-Host: pm4-31.mia.infi.net
>X-Spanska: Yes
>

>KEN CHAIT <atsi@herald.infi.net> wrote in message
>news:7afj9a$989$2@nw001t.infi.net...
>
>

1695. FA JOHNSON T/R SWITCH

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Dave Edwards <ham@cybercomm.net>
Message-ID: <7ah6ek$4ba$1@ostrich.cybercomm.net>
Source record: 116451

Location is...
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67642915

Cheers!...Dave

1696. At-230 wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: JGeiger@mcrest.EDU
Message-ID: <41AC2A9AC384D211B8BE0008C7B121C7043D49@MIU_NT1>
Source record: 116452

I am looking for a Kenwood AT-230 manual tuner, or a AT-250 Autotuner for my TS430.
Anyone have one available?

73s John NE0P

1697. Re: Hamfest NIMH Batteries (soldering to cells)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: denis28223@my-dejanews.com
Message-ID: <7aha84$d3m$1@nnrp1.dejanews.com>
Source record: 116453

I keep seeing posts in here about soldering to batteries and I have to add my $.02 worth. At my last employer we had a very skilled tech that was soldering a D cell alkaline battery and the battery literally exploded like a firecracker. The tech lost his eyebrows and got a 2nd degree alkaline burn to his face and was out of work for a month. OSHA got involved and determined that an insulator in the battery could not take the heat of soldering and shorted causing the battery to react and explode. I never even guessed at the explosive potential of a battery before this incident. I know this will not dissuade anyone from soldering a battery but be aware that batteries can react violently and for no apparent reason so perhaps some precautions are in order.

Denis

In article <slrn7cnu09.jme.gsm@nardis.bfr.co.il>,
gsm@nardis.bfr.co.il (Geoffrey S. Mendelson) wrote:
> Sorry, I did not get into this thread at the start.
>
> I have soldered to lots of batteries. here in Israel, batteries are
> very expensive, about $1.50 each for AA alkalines and getting anything
> with tabs is almost impossible. I do the following (YMMV).
>
> I use a temperature controlled iron at about 375 C and (here's the trick)
> SILVER SOLDER. I use a roll of "silver bearing solder" I bought at radio
> shack when I lived in the US.
>
> The silver sticks to the battery case and the lead/tin mixture sticks
> to the silver.
>
> Work quickly, wear eye protection and let the battery cool between
> connections.
>
> Wet the battery with silver solder and let the rest of it build up in
> a drop on top of the silver. Let it cool. Melt the top of the drop
> with the tip of the iron and stick a tinned wire in it.
>
> Works every time for me. Doing it with regular solder resulted in a
> lot of wasted lithium button cells.
>
> Geoff.
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1698. WTB: kenwood 2530,2550

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Monte Keller <k9dzd@iquest.net>
Message-ID: <vkVy2.72$nc.699@news1.iquest.net>
Source record: 116454

im looking for a kenwood tm2530.2550.2570 2 meter transceiver,
working or not
thanks
monte k9dzd@iquest.net

1699. FS: Heathkit SB-104A station +

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: mjgilbert@wcom.net
Message-ID: <36cc22cd.2258667@news.compuserve.com>
Source record: 116455

I have the following heathkit stuff for sale.
All units include documentation (either copies or originals).
Will make deals if you want multiple pieces.

SB-104A (original 104 with the 'A' retro kit installed).
Has nice narrow CW filter and NB. With matching SB-604
speaker/power supply. Unit works and is very clean.
$450.00 shipped (it weighs a ton)

SB-104A (a real one). With matching SB-604 speaker/
power supply. Unit works and is very clean.
$400.00 shipped (it weighs a ton too)

SB-644 external VFO for the 104. Works, clean, with cables.
$100.00 shipped (it's light)

SB-634 station console. This is the unit with a phone patch,
clock, ID timer, watt/swr meter. The unit is clean and works
but the ID timer LED's have deteriorated badly - they work
correctly but are almost impossible to read.
$100.00 shipped

Matt Gilbert
K8KDR
mjgilbert@wcom.net

1700. Re: Compare: IC751A vs TS850 vs ?.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <37002f0d.387940578@news.atl.bellsouth.net>
Source record: 116456

On Wed, 17 Feb 1999 19:45:12 GMT, tuomi@sci.fi (Pasi Tuomi) wrote:

>In article <7ad6nurnm1@nnrp1.dejanews.com>, 8877@my-dejanews.com wrote:
>>> The 751A is a dream to operate (replaced my Kenwood TS430).
>>
>>Also can be a nightmare, it changes frequency when you change mode, i find it
>>VERY stupid. CT
>>
>
>IT depends how do you understand word frequency !!! Those Icom rigs, like mine
>751A, show carrier frequency. When you change mode, yes carriage freq which
>can be seen in the readout, changes. But passband (where your transmissions
>frequency components are) does not move.
>
>So I could say that in radios where frequency readout does not "change"
>(for example whe moving from LSB to USB) the passband moves.
>
>VERY stupid... ;-)
>
>Ok, ok, both are ok. Different ways to build a radio. But let's be carefull
>when saying that "frequency moves".

Icom has done this both ways. Some older Icoms moved the passband with
a mode change, newer ones leave the passband alone and move the carrier
insertion point. I like the older method better.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

1701. Re: I.F. or A.F. DSP?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <370131a9.388608539@news.atl.bellsouth.net>
Source record: 116457

On Tue, 16 Feb 1999 20:55:13 -0800, Rick and Theresa Low <pilots@mbay.net> wrote:
>Intermediate Frequency or Audio Frequency DSP? That is the question. Any
>experience out there with either or both applications, effectiveness,
>ease of use, specific rigs, opinions or otherwise? Need help with a
>decision on my next rig!
>73 and TIA,
>Rick N6CY

IF DSP is preferred. This allows demodulation to be done in DSP, and that's generally better than with a traditional demod. It also can allow the narrow filtering of the DSP to be inside the AGC loop (but not all radios with IF DSP actually do that). Having the narrow filter in the AGC loop means that out of passband signals won't pump receiver gain. This is a serious problem with rigs having only AF DSP. (The delay through the DSP can still screw up AGC timing, however.)

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

1702. Exchange: FT736R 6m module for 23cms module

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <E50xSBARDDz2EwqR@pacsat.demon.co.uk>
Source record: 116458

Anyone interested?

Exchange 6m module for an FT736R for 23cms module for same.

Or would sell separate.

email slewis@pacsat.demon.co.uk
+---+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+---+

1703. Exchange FT736R 6m module for 23cms module

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <F5sxSHAxDDz2Ewqp@pacsat.demon.co.uk>
Source record: 116459

Anyone interested?

Exchange 6m module for an FT736R for 23cms module for same.

Or would sell separate.

email slewis@pacsat.demon.co.uk
+---+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+---+

1704. WTD dead, dying or wounded FT736R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <FZkxaVATHDz2EwoB@pacsat.demon.co.uk>
Source record: 116460

Still looking for spares for my dead one.....!!!!

email if you have one FS

73 Simon GM4PLM

+---+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+---+

1705. Re: 222mhz?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <3702338c.389091283@news.atl.bellsouth.net>
Source record: 116461
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

On Thu, 18 Feb 1999 00:47:23 -0600, "KD5GEH" <kd5geh@arrl.net> wrote:
>That not a very popular band? I've come accross very few radios capable of
>'supporting' it while websearching (the nearest radio store's quite aways
>from here, so I'm trying to educate myself before the trip)... I was really
>wanting a 2m/222/442 mobile radio (my local club has repeaters on those 3
>bands), and.... Nada...

The 222 MHz band isn't available in Japan or Europe. So there is much
less demand for such a rig. The manufacturers have offered a few USA
only radios with it, but the sales volume is generally too low to make it
profitable. This lack of equipment has in turn tended to reduce activity
on the band. Too bad, it is a good band.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

1706. ICOM IC746 Owners

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: dhallr@aol.com
Message-ID: <19990218114401.10855.00002955@ng-fx1.aol.com>
Source record: 116462

I am looking for any input on this rig from current owners. If you are operating with a 746, if you have the time please email with likes and dislikes? any info appreciated.
Thanks
Dave KA1W
dhallr@aol.com

1707. IC751 and TL922 amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: dhallr@aol.com
Message-ID: <19990218114555.10855.00002956@ng-fx1.aol.com>
Source record: 116463

Can someone tell me what these pieces of equipment are worth? I know someone
that wants to get rid of them and I want to make them a fair offer
73
Dave KA1W
Dhallr@aol.com

1708. IC751 and TL922 amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: KD5CAS@iamerica.net
Message-ID: <36cc4e19.73601264@news.iamerica.net>
Source record: 116464

On 18 Feb 1999 16:45:55 GMT, dhallr@aol.com (DHallr) wrote:

>Can someone tell me what these pieces of equipment are worth? I know someone
>that wants to get rid of them and I want to make them a fair offer
>73
>Dave KA1W
>Dhallr@aol.com
==========

This was posted earlier this week:

As a new feature of 'hampedia' at
http://www.aade.com/hampedia/hampedia.htm
I have added recent prices realized from ebay auction for over 800
different pieces of ham equipment representing over 2000 sales.

scroll down to the 'prices realized' link.

I have also updated my popular links page by adding over 300 new
links and eliminating over 150 defunct links.
http://www.aade.com/links.htm
--
Neil
http://www.aade.com
mailto:neil@aade.com
Almost All Digital Electronics
1412 Elm St. SE
Auburn, WA 98092
253-351-9316

1709. WTT: MINT DX-394 for AT-230 (mint), or HG-10B(mint)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: "David W. Fleming" <davefleming@novagate.com>
Message-ID: <7ahh4n$p7o$0@208.154.0.226>
Source record: 116465

Hello there. I have a mint condition Radio Shack DX-394 Shortwave programmable receiver, dual alarms, clocks, and memory functions for each band. Am looking for Kenwood AT-230, for trade, or Heath HG10B VFO (mint) or what do you have that is unique? Make me an offer.
Thanks,
David Fleming NS8S
davefleming@novagate.com

1710. Re: Compare: IC751A vs TS850 vs ?.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: tuomi@sci.fi
Message-ID: <7ahhbp$25b$1@tron.sci.fi>
Source record: 116466

In article <37002f0d.387940578@news.atl.bellsouth.net>, ke4zv@bellsouth.net (Gary Coffman) wrote:

>Icom has done this both ways. Some older Icoms moved the passband with
>a mode change, newer ones leave the passband alone and move the carrier
>insertion point. I like the older method better.

No no no. Older leave the passband alone and move the carrier insertion point (display jumps, like in 751A). Newer move passband and carrier insertion point will not move (and display shows same freq. for usb and lsb - like 765). Display shows always carrier insertion point in Icom rigs.

I like both :)

Pasi, oh3nps

1711. Re: Hamfest NIMH Batteries (soldering to cells)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: davem@groucho.cs.ubc.ca
Message-ID: <7ahii1$chf@groucho.cs.ubc.ca>
Source record: 116467

denis28223@my-dejanews.com writes:
>I know this will
>not dissuade anyone from soldering a battery but be aware that batteries can
>react violently and for no apparent reason so perhaps some precautions are in
>order.

Hmm. I knew it wasn't good for the batteries, but I hadn't thought of
it as being bad for the technician (me!) as well.

Has anyone ever built a small spot welder for welding tabs to batteries?

Dave

1712. Kenwood TS-690S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Ted Trostle <ttrostle@lazerlink.com>
Message-ID: <q6Yy2.1159$3E4.16180@newsfeed.slurp.net>
Source record: 116468

Would any one know how to open up the operation to allow use of the built-in antenna tuner to tune ALL frequencies the receiver is capable to receive?

1713. Re: Happy99.exe Virus attached in Ham-Equip Digest Tue, 16 Feb 99 Volume 99 : Issue 47

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: Jonesy <jonesy@rmi.nospam.net>
Message-ID: <7ahicu$4kv$1@news1.rmi.net>
Source record: 116469

Tom@astro.net wrote:
: Here's how to deal with it if you don't have an anti-virus program (and why
: DON'T you?!!!). I got the info from another person:

Not a problem *or* a concern here.

: This virus attacks the Wsock dll file only. That is the file that
: runs you E-Mail and internet.
Does not!
Like I said, not a problem *or* a concern here.
Because I have a modicum of intelligence, I run OS/2 _and_ I use a
shell account at my ISP. Fully 70% of the palaver in these ng's is
pure horse hockie -- so reading ng's via tin goes soooo much faster,
and I don't suffer the download time, nor the consumption of dasd.
Nearly 50% of the stuff that comes over the transom into my mail
folders is either deleted outright by my unix mail filter or is
deleted by me in pine without being read. Again, I don't suffer
the download time, nor the consumption of dasd.

As for viruses, I've yet to see one that has infected an OS/2
system. Probably the same can be said for Linux.
It's just that MicroSloth systems are soooooo easy (,and, probably
fun) to break and injure.

And, anyone who would run an 'un-invited' .exe on their machine
probably deserves whatever befalls them. Why don't you invite
the next low-life walking by on the street into your house while
you go off to work? Makes about the same sort of sense.

So, every time one of these threads about viruses, worms,
and (mostly) hoaxes show up in some ng, with the un-informed and
ill-informed anguishing about the perceived threat(s), us folks
running OS/2 (and Linux) get a chuckle -and- I'm not wasting
any time downloading the $%#@%$#! thread.

Jonesy
,whose OS/2 machine has not locked up,
or had to be re-booted for more than a year now.

--
316 days to go until the Year 2000
681 days to go until the next century

1714. Need Kenwood Power Transformer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-18 00:00:00 UTC
From: rwalter7@aol.com
Message-ID: <19990218123630.28150.00002600@ng-cg1.aol.com>
Source record: 116470

Need a power transformer for a Kenwood TS520.
Bob
email: rwalter7@aol.com

1715. Re: Yaesu Battery Help Question????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: kucharsk@skywarn.dr.lucent.com
Message-ID: <F7FCuM.7HD@drnews.dr.lucent.com>
Source record: 116271
Cross-posted to: alt.ham-radio.marketplace,es.rec.radio.amateur,es.rec.radio.misc,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

While reading article <RvHy2.39327$b8.16816664@hme2.newscontent-01.sprint.ca>, I noticed that
"Bob Muskie" <muskybob@sprint.ca> said the following:
>Hello...
>I am buying a couple of 12volt 1200MAH batteries for my
>Yaesu FT-530 handheld.Aftermarket..
>When I bought my radio I got a battery charger #NC-18B which
>will charge at 14.5volt 50MA... I know that this charger is good
>for the 12v 600ma batteries that I first had but is it still good for
>the newer stronger batteries??????
>is the charging time just doubled..???
>The charge time for this charger is 15hours for the 12v 600ma..

The MAH batteries will charge fine with the "wall wart" (slow) charger, at
an increased charging time.

The MAH batteries will NOT work with the Yaesu Quick Charger.
--
| William Kucharski, Lucent Technologies | The opinions expressed herein
| Internet: kucharsk@drmail.dr.lucent.com | are MINE alone, and are CERTAINLY
| UUCP: You're kidding, right? Ham: N0OKQ | NOT those of Lucent Technologies.
| President, "Just the Ten of Us" Fan Club | "Megadittos from Denver, CO"

1716. Info - TS870

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: "William H. Perry" <hamiam1@mail.cha.bellsouth.net>
Message-ID: <36CDF406.38B0@mail.cha.bellsouth.net>
Source record: 116272

Looking for info on the TS870...Why buy another one or why don't
you like this rig?? Does it come close to its claims from Kenwood?
Has anyone tried one of these for an IF for a transverter?? Want
to use this for IF for 2 mtr weak signal work (EME) Please e-mail
responce to hamiam1@bellsouth.net TNX de Hal - W4HP

1717. Re: HT desk stand wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: xxlouis@mail.snider.netxx
Message-ID: <36cdf0b9.163087589@207.126.101.81>
Source record: 116273

MFJ used to make one. I have one I used to use with my FT727 around
here somewhere.

On Sat, 20 Feb 1999 01:54:57 GMT, hark@citynet.net (Thomas Hark)
wrote:

>Need one of those plexiglass stands to hold m y Yaesu FT411 HT. Looks
>like a picture frame and is slanted so HT rests on the bottom of the
>holder and at a slight angle on a desk etc. Anyone know who sells
>these HT holders? Any help appreciated very much.
>Tom Hark KB8TAG

1718. Re: Re posting, Moving coil meter repair

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Frank Erskine <frank@g3wte.demon.co.uk>
Message-ID: <+OBDDBAN+ez2Ewfc@g3wte.demon.co.uk>
Source record: 116274
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.radio.amateur

In article <36cdce76.20738398@news.cwcom.net>, Jim Dunnett
<dynastic@0spam.cwcom.net> writes
>On Tue, 16 Feb 1999 22:47:07 +0000, Frank Erskine
><frank@g3wte.demon.co.uk> wrote:
>
>>In article <36c9e38a.13185379@news.prestel.co.uk>, Jim Dunnett
>><olympus@0spam.prestel.co.uk> writes
>>>On 16 Feb 1999 12:10:52 GMT, "Simon Cox" <simon.cox@breathe.co.uk> wrote:
>>>
>>>>People worry about me, I ride a
>>>>Kawasaki Z1000 LTD and listen
>>>>to RA 17 valve radios.
>>>
>>>Surely not at the same time?
>>>
>>>Incidentally, I found a '9-Pin Miniature Tall Test Socket Adapter'
>>>Model 1449 by Pomona Electronics of Calif. It extends the valve base
>>>of an awkwardly placed B9A valve base out by 5.5cms
>> ~~~~~~ ?
>>
>>What's that in real money? A couple of inches, I'd imagine :-)
>
>No idea Frank. The ruler I used only gives standard measure.
>
>(5.5cms is about 1.58 inches)
>
Not according to a steel tape measure I've just found, that has those
French units as well as real ones...

5.5 "cms" is roughly 2.25". Your 1.58" is about 4 "cms".

Forget those cheap foreign measuring units and stick with the real thing
:-)

73 -
--
Frank Erskine
Sunderland
Don't go metric - feet, BSF, Whitworth and inches are miles better

Still looking for 67.5V and 100V HT batteries

1719. Re: GUNN Diodes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: John Miles <jmiles@pop.removethistomailme.net>
Message-ID: <36CDFA2F.7B80@pop.removethistomailme.net>
Source record: 116275
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

marsgal42@hotmail.com wrote:
>
> In article <VLEy2.14416$lx.9725@news2.giganews.com>,
> "Greg Flynn" <gflynnNO_SPAM@mail.gl.com> wrote:
>
> > Does anyone know a good cheap source for these components? I am interested
> > in the K and X band.
>
> Swap meets. Look for the ex-intruder alarm units. I've bought loose
> Gunn diodes from Birkett in England. Mainline carry them too.
>
> You might have a look in the Yellow Pages and see who sells/services
> radar intruder alarms and automatic door openers in your area.
>
> With that said, I'm still trying to find where the TTC get the
> 24 GHz Gunn units for the doors at Toronto subway stations... :-(
>

I've been playing with the 24 GHz units from http://www.shfmicro.com for
awhile now; they're pretty nice 5mW units that include varactors for
modulation, which the subway units probably wouldn't. They sell them
for $58 each, which didn't strike me as unreasonably expensive.

I will probably end up not needing the two that I have, as a matter of
fact, because I am likely to need another 10 dB or so worth of ERP in
the project I'm working on. If you're just looking for a couple of
units to play with, I could probably be persuaded to sell 'em cheap.

-- jm KE5FX

Note: My E-mail address has been altered to avoid spam

1720. Kenwood TM-V7 Issue

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: steve@goldesignjewelry.removeme.com
Message-ID: <36CDF4DA.63C0F455@goldesignjewelry.removeme.com>
Source record: 116276
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur

I have two Kenwood TM-V7 mobiles and quite like them. I am a licensed MARS operator and have perfomed the modifications to them both. When I did, I noticed that I could no longer transmit stored DTMF numbers, nor could I operate the unit remotely using an HT via DTMF commands. Has anyone else had the same problem?

REMOVE the "removeme" from the email address above to respond

1721. Re: Yaesu FT100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Vito Villamor <vovillamor@yahoo.com>
Message-ID: <36CDFA1B.11F09EDA@yahoo.com>
Source record: 116277

What do you consider as list price?

I read somewhere that Yaesu's list price was around $1600. Ham Radio Outlet's website shows that they're taking advanced orders for this radio for $1350. I'm interested in seeing which dealer will get to sell the first shipment.

"Leland C. Scott" wrote:
>
> Does anyone know a dealer anywhere in the US who is offering the Yaesu FT100
> at below list price?
>
> Leland C. Scott
> KC8LDO

1722. Re: Yaesu FT100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Michael Madden <mmadden@suffolk.lib.ny.us>
Message-ID: <7al260$666$1@news01.li.net>
Source record: 116278

Best price that I found on the net is from www.lentinicomm.com. I looked yesterday to see if anyone was shipping yet.....the story.....soon!

1723. Re: Yaseu FT-530 Batters Needed???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Lou Albert <lalbert@uakron.edu>
Message-ID: <36CE19CB.877F1EDD@uakron.edu>
Source record: 116279
Cross-posted to: es.rec.radio.amateur,es.rec.radio.misc,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

I had a problem with E.H. Yost & Company and basically they never did a thing. I had a brand new battery returned it after 3 month and it never worked. I was unable to use it.

Lou WA8PHD
http://ifip.com/wa8phd.htm

Mark Keith wrote:

> smitty wrote:
> >
> > Check out Mr. NiCd (E.H. Yost & Company) 7344 Tetiva Rd. Sauk City, WI.
> > 53595
> > Phone: (608) 831-3443/ fax (608) 831-1082 Great selection and Prices...
> > I purchase about 4 batteries a year for my Handheld.. "Smitty" N5WPV
>
> I guess they are ok, but the last supposably "super heavy duty" battery
> I got from Mr. Nicad sure didn't last too long. It was a 1400 and it's
> already deader than a doornail. Funny part is, I have an original yeasu
> 1000 battery that is still going strong and it's much older than the
> Mr.nicad. Heck, it was old when I bought the mr.nicad 1400. I'd ask
> about the specific brand of the internal cells and go with the highest
> quality you can find. Might cost more, but it'll be worth it in the long
> run. I find the original yeasu batteries are the best. Don't know what
> brand cells they use, but they make most others look like junk over the
> long haul. I imagine mr.nicad can get the high quality cells as well as
> the other companies. BTW, my radio is a 470. Different case than the 530
> I think. Mine uses the fnb series batteries. You can also buy just the
> inserts too. But taking the cases apart is not for the faint of heart. I
> use a hot hairdryer first and then a sharp razor blade to cut the glue
> seal. I still tend to mangle em a little before it's over with. The dead
> 1400 case , I converted to a regular battery case. MK
> --
> http://web.wt.net/~nm5k

1724. FS FT-50R with accessories $250.00 shipped

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Richard Paul Merrell <k6jxy@earthlink.net>
Message-ID: <36CE1F62.69CEF776@earthlink.net>
Source record: 116280
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have a yaesu FT-50R with the following
1 radio with key-pad with voice recorder plus DPL ETC
1 rubber braw
1 standard battery pack
1 12 volt battery pack
1 extendeed commit spaghetti antenna
1 speaker-mic.
wall-charger
radio has been moded for out of band use plus full 800 meg receive
almost forgot AA battery case.
All this for $250.00 shipped to the door. if interested please E-mail
to make arrangements.

--
Richard Paul Merrell
k6jxy@earthlink.net
rpaulmerrell@netzero.net
http://home.earthlink.net/~k6jxy

1725. Re: CW tapes.....Which ones? so many to choose from.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: msb <msbSPAMMAPS@newpony.com>
Message-ID: <36CE2F74.EF7C16AD@newpony.com>
Source record: 116281

wb,

in a word -- none.
check this out ->

http://www.biochem.mcw.edu/Postdocs/Simon/radio/exam.html

William Bender wrote:

>

1726. Re: CW tapes.....Which ones? so many to choose from.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: msb <msbSPAMMAPS@newpony.com>
Message-ID: <36CE2F87.1AFACEC3@newpony.com>
Source record: 116282

wb,

in a word -- none.
check this out ->

http://www.biochem.mcw.edu/Postdocs/Simon/radio/exam.html

William Bender wrote:

>

1727. Re: Kachina vs. Ten-Tec Omni VI Plus

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Bill Clarke <W2BLC599@bigfoot.com>
Message-ID: <7alcne$kc2$1@paxfeed.eni.net>
Source record: 116283

Ten-Tec receivers (XCVRS) are designed to be as free as possible of internally generated noise. Such noise, which for various reasons, degrades a receiver's ultimate performance.

No experience with the Kachina - but plenty with Ten-Tec products. Perhaps I am one sided with this, but: Common sense and years of experience with computers in the shack make me wonder just how quiet a receiver operating through a computer will be.

No recommendation - just my view.

--
Bill Clarke W2BLC
W2BLC@bigfoot.com

1728. WTB: Knwd IC-10 PC interface chips 4 TS-440S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: N4DEN <rdpinner@email.msn.com>
Message-ID: <usFF#uIX#GA.243@upnetnews03>
Source record: 116284

If u have these interface chips U want 2 part with or know of any
aftermarket company,
please respond to this message.

Thanx,

73,

Dennis
N4DEN

1729. Re: Software Criminal Conspiracy

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: KD5GEH <kd5geh@arrl.net>
Message-ID: <7ale4j$1o0$1@newnews.startext.net>
Source record: 116285
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

I've seen such software ftp'able on several radio-store websites for the
radios they sell.. I just assumed that the manufacturers gave away the
progs for their radios (or included it with 'em).

<zeno@magicnet.net> wrote in message
news:zeno-1902992344470001@pm57-12.magicnet.net...
>In article <36CC8AA5.2765@hun.com>, attila@hun.com wrote:
>
>> Are you asking somewhat to participate in committing a crime just so you
>> could have your own private copy of pirated software? The Big M has
>> been suing people all over for doing just what you are asking. Let us
>> know what knuckle dragger responds and implicates himself.
>>
>> Wake up and stay legal!
>>
>>
>>
>> Fox Mulder wrote:
>> >
>> > If anyone got programming software for Motorola radius GP1280 portable
>> > handie i would be more than thankfull to him to e-mail me a copy .!!
>> >
>> > I can send you some other in return if required .!!!
>> >
>> > Fox
>> >
>> > fox/mulder@usa.net
>
>They could be referring to shareware or freeware software. I have lots of
>that type of software that can do a varity of different things. None that
>can do what is mentioned here, but the point is that shareware could be
>in mind here.
>
>--
>If only we knew that money is only an idea. There is no scarcity or loss
connected to it. Nothing cost anything.

1730. FS: 2 METER ALLMODE : IC-251

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Patricia Pokrocos <patp@princeton.edu>
Message-ID: <36CE3E1A.4FBF@princeton.edu>
Source record: 116286

HAVE A ICOM 2 METER ALLMODE FOR SALE: ICOM IC-251. BASE RADIO RUNS ON
120V/12DC. RADIO IS IN EXEC.COND.IN AND OUT. COMES W/MIKE/MANUAL/
120VAC CORD. $350. DO NOT AUTO ANSWER. LOU AT MIDATLANTIC@HOTMAIL.COM
OR 609-890-0380 73'S

1731. FS:6 METER ALLMODE:ICOM IC-551

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Patricia Pokrocos <patp@princeton.edu>
Message-ID: <36CE3C96.7D2A@princeton.edu>
Source record: 116287

HAVE A REAL NICE ICOM IC-551, 6 METER ALLMODE. RADIO IS IN EXC.
COND.IN AND OUT.BASE RADIO RUNS ON 120/12V. W/MIKE/MANUAL/120V CORD/
ORIG.BOX.DOES AM/USB/LSB/CW.$350. DO NOT AUTO ANSWER. LOU AT
MIDATLANTIC@HOTMAIL.COM OR 609-890-0380.

1732. RS 2meter HT HTX-202 fs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Marc Robins <marc29400@ez2.net>
Message-ID: <7alld9$h3j@enews2.newsguy.com>
Source record: 116288
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

2 meter HT for sale. Radio Shack HTX-202 HT in new condition. Includes two rechargable batteries, charger and one AA battery pack. A very nice radio.
$120
Marc WA6NJR

1733. ICOM IC-271H 2meter all mode transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Marc Robins <marc29400@ez2.net>
Message-ID: <7alm79$hgu@enews2.newsguy.com>
Source record: 116289
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

ICOM IC-271H 2meter all mode transceiver.
The IC-271H operates FM, SSB and CW with 100 watts output and is considered as the standard of comparison in all mode VHF transceivers, and is the OSCAR enthusiasts dream rig. It includes 32 frequency/mode/offset/tone memories, built-in subaudible tones, scanning, adjustable tunning speeds, RIT, all-mode squelch and tone control. Output power is adjustable from 10 to 100 watts output. 12 vdc operation. Frequency coverage is 143.8-148.2 Mhz. Hand mike, power cord and manual are included. Mint condition physically and operational.
$750
Marc WA6NJR

1734. Re: Software Criminal Conspiracy

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: "Curt M. Breneman" <brenec@rpi.edu>
Message-ID: <36CD7414.7136@rpi.edu>
Source record: 116290
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

mike frye wrote:
>
> I hope he gets and gives a million copies for free. Make that two
> million.......
>
> Attila wrote:
>
> > Are you asking somewhat to participate in committing a crime just so you
> > could have your own private copy of pirated software? The Big M has
> > been suing people all over for doing just what you are asking. Let us
> > know what knuckle dragger responds and implicates himself.
> >
> > Wake up and stay legal!
> >
> > Fox Mulder wrote:
> > >
> > > If anyone got programming software for Motorola radius GP1280 portable
> > > handie i would be more than thankfull to him to e-mail me a copy .!!
> > >
> > > I can send you some other in return if required .!!!
> > >
> > > Fox
> > >
> > > fox/mulder@usa.net

This is interesting. I have often wondered what train of thought leads
one to conclude that software piracy is justified. Someone had to put a
lot of time and energy into programming, so why should their efforts be
considered public property? This is kind of like building a house by
hand and then having someone come along and claim that that you should
give it to them for free. Granted, it's easier to copy software than to
copy houses, but the principle is the same. Perhaps a better example
would be that of a detailed architectural design.

Curt Breneman
KC2EBP

1735. UPDATE 2: Help With Damage Assessment Please?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <01be5bb7$b8a338c0$e38492d0@Bit-Net.bit-net.com>
Source record: 116291
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Just received a reply from Yaesu America ...
~~~
���
\ ~ / .... DavidC K1YP@qsl.net

```
Hello David, The FRG-9600 front panel R3504840 ($13.09) plus shippig and
handling ($4.00 minimum). We would charge 1 1/2 hours @ $50.00 a hour to
change it out. We accept Mastercard, VISA or money orders for prepayments
and are located at Yaesu USA, 17210 Edwards Road, Cerritos, CA 90703. We
can be reached by e-mail, Fax 562-404-4828 or phone 562-404-2700. Best
Regards, John Lynn N6TVN, Customer Service
```
~~~

1736. Re: SX-28 & SX-28A--what's the difference?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: dpnewkirk@home.com
Message-ID: <36cce096.9642926@news>
Source record: 116321

On 17 Feb 1999 06:00:32 GMT, n3xbu@aol.com (N3XBU) wrote:

[deletions]

>The 28A uses a 6BA7 in the first RF and in the noise amp
>instead of 6SK7's. They advertised the PM-23 as an accompanying speaker for
>the 28A instead of the R-8 or R-12. My SX-28A is marked as such on the front.
>Many are not. Yours COULD be a 28A...look and see if it has 6BA7 markings on
>the chassis, for the aforementioned functions and an easily removable clip-on
>cover over the ganged tuning capacitors.

[deletions]

Do you mean 6BA*6*s? The 6BA7 is a pentagrid converter and would have
made a poor RF amplifier (noise-wise) than the 6SK7.

73,

Dave Newkirk, W9VES
dpnewkirk@home.com

1737. Re: Virus alert! (was: cancel <36CA2818.A9DFC71C@herald.infi.net>)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: maddog@io.com
Message-ID: <36cce53e.10187716@news.io.com>
Source record: 116322
Cross-posted to: rec.audio.marketplace,rec.audio.misc,rec.audio.opinion,rec.audio.tubes,rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.cb

On Thu, 18 Feb 1999 21:51:11 -0500, "Wildcat" <wildcat@tp.net> wrote:

>A bitmap file is a graphical file (LIKE A PICTURE or A DRAWING) however, a
>graphical file needs a program to view the graphic. Corel, Photomorph and
>even Internet Explorer can open a Bitmap image file. The virus uses certain
>setup files within the Bitmap viewing program to open it. It is this process
>that embeds the virus in the registry of the host computer.

Oh, Puuhh-leeeze...

1738. WTD Schematic or manual for Century 21D Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: turbo22367@aol.com
Message-ID: <19990218235113.29042.00002812@ng-cc1.aol.com>
Source record: 116323

Willing to pay reasonable price for original manual or a schematic for the Century 21D receiver(not the TenTec CW transceiver). Thanx, Steve Reply or email

Turbo22367@aol.com

1739. Re: Does anyone still offer any GOOD HF xcvr kits?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <Noij2UAJPSz2Ew6f@pacsat.demon.co.uk>
Source record: 116324
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <q%3z2.454$5w.829@wormhole.dimensional.com>, Melissa
<MelissaY@Zdimensional.com> writes
>In article <7ai0lp$s8g$1@news.xmission.com>, "Dan" <n7wpd@xxmission.com> wrote:
>>I also looked at it, and appears that they're considering putting computer
>>control on it.
>>I am under the impression that it currently does not have computer control.
>
>Wouldn't it be awesome if you could build a HF xcvr kit with 100 Watts PEP
>and the works like that?
>
>From looking at their web page though, it looks like the thing is just barely
>coming onto the market.
>
>Didn't see any sensitivity or selectivity figures either.

You need glasses! There are a set of figures on the site and a 100 watt
PA is due later this year. The radio is designed as a basic unit and
then modules can be added so that you only buy what you need.

73 Simon GM4PLM
+--+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+--+

1740. FS FT736R 6M module

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <SISk+cALSSz2EwaD@pacsat.demon.co.uk>
Source record: 116325

FS Yaesu FT736R 6 metre module 150 UKP for quick sale.

email or phone 01436 679610

73 Simon GM4PLM

+--+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+--+

1741. Re: Yaesu Battery Help Question????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Mark Keith <nm5k@wt.net>
Message-ID: <36CD38AD.827@wt.net>
Source record: 116326
Cross-posted to: alt.ham-radio.marketplace,es.rec.radio.amateur,es.rec.radio.misc,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

Bob Muskie wrote:
>
> Hello...
> I am buying a couple of 12volt 1200MAH batteries for my
> Yaesu FT-530 handheld.Aftermarket..
> When I bought my radio I got a battery charger #NC-18B which
> will charge at 14.5volt 50MA... I know that this charger is good
> for the 12v 600ma batteries that I first had but is it still good for
> the newer stronger batteries??????
> is the charging time just doubled..???
> The charge time for this charger is 15hours for the 12v 600ma..
>
> these batteries are now only available through Yaesu for twice the money
> as the newer batteries.....

I've found the yeasu batteries are twice as good as most of the aftermarket brands. Or at least here they have been. Usually , you will charge at 10% of the current capability of the battery for 15 hours.. Say a 1200, should be charged at 120 ma for 15 hours for full charge. So I'd think with a 60 ma charger on a 1200 battery, you will need to charge for 30 hours at that rate. It'll work, I charge 1000's and 1400's with a 60 ma charger. What I do to tell when charged is to put a voltmeter on the battery and when you peak voltage with little change after an hour, you are fully charged. Will vary, but on say a 12 volt car battery, it will usually be fully charged at 14.4 volts. When you unhook the charger it will drop back to 13.8 or so. It's bad for a battery to stay at full charge voltage for extended periods of time. You should always unhook when fully charged or else the battery gets hot. Another kinda unprecise way to tell if charged is just to pick up the charging battery in the hand at room temp. If it feels cold or even room temp, it still needs more charging. When you pick it up and it feels very slightly warm to the touch, you are pretty much charged up. A voltmeter is the best way to tell though. It will never lie, once you know what your full charge float voltage is. I use 7.2 volt cells. If I remember right they are full at about 8.4 v MK
--
http://web.wt.net/~nm5k

1742. Re: Yaseu FT-530 Batters Needed???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Mark Keith <nm5k@wt.net>
Message-ID: <36CD3462.72B0@wt.net>
Source record: 116327
Cross-posted to: es.rec.radio.amateur,es.rec.radio.misc,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

smitty wrote:
>
> Check out Mr. NiCd (E.H. Yost & Company) 7344 Tetiva Rd. Sauk City, WI.
> 53595
> Phone: (608) 831-3443/ fax (608) 831-1082 Great selection and Prices...
> I purchase about 4 batteries a year for my Handheld.. "Smitty" N5WPV

I guess they are ok, but the last supposably "super heavy duty" battery I got from Mr. Nicad sure didn't last too long. It was a 1400 and it's already deader than a doornail. Funny part is, I have an original yeasu 1000 battery that is still going strong and it's much older than the Mr.nicad. Heck, it was old when I bought the mr.nicad 1400. I'd ask about the specific brand of the internal cells and go with the highest quality you can find. Might cost more, but it'll be worth it in the long run. I find the original yeasu batteries are the best. Don't know what brand cells they use, but they make most others look like junk over the long haul. I imagine mr.nicad can get the high quality cells as well as the other companies. BTW, my radio is a 470. Different case than the 530 I think. Mine uses the fnb series batteries. You can also buy just the inserts too. But taking the cases apart is not for the faint of heart. I use a hot hairdryer first and then a sharp razor blade to cut the glue seal. I still tend to mangle em a little before it's over with. The dead 1400 case , I converted to a regular battery case. MK
--
http://web.wt.net/~nm5k

1743. HAMFEST March 7, 1999 - Lindenhurst, LI

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: W2GSB <info@gsbarc.org>
Message-ID: <e1cz2.3538$ur5.11752240@news.optonline.net>
Source record: 116328
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap

HAMFEST March 7, 1999 - Lindenhurst, LI

GREAT SOUTH BAY AMATEUR RADIO CLUB & SUFFOLK COUNTY RADIO CLUB
ARRL APPROVED LONG ISLAND HAMFEST - MARCH 7, 1999

On March 7, 1999 the Great South Bay Amateur Radio Club & Suffolk County Radio Club will again sponsor an indoor Hamfest. The location will be at the:

Knights of Columbus
400 South Broadway
Lindenhurst, Long Island, NY

There will be radio equipment, electronic componets, computers and access-ories, softeware, books, technical manulas, ARRL information, Amateur Radio License Exams, Door Prizes. General admission is $6.00.
Free Admission for spouses and children under 12.

VE - ARRL - 12:00 NOON
For exam candidates please remember to bring your original FCC Amateur Radio license (if licensed), any C.S.C.E. forms that are pending, plus a photocopy of each, pens, calculator, formal form of ID (preferably photo ID), and the examination fee, to the exam session. 1999 ARRL/VEC fee is $ 6.45, exact change is appreciated. Novice exams are free.
The VE team is from ISLIP ARES Group and GSBARC. Thanks guys.

For vendor and additional information pleas contact, Peter Portanova WB2OQQ at(516)541-4886. Email info@gsbarc.org

Talk-in will be via W2GSB Repeater on 146.685 4Z(136.5) PL.

Food Service during the Hamfest will be provided by members of the Knights of Columbus Council.

Information is also available during the GSBARC 2 meter info net every Monday evening at 7:00 pm on the W2GSB repeater, 146.685 -600 4Z(136.5) PL required. You may also write to:

HAMFEST 0399
P.O. Box 1356
West Babylon, NY 11704

Email: info@gsbarc.org

Visit GSBARC online at http://www.gsbarc.org/hamfest.htm or
SCRC at http://www.members.tripod.com/~parasca/index/scrc.html

NEXT HAMFEST - Ocotber 24, 1999
Y2K HAMFEST - March 5, 2000 and October 29, 2000

73,
GSBARC & SCRC

1744. RC-20

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: ogasahara <ogasahara@okay.net>
Message-ID: <7ajhrm$1ob9$1@news.ipf.de>
Source record: 116329

Need RC-20(Charger for Alinco DJ-S41)
Please info

1745. Re: Kenwood display problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: ma_locksmith <ma_locksmith@email.msn.com>
Message-ID: <#HrxecAX#GA.252@upnetnews05>
Source record: 116330

I think that was the TM-241

Ed
Richard Nielsen wrote in message <7ahkptmsg1@newshound.csrv.uidaho.edu>...
>I'm trying to help with a Kenwood 2m mobile (sorry I don't know the model
>number) that has problems with the display. It goes blank after the radio
>has been running a while.
>
>About last November there was a discussion about a similar problem arising
>from a bad contact in the circuit board foil (?)
>
>I can't find the discussion on Deja News, so I was hoping someone would be
>kind enough to post or repost some help.
>
>Thanks.

1746. WYB ic706mkll

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Monte Keller <k9dzd@iquest.net>
Message-ID: <aldz2.120$nc.835@news1.iquest.net>
Source record: 116331

im looking for a nice IC706 MK l l
with seperation kit
thanks

monte k9dzd@iquest.net

1747. REG. code for Winaprs v2.2.6

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: GJ <falcon@a1.nl>
Message-ID: <7ajngloel1@news.a1.nl>
Source record: 116332

Looking for a reg. code for WinAPRS v2.2.6
Because I leave in The Netherlands and don't have a credit-card

PSE help me !!!!

1748. ICQ7, ICr2,FT50,VX1, ... Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36CD70DB.83DC6E21@t-online.de>
Source record: 116333

I have updated some Software of mine.

IC-R2 Manager 1.01 (new entry bug fixed)
IC-Q7 Manager 1.05 (Adjustment mode added)
Ft50 Manager, inclusive Software mods, Second generation too.
VX1 Manager, just Software mods for now, rest will come.
Generic Clone utility for all ICOM's
Generic Clone utility for others

And some nice GSM and Phonecard stuff.

Also links to a lot of Freeware Software, all working
With the MAKInterface, the best interface around.

Greetings, ï¿½

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://mitglied.tripod.de/vlaski/INDEX.HTM
http://www2.crosswinds.net/frankfurt/~vlaski/

1749. FS: Swan SS-200/PS-20 XCVR

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36CD78D7.5561925E@cfu.net>
Source record: 116334
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

One of the rarest Swan rigs, the SS-200, Swan's first venture into all solidstate design, was sold only for a couple of years in the mid-1970's. This one, from my long-time personal collection, is an 8.5 cosmetically (very clean, front panel and knobs bright and shiny, no dents or dings) and 9+ electronically (hot receiver, adjustable 1 to 100 watts out, smooth VFO action). Has built in VOX, calib., and provision for external VFO; all controls on front panel, and includes a (very rare) copy of the complete manual. This is a piece of American ham history and a delight to use QRO or QRP.. $295 + shipping.
Tks! Jan N0JR

1750. YAESU FT-50R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Pol Racot <pol.racot@advalvas.be>
Message-ID: <36CDF873.420D@advalvas.be>
Source record: 116335

HELP

I need manuel for YAESU FT-50R
Thanks

1751. Re: GE Custom MVP Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: tracy585@aol.com
Message-ID: <19990219094908.00373.00000064@ng37.aol.com>
Source record: 116336

Ralph,

Great radio! I can't tell from the stats what frequency it's on since I don't have the book in front of me but I do have schematics and tune up information. I assume it's a Canadian version since your from Canada? This is a plus! I've made repeaters, link radios and remote bases from these radios. Goto: http://www.geocities.com/CapeCanaveral/9896 to see an example. Let me know what you need (short of a copy of the whole manual because it is very large and doesn't copy well) and I'll try to help you out.

Tracy
K0DOE

1752. Re: GUNN Diodes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: marsgal42@hotmail.com
Message-ID: <7ak0ps$oh1$1@nnrp1.dejanews.com>
Source record: 116337
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

In article <VLEy2.14416$lx.9725@news2.giganews.com>,
"Greg Flynn" <gflynnNO_SPAM@mail.gl.com> wrote:

> Does anyone know a good cheap source for these components? I am interested
> in the K and X band.

Swap meets. Look for the ex-intruder alarm units. I've bought loose
Gunn diodes from Birkett in England. Mainline carry them too.

You might have a look in the Yellow Pages and see who sells/services
radar intruder alarms and automatic door openers in your area.

With that said, I'm still trying to find where the TTC get the
24 GHz Gunn units for the doors at Toronto subway stations... :-(

Laura Halliday VA3LDH "Que les nuages soient notre pied
Grid: FN03gs a terre..." - Hospital/Shafte

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1753. 2 VX-5R Questions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Larry Benko <benko@aztek-eng.com>
Message-ID: <36CD7E47.5D2C5C61@aztek-eng.com>
Source record: 116338

I recently purchased a Yaesu VX-5R HT and am really impressed with it. I inadvertently programmed two memory locations with the same frequency. I can overwrite either one with a new frequency but can I just erase one (or reorganize the order) without software. My Icom W32A allows this type of operation fairly easily. Can a priority memory be returned to non-priority? If I can't do the erase without software, is it possible to do with software?

Also this is my first HT with a SMA connector. BNC connectors have always been very reliable. I do some foxhunts where I connect antennas, attenuators, etc. on and off the HT fairly often. Do the SMA connectors hold up as well as BNC connectors do provided that I am careful? Any experience would be appreciated. I could remove the ducky once and add a small flexible SMA to BNC cable and the do all the connections at the BNC if SMA reliability is an issue.

Thanks for any advice,
Larry BEnko, AC0B

1754. Wanted Icom 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: EssBase <74364.207@CompuServe.com>
Message-ID: <36CD7F22.20752091@CompuServe.com>
Source record: 116339
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

In mint condition. E-Mail with price and condition.

1755. Re: Happy99.exe Virus attached in Ham-Equip Digest Tue, 16 Feb 99 Volume 99 : Issue 47

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Jeff Sumner <jdos2@iname.com>
Message-ID: <36CD8410.F6C7007F@iname.com>
Source record: 116340

Dan K Nelson wrote:

> Ed wrote in message ...
> >In article <7ahicu$4kv$1@news1.rmi.net>, Jonesy <jonesy@rmi.nospam.net>
> wrote:
> >
> >>As for viruses, I've yet to see one that has infected an OS/2
> >>system. Probably the same can be said for Linux.
> >>It's just that MicroSloth systems are soooooooo easy (,and, probably
> >>fun) to break and injure.
> >
> > The reason you don't seem to have a problem is that no one, virus
> hackers,
> >or even decent application developers bothers to write code for you OS.
> >
> >
> > Ed
> >
>
> Boy, isn't that the truth....
>
> <<< Dan >>>

No, developers don't write for that os. Especially not IBM, Lotus, Logicware, StarDivision, Sundial, Oracle, Global Village, Hilgraeve, Petree, Stardock, Maxis (through DUX Software), Computer Associates, Hummingbird, Microware, Mission Critical Software, PC_Systemer Norge ALS, Peachtree Software, Spitfire Software, CADWARE s.r.l., JMI, Software Artistry, Network Controls International, Arkansas Systems INC., Debold, CIM Vision International, Applied Signal Technology, Celestech, Indec Systems, POS-TECH Inc., Attachmate Corporation, Gilmore Systems, Quercus Systems, MicroEdge INC., Prominare INC., Tailgent INC., Watcom, Artisoft, Creative Assistance Software, Novell, Arcadia Technologies, Carry Associates, Clear & Simple Inc., Colorado Memory Systems, Orange Hill Software, PCX, Pinnacle Technology Inc., WarpSpeed Computers, Symantec Corp....

Lord knows that there are only a couple of utilities for OS/2 stored at hobbes.nmsu.edu, and that XFree86 won't run on it.

Can't tell you how many developers aren't doing anything for OS/2, especially all the ones listed on: http://www.tstonramp.com/~freiheit/os2apps.shtml.

No developers? No apps? BULL!

JD

1756. Re: REG. code for Winaprs v2.2.6

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7ak0hc$oc1$1@nnrp1.dejanews.com>
Source record: 116341

In article <7ajngloel1@news.a1.nl>,
"GJ" <falcon@a1.nl> wrote:
> Looking for a reg. code for WinAPRS v2.2.6
> Because I leave in The Netherlands and don't have a credit-card
> PSE help me !!!!

Who said a "credit card" was mandatory? Author contact info in in the
"readme.txt" file on your system for APRS:

The Shareware fee for WinAPRS is $60.00 US. You can register by sending a
check or money order to:

Mark Sproul
698 Magnolia Rd
No Brunswick, NJ 08902
USA

Please make checks payable to Mark Sproul

Phone (732) 821-4828 Please do not call after 11:00 PM Eastern Time

e-mail: sproul@ap.org
ksproul@rci.rutgers.edu

WinAPRS is written to the Win32 API, this means that it works under
WindowsNT and Windows95. To run under Windows 3.1, you will need the
Win32S library (DLL). It has been tested (not extensively) under Win3.1
with Win32S. If you do not have Win32S installed, WinAPRS will NOT run.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1757. OFS: ICOM IC-281H FM XCVR

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Vic Link News <faulkner@viclink.com>
Message-ID: <ECfz2.1206$n15.12496@newsfeed.slurp.net>
Source record: 116342

I've placed this item up for bid on ebay.com and you can view info at the following URL:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=68890118

Robin, N7GSU

1758. **** WANTED: Tannoy & Jensen speakers circa 1940's to 1960's ****

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: lzayas@xsite.net
Message-ID: <36cd8723.4632596@nntp.xsite.net>
Source record: 116343
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

WANTED: old Jenzen corner speakers ,TRI-axials, drivers,tweeters from
the 40's,50's,60's
Dual concentric TANNOYS.

e-mail or call <LZAYAS@XSITE.NET>

(773-594-1041) Chgo.

Thank You Louis

Louis Zayas
lzayas@xsite.net
773.594.1041
Chicago Illinois

1759. 2m HT Recommendations

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Ken Rosenow <kenr@apk.net>
Message-ID: <7ak219$9k6$1@plonk.apk.net>
Source record: 116344

I have been inactive for many years and am looking for recommendations for a decent, inexpensive 2m (and possible 70cm) HT. Also, where can I find a listing of repeater frequencies in my area?

Ken, N8AAF

1760. COMPUTER NETWORKING HW FOR TRADE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: KC4NYH <chainsaw1@mindspring.com>
Message-ID: <7ak2cu$k5i$1@camel21.mindspring.com>
Source record: 116345
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap

Hello to the group,
I have a like new (3 mos old) 8 port 100 base-T hub. It is 19" rack mountable. These type of hubs are rare and very sought after. This guy is in mint shape!

I also have a 48 port patchbay for use on an Ethernet network. 19" rack mountable great shape! I place the value for the Hub at $175.00 and the patchbay at $100.00. If this sounds like something you might be interested in send me your trade offer (Ham Gear, 2, 6, & 10 meter gear, amps, meters, antennas etc. WHATEVER!) and I will get right back with you. I'm really looking for a 3 to 5 element 6 meter beam or some long pieces of low loss RG-8 coax or a 6 meter all-mode amp. You pay your shipping and I pay mine. (FedEx)

KC4NYH
Mark Payne
IPC Technologies
Network Engineer

1761. Re: FT-50 Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: "Michael H. Ward" <ward@draco.as.utexas.edu>
Message-ID: <36CD8CF3.2A90982C@draco.as.utexas.edu>
Source record: 116346

In response to all who said something to the effect of "why? he isn't licensed to transmit out of band..." Actually he is. I'm not going to go into all the details, but he can use frequencies outside of the amateur band. This radio is primarily his ham rig, but it may serve as his back to his other radios.

73
Mike
KM5EM

1762. OFS: ICOM IC-281H FM XCVR

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Vic Link News <faulkner@viclink.com>
Message-ID: <mIgz2.1259$n15.13534@newsfeed.slurp.net>
Source record: 116347

I've placed this item up for bid on ebay.com and you can view info at the following URL:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=68890118

Robin, N7GSU

1763. FA on Ebay: HTX 202 item #68905681

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Marco Ciocca <marco@pa.uky.edu>
Message-ID: <36CD9840.125409AC@pa.uky.edu>
Source record: 116348
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap

I have a Radio Shack HTX 202 ht on Ebay. Comes with the standard NiCad pack, the Alkaline pack, manual, wall charger and optional speaker microphone. It is in good conditions. The reserve price is $90.
Thanks for the bandwidth

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=68905681

--
Marco Ciocca KF4URS

1764. VX-5r Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: "Glenn E. Frasier" <kd5dmg@digitex.net>
Message-ID: <u5NqJjCX#GA.138@upnetnews03>
Source record: 116349

Anyone using the VX-5r software off the Internet(yard,yawd) to program their radio?

--

Glenn E Frasier jr. Kd5dmg
kd5dmg@msn.com
home page http://members.tripod.com/kd5dmg/

Moderator of Photosmart Email list on www.onelist.com
Archives at: http://www.onelist.com/archives.cgi/Photosmart

1765. ?? IS HOTMAIL DEAD??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Patricia Pokrocos <patp@princeton.edu>
Message-ID: <36CD9B0D.5DF1@princeton.edu>
Source record: 116350

TRIED ALL MORNING TO LOG ON TO MY EMIAL....AND ITS DEAD.
ANYBODY KNOW WHATS UP?????

1766. Kenwood TS520 Power Transformer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: rwalter7@aol.com
Message-ID: <19990219124841.01149.00000268@ng-fi1.aol.com>
Source record: 116351

Looking for a power transformer for a Kenwood TS-520. Please reply via email
Bob
email: rwalter7@aol.com

1767. Conversion of Cushcraft A3WS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Rick Mintz <Rmintz@Frontiernet.net>
Message-ID: <7ak81b$v68$1@node17.cwnet.frontiernet.net>
Source record: 116352

Hi gang,

I am construction a homebrew version of the Cushcraft A3WS
12/17 meter, 3
element beam. I downloaded the .PDF files from the Cushcraft
site to see the
spacing dimensions. The scans that they have do not have the
resolution for
me to read what the values are!

Anyone with an A3WS manual that can tell me the
measurements?

The specs I need are.......

on BOOM:

Reflector to Driven spacing
Driven to Director spacing

on ELEMENTS:

Reflector: center to trap, trap to end
Driven: center to trap, trap to end
Director: center to trap, trap to end

Many thanks.......

73 de Rick, W1TY
Rmintz@Frontiernet.net

1768. Re: ?? IS HOTMAIL DEAD??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: tcrpe <tcrpe@yahoo.com>
Message-ID: <YYhz2.4461$fZ4.1302@news2.giganews.com>
Source record: 116353

God, I hope so. So much spam comes from them . . . . .

Patricia Pokrocos wrote in message <36CD9B0D.5DF1@princeton.edu>...
>TRIED ALL MORNING TO LOG ON TO MY EMIAL....AND ITS DEAD.
>ANYBODY KNOW WHATS UP?????

1769. Re: VX-5r Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: jrt1@idt.net
Message-ID: <7akel8$5s2$1@nnrp1.dejanews.com>
Source record: 116354

In article <u5NqJjCX#GA.138@upnetnews03>,
"Glenn E. Frasier" <kd5dmg@digitex.net> wrote:
> Anyone using the VX-5r software off the Internet(yard,yawd) to program their
> radio?
>
> --I have used that software in conjunction with the Eve program found on the

internet and using the freeband virtual jumper setting opened up the transmit
to work beyond the standard MARS mod.

>
> Glenn E Frasier jr. Kd5dmg
> kd5dmg@msn.com
> home page http://members.tripod.com/kd5dmg/
>
> Moderator of Photosmart Email list on www.onelist.com
> Archives at: http://www.onelist.com/archives.cgi/Photosmart
> ----------
>
>

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1770. items for SALE.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Richard Paul Merrell <k6jxy@earthlink.net>
Message-ID: <36CDA852.B92AF29D@earthlink.net>
Source record: 116355
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Items For Sale:

Icom 761 High Frequency Transceiver with internal antenna tuner and SM-8

Microphone. 10-160 Meters and modified for all frequency transmit. The
unit has no scratches and works well.
$750.00

Two IDEN Motorola telephones with chargers and two extra 6V Nickel Metal

Hydride
batteries $75.00

General Electric TMX 800 MHz Mobile Radio Telephone $25

Two Johnson 559 UHF Mobile Radios and 1 Clearchannel UHF mobile
$50 for all three.

Johnson LTR 800 MHz Trunking Mobile Radio
$50

Uniden Force VHF Mobile Radio, 15 Channel Programmable
$50

Fred, KH6USA
e-mail: white001@csusm.edu
any messages sent to this address will be forwarded.
--
Richard Paul Merrell
k6jxy@earthlink.net
rpaulmerrell@netzero.net
http://home.earthlink.net/~k6jxy

1771. FS Icom IC-761 HF transciever

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Richard Paul Merrell <k6jxy@earthlink.net>
Message-ID: <36CDA621.45FA29C0@earthlink.net>
Source record: 116356
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Icom 761 High Frequency Transceiver with internal antenna tuner and SM-8

Microphone. 10-160 Meters and modified for all frequency transmit. The
unit has no scratches and works well.
$750.00
please reply to

Icom 761 High Frequency Transceiver with internal antenna tuner and SM-8

Microphone. 10-160 Meters and modified for all frequency transmit. The
unit has no scratches and works well.
$750.00

Icom 761 High Frequency Transceiver with internal antenna tuner and SM-8

Microphone. 10-160 Meters and modified for all frequency transmit. The
unit has no scratches and works well.
$750.00
please send E-mail to Fred White <white001@mailhost.csusm.edu>
any messages sent to this address will be forwarded.

--
Richard Paul Merrell
k6jxy@earthlink.net
rpaulmerrell@netzero.net
http://home.earthlink.net/~k6jxy

1772. Re: Yaseu VX1R or Icom Q7A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: "Glenn E. Frasier" <kd5dmg@digitex.net>
Message-ID: <uoVRA5DX#GA.252@upnetnews05>
Source record: 116357

I have a Q7a and two sets of Ni-Cd AA's I would sell. email me And we will
talk.

--

Glenn E Frasier jr. Kd5dmg
kd5dmg@msn.com
home page http://members.tripod.com/kd5dmg/

Moderator of Photosmart Email list on www.onelist.com
Archives at: http://www.onelist.com/archives.cgi/Photosmart

Ian McCloy <ian_mccloy@bc.symaptico.ca> wrote in message
news:q94z2.58$rF4.178141@news.bctel.net...
>If anyone has one of these radios for sale . If they are fairly new , I am
>interested. Please let me know.
>
>Ian Ve7ira
>
>

1773. FS: HAM RADIO

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: infomrkt99@aol.com
Message-ID: <36cdc7a0.0@news.tsoft.net>
Source record: 116358

For sale via online auction: HAM RADIO "1997" CD-ROM
Ham Radio Information

Location: Orange Beach, AL United States
Minimum Bid: $6.99
Auction Ends: 2/25 10:16am PST
To bid, please go to CityAuction:
http://www.cityauction.com/item.asp?ID=257098

For sale via online auction: HAM RADIO "1997" CD
Ham Radio Info

Location: Orange Beach, AL United States
Minimum Bid: $6.99
Auction Ends: 2/25 3:56pm PST
To bid, please go to CityAuction:
http://www.cityauction.com/item.asp?ID=257353

* To learn more about CityAuction, visit http://www.cityauction.com

1774. Re: Virus alert! (was: cancel <36CA2818.A9DFC71C@herald.infi.net>)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Jack Anderson <jander@home.com>
Message-ID: <36CDCA70.5F56E38B@home.com>
Source record: 116359
Cross-posted to: rec.audio.marketplace,rec.audio.misc,rec.audio.opinion,rec.audio.tubes,rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.cb

For those interested, I found info on the Happy99.exe virus at this.
http://www.datafellows.com/v-descs/ska.htm
I got this virus in an email from some one off the radio swap newsgroups
and it is for real. It went into my address book and sent a copy of
itself to every one in my address book.

"W. Dean Milner" wrote:
>
> x-no-archive: yes
>
> "KD5GEH" <kd5geh@arrl.net> wrote:
>
> >And just how does a bitmap (.bmp?) file execute?
>
> Actually it doesn't, and doesn't have to in this case. The "virus"
> code is embedded in the bmp file and loads along with it into memory
> when you look at the file. It remains there until overwritten by
> another program or cleared on system restart. It would appear, from
> the description that it is activated by a subsequent screen saver
> startup at which point it executes from memory. If the system cleared
> memory before a screen saver activation then you would be safe - till
> you viewed that BMP file again.
>
> Hiding code or data in graphics files is not new. In cryptography
> circles its called stegonography. Much like hiding a coded message in
> clear text. Unless you know where to look it is well nigh impossible
> to find.
>
> 73 de VE1CBF
>
> Dean
>
> Note: remove the (.ns) from the user id before emailing.

1775. ft50 mod?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Mercs01 <mercs01@hotmail.com>
Message-ID: <36CDCF3B.6E@hotmail.com>
Source record: 116360

To anyone knowledgeable of the freeband mod.

I did the mod and the power up sequence is not working.
but when I power up the radio using (hold lamp,ptt,knob)
I get these options:

Band A3--
uHSSO
uTHSO
uTISO 70
uSILV 135
uS9LV 218
uHIPO 100
uL3PO 71
uL2PO 39
uL1PO 14

The mod says that when "Band A1" is shown to push the knob for 1/2
second and change it to freeband. But I can't adjust it.
My s/n starts with 8C_ _ _ _ _ _ If that is any help.

Thanks in advance

1776. FORSALE - MINT Kenwood TS-520S w/CW filter, mic, MFJ tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7akj6t$mde@nntpb.cb.lucent.com>
Source record: 116361
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,nj.forsale,rec.radio.amateur.boatanchors

I have a mint Kenwood TS-520S that I would like to sell.
In my opinion, the 520 and 520S are
some of the best rigs around and would make a
fantastic beginner station or a great backup rig.

For any novices not familiar with this radio, it is all solid state
(discrete components, so its very easy to repair if ever needed)
except for a tube driver and a pair of very
robust 6146 tubes as the finals. It has a builit in power supply,
but can also run off of 12VDC with an optional DS-1A
DC-DC convertor (not included). It also has connections for the
Kenwood DG-5 digital display.
It covers 160,80,40,20,15, and 10 meters in CW and SSB (upper and lower) modes.
The receiver section is excellent and I always get excellent audio quality
reports. Many folks say that these older Kenwoods are some of the best
sounding rigs on the air.

This rig also has the optional 500Hz CW filter
installed (genuine Kenwood option). Also included
is the Kenwood hand mic and (if you need it) an
MFJ 941C antenna tuner.

The price is $350 firm + shipping. You might find one for a few $ less,
but NOT is this great condition.

Joe Levantino
KB2FSH

(732) 949-0664

1777. Re: STD PK Pakratt software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: JuTravler <anybody@anyplace.net>
Message-ID: <7akija$t6m@bgtnsc02.worldnet.att.net>
Source record: 116362

You could go to a library or school and they can copy to a 3 1/2 disk.

Edward Legenza wrote in message ...
>Does anyone have a copy of the PK Pakratt software for the AEA Pk232
>multimode controller that they can upload over the internet. I bought a
>used controller, but the software is on 5 1/2 drive which I can not use.
>
>Don't do this if it is illegal to do so under copyright law, I am not a
>lawyer and do not know such things.
>
>Ed Legenza
>N6XA@msn.com
>
>TNX
>
>

1778. SB401 Schematic needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Anderson <anderson@csolve.net>
Message-ID: <36CDDB56.BDD70D62@csolve.net>
Source record: 116363

Good day to you ..I have picked up an old Heath SB401. No manuals with it. Anybody out there want to part with a copy of the tune-up manual or send me a scan of the schematic?
Any assistance with this piece of ham history is appreciated...
73 de John VE3UJK....anderson@csolve.net

1779. qst

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7akln1$mp8@nntpb.cb.lucent.com>
Source record: 116364
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,nj.forsale,rec.radio.amateur.equipment

I have a COMPLETE SET of QST magazines from 1980 through 1994
(15 years, 180 issues!) that I need to sell. I'd love to
keep them but just don't have the room. They are in very
good condition. This is a fantastic resource for anyone who
is seriously interested in Amateur Radio.

I am now taking bids on them. I will only sell as a complete
set, buyer picks up (NJ) or pays shipping. I'm thinking that
the minimum bid should be about $180 (ie, $1.00 per issue).

Please respond if your interested.

Thanks.

Joe Levantino - KB2FSH
Lucent Technologies, Bell Laboratories
Holmdel, NJ
732-949-0664

1780. FA JPS NIR-10 DSP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990219165636.13552.00000244@ng41.aol.com>
Source record: 116365

FA JPS NIR-10 DSP
THIS AT EBAY... I HAVE HAD NO BIDERS AS OF YET.. ONLY ASKING
40.00...

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=68227727

HELLO TO ALL !!! AS YOU CAN SEE THIS UNIT LOOKS LIKE NEW.. I BOUGHT IT ABOUT 1
1/2 YEARS AGO.. I HAVE BEEN ASKED, WHAT VERSION OF SOFTWARE, I CAN'T TELL YOU.
THERE ARE 2 E-PROMS IN THE UNIT, BUT HAVE NO MARKINGS OF VERSION NUMBER, SORRY.
I DO KNOW THAT YOU CAN HAVE IT UPDATED BY THE FACTORY, IF YOU LIKE...BUYER PAYS
$8.00 SHIPPING. I HAVE SEVERAL PHOTOS OF THE UNIT, JUST ASK AND I WILL E-MAIL
YOU. THANKS

1781. Re: Re posting, Moving coil meter repair

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: dynastic@0spam.cwcom.net
Message-ID: <36cdce76.20738398@news.cwcom.net>
Source record: 116366
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.radio.amateur

On Tue, 16 Feb 1999 22:47:07 +0000, Frank Erskine
<frank@g3wte.demon.co.uk> wrote:

>In article <36c9e38a.13185379@news.prestel.co.uk>, Jim Dunnett
><olympus@0spam.prestel.co.uk> writes
>>On 16 Feb 1999 12:10:52 GMT, "Simon Cox" <simon.cox@breathe.co.uk> wrote:
>>
>>>People worry about me, I ride a
>>>Kawasaki Z1000 LTD and listen
>>>to RA 17 valve radios.
>>
>>Surely not at the same time?
>>
>>Incidentally, I found a '9-Pin Miniature Tall Test Socket Adapter'
>>Model 1449 by Pomona Electronics of Calif. It extends the valve base
>>of an awkwardly placed B9A valve base out by 5.5cms
> ~~~~~~ ?
>
>What's that in real money? A couple of inches, I'd imagine :-)

No idea Frank. The ruler I used only gives standard measure.

(5.5cms is about 1.58 inches)

--
- 73 de Jim, g(m)4rga | ____
olympus%jimdee.prestel.co.uk | | |
dynastic%cwcom.net | Only | 0 | more nights!
marula%zdnetmail.com | -----
g4rga@gb7tjf.#45.gbr.eu |
Rallies Info: www2.prestel.co.uk/jimdee
Pgp key: pgpkeys.mit.edu:11371

1782. Re: Re posting, Moving coil meter repair

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Andy Lake <andy.lake@bt.com>
Message-ID: <36CDE607.7A73@bt.com>
Source record: 116367
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.radio.amateur

Jim Dunnett wrote:
>
> >>Incidentally, I found a '9-Pin Miniature Tall Test Socket Adapter'
> >>Model 1449 by Pomona Electronics of Calif. It extends the valve base
> >>of an awkwardly placed B9A valve base out by 5.5cms
> > ~~~~~~ ?
> >
> >What's that in real money? A couple of inches, I'd imagine :-)
>
> No idea Frank. The ruler I used only gives standard measure.
>
> (5.5cms is about 1.58 inches)

Uhh?????!!!!!!

1783. FS: Collector's Rare Swan 400 Rig with All Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36CDE6F5.22A7716A@cfu.net>
Source record: 116368
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

The 400 was Swan's first (1964) full-coverage (80-10) transceiver. Few remain, and most that do are in terrible shape. Almost none can be found with all the accessories, which are themselves very rare. This 400 is an 8.5 or better on anybody's scale, however: complete, bright, shiny, and fully operational. What's more, it comes with ALL the original accessories: 117XB power supply/speaker, 420 full coverage VFO, 406 SSB/mobile VFO, 22 VFO Adapter, and VX-1 VOX unit. Own a beautiful piece of ham history. $395 + shipping.

1784. FS: Mint 235XLT Trunk Tracker with WS1000 antenna.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: Ted Birckhead <birck@ibm.net>
Message-ID: <36CDF0AB.953E88F4@ibm.net>
Source record: 116369

Uniden Bearcat 235XLT Trunk Tracker mint condition:

Used less than 10 hours. Original box, manuals,
two battery packs, charger, charger module, earphone
and a WS1000 antenna instead of the stock Uniden.

In Rich Wells hand held antenna review, he rates the WS1000 antenna
the best for 800MHz reception. If you are interested in hand held
800 MHz trunking, this will be your optimum match.

$150 plus $5 Shipping and insurance. Postal money orders only.

Please email me if interested. birck@ibm.net

Ted-- (KE6DLL)

1785. Yaesu FT100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: "Leland C. Scott" <no-spam@junk-mail.net>
Message-ID: <7akrft$h5p@nnrp1.farm.idt.net>
Source record: 116370

Does anyone know a dealer anywhere in the US who is offering the Yaesu FT100 at below list price?

Leland C. Scott
KC8LDO

1786. Kenwood TS-711A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: armck@magicnet.net
Message-ID: <7aid9v$j4$2@comet3.magicnet.net>
Source record: 116413

FOR SALE KENWOOD TS-711A

This radio is in pristine condition and comes with hand mic. Original carton and manual. $650.00 includes shipping in the Continental US after reciept of money order or bank check. Serious inquiries only.

Ray McKeand-KE4UYN

armck@magicnet.net

1787. Alinco DR-150 2m & DR-605 Dual Band

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: armck@magicnet.net
Message-ID: <7aidke$j4$3@comet3.magicnet.net>
Source record: 116414

DR-150 2m/excellent condition used very little. $160.00 shipped in continental US after reciept of money order or bank check. Comes in original carton with manual.

(TWO ea) DR-605 Dual band 2M/440 with additional tone board.
One used on base and one used in mobile. Both in excellent condition. $600.00 for both or $325.00 if you only want one. Againa comes in original cartons with manual after reciept of bank check or money order.

Ray McKeand - KE4UYN

armck@magicnet.net

SERIOUS INQUIRIES ONLY!!!!!!

1788. WTB: SM6 or SM8

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: ronfont@asbank.com
Message-ID: <7aih7bgns1@nnrp1.dejanews.com>
Source record: 116415

Looking for a SM6 or SM8 in good condition at reasonable price. Ron WA5BWB

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1789. Re: SX-28 & SX-28A--what's the difference?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: jwudgy@no.spam.for.me.please
Message-ID: <36ccc90e.7582824@news.tdsnet.com>
Source record: 116416

Thank you for the posting and the email response. I really appreciate knowing the difference.

On 17 Feb 1999 06:00:32 GMT, n3xbu@aol.com (N3XBU) wrote:

>The SX-28A is a later version that came out in 1944. It was advertised as a
>"postwar model" incorporating many design changes suggested during its "combat
>use" during the war years. The 28 came out in '41. The 28A has modular sections
>for easier servicing. The transformer is potted. The 28 sold for $159.50, the
>28A for $223.00 The 28A uses a 6BA7 in the first RF and in the noise amp
>instead of 6SK7's. They advertised the PM-23 as an accompanying speaker for
>the 28A instead of the R-8 or R-12. My SX-28A is marked as such on the front.
>Many are not. Yours COULD be a 28A...look and see if it has 6BA7 markings on
>the chassis, for the aforementioned functions and an easily removable clip-on
>cover over the ganged tuning capacitors. If it does it's an SX-28A, if not it
>is an SX-28. In practice, the changes don't mean much except for servicing and
>"perceived" rarity. Neither are rare. Both are highly regarded, collectible and
>usable boatanchors with excellent audio.
>
>Brian K3VR

jwudgy@tdsnet.com

1790. Re: Does anyone still offer any GOOD HF xcvr kits?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: MelissaY@Zdimensional.com
Message-ID: <q%3z2.454$5w.829@wormhole.dimensional.com>
Source record: 116417
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <7ai0lp$s8g$1@news.xmission.com>, "Dan" <n7wpd@xxmission.com> wrote:
>I also looked at it, and appears that they're considering putting computer
>control on it.
>I am under the impression that it currently does not have computer control.

Wouldn't it be awesome if you could build a HF xcvr kit with 100 Watts PEP
and the works like that?

From looking at their web page though, it looks like the thing is just barely
coming onto the market.

Didn't see any sensitivity or selectivity figures either.

And that's just my opinion, I could be wrong. :)

- Melissa <http://www.dimensional.com/~melissa/>

By the way, if anyone's interested in a brand new
Windows 98 upgrade CDROM, in a sealed sleeve with
key, I have an extra and can sell it for $70.
I'll even pay postage. Email me.

Basic personal or small business web page design:
<http://www.dimensional.com/~melissa/webpages.htm>

To email me, remove the spam proofing capital letters on each side of the @
in my email address.

1791. fs- Kenwood TR-751A 2mtr All-Mode

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990218214152.18054.00003449@ng-fb1.aol.com>
Source record: 116418

Hi Guys;
For SALE:
Kenwood TR-751A 2 meter mobile all-mode, excellent condition with bracket,
manual and ttp Mike. Price is $400.00ppd Conus!
Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

1792. Re: 222mhz?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: mojaveplan@aol.com
Message-ID: <19990218214709.24036.00002674@ng-cb1.aol.com>
Source record: 116419

>>That not a very popular band? I've come accross very few radios capable of
>>'supporting' it while websearching (the nearest radio store's quite aways
>>from here, so I'm trying to educate myself before the trip)... I was really
>>wanting a 2m/222/442 mobile radio (my local club has repeaters on those 3
>>bands), and.... Nada...

Down East Microwave, Ten-Tec, and Rick Campbell KK7B all offer 222mhz kits. I suggest building and setting up a 222 station and activating the band in your area. There are a handful of exisitng operators just dying for some contacts.. Antennas are small and propagation is enhanced by tropospheric conditions. Try something new and learn from it.
jeff, kd7dcy, dn17

1793. FS: 2 meter Mirage 160 Watt amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-19 00:00:00 UTC
From: n9patsmk@aol.com
Message-ID: <19990218224846.10986.00003780@ng02.aol.com>
Source record: 116420

Mirage B1016 2 meter amp. 10 watts drive gets 160 watts out. This amp has been used only a few times and is in excellent shape. $250

Steve
N9PAT

1794. Re: ALINCO DR130 Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: fishbags@aol.com
Message-ID: <19990220151607.07204.00000352@ng-fw1.aol.com>
Source record: 116172

Yes you can expand the 20ch to 100ch with the EJ-"somthing" (forgot the #)
expansion chip avail thru all alinco dealers. Good Luck

1795. Re: Yaesu FT100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: fishbags@aol.com
Message-ID: <19990220151928.07204.00000354@ng-fw1.aol.com>
Source record: 116173

Advanced Specialties in NJ is quoting $1325 on the Yaesu FT-100
http://home.att.net/~Advancedspec/advanced.htm

1796. KD4LYP's scanner & ham page has moved.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Danny <danny@webdeals.net>
Message-ID: <36CF1E1F.32C7@webdeals.net>
Source record: 116174

KD4LYP's ham and scanner pages has moved.

The new URL is:
http://www.webdeals.net/kd4lyp.htm
Please update your bookmarks and if you have a link from your
page...please change it.

If you have a link that you would like to add to my page let me know.

1797. Re: Re posting, Moving coil meter repair

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: dynastic@0spam.cwcom.net
Message-ID: <36cf19a4.5920753@news.cwcom.net>
Source record: 116175
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.radio.amateur

On Fri, 19 Feb 1999 22:30:31 +0000, Andy Lake <andy.lake@bt.com>
wrote:

>Jim Dunnett wrote:
>>
>> >>Incidentally, I found a '9-Pin Miniature Tall Test Socket Adapter'
>> >>Model 1449 by Pomona Electronics of Calif. It extends the valve base
>> >>of an awkwardly placed B9A valve base out by 5.5cms
>> > ~~~~~~ ?
>> >
>> >What's that in real money? A couple of inches, I'd imagine :-)
>>
>> No idea Frank. The ruler I used only gives standard measure.
>>
>> (5.5cms is about 1.58 inches)
>
>
>Uhh?????!!!!!!

All right then, try 2.18

--
- 73 de Jim, g(m)4rga | The Englishman is under no constitutional
olympus%jimdee.prestel.co.uk | obligation to believe that all men are
dynastic%cwcom.net | created equal.
marula%zdnetmail.com |
g4rga@gb7tjf.#45.gbr.eu | - John Updike 1932 -
Rallies Info: www2.prestel.co.uk/jimdee
Pgp key: pgpkeys.mit.edu:11371

1798. Re: FT-50 Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: tgold@microvest.demon.co.uk
Message-ID: <19990220.1633.9900671snz@microvest.demon.co.uk>
Source record: 116176

On Friday, in article
<36CD8CF3.2A90982C@draco.as.utexas.edu>
ward_die_spambot@draco.as.utexas.edu "Michael H. Ward"
wrote:

> In response to all who said something to the effect of "why? he isn't
> licensed to transmit out of band..." Actually he is. I'm not going to
> go into all the details, but he can use frequencies outside of the
> amateur band. This radio is primarily his ham rig, but it may serve as
> his back to his other radios.

Since you won't go into all the details, Mike, let me guess: your
friend believes that he can receive permission from the licensed user
of that out of band channelto use non-type approved equipment there.

Well, if that's the case then he's dead wrong.

Regards,
--
Tony - G3SKR / W2TG email: tgold@panix.com

1799. Re: NFS:Radio Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: bored@isp.com
Message-ID: <7an97cgjf1@taliesin.netcom.net.uk>
Source record: 116177

On 18 Feb, in article
<19990217211723.02814.00001928@ng-fq1.aol.com>
resq106@aol.com "Resq106" wrote:

> Only on the Web can you find such lively entertainment!

Which explains why it is so boring when read on internet news.

1800. Re: FS Yeasu FL-2100B Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: "D. Shane" <dshane@mail.ichange.net>
Message-ID: <36CF2A1C.C4429DCD@mail.ichange.net>
Source record: 116178

Is this the amp that takes 5 or 6 6KD6 tubes?

-Don, K4DLS

Arden wrote:
>
> FS Yeasu FL-2100B Amplifier. 1200 watts input and about 500 watts
> out. Excellent condition inside and out.
>
> Arden Eby KI7G

1801. FS:Motorola Parts Mobile(broken)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: spectrumcom@my-dejanews.com
Message-ID: <7and61$i25$1@nnrp1.dejanews.com>
Source record: 116179

Motorola Parts Mobile Missing case and other parts Believe to Be 900 2 system Maxtrac.Rough Shape.Sold (AS-IS)Untested Believed to be broken.Includes Rear Heak sink with 16 pin plug.Great parts radio or project.
50.00+shipping
*Will accept Prepaid Postal Money Order or Personal Check(10 day delay)
*If Shipping is noted as included with price it is shipped via US Postal Service Priority Mail (Insured)
Thanks Bryan Bailey

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1802. Re: FS Yeasu FL-2100B Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <7an9pb$34j$1@news-1.news.gte.net>
Source record: 116180

It takes 2 572B's, has about 600 watts output, matches the Yaesu Ft
101 series transcievers in size and styling, and is an EXCELLENT
medium power amp!

Gary - KJ6Q

D. Shane wrote in message <36CF2A1C.C4429DCD@mail.ichange.net>...
>Is this the amp that takes 5 or 6 6KD6 tubes?
>
>-Don, K4DLS
>
>Arden wrote:
>>
>> FS Yeasu FL-2100B Amplifier. 1200 watts input and about 500 watts
>> out. Excellent condition inside and out.
>>
>> Arden Eby KI7G

1803. Re: FT-50 Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: davem@redgreen.cs.ubc.ca
Message-ID: <7anaj8$3rk@redgreen.cs.ubc.ca>
Source record: 116181

ward_die_spambot@draco.as.utexas.edu writes:
>but he can use frequencies outside of the
>amateur band. This radio is primarily his ham rig, but it may serve as
>his back to his other radios.

If he's doing MARS or CAP work, he can use an amateur radio on those
frequencies. But for anything else, the *radio* needs to be approved
for use on the frequency, as well as the *operator* - and the FT-50
is not approved.

Dave

1804. FS:Motorola Uhf Radius Parts Mobile(broken)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: spectrumcom@my-dejanews.com
Message-ID: <7andmk$ih2$1@nnrp1.dejanews.com>
Source record: 116182

Motorola Parts Mobile Missing case and other parts Believe to Be UHF 2 channel Maxtrac.Rough Shape.Sold (AS-IS)Untested Believed to be broken.Includes Rear Heak sink with 5 pin plug.Great parts radio or project.Model#d34lra73a5ck
50.00+shipping
*Will accept Prepaid Postal Money Order or Personal Check(10 day delay)
*If Shipping is noted as included with price it is shipped via US Postal Service Priority Mail (Insured)
Thanks Bryan Bailey

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1805. 2m Amp For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Ron Hebb <hebbster@csiway.com>
Message-ID: <7an8l6$1dm6@enews4.newsguy.com>
Source record: 116183
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

2M Amp for sale Mirage/KLM B2530G amp 25w in 300w out. Delay pot needs to be replaced but amp works perfectly when hard keyed. 300+ watts output. Have manual. Asking $275.00

1806. Re: Where's the email gone

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Mark Keith <nm5k@wt.net>
Message-ID: <36CF2A01.64ED@wt.net>
Source record: 116184
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap,uk.radio.amateur

Simon Cox wrote:
>
> Am I the only one who's not getting mail
> or is there a major problem somewhere.
There is always a major problem somewhere.
> --
>
> Peolpe worry about me, I ride a
> Kawasaki Z1000 LTD and listen
> to RA 17 valve radios.

Well, at least you can move fast while you are listening. MK

--
http://web.wt.net/~nm5k

1807. FS: Two NIB 3-500 Graphites, $175

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36CF31F5.592EEB7B@cfu.net>
Source record: 116185
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

These tubes are new-in-box, never used, purchased less than 6 months ago. $175 + ship from 50613. Jan N0JR

1808. FS: Boonton 4200 Digital Microwave Power Meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: yulius@shay.ecn.purdue.edu
Message-ID: <7anc1oblr1@mozo.cc.purdue.edu>
Source record: 116186

Hello,

I have a Boonton 4200-S/21 Power Meter forsale. It is in excellent working condition. The specifications are -70 to +30 dBm, 100KHz - 110GHz(sensors dependent). The unit can also be upgraded to 2 channel sensors and IEEE-488. This unit has digital display and rear panel recorder output connector. Included with this unit, a power sensor 4200-6E(100KHz-18GHz, -40 to +30 dBm), power cord, and complete manual. I am asking for $550(shipped).

Picture of the power meter(from tucker.com):

http://expert.cc.purdue.edu/~yulius/boonton.html

If you are interested, please send an email to: yulius@ecn.purdue.edu

Best regards,

Aristo
--
****
* Aristo Yulius | Purdue University *
* Internet: yulius@ecn.purdue.edu | West Lafayette, IN 47907, USA *
****

1809. FS alinco dr600 dual band mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: ADRIAN OAKES <apokb8grj@erinet.com>
Message-ID: <7ancuq$k8i$1@news.erinet.com>
Source record: 116187

An as new alinco --- never mobile. $375.00 plus ship
see pic http://users.erinet.com/38141/salepage.htm
have box and all that goes with radio. no scratches
anywhere. Thank you KB8GRJ

1810. FS: Six meter repeater and 220 mhz repeater.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Sam <sdsnyder@prodigy.net>
Message-ID: <36CF3A69.E44@prodigy.net>
Source record: 116188
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For Sale:

I have a RCA solid state 100 watt repeator on six meters operating. Has it's own controller/Ider, power supply, etc. Also extra Pa/tx and rx strips. (4)Duplexers are DB products. No antenna. $500.00 you arrange pickup.

Motorola 220 mhz repeater, conversion vhf mobile mounted in 19"rack, with power supply, S-Com 5K controller, 6 cavity duplexers. NO antenna. $500.00 your arrange pickup.

Both machines can be shipped, but would be expensive from 37615.
Open for offers to take both at a discount.

Sam

1811. WTB: SOL Terminal Computer SOL-10 or 20

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Alan <alan.diaz@snet.net>
Message-ID: <7anc69$4l@news1.snet.net>
Source record: 116189
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.swap

Trying to find someone that has a Processor Technology Corp. SOL-10 or SOL-20 willing to sell. You know you have one in the back of the attic, please dig it out and come back at me. You can reach me at chipsndips@snet.net.

Alan

1812. Re: Kenwood 570 S or S(G)?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: f117ab@ameritech.net
Message-ID: <36CF3BA4.BBEF4154@ameritech.net>
Source record: 116190

If it came from the factory with the (G) it shows on the serial number label in the upper right hand corner. If it just says Ts-570S it was not a G from the factory. . .
de k9xf

ci@springnet1.com wrote:

> Does anyone know how to determine by either serial number or model
> number if a TS-570S is the original model or the improved (G) model?

1813. Re: VX-5r Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Francis <ve2fgs@videotron.ca>
Message-ID: <DZGz2.2186$KK4.1733@weber.videotron.net>
Source record: 116191

Yes

Francis VE2FGS
ve2fgs@videotron.ca

Glenn E. Frasier a crit dans le message ...
|Anyone using the VX-5r software off the Internet(yard,yawd) to program
their
|radio?
|
|
|
|--
|
|Glenn E Frasier jr. Kd5dmg
|kd5dmg@msn.com
|home page http://members.tripod.com/kd5dmg/
|
|Moderator of Photosmart Email list on www.onelist.com
|Archives at: http://www.onelist.com/archives.cgi/Photosmart
|----------
|
|

1814. WTB R390/390A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: James Skalski <jskalski@buffnet.net>
Message-ID: <36CF400C.7135D86B@buffnet.net>
Source record: 116192

Please reply direct if you have one of these, give description,
serial number and price.
partial chassis/parts considered.
--
73,

Jim N2go

1815. Prarie Digital Board

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Czeczek <czeczmar@free.polbox.pl>
Message-ID: <YbHz2.2714$U1.469486@news.tpnet.pl>
Source record: 116193

I am searching for project of the Prarie Digital Board publicated in AMSAT Journal 12/94.
Pleaseeeeee help !

Marcin Czeczko
czeczmar@free.polbox.pl
czeczmar@infeco.pb.bialystok.pl

1816. FS at Cincinnati Hamfest

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: W4UDX <crslex@iglou.com>
Message-ID: <36CF2CB7.1AC203E8@iglou.com>
Source record: 116194

For Sale at Cincinnati Hamfest next weekend:
Drake TR-3 HF transceiver, AC-3 power supply, and MS-3 speaker.
Transceiver has good finals. Has some receive and transmit on 80 through
20 meters, but is dead on 15 and 10. Front panels are in super shape,
but cabinets need repainted (no dents).
AC-3 works well. MS-3 has a NEW 5x7 full range speaker in it. Includes
original owners manual. $135 for all or trade for a Drake MN-4 tuner.
Also a Tokyo Hy-Power HC-150 antenna tuner with built-in SWR/Watt
meter.

See Mark W4UDX at Cincinnati hamfest. Thanks

1817. Re: Which HF Rig in this price range??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: W4UDX <crslex@iglou.com>
Message-ID: <36CF2DFB.8011A5BB@iglou.com>
Source record: 116195

Get the TS-940S. It's a man-sized radio, not a little toy..... W4UDX

Lee Hall wrote:

> OK, here is the question. I plan on buying an HF rig in the next
> couple of months. I will probably have about $900 to spend. I will
> be using the rig primarily for contesting, about 75% phone and 25% CW.
> I already own a Kenwood TS450SAT which I am very happy with.
> So, I need to narrow my choices. I am leaning toward a mid-range used
> rigs with only a few years on it. Here is what I have found I can get
> in this price range. I need opinions onthe advantages and
> disadvantages of the rigs for the type of use I will have and any
> personal opinions on which rig you would choose. An automatic tuner is
> an absolute requirement. Speed and ease of use are as well.
>
> Another TS450SAT, with accessories for this price
> Yaesu FT 767
> Kenwood TS940
> Kenwood TS570D
> Icom 751a
> Yaesu FT890
> Ten-Tec Omni V
> Kenwood TS690
> Others???
>
> Thanks in advance es 73,
> Lee (NY4T)
> http://members.home.net/ny4t

1818. Re: KNWD TS-870S VOX Operation

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: moses_elmshorn@t-online.de
Message-ID: <7anflb$4nr$1@news00.btx.dtag.de>
Source record: 116196

George,

you are quite right, VOX does not work when AF input
is supplied to the ACC plug on rear of TS-870. I've
made the same experience. VOX only operates by feeding
the AF into the MIC plug on the front panel. My
suggestion is: use SEND-Button manually or use
PTT-Output provided via RS-232 of your computer.
Therefore see PSK31-helpfiles for the finer details.

Klaus, DL5HCK

1819. Icom 471H 440Mhz All mode Base

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: JOSEPH FROUNJIAN <josfro@becnet.com>
Message-ID: <01be5d0e$52216c40$21caaacc@default>
Source record: 116197

Icom 471H : 440Mhz all mode base station wth internal power supply, covers 440-450Mhz., adjustable output 10 watts - 75 watts, dual VFO's, programable scaning, 32 memories can also run off of 12 volts. Great for DXing or satellite work. Like new in box, used very little and stored in box. MInt condition, asking $800.00 or best offer plus shipping.
--
Joseph Frounjian
KA3OYJ

--
Joseph Frounjian
KA3OYJ

1820. FS: bearcat 200XLT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Monte Keller <k9dzd@iquest.net>
Message-ID: <mFHz2.249$nc.1378@news1.iquest.net>
Source record: 116198

i have a nice Bearcat BC 200 XLT with full 800 meg receive,
battery,wall charger,optional charging stand,2 antennas,leather case,
manual...

works great

135.00 shipped

thanks
monte k9dzd@iquest.net

1821. ts870 reviews required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: jdixon@enterprise.net
Message-ID: <36cea331.3906469@news.enterprise.net>
Source record: 116199

Hi.
Anyone got info on sites with reviews of Kenwood ts870 ?.

Thanks GI0BFO
R.J.Dixon, GI0BFO
Belfast. N.Ireland
e-mail johnston@dixon.net
jdixon@enterprise.net
gi0bfo@qsl.net

1822. Re: NATION WIDE HAMFESTS LISTS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Tony Giroux <agiroux@cvn.net>
Message-ID: <36CF3A9D.B877B55@cvn.net>
Source record: 116200
Cross-posted to: alt.ham-radio,alt.ham-radio.vhf-uhf,rec.ham-radio,rec.radio.amateur,rec.radio.amateur.equipment

This one is the best I've seen. The only ones not there are the ones
not reported
to ARRL.

http://www.arrl.org/hamfests.html

Tony -- KF3BX

Bill Davis wrote:

> Greetings from Southern New Jersey
>
> Could someone point me in the right direction where I can find a
> Nation Wide List of Hamfests..
>
> Thanx and 73 de Bill N2ZSO

1823. FA: Two Motorola Radius P10 1-Watt VHF Handhelds

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Stephen Waits <swaits@ix.netcom.com>
Message-ID: <36CF4CF2.21E4A247@ix.netcom.com>
Source record: 116201
Cross-posted to: alt.radio.family,alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.noncomm,rec.radio.swap,us.misc.family-radio

Like new radios with BRAND NEW Factory NiCad Battery Packs (worth $80 alone)!

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67737914

Good luck!

1824. Re: Yaesu Battery Help Question????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: "Paul F. McCarron" <w1hzy@cybertours.com>
Message-ID: <36CF503B.30768812@cybertours.com>
Source record: 116202
Cross-posted to: alt.ham-radio.marketplace,es.rec.radio.amateur,es.rec.radio.misc,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

I have been charging Maha Ni hydride batteries with the yaesu quick charger without a problem!

William Kucharski wrote:

> While reading article <RvHy2.39327$b8.16816664@hme2.newscontent-01.sprint.ca>, I noticed that
> "Bob Muskie" <muskybob@sprint.ca> said the following:
> >Hello...
> >I am buying a couple of 12volt 1200MAH batteries for my
> >Yaesu FT-530 handheld.Aftermarket..
> >When I bought my radio I got a battery charger #NC-18B which
> >will charge at 14.5volt 50MA... I know that this charger is good
> >for the 12v 600ma batteries that I first had but is it still good for
> >the newer stronger batteries??????
> >is the charging time just doubled..???
> >The charge time for this charger is 15hours for the 12v 600ma..
>
> The MAH batteries will charge fine with the "wall wart" (slow) charger, at
> an increased charging time.
>
> The MAH batteries will NOT work with the Yaesu Quick Charger.
> --
> | William Kucharski, Lucent Technologies | The opinions expressed herein
> | Internet: kucharsk@drmail.dr.lucent.com | are MINE alone, and are CERTAINLY
> | UUCP: You're kidding, right? Ham: N0OKQ | NOT those of Lucent Technologies.
> | President, "Just the Ten of Us" Fan Club | "Megadittos from Denver, CO"

1825. FS TS-430S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Jim Copanos <n0ftc@evergreen.net>
Message-ID: <7aniu2hrl1@remarQ.com>
Source record: 116203

Kenwood TS-430S, like new (less than 1 hr tx time), no filters/FM, MC-80
desk mike, box, manual, etc, $450
Matching power supply, PS-430, $100 (will not sell alone)

Jim Copanos, N0FTC
30986 Kings Valley Way
Confier, CO 80433
(303) 838-2483 eves
(303) 901-2856 weekdays
n0ftc@evergreen.net

1826. Re: Which HF Rig in this price range??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Bill Clarke <W2BLC599@bigfoot.com>
Message-ID: <7anjn3$q48$1@paxfeed.eni.net>
Source record: 116204

From the group you gave - I'd opt for the Omni-V. But, you might look for a good Yaesu 990 - an excellent rig, that was taken out of production too soon and replaced by an inferior unit (my opinion).

--
Bill Clarke W2BLC
W2BLC@bigfoot.com

1827. FA:* AMPS AND ELECTRONIC REPAIR EQUIPMENT *

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: BB Wolf <bigbadwolf1@earthlink.net>
Message-ID: <36CF5601.ABAB9F0C@earthlink.net>
Source record: 116205
Cross-posted to: rec.audio.marketplace,rec.audio.tubes,rec.radio.swap,rec.radio.amateur.equipment

FA: 2 AMPLIFIERS (need repair), Bench Top Oscilloscope, & Signal Tracer. ALSO, ANTIQUE BATTERY
RADIO FROM 1926 - AC DAYTON XL25

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=68037179 - TUBE AMP Needs Repair

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=68334346 - Signal Tracer

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=68323093 - Oscilloscope

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67727262 - AC DAYTON XL25

THANK YOU !

-ERIC

1828. Re: Transverters for 6M and 2M?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Mark Brown <kb0pyo@rconnect.com>
Message-ID: <36CF68FD.1B76930C@rconnect.com>
Source record: 116206

Hi
Check out www.downeastmicrowave.com

ZaaX wrote:
>
> I was wondering if there are any transverters for 6m and 2m that are fully
> assembled other tha the one from Ten-Tec? Any info on this will be most
> appreciated.
>
> 73
> Zack
> N8FNR

1829. FS: Ham Radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Gary <catlink@erols.com>
Message-ID: <7anrjc$2b8$1@winter.news.rcn.net>
Source record: 116207

Kenwood TR-751A 2m all mode W/TTMic (no tone board), $400.

Yaesu FT-757GX HF all mode W/FP-757GX power supply, $550.

President HR2600 (HR2510 CPU installed with Mod) 10m all mode W/Mic/mobile bracket/original CPU, $200.

Alinco DR-119 W/TTMic and Cell freq Mod (very cute little mobile) $150.

All radios have never been mobile, owned by a non-smoker, and are in the best condition you could find anywhere. However the Alinco has developed a little squiggley line in the far right part of the LCD display. Its been that way for months so hopefully shouldn't change much and does not interfere with the LCD display. I have pictures of the equipment if needed.

Thanks.
Gary
N5IXI

1830. WTB: Kenwood battery pack BT-8 for TH-27A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Yates Family <gyates@mindspring.com>
Message-ID: <7anu6r$f8j$1@camel29.mindspring.com>
Source record: 116208

Please contact me by e-mail if you have one for sale.

Thanks,

Greg gyates@mindspring.com

1831. Kenwood TM-732E Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Rollins <rollins@island.net>
Message-ID: <7ao3tc$19s$1@frasier.island.net>
Source record: 116209

Hello. I just purchesed a Kenwood TM-732E. Im trying to find a mods for it though there doesn't seem to be any on the internet. Any help would be appreciated. Thanks alot

Sean.

1832. Re: FS TS-430S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Jim Copanos <n0ftc@evergreen.net>
Message-ID: <7ao4cr$1ai$1@remarQ.com>
Source record: 116210

Rig has been sold!
Jim
Jim Copanos wrote in message <7aniu2hrl1@remarQ.com>...
>Kenwood TS-430S, like new (less than 1 hr tx time), no filters/FM, MC-80
>desk mike, box, manual, etc, $450
>Matching power supply, PS-430, $100 (will not sell alone)
>
>Jim Copanos, N0FTC
>30986 Kings Valley Way
>Confier, CO 80433
>(303) 838-2483 eves
>(303) 901-2856 weekdays
>n0ftc@evergreen.net
>
>

1833. Re: Info - TS870

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Jones <Jones@nomail.com>
Message-ID: <7ao62r$251$1@news.orbitworld.net>
Source record: 116211

Steve Ellington N4LQ wrote
>Also, the radio had the strange ability to recieve signals that weren't
>really there. Known as intermod, it's a miserable situation to tune across
>40m and hear cw from somewhere coming through on all frequencies and
>sounding like blowing air! This on a $2200 radio?

You had your noise blanker set too high. Back it off and the (intermod?)
noise goes away. Actually I found this quirk to be handy. When the band is
dead, I leave the blanker on full and do something else. When a CW signal
shows up anywhere on the band, I hear it. Then I simply tune to it, and make
my call. It's an undocumented band scanner...

1834. FS: Motorola M75 Digital Cellular Phone

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Richard Seebach <St1055@email.msn.com>
Message-ID: <#T6GNOWX#GA.220@upnetnews05>
Source record: 116212

Motorola M75 Digital Cellular Phone

Unit is New has 99 alpha Number Storage Works with the AT&T PCS TDMA System
Comes with 1 High Cap NMiH Battery & 1 Slim Line NICK Cadmium Battery Wall
Charger.
This Phone Has A Built In Rapid Charger.

Also Comes with A Hands Free Kit With will charge the battery
Comes with remote mic to put on your visor and a remote speaker
It also Provides an external antenna connector Asking $300.00 For all

For more Info On the M75 Click Here
http://www.mot.com/GSS/CSG/Products/TDMA/m75.html

If interested E-mail Me At ST1055@msn.com Thanks!!

1835. Re: FT-50 Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: farnsworth <farnsworth@parg.org>
Message-ID: <36CFB1F8.1621@parg.org>
Source record: 116213

Am I mistaken, or isn't it still illegal to modify a Ham rig to transmit outside the amateur bands. Such as 11 meters for example. The amateur rule book must be kinda like the Bible. Interpret the thing to suit your own requirements. CB'ers Bootleggers and Pirates are the ones who seem to have the most trouble abiding by the rules. Good luck in the contest Good Buddy!

Michael H. Ward wrote:
>
> In response to all who said something to the effect of "why? he isn't
> licensed to transmit out of band..." Actually he is.

1836. FS: Wavetek 859 with Dual Output Channels (Option 1)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: mjames@idt.net
Message-ID: <mjames-2002992336100001@ppp-25.ts-8.lax.idt.net>
Source record: 116214
Cross-posted to: sci.electronics.equipment,sci.electronics.misc,rec.radio.amateur.equipment

Wavetek 859 in excellent physical condition and working. This unit is very clean and contains option 1. Option 1 is the dual channel output cards. This is a 50 MHz synthesizer with digital control of frequence, width, delay, leading and falling edge transitions and low and high amp. Additional specifications are available upon request. This unit is also HPIB programmable.

Best Offer
-- Mark

1837. FS: Motorola M75 Digital Cellular Phone

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: "ST1A55@msn.com" <ST1a55@email.msn.com>
Message-ID: <eTV8MBXX#GA.275@upnetnews03>
Source record: 116215

Motorola M75 Digital Cellular Phone

Unit is New has 99 alpha Number Storage Works with the AT&T PCS TDMA System
Comes with 1 High Cap NMiH Battery & 1 Slim Line NICK Cadmium Battery Wall
Charger.
This Phone Has A Built In Rapid Charger.

Also Comes with A Hands Free Kit With will charge the battery
Comes with remote mic to put on your visor and a remote speaker
It also Provides an external antenna connector Asking $300.00 For all

For more Info On the M75 Click Here
http://www.mot.com/GSS/CSG/Products/TDMA/m75.html

If interested E-mail Me At ST1A55@msn.com Thanks!!

1838. FS: AOR AR7030 "Plus"

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: davez <davez@ticon.net>
Message-ID: <7amo70cmi1@galileo.ticon.net>
Source record: 116216
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Hello, and thank you for taking the time to read this message.

I have FOR SALE (one) :

AOR AR7030 "PLUS" Communications Receiver. This "Plus" unit has 5 IF filters: 2.2 / 3.5 / 5.3 / 6.4 /9.5 Khz. Firmware version 15B. Mint condition, works perfect. Includes org. box, packing, both manuals, remote control, AOR Power Supply.

Price: $ 800.00 Firm (No Trades) UPS Shipped ,USPS Add $ 20.00. Money Order or Cashiers Check only (sorry no COD's). USA lower 48 only please !!!

Contact me directly if intrested....
davez

1839. FS: AOR AR7030 "PLUS"

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: davez <davez@ticon.net>
Message-ID: <7ams8q$hq9$1@galileo.ticon.net>
Source record: 116217
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

(This may be a "dup" ?? Not sure if the first try made it as I have problems with the local ISP on Newsgroups...Sorry if this turns out to be a dup post)

Hello, and thank you for taking the time to read this message.

I have FOR SALE (one) :

AOR AR7030 "PLUS" Communications Receiver. This "Plus" unit has 5 IF filters: 2.2 / 3.5 / 5.3 / 6.4 / 9.5 Khz. Firmware version 15B. MINT condition, works perfect. Includes org. box, packing, both manuals, remote control, AOR Power Supply. About 1 year old.

Price: $ 800.00 Firm (No Trades) UPS Shipped ,USPS Add $ 20.00. Money Order or Cashiers Check only (sorry no COD's). USA lower 48 only please !!!

Contact me directly if intrested....
davez

1840. yaesu ft50r

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: dominic pantalleresco <amaso@orbit.net.mt>
Message-ID: <36ce9a31.0@195.158.64.19>
Source record: 116222

could somebody help me from where I can get an interface for the adms
software
I am Dominic Pantalleresco
9h5pu
thanks

begin 666 ATT00052.gif
<encoded_portion_removed>

1841. Info - TS870

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: "William H. Perry" <hamiam1@mail.cha.bellsouth.net>
Message-ID: <36CE9EA1.F82@mail.cha.bellsouth.net>
Source record: 116223

Looking for info on views from TS870 owners - What you like abt
this rig and what you dislike......Does it live up to Kenwood's
claims......Has anyone used this rig for an IF for a 2-6 mtr
transverter. If it's this quiet it should be great for that...
Thanks for your help.......73's de Hal - W4HP

1842. Re: ANTI-CW people.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: "Leonard M. Pheobus" <Sysadmin@Annapolis1.com>
Message-ID: <36CEAA8B.B1BD4C06@Annapolis1.com>
Source record: 116224
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

cincpac wrote:

> > > Another lying Democrat, George Bush.
> > >
> >
> > QUESTION?!?
> >
> > Since when is George Bush a Democrat?
> >
> > I am not even a legal adult and I STILL know a democrat from a republican. I better go back to associating with people my own age who still think before they type.
>
> > teenager - procoder - not to lazy to get up and study for PRIVILEGES I want -
> > RealHam.
> ----------
> Mr. Teenager, you're a *real ham* in more ways than you think. You need
> to spend less time with archaic modes of communication and more time
> learning to interpret satire, irony, double meanings, and other genre of
> English writing.
> Think, read, and try to discern what was writtten before YOU type.

cincpac,

I think you need to look at the context of the article . teenager is right in this case "other genre of
English writing" included! Keep the code and keep .- ... ... --- .-.. . ... .-.. .. -.-- . -.-- --- ..- - --- .- -- .. -. .. -- ..- --

Thank you for your precious time and concern
Leo

--

WINDO$Z is 32 bit patch to a 16 bit GUI
to an 8 bit OS for a 4 bit CPU by a 2 bit
company which can't stand 1 bit of competition

1843. Re: Citizen Band Radio Web Site

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7amacqonn1@ostrich.cybercomm.net>
Source record: 116225

JKnope wrote in message <19990220051216.01133.00000429@ng-fz1.aol.com>...
><a href="http://www.angelfire.com/fl/jknope/cb.html">Click here

Why?

1844. Re: CW tapes.....Which ones? so many to choose from.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: &NM7U <&NM7U@hevanet.com>
Message-ID: <36CEAEDA.153FCFF8@hevanet.com>
Source record: 116226

msb wrote:

> wb,
>
> in a word -- none.
> check this out ->
>
> http://www.biochem.mcw.edu/Postdocs/Simon/radio/exam.html
>
> William Bender wrote:
>
> >

It's trivial to write a basic program that can "send" a text file.
That way, you can input something you're interested in rather
than a bunch of stuff you don't care about. Increased motivation.
Convert your email to code, put it on a cassette and listen on the way
to work.
miker

--
Big list of WANTS and FORSALES at link below.
Return Address is Bogus.
TO REPLY CLICK HERE http://www.hevanet.com/nm7u
Or you can DELETE the & in the "from" address.

1845. FA: Vintage Shure Desk Microphone Model 520SLB on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: sciquest@NOSPAM.mediaone.net
Message-ID: <2vyz2.537$HF4.1088805@brnws01.ne.mediaone.net>
Source record: 116227

Vintage Shure Desk Microphone Model 520SLB

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=68706198

eBay item 68706198 (Ends 02/25/99 17:19:54 PST)

See my other auctions for more goodies:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=sciquest

Thanks for looking!

1846. SX-28

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: "John P. Cummins, Sr." <jpcummins@worldnet.att.net>
Message-ID: <36CEB785.95F7DA5F@worldnet.att.net>
Source record: 116228

Do you remember the SX-28 that I got down at Keesler for $25. I loaned it to Father Billy Voller and he gave it away without talking to me.

I saw one on ebay for $425.

j.p.

1847. Icom 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Kevin Nickelson <kknickelson@mmm.com>
Message-ID: <36CF0FD0.8EB255BB@mmm.com>
Source record: 116229

Hi Gang,

I'm looking for opinions on the Icom IC-756. Good or bad, let me know
what you think. Respond here, or to me direct at W0KKN@hotmail.com

Thanks & 73,
Kevin W0KKN

1848. FS: Yaesu FT-51r Dual Band HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: n4weq@qsl.net
Message-ID: <36cfbc4b.1830768@news.mindspring.com>
Source record: 116230

For Sale: Yaesu FT-51R Dual Band Handheld (2-m/70-cm). Like new condition. Includes all original options (FNB-31 Battery, Ant, Wall charger, manual, orignal box and sales slip. Bought on a whim at HRO Woodbridge, VA a couple of years ago but never used. Asking $275.00 and I will ship anywhere CONUS or would swap for a name brand PC motherboard, Intel P2 CPU and a bit of memory.
==========
Specifications:

Frequendy Coverage
VHF RX: 110-180 MHz
TX: 144-148 MHz
UHF RX: 420-470 MHz
TX: 430-450 MHz

120 Memory Channels

Cross-Band & One-Way

==========

Dan
N4WEQ

1849. ALINCO DR130 Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: rsdeputy@aol.com
Message-ID: <19990220085035.00960.00000505@ng-fc1.aol.com>
Source record: 116231

Does anybody know if there is, or ever was, a modification for the ALINCO DR130 that would expand the number of channels in the unit? I am researching this for a friend. I don't own one of these, myself. Any information regarding this would be helpful. If possible, please respond direct to my email address as shown.

Thanks in advance.

Robin
Robin Deputy
Amateur Radio KE9SQ
PCIA Certified Mobile Communications Technician #39520
RSDeputy@aol.com

1850. Re: Re posting, Moving coil meter repair

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Gary Peach <xcg34@dial.pipex.com>
Message-ID: <7amggs$n8c$2@plug.news.pipex.net>
Source record: 116232
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.radio.amateur

Andy Lake wrote
>Jim Dunnett wrote:
>> >What's that in real money? A couple of inches, I'd imagine :-)
>>
>> No idea Frank. The ruler I used only gives standard measure.
>>
>> (5.5cms is about 1.58 inches)
>
>Uhh????!!!!!!

Typical, give 'im an inch and he'll take a smile

Gary7SLL

1851. Re: SX-28 & SX-28A--what's the difference?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: dpnewkirk@home.com
Message-ID: <36cec799.652311@news>
Source record: 116233

On Fri, 19 Feb 1999 03:56:57 GMT, dpnewkirk@home.com (David Newkirk)
wrote:

>Do you mean 6BA*6*s? The 6BA7 is a pentagrid converter and would have
>made a poor RF amplifier (noise-wise) than the 6SK7.

I answered my own question by consulting Fred Osterman's _Shortwave
Receivers, Past and Present_. The tubes are 6AB7s.

73,

Dave Newkirk, W9VES
w9ves@arrl.net

1852. WTD: 10M Mod Info for GLA-1000B

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Tom Repstad <kb1cga@starc.org>
Message-ID: <36CEC8F4.3BA5E548@starc.org>
Source record: 116234
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Hi Gang,

I'm trying to get info on the 10M mod for the Dentron GLA-1000B. The "B" model has a small circuit
board mounted with the band switch. There is room on it for a coil and some caps, to enable 10M, If
anybody has the docs for this mod I'd really appreciate a copy.

--Tom
KB1CGA

1853. Re: Info - TS870

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Steve Ellington N4LQ <N4LQ@igLou.com>
Message-ID: <36cecb51.0@news.iglou.com>
Source record: 116235

I just got rid of mine. I'm a cw operator and over a period of 30 days with my 870, I grew to dislike it. I didn't dislike it for it's features however. Who could ask for more? I disliked it because of it's performance. The radio is quadruple conversion thus it has 4 mixers and I.F. stages. All of this works together to produce tremendous noise! Running this racket through a narrow dsp filter results in noise that has the pitch of the desired cw signal. After a few minutes of listening, my brain was in a cramp. The dsp filter in the cw position, the dsp filter opens to a maximum of only 1khz. This is far sharper than I normally use with my other rigs.

Also, the radio had the strange ability to recieve signals that weren't really there. Known as intermod, it's a miserable situation to tune across 40m and hear cw from somewhere coming through on all frequencies and sounding like blowing air! This on a $2200 radio?

On SSB, the radio noise changes to a dull roar which is more bearable. Filtering is ok and you have the ability to open up the dsp to 6khz and enjoy hi-fi ssb. Tx audio is excellent too. This thing would make a great swl receiver or a good radio for the appliance type ssb operator who likes a lot of loud audio and would never consider taking the covers off the rig.

I've sworn off those multi multi conversion rigs and am now sticking with older model TenTec gear for cw. They have virtually no internal noise and listening to cw is like fine music! For you who have never experienced this, I
invite you to try an old Omni A or D, Delta II, Triton etc and hear what I mean.
For you who own 870's, you have a fine appliance that will last a long time and
lots of menu items to play with. Have fun.

73 Steve N4LQ

PS: I also had an FT-1000MP. It was just as bad.

William H. Perry wrote in message <36CDF406.38B0@mail.cha.bellsouth.net>...
>Looking for info on the TS870...Why buy another one or why don't
>you like this rig?? Does it come close to its claims from Kenwood?
>Has anyone tried one of these for an IF for a transverter?? Want
>to use this for IF for 2 mtr weak signal work (EME) Please e-mail
>responce to hamiam1@bellsouth.net TNX de Hal - W4HP

1854. FS ICOM-765 SP-20 SM-8

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: hhunter@cableone.net
Message-ID: <7amiqhcoj1@remarQ.com>
Source record: 116236

Complete Icom station consisting of IC-765 xcver, SP-20 matching speaker with
audio filters, and SM-8 station microphone. 100 watt, 30khz to 30mhz
continous transmit and receive. $1200.00 plus shipping.
Serious inquiries only please
Hal
WA6HZE

1855. TS450S help please

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Joel Dorfan <bdorfan@FRED.icon.co.za>
Message-ID: <7amja5bfd1@hermes.is.co.za>
Source record: 116237

Either my radio is doing something strange or I am doing something stupid.

In SSB mode if I plug in a morse key then the internal tone generator which usually only operates when the key is pressed sounds continually. If you switch to CW mode then the tone disappears unless the key is pressed. There is no short in the key cable.

Also and probably related, even with the key disconnected, if the radio is in CW mode and the send/rec button is pushed the radio goes into transmit mode but when the button is released it will not go out of transmit mode unless the radio is toggled off and on or one of the mode buttons are pushed.

In CW mode the automatic ATU does do the correct thing if AT TUNE is pushed, ie. transmit, match and then revert back to receive.

Everything is fine in SSB mode.

Anyone have any ideas?

Thanks
--
Joel Dorfan
ZS6CBA
Johannesburg
South Africa

Please remove NOSPAM from bdorfan@NOSPAM.icon.co.za should you wish to email me directly.

1856. FS: Gonset G-66B, G-77, Power supplies

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <ivAz2.549$HF4.1150058@brnws01.ne.mediaone.net>
Source record: 116238
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Gonsset G-66B receiver, G-67 transmitter, with matching power supplies for
12 VDC and 115VAC. Manuals included. Cosmetically excellent, S meter
on receiver sticks. You will need to make up the interconnect cables.
$249 for all plus shipping.
regards,
Chuck...K1KW

1857. Johnson Viking Matchbox fa ebay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Ernie Stedman <n2ojq@worldnet.att.net>
Message-ID: <7amkfg$4ou@bgtnsc01.worldnet.att.net>
Source record: 116239
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

250 watt Matchbox in nice shape-
see it here:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67250684

--
Ernie
N2OJQ
Roswell GA

1858. Re: Help With Damage Assessment Please?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Dick Carroll <dixieNS@townsqr.com>
Message-ID: <7amlrc$o4u$1@208.207.71.144>
Source record: 116240
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

What in the world did the sender do-just throw it all in a
box and tape the lid closed?

Dick C

DavidC wrote:
>
> Two boxes arrived USPS yesterday, many items were damaged.
>
> I need to provide USPS with value and cost-to-repair or replace. Can
> anyone help, please?
>
> The Kenwood TS-530SP suffered the bending of three knobs
> (Load, Plate, Drive) with damage to one knob (the transparent plastic
> piece behind the Plate knob) and some shaft binding but all seems to
> be working OK electrically. There was some additional cosmetic
> damage to the edges of the bezel and to the chassis but the face wasn't
> scratched.
>
> Questions:
>
> 1. Is the bezel available for this?
> 2. Should I be worried that the bending of the controls may be more
> serious than it appears externally?
>
> The front of the stem of the Shure 444D mike was badly scratched and
> scuffed its full length. The base suffered minor scratches and the head
> only
> a couple of tiny nicks. It looks looks awful but works fine!
>
> The Heath HD-1422 Antenna Noise Bridge suffered a serious dent and
> many scratches to the top of the case (seems OK at first glance otherwise).
>
> The Autek Research WM-1 Computing Meter was badly crushed on the
> face with all three front switches broken and the meter casings destroyed.
> (Unsure if the meter movements survived but doubt this is worth repairing.)
>
> The Yaesu FRG-9600 Receiver suffered some minor scratches and some
> nicks to the edges of the front bezel. The bezel should probably be
> replaced
> to maintain value.
>
> The Unadilla 40m antenna suffered irrepairable damage to one of the
> trap/coils.

>
> I spoke with the Postmaster here and she said that I need to make a
> list of the damage and get an estimate of the cost to repair or replace
>
> I sure would appreciate informed feedback!
>
> Thanks! & 73,
> ~~~
> ï¿½ï¿½ï¿½
> \ ~ / .... DavidC K1YP

1859. Re: Citizen Band Radio Web Site

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Dan K Nelson <kf6knb@usa.net>
Message-ID: <7amlng$i5e$1@news-1.news.gte.net>
Source record: 116241

WB2TBB wrote in message <7amacqonn1@ostrich.cybercomm.net>...
>
>JKnope wrote in message <19990220051216.01133.00000429@ng-fz1.aol.com>...
>><a href="http://www.angelfire.com/fl/jknope/cb.html">Click here
>
>Why?
>
>

For a good laugh...

73 de KF6KNB

1860. NATION WIDE HAMFESTS LISTS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Bill Davis <n2zso@magpage.com>
Message-ID: <7amm57$rp4$0@208.236.238.119>
Source record: 116242
Cross-posted to: alt.ham-radio,alt.ham-radio.vhf-uhf,rec.ham-radio,rec.radio.amateur,rec.radio.amateur.equipment

Greetings from Southern New Jersey

Could someone point me in the right direction where I can find a
Nation Wide List of Hamfests..

Thanx and 73 de Bill N2ZSO

1861. FS: Good STX batteries CHEAP!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: "J. Banks" <psgtech@ix.netcom.com>
Message-ID: <7ammbg$hv4@sjx-ixn6.ix.netcom.com>
Source record: 116243
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

While cleaning out the shop, I found a box of Moto OEM STX batteries.
Although they have been in storage for awhile, they look pretty good.

I tested all and tossed the junk. The remainder of the batteries were
conditioned on my Alexander Optimizer.

Batteries are $20 each, 2 for $30 or 3 for $40. I have about 15 left.

MOST are at least 1400-1500+ mh strong. All are guaranteed to have at least
1000 mh of power.

Jim
714.478.4039

1862. FA - MIDLAND MOBILE LMR SPKR - NO RESERVE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <A6Bz2.20$Gc.2359@sapphire.mtt.net>
Source record: 116244

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67025029

1863. Re: WTB: Knwd IC-10 PC interface chips 4 TS-440S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Thomas C Sefranek <tcs@cmcorp.com>
Message-ID: <36CED1D2.4C5428B6@cmcorp.com>
Source record: 116245

N4DEN wrote:

> If u have these interface chips U want 2 part with or know of any
> aftermarket company,

The chips that go into the rig are easy to find.
CMOS 4040 counter, MC14040, CD4040, TC4040, etc.
the other internal chip is a 8251 async chip, uPD8251, I8251, etc.

External, use a MAX 233, or cheaper, MAX232, or even cheaper, 1488&1489
chips.

>
> please respond to this message.
>
> Thanx,
>
> 73,
>
> Dennis
> N4DEN

--
Thomas C. Sefranek WA1RHP
ARRL Instructor, Technical Specialist, VE Contact.
http://hamradio.cmcorp.com/41_Repeater/repeater.html
http://hamradio.cmcorp.com/inventory/Inventory.html

1864. Kenwood 570 S or S(G)?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: ci@springnet1.com
Message-ID: <36cfe202.58264089@news.springnet1.com>
Source record: 116246

Does anyone know how to determine by either serial number or model
number if a TS-570S is the original model or the improved (G) model?

1865. NiMH HT battery packs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Jim Higgins <jhiggins@parrett.net>
Message-ID: <36cee456.0@news>
Source record: 116247
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Do any of the current crop of HTs come with NiMH battery packs?

--
"Service Guarantees Citizenship"

1866. Re: Icom 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Gary Williams <williamsjg@erols.com>
Message-ID: <36CEE8F2.FCEAE412@erols.com>
Source record: 116248

Have had mine for a year now, great radio, and that is without filters.
Gary AA3NP

Kevin Nickelson wrote:

> Hi Gang,
>
> I'm looking for opinions on the Icom IC-756. Good or bad, let me know
> what you think. Respond here, or to me direct at W0KKN@hotmail.com
>
> Thanks & 73,
> Kevin W0KKN

1867. Re: NATION WIDE HAMFESTS LISTS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Wayne Faris <wfaris@binary.net>
Message-ID: <36CEEC46.4D3FB3E1@binary.net>
Source record: 116249
Cross-posted to: alt.ham-radio,alt.ham-radio.vhf-uhf,rec.ham-radio,rec.radio.amateur,rec.radio.amateur.equipment

Try WorldRadio magazine or QST to start. If there were a good list posted on the web I would like to see too. BTW, there are couple of good ones coming up here in the Midwest soon. There is one March 5, 6, & 7th at the ARRL Nebraska State convention in Norfolk, Nebraska at Northeast Community College. For more info try http://members.aol.com/davidn0xbn/evarc.html

1868. FT: FT-50RH w/Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: John Farr <thefarrs@bellsouth.net>
Message-ID: <WdCz2.1636$tk.1869664@news2.atl>
Source record: 116250
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

I have for trade a Yaesu FT-50RH with the DVR Keypad option installed and
the following items:

FNB-41 9.6v 600ma battery
FNB-49 6v 600ma battery
sma-to-bnc adapter
speaker mike
leather sheeth cover
The Poutch for the FT-50
antenna
wall wart for charging the batteries
box and manual

I would like to trade this for a Yaesu FT-51R with some accessories. If
interested, please email me at kd6clo@geocities.com

73
John
KD6CLO

1869. FS:Icom 751A Owners/Instruction Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: kvanderlin@aol.com
Message-ID: <19990220122714.16632.00004461@ng122.aol.com>
Source record: 116251

In like new condition. No torn, tattered, marked pages or cover. Complete with Schematics. $13 shipped U.S. Priority Mail.

1870. FS: C156A HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Paul -= ki4xz <ki4xz@peganet.com>
Message-ID: <7amqo2$dds@andromeda.peganet.net>
Source record: 116252

FOR SALE IN ORIGINAL BOX sTANDARD 2 METER C-`156A HANDHELD RADIO=
INCLUDES: TWO (2)CBT156 BATTERY CASES WITH NICADS= 12V POWER CORD=
SPEAKER//MIC WITH LAPEL CLIP= CARRYING STRAP= MANUAL=///
RADIO IS CLEAN AND WORKS PERFECTLY=///
WILL SELL FOR $150.00 SHIPPED TO YOUR DOOR (USA)

PAUL LONDON
ki4xz@peganet.com
941-637-0179

1871. KNWD TS-870S VOX Operation

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: George Liepins <ke4hw@*izdzessmani.*sprintmail.com>
Message-ID: <7amr53$l21$1@ash.prod.itd.earthlink.net>
Source record: 116253

I've been trying to get the TS-870 to xmit in SSB using PSK31 digital mode. The computer audio card is connected to the xcvr Acc 2 connector via a 13 contact DIN plug. I can receive well, but when I try to xmit, the VOX refuses to activate, no matter what I do. It appears as if the Acc2 audio input connection can not activate the VOX. If I use manual xmit, still there is no output.

If I connect earphones to the sound card audio output and activate the test signal, I get 1000 hz audio in the earphones. I can't duplicate the same at the connecting cable DIN plug end (xcvr end), 'cause the contacts are so small, I can't get get them hooked up to the earphone contacts. I'm using about 6 feet of computer 8 lead cable, where the individual wires are about #20 or #22. Since it works in receive, I think the wire is OK. I checked continuity on the 4 leads that I use, and all test OK. I'm stumped.

Any suggestions?

Pls erase the *....* stuff in my address for direct reply.
>>o<<>>o<<>>o<<>>o<<>>o<<
George Liepins, KE4HW
Amateur Radio Operator and
Professional Retiree
>>o<<>>o<<>>o<<>>o<<>>o<<

1872. Re: FS:Icom 751A Owners/Instruction Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: kvanderlin@aol.com
Message-ID: <19990220123900.19894.00000570@ng123.aol.com>
Source record: 116254

S O L D !!

1873. FS: Gonset G-66B and G-77 with PS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <xBCz2.562$HF4.1219546@brnws01.ne.mediaone.net>
Source record: 116255
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I made a mistake in my last post for this equipment. It is a G-77 xmtr.
Gonset G-66B receiver, G-77 transmitter, with matching power supplies for
12 VDC and 115VAC. Manuals included. Cosmetically excellent, S meter
on receiver sticks. You will need to make up the interconnect cables.
$249 for all plus shipping. OBO
regards,
Chuck...K1KW

1874. Re: Compare: IC751A vs TS850 vs ?.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: dana <danay@primenet.com>
Message-ID: <Pine.BSI.4.02.9902201247001.10307-100000@usr06.primenet.com>
Source record: 116256

i have a problem with my Icon-751. when you go to am. you have to press
the second button from the bottom abouve the notch button. wonder why that
is? you have to push it in for am. to sound right, and for side band, you
have to press it again? i guess the filters aren't installed right. any
comments on this?

---
danay __ __ ____ ___ ___ ____
danay@primenet.com /__)/__) / / / / /_ /\ / /_ /
/ / \ / / / / /__ / \/ /___ /
---
http://www.randomc.com/~dana

On Thu, 18 Feb 1999, Gary Coffman wrote:

> On Wed, 17 Feb 1999 19:45:12 GMT, tuomi@sci.fi (Pasi Tuomi) wrote:
>
> >In article <7ad6nurnm1@nnrp1.dejanews.com>, 8877@my-dejanews.com wrote:
> >>> The 751A is a dream to operate (replaced my Kenwood TS430).
> >>
> >>Also can be a nightmare, it changes frequency when you change mode, i find it
> >>VERY stupid. CT
> >>
> >
> >IT depends how do you understand word frequency !!! Those Icom rigs, like mine
> >751A, show carrier frequency. When you change mode, yes carriage freq which
> >can be seen in the readout, changes. But passband (where your transmissions
> >frequency components are) does not move.
> >
> >So I could say that in radios where frequency readout does not "change"
> >(for example whe moving from LSB to USB) the passband moves.
> >
> >VERY stupid... ;-)
> >
> >Ok, ok, both are ok. Different ways to build a radio. But let's be carefull
> >when saying that "frequency moves".
>
> Icom has done this both ways. Some older Icoms moved the passband with
> a mode change, newer ones leave the passband alone and move the carrier
> insertion point. I like the older method better.
>
> Gary
> Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
> 534 Shannon Way | We break it |
> Lawrenceville, GA | Guaranteed |

>
>

1875. Re: Compare: IC751A vs TS850 vs ?.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: dana <danay@primenet.com>
Message-ID: <Pine.BSI.4.02.9902201254480.10307-100000@usr06.primenet.com>
Source record: 116257

i forgot to say in my earlier post, that the send recieve switch don't
work also.

---
danay __ __ ____ ___ ___ ____
danay@primenet.com /__)/__) / / / / /_ /\ / /_ /
/ / \ / / / / /__ / \/ /___ /
---
http://www.randomc.com/~dana

On Thu, 18 Feb 1999, Pasi Tuomi wrote:

> In article <37002f0d.387940578@news.atl.bellsouth.net>, ke4zv@bellsouth.net (Gary
Coffman) wrote:
>
> >Icom has done this both ways. Some older Icoms moved the passband with
> >a mode change, newer ones leave the passband alone and move the carrier
> >insertion point. I like the older method better.
>
> No no no. Older leave the passband alone and move the carrier insertion
> point (display jumps, like in 751A). Newer move passband and carrier
> insertion point will not move (and display shows same freq. for usb and
> lsb - like 765). Display shows always carrier insertion point in Icom rigs.
>
> I like both :)
>
> Pasi, oh3nps
>
>

1876. Re: Yaesu Bankrupt !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: dana <danay@primenet.com>
Message-ID: <Pine.BSI.4.02.9902201258030.10307-100000@usr06.primenet.com>
Source record: 116258
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Yaesu's page works fine here.

---
danay __ __ ____ ___ ___ ____
danay@primenet.com /__)/__) / / / / /_ /\ / /_ /
/ / \ / / / / /__ / \/ /___ /
---
http://www.randomc.com/~dana

On Thu, 18 Feb 1999, Edward Legenza wrote:

> Dear Hambone, I just tried the http://www.yaesu.com and it they are still
> there! Is this a running joke or something?
>
> Ed Legenza n6xa
>
>
> Hambone wrote in message ...
> >Bull dukey!!!!
> >
> >
> >hamoperator@my-dejanews.com wrote in message
> ><79ogjvcfg1@nnrp1.dejanews.com>...
> >>"Yaesu has shut down its website, http://www.yaesu.com"
> >>"The amateur community anxiously awaits further word of warranty
> coverage."
> >>
> >>Not surprising with their recent use of back stock FT-1000D's, the recent
> >>defects in the new FT-847 and lack of sales due to the P3D launch
> >>disappointments.
> >>
> >>73
> >>
> >>-----------== Posted via Deja News, The Discussion Network ==----------
> >>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
> >
> >
>
>
>
>

1877. Re: CW tapes.....Which ones? so many to choose from.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: KD5GEH <kd5geh@arrl.net>
Message-ID: <7amtdliag1@newnews.startext.net>
Source record: 116259

For someone who just happens to know how to program, maybe....
Or someone who has any interest in such...
If you'll look around, you'll notice that 'hackers' (the old definition..)
are in the minority with computer users nowdays.
I wrote a morse-code prog about 20yrs ago (I'm just now getting around to
actually learning it, btw), when there were none.. Nowdays, you don't need
to do that. Numorse, etc. etc. progs already exist.

&NM7U <&NM7U@hevanet.com> wrote in message
>
>It's trivial to write a basic program that can "send" a text file.
>That way, you can input something you're interested in rather
>than a bunch of stuff you don't care about. Increased motivation.
>Convert your email to code, put it on a cassette and listen on the way
>to work.
>miker

1878. Re: FS ICOM-765 SP-20 SM-8

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Robert Stuedemann <kf8ru@netonecom.net>
Message-ID: <36CEE18D.E391D610@netonecom.net>
Source record: 116260

Hal, Thanks for reading my reply. I'm interested in your 765 station and would like to know the condition of the equipment. Do you have the factory shipping boxes? Please let me know. Thanks, Bob 73 de KF8RU

1879. FS: Alinco DX-77T $550

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: jdinkel@mum.edu
Message-ID: <7an1t8$8vp$1@nnrp1.dejanews.com>
Source record: 116261

Mint, little used Alinco DX-77T with 500 Hz IF CW filter, handheld mic, orig box. Only 6 mo. old.

bargain price of $550 plus shipping

John KM4TI

PS Must sell as I just bought it on borrowed money just to have fun checking out a new model on the market. I have a TS-570s as my main radio.

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1880. Re: TS450S help please

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <7amulvdne1@news-2.news.gte.net>
Source record: 116262

HMMMmm - seems to me there is a switch on the back, or something similar, for switching between a straight key/bub, and one of those paddle jobs that keys differently - maybe the switch is in the wrong position, and it's function is interacting? I'll have to check my TS-570, it's probably the same way...

Gary - KJ6Q

Joel Dorfan wrote in message <7amja5bfd1@hermes.is.co.za>...
>Either my radio is doing something strange or I am doing something stupid.
>
>In SSB mode if I plug in a morse key then the internal tone generator which
>usually only operates when the key is pressed sounds continually. If you
>switch to CW mode then the tone disappears unless the key is pressed. There
>is no short in the key cable.
>
>Also and probably related, even with the key disconnected, if the radio is
>in CW mode and the send/rec button is pushed the radio goes into transmit
>mode but when the button is released it will not go out of transmit mode
>unless the radio is toggled off and on or one of the mode buttons are
>pushed.
>
>In CW mode the automatic ATU does do the correct thing if AT TUNE is pushed,
>ie. transmit, match and then revert back to receive.
>
>Everything is fine in SSB mode.
>
>Anyone have any ideas?
>
>Thanks
>--
>Joel Dorfan
>ZS6CBA
>Johannesburg
>South Africa
>
>Please remove NOSPAM from bdorfan@NOSPAM.icon.co.za should you wish

to email
>me directly.
>
>

1881. Re: HF linear amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: jdinkel@mum.edu
Message-ID: <7an2ke$9hp$1@nnrp1.dejanews.com>
Source record: 116263

In article <7a4spt$1bq$1@nnrp1.dejanews.com>,
brianburke@my-dejanews.com wrote:
> In article <7a4fs1$9k$1@news-1.news.gte.net>,
> "Gary - KJ6Q" <davison7@gte.net> wrote:
> >
> > jdinkel@mum.edu wrote in message <7a46ct$fg2$1@nnrp1.dejanews.com>...
> > >LA-1000-A linear amplifier, table top model made my Amp. Supply.
> > Covers 160-
> > >15 meters (you do not need an amplifier for 10 meters
> >
> > WELL, *GEE dad*, thanks for making that decision for me - I never was
> > really certain about what I "needed" on ten meters...
> >
> > Gary - KJ6Q
> >
> Gary, he's badly mistaken. An amplifier does just what its supposed to do for
> 10M. While on Guam, I could always tell which Italian was running 10KW - they
> were far louder than the rest of the European pileup. You kind of had to work
> them just to get them out of the way. You didn't have to QSL, however. ;^)
>
> Brian/N0iMD
>
>OK, OK, So some people may need high power on 10 meters....this AMP can be
modified to cover 10 ...

Dad KM4TI

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1882. WTB Schemtic for Trac TE284 Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Larry McGee <lrmagoo@worldnet.att.net>
Message-ID: <01be5d03$40005040$4cdefed0@default>
Source record: 116264

Need a copy of the shematic (and operators book if available). Will pay for copying and mailing. Thanks.. Larry

1883. WTB Original Yaesu FT101E/EE/EX Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Larry McGee <lrmagoo@worldnet.att.net>
Message-ID: <01be5d03$6d2e79c0$4cdefed0@default>
Source record: 116265

Looking for a good original manual. Thanks... Larry

1884. Kenwood PG-4S cable

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: kb0vof@my-dejanews.com
Message-ID: <7an4ie$b1p$1@nnrp1.dejanews.com>
Source record: 116266

Any one know where I can find a schematic for this cable? TIA
Gerry KB0VOF

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1885. Kenwood TH27A Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: zikot@gator.net
Message-ID: <36cf0965.20835648@news.gator.net>
Source record: 116267

I am looking for a Kenwood TH27A HT in working condition, with or without accessories, or a working Mainboard from a TH27A.

Best of 73,

Tom
WA1VAI

1886. Question: TS-570D Upgrade to "G" Model

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: David Anderson <dmanders@cts.com>
Message-ID: <7an251mst1@nusku.cts.com>
Source record: 116268

I have an original TS570D and have been thinking about upgrading to the "G" model. Comments anyone? Is it worth the cost?

David Anderson, WA6KHH

wa6khh@arrl.net

1887. RX-320 Free Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: mktg@ix.netcom.com
Message-ID: <36d00dc7.14377905@nntp.ix.netcom.com>
Source record: 116269

February 20, 1999

Dear RX-320 User,

Beta Version 1.0B is now available for the software I
wrote to operate the Ten-Tec RX-320 receiver.

Changes from Version 1.0A:
- Program displays a list of scan files for you
to make a selection. It is no longer necessary
to type the name of a scan file
- AGC setting now works correctly.
- The setting of the Offset is saved between
sessions.
- The program code has been fine tuned to increase
efficiency and speed.

Features of Version 1.0B:

- Squelch (adjustable)
- Scanning of lists (files) with adjustable delay
- Tuning in a variety of steps from 1 Hz to 1 Mhz
- 34 selectivity settings
- Runs under DOS or Windows - even works on a 80386
computer using DOS

I would be happy to supply free of charge this Beta version
to anyone interested who has an RX-320. The software will not
function without an RX-320.

The program is supplied along with several other files in
a single zip file. Installation and removal are simple, as
the program does not affect any system settings either in
DOS or windows.

The program is easy to use - just press various keys to engage
the different functions.

Istallation, removal, and operating instructions are included.

If there is enough interest, the Beta version may advance into
a final version.

Send your request to my e-mail at mktg@ix.netcom.com and I will
send you the zip file by return e-mail.

Regards,

David
W7HTJ

Marketing Data Research
8103 104th St., S.W.
Tacoma, WA 98498 USA
Tel. (253) 588-4149
Fax: (253) 588-4366
Internet: mktg@ix.netcom.com

1888. For Sale: Timewave DSP-9+ Noise Reduction Filter $100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Don Shoff <dshoff@us.ibm.com>
Message-ID: <7an2u8$162q$1@rtpnews.raleigh.ibm.com>
Source record: 116270

Clean. Mint condition. Manual.
Voice, CW & Data modes. Works good.

Contact Don Shoff -- dshoff@us.ibm.com

1889. HT desk stand wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: hark@citynet.net
Message-ID: <36ce1565.36173111@news.citynet.net>
Source record: 116292

Need one of those plexiglass stands to hold m y Yaesu FT411 HT. Looks like a picture frame and is slanted so HT rests on the bottom of the holder and at a slight angle on a desk etc. Anyone know who sells these HT holders? Any help appreciated very much.
Tom Hark KB8TAG

1890. Re: Winradio and Amateur Radio Astronomy

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: davearea51@aol.com
Message-ID: <19990219191417.00957.00000330@ng-fd1.aol.com>
Source record: 116293

I have not used the WinRadio, however, I do have the Icom R-7000. It is suitable, as you have probably read, but, all these radios need a good input filter and low noise preamp to receice the hydrogen emission @ 1420 MHz, or any other frequency, for that matter. I made a set of helical filters for the R-7000 out of #4 AWG soled wire and 3" diameter copper drain pipe. They work well with typpically <0.3 dB loss. I follow these with a low noise MIMC. The setup works well and you don't dedicate the low noise part of the setup to one frequency.

Dave - W6LEVi

1891. FS Icom 751A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Peter Gerba <pgerba@crl3.crl.com>
Message-ID: <7akv3h$ht3$1@nnrp1.crl.com>
Source record: 116294

Icom 751A late model SN08804. W/SSB, 500Hz CW filter, hand mic, IC-SP3
Speaker, Manual and factory boxes. $725 + shipping from 94107.

--
Peter Gerba
pgerba@crl.com

1892. FS: IC-229A 2m mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: "William R. Moore" <wr.moore@worldnet.att.net>
Message-ID: <7al0f1$fic@bgtnsc03.worldnet.att.net>
Source record: 116295

The IC-229A is a 25w 2m mobile with 20 memories plus a call channel, subaudible tone, DTMF memory. Can be easily modified for aviation band AM. Excellent condition with mic, mobile bracket and manual. $150 plus shipping.

73,
Randy, KS4L

1893. Re: GUNN Diodes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: lothina1@my-dejanews.com
Message-ID: <7al7ed$qt6$1@nnrp1.dejanews.com>
Source record: 116296
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

In article <VLEy2.14416$lx.9725@news2.giganews.com>,
"Greg Flynn" <gflynnNO_SPAM@mail.gl.com> wrote:
> Does anyone know a good cheap source for these components? I am interested
> in the K and X band.
>
> Also if anyone knows a good source for electronic components in general? I
> know who the regulars are but I was hoping to save some money.
>
> A website would be the best but a name would be just fine. Also please
> respond to email or email + newsgroup so that I don't miss your reply. You
> must remove NOSPAM from my email address.
>
> Thanks Greg
>

why do you want to deal with Gunn elements ? have you ever considered
building a DRO utilizing HEMT,S ? its cheaper and much more reliable, i build
24GHZ DRO utilizing 1 hemt with 13dBm output power at 5V Supply and the costs
including PCB are running around 20$.

lothar
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1894. FS:Icom 737A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: k2jy@aol.com
Message-ID: <19990219211728.01130.00000328@ng-fz1.aol.com>
Source record: 116297

Have for sale an Icom 737A with auto tuner,in perfect condition,not a scrath on it.In great working condition,with mic,manual and original box.Asking 650.oo which includes shipping in US only

K2JY@aol.com

1895. Cables for MOTOROLA radios to R.I.B !!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: fox/mulder@usa.net
Message-ID: <36ce1a23.17158745@news.tel.hr>
Source record: 116298
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Cheap cables for connecting Motorola radios to R.I.B and Computer .!!!

see for yourself ----->>> go to http://members.xoom.com/vr100

1896. Kachina vs. Ten-Tec Omni VI Plus

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: SEREIKAS@worldnet.att.net
Message-ID: <MPG.1137e69758ae2a0a989685@netnews.worldnet.att.net>
Source record: 116299

I am interested in any views or recommendations re: the Kachina Tranceiver vs the Omni VI by Ten-Tec. What are your experiences with either rig and what are your recommendations.

Thanks in advance for your help.

George
KC2MF

1897. Re: 222mhz?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: gbabin73@aol.com
Message-ID: <19990219220658.23531.00000374@ng115.aol.com>
Source record: 116300

>That not a very popular band? I've come accross very few radios capable of
>'supporting' it while websearching (the nearest radio store's quite aways
>from here, so I'm trying to educate myself before the trip)... I was really
>wanting a 2m/222/442 mobile radio (my local club has repeaters on those 3
>bands), and.... Nada...
>
Japan has no 222 MHZ amat. band (it belongs to the police). The US market is a small sideline compared to the Japanese market, so there is not enough money in selling 222 MHZ radios. There is only 1 triband radio with 222, the Kenwood TM 741 (or is it '742?) with added UT 220 module. The whole deal will run about $1000.00

GUD luck ES 73! DE N5MCJ (Jerry)

1898. FS - Yaesu FT-101EE Complete Base Station

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: icstars@nmia.com
Message-ID: <36d42d21.27286186@news.nmia.com>
Source record: 116301

I have an absolutely mint, complete Yaesu HF rig.

I. HF-101EE Transceiver
Still has the plastic on front.
2. YC-601B Digital Display
3. FV- 101 External VFO
4. Phone Patch - Landliner\Speaker
5. 1 set of extras finals

This rig has been in storage and has seen little use. The 101 is still
in the original box with original packing.

The transceiver was bought from Webster Radio in Fresno, Calif.
I have the owners manuals and the service manual for the 101in mint
condition.

I would like to see it put to use by a new ham or someone who knows
and respects the 101 line.

KB5XE

Will NOT separate. price: $575.00 OBO plus Shipping

Contact: icstars@nmia.com

1899. MFJ-422C keyer for sale.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: VE2CJW <ve2cjw@hotmail.com>
Message-ID: <9tqz2.99$Zp3.5834@carnaval.risq.qc.ca>
Source record: 116302

Excellent condition MFJ-422C keyer for sale. It is a black Bencher with a code practice oscillator and keyer circuit mounted over it. Never used for transmitting, only for code practice because we have to take a transmit test in Canada. Reason for sale is that I have no interest in cw. Asking price is $70. U.S. and that includes shipping and insurance to your QTH. Inquire by email if interested.

73 de VE2CJW
Michel Morin
Quebec, Canada.

1900. Re: Icom W2A Mod

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: dalef@sonic.net
Message-ID: <36ce3429.905010@news.sonic.net>
Source record: 116303

Has anyone successfully tried the Rx expansion mod for the IC W2A?
I've tried, but so far have not gotten it to work Any help would be
greatly appreciated.

73 & Tnx
Dale (KO6RA)

1901. Which Rig....Update

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: ny4t@home.com
Message-ID: <36ce32b6.4768807@news.nash1.tn.home.com>
Source record: 116304

Thanks for all the good responses on which rig to buy for contesting in the $900 range. I also posted the query to the Tennessee Contest Group e-mail reflector and questioned local hams who have owned the various rigs on my list. A couple of you have asked me to post what I have learned so here goes. These are the choices in order. I will have to save up a little longer for my first choice rig but hope it will be worth it.

1. Icom IC-765 - Gets rave reviews from contesters. Able to handle very crowded band conditions with ease. Lots of bells and whistles but relatively easy to operate. Good service record. Downside: price over $1200 used.

2. Kenwood TS850SAT - Also gets rave reviews from contesters with 2 reservations. Stay away from the early run and get the decked out version with all the filters. Unfortunately, those who have the 850's with the filters don't seem to be selling them and if they do, they like them an awful lot. Can pick up a stock 850 for around $900 but the ones with the filters, what few I've seen, are in the $1100-1200 range.

3. Kenwood TS570D or D(G) - Most folks believe the upgrade on this one isn't worth the money or the trouble. It would be tempting to buy a completely new rig for about the same price as the used ones above. This rig, however isn't highly regarded by those whose primary interest is contesting although it is well liked by other hams. The huge number of these on the used market despite their relative newness makes me highly suspicious of this rig as well.

4. Yaesu FT990 - Supposedly a good rig when it is working properly. Bad service record reported from several sources steers me away from this one entirely.

5. Kenwood TS940 - Several folks have reported a bad service record with this rig and since it is 2 generations back, it could be hard to get proper parts and service.

6. Yaesu FT900CAT - Not really interested in a small rig but this one is supposed to be a dandy. Will let it do it's own selling job as I am borrowing one of these for the ARRL DX SSB. I played around with one during the NAQP but not during crowded band conditions, i.e. , it was the 2nd rig in a Multi/2 operation. If it performs, though, I may give it a look since the used prices are quite reasonable. I really want a big honker of a rig, though.

7. TS450SAT - Fully Loaded - My current rig is a TS450SAT with no extras. If I found a 450 with all the filters and the DSP unit at a good price I would consider it. The 450 I have is a great rig but to me it is kind of boring to own 2 of the same rigs. It would be a major plus for ease of operation though.

8. Ten-Tec Omni V - A quality rig but the price of this one plus the external auto-tuner puts it out of my range. I hate the looks of these locally built contraptions as well despite their reputation for good service and quality.

So, there you have it. I hope I haven't stepped on anyones toes if they are very attached to one of the rigs I have gotten bad reviews on. If so, just remember, it is whether you are happy with your rig that matters and though some rigs may have a poor overall service record, you may have lucked up and gotten one of the good ones.

73,
Lee Hall (NY4T)
http://members.home.net/ny4t

1902. Re: 222mhz?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: k6kmt@aol.com
Message-ID: <19990219232137.29129.00004027@ng114.aol.com>
Source record: 116305

In Calif 222 is very popular with the "Condor Connection" state wide linked system. Some consider the 222 ham band the most U/VHF interfearance free band. Also, there is a new manufacture of ham gear for 222... ADI/Prymme

1903. Re: Standard C710

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: k6kmt@aol.com
Message-ID: <19990219232636.29129.00004030@ng114.aol.com>
Source record: 116306

Richard,

Where did you see the ad? Is the radio based on the US 510 dual band?

tom

1904. Re: Software Criminal Conspiracy

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: zeno@magicnet.net
Message-ID: <zeno-1902992344470001@pm57-12.magicnet.net>
Source record: 116307
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <36CC8AA5.2765@hun.com>, attila@hun.com wrote:

> Are you asking somewhat to participate in committing a crime just so you
> could have your own private copy of pirated software? The Big M has
> been suing people all over for doing just what you are asking. Let us
> know what knuckle dragger responds and implicates himself.
>
> Wake up and stay legal!
>
>
>
> Fox Mulder wrote:
> >
> > If anyone got programming software for Motorola radius GP1280 portable
> > handie i would be more than thankfull to him to e-mail me a copy .!!
> >
> > I can send you some other in return if required .!!!
> >
> > Fox
> >
> > fox/mulder@usa.net

They could be referring to shareware or freeware software. I have lots of
that type of software that can do a varity of different things. None that
can do what is mentioned here, but the point is that shareware could be
in mind here.

--
If only we knew that money is only an idea. There is no scarcity or loss connected to it.
Nothing cost anything.

1905. FS: JRC NRD-525

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: "Benjamin A. Wallace" <bwallace@sd.cts.com>
Message-ID: <01be5c8e$70617860$3506a3cd@bwallace.cts.com>
Source record: 116308

Included is the following
- NRD-525 Excellent+++ operational and physical condition.
- NVA-88 matching external speaker, excellent condx
- CMH-532 RS232 interface
- CFL-218A 1.8 kHz SSB filter (installed)
- CMK-165 VHF/UHF converter, 34-60MHz, 114-174MHz, 423-456MHz
- AC Power cord
- original operator manual
- original box, but no original packing
- Service Manual

VHF/UHF converter is all mode.
$550 US (money order or cert. bank check) shipped CONUS

Ben -- WB8HUR
San Diego
bwallace@sd.cts.com

1906. FS:Icom 737A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: k2jy@aol.com
Message-ID: <19990220000916.22358.00000394@ng112.aol.com>
Source record: 116309

Have for sale an Icom 737A with auto tuner.The rig is in PERFECT condition,not a scrath on it.With shipping the price is 650.oo.Thanks

K2JY@aol.com

1907. FS : Kenwood MC-60 amplified base microphone

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: dconti2@earthlink.net
Message-ID: <36ce3ae7.1545760@news.earthlink.net>
Source record: 116310
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood MC-60 amplified base microphone for sale. MINT condition,
hardly used. In box with manual.

$100.00 shipped to 48, pre-paid.

E-Mail if interested, NO TRADES.

Dan

1908. Re: Does anyone still offer any GOOD HF xcvr kits?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: MelissaY@Zdimensional.com
Message-ID: <%zrz2.577$5w.1017@wormhole.dimensional.com>
Source record: 116311
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <Noij2UAJPSz2Ew6f@pacsat.demon.co.uk>,
Simon Lewis <slewis@pacsat.demon.co.uk> wrote:
>In article <q%3z2.454$5w.829@wormhole.dimensional.com>, Melissa
><MelissaY@Zdimensional.com> writes
>>In article <7ai0lp$s8g$1@news.xmission.com>, "Dan" <n7wpd@xxmission.com>
wrote:
>>>I also looked at it, and appears that they're considering putting computer
>>>control on it.
>>>I am under the impression that it currently does not have computer control.
>>
>>Wouldn't it be awesome if you could build a HF xcvr kit with 100 Watts PEP
>>and the works like that?
>>
>>From looking at their web page though, it looks like the thing is just barely
>>coming onto the market.
>>
>>Didn't see any sensitivity or selectivity figures either.
>
>You need glasses!

I wear glasses :) but still didn't see any figures like .25 uv for so many db
S/n etc.

> There are a set of figures on the site and a 100 watt
>PA is due later this year. The radio is designed as a basic unit and
>then modules can be added so that you only buy what you need.

I see. :)

And that's just my opinion, I could be wrong. :)

- Melissa <http://www.dimensional.com/~melissa/>

By the way, if anyone's interested in a brand new
Windows 98 upgrade CDROM, in a sealed sleeve with
key, I have an extra and can sell it for $70.
I'll even pay postage. Email me.

Basic personal or small business web page design:
<http://www.dimensional.com/~melissa/webpages.htm>

To email me, remove the spam proofing capital letters on each side of the @
in my email address.

1909. FS: cheap 80's stereo equip.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: gp429@aol.com
Message-ID: <19990220002447.07101.00000118@ng-fu1.aol.com>
Source record: 116312

I have the following items for sale:

Maker/Description Model/Price
sony audio/video STR-AV300/$27
receiver
right speaker output
not functioning properly
remote included

pioneer 6-disc PD-M500/$43
changer
6-disc and single disc magazine included
remote included --SOLD

panasonic vcr PV-1366/$23
remote included --SOLD

pioneer 6-disc PD-M401/$37
changer
6-disc magazine included --SOLD

Yeah they are really cheap, but this stuff has been in my closet since the Eighty's. If you are interested let me know I'll tried to include the manuals. All are in that Eighties electronic black and have a digital display, anyway I hope somebody find some good use for this stuff. ***note*** I am willing to split the shipping but NOT the COD charge. E-mail me at either: gp429@aol.com or cdhoste@rocketmail.com

thanx

1910. ADMS-2D

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: jhm@santacruz.org
Message-ID: <7aljgp$4ll$1@nnrp1.dejanews.com>
Source record: 116313

Anyone who has Version v1097 (it is written on the label on the disk) please email me jhm@santacruz.org

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1911. For Sale Kenwood 731 $250.00

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36ce60f4.306518@netnews.worldnet.att.net>
Source record: 116314

selling a Kenwood tm731 duel band radio 2meter/440mhz
good cond price is 250.00 firm email me in so cal...
also have a brand new Duplexer 2meter/440 will sell it for
25.00 extra email me thanks in so cal kc6 RDJ.. 73's

1912. SOLD Yaesu FT-50R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Richard Paul Merrell <k6jxy@earthlink.net>
Message-ID: <36CE7047.3577B320@earthlink.net>
Source record: 116315
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

The radio listed earlier this evening has been sold. I appreciate all
of your interest in the item.

--
Richard Paul Merrell
k6jxy@earthlink.net
rpaulmerrell@netzero.net
http://home.earthlink.net/~k6jxy

1913. FS-U16/H16/02AT/MIDLAND LEATHER CASES

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <Kyvz2.3$Gc.243@sapphire.mtt.net>
Source record: 116316

```
Item #2 (9 total)
-----------------------------
* NEW-IN-BAG !! COMMERCIAL LEATHER CASES *
Fits Icom U16/H16/02AT or Midland 70-154/254 portables
c/w Swivel type Belt-loop and Cover flap - COMPLETE -
Cases are - NEW-IN-BAG - List $60USD retail.
Dimensions (inside) 8"L x 2 3/4W x 1 1/2" T
Will fit other Moto/GE/Standard portables (see specs above)
Fits well with Midland B24 batt or Icom batt equiv - 3" length
Price - $12.00USD + shipping (FREE SHIP OF 5 UNITS)
Ask for quantity discount if ordering more than 1 unit.
```

1914. Citizen Band Radio Web Site

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: jknope@aol.com
Message-ID: <19990220051216.01133.00000429@ng-fz1.aol.com>
Source record: 116317

```
<a href="http://www.angelfire.com/fl/jknope/cb.html">Click here
```

1915. Re: ICOM IC-271H 2meter all mode transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <hyiIwIALkoz2Ew+2@pacsat.demon.co.uk>
Source record: 116318
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

In article <7alm79$hgu@enews2.newsguy.com>, Marc Robins
<marc29400@ez2.net> writes
>ICOM IC-271H 2meter all mode transceiver.
>The IC-271H operates FM, SSB and CW with 100 watts output and is considered
>as the standard of comparison in all mode VHF transceivers, and is the OSCAR
>enthusiasts dream rig. It includes 32 frequency/mode/offset/tone memories,
>built-in subaudible tones, scanning, adjustable tunning speeds, RIT,
>all-mode squelch and tone control. Output power is adjustable from 10 to 100
>watts output. 12 vdc operation. Frequency coverage is 143.8-148.2 Mhz. Hand
>mike, power cord and manual are included. Mint condition physically and
>operational.
>$750
> Marc WA6NJR

Asking price in the UK is 300 UKP - approx 480 USD.

Does that tell you something when you keep posting at 750 USD?

73 Simon GM4PLM
+---+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+---+

1916. FS:Icom 737A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: k2jy@aol.com
Message-ID: <19990220052647.24253.00000443@ng08.aol.com>
Source record: 116319

Have for sale an Icom 737A with auto in PERFECT condition.With shipping the price is 650.oo.Includes mic,manual and original box.Thanks

K2JY@aol.com

1917. Re: SX-28 & SX-28A--what's the difference?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-20 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7am4hv$442$1@winter.news.rcn.net>
Source record: 116320

This is a 1940 radio. It used octal tubes, no miniatures such as the
6BA6. May not have the best noise figure, but it looks pretty.

Pete

>[deletions]
>
>Do you mean 6BA*6*s? The 6BA7 is a pentagrid converter and would have
>made a poor RF amplifier (noise-wise) than the 6SK7.
>
>73,
>
>Dave Newkirk, W9VES
>dpnewkirk@home.com
>

1918. Re: Searching a LCD-Video Panel

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Sam <sdsnyder@prodigy.net>
Message-ID: <36D06723.C5B@prodigy.net>
Source record: 116022

ï¿½lex Messner wrote:
>
> Hey OM's
>
> I've started a new ATV - Project. Therefor I'm still looking for a LCD
> Video Panel (color 5"-6") with PAL or RGB input.
> I've found some webpages but they want more then 500$. It is too much
> for a hobby - project.
>
> Do you know some other sources for this kind of LCD Panel. For example a
> reseller for used equipment or surplus discount ???
>
> thank you
>
> 73 de dg2mmo
> Alex

http://www.angelfire.com/pa/videoandrobots/index.html

1919. recent selling prices (ebay) update

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: neil <neil@aade.com>
Message-ID: <36D06C5C.54A2FDFF@aade.com>
Source record: 116023

Updated my web page listing 'recent selling prices on ebay'.
List now represents 3243 sales of 1163 different ham radio items.

http://www.aade.com/hampedia/hampedia.htm click on 'ebay prices'

List shows minimum, average, and maximum price realized.

Regardless of how you feel about ebay, it comes close to establishing
value in a competitive market.

Remember, condition, accessories, availability, and luck determine the
price at auction.

--
Neil
http://www.aade.com
mailto:neil@aade.com
Almost All Digital Electronics
1412 Elm St. SE
Auburn, WA 98092
253-351-9316

1920. Re: Motorola M75 Digital Cellular Phone

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: "ST1A55@msn.com" <ST1a55@email.msn.com>
Message-ID: <Ok22zqdX#GA.233@upnetnews03>
Source record: 116024

The Audio Level Of the 2160 Sucks you half to plug 1 ear to hear what people
are saying. the m75 you can get on the freeway and drive with the windows
down and still hear that people are saying.. don't knock it until you try
it...
kovar wrote in message <01be5db8$5be5b920$9bd0a0cd@kovar.inav.net>...
>Toilet Bowl Phone!
>Nokia 2160 and Ericson models are much better in IS-136 TDMA mode.
>It's a shame are American made Motorola TDMA phone is
>so far behind in audio quality. Echo is bad.
>Other quirks also show a rushed product into the digital market.
>--
>Jack Kovar
>k0var
>Iowa
>
>Richard Seebach <St1055@email.msn.com> wrote in article
><#T6GNOWX#GA.220@upnetnews05>...
>> Motorola M75 Digital Cellular Phone
>>
>> Unit is New has 99 alpha Number Storage Works with the AT&T PCS TDMA
>System
>> Comes with 1 High Cap NMiH Battery & 1 Slim Line NICK Cadmium Battery
>Wall
>> Charger.
>> This Phone Has A Built In Rapid Charger.
>>
>> Also Comes with A Hands Free Kit With will charge the battery
>> Comes with remote mic to put on your visor and a remote speaker
>> It also Provides an external antenna connector Asking $300.00 For all
>>
>> For more Info On the M75 Click Here
>> http://www.mot.com/GSS/CSG/Products/TDMA/m75.html
>>
>> If interested E-mail Me At ST1055@msn.com Thanks!!
>>
>>
>>

1921. correction

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: moses_elmshorn@t-online.de
Message-ID: <7apr12$1mu$1@news01.btx.dtag.de>
Source record: 116025

Sri abt SEND-button, it does not work at all.
The TS-870 accepts AF-inputs at the rear panel ACC
ONLY by keying the PTT line on the same ACC. It's
pin 9 ! You can still use your RS-232 for keying
PTT:

Here's an extract of file psk31sbw.hlp:

To change from receive to transmit [...] use the RTS or DTR
pin on a spare COM port to do operate the PTT line. Connect
pin 7 or pin 4 of the DB9 (pin 4 or 20 of a DB25) either to
the base of a transistor or the gate of a small FET, and
connect the collector/drain to the PTT line of your transceiver,
with the emitter/source going to ground. Use the SETUP menu
to select the COM port in the program.

73 de Klaus
eMail: ksimon@gmx.net

1922. BNC-SMB connectors f.s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: larryc@northwest.com
Message-ID: <36D06C43.5F33@northwest.com>
Source record: 116026
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.homebrew

i hv six gold-plated BNC-SMB interseries connectors. ALso two pcs
SMC-BNC, gold-plated. All are SEALECTRO brand.

$20 for the lot, + shipping from 97124.

1923. Info. Needed: Bearcat 201 AC Adapter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Mike Perry <mrmike@froggernet.com>
Message-ID: <36d07918@news.pcom.net>
Source record: 116027

I got an old Bearcat 201 scanner without AC adapter at a garage sale. I need to know
the power requirements of this receiver and Polarity of plug. Manual says AC adapter is model no. AD-200 or 14-05T, but no info. on what voltages/polarity. Bearcat 200 has same adapter, I think...
Thanks in advance for help ! email me: n2cod@hotmail.com

1924. Re: WTB: HP-141T Spectrum analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Howard Petersen <delta@emeraldnet.net>
Message-ID: <36D07703.752B@emeraldnet.net>
Source record: 116028

Vince
I need one also.... please if you get any extra sources sent them to\

delta@emeraldnet.net

howard in seattle

1925. Re: ts870 reviews required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: moses_elmshorn@t-online.de
Message-ID: <7apu1n$26f$1@news01.btx.dtag.de>
Source record: 116029

Robert,

take a look at QST product review february 1996.
They've also an extended test result report.

Klaus
ksimon@gmx.net

Robert Johnston Dixon wrote in msg
<36cea331.3906469@news.enterprise.net>...
>Hi.
> Anyone got info on sites with reviews of Kenwood ts870 ?.
>
>Thanks GI0BFO
>R.J.Dixon, GI0BFO
>Belfast. N.Ireland
>e-mail johnston@dixon.net
> jdixon@enterprise.net
> gi0bfo@qsl.net

1926. Need HW-9 Info/Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Brian Kelly <Kelly@dvol.com>
Message-ID: <36D083A5.6AE05241@dvol.com>
Source record: 116030

Dug to the bottoms of my junque piles and found a very nice little Heath HW-9 HF cw xcvr, no clue how or when I glomed the thing, but I'd like to take a whack at getting it on the air. I'll cheerfully pay a reasonable price for a manual or a copy of the manual.

Tnx,

Brian Kelly w3rv

1927. NEED HELP QUICK - Kenwood 830?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: compcnsult@aol.com
Message-ID: <19990221172039.05495.00001230@ng24.aol.com>
Source record: 116031

Thinking about buying a Kenwood 830S.

Need comments pro and con!!

Please respond to: compcnsult@aol.com

73's
Chuck

1928. Looking for Yaesu FT-900

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: vince <vlongpre@cgocable.net>
Message-ID: <36d0931b.0@news.cgocable.net>
Source record: 116032

If you have one. Let me know. Resonable price please.Must be in great working order. Don't care if its scratched. Just has to work.
Vince
vlongpre@cgocable.net

1929. FS HEATHKIT 2 KW TUNER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Joe Schulte <schulte@bright.net>
Message-ID: <7aq3ahfmk1@cletus.bright.net>
Source record: 116033

I have a Heathkit 2 KW roller inductor tuner with an internal 4:1 balun
for sale. The price is 260 dollars. It is a Heathkit brown color.
The model number is SA-2060A. There are some minor scratches on the cover
but not the faceplate. Contact me at schulte@bright.net
Thanks, WA8UET

1930. FS COMMODORE 64 W/TNC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Joe Schulte <schulte@bright.net>
Message-ID: <7aq3fjfnm1@cletus.bright.net>
Source record: 116034

I have a Commodore 64 with the later style disk drive, color monitor,
"tons: of software and a homebrewed baypac type tnc. It has not been used
for 2 years, I need to get it out of storage. The whole shebang goes for
100 dollars plus shipping. Contact me at
schulte@bright.net Thanks, WA8UET

1931. WTB QRP BACKPACKING RIG

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Joe Schulte <schulte@bright.net>
Message-ID: <7aq35jfkc1@cletus.bright.net>
Source record: 116035

Hello going to Philmont Boy Scout Ranch this summer and would like to take a qrp rig along that covers at least 40 meter cw. If you have a qrp rig you would like to sell please contact me at schulte@bright.net
Thanks, WA8UET

1932. FT11 Mods?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: "Smitty....." <jschmidt@uslink.net>
Message-ID: <7aq4q4$dvu@news2.tds.net>
Source record: 116036

Sounds strange I know, but I have a reason......can the FT11 be made to receive the 88-108 broadcast radio freqs?

Smitty.....
NONYW

1933. FS: 150 ft radio tower

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Gord Skiffington <skiffing@nbnet.nb.ca>
Message-ID: <36D0CD58.1839@nbnet.nb.ca>
Source record: 116037

L&R 150 foot guyed radio communications tower - good condition with all stainless steel tower bolts and nuts. All 5/16 guysteel replaced 1994. Tower complete with equalizer plates and includes 2 x Sinclabs 206EB VHF array (9dbd). Standing currently 25km south of Moncton - Owner for hire to assist dismantle/transport if required. Asking 5000.00 negotiable.

1934. Ta33jr used wb3erx

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: cmc <cmconnell@pathway.net>
Message-ID: <7aq5ro$d59$3@208.231.48.50>
Source record: 116038

what would a used ta33jr and a ham 3 rotor be
worth.???????.....tnx Ed

1935. MFJ 1278 software MFJCOM

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Russo <russo@NOSPAM.sybercom.net>
Message-ID: <J11A2.3638$sv1.6763476@firenze.visi.net>
Source record: 116039

I have a mfj1278 and using MFJCOM for software... I'm having problems with
the buffers... it won't send out the text in the buffer if I have name
here is Russ ...it sends kn in cw... in that mode... also when I hit
control F 9 to send file to tnc it says sending to tnc but it does not do
anything ? and I have to exit the program...
I have reinstalled mfjcom but still does the same thing !
any ideas would be appreciated !
Best 73 Russ

1936. Re: NiMH HT battery packs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: davem@idle.cs.ubc.ca
Message-ID: <7aq6pp$77m@idle.cs.ubc.ca>
Source record: 116040
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

clintbrad4d@earthlink.net writes:

>I am talking about cycle life. Sure, NiMH cells provide a lot more energy in
>the same size case...but unless they are treated properly, they only last 1/3
>to 1/2 the total discharge/charge cycles as to modern NiCds.

To be fair, life also depends on how often you cycle the pack. If you only
turn on your radio once a month, neither NiCd nor NiMH packs are likely
to get anywhere near their rated number of cycles before dying of old
age or other maladies.

For such a user, the longer cycle life of NiCds may not matter at all,
and the extra capacity of NiMH may be well worth the extra cost.
In addition, the lower weight is worth something in a handheld radio.

Dave

1937. SOLD!!! - BNC-SMB connectors f.s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: larryc@northwest.com
Message-ID: <36D0A1B3.7DF2@northwest.com>
Source record: 116041
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.homebrew

already hv several buyers. thanks, all.
=====

larryc@northwest.com wrote:
>
> i hv six gold-plated BNC-SMB interseries connectors. ALso two pcs
> SMC-BNC, gold-plated. All are SEALECTRO brand.
>
> $20 for the lot, + shipping from 97124.

1938. WTB: Galaxy Duo-Bander 6 and 2 Meter xcvr

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Edward Plotzker <edplotzker@pol.net>
Message-ID: <36D0A044.8EA9481A@pol.net>
Source record: 116042
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ham-radio.marketplace,rec.radio.swap,rec.radio.shortwave,alt.ham-radio,alt.ham-radio.vhf-uhf,rec.ham-radio,rec.radio.amateur

I am looking for a Galaxy Duo-bander 6/2 mtr xcvr. They were made around 1966. If you can assist me please let me know. -- Ed edplotzker@pol.net

1939. FS: Rare Swan 350D

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36D0A703.6AEA5D5C@cfu.net>
Source record: 116043
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

The 350D, Swan's first venture into digital display, dates from the late 1970's. It uses a single 6MJ6 (6LQ6) final and is of the hybrid (tube/transistor/IC) design characteristic of the period. This 350D is a solid 8.5 or better, complete, clean, with bright knobs and front panel, fully operational, smooth VFO, and including A.C. power cord, VX-4 VOX, Swan mic, and original manual. $345 + shipping.

1940. Motorola Charger ID Help?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: seleong@gte.net
Message-ID: <7aq9nc$lq6$1@news-2.news.gte.net>
Source record: 116044
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.commercial-lmr,rec.radio.swap

Hello!

I was going through a box in the garage and found the
following Motorola HT chargers. I would appreciate any
help in identifying them (what HTs use them?). Thanks
in advance for your help!

Steve KC6IJM

NLN7645A
HTN9702A
HTN9014A

1941. FS: kenwood ts-850 Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Ian McCloy <ian_mccloy@bc.symaptico.ca>
Message-ID: <8a2A2.1396$ch6.492450@news.bctel.net>
Source record: 116045

I have a DRU-2 and RM-1 Remote Keypad for a Kenwood Ts-850.

$65.00 US shipped.

Ian ve7ira

1942. ICOM AH-3 manual wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Marc Robins <marc29400@ez2.net>
Message-ID: <7aq8om$2rvp@enews2.newsguy.com>
Source record: 116046

Looking for a copy of the AH-3 antenna tunner manual.

73 de WA6NJR
Marc

1943. MC-60A MIC wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: glorydays@webtv.net
Message-ID: <2718-36D0B59F-16@newsd-112.bryant.webtv.net>
Source record: 116047

looking for a clean,working,reasonable mc-60a for my kenwood ts-60 6m
would be a plus if wired up for it, KB8VCS

very best wishes......bruce
from Salem,Ohio U.S.A.

1944. Help with VP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: honda <honda@netconx.net>
Message-ID: <36D0C652.1DC8@netconx.net>
Source record: 116048

The state troopers in my area are useing (Voice Print)
I know there is a decoder for this but where ??
I am in need of help.

Thanks

1945. SWAPMEET (N. NEW YORK)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: "MIKE (707)" <cobra2@gisco.net>
Message-ID: <36d0c78e.0@news.gisco.net>
Source record: 116049

RADIO/COMPUTER SWAPMEET ON JUNE 4-6 1999 IN ROCHESTER!! CHECK OUT
WWW.ROCHESTERHAMFEST.ORG

1946. -FS- MT-500 Channel Elements on 149.300 Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Ron Sibbitt <n8lmt@usa.net>
Message-ID: <7anq92$ns4$1@ramp2.tir.com>
Source record: 116122
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

I have 3 transmit, and 3 receive elements on 149.300

a total of 6 elements, $20. for the lot, postpaid.

Ron n8lmt@usa.net

1947. Icom IC-T2H DC input jack?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: knewcomb@i-plus.net
Message-ID: <16Kz2.196$mc.607@monger.newsread.com>
Source record: 116123

Hello, all! just got the icom t2h HT, and the manual doen't say explicitly
that the dc jack can be used to power the unit. It is supposed to be used for
charging the batteries, and it says the power should be turned off while
charging. i went ahead and tried running it plugged in, and it seemed to work
fine. does anyone know if it's ok to run the radio with it plugged in, or am
i voiding my warranty :(by doing so??
the only problem that i can think of is that the provided wall-wart charger is
rated at 200mA, but full power transmit sucks about 500mA. if it's safe to
run the unit through the jack without batteries, i know i would have to use a
slightly heftier power supply.
Any help is appreciated. thanks in advance!

73's,
Kevin

--
v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v
Kevin Newcomb
KG4BQS
knewcomb@i-plus.net
www.vt.edu:10021/K/knewcomb
v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v

1948. TH-78A dual band HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Joe Frounjian <josfro@becnet.com>
Message-ID: <01be5d29$d4bab240$28caaacc@default>
Source record: 116124

For Sale: Kenwood TH-78A 2 mtr. and 440 mhz HT with Standard charger and quick charger, 2 batteries, optional memory module to give you over 250 memories, extended xmit and rec. You can even play games with this radio. In Excellent conditon, w/ box and manual. Not used very much at all! $300.00 or best offer.

--
Joseph Frounjian
KA3OYJ

1949. Re: yaesu ft50r

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7ao3h5$3td$1@nnrp1.dejanews.com>
Source record: 116125

In article <36ce9a31.0@195.158.64.19>,
"dominic pantalleresco" <amaso@orbit.net.mt> wrote:
> could somebody help me from where I can get an interface for the adms
> software

The author's Web site is at:

http://www.rtsystems.com

- Clint Bradford

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1950. Re: yaesu ft50r

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7ao3ik$3to$1@nnrp1.dejanews.com>
Source record: 116126

In article <36ce9a31.0@195.158.64.19>,
"dominic pantalleresco" <amaso@orbit.net.mt> wrote:
> could somebody help me from where I can get an interface for the adms
> software

CORRECTION: The author's Web site is at:

http://www.rtsars.com

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1951. Re: NiMH HT battery packs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7ao3pi$41a$1@nnrp1.dejanews.com>
Source record: 116127
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <36cee456.0@news>,
"Jim Higgins" <jhiggins@parrett.net> wrote:
> Do any of the current crop of HTs come with NiMH battery packs?

Hmmm...interesting question.

Should any manufacturer ship a radio with a battery that only has an expected battery life of about 1/3 the life of NiCads?

Because properly-treated NiMH packs only last about 1/3 to 1/2 the discharge/charge cycles as to properly maintained NiCds....

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1952. Yaesu FT-50 Speaker Mic Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: jcsarp@aol.com
Message-ID: <19990220232142.06856.00000903@ng151.aol.com>
Source record: 116128

Has anyone compared the MAHA MH-800Y and the Premier SPM-102 speaker mics for the Yaesu FT-50? Quality? Ease of use? Receive audio? Transmitted audio?

John

1953. Re: NiMH HT battery packs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Jim Higgins <jhiggins@parrett.net>
Message-ID: <36cf9811.0@news>
Source record: 116129
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

<clintbrad4d@earthlink.net> wrote in message
news:7ao3pi$41a$1@nnrp1.dejanews.com...
>In article <36cee456.0@news>,
> "Jim Higgins" <jhiggins@parrett.net> wrote:
>> Do any of the current crop of HTs come with NiMH battery packs?
>
>Hmmm...interesting question.
>
>Should any manufacturer ship a radio with a battery that only has an
expected
>battery life of about 1/3 the life of NiCads?
>
>Because properly-treated NiMH packs only last about 1/3 to 1/2 the
>discharge/charge cycles as to properly maintained NiCds....
>
> - Clint Bradford
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

The NiMH packs that I have had experience with in other applications lasted considerably longer than Nicads. Plus they have no memory problem. NiMH are far better than nicads.

1954. Re: FT-50 Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: marc_k@walrus.com
Message-ID: <7ao5su$cj7$3@alice.walrus.com>
Source record: 116130

farnsworth (farnsworth@parg.org) wrote:
: Roger D. good buddy. Not being able to tx out of band on all the
: funnies, terrible sitchamatation. Look for one of the earlier ones,
: you'll have to get ur own info on the serial #'s. Actually I only heard
: you couldn't listen to cell phone QSO's on the new ones. GL OM ..

: Michael H. Ward wrote:
: >
: the new FT50's not
: > being able to be modified for the expanded TX.

Actually, the '50 gets CMT images 90.2 Mhz above the real freq.
The RX quality of the images is nearly as good as the results acheived
with a mod'ed unit.
BTW, as the 440 ham band covers 420-450, and a stock '50 only covers part
of that range, there is a perfectly legitimate reason to OOB TX the unit.
Also, the BAND-FREE mod allows RX on 2 TV channels that it will not
otherwise operate on, which can be useful,
and of course totally LEGAL.
So the poster who ASSUMED illegal intent to mods should not make
assumptions regarding the above.

1955. FS-KNWD TS-570D

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: n5ql@aol.com
Message-ID: <19990221005236.02260.00000990@ng-fq1.aol.com>
Source record: 116131

For sale an almost new TS 570D. Belongs to a 92 yearold ham who could not get
comfortable with operating rig. Used about 5 hours. 795.00 shipped
also have the matching PS-53 heavy duty power supply 175.00.

Jim, N5QL
N5QL@aol.com

1956. Re: yaesu ft50r

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36CFBB6B.F14AF77D@t-online.de>
Source record: 116132

In article <36ce9a31.0@195.158.64.19>,
"dominic pantalleresco" <amaso@orbit.net.mt> wrote:
> could somebody help me from where I can get an interface for the adms
> software

You can check

http://home.t-online.de/home/Maki-GmbH/

for the V.Everything interface

and my pages for some Free Software for YAESU,
ICOM, Kenwood,... radios.

greetings, ...

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

1957. FS: Motorola Digital M75 Cellular Phone With HF Kit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: "ST1A55@msn.com" <ST1a55@email.msn.com>
Message-ID: <eRY2AFXX#GA.323@upnetnews02.moswest.msn.net>
Source record: 116133

Motorola M75 Digital Cellular Phone

Unit is New has 99 alpha Number Storage Works with the AT&T PCS TDMA System
Comes with 1 High Cap NMiH Battery & 1 Slim Line NICK Cadmium Battery Wall
Charger.
This Phone Has A Built In Rapid Charger.

Also Comes with A Hands Free Kit With will charge the battery
Comes with remote mic to put on your visor and a remote speaker
It also Provides an external antenna connector Asking $300.00 For all

For more Info On the M75 Click Here
http://www.mot.com/GSS/CSG/Products/TDMA/m75.html

If interested E-mail Me At ST1055@msn.com Thanks!!!

1958. Need manual for Heathkit IT 121 FET/Transistor Tester

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: turbo22367@aol.com
Message-ID: <19990221043509.01139.00000841@ng-cb1.aol.com>
Source record: 116134

Need manual or good copy of this tester. Will pay a reasonable fee.

Thanx, Steve Reply or email turbo22367@aol.com

1959. WTB: RACAL TA4034 A MPLIFIER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: kuwaiti@my-dejanews.com
Message-ID: <7aoq72ljg1@nnrp1.dejanews.com>
Source record: 116135

Looking for RACAL TA4034,TA4044 amplifier .

Thank you

Faisal

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1960. WTB:cwtapes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: kb1dnl@aol.com
Message-ID: <19990221092132.18543.00001061@ng03.aol.com>
Source record: 116136

Looking to upgrade to Tech plus...anyone out there would like to sell a set of cw training cassettes pls email me. thanks

Michele

1961. Re: NATION WIDE HAMFESTS LISTS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <01be5da4$38a35300$dc8492d0@Bit-Net.bit-net.com>
Source record: 116137
Cross-posted to: alt.ham-radio,alt.ham-radio.vhf-uhf,rec.ham-radio,rec.radio.amateur,rec.radio.amateur.equipment

http://www.mnsinc.com/bry/hamlynx/hamfests.htm
73, DavidC K1YP

> Could someone point me in the right direction where I can find a
> Nation Wide List of Hamfests..
>
> Thanx and 73 de Bill N2ZSO

1962. Icom 746 & 1.9 khz filter ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: trg150@aol.com
Message-ID: <19990221102213.01136.00001201@ng-fs1.aol.com>
Source record: 116138

I am looking for comments on anyone who owns an Icom 746 and has installed the FL 223 1.9 khz filter??? How do you like the preformance compared to the stock 2.4 khz filter???? Did audio quality diminish quite a bit??? overall -do you use the narrow 1.9 or 2.4??? would appreciate any comments before I purchase the filter.
trg150@aol.com

1963. FT-990 for 975.00

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: wb4una@aol.com
Message-ID: <19990221102619.21916.00000548@ng-da1.aol.com>
Source record: 116139

need to sell this nice radio. have to many . will ship it to your door for 975.00 comes with the box,manual,and mic. looks like new and works 100%.

thanks randy
WB4UNA
Randy Chavis
247 Goff Court
West Columbia,SC 29172
803-796-4222
Ham since 1970
Grid Square EM-93
HF-6-2-432 SSB,CW

1964. FS: two Collins S-line styled BUD boxes-- $150 + shipping

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Joe K7JOE <K7JOE@yahoo.com>
Message-ID: <36D02BA8.B1E72AEB@yahoo.com>
Source record: 116140
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Hi,
I have two Collins S-line styled BUD INDUSTRIES boxes.
These are empty, and in new condition.

One is the same size as the 32S / 75S cabinet, including a white trim ring and
a flip top lid. Ready for your home brew antenna tuner, amp,
or ???. With white feet. Color scheme is dark grey front panel,
light grey box. Matches my S-line colors nearly perfectly.

The other is very small -- like the size of a DL-1 dummy
load, etc. Same color scheme. Would be ideal to mount your speech
processor, cw keyer, clock, or ??? to match your prized S-line.

Price is $150 for the pair, plus exact shipping (these are light).

thanks,
Joe K7JOE
Portland OR

1965. FS: Collins R/E 516-E2 mobile KWM2/A Power Supply $200

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Joe K7JOE <K7JOE@yahoo.com>
Message-ID: <36D02CB0.FCF2C604@yahoo.com>
Source record: 116141
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Hi,
I have a CCA excellent condition Collins Round Emblem 516-E2 mobile
power supply. No manual, but appears to be new and
complete. Includes original salmon colored Collins QC tag, denoting
serial number MCM-484.

I just got talked into selling my KWM2 so this is surplus to my need.
I would like $200 + shipping

thanks,
Joe K7JOE
Portland OR

1966. FS: Swan 100MX + PSU5 100W 80-10M Solid State HF rig...$300 + ship

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Joe K7JOE <K7JOE@yahoo.com>
Message-ID: <36D02DF1.B907F062@yahoo.com>
Source record: 116142
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi,
I have a Swan 100MX solid state HF rig for sale. This is a very compact HF rig, all solid state (no tubes)
Looks similar to the Atlas 210X/215X rigs -- about the same size. Full 100+ watts out on all bands, and works USB/LSB/CW. Includes 20 amp matching 13.8V power supply that matches the small rig in size and appearance. This would make a nice setup for the travel trailer / 5th wheel, since it is small and can be used AC (with matching speaker/supply) or DC from your battery. Very effective noise blanker too (unlike the "new" compact HF rigs)...

Covers 80/40/20/15/10 meters
Includes original boxes and manuals/paperwork
Includes microphone
Includes power supply and radio

Email if interested
Joe K7JOE
Portland OR

1967. FS: Kenwood MC-80 desk microphone (8 pin) $65 + shipping

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Joe K7JOE <K7JOE@yahoo.com>
Message-ID: <36D02EA0.84585A52@yahoo.com>
Source record: 116143
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi,
Kenwood MC80 desk mic for sale. Pre amplified electrec condenser mic
on gooseneck with up/down buttons, PTT, and locking mechanism. Can
be powered from any Kenwood radio or runs on 3 AA batteries. Nice mic,
non-smoker environment (Ever buy a mic from a smoker? Yuk...).

Would like $65 + a few bucks for shipping.

Thanks,
Joe K7JOE
Portland OR

1968. RCI 2980 4 Sale to Highest Bidder.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Frank Sellers <badco@jps.net>
Message-ID: <36d0a387.0@news1.jps.net>
Source record: 116144

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=69623333

1969. Re: RCI 2980 4 Sale to Highest Bidder.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: jcm1168@aol.comNOSPAM
Message-ID: <19990221111400.07234.00001048@ng-ch1.aol.com>
Source record: 116145

gee nice c.b. radio...

1970. Re: NiMH HT battery packs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: "John B. Grow" <grow@kiva.net>
Message-ID: <01be5db9$235bbc20$590a8fd0@grow>
Source record: 116146
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

I agree. MiMH batteries have much higher amh ratings than NiCads that are
the same size....plus no memory.

Jim Higgins <jhiggins@parrett.net> wrote in article <36cf9811.0@news>...
>
> <clintbrad4d@earthlink.net> wrote in message
> news:7ao3pi$41a$1@nnrp1.dejanews.com...
> >In article <36cee456.0@news>,
> > "Jim Higgins" <jhiggins@parrett.net> wrote:
> >> Do any of the current crop of HTs come with NiMH battery packs?
> >
> >Hmmm...interesting question.
> >
> >Should any manufacturer ship a radio with a battery that only has an
> expected
> >battery life of about 1/3 the life of NiCads?
> >
> >Because properly-treated NiMH packs only last about 1/3 to 1/2 the
> >discharge/charge cycles as to properly maintained NiCds....
> >
> > - Clint Bradford
> >
> >-----------== Posted via Deja News, The Discussion Network ==----------
> >http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>
> The NiMH packs that I have had experience with in other applications
lasted
> considerably longer than Nicads. Plus they have no memory problem. NiMH
> are far better than nicads.
>
>
>

1971. Re: FT-50 Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: tgold@microvest.demon.co.uk
Message-ID: <19990221.1619.9900682snz@microvest.demon.co.uk>
Source record: 116147

On 21 Feb, in article <7ao5su$cj7$3@alice.walrus.com>
marc_k@walrus.com "marc_k" wrote:

> Actually, the '50 gets CMT images 90.2 Mhz above the real freq.
> The RX quality of the images is nearly as good as the results acheived
> with a mod'ed unit.
> BTW, as the 440 ham band covers 420-450, and a stock '50 only covers part
> of that range, there is a perfectly legitimate reason to OOB TX the unit.
> Also, the BAND-FREE mod allows RX on 2 TV channels that it will not
> otherwise operate on, which can be useful,
> and of course totally LEGAL.

That's all very ineteresting, but Mike specifically asked about
getting access to out-of-band transmit and he never mentioned either
in-band use out of the range of the set or out-of-band receive.

> So the poster who ASSUMED illegal intent to mods should not make
> assumptions regarding the above.

No assumption was needed to understand that out-of-band transmit was
the subject of the request. Mike claims that his friend is licensed
to do this, but as he declined to go into details the unlikely truth
of that claim was not demonstrated.

Regards,
--
Tony - G3SKR / W2TG email: tgold@panix.com

1972. FS--HW-7 and Power supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Nick Marsh <nickwb4sqi@wwd.net>
Message-ID: <36D02BF0.1826@wwd.net>
Source record: 116148
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

I have for trade a HEathkit HW-7 with matching power supply. THis radio has the following mods.

1. Audio CW filter
2. Accu-Keyer with speed control and jack for paddles.
3. New receiver front end.
4. RF gain control

This radio appears to work, seems to receive on three bands, RF output accoding to meter. I have no docs on the mods. Power supply puts hum into receiver (typical for HW7?)

I want to swap this radio for Heath SB accessories, need SB630 station console and SB620 analyzer, will also consider swapping to SB102/HP23.

Since I don't have the docs this radio is sold as is, guaranteed not to be DOA.

--
73

Nick Marsh
WB4SQI

1973. Poor Visar Battery life?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: intermod@home.com
Message-ID: <36D03800.EE3EEA88@home.com>
Source record: 116149

I was considering purchasing a used UHF VISAR for GMRS use. I noticed quite a few for sale. Someone advised me that this may be because the VISAR radio has poor battery life. Mot.com does give a (low) 5 hour life on the std. battery. Anyone have any experience with a Visar radio?

I have a Bendix-King portable and it can go two days......

Greg

1974. Re: Motorola M75 Digital Cellular Phone

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: kovar <kovar@ia.net>
Message-ID: <01be5db8$5be5b920$9bd0a0cd@kovar.inav.net>
Source record: 116150

Toilet Bowl Phone!
Nokia 2160 and Ericson models are much better in IS-136 TDMA mode.
It's a shame are American made Motorola TDMA phone is
so far behind in audio quality. Echo is bad.
Other quirks also show a rushed product into the digital market.
--
Jack Kovar
k0var
Iowa

Richard Seebach <St1055@email.msn.com> wrote in article
<#T6GNOWX#GA.220@upnetnews05>...
> Motorola M75 Digital Cellular Phone
>
> Unit is New has 99 alpha Number Storage Works with the AT&T PCS TDMA
System
> Comes with 1 High Cap NMiH Battery & 1 Slim Line NICK Cadmium Battery
Wall
> Charger.
> This Phone Has A Built In Rapid Charger.
>
> Also Comes with A Hands Free Kit With will charge the battery
> Comes with remote mic to put on your visor and a remote speaker
> It also Provides an external antenna connector Asking $300.00 For all
>
> For more Info On the M75 Click Here
> http://www.mot.com/GSS/CSG/Products/TDMA/m75.html
>
> If interested E-mail Me At ST1055@msn.com Thanks!!
>
>
>

1975. FA: UNBUILT HEATH Gear 6CA7 Tubes MORE!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Jordan Arndt <jordana@nucleus.com>
Message-ID: <36D0476A.5C0E@nucleus.com>
Source record: 116151

Hi I have Many items presently for Auction... Heath HP-23 Power supply an UNBUILT HD-1234 Antenna/Coax Switch A Kenwood VC-20 VHF Converter for the R-5000 NEW IN BOX!!! 6CA7/EL-34 Audio /Modulator tubes for the Heath Apache TX... an UNBUILT RITTER LOOP and MUCH more... to see goto:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=jordana@nucleus.com&sort=3&since=-1

thanks for your time and 73 de Jordan...

1976. Re: NiMH HT battery packs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7apgfk$6g7$1@nnrp1.dejanews.com>
Source record: 116152
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <36cf9811.0@news>,
"Jim Higgins" <jhiggins@parrett.net> wrote:

> The NiMH packs that I have had experience with in other applications lasted
> considerably longer than Nicads. Plus they have no memory problem. NiMH
> are far better than nicads.

According to experts (three gentlemen who have collectively spent decades working on batteries - and wrote the book, "Batteries in a Portable World"), properly treated NiCds will last much longer than properly treated NiMH cells.

I am talking about cycle life. Sure, NiMH cells provide a lot more energy in the same size case...but unless they are treated properly, they only last 1/3 to 1/2 the total discharge/charge cycles as to modern NiCds.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1977. FS: Repeater Controller

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: ne2e@aol.com
Message-ID: <19990221120238.12387.00001093@ng28.aol.com>
Source record: 116153

Cat-1000 repeater controller, comes with delay board, rack mount housing,
owners manual, latest software, its in mint condition asking $675.00 or bo.

Fred

1978. FS: 222MHZ BandPass

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: ne2e@aol.com
Message-ID: <19990221120643.12387.00001098@ng28.aol.com>
Source record: 116154

Hello All..
I have a 220mhz bandpass filter for sale, its about 5 inches in diameter 26 or so inches long., cant remenber the model number hi hi... asking 80.00 for it..

FRed

1979. FT-990 for 975.00

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: wb4una@aol.com
Message-ID: <19990221121123.00966.00000923@ng-fc1.aol.com>
Source record: 116155

>need to sell this nice radio. have to many . will ship it to your door for
>975.00 comes with the box,manual,and mic. looks like new and works 100%.
>it is the DC version with the 2.4 filter and the tuner installed..

WB4UNA
Randy Chavis
247 Goff Court
West Columbia,SC 29172
803-796-4222
Ham since 1970
Grid Square EM-93
HF-6-2-432 SSB,CW

1980. FS: ICOM R7100 Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Ed <edcummins@erols.com>
Message-ID: <7apfd3skj1@winter.news.rcn.net>
Source record: 116156

For Sale:

Icom R7100 Receiver

Mint condition, factory unblocked, AC/DC power cords, handle
feet option, voice module

$875.00 plus shipping

Thanks,

Ed N3DKP

1981. FT-100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Bruce <bt10ant@ptconnect.infi.net>
Message-ID: <36D043AA.4CF5@ptconnect.infi.net>
Source record: 116157

Anyone know if the new Yaesu FT-100 will be computer
controlable/programable? Literature on line and in stores doesn't
really say one way or the other.

Thanks...

1982. WTB: 60's General Radio catalogs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <ZAXz2.768$HF4.1829137@brnws01.ne.mediaone.net>
Source record: 116158
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.swap

I'd like to buy several General Radio catalogs from the 1960's.
What do you have available?
Thanks!
Chuck...K1KW

1983. FA**REC.PRE-AMP & ON-THE-AIR sign**NO RES**

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <27696-36D03F4D-20@newsd-142.iap.bryant.webtv.net>
Source record: 116159
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment

Neat little receive pre amp by CMI. Model RA201.12vdc.Has "ON THE AIR" sign that lights up when you key up (kindda neat!!).You can use just the ON-THE-AIR or ON-THE-AIR and the pre amp. Check it out!

http://cgi.ebay.com/aw-cgi/ebayISAPI.dll?ViewItem&item=69643346

Take care,
Stan

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

1984. FA**RS 8ch.HAND HELD SCANNER** NO RES

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <27696-36D0411A-21@newsd-142.iap.bryant.webtv.net>
Source record: 116160
Cross-posted to: rec.radio.scanner,rec.radio.swap,rec.radio.amateur.equipment

Check it out.Xtal controled 8 ch.scanner.Realistic Model 20-106 PRO 25.

http://cgi.ebay.com/aw-cgi/ebayISAPI.dll?ViewItem&item=69639794

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

1985. WTB CTCSS Sub tone unit for TRIO TS-711E

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: davidsampson@cableinet.co.uk
Message-ID: <36D04B80.18A7@cableinet.co.uk>
Source record: 116161

does anyone have a sub tone or ctcss unit for a Kenwood Trio TS-711E.

please advise price

tks
m1doz

1986. National Panasonic RF-5000a Need INFO

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: John Swiney <mgray@citynet.net>
Message-ID: <7aph0gjgv1@news.citynet.net>
Source record: 116162

Does anyone know where I can obtain any information or schematics on a
National Panasonic RF-5000a Shortwave radio (1978 vintage)
Thanks, John mgray@citynet.net

1987. WTB: HP-141T Spectrum analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Vincent Coppola <vinyc@snet.net>
Message-ID: <36D04B64.4499@snet.net>
Source record: 116163

A unit in need of reasonable repair is OK too. If you have any plug-ins
for sale, let me know please.

Vince N1VC

1988. Re: Compare: IC751A vs TS850 vs ?.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <372351bb.658997714@news.atl.bellsouth.net>
Source record: 116164

On Thu, 18 Feb 1999 17:07:34 GMT, tuomi@sci.fi (Pasi Tuomi) wrote:
>In article <37002f0d.387940578@news.atl.bellsouth.net>, ke4zv@bellsouth.net (Gary Coffman) wrote:
>
>>Icom has done this both ways. Some older Icoms moved the passband with
>>a mode change, newer ones leave the passband alone and move the carrier
>>insertion point. I like the older method better.
>
>No no no. Older leave the passband alone and move the carrier insertion
>point (display jumps, like in 751A). Newer move passband and carrier
>insertion point will not move (and display shows same freq. for usb and
>lsb - like 765). Display shows always carrier insertion point in Icom rigs.

You didn't go old enough. Look at the IC211. When you change modes,
the carrier frequency stays the same, only the bandpass changes. With
the newer IC251, the carrier jumps around, and the bandpass stays the
same. Aggravating as hell when you want to shift back and forth between
CW and SSB on satellites. You have to retune to find yourself again.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

1989. FS--IC970H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: n9vjg19-nospam@idt.net
Message-ID: <n9vjg19-nospam-2102991335490001@ppp-8.ts-9.nyc.idt.net>
Source record: 116165

```
ICOM 970-H w/ power supply and RX unit (50-905 Mhz continuous)
Super-mint condition
2 decode units
FM-8 Desk Mike
Selling for $2,000 or B/O
email n9vjg@n-lemma.com
```

1990. FS D-104 CHROME MIC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990221141314.01133.00001149@ng-fz1.aol.com>
Source record: 116166

STILL HAVE 3 D-104'S, THEY ALL HAVE THE
PREAMP BUILT IN. GRAY TUG BASE.
ASKING ONLY $30.00 EA. OR $75.00 FOR ALL 3
OF THEM. SHIPPING @ $5.00
THANKS

1991. Re: Icom IC-T2H DC input jack?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Mike Jeffery <Trains@infinet.com>
Message-ID: <36D05C89.37AD@infinet.com>
Source record: 116167

Kevin wrote:
>
> Hello, all! just got the icom t2h HT, and the manual doen't say explicitly
> that the dc jack can be used to power the unit. It is supposed to be used for
> charging the batteries, and it says the power should be turned off while
> charging. i went ahead and tried running it plugged in, and it seemed to work
> fine. does anyone know if it's ok to run the radio with it plugged in, or am
> i voiding my warranty :(by doing so??
> the only problem that i can think of is that the provided wall-wart charger is
> rated at 200mA, but full power transmit sucks about 500mA. if it's safe to
> run the unit through the jack without batteries, i know i would have to use a
> slightly heftier power supply.
> Any help is appreciated. thanks in advance!
>
> 73's,
> Kevin
>
> --
> v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v
> Kevin Newcomb
> KG4BQS
> knewcomb@i-plus.net
> www.vt.edu:10021/K/knewcomb
> v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v
I just bought a t2a and it say's the same so does that mean I can listen
while I charge my battery also. I do not see much about this radio. Why
is it not a good radio?

1992. FS TURNER 254 HC DESK MIC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990221143049.01132.00001233@ng-fz1.aol.com>
Source record: 116168

```
FS TURNER 254 HC DESK MIC
HERE IS A DEAL.. THIS MIC SHIPPED
TO YOUR DOOR FOR ONLY 30.00.
THAT'S CHEEP...THANKS
```

1993. FS TURNER PLUS 2 BASE MIC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990221142707.01132.00001229@ng-fz1.aol.com>
Source record: 116169

FS TURNER PLUS 2 BASE MIC

I HAVE 2 TURNER PLUS 2 MICS.. EACH ONE WORKS,
AND ARE IN REAL GOOD SHAPE. ASKING 35.00 EA
OR 65.00 FOR BOTH.
PLUS 5.00 FOR SHIPPING.
THANKS, WALT

1994. FS TURNER 250 HI-Z DESK MIC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990221143541.01132.00001238@ng-fz1.aol.com>
Source record: 116170

```
FS TURNER 250 HI-Z DESK MIC
HERE IS ONE MORE.. ONLY 25.00
SHIPPED TO YOUR DOOR.
YES, IT WORKS... OR I WOULD NOT
SELL IT.. THANKS
```

1995. Searching a LCD-Video Panel

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: AlexMessner@t-online.de
Message-ID: <36D064E8.681D0604@T-Online.de>
Source record: 116171

Hey OM's

I've started a new ATV - Project. Therefor I'm still looking for a LCD Video Panel (color 5"-6") with PAL or RGB input.
I've found some webpages but they want more then 500$. It is too much for a hobby - project.

Do you know some other sources for this kind of LCD Panel. For example a reseller for used equipment or surplus discount ???

thank you

73 de dg2mmo
Alex

1996. INFO: Yeasu MD-1 / Yaesu FT-290/690/790 RII

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: heath_filtered@s2i2.com
Message-ID: <36cf52f8.13724324@news.ncal.verio.com>
Source record: 116218

I am looking for a desk mic for my Yaesu FT-290/690/790 RII. Was wondering if the Yeasu MD-1 would work or if someone has another suggestion. Thanks.

--
KF6EAL, Christopher

1997. Transverters for 6M and 2M?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: zaax@aol.com
Message-ID: <19990220204102.13076.00000960@ng33.aol.com>
Source record: 116219

I was wondering if there are any transverters for 6m and 2m that are fully assembled other tha the one from Ten-Tec? Any info on this will be most appreciated.

73
Zack
N8FNR

1998. 6m and 2m transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: zaax@aol.com
Message-ID: <19990220204144.13076.00000961@ng33.aol.com>
Source record: 116220

I was wondering if there are any transverters for 6m and 2m that are fully assembled other than the ones from Ten-Tec? Any info on this will be most appreciated.

73
Zack
N8FNR

1999. -FS- MT-500 Channel Elements on 148.100 Mhz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-21 00:00:00 UTC
From: Ron Sibbitt <n8lmt@usa.net>
Message-ID: <7anq3n$nr6$1@ramp2.tir.com>
Source record: 116221
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

I have 3 transmit, and 3 receive elements on 148.100

a total of 6 elements, $20. for the lot, postpaid.

Ron n8lmt@usa.net

2000. Re: Are these Motorola rigs FM? MH10, Mocom10?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Ed <Solarpower1watt@juno.com>
Message-ID: <8D759FB05Solarpower1.juno.com@news.mlode.com>
Source record: 115923

> Would like to know if these rigs are FM. Motorola MH10 and Motorola Mocom10.
> I do know they are crystal bound rigs. One's a handheld, other a mobile rig.

YEs, they are FM, also quite dated too.

Ed

2001. Re: Are these Motorola rigs FM? MH10, Mocom10?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Ed <Solarpower1watt@juno.com>
Message-ID: <8D759F501Solarpower1.juno.com@news.mlode.com>
Source record: 115924

> Would like to know if these rigs are FM. Motorola MH10 and Motorola Mocom10.
> I do know they are crystal bound rigs. One's a handheld, other a mobile rig.

YEs, they are FM, also quite dated too.

Ed

2002. ICOM IC-W32A Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: "W. Charles Alexander" <charlie@netset.com>
Message-ID: <7assdu$7e5$1@athena.netset.com>
Source record: 115925
Cross-posted to: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner

Hello:
I am looking for mods to the Icom W-32A.
Tkx
Charlie
charlie@netset.com

2003. sb200/Yaseu 757GX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: fbear@epix.net
Message-ID: <36D1FAD7.7918A6B4@epix.net>
Source record: 115926

Looking for the correct way to connect my Yaesu 757GX to the SB-200 Amplifer. I do have a FRB-757 Relay Box but the diagram is a little confusing to me. Anyone think they can help me?

Thanks - Frank - WB3IZF

2004. WTB:2.4 Ghz amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Ed Mellnik <ema@teleport.com>
Message-ID: <KsnA2.40946$202.19887899@news1.teleport.com>
Source record: 115927

Our club needs a 2.4 ghz amp that will give 5 to 10 watts out.
ED

2005. FS 2 METER AMP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36D204AC.9BA9D95A@bellatlantic.net>
Source record: 115928

I have for sale a Henry 2 meter amp. Condition is good/excellent.
Model S-30 2 Meter 12V DC. 1-5 in 30-40 out. No pre-amp on the receive.
Asking $40.00 plus shipping. E-mail for inquires.
Mike

2006. FS KENWOOD TS940SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36D204DC.55F34CD5@bellatlantic.net>
Source record: 115929

I have for sale the following: Kenwood TS-940SAT 9 mil serial no.
It comes with the following options: SP-940 Speaker,YK-88S SSB,YK- 88A
AM filter, YK-88C CW filter,YG-455C-1 CW Xtal filter, Hand Mic, Service
Manual,Instruction Manual, and the original box. Asking $1000.00
shipping. Condition is excellent/good. Electrically excellent.
Please e-mail for inquires.
Mike N2OZO

2007. FS Tek Scope

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36D20502.2D7635C4@bellatlantic.net>
Source record: 115930

Tek 2215 60 Mhz dual trace scope in excellent condition.
Looks and works great....Asking $175.00 plus ups.
Thanks for reading this....Mike

2008. FS IC-03AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36D20562.1BCE3FC9@bellatlantic.net>
Source record: 115931

I have for sale a IC-03AT 220 H.T.
The condition of the unit is excellent/good. It comes with the following
1- IC-03AT 220 H.T.
1- BC-35 Quick Charger
1- BP-5 Battery Pack
1- BP-7 Battery Pack
1- Extra 5/8 wave antenna
Also comes with the manual. I do not have the box..sorry.
I'm asking $200.00 plus shipping....If you are interested please
e-mail for inquires. I will forward my number if required..
Thanks for reading this..Mike

2009. AT-600 Problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Mike <globalcm@erols.com>
Message-ID: <36D20646.57608654@erols.com>
Source record: 115932
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Hi,
I have had problems with my ADI AT-600..
The FIRST one I had, had various annoyances
(i.e.: lamp getting dimmer on certain freqs.,
certain pl tones not decoded correctly,
certain pl tones not encoded correctly.)
I sent it back and instead of checking it,
and repairing it, they just sent me a new one...
I thought 'oh great, a NEW radio'
Only that the 'NEW' radio has at least one of
the same problems as the old one (pl encode)
(Specifically the 179.9 pl to access my local
repeater)
PS: I know TWO other people with AT-600's and
theirs WORK on that repeater.
So my question is "what to do?"
I don't want to send this one back to ADI
as well only to wait ANOTHER 6 weeks for the
turn-around. I also don't think I should have
to pay someone to check it out and maybe fix it.
Could I have it fixed and send the bill to ADI?
Would they pay it??
Or should I just send it back demanding a refund for
all the stress, and maybe look at a new HT?
(PS: I can't send it back to the people I bought
it from, it's too late for that)

Any comments would be greatly appreciated,
please reply direct as I do not frequent these newsgroups..

Thanks and 73!
N2OX

2010. Re: Looking for Yaesu FT-900

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Tom Stack <wq5j@airmail.net>
Message-ID: <1B07FC54536F12A4.0ADF4F7ED3CCC258.B08DD45224F0AA65@library-proxy.airnews.net>
Source record: 115933

Have one in like new condition for $840....probably $10 - 12
shipping...thanks...tom WQ5J
vince wrote in message <36d0931b.0@news.cgocable.net>...
>If you have one. Let me know. Resonable price please.Must be in great
>working order. Don't care if its scratched. Just has to work.
>Vince
>vlongpre@cgocable.net
>
>
>

2011. Re: Swan 100MX + PSU5 100W 80-10M Solid State HF rig...$300 + ship

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Joe K7JOE <K7JOE@yahoo.com>
Message-ID: <7at6m8$if5@news.or.intel.com>
Source record: 115934
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Apparently, the subject line got cut off. Price for the set is $300 +
shipping.
thanks,
Joe K7JOE

>Hi,
>I have a Swan 100MX solid state HF rig for sale. This is a very
>compact HF rig, all solid state (no tubes)
>Looks similar to the Atlas 210X/215X rigs -- about the same size.
>Full 100+ watts out on all bands, and works USB/LSB/CW. Includes
>20 amp matching 13.8V power supply that matches the small rig in
>size and appearance. This would make a nice setup for the travel
>trailer / 5th wheel, since it is small and can be used AC (with
>matching speaker/supply) or DC from your battery. Very effective
>noise blanker too (unlike the "new" compact HF rigs)...
>
>Covers 80/40/20/15/10 meters
>Includes original boxes and manuals/paperwork
>Includes microphone
>Includes power supply and radio
>
>Email if interested
>Joe K7JOE
>Portland OR

2012. +++ FS: Yeasu FT-920 +++++

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Dave <k4de@mindspring.com>
Message-ID: <7at513$44q$1@camel25.mindspring.com>
Source record: 115935

I have a Yaesu FT-920 for sale. It is in mint condition, and is owned by a non-smoker. It is less than 2 years old. It has the AM and FM options installed, and comes in the original box with the manual and hand mike. The FT-920 has 100 watts out on all bands 160m to 6m, the recevier tunes 100KHz to 30MHz, and also covers 49MHz to 54MHz. Power required is 13.8 volts at 20 amps, features are a built in keyer, full break in CW, digital voice recorder, and great DSP... $1100, and I'll pay the shipping in the continental US...

Dave Ewing K4DE

email k4de@mindspring.com

2013. Re: WTB: HP-141T Spectrum analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <36d21acf@news1.us.ibm.net>
Source record: 115936

Guys:
Somewhere in your area there must be a copy of Nuts and Volts magazine. It lists many used 141Ts and plug ins for reasonable prices. Then, there is Tucker Electronics, www.tucker.com if you want a refurbished, guaranteed unit.
Crazy George

2014. Re: VX-5r Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <7at536$gs5$1@news-2.news.gte.net>
Source record: 115937

<jrt1@idt.net> ...
:> Anyone using the VX-5r software off the Internet(yard,yawd) to program
their
:> radio?
:>
:> --I have used that software in conjunction with the Eve program found on
the
:internet and using the freeband virtual jumper setting opened up the
transmit
:to work beyond the standard MARS mod.

What is the Eve program and where is it found?

I had not thought the VX-5R was yet on the
market. It just showed up in advertizements.

:
:>
:> Glenn E Frasier jr. Kd5dmg
:> kd5dmg@msn.com
:> home page http://members.tripod.com/kd5dmg/
:>
:> Moderator of Photosmart Email list on www.onelist.com
:> Archives at: http://www.onelist.com/archives.cgi/Photosmart
:> ----------
:>
:>
:
:-----------== Posted via Deja News, The Discussion Network ==----------
:http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2015. Re: 2 VX-5R Questions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <7at56kshn1@news-2.news.gte.net>
Source record: 115938

How do you like the radio? And what is with the adjustable
antenna that they are advertising? How does it work on 6M?

And what opinions does it have?

:I recently purchased a Yaesu VX-5R HT and am really impressed
:with it. I inadvertently programmed two memory locations with
:the same frequency. I can overwrite either one with a new
:frequency but can I just erase one (or reorganize the order)
:without software. My Icom W32A allows this type of
:operation fairly easily. Can a priority memory be returned
:to non-priority? If I can't do the erase without software,
:is it possible to do with software?
:
:Also this is my first HT with a SMA connector. BNC connectors
:have always been very reliable. I do some foxhunts where I
:connect antennas, attenuators, etc. on and off the HT fairly
:often. Do the SMA connectors hold up as well as BNC connectors
:do provided that I am careful? Any experience would be
:appreciated. I could remove the ducky once and add a small
:flexible SMA to BNC cable and the do all the connections at
:the BNC if SMA reliability is an issue.
:
:Thanks for any advice,
:Larry BEnko, AC0B

2016. FT1000D ,SP5,MD1 FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Mike Miller <wb4gtm@scott.net>
Message-ID: <04pA2.1015$mc.1028@monger.newsread.com>
Source record: 115939

I have an FT1000D ,SP5, MD1 for sale in excellent condition 1 year old.
second owner. call or e mail 205 428 6194 leave message e mail
wb4gtm@scott.net Mike Miller N4VG 3000DOLLARS FIRM.

2017. Re: NEED HELP QUICK - Kenwood 830?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Wayne Faris <wfaris@binary.net>
Message-ID: <36D21E91.4C925417@binary.net>
Source record: 115940

Need Help Quick? Buy it quick! The biggest mistake I ever made in ham radio (that I will admit to) was to get rid of my 830S! The only thing it didn't have that I wanted was a dual vfo. If you buy one, get the matching remote vfo so you can work dx splits.

Wayne, KEï¿½BZ

CompCnsult wrote:

> Thinking about buying a Kenwood 830S.
>
> Need comments pro and con!!
>
> Please respond to: compcnsult@aol.com
>
> 73's
> Chuck

2018. Re: Yaesu FT-50 x VX-5R x VX-7R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <7at5ii$5b5$1@news-2.news.gte.net>
Source record: 115941
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Jose R. Camara <camara@quantacorp.com> ...
:I have one ft-50 and one vx-5r. In my opinion, neither is an obvious
:winner, and the next year's VX-7 will still not be the end of the
:update/upgrade game.

I thought that the VX-5R was just now being released. I haven't
heard about the VX-7. How did you find out about that one?

What is ICOM doing to complete?

:
:FT-50 Pluses:
:
: 1. DTMF decoder
: 2. Audio record/playback (nice way to report back how someone sounds,
:good for short memos)
: 3. Working CTSS. Not only the scan (which now seems to work in the
:vx-5r) but regular CTSS usage, the VX-5R has an intermitent bug that
:makes it take as much as 3 seconds to open, making CTSS unusable.
: 4. Defense - hold by the antenna, swing at attacker's face (specially
:with the BIG battery). Ha. Try that with the VX-5R! :-)
:
:
:VX-5R Advantages:
:
: 1. Size. A great compromise for people wanting a LARGE speaker, HUGE
:display, COMFORTABLE keyboard and TINY radio. Display larger and
:better than ft-50, keyboard still OK for small fingers, only speaker
:is worse than ft-50, distorts at much lower volume than ft-50.
:
: 2. Battery. Li-ion (7.2V 1100mA) has longer life at 1/3 of the size
:of the original BIG FNB-41 for the ft-50 (rated 9.6V 600mA). FT-50 has
:more options, including MAHA NIMH but still half the capacity.
:
: 3. 220+ memories
:
:VX-7R killer features:
:
: 1. Full PC inteface (reads display, accepts commands, included tnc,
:runs scripts). I loved the feature in the PC software that
:continuously scans the band for activity, generating reports for most
:active frequencies (per time of day), etc. It was neat that YAESU this
:time decided to publish all the protocol. It was neat to finally see
:an IrDA interface. Bye, bye cables...

:
: 2. Real audio spectrum analyzer, you can even see the CTSS tones,
:tell deviation, tune to the very center, etc. It is also neat to see
:CTSS frequencies in a fraction of a second, not the old scan,
:try-one-at-a-time method.
:
: 3. 30 minutes of audio recording is now a real plus!
:
: 4. The lock code really discourages theft, at least to informed
:thieves. Without entering the code, only a trip back to the factory
:with return to the registered owner will make it work again. Virtually
:unbreakable, thanks to serialized CPUS and encrypted coding in the
:EEPROM. How come they didn't think of this before?
:
: 5. Finally an AC adapter with enough output to transmit. Thanks to
:the switched 15V/2A brick.
:
: 6. The new telescopic antenna makes the radio even more portable, and
:the graduated last section assures lowest swr for all 7 bands!
:
: 7. Price. WoW! How can they be making any money selling these for so
:little? No wonder they are out of stock. I am thinking of cancelling
:my order to wait for the wristwatch version. Does anyone know if it
:will also have the optional GPS module?
:
:
:Regards,
:Jose
:
:I only mentioned main, useful features for the ft-50 and vx-5r that I
:thought could make a difference for people trying to decide on either
:one. The VX-7R must be in a real serious backorder situation, as
:another search to Altavista brought no links. Maybe the FCC objected
:the built-in digital cellular descrambler jumpers...
:
:
:
:Ken Wood wrote:
:>
:> From: Ken Wood <w00dy65@yahoo.com>
:>
:> ---"B. M." <slapsho7@hotmail.com> wrote:
:> >
:> > From: "B. M." <slapsho7@hotmail.com>
:> >
:> > After thinking about it a great deal and checking one out firsthand I
:> > just can't see a valid reason to purchase a VX-5R.
:> >
:> > I currently have a FT-50 that does almost everything the VX-5R does
:> and

:> > MORE. It works correctly with CTCSS, has a DTMF decoder, and has
:> very
:> > good reception & coverage.
:> >
:> > While the reduced size and added memory channels of the VX-5R are
:> nice
:> > they just don't make the radio appealing enough to justify the cost
:> at
:> > this time.
:> >
:> > Maybe when & IF they ever figure out how to lower the receive
:> coverage
:> > below 39-42 MHz this radio will be worth the cost.
:> > As it is right now the CTCSS bug & the "fix" are almost enough to
:> > prevent me from getting one. Add the fact that there are NO
:> significant
:> > new features compared to the FT-50 and there are my reasons.
:> >
:> > Too bad YAESU decided to take one step forward and two steps back
:> with
:> > this radio.
:> >
:> > Good luck to everyone.
:> >
:> >
:> ---
:> > Explore a new interest; start a new hobby. Go to
:> http://www.onelist.com
:> >
:> ---
:> > Thanks for contributing.
:> >
:> > http://www.primenet.com/~confused/scan.html
:> >
:> In defense of my precious VX-5R...=-)
:> I've owned one of those bricks you call an FT-50R. They are a nice
:> radio, have good RX, and the seem to hold their value on the "Used"
:> market.
:> But, I didn't like the placement of the antenna (up front instead of
:> near the back of the radio) which is only a personal quirk that I had.
:> And it was just WAY too thick for me.
:> The FT-50R does NOT have 6m, SW, MW, DCS (I could be mistaken on this
:> feature), a Lithium battery for shorter charge time, ARTS,
:> Barometric/Altitude measuring, Temperature display, Deviation
:> adjustments, automatic power ON and OFF, smart search, spectrum
:> analyzer, 25 different Icons, 5 Memory Groups that each hold 24
:> various memory channels, BCLO, and I think the VX-5R is also easier to
:> operate.
:> In my humble ;^) opinion, The VX-5R is everything and more than the
:> FT-50R "is" and will "never" be!

:> Since, the FT-50R holds its value, I think you should sell it and buy
:> a VX-5R.
:> I have one (Ser. No. 8L0105##) that does NOT have the CTCSS bug or any
:> other bugs listed in the past.
:> That's not to say that there are a few things I wouldn't change. The
:> BARO/ALTI meters seem to like the metric system and I don't, and on 6m
:> it tunes in 10 KHz steps...not 5 KHz.
:> But all in all, I'm much happier with my VX-5R than I was with the
:> FT-50R or the Icom IC-T8A for that matter.
:>
:> Please reply & 73's to ya! 8^)
:> ---
:> Is ONElist important to you? Come to our new web site and share with
:> us your stories. http://www.onelist.com
:> ---
:> Thanks for contributing.
:>
:> http://www.primenet.com/~confused/scan.html

2019. vx5r audio distortion on receive?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: ANDREWJ <andrewj@earthlink.net>
Message-ID: <7at91pavp1@fir.prod.itd.earthlink.net>
Source record: 115942

i get lots of distortion (sounds like the speaker is vibrating) on the vx5 at full volume on nfm; on wide fm, sounds ok. any hints on how to fix the internal speaker?

thks

andy

2020. Re: Going rate for FT-767?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Tom Clements <tom@xxspam.clements.net>
Message-ID: <K2qA2.203$2s3.3754@news20.ispnews.com>
Source record: 115943

Check http://www.aade.com/hampedia/prices2.htm . Prices for gear sold on e-bay are available.

73, Tom W1ICH

N8PPZ73 wrote in message <19990222231458.13796.00001966@ng01.aol.com>...
>I have a FT-767 that I am considering selling,
>
>What is the going rate for one with the two meter module, and PL tone board?
>In near new condition?
>
>Curious,
>
>Grego
>Grego, N8PPZ
>N8PPZ73@aol.com
>

2021. Re: Which packet TNC?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <36D23AF4.63E5DC07@mindspring.com>
Source record: 115944

Christopher Brewster wrote:
>
> I'm looking in the AES catalog at basic terminal node controllers for
> packet. There are apparently closely competitive units from Kantronics,
> PacComm, and MFJ, for around $150. The MFJ at that price (1270CQ) has a
> modem. The other two don't say it so I guess they don't.

I'm not sure what the MFJ copy says, but a TNC is basically a modem --
but to a radio vs. a phone line.

If just for VHF and 1200 baud, I've found the Kantronics KPC-3 to be a
good unit: Very small and portable, and you can install an internal 9
volt battery for portable ops.

For HF digital I'd recommend the KAM+ (or whatever the current unit is),
also Kantronics. It will support HF digital (pactor, RTTY, etc.) and
VHF packet (1200 baud) simultaneously, making it a good total solution.

I switched to Kantronics after using an AEA PK-232 MBX for a number of
years.

Phil

2022. Icom SM-8 Marine Radio to 2m Ham Band

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Glen <ozdream@iname.com>
Message-ID: <36D23A48.405052EF@iname.com>
Source record: 115945

G'day, Does anyone know if its possible to mod the Icom SM-8 Hand Held radio to Tx on the two meter ham band?

Thanks Glen

--
"Catch you down the track"
ICQ#17239752

2023. Icom SM-8 Marine Radio to 2m Ham Band

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Glen <ozdream@iname.com>
Message-ID: <36D23A75.F95B2ED9@iname.com>
Source record: 115946

G'day, Does anyone know if its possible to mod the Icom SM-8 Marine Hand
Held radio to Tx on the two meter ham band?

Thanks Glen

--
"Catch you down the track"
ICQ#17239752

2024. FS: VHF amps 20W in for 80W out

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36D23B26.3301@ix.netcom.com>
Source record: 115947
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For Sale..

Tri-electric VHF amplifiers.. Commercial 150 to 170mhz, but
also will cover the ham band down to about 145 Mhz with full output.

12VDC, 20W in gives 80W output..

$49 each..plus shipping.

Steve-WA6GSD

2025. Re: Icom 746 & 1.9 khz filter ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Chris Musselman <junkmailbox@pacbell.net>
Message-ID: <36D25574.AF65FD25@pacbell.net>
Source record: 115948

I bought and installed the 1.9 kHz fillter in my IC706MKII, and I'm very happy with its filtering and audio performance, with one catch: When using it on upper sideband signals, I have to turn the RIT to the right about a mark and a half on the dial to get a good audio response, otherwise it is very tinny. LSB works well with RIT in the center position. I sent the radio to Icom, they kept it for 3 weeks, and then said it was 'normal'. I'd also like to hear from other users about this...

Chris W6ATV

TRG150 wrote:

> I am looking for comments on anyone who owns an Icom 746 and has installed the
> FL 223 1.9 khz filter??? How do you like the preformance compared to the
> stock 2.4 khz filter???? Did audio quality diminish quite a bit??? overall
> -do you use the narrow 1.9 or 2.4??? would appreciate any comments before I
> purchase the filter.
> trg150@aol.com

--
DON'T reply to the above address...
real replies go to rcoaster(atpacbell).net

2026. Re: FS: 222MHZ BandPass

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: brianburke@my-dejanews.com
Message-ID: <7aq6of$op4$1@nnrp1.dejanews.com>
Source record: 116050

In article <19990221120643.12387.00001098@ng28.aol.com>,
ne2e@aol.com (NE2E) wrote:
> Hello All..
> I have a 220mhz bandpass filter for sale, its about 5 inches in diameter 26 or
> so inches long., cant remenber the model number hi hi... asking 80.00 for it..
>
> FRed

Just one?

Brian

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2027. Re: NiMH HT battery packs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7aq9a1qmn1@nnrp1.dejanews.com>
Source record: 116051
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <01be5db9$235bbc20$590a8fd0@grow>,
"John B. Grow" <grow@kiva.net> wrote:
> I agree. MiMH batteries have much higher amh ratings than NiCads that are
> the same size....plus no memory.

Sorry if I wasn't more clear: OF COURSE a higher-amperage batter has more amperage.

I am talking about the LIFE OF THE BATTERY - the number of times we can expect it to be discharged and properly charged. THAT'S where modern NiCds have an edge over any other portable battery source for our needs.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2028. ebay: $3300 New Army Antenna Coupler or a Super Army Case!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: "karlan at email.com" <karlan@ZEROSPAM.email.com>
Message-ID: <6o2A2.6350$po.2861@c01read02.service.talkway.com>
Source record: 116052

$3300 New Army Antenna Coupler or A Beautiful
Super Military Vacuum Type All Weather (Has Vacuum Button - I assume)
Carrying Case for important gear you have !

Item #69133014

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=69133014
--
Posted via Talkway - http://www.talkway.com
Surf Usenet at home, on the road, and by email -- always at Talkway.

2029. WTB: Hal Communications ST8000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: herbr@netcom.com
Message-ID: <herbrF7J9p4.KA9@netcom.com>
Source record: 116053

I am looking to buy a Hal Communications ST8000 HF modem in excellent condition.

Thanks.

Herb - KG6OK

--
herbr@netcom.com

2030. Re: ft50 mod?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Ivers Timothy <tivers@optonline.net>
Message-ID: <36D0C287.1C3D9DA1@optonline.net>
Source record: 116054

The firmware has been changed in the newer radios and it can not be
modified as of this time.

Mercs01 wrote:

> To anyone knowledgeable of the freeband mod.
>
> I did the mod and the power up sequence is not working.
> but when I power up the radio using (hold lamp,ptt,knob)
> I get these options:
>
> Band A3--
> uHSSO
> uTHSO
> uTISO 70
> uSILV 135
> uS9LV 218
> uHIPO 100
> uL3PO 71
> uL2PO 39
> uL1PO 14
>
> The mod says that when "Band A1" is shown to push the knob for 1/2
> second and change it to freeband. But I can't adjust it.
> My s/n starts with 8C_ _ _ _ _ _ If that is any help.
>
> Thanks in advance

2031. Re: SX-28 & SX-28A--what's the difference?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990221231237.17045.00005372@ng124.aol.com>
Source record: 116055

YES!
6AB7 is the correct tube. 6BA7 is a dyslexic typo.

2032. HT FS: IC-T7A w/ dry cell pack, like new

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: ypwhich@hotmail.com
Message-ID: <7aqqpp$90j$1@nnrp1.dejanews.com>
Source record: 116056

ICOM IC-T7A for sale. This is a small handheld dualband radio.
http://www.eecs.wsu.edu/~ritz/images/ICT7A.gif
This is a scanned image of the actual radio.
This is a dual band HT w/ Rubber duck, power supply/charger, nicad pack (great condition), dry cell pack (holds 4 AA's). Under a year old, works perfectly. New $279 and $40 for the dry sell pack. Sell all for $230.00 shipped. Works perfectly, I'm the only owner of the radio, I need a mobile rig in my shack so I'm selling this to raise the money. AS IS.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2033. FS: Yaesu FT-470 Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: ypwhich@hotmail.com
Message-ID: <7aqqs5$90s$1@nnrp1.dejanews.com>
Source record: 116057

Yaesu FT-470 Accessories

Yaesu quick charger/stand. NC-29.
Not a scratch on it, would pass for new.
$45.00 shipped. OBO
Works. AS IS.

Adapter for Yaesu FT-470. It looks like a battery, it clicks on your radio, but it has a curly wire out of it with a heavy duty plug on the end (could chop off and put a normal cigarette lighter plug on it). Not a scratch on it. Would pass for new. $15.00 shipped. OBO

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2034. ICOM 260a parts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Ken Smith <knsmith2@bellsouth.net>
Message-ID: <36D0E3BE.86497147@bellsouth.net>
Source record: 116058

Icom had a good laugh when I asked for parts on the radio, a model 260A. Specifically, I need these parts: 1) TMS 1024NLL, 2) TMS1115. These are in the PLL circuit. I'm trying to find a source for parts. A parts unit might be considered.
Thanks

2035. Eddystone 830 series receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: "csc@smartt.com" <csc@smartt.com>
Message-ID: <36D15B85.1BAB@smartt.com>
Source record: 116059

I am restoring an Eddystone 830 series receiver specifically the
model 830/4.

Would anyone have available the tube compliment and corresponding
valve reference number, example V1 6ES8, V2 .....

Also would anyone know the crystal frequency and crystal type of the
2nd local oscillator.

If anyone has a schematic or copy available I would be very interested.

Please reply to csc@smartt.com

Colin

2036. FS: Kenwood Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: jwbest@earthlink.net
Message-ID: <36d1e4ec.127760393@news.earthlink.net>
Source record: 116060
Cross-posted to: rec.radio.amateur.misc.rec.radio.swap,rec.radio.amateur.equipment

For sale Kenwood AT50 antenna tuner used with the
Kenwood TS50. In mint condition, presently using it
in the non auto mode with my ICOM. No longer have
the TS50. $210.

2037. Are these Motorola rigs FM? MH10, Mocom10?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: wa2ise@netcom.com
Message-ID: <wa2iseF7JKA9.FBn@netcom.com>
Source record: 116061

Would like to know if these rigs are FM. Motorola MH10 and Motorola Mocom10.
I do know they are crystal bound rigs. One's a handheld, other a mobile rig.
Have opportunity to buy, but haven't seen 'em yet.

TIA Bob

2038. ft-530

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: fsmoyer@sgi.net
Message-ID: <36D0F586.1CCE@sgi.net>
Source record: 116062

Can this dual band be moded for extended tx/rx
Yaesu ft530
reply via email
Frank N3OBL
FF/EMT

2039. Re: WTB QRP BACKPACKING RIG

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <46xOCEAY+Q02EwFG@pacsat.demon.co.uk>
Source record: 116063

In article <7aq35jfkc1@cletus.bright.net>, Joe Schulte
<schulte@bright.net> writes
>Hello going to Philmont Boy Scout Ranch this summer and would like to take a
>qrp rig along that covers at least 40 meter cw. If you have a qrp rig you
>would like to sell please contact me at schulte@bright.net
>Thanks, WA8UET
>
>

Take a look at www.elecraft.com

73 Simon

+---+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+---+

2040. FS: Icom R7000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: aidehua@aol.com
Message-ID: <19990222041908.01140.00001522@ng-fs1.aol.com>
Source record: 116064

For Sale: ICOM R7000 25-2200 MHz Receiver w/ TVR7000 Video Converter, Original Instruction Manual, and Original Service Manual. Excellent condition.

R7000 had two modifications to it:

1) Doubled memory bank via 'remote switch' TOTAL: 198 memories
2) Faster scan and search speed (from 8 to 13 ch/second)

Modifications done by professional technician. All paperwork included.

$1200.00 plus shipping/insurance (from CA)

2041. IC706 Main PCB

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: defaultuser@domain.com
Message-ID: <36D12A00.D3C9DC09@domain.com>
Source record: 116065
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment

Hello there,
Thank you for your interest in reading this.
I am looking for a spare part for my friend's HF Transceiver.
He is looking for the Main PCB for his IC706.
Price in France is USD 800 which we find too much.
Could you help locate a cheaper second source ?
Regards from F5NMR / KE1IR / ex-GX0NCP.

2042. Wanted:Kenwood TV506 Transverter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: "Glenn J. Torres" <radioman@gulfsouth.verio.net>
Message-ID: <01be5e57$2ce01040$9858cccf@default>
Source record: 116066
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I am looking for a good condition transverter (TV506). Please reply with
price including shipping and description of unit.
73.
G;enn
kb5ayo

2043. WTB: Powerstat variac 240v 25/28a

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Leon Snider <leons@worldnet.att.net>
Message-ID: <7argmc$205@bgtnsc02.worldnet.att.net>
Source record: 116067

Price? new or used? Your zip code? I'll be at the Dalton Swapfest 2/26.
Thanks, Leon

2044. Philips PRP 1650 EPROM

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Martin <sneezy@picknowl.com.au>
Message-ID: <36D14954.AA72C1AD@picknowl.com.au>
Source record: 116068

G'day

I have two Philips PRP 1650 trunking handheld units that are only a few years old. The corporate trunking bases are now switched off. The units have 27C512 size PROMs on board in sockets. I am after the binary file for a non trunking version IF IT EXISTS. I want to convert them to use the UHF amateur band. The units are on W4 UHF band now. I have access to a programmer.

Failing this, I will sell them (cheap, In Australia that is).
Thanks and can someone tell me if there is a better place to post this.....
email replies would be great.
--
Martin S - Adelaide Australia

Email- sneezy@picknowl.com.au

Homepage- http://www.picknowl.com.au/homepages/sneezy/180sx

"Women and cats will do as they please and men and dogs should relax and get used to the idea." -- Robert A. Heinlein

2045. Orange Texas Hamfest Information Request

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: oldgear@aol.com
Message-ID: <19990222072342.01136.00001462@ng-cb1.aol.com>
Source record: 116069

Hi
Looking for some info on the Orange Texas HF. I think it's next Saturday 2/27.
Can anyone confirm this and also an email or web page address where I can get
details.
Thanks

2046. FS: Astron 12amp Pwr Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: ^Fretts <n2rif@kwiknet.net>
Message-ID: <nrcA2.441$sy3.212@news6.ispnews.com>
Source record: 116070
Cross-posted to: nj.forsale,pa.forsale,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.cb,rec.radio.swap

Forsale: Astron 12amp {15amp surge} power supply hardly
used. New $80 price $50/bo +shipping.. If you're interested
Call: (609)386-9382... If busy Call: (609)386-3272 [please
afternoon's only!! Ederly mother is very ill]
Cordially Thom j. de N2RIF -73
Email: n2rif@kwiknet.net Or remove "knowspam"
when you hit ur reply button..

2047. AEA vs. Diamond. Which is better?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: kd7ctr@aol.com
Message-ID: <19990222082340.07271.00001555@ng21.aol.com>
Source record: 116071

I am looking to get a AEA 2 meter IsoPole. I currently have a middle of the line 2 meter Diamond vertical on the tower. I am looking for feedback from people that own a IsoPole. 73s de KD7CTR

2048. Re: ICOM 260a parts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: gfiber@news.cmc.net
Message-ID: <36d15f81.1690682@news.cmc.net>
Source record: 116072

On Mon, 22 Feb 1999 05:00:09 GMT, Ken Smith <knsmith2@bellsouth.net>
wrotf:

>Icom had a good laugh when I asked for parts on the radio, a model 260A.
>Specifically, I need these parts: 1) TMS 1024NLL, 2) TMS1115. These are
>in the PLL circuit. I'm trying to find a source for parts. A parts unit
>might be considered.
>Thanks

I am not surprised the IC-260A was built in 1981 thru 1983 or early
1984. Some of those chips are out of production

Gary Fiber
Copyright 1999
Washington State Resident

2049. FS: Heathkit HW-99 non-working

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: "Joseph R. Erlewein" <jrerlewe@mtu.edu>
Message-ID: <7armp1dnf1@campus1.mtu.edu>
Source record: 116073

I have a HW-99 and a bag of parts here to the highest bidder.
It was never plugged in while I had it, and looks like someone was in the process of rebuilding or building it. There's some wires inside that are dangling.

Best Offer takes it,
Joe

--

http://www.qsl.net/n8ouz

2050. WTB: 440 mobile rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: "Joseph R. Erlewein" <jrerlewe@mtu.edu>
Message-ID: <7armqmdnf2@campus1.mtu.edu>
Source record: 116074

Please email me if you have a working 70cm synthesized mobile rig at a good price. Must be usable at 9600b packet.

Thanks,
Joe N8OUZ

--

http://www.qsl.net/n8ouz

2051. Wanted: Manual for Galaxy V Mark II

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: k5dh@rtis.ray.com
Message-ID: <7arnp2$mao@news.rsc.raytheon.com>
Source record: 116075
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Looking for manual for Galaxy V Mark II transceiver and p/s.
Photocopy is fine. Will pay *reasonable* copying/postage.

Yes, I'm aware of the many vendors who sell manuals, but I'm
hoping to find a fellow amateur who has the manual and would
be willing to help me out (like I do for my fellow amateurs
when I have a manual they need, since I NEVER charge for my
copies OR for the postage!).

73,
Dean / K5DH

2052. FORSALE - MINT Kenwood TS-520S w/CW filter, mic, MFJ tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7arqsa$2fe@nntpa.cb.lucent.com>
Source record: 116076
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,nj.forsale,rec.radio.amateur.boatanchors

I have a mint Kenwood TS-520S that I would like to sell.
In my opinion, the 520 and 520S are
some of the best rigs around and would make a
fantastic beginner station or a great backup rig.

For any novices not familiar with this radio, it is all solid state
(discrete components, so its very easy to repair if ever needed)
except for a tube driver and a pair of very
robust 6146 tubes as the finals. It has a builit in power supply,
but can also run off of 12VDC with an optional DS-1A
DC-DC convertor (not included). It also has connections for the
Kenwood DG-5 digital display.
It covers 160,80,40,20,15, and 10 meters in CW and SSB (upper and lower) modes.
The receiver section is excellent and I always get excellent audio quality
reports. Many folks say that these older Kenwoods are some of the best
sounding rigs on the air.

This rig also has the optional 500Hz CW filter
installed (genuine Kenwood option). Also included
is the Kenwood hand mic and (if you need it) an
MFJ antenna tuner (I forgot model no - older unit
but works fine).

The price is $350 + shipping. You might find one for a few $ less,
but NOT is this great condition.

Joe Levantino
KB2FSH

(732) 949-0664

2053. Re: IC706 Main PCB

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <NvrTnGAxLV02EwyE@pacsat.demon.co.uk>
Source record: 116077
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment

In article <36D12A00.D3C9DC09@domain.com>, defaultuser@domain.com writes
>Hello there,
>Thank you for your interest in reading this.
>I am looking for a spare part for my friend's HF Transceiver.
>He is looking for the Main PCB for his IC706.
>Price in France is USD 800 which we find too much.
>Could you help locate a cheaper second source ?
>Regards from F5NMR / KE1IR / ex-GX0NCP.

Try

yaesuparts@worldnet.att.net

They have quoted me some excellent prices for replacement boards for
FT736r.

73 Simon GM4PLM
+---+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+---+

2054. FS: Timewave DSP-59+ filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: mjgilbert@wcom.net
Message-ID: <36d17123.163315665@news.compuserve.com>
Source record: 116078
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have a Timewave DSP-59+, with manual
$150.00 shipped CONUS.

please email
mjgilbert@wcom.net
Matt
K8KDR

2055. FS: Icom T8A +

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: mjgilbert@wcom.net
Message-ID: <36d1716b.163387819@news.compuserve.com>
Source record: 116079
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have a complete T8A setup for sale:

T8A - clean no mods, with chgr, docs and box
BP-200 - 9.6v high cap battery pack (for a total of TWO)
BP-197 - AA battery case
HM-75A - spk/mic with remote control buttons
DOS programming software (no interface - build it)

$400.00 shipped CONUS

please email
mjgilbert@wcom.net
Matt Gilbert
K8KDR

2056. FS: Icom Q7A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: mjgilbert@wcom.net
Message-ID: <36d172a5.163701660@news.compuserve.com>
Source record: 116080
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner

I have an Icom Q7A mini HT/wide-recvr for sale.
With docs and box. Comes with 4 nicad AA's and charger.
$150.00 shipped CONUS

please email
mjgilbert@wcom.net
Matt Gilbert
K8KDR

2057. W.T.B./trade+cash

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: LeRoy Prosic <ve3lgp@tct.net>
Message-ID: <7art5l$cpp@sabik.tct.net>
Source record: 116081

w.t.b. Standard C5900DA or trade + cash mint FT5200 with options....
PLEASE reply www.ve3lgp@tct,net Thank you

2058. Icom 725 and AH3

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: swanjohn2956@my-dejanews.com
Message-ID: <7as1c1$9h4$1@nnrp1.dejanews.com>
Source record: 116082

Hi,

Anyone got the wiring info needed to connect up the AH3 atu to the icom 725.
Any data greatly appreciated.

Also, I am looking for UI-7 am/fm unit for above. Good price paid.

Thanks In Advance,

John

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2059. Re: NiMH HT battery packs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7as2pgarv1@nnrp1.dejanews.com>
Source record: 116083
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <7aq6pp$77m@idle.cs.ubc.ca>,
davem@idle.cs.ubc.ca (Dave Martindale) wrote:
> clintbrad4d@earthlink.net writes:
>
> >I am talking about cycle life. Sure, NiMH cells provide a lot more energy in
> >the same size case...but unless they are treated properly, they only last 1/3
> >to 1/2 the total discharge/charge cycles as to modern NiCds.

>> To be fair, life also depends on how often you cycle the pack.

I carefully worded my post (that time...<grin>) to include "treated properly."
Properly treated NiCd packs will last a lot longer than properly treated NiMH
packs - when we talk about the life of the pack.

I am a big fan of NiMH packs, too - I use them daily. I also use Maha's MH
C-777a universal conditioner/charger with its heat sensing and correct
"treatment" of both NiCD and NiMH packs.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2060. FS KnightKit T-60 Transmitter and V-44 VFO

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36D18205.7448@ix.netcom.com>
Source record: 116084
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

These are working on the air units in good condition. AM and CW.
All you need to do is plug a mic and a key in and you are on the air.
I want $175+ shipping. I have copies of both manuals.
73 Chris VE3NGW/W4 Florida

2061. VTVMs KnightKit and Eico for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36D184B7.1CF2@ix.netcom.com>
Source record: 116085
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

I have a knight KG-625 VTVM and an Eico model 249
Both are working and in good condition shape. They have very large
meters. These are bench meters. Excellent for doing alignment work. The
Knight comes with a bracket and probe. I have no manuals for either.
$65 each plus shipping 73 Chris VE3NGW/W4 Florida

2062. FS Heathkit HG-10B VFO

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36D186E1.7C0@ix.netcom.com>
Source record: 116086
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

I have an HG-10B VFO in very good condition and on the air. This unit
is very stable. With manual. $100+shipping
73 Chris VE3NGW/W4 Florida

2063. DX Guide and Callbooks FS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Ken Simpson <W8EK@usa.net>
Message-ID: <iNfA2.751$mc.1604@monger.newsread.com>
Source record: 116087

Radio Amateur Callbook products for sale:

Radio Amateur's DX Guide - 14th edition - 1981 $ 5

Callbooks:

1988 North American $ 10

1991 North American $ 10

1994 North American $ 10

The above are "like new," They have been opened up, but that is
about it.

1987 International $ 5

1990 North American $ 5

1990 International $ 5

1990 Supplement (includes both US and DX) $ 2

1992 North American $ 5

1992 International $ 5

These have been used. They show their use, but are not "beat up" or
damaged.

Some of these have been listed before, but I have reduced the prices.
I have also found more in some of the corners!

Prices do not include shipping from Florida.

E-mail to W8EK@usa.net

Thanks.

73,

Ken, W8EK

Ken Simpson
E-Mail to W8EK@usa.net or W8EK@fdt.net
http://www.gnv.fdt.net/~kenmar
Voice Phone (352) 732-8400

2064. Autek Reasearch QF-1A SSB/CW/AM Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36D18A8D.43D9@ix.netcom.com>
Source record: 116088
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

I have in excellent condition a QF-1A Audio Filter. It features LP and HP Peak and Notch, the frequency is adjustable, also has a bypass switch. Power supply is built in and operates off ac. $65
73 Chris VE3NGW/W4 Florida

2065. Manuals needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: dshane@ichange.net
Message-ID: <2cgA2.2$i9.66@news14.ispnews.com>
Source record: 116089
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

Need manuals (or copies) for Heath HM-2102 VHF Power/SWR meter and for military ME-26D/U multimeter. Anyone have any leads? TIA!

Don, K4DLS
Respond to k4dls@qsl.net

2066. Opinions: OMNI VI, Kachina

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: SEREIKAS@worldnet.att.net
Message-ID: <MPG.113b5b45631ff9f4989687@netnews.worldnet.att.net>
Source record: 116090

Hi All,
I'm looking for input on the Ten Tec Omni VI Plus as well
as the Kachina 505DSP. I'd appreciate any input from
people that have used either of these rigs.

Thanks and 73,

George
KC2MF

2067. FS:Rohn Tower Strobe Controller

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: spectrumcom@my-dejanews.com
Message-ID: <7as6u6$f0j$1@nnrp1.dejanews.com>
Source record: 116091

FS:Rohn Industrial Tower Strobe Controller.Taken out of Service off 1000 Ft public safety tower.Buyer pays shipping.**Sold(as-is)**
100.00+Shipping

*Will accept Prepaid Postal Money Order or Personal Check(10 day delay)
*If Shipping is noted as included with price it is shipped via US Postal Service Priority Mail (Insured)
Thanks Bryan Bailey

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2068. Capacitor Analyzer Sprague Model TO-6 For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36D1909F.68EF@ix.netcom.com>
Source record: 116092
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

I have a Sprague Model TO-6 Capacitor analyzer. It's in excellent
condition and an excellent addition to any bench/shack. $200
73 Chris VE3NGW/W4 Florida

2069. FA: Icom R7000/TV-R7000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: aidehua@aol.com
Message-ID: <19990222123222.17520.00001291@ng139.aol.com>
Source record: 116093

FA: Icom R7000 w/ TV-R7000 Converter. Please see the web site below:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=70113019

2070. FS TenTec Corsair with Matching PS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36D19279.363E@ix.netcom.com>
Source record: 116094
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have an excellent condition Corsair Model 560 with Matching power supply. This rig is loaded with all the filters and is a delight to operate. Both units for $650+shipping. 73 Chris VE3NGW/W4 Florida

2071. Collins Knobs 75A4 Small for large

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: PAW <73457.650@CompuServe.COM>
Message-ID: <#WhUvnoX#GA.322@ntawwabp.compuserve.com>
Source record: 116095
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

I have some 75A4 knobs coming in but actually need two large
bottom row knobs and the 3 very small trimer knobs. Any interest?

--
PAW
(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
http://ourworld.compuserve.com/homepages/w9jmn

2072. for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Randy <ooton@provide.net>
Message-ID: <36D1A72E.82CE48@provide.net>
Source record: 116096

Stuff from an estate sale, not quite sure what everything is for
Lanliner phone patch.............make offer

heathkit power supply, hwa-7-1, 15 watt $10.00
Kantronics kpc 2 packet communicator II $25.00
Kantronics Packet Communicator3 $25.00
12 vote 1.5 amp switching box (???) goes with kpc-3 free
Pakratt 232-----$25.00

All the manuals are here, but no softwear that i can find.

KK8K was using this gear when he passed away and was operational upon my

disconnecting the radios.

Phone 734-587-2454

--
Visit my home page.........
http://www.provide.net/~ooton/qsl.html

--
Visit my home page.........
http://www.provide.net/~ooton/qsl.html
USA-CA 762
TRANSMITTED 1211 COUNTIES TO DATE

MY ICQ NUMBER IS 294313
List yourself with your high school to find old friends at
http://www.alumni.net/

2073. FS: BK Oscilloscope

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: lrc2572@rit.edu
Message-ID: <7asc6h$k31$1@nnrp1.dejanews.com>
Source record: 116097
Cross-posted to: rec.audio.tubes,sci.electronics.repair,sci.electronics.equipment,rec.radio.amateur.equipment

Hello. I have for sale the following oscilloscope: B+K Precision 1479B. I've had it for a while, but I just don't use it much anymore. It is in very good condition, and needs a home where it can get some use. I don't know exactly how much to ask as prices on these vary so much, so I'll just set it at best offer. Thanks all for the bandwith, it's much appreciated, thanks again,

Loren C.
LRC2572@RIT.EDU

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2074. Johnson Fleetcom 557 info wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Robert Criss <rcriss@rstechserv.com>
Message-ID: <36D1A8F2.348DD325@rstechserv.com>
Source record: 116098

I received this radio some time back and just put it on a shelf with a lot of other old gear. I don't know anything about except that it is a single channel rig. Does anyone have any info on it? I would appreciate any assistance.
Thanks...-Robert WA6WXX-

2075. Need equivalent for S-7116A CMOS tone generator

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: rsdeputy@aol.com
Message-ID: <19990222140013.06998.00001619@ng117.aol.com>
Source record: 116099

Hello, I am working on a VHF portable radio (ICOM 02AT) and I need to replace an IC on the tone board. This IC is described as "S-7116A TONE GENERATOR C-MOS LSI". It is a 14 pin DIP, Maximum supply voltage is 12v DC.

I have tried to cross-reference this part with my usual sources: ECG/NTE, Digi-Key and Mouser and have come up blank. I have not been able to get through to ICOM on the phone (busy signal, or eternal hold pattern) so I am throwing up this request to see if someone else can find a replacement. If you need further information about the IC (pinouts & functions) you may email me direct.

Thanks in advance for any help you can provide.

Robin Deputy
Amateur Radio KE9SQ
PCIA Certified Mobile Communications Technician #39520
RSDeputy@aol.com

2076. FS: Motorola TDMA Digital Cellular Phone With HF Hit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: "ST1A55@msn.com" <ST1a55@email.msn.com>
Message-ID: <Oib6KYpX#GA.284@upnetnews05>
Source record: 116100

Motorola M75 Digital Cellular Phone

Unit is New has 99 alpha Number Storage Works with the AT&T PCS TDMA System
Comes with 2 battries
1 High Cap NMiH Battery & 1 Slim Line NICK Cadmium Battery
Wall Charger.
This Phone Has A Built In Rapid Charger.
SIG Adaptor

Also Comes with A Hands Free Kit witch will charge the battery
Provided with remote mic to put on your visor and a remote speaker
It also Provides an external antenna connector for inproved reception Asking
$300.00 For all or best offer

For more Info On the M75 Click Here
http://www.mot.com/GSS/CSG/Products/TDMA/m75.html

If interested E-mail Me At ST1A55@msn.com Thanks!!

Normal Prices Are
M75 $250.00 With Service
HF-Kit $190.00

2077. WTT For HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Bill <k9kz@indy.net>
Message-ID: <7asbsv$9vd$1@news.indy.net>
Source record: 116101
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Want to trade for MINT HF transceiver, TS140S, 440s or ??? Must be mint!
What do you have?

Have to trade MINT Drake SW2 receiver with remote and tilt stand, and MINT Icom 2100H. I'm original owner of these radios and purchased all new this year.

Bill K9KZ

2078. FS: Kenwood

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: "Dr. Mark W. Hoffman" <MOS_INC@olywa.net>
Message-ID: <36D1B6E4.8F159962@olywa.net>
Source record: 116102
Body handling: Binary attachment payload not displayed: MOS_INC.vcf

Kenwood- all items are in new condition in original boxes with all
manuals, etc.

TS-690S -HF+6meters, tone board, MARS
mods.....$950
DSP--100 -matching external digital processing
unit.....$200
SP-23 -matching extenal
speaker.....$75
PS-53 -matching heavy duty power
supply.....$235

I would like to sell this as a complete set and will discount it to sell
it all together--I will take $1,100 for and u ship.

Kenwood PS-33- matching power supply, as new in box.....$175
also have:
MFJ-989C- deluxe 3KW roller inductor tuner with SWR/Power meters
in as new condition in original box with
manual.....$250

Thanks for reading my ad. Please respond to MHOFFMAN@olywa.net or call
me at home after 6pm pacific time at
360-491-7216.
Mark Hoffman- N7QN

Mark Hoffman
MOS,Inc.
<MOS_INC@olywa.net>
Conference Software Address
Default Directory Server

Additional Information:
Last Name
Hoffman
First Name
Mark
Version
2.1

[One or more binary attachments are retained only in the source text.]

2079. Re: DEUTSCH/FRENCH SATELITTES TAP BY SWITZERLAND

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <7asdkl$jg6$1@news-2.news.gte.net>
Source record: 116103
Cross-posted to: alt.law-enforcement,alt.radio.scanner,alt.radio.scanner.uk,aus.radio.amateur.misc,aus.radio.scanner,de.alt.radio-scanner,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave

Sounds like a great deal of fun. Sigint
always is.

<interception@ii-mel.com> ...
:GREAT SCANDAL: MILITARY SPY FOREIGNER SATELITTES FOR CIVILS.
:
:After classical swiss electronic interception stations
:(R&#65533;thi, Merishausen,...),
:
:http://babelfish.altavista.digital.com
:
:http://jya.com/ch-wiretap.htm
:http://www.sonntagszeitung.ch/sz05/s7-1848.HTM
:http://www.sonntagszeitung.ch/sz05/s7-1849.HTM
:
:Today, the european laws protecting the private life in telecommunications
are
:unvalued.
:
:Swiss army had just received app. 20 millions $ to buy 10 paraboles to
:intercept foreigner satelittes from Leuken-Baden (Valais) and Heimenschwand
:(Berne).
:
:Targets : Iridium in Europe,
: Deutsche Telecom satellites,
: France Telecom satelittes,
: Globalstar (1 european ground station: Aussaguel-France)
: ICO,
: Nescape -Nextel via satelitte and in the future Teledesic,
: Italia telecom satelittes, GSM satelittes
:
:
:New political responsable departement:
:DDPS (Defense, population protection & sport federal dpt.)
:
:Informatic system:
:Zimmerwald (Berne) selection by word-key or number key.
:
:Protocol amd technic dpt.:
:GRS- Groupe Renseignement & Securit&#65533;
:(swiss army intelligence). No 1 Peter Regli :
:[SWISSCOM can carry out phone-tapping with vocal recognition by regrouping

the
:vocal frequencies typical of each individual. They are recorded on an
:oscilloscope. This technique first pointed the finger at the
:superintendent Peter Rengli of the GRS 1993 and it then cleared him, after
:uranium was illegally transported...]
:Peter Regli: "Nothing in the international laws prohibs such
interceptions."
:http://www.ii-mel.com/interception/armeegb.html
:
:Destinary of such interception:
:government, federal police and more problematic: cantonal polices.
:The trafic of (economic) infos is legal now.
:
:
:
:http://jya.com/gsm-scandal.htm
:http://jya.com/swisscom-spy.htm
:

2080. Yaesu VX5R Mods?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: "W. Charles Alexander" <charlie@netset.com>
Message-ID: <7ase1n$9t$1@athena.netset.com>
Source record: 116104
Cross-posted to: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner

Does anyone know if any mods are out for the Yaesu VX5R?
tkx in advance
charlie@netset.com

--
==========
73 de charlie
W. Charles Alexander
KC8IKG 39.951 N 83.124 W
Columbus, Ohio USA

Drake R7, R8B & ICOM R8500
Antennas: 33 Ft Off-Cneter Fed Dipoles, 45 Ft Longwires
Slinky Dipole and a Dressler ARA 60 Active Antenna (All In Attic)
Decoders: Universal M8000
==========

2081. Yaesu FT-50 x VX-5R x VX-7R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: "Jose R. Camara" <camara@quantacorp.com>
Message-ID: <36D1BAD7.C877C2C@quantacorp.com>
Source record: 116105
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

I have one ft-50 and one vx-5r. In my opinion, neither is an obvious winner, and the next year's VX-7 will still not be the end of the update/upgrade game.

FT-50 Pluses:

1. DTMF decoder
2. Audio record/playback (nice way to report back how someone sounds, good for short memos)
3. Working CTSS. Not only the scan (which now seems to work in the vx-5r) but regular CTSS usage, the VX-5R has an intermitent bug that makes it take as much as 3 seconds to open, making CTSS unusable.
4. Defense - hold by the antenna, swing at attacker's face (specially with the BIG battery). Ha. Try that with the VX-5R! :-)

VX-5R Advantages:

1. Size. A great compromise for people wanting a LARGE speaker, HUGE display, COMFORTABLE keyboard and TINY radio. Display larger and better than ft-50, keyboard still OK for small fingers, only speaker is worse than ft-50, distorts at much lower volume than ft-50.

2. Battery. Li-ion (7.2V 1100mA) has longer life at 1/3 of the size of the original BIG FNB-41 for the ft-50 (rated 9.6V 600mA). FT-50 has more options, including MAHA NIMH but still half the capacity.

3. 220+ memories

VX-7R killer features:

1. Full PC inteface (reads display, accepts commands, included tnc, runs scripts). I loved the feature in the PC software that continuously scans the band for activity, generating reports for most active frequencies (per time of day), etc. It was neat that YAESU this time decided to publish all the protocol. It was neat to finally see an IrDA interface. Bye, bye cables...

2. Real audio spectrum analyzer, you can even see the CTSS tones, tell deviation, tune to the very center, etc. It is also neat to see CTSS frequencies in a fraction of a second, not the old scan, try-one-at-a-time method.

3. 30 minutes of audio recording is now a real plus!

4. The lock code really discourages theft, at least to informed thieves. Without entering the code, only a trip back to the factory with return to the registered owner will make it work again. Virtually

unbreakable, thanks to serialized CPUS and encrypted coding in the
EEPROM. How come they didn't think of this before?

5. Finally an AC adapter with enough output to transmit. Thanks to
the switched 15V/2A brick.

6. The new telescopic antenna makes the radio even more portable, and
the graduated last section assures lowest swr for all 7 bands!

7. Price. WoW! How can they be making any money selling these for so
little? No wonder they are out of stock. I am thinking of cancelling
my order to wait for the wristwatch version. Does anyone know if it
will also have the optional GPS module?

Regards,
Jose

I only mentioned main, useful features for the ft-50 and vx-5r that I
thought could make a difference for people trying to decide on either
one. The VX-7R must be in a real serious backorder situation, as
another search to Altavista brought no links. Maybe the FCC objected
the built-in digital cellular descrambler jumpers...

Ken Wood wrote:
>
> From: Ken Wood <w00dy65@yahoo.com>
>
> ---"B. M." <slapsho7@hotmail.com> wrote:
> >
> > From: "B. M." <slapsho7@hotmail.com>
> >
> > After thinking about it a great deal and checking one out firsthand I
> > just can't see a valid reason to purchase a VX-5R.
> >
> > I currently have a FT-50 that does almost everything the VX-5R does
> and
> > MORE. It works correctly with CTCSS, has a DTMF decoder, and has
> very
> > good reception & coverage.
> >
> > While the reduced size and added memory channels of the VX-5R are
> nice
> > they just don't make the radio appealing enough to justify the cost
> at
> > this time.
> >
> > Maybe when & IF they ever figure out how to lower the receive
> coverage
> > below 39-42 MHz this radio will be worth the cost.
> > As it is right now the CTCSS bug & the "fix" are almost enough to
> > prevent me from getting one. Add the fact that there are NO
> significant

> > new features compared to the FT-50 and there are my reasons.
> >
> > Too bad YAESU decided to take one step forward and two steps back
> with
> > this radio.
> >
> > Good luck to everyone.
> >
> >
> ---
> > Explore a new interest; start a new hobby. Go to
> http://www.onelist.com
> >
> ---
> > Thanks for contributing.
> >
> > http://www.primenet.com/~confused/scan.html
> >
> In defense of my precious VX-5R...=-)
> I've owned one of those bricks you call an FT-50R. They are a nice
> radio, have good RX, and the seem to hold their value on the "Used"
> market.
> But, I didn't like the placement of the antenna (up front instead of
> near the back of the radio) which is only a personal quirk that I had.
> And it was just WAY too thick for me.
> The FT-50R does NOT have 6m, SW, MW, DCS (I could be mistaken on this
> feature), a Lithium battery for shorter charge time, ARTS,
> Barometric/Altitude measuring, Temperature display, Deviation
> adjustments, automatic power ON and OFF, smart search, spectrum
> analyzer, 25 different Icons, 5 Memory Groups that each hold 24
> various memory channels, BCLO, and I think the VX-5R is also easier to
> operate.
> In my humble ;^) opinion, The VX-5R is everything and more than the
> FT-50R "is" and will "never" be!
> Since, the FT-50R holds its value, I think you should sell it and buy
> a VX-5R.
> I have one (Ser. No. 8L0105##) that does NOT have the CTCSS bug or any
> other bugs listed in the past.
> That's not to say that there are a few things I wouldn't change. The
> BARO/ALTI meters seem to like the metric system and I don't, and on 6m
> it tunes in 10 KHz steps...not 5 KHz.
> But all in all, I'm much happier with my VX-5R than I was with the
> FT-50R or the Icom IC-T8A for that matter.
>
> Please reply & 73's to ya! 8^)
> ---
> Is ONElist important to you? Come to our new web site and share with
> us your stories. http://www.onelist.com
> ---
> Thanks for contributing.

>
> http://www.primenet.com/~confused/scan.html

2082. FS HEATHKIT CATALOGS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990222154735.01116.00001202@ng-fp1.aol.com>
Source record: 116106

HEATHKIT CATALOGS

HOME AUTOMATION SPRING 1991

SPRING 1991
WINTER 86-87
WINTER 89
WINTER 82
WINTER 83
SPRING 90
SPRING 86
WINTER 90
SPRING 87
FALL 89
WINTER 89
SPRING 68

PLEASE MAKE A OFFER ON ALL.. OR ON EACH.
IF YOU NEED MORE INFO, CALL ME AT 818 883 8282
THX,WALT

2083. Re: Compare: IC751A vs TS850 vs ?.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: tuomi@sci.fi
Message-ID: <7asg0snad1@tron.sci.fi>
Source record: 116107

In article <372351bb.658997714@news.atl.bellsouth.net>, ke4zv@bellsouth.net (Gary Coffman) wrote:
>>No no no. Older leave the passband alone and move the carrier insertion
>>point (display jumps, like in 751A). Newer move passband and carrier
>>insertion point will not move (and display shows same freq. for usb and
>>lsb - like 765). Display shows always carrier insertion point in Icom rigs.
>
>You didn't go old enough. Look at the IC211. When you change modes,
>the carrier frequency stays the same, only the bandpass changes. With
>the newer IC251, the carrier jumps around, and the bandpass stays the
>same. Aggravating as hell when you want to shift back and forth between
>CW and SSB on satellites. You have to retune to find yourself again.

Heh, ok! I did not go old enough because I am too young :) Sorry Gary !
I can remember those 211 and 251 but never seen them "live" or used them.
So it seems, that Icom has had some problems to decide which way is
the best. The oldest rigs moved bandpass, then became those with
staying bandpass and nowdays they are back with moving bandpass
(is the correct word bandpass or passband.... what's the difference?).

Pasi

2084. RIB or SOFTWARE?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: rbarrios@nacom.es
Message-ID: <7askd2$s1h$1@nnrp1.dejanews.com>
Source record: 116108

Hi. I've got the RIB but something doesn't work. I've got the software and I've made sure that the connections are right. I get clean digital signals (5v-0v) on the bus+ when I look at the scope. This is what happens:

- 10 sequences from the software trying to connect
- 5 sequences from the software + 5 beeps from the GP300
The software shows: SERIAL ERROR - #2 No Acknowledge
- The GP300 shuts down
- 10 sequences more from the software still trying to connect
- The programs show the typical RED error and stops trying
- I have to turn off and on the radio if I want to try again

What is happening? Is the computer (MMX 233) too fast?

THANK YOU VERY MUCH

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2085. Parts needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: robertc908@aol.com
Message-ID: <19990222165432.13119.00001768@ng33.aol.com>
Source record: 116109

```
JW Miller 2102 or 1461-BS 3 gang capacitor
Stancor A-31X 3:1 interstage transformer
4 hy 100-110 filter chokes (2 needed)
5x7x2 steel chassis
10x14x3 aluminum chassis
1 1/4 5 pin plug in coil forms (need 25 of them)
5 pin ceramic socket

Will trade or purchase.

73's
Bob, W4RLC
```

2086. Yaesu 990 for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: wb4una@aol.com
Message-ID: <19990222165802.27710.00001353@ng137.aol.com>
Source record: 116110

I am the original owner of this radio. it is like new. has the tuner and the 2.4 filter installed. comes with the box,manual,cables,and mic. got a new one on the way.
will sell for 975.00 shipped to you.

randy wb4una
WB4UNA
Randy Chavis
247 Goff Court
West Columbia,SC 29172
803-796-4222
Ham since 1970
Grid Square EM-93
HF-6-2-432 SSB,CW

2087. Re: Kenwood TM-732E Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Charles Cabral <n1fnr@home.com>
Message-ID: <36D1D829.23E71DE4@home.com>
Source record: 116111

sounds like you got an european rig(732E), but you should find the mods
you want at QRZ. Hope this helps.
Charlie n1fnr.

Rollins wrote:
>
> Hello. I just purchesed a Kenwood TM-732E. Im trying to find a mods for
> it though there doesn't seem to be any on the internet. Any help would be
> appreciated. Thanks alot
>
> Sean.

2088. FT-50 Mod Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: "W. Charles Alexander" <charlie@netset.com>
Message-ID: <7asmt5$4b7$1@athena.netset.com>
Source record: 116112
Cross-posted to: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner

Hello:
Does the current FT50RD still work on 800-900 with the mod?
Naturally this is just for academic reasons.
charlie@netset.com
73 & tkx in advance

2089. WTB KENWOOD 701 DUAL BAND MOBILE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: n3oyq@hotmail.com
Message-ID: <7aspl3$r0$1@nnrp1.dejanews.com>
Source record: 116113

have one e mail me

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2090. FT 707 help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Larry Naumann <lnaum@stlnet.com>
Message-ID: <36D1DE10.62EB2452@stlnet.com>
Source record: 116114

I need a ful schematic for an FT 707. A new ham friend got the radio free but the wires going to the mode switch are all disconnected and need to be reconnected. The owners manual only has the wiring diagrams for the circuit boards and not the switches. Any help would be greatly appreciated.
Larry N0SA

2091. Re: NEED HELP QUICK - Kenwood 830?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: "Edward L. Dowdy" <eldowdy@net66.com>
Message-ID: <WalA2.399$1t.867@news12.ispnews.com>
Source record: 116115

It has one of the best receivers of any rig.

CompCnsult wrote in message <19990221172039.05495.00001230@ng24.aol.com>...
>Thinking about buying a Kenwood 830S.
>
>Need comments pro and con!!
>
>Please respond to: compcnsult@aol.com
>
>73's
>Chuck
>

2092. For Sale : Kenwood 850SAT,SP31 and MC-90

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Michael Madden <mmadden@suffolk.lib.ny.us>
Message-ID: <7asmpu$65$1@news01.li.net>
Source record: 116116
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Radio 80 mil s/n, all stock. also Includes box and manual...
Looks Brand New!!!
Last Production Run

$1150 + Shipping firm

Mike WN2M

2093. Re: FS: cheap 80's audio equip

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: gp429@aol.com
Message-ID: <19990222181112.07902.00001678@ng31.aol.com>
Source record: 116117

oops sorry okay it is a receiver w/
-video
-tape/dat
-phono
-cd
-tuner switches
3-band graphic equalizer
and direct keypad tuning
remote control w/ vol. control and pre-set tuning control
if it is a sony product it can also control the tape deck and cd-player
functions

thanx

2094. FS: MFJ Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Pacific Crest <pcrest@teleport.com>
Message-ID: <0BIA2.40803$202.19818276@news1.teleport.com>
Source record: 116118

MFJ-948 Deluxe Versa Tuner II. 300 watt antenna tuner.

Excellent condition, original box and instructions. Sells new for
119.95. Will sell for $95. I pay shipping in US.

Dan
NX9C@hotmail.com

2095. FS: Transmitter Tubes, Military Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: Lucian Rusu <rusu@bnr.ca>
Message-ID: <36D1E453.4E5DE46A@bnr.ca>
Source record: 116119

5894 Amperex, CV2209, CV2243, all NOS, original boxes, 8-10 pcs of each type.

2096. AEA HF Analyst PC Software?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: john@datasafe.demon.co.uk
Message-ID: <36d2e544.51395258@news.demon.co.uk>
Source record: 116120

Anyone got any software for use with this antenna analyser?

Regards

John
GW0ACH

2097. Hallicrafters S40B Shortwave Receiver at eBay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-22 00:00:00 UTC
From: DA Honeycutt <k3458@leo.infi.net>
Message-ID: <36D1BFA1.53649FF0@leo.infi.net>
Source record: 116121
Cross-posted to: rec.radio.amateur.boatanchors,rec.audio.tubes,rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Hello Everyone,

Please have a look at the S40B that I have listed at eBay Auction:

Follow this link to the S40 B...

Thank you for your interest,
David Honeycutt

2098. Trade 4 SCS/PCT II

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: ldupree@coastalnet.com
Message-ID: <09990123163016.OUI59.ldupree@coastalnet.com>
Source record: 115873

Trade a HAL PCI 4K for a pactor II unit either a SCS or PCT II.
Louis/W4NRG
ldupree@coastalnet.com

2099. Re: Yaesu FT100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Bill Clarke <W2BLC599@bigfoot.com>
Message-ID: <7av7fa$r65$1@paxfeed.eni.net>
Source record: 115874

And in 6 or 8 months the improved FT-100 XXL will be rumored and the 100s
will sell for $1000.

--
Bill Clarke W2BLC
W2BLC@bigfoot.com

2100. RFE-100 HOOK UP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: BGA2@pge.COM
Message-ID: <4729CBF119FFD111A76000805F9F3481019A8D@exchange105.comp.pge.com>
Source record: 115875

I have a RFE-100 Digital freq. Read out and would like to hook it up to a Drake R4-C . I do have original cables that are colored coded. Any help would be appreciated. Thanks Alex KR6G Quincy Ca.
Reply to bga2@pge.com

2101. FS: HENRY 3K-A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Leon Snider <leons@worldnet.att.net>
Message-ID: <7av9al$g3a@bgtnsc02.worldnet.att.net>
Source record: 115876

Original owner,with original owners manual,commercial/military version,2x3-500Z's,5K power supply.Hypersil transformers. Cosmetic,9 Elec,10 Pick up,or,possible delivery. NO Email!! "Sonny" Thompson,K5RU @ 828-649-3553 $2000,Let's dicker!

2102. New wide-band antenna!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Bill Crocker <bcrocker@home.com>
Message-ID: <ATFA2.976$0A4.2599@news.rdc1.mi.home.com>
Source record: 115877
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner

Just picked up a new Diamond RH77CA wide-band antenna!

14.5" long, BNC base loaded, with very flexible 1/8" rubber whip element. 2m/70cm for receiving and transmitting, and 120/150/300/450/800/900 MHz bands' receiving for handheld transceivers/receivers. Gain: 2.15dBi(70cm) - Max. power rating: 10W - Impedance: 50 ohm - Connector: BNC. 1/4 wavelength (2m), 1/2 wavelength radialless (70cm), 8 Band coverage (2 amateur bands, plus 6 more bands for receiving.)

I'm trying this out on an Alinco DJ-X10T hand-held, wide-band scanner. So far, pretty impressive!

Bill Crocker

2103. FS:= STANDARD C156A HT ++

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Paul -= ki4xz <ki4xz@peganet.com>
Message-ID: <7av8vb$2p5@andromeda.peganet.net>
Source record: 115878

FOR SALE IN ORIGINAL BOX CLEAN, PERFECT CONDITION STANDARD C156A 2METER
HANDHELD RADIO==
INCLUDES: TWO (2) CBT156 BATTERY CASES WITH NICADS, 12V AUTO POWER CORD,
SPEAKER/MICROPHONE WITH LAPEL CLIP, CARRYING STRAP, BELT CLIP AND MANUAL.
SPECS= VHF RX 135.000-174.000 MHZ//// TX 144.000- 147.995 + MODIFIED FOR
MARS= STANDARD FREQ STEPS= SCAN/PAUSE/BUSY/HOLD= STORE ALPHA NEUMERIC
TITLES= AUTO REPEATER OFFSET= 9 DTMF MEMORIES= 3 POWER LEVELS H-M-L =
GOOD RADIO

WILL SELL FOR $150.00 DELIVERED YOUR DOOR (USA)

PAUL LONDON ki4xz@peganet.com 941-637-0179

2104. TH-G71a diode removal question...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: melon@martnet.com
Message-ID: <36d333dd.16933827@news.martnet.com>
Source record: 115879

I got the docs from Kenwood FTP site on how to modify the G71... problem is the diodes that have to be removed are so tiny (they're like 3mm long), how do you remove them? Do I have to unsolder them from underneath and then pull out? any ideas? I am pretty familiar with soldering and electronics in general... just don't know how to approach this one...

thanks!

jake
melon@martnet.com

2105. digital QSYer (was re ICOM did it)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: wdr@world.std.com
Message-ID: <F7Mr81.n0F@world.std.com>
Source record: 115880
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

In article <7afimi$4o7$1@paxfeed.eni.net>,
Bill Clarke <W2BLC599@bigfoot.com> wrote:
(regarding the late lamented outboard QSYer product and the new YIQ
digitally controlled HF rigs)

> Yes, that's one way - but the preferred method is a small stand-alone box
> that goes where the rig goes. Car, boat, airplane, etc.

So a PIC-chip and a calculator case and you've got a remote control.
The PIC's probably even prefer to operate at TTL on their supposed
serial lines same as the radios. Someone should do a PIC-QSYer as a
project article. (See Hagman's articles in Feb and March 99 QST
for use of PICs in radio projects if this is gibberish.)

Oh wait, this is the .equipment group, I should be saying this in
homebrew ... well, consider it a product idea :-)

73 de Bill N1VUX
--
Bill Ricker N1VUX wdr@world.std.com "The freedom of the press belongs
http://world.std.com/~wdr to those who own one."--A.J.Liebling

2106. Re: VX-5r Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Solarpower1watt@Juno.com
Message-ID: <CNGA2.19$JQ6.1329@newsfeed.slurp.net>
Source record: 115881

```
>
> I had not thought the VX-5R was yet on the
> market. It just showed up in advertizements.
>

It's been available at Amateur Radio Electronics for some weeks at least,
now.

Ed

REPLY INFO:
============================================================
Return address modified to prevent automatic SPAM response.
TO REPLY: remove the "watt" from my return address.
============================================================
```

2107. tube data

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: NI4L <ni4l@bellsouth.net>
Message-ID: <36D3397A.E33425CE@bellsouth.net>
Source record: 115882

http://www.acadia.net/michelle/tubes.htm

2108. Re: vx5r audio distortion on receive?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Solarpower1watt@Juno.com
Message-ID: <JQGA2.22$JQ6.74@newsfeed.slurp.net>
Source record: 115883

In article <7at91pavp1@fir.prod.itd.earthlink.net>, "ANDREWJ" <andrewj@earthlink.net> wrote:

>i get lots of distortion (sounds like the speaker is vibrating)

I thought the speaker was supposed to vibrate?

:^)

Ed

REPLY INFO:
==========
Return address modified to prevent automatic SPAM response.
TO REPLY: remove the "watt" from my return address.
==========

2109. Re: Radios for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: "Christopher Zeman, KB9RHA" <zman.SCREW.YOU.SPAMMERS@iwc.net>
Message-ID: <TRGA2.202$Vp4.2885@news14.ispnews.com>
Source record: 115884

I thought the HTX-100 was only SSB/CW, unless they changed since I owned
one.

Needmopwr wrote in message <19990223145524.17518.00001654@ng139.aol.com>...
>I have for sale The realistic HTX-100 10M allmode radio new in box, all
papers
>mint condition. Radio has not been used. $150 plus shipping. I also have
in
>Mint condition an Azden 6M Fm radio. It has all papers and original box
still
>with it. It works like a charm 5/50 watts output. $350 plus shipping.
Thanks
>Brodie 530-896-1508 or needmopwr@aol.com

2110. Re: Timewave DSP-599zx $235

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Steve <68amx@fast.net>
Message-ID: <36D33B6F.3BC8@fast.net>
Source record: 115885
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radioshortwave

Hello
Please send your number I'll set up for a family member to pick up If
your close
STEVE

2111. Re: Standard Radio? Are they gone???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Sam <sdsnyder@prodigy.net>
Message-ID: <36D33E1C.6881@prodigy.net>
Source record: 115886

Greg Ottria wrote:
>
> Whats up with Standard radio? I know parts of them are being bought out by
> Yaesy and now their website is not up anymore. WWW.stdradio.com
>
> --
> Greg Ottria KE6PTP
> Castro Valley California
> Gottria@Inreach.com

Parts of Standard Commercial radio has moved to Utah at least the
servicec dept.. Their website is good at http://www.standardcomm.com/.

2112. Re: Wanted Kenwood TM-742 A info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Clif Holland <avvid@onramp.net>
Message-ID: <36D33B48.156E@onramp.net>
Source record: 115887

Bill Bailey wrote:
>
> Can anyone help us .I am doing this post for a friend who owns the radio he
> is having problems with his High power and has traced the problem back to
> Transistor Q23
>
> 2SD1902 (R)
> What he is looking for is the Specs and the Availability of these.
> All coments are greatly appreciated.
>
> 73`s
>
> Robin

Go to www.pacparts.com and order it....
--
Clif Holland, KA5IPF
Owner of AVVid, an Authorized Kenwood and Icom Service Center
For more info click on the following
http://rampages.onramp.net/~avvid
or call 1-800-214-5779

2113. Re: Timewave DSP-599zx $235

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Steve KC5TJT <kc5tjt@ionet.net>
Message-ID: <7avf8ckcc1@ionews.ionet.net>
Source record: 115888
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radioshortwave

Ill take it if you ship to OKla..

Steve
bah@gowebway.com wrote in message <7av6tj$390$1@nnrp1.dejanews.com>...
>For sale, Timewave DSP-599zx digital signal processor audio filter. Mint
>condition. Four months old. Only used a few times.
>Original box, manual, etc. Comes complete with AC-4 power supply. $235.
>Located in Montgomery County, Maryland. Would like to sell locally if
>possible. Please e-mail: bah@gowebway.com if interested.
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2114. FS Alnico Earphones

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <36D34808.5F0B@sympatico.ca>
Source record: 115889
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.shortwave,

I have a number of Alnico earphones - suitable for use with a crystal set etc. These come as a single earphone, with a metal headband. Checked and working. (tried each on a crystal set myself). Decal on the eaphone says "Alnico Magnetic" . Made by C.F. Cannon. $10.00US each, shipping included.

2115. FT-50 vs Kenwood TH-G71A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: inks@wish-tv.com
Message-ID: <inks-2302991843140001@192.168.16.69>
Source record: 115890

I'm torn between these two radios. Anybody have any experience with both for comparison? A couple of people here at work have the Yaesu, but I kind of like some of the Kenwood's features - 200 channels, backlit keypad, little higher xmit power, more alpha-numeric digits, etc. The only downside I've heard is the receiver is not quite as wide-banded as the FT-50, which I don't _think_ is a big deal to me.

I need 2m/440, CAP (which is why I'm buying a new rig), and at least receive on our 450 business band repeaters at work.

Thanks for any insight - I'm going to buy in the next day or so.

Gerry

--

____
Gerry Inks
Engineering Supervisor
WISH-TV (CBS) Indianapolis

2116. FA: LAST DAY HEATH TEST GEAR MORE!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Jordan Arndt <jordana@nucleus.com>
Message-ID: <36D36199.525@nucleus.com>
Source record: 115891

Hi.. I have many items ending tomorrow... an UNBUILT HEATHKIT HD-1234 Antenna switch and UNBUILT Original RITTER loop, 19" Cabinets Variable caps GALORE 6CA7 EL-34 (Matched Quad) tubes for Audio or Modulators LOTS OF TEST GEAR , A HEATHKLIT CW Filter and MUC MORE!!! to see goto:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=jordana@nucleus.com&sort=3&since=-1

thanks for your time and good luck... 73 de Jordan...

2117. FS; 903 Transverter kit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Thomas Calvete <calvete@rpa.net>
Message-ID: <7avgf0$31bm@enews2.newsguy.com>
Source record: 115892

For sale
903 Transverter kit by WA2YTM and RVHFG. Kit in original unopened bag with all parts included. Output device is MRF-559. 2 meter IF.
Also included NTMS/VJB LO board with no parts. Instructions for LO included.

$65 includes UPS ground shipping to the lower 48 states.

Thanks

Tom
ka2omq@rpa.net

2118. Re: The new Kenwood TH-D7A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: wdr@world.std.com
Message-ID: <F7MsCH.HDn@world.std.com>
Source record: 115893

Riot Squad <john@datasafe.demon.co.uk> wrote:

> Is it possible to get the packet data displayed on the LCD screen. I
It sure sounds like it. Check at
http://www.cedar.net/users/dvanhorn/kenwood.html
http://Web.InfoAve.Net/~N4WYK/aprs.htm
http://www.qsl.net/n6qab/n6qabthd7a.htm
and http://www.qsl.net/n6qab/n6qabgps1.htm

Note that the Euro model (D7E) is subtly different from American (D7A),
and both are getting firmware revs ASAP. DAMA is missing from D7E
first models, make sure you get latest firmware.

73 de Bill N1VUX
--
Bill Ricker N1VUX wdr@world.std.com "The freedom of the press belongs
http://world.std.com/~wdr to those who own one."--A.J.Liebling

2119. WTB: HF Xcvr & HF Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: BarryG <bgspam@albany.net>
Message-ID: <7avmlm$87a$1@news.monmouth.com>
Source record: 115894

Located in Albany, NY and prefer to pick up w/in 2 hr drive:

HF linear amplifier w QSK, and WARC/10m
HF xcvr - would prefer FT-990/1000MP, TS-850/870, late TS-830S or IC-751A,
or Ten Tec Omni V/VI.

Any help in finding a nice rig appreciated.

73,
Barry N2LU

Please email to: bg@albany.net

2120. Re: ICOM u2at PL

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Terry Brown <browntl@concentric.net>
Message-ID: <36D35E9B.EF5588E3@concentric.net>
Source record: 115895

Todd, I have the manual for my u2AT but will need to dig it out. Let me
know if you need me to do so.
Terry (KA5IHV)

mth@ingersoll.com wrote:

> Would someone be kind enough to email me the PL dip switch settings for the
> ICOM u2AT? I would very much appreciate it!
>
> TNX,
>
> Todd
> mth@ingersoll.com
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2121. Thief

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: gfbike <gfbike@iaxs.net>
Message-ID: <36D35F55.D7B4F293@iaxs.net>
Source record: 115896

I wanted to get the word out to all the sites about a thief by the name of Glen Verasso of
Newark, Ohio. He entered into a trade agreement with me when he saw my listing of
my Henry 2KD5 in one of the various ham sites, amngh whch this was one. He offered
to trade me an FT1000 (presumably an early one) for my Henry. This seemed like an
odd, but certaily reasonable trade so I went for it. I carefully packed up the Henry in 3
boxes ans sent it to him UPS, the same time he sent a package to me, again UPS. What I received today was a nicely wrapped box with three concrete blocks inside, total value
about $1.50.

2122. WTB Ten-Tec 217 Filter....FS 218 Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Tim Randa <randas@mindspring.com>
Message-ID: <7avoqaaac1@camel19.mindspring.com>
Source record: 115897

I have Ten-Tec model 218 1.8kz 1st IF filter for sale or trade towards a model 217 filter.Or if you have a spare 217 please drop me a line.

218 Filter = $65 shipped

73 to All (except Smokey)

de Tim K0FL

2123. Re: TS 940 in Xfiles!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Tom Repstad <kb1cga@starc.org>
Message-ID: <36D369A3.AF5B0DDD@starc.org>
Source record: 115898

Yup, really like my 940, and now I am "vicariously" famous hehehe...

--Tom
KB1CGA

STEVEN L UMBACH wrote:

> Nice to see such a great shot of I believe a Kenwood TS940 and a Shure
> 444 in the last episode of the Xfiles. I mean they filled the whole tv
> screen with that thing for an extended view in the dark - it looked huge and
> extremely impressive! I almost dropped my glass of milk. I have never owned
> a TS 940, but that big beautiful front panel with that big glowing analog s
> meter was a sight to see. I can imagine non-hams wondering if private
> citizens can really own something like that. Unfortunately I own a TS850 and
> a FT1000MP with digital s meters. Damn - looks like I am going to have to
> buy yet another rig!
> ---- Steve KK9ZZ

2124. FS: Ham Radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Gary <catlink@erols.com>
Message-ID: <7avrpa$6g6$1@winter.news.rcn.net>
Source record: 115899

Kenwood TR-751A 2m all mode W/TTMic (no tone board) $400.

Yaesu FT-757GX HF all mode W/FP-757GX power supply $550.

President HR2600 (HR2510 CPU installed with Mod) 10m all mode W/Mic/mobile bracket/original CPU $200.

Alinco DR-119 W/TTMic and Cell freq Mod (very cute little mobile) $150.

All radios have never been mobile, owned by a non-smoker, and are in the best condition you could find anywhere. However the Alinco has developed a little squiggley line in the far right part of the LCD display. Its been that way for months so hopefully shouldn't change much and does not interfere with the LCD display. Pictures may be seen at these two links.
http://www.erols.com/catlink/757gx.jpg
http://www.erols.com/catlink/radios.jpg
Thanks.
Gary
N5IXI

2125. Re: Thief

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: ve3ios <ve3ios@worlddrive.com>
Message-ID: <36D37682.37FAEF8E@worlddrive.com>
Source record: 115900

Very sad I feel very bad you got burned and for so much. I hope you or someone
in Ohio can check into this. If he lived here I'd kick his ass.
Jeff

Jeff Johns wrote:

> On Tue, 23 Feb 1999 20:09:25 -0600, gfbike <gfbike@iaxs.net> wrote:
>
> > boxes ans sent it to him UPS, the same time he sent a package to me,
> > again UPS. What I received today was a nicely wrapped box with three
> > concrete blocks inside, total value
>
> That really sucks! I can't believe that he actually shipped you concrete
> blocks.... I'm sorry for your loss, you may want to check with the local
> District Attorney's office in his hometown to see if you have any possible
> recourse without it costing you a fortune. Good luck!
>
> 73 Jeff W4JEF
>
> *--------- Jeff Johns W4JEF - AMSAT# 32615 - QRP-L #1857 ----------*
> |jeffj@scott.net w4jef@amsat.org | Reserve Patrol Captain |
> | Satellite: Mir R0MIR-1, AO-27 | Jefferson County Sheriff's Dept|
> |200LX+BayPac+FT50=Portable Packet| QTH Birmingham, AL USA |
> *---*

2126. Re: THERE IS NO VX-7R !!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Vito Villamor <vovillamor@earthlink.net>
Message-ID: <36D342E1.F497739D@earthlink.net>
Source record: 115901
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

"Yaesu U.S.A." wrote:
>
> You know there is no VX-7R; why do you do this to people?
>
> YAESU U.S.A.
> C. H. Margelli

Isn't it interesting, though, that Yaesu took the time to send this to Jose R. Camara [author of the VX-7R]. I wonder if C. H. Margelli was bombarded with questions about the VX-7R, or if someone from Yeasu is reading the postings on this newsgroup.

Either way, I think we should give Yeasu some credit for staying in touch with reality...or at least for setting Mr. Camara straight.

...as for you Mr. Camara...that sure was an amazing stunt. I found myself engrossed in the amazing new features you described, knowing full well that some were simply too far out to be true. But I'm sure that some of us simply wanted to believe, even for just a moment, that there might me a radio out there soon that may have some of these features. And if a radio like this really did see the light of day, I'm sure all the features
probably wouldn't even work properly on the first batch of production models from the factory (whether from Yaesu of some another manufacturer).

eric_fre@hotmail.com wrote:

> I have to sit back and laugh at this interesting experiment in human
> psychology!

2127. Re: THERE IS NO VX-7R !!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: msb <msbSPAMMAPS@newpony.com>
Message-ID: <36D3757B.8EF4033F@newpony.com>
Source record: 115902
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

what is the source of your information?

re: windows NT as the radio's O/S...
that seems difficult to believe. neither WNT, linux nor bsd
are intelligent choices for a radio o/s. is that what you
are saying -- the radio runs WNT as its OS?

dah-dit-da

rosiec@my-dejanews.com wrote:

> In article <36D311E8.8744DC92@quantacorp.com>,
> "Jose R. Camara" <camara@quantacorp.com> wrote:
>
> > My usenet post about the FT-50, VX-5R and a fictitious VX-7R had the
> > purpose of informing potential buyers about some key differences of
> > the two radios, plus add some suggestions for new features to Yaesu,
>
> Actually, there has been a radio in beta testing for around nine months now
> which the Yaesu engineers have been calling the VX-7X, and so the joke is both
> on you and on the Yaesu guy who hasn't been in touch with his own engineers
> lately. You came quite close.
>
> The VX-7X is heavily microprocessor controlled and requires an operating
> system for its operation. It is the only radio you have to boot, but
> unfortunately it uses Windows NT.
>
> As a result, it crashes a lot and the beta test version is probably never
> going to get into production. Some people say that it will yet be rescued
> when the Yaesu engineers switch over to Linux or OpenBSD, but that's probably
> wishful thinking.
>
> ----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2128. Re: THERE IS NO VX-7R !!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: msb <msbSPAMMAPS@newpony.com>
Message-ID: <36D37732.E9BBA287@newpony.com>
Source record: 115903
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

tell me more. for example, where did you get this info?
are you saying that yeasu is putting windows NT as the o/s
in a radio?

msb

rosiec@my-dejanews.com wrote:

> In article <36D311E8.8744DC92@quantacorp.com>,
> "Jose R. Camara" <camara@quantacorp.com> wrote:
>
> > My usenet post about the FT-50, VX-5R and a fictitious VX-7R had the
> > purpose of informing potential buyers about some key differences of
> > the two radios, plus add some suggestions for new features to Yaesu,
>
> Actually, there has been a radio in beta testing for around nine months now
> which the Yaesu engineers have been calling the VX-7X, and so the joke is both
> on you and on the Yaesu guy who hasn't been in touch with his own engineers
> lately. You came quite close.
>
> The VX-7X is heavily microprocessor controlled and requires an operating
> system for its operation. It is the only radio you have to boot, but
> unfortunately it uses Windows NT.
>
> As a result, it crashes a lot and the beta test version is probably never
> going to get into production. Some people say that it will yet be rescued
> when the Yaesu engineers switch over to Linux or OpenBSD, but that's probably
> wishful thinking.
>
> ----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2129. Re: Yaesu FT-100 rx spec change???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Tom Clements <tom@xxspam.clements.net>
Message-ID: <sUKA2.22$Ox6.448@news20.ispnews.com>
Source record: 115904

Check www.dejanews.com . No need to worry about what your newserver keeps or doesn't.

Tom

>I can't pull up the original
>message because it has already expired on my news server. I think
>there was one reply saying that Yaesu was correcting either their
>web site, or something about even wider rx range than advertised...
>but I can't pull up that message either. [It's hard to beleive that
>my newsgroup server gets rid of from only 10 days ago].

2130. Re: Wanted:Kenwood TV506 Transverter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Jim McGhee <jmcghee@ticnet.com>
Message-ID: <4A1E69215ECC395B.7BC4B1C33DD0D9E2.9DF3C81A9E08B303@library-proxy.airnews.net>
Source record: 115905
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hi,
I have a TV506 with cable and manual. I haven't hooked it up my self
because I bought a IC-706. The person I bought it from said it works
fine. It looks fine.
I'd like to get $100 + shipping from 75042 for it.

Thanks,
Jim McGhee
--
Give your problems to God.
Might as well... He's going to be up all night anyway.

Glenn J. Torres wrote:
>
> I am looking for a good condition transverter (TV506). Please reply with
> price including shipping and description of unit.
> 73.
> G;enn
> kb5ayo

2131. Re: Thief

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7avv1s$rk1$1@ostrich.cybercomm.net>
Source record: 115906

As they say...Live and learn!
...Dave
gfbike wrote in message <36D35F55.D7B4F293@iaxs.net>...
>I wanted to get the word out to all the sites about a thief by the name
>of Glen Verasso of
>Newark, Ohio. He entered into a trade agreement with me when he saw my
>listing of
>my Henry 2KD5 in one of the various ham sites, amngh whch this was one.
>He offered
>to trade me an FT1000 (presumably an early one) for my Henry. This
>seemed like an
>odd, but certaily reasonable trade so I went for it. I carefully packed
>up the Henry in 3
>boxes ans sent it to him UPS, the same time he sent a package to me,
>again UPS. What I received today was a nicely wrapped box with three
>concrete blocks inside, total value
>about $1.50.
>

2132. Thief

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: gfbike <gfbike@iaxs.net>
Message-ID: <36D388C7.EC16BC76@iaxs.net>
Source record: 115907

I have been informed (in a less than polite way) that I was too broad in my statement that I had listed my Henry 2KD5 in this or any other newsgroup and that I had been defrauded by somenon who was using the newsgroups. That was not my intention. My only intention was to warn all of you about this individual in case you might have the occasion to have dealings with him. I never expect to see a dime of my loss again so I had not hoped to gain in any way by my posting to the newsgroups.

So let me be perfectly clear -I DID NOT POST MY HENRY 2KD5 IN THIS OR ANY OTHER NEWSGROUP. I WAS NOT DEFRAUDED BY ANYONE THROUGH THESE NEWSGROUPS.

My ads were all at Internet trading sites and all of them have been informed of the situation, as well as this person's ISP and all law enforcement officials in the respective jurisdictions.

I have slit my wrist and let a small sampling of blood fall on my keyboard in pennance.

Regards,

Gary

2133. FS: Yaesu FT-50R (D'd)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Richard Levenberg <richardl@ufp.com>
Message-ID: <Pine.BSF.4.05.9902232159580.17834-100000@enterprise.ufp.com>
Source record: 115908
Cross-posted to: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment

I have a Yaesu FT-50R dual band HT for sale. The serial number is 6G060972. It has been modified for wide band transmit. These mods were done by a professional SMT fabricator. It is in the original box, with manual, charger, FNB-41 battery, and antenna. The unit is in good condition.

The following are included:

Yaesu FTT-12 keypad with digital voice recorder and original keypad. (The FTT-12 is installed, the original keypad is in the FTT-12 box)

Yaesu CSC-68 soft case for FNB-41 battery.

Yaesu FNB-42 DC9.6V 1100mAH battery (original box included)

Yaesu adapter allowing use of standard speaker mike (with separate mike and speaker plug) with the FT-50 single plug. The kind that clips to the antenna. I think this is Yaesu model MH34B4B but I am not sure.

original copy of ADMS 1C Software w/Cable (original box included)

$300 includes shipping within the Continental US.

KE6RQD, richardl

2134. sb200/Yaseu 757GX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: wd0fkc@dailypost.com
Message-ID: <CTLA2.121$K5.1173050@WReNphoon1>
Source record: 115909

Hi Frank,

With the relay box it is pretty easy to do and will
not work without. On the back of the FT-757 connect
the red RCA plug to the 13V jack. Connect the other
RCA cable to the PTT jack on the rear of the FT-757.
Connect the tx line from the the relay box and connect
it to the relay line to the amp. Run another cable with
RCA's btwn ALC on the amp and the FT-757. The ALC I belive
is compatible so everything should work fine.

Good Luck

TNX.Tim

-**** Posted from Supernews, Discussions Start Here(tm) ****-
http://www.supernews.com/ - Host to the the World's Discussions & Usenet

2135. Re: AOR AR7030 "PLUS" (SOLD)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: davez <davez@ticon.net>
Message-ID: <7av5m8dgt1@galileo.ticon.net>
Source record: 115910
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

The AR7030 is NO longer available. Thank You for all of the e-mails...

Davez

davez wrote in message <7ams8q$hq9$1@galileo.ticon.net>...
>(This may be a "dup" ?? Not sure if the first try made it as I have
problems
>with the local ISP on Newsgroups...Sorry if this turns out to be a dup
>post)
>
>Hello, and thank you for taking the time to read this message.
>
>I have FOR SALE (one) :
>
>AOR AR7030 "PLUS" Communications Receiver. This "Plus" unit has 5 IF
>filters: 2.2 / 3.5 / 5.3 / 6.4 / 9.5 Khz. Firmware version 15B. MINT
>condition, works perfect. Includes org. box, packing, both manuals, remote
>control, AOR Power Supply. About 1 year old.
>
>Price: $ 800.00 Firm (No Trades) UPS Shipped ,USPS Add $ 20.00. Money Order
>or Cashiers Check only (sorry no COD's). USA lower 48 only please !!!
>
>Contact me directly if intrested....
>davez
>
>
>
>
>

2136. Re: AOR AR7030 "Plus" (SOLD)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: davez <davez@ticon.net>
Message-ID: <7av5nndjc1@galileo.ticon.net>
Source record: 115911
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

The AR7030 is NO longer available. Thank You for all of the e-mails.

Davez

davez wrote in message <7amo70cmi1@galileo.ticon.net>...
>Hello, and thank you for taking the time to read this message.
>
>I have FOR SALE (one) :
>
>AOR AR7030 "PLUS" Communications Receiver. This "Plus" unit has 5 IF
>filters: 2.2 / 3.5 / 5.3 / 6.4 /9.5 Khz. Firmware version 15B. Mint
>condition, works perfect. Includes org. box, packing, both manuals, remote
>control, AOR Power Supply.
>
>Price: $ 800.00 Firm (No Trades) UPS Shipped ,USPS Add $ 20.00. Money Order
>or Cashiers Check only (sorry no COD's). USA lower 48 only please !!!
>
>Contact me directly if intrested....
>davez
>
>
>
>

2137. Re: IC706 Main PCB

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <go9oGDArny02EwHt@pacsat.demon.co.uk>
Source record: 115912
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment

In article <36D30531.58E3F984@itl.net>, Geoff Brown <equinox@itl.net>
writes
>It's an Icom radio Simon, not Yaesu!
>GB

I was told by an American source that they could find parts for all the
major manufacturers. That's why I suggested it.

I have since had an email stating that is incorrect, but it was worth a
try!

73 Simon
+--+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+--+

2138. New Icom VHF/UHF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: e04588 <"e04588(no spam)"@ems.rmit.edu.au>
Message-ID: <36D1D1BB.22BC0D1B@ems.rmit.edu.au>
Source record: 115949

G'day All.

Thought I'd let you all know that you can view the new quad banders and dual-bander mobile on the Icom Australia homepage :

http://www.icom.net.au.

Enjoy!

VK3MLY

(PS I've been away from this list for a few weeks so if this is old news I apologise now.)

2139. WTB: HAL P-38 modem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Rick Mintz <Rmintz@Frontiernet.net>
Message-ID: <7assv5$131g$5@node17.cwnet.frontiernet.net>
Source record: 115950

Hi.

I am looking for a HAL P-38 RTTY modem board.

Please tell me condition and asking price. Thanks...

73 de Rick

Rmintz@frontiernet.net

2140. THE 2000 GLITCH

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: BD <n2zso@qsl.net>
Message-ID: <7astto$bv3$0@208.236.238.113>
Source record: 115951
Cross-posted to: alt.ham-radio,alt.ham-radio.vhf-uhf,rec.radio.amateur,rec.radio.amateur.equipment

I UNDERSTAND THAT THERE MAYBE A GLITCH WITH ANY HT THAT WAS PROGRAMED VIA COMPUTER... DOES ANYONE HAVE ANY INFORMATION WHETHER THIS WILL EFFECT THE MOTOOLA HT-600 & MT-1000...

THANX, 73 DE BILL

2141. transverter wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: dalej1965@aol.com
Message-ID: <19990222195610.05449.00001875@ng105.aol.com>
Source record: 115952

want the 2 meter transverter or the ft-102 yeasu, email at dalej1965@aol.com

2142. The new Kenwood TH-D7A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: john@datasafe.demon.co.uk
Message-ID: <36d4f617.55161887@news.demon.co.uk>
Source record: 115953

I am thinking about getting the new handheld from Kenwood.

Is it possible to get the packet data displayed on the LCD screen. I know this is no substitute for a computer display but for doing some tests might be useful to see what's going on when a PC isn't available.

Regards

John
GW0ACH

2143. Re: Yaesu FT100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990222201350.01142.00001785@ng-ce1.aol.com>
Source record: 115954

I saw a price of $1300 CASH PRICE at
LENTINI in CONNECTICUT.

73's TIM

2144. FS Timewave DSP-599zx

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: bah@gowebway.com
Message-ID: <7at2uf$7sd$1@nnrp1.dejanews.com>
Source record: 115955
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.shortwave

For sale, Timewave DSP-599zx. Mint condition. Only used a few times. Original box, manual, etc. Comes complete with AC-4 power supply. $290. Located in Montgomery County, Maryland. Would like to sell locally if possible. Please e-mail: bah@gowebway.com if interested.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2145. Re: Yaesu FT100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: algo@bellatlantic.net
Message-ID: <7asvtomln1@news-2.news.gte.net>
Source record: 115956

On Fri, 19 Feb 1999 20:15:57 -0500, "Michael Madden"
<mmadden@suffolk.lib.ny.us> wrote:

>Best price that I found on the net is from www.lentinicomm.com. I looked
>yesterday to see if anyone was shipping yet.....the story.....soon!
>
I was in Lentini's store at about noon today Feb 22 and none have been
received yet.

2146. Re: Opinions: OMNI VI, Kachina

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: azaur@aol.com
Message-ID: <7at9rudsq1@nnrp1.dejanews.com>
Source record: 115957

In article <MPG.113b5b45631ff9f4989687@netnews.worldnet.att.net>,
SEREIKAS@worldnet.att.net (George Sereikas) wrote:
> Hi All,
> I'm looking for input on the Ten Tec Omni VI Plus as well
> as the Kachina 505DSP. I'd appreciate any input from
> people that have used either of these rigs.
>
> Thanks and 73,
>
> George
> KC2MF
>

I have used an Omni VI with the "plus" ROM modification for the past two years or so. It is an absolutely wonderful CW rig that has given me much pleasure. Customer support from the Ten Tec factory has been very satisfactory and I would rate this a definite advantage over the other manufacturers I have contacted.

On SSB, the Omni VI is satisfactory. Compared to my Kenwood TS-870, the audio recovery is "communications" quality and the transmitted audio leaves a lot to be desired. Since I rarely use SSB, this is not a major drawback. The Omni VI has the best DSP for CW that I have encountered. For all the marketing hype, I have yet to encounter a situation where the DSP in the TS-870 has been useful in reducing noise or making a signal more readable. In contrast, the DSP of the Omni VI almost always improves the readability of a CW signal (although it does little for SSB).

Bear in mind that the Omni does not have a built in antenna tuner and that the built in keyer is greatly inferior to the TS-870. For me this is not an issue since I use my outboard keyer.

I would love to know what others think of the DSP in the TS 870 since I have considered that I am adjusting the rig improperly. Other postings have commented on the apparent noise floor of the TS-870 on CW and I agree that it appears to be a very noisy receiver. As mentioned in the QST review shortly after the rig was released, the TS-870 is very susceptible to interference from strong adjacent signals and this makes it very difficult to use during contest conditions.

What do others think about the Kachina?

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2147. FS: AOR AR900 Hand Held Scanner - "AS IS"

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: bls@webzone.net
Message-ID: <bls-2202992156530001@pm3-21.ppp74.webzone.net>
Source record: 115958
Cross-posted to: alt.radio.scanner,rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.shortwave

This is an unblocked scanner that's for sale cheap. Display light works, it's got a new battery pack, but it still doesn't come on. I don't want to screw with getting it repaired - I just want to sell it. I think it'll go for very little. If interested, please check it out on eBay.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=70203466

Thanks.
Jeff

2148. Going rate for FT-767?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: n8ppz73@aol.com
Message-ID: <19990222231458.13796.00001966@ng01.aol.com>
Source record: 115959

I have a FT-767 that I am considering selling,

What is the going rate for one with the two meter module, and PL tone board?
In near new condition?

Curious,

Grego
Grego, N8PPZ
N8PPZ73@aol.com

2149. Which packet TNC?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: brewsterc@excite.com
Message-ID: <brewsterc-2202992211010001@pm5-134.msp.infi.net>
Source record: 115960

I'm looking in the AES catalog at basic terminal node controllers for packet. There are apparently closely competitive units from Kantronics, PacComm, and MFJ, for around $150. The MFJ at that price (1270CQ) has a modem. The other two don't say it so I guess they don't. Any pans or recommendations among these units? Tnx--

---

Request: If you respond to this posting, please send me a copy. My net access is intermittent. Many thanks...

Christopher Brewster, KC0EVQ
Plymouth Minnesota
brewsterc@excite.com

2150. fs- KENWOOD TS-870S, Like New!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990223000301.13190.00002000@ng34.aol.com>
Source record: 115961

Hi All;
I am selling my Kenwood TS-870S in very excellent condition with shipping carton, manual, dc cable. This radio is a DSP HF radio with so many features that My hands would tire out just typing them all.
The Price is Firm at $1599.00 to be paid by M/O, plus a little help with shipping!
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

2151. FS : Kenwood MC-60 amplified base microphone

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: dconti2@earthlink.net
Message-ID: <36d235ba.36751691@news.earthlink.net>
Source record: 115962
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood MC-60 amplified base microphone for sale. MINT condition,
hardly used. In box with manual.

$100.00 shipped to 48, pre-paid.

E-Mail if interested, NO TRADES.

Dan

2152. FS: Heathkit Items On Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Matt Robbins <robbinsm@umich.edu>
Message-ID: <bNqA2.8497$Ge3.33561418@news.itd.umich.edu>
Source record: 115963

I just posted several heathkit items on ebay. Do a seller search for
u.of.m.
Thanks,
Matt

2153. WTB Yaesu FT8500

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: w5yrz@worldnet.att.net
Message-ID: <36d2394d.40717742@netnews.worldnet.att.net>
Source record: 115964

Wanting to buy a Yaesu FT8500. E-mail me with info.

w5yrz@worldnet.att.net

2154. FS: Military radio manuals on ebay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Matt Robbins <robbinsm@umich.edu>
Message-ID: <nOqA2.8501$Ge3.33562026@news.itd.umich.edu>
Source record: 115965

I just posted several military radio manuals on ebay. Do a seller search
for u.of.m.
Thanks,
Matt

2155. FS: Kenwood AT50 Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: jwbest@earthlink.net
Message-ID: <36d339de.82051552@news.earthlink.net>
Source record: 115966
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

No longer have the Kenwood TS50. Need to sell the AT50
antenna Tuner. Excellent condition with connecting cable.
$210.

jwbest@earthlink.net

2156. FS: Kenwood AT50 antenna tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: jwbest@earthlink.net
Message-ID: <36d43caf.82772952@news.earthlink.net>
Source record: 115967
Cross-posted to: rec.radio.swap;,rec.radio.amateur.equipment

Need to sell my AT50 antenna tuner. No longer have the
TS50. The tuner is in excellent condition with connecting
cable. $210

jwbest@earthlink.net

2157. FOR SALE: Pair of UHF Visars

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: meskehan@aol.com
Message-ID: <19990223010053.05254.00002044@ng100.aol.com>
Source record: 115968

I have a very clean pair of UHF Visars with a dual charger. Radios come with hi-cap nicad batts. Price- $800 plus shipping.

2158. Need Kenwood TS440S Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <7atkommhj1@nnrp1.dejanews.com>
Source record: 115969

I am interested in collecting all the mods for the TS440S. Tnx!!!
Bill K9KZ

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2159. NEAT==>CELWAVE P633-6A UHF 6 CAVITY DUPLEXERS<==

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: msisco9939@aol.com
Message-ID: <19990223023344.02366.00001770@ng-fr1.aol.com>
Source record: 115970

Yep:

I have 5 Celwave P633-6A UHF Band-Reject 6 Cavity Duplexers....There are
a few that are not Celwave, but are "Exactly" the Same.....Harbor Industries

Some have BNC connectors, Some are Hybrid Type N and So-239, All in excellent
shape

Asking $200.00 + $8.50 for shipping and handling

I also have a Tektronix 492 for setting them up on your Frequency for a
minimal charge

Terms:

Acceptable PrePayment in the form of a Postal Money Order or other mutual
piror arrangements.

Monty

2160. Re: ICOM 260a parts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Larry Smith <larry.smith@tesco.net>
Message-ID: <5tPTwAAXAf02Ew1F@tesco.net>
Source record: 115971

In article <36D0E3BE.86497147@bellsouth.net>, Ken Smith
<knsmith2@bellsouth.net> writes
>Icom had a good laugh when I asked for parts on the radio, a model 260A.
>Specifically, I need these parts: 1) TMS 1024NLL, 2) TMS1115. These are
>in the PLL circuit. I'm trying to find a source for parts. A parts unit
>might be considered.
>Thanks
>
Try ICOM UK www.icomuk.co.uk
--
Larry Smith

2161. DRAKE RV-75 VFO

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: aidehua@aol.com
Message-ID: <19990223024736.01133.00001981@ng-fs1.aol.com>
Source record: 115972

RV-75 in nice condition. Please refer to:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=70397611

2162. HF Rigs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: William Liporace <wliporace@qualityfoodmngt.com>
Message-ID: <36D28ECA.F3851452@qualityfoodmngt.com>
Source record: 115973
Cross-posted to: rec.radio.amateur.swap,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.misc

Kenwood TS-930SAT with all of the Fox Tango filters.
2 500hz CW and 2.1khz SSB filters. It still has the
original crystal filters to allow very crisp audio.
This is done with the IRCI filter switch kit.
The radio was updated by Kenwood and had the super
alignment by IRCI. I also have the remote tuning knob that allows the
vfo to be controlled next to the keyboard. I have a shipping box, the
owner,
and service manuals.
Asking $1000 + shipping

Icom IC-765 with the stock filters. I have a SM-20
desk mike as well. I have the original box as well as the shipping box.
I have a home brew rs-232 control interface. It has been tested with
CT, NA, TR & LOGPLUS.
Asking $1200 + shipping

Reason for selling, want to upgrade to FT-1000
518-346-3804 or wliporace@qualityfoodmngt.com

TNX es 73 Will NA2NA

William Liporace NA2NA na2na@wizvax.net
763 Huntingdon Drive NA2NA @ K2TR
Niskayuna, NY 12309 wliporace@qualityfoodmngt.com
518-346-3804 home 518-786-8656 work

2163. Multicomm 2000 Moves

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Martyn <martyn@ntecc.co.uk>
Message-ID: <7au422$7bq$1@starburst.uk.insnet.net>
Source record: 115974
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.shortwave,uk.radio.amateur

We are Moving

our new address is:

UNIT 4,
17E LITTLE END ROAD
EATON SOCON
ST.NEOTS,
CAMBS
PE19 3JH.

Our telephone number remains the same but our FAX nomber changes to
01480-216456.

THE MOVE TAKES PLACE ON THURSDAY 25TH FEB.

All of our other details remain the same.

We will keep you informed with a few pictures of , what will be Europe's
Largest showroom and with any opening offers etc.

Thank you for taking the time to read this memo.

Martyn Allison
sales@multicomm2000.com

2164. Re: RIB or SOFTWARE?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: news1@airmail.net
Message-ID: <EAB0204C222AB102.0D7355142A4CFCB1.C49D6EA02AE43A15@library-proxy.airnews.net>
Source record: 115975

Motorola stuff really likes a 386! Try disabling the cache.

On Mon, 22 Feb 1999 22:06:34 GMT, rbarrios@nacom.es wrote:

>Hi. I've got the RIB but something doesn't work. I've got the software and
>I've made sure that the connections are right. I get clean digital signals
>(5v-0v) on the bus+ when I look at the scope. This is what happens:
>
> - 10 sequences from the software trying to connect
> - 5 sequences from the software + 5 beeps from the GP300
> The software shows: SERIAL ERROR - #2 No Acknowledge
> - The GP300 shuts down
> - 10 sequences more from the software still trying to connect
> - The programs show the typical RED error and stops trying
> - I have to turn off and on the radio if I want to try again
>
>What is happening? Is the computer (MMX 233) too fast?
>
>THANK YOU VERY MUCH
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2165. Re: Yaesu FT100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Dwight W9YQ <dgbcms@netnet.net>
Message-ID: <7au5to$so0$1@news.inc.net>
Source record: 115976

I just received, from a very reliable source, that Yaesu
they will be shipping within the next couple of days!

Dwight W9YQ

R. Makul K1XV wrote in message
<7asvtomln1@news-2.news.gte.net>...
>On Fri, 19 Feb 1999 20:15:57 -0500, "Michael Madden"
><mmadden@suffolk.lib.ny.us> wrote:
>
>>Best price that I found on the net is from
www.lentinicomm.com. I looked
>>yesterday to see if anyone was shipping yet.....the
story.....soon!
>>
>I was in Lentini's store at about noon today Feb 22 and
none have been
>received yet.

2166. Re: NEED HELP QUICK - Kenwood 830?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Dwight W9YQ <dgbcms@netnet.net>
Message-ID: <7au618soh1@news.inc.net>
Source record: 115977

I ditto that. I sure miss mine!

Dwight W9YQ

Wayne Faris wrote in message
<36D21E91.4C925417@binary.net>...
>Need Help Quick? Buy it quick! The biggest mistake I ever
made in ham
>radio (that I will admit to) was to get rid of my 830S!
The only thing
>it didn't have that I wanted was a dual vfo. If you buy
one, get the
>matching remote vfo so you can work dx splits.
>
>Wayne, KEBZ
>
>CompCnsult wrote:
>
>> Thinking about buying a Kenwood 830S.
>>
>> Need comments pro and con!!
>>
>> Please respond to: compcnsult@aol.com
>>
>> 73's
>> Chuck
>

2167. Got to have Military antennas and masts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: duece6x6@aol.com
Message-ID: <19990223074803.00957.00001936@ng-fd1.aol.com>
Source record: 115978

I am obsessed with collecting military antennas and equip. If you have any for sale email me. duece6x6@aol.com

Thanx Steve

2168. Re: THE 2000 GLITCH

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Shaun <rf@plc.mb.ca>
Message-ID: <oMxA2.491$lo4.3668@typhoon.mbnet.mb.ca>
Source record: 115979
Cross-posted to: alt.ham-radio,alt.ham-radio.vhf-uhf,rec.radio.amateur,rec.radio.amateur.equipment

Don't worry about your HT. Just because it was programmed with a computer,
doesn't mean it's gonna turn kazinsky stylez on new years.. ;)

Shaun

BD wrote in message <7astto$bv3$0@208.236.238.113>...
>I UNDERSTAND THAT THERE MAYBE A GLITCH WITH ANY HT THAT WAS PROGRAMED VIA
>COMPUTER... DOES ANYONE HAVE ANY INFORMATION WHETHER THIS WILL EFFECT THE
>MOTOOLA HT-600 & MT-1000...
>
>THANX, 73 DE BILL
>
>

2169. Re: Where's the email gone

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Smith-Gaspard <w4ono@citrus.infi.net>
Message-ID: <36D2AD98.AC47FCD8@citrus.infi.net>
Source record: 115980
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap,uk.radio.amateur

No problem here in Florida with EMail.
73 de Jim W4ONO .-.-.
= = = = = = = = = = = = = = = = = = =

Simon Cox wrote:
>
> Am I the only one who's not getting mail
> or is there a major problem somewhere.
> --
>
> Peolpe worry about me, I ride a
> Kawasaki Z1000 LTD and listen
> to RA 17 valve radios.
> simon.cox@breathe.co.uk

2170. Re: FT-50 Mod Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Brad Kellison <ka8tok@four-way.net>
Message-ID: <36D2AE74.FB415911@four-way.net>
Source record: 115981
Cross-posted to: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner

no the current ones are made to NOT be nodifiable from the new rulling
passed by the FCC..

"W. Charles Alexander" wrote:

> Hello:
> Does the current FT50RD still work on 800-900 with the mod?
> Naturally this is just for academic reasons.
> charlie@netset.com
> 73 & tkx in advance

2171. TS-830S vs. IC-751A Opinions?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Paul Knight <paul.knight@prairiecomm.com>
Message-ID: <7auag3$4o7$1@eve.enteract.com>
Source record: 115982
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.misc

Hello! Has anyone run these side-by-side? I'd be interested in hearing your comments regarding basic receiver performance in CW mode of the two.

I know the '830 is a load-n-dip radio, and the '751A isn't, so that isn't of concern to me. I'm most interested in basic receiver performance on CW; dynamic range, selectivity, and sensitivity comparisons.

Thanks!

Paul WD8DKY
paul.knight@prairiecomm.com

2172. ICOM u2at PL

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: mth@ingersoll.com
Message-ID: <7audakbcj1@nnrp1.dejanews.com>
Source record: 115983

Would someone be kind enough to email me the PL dip switch settings for the ICOM u2AT? I would very much appreciate it!

TNX,

Todd
mth@ingersoll.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2173. FA: Heathkit Auto Ant. Tuner SA-2500

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7aua0l$uq2$1@ostrich.cybercomm.net>
Source record: 115984
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

To view, click on...
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=69825123

2174. Re: vx5r audio distortion on receive?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7aufpgdga1@nnrp1.dejanews.com>
Source record: 115985

In article <7at91pavp1@fir.prod.itd.earthlink.net>,
"ANDREWJ" <andrewj@earthlink.net> wrote:
> i get lots of distortion (sounds like the speaker is vibrating) on the vx5
> at full volume on nfm; on wide fm, sounds ok. any hints on how to fix the
> internal speaker?

Might be a grounding problem...fromthe VX-5R message group:

The howling can be cured by removing the screws on the back panel,
and scraping the black paint from the depressions that the screws sit in. This
does not affect the looks of the rig, since the screw heads cover the cleaned
area. Also ensure the screws are tight when you reinstall them.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2175. Need INFO.: Regency R1060 Programming

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Mike Perry <mrmike@froggernet.com>
Message-ID: <36d2be00@news.pcom.net>
Source record: 115986

I recently got a Regency R1060 scanner at a garage sale without a manual.
Can anyone help with directions to program this scanner. What's the "Test"
and "Verify" buttons do ? I can't get it to input frequencies into memory.
Can you help by Email ?? If you have a manual to copy, please let me know &
I will pay copy & shipping costs.

contact me at: mrmike@froggernet.com

Thank you in advance for your help !

2176. "Gear for Sale Listers" Advice

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: PAW <73457.650@CompuServe.COM>
Message-ID: <Oa7ypmzX#GA.123@nih2naae.prod2.compuserve.com>
Source record: 115987
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf

C'mon guys, before you send us off to cyberland looking for your website, at least put a list what ya have for sale here. I personally don't have a reader which allows tracking htm's from the NG screen, so if you want my interest, at least toss us a bone.

--
PAW
(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
http://ourworld.compuserve.com/homepages/w9jmn

2177. Re: Yaesu VX5R Mods?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-2302990958510001@192.168.1.4>
Source record: 115988
Cross-posted to: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner

In article <7ase1n$9t$1@athena.netset.com>, "W. Charles Alexander"
<charlie@netset.com> wrote:

> Does anyone know if any mods are out for the Yaesu VX5R?
> tkx in advance
> charlie@netset.com

chek out www.geol.com/vx5

alex

2178. Re: VX-5r Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-2302991002120001@192.168.1.4>
Source record: 115989

> What is the Eve program and where is it found?
>
> I had not thought the VX-5R was yet on the
> market. It just showed up in advertizements.

www.geol.com/vx5

I m new to ham radio but i really like this radio! (though i cant compare)

alex

2179. Re: vx5r audio distortion on receive?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-2302991003300001@192.168.1.4>
Source record: 115990

> i get lots of distortion (sounds like the speaker is vibrating) on the vx5
> at full volume on nfm; on wide fm, sounds ok. any hints on how to fix the
> internal speaker?

seems to be a known problem, i saw a solution but since my english sux i
didnt understand it...anyone out there can re-write it with simple words?
=P

alex

2180. Re: Yaesu FT100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7auh7r$19q@dfw-ixnews10.ix.netcom.com>
Source record: 115991

Wasn't this last weeks message from Yaesu??? Based on the many "false starts" I will look to Icom for theirs. Frank KG9H

Dwight W9YQ wrote in message <7au5to$so0$1@news.inc.net>...
>I just received, from a very reliable source, that Yaesu
>they will be shipping within the next couple of days!
>
>Dwight W9YQ
>
>R. Makul K1XV wrote in message
><7asvtomln1@news-2.news.gte.net>...
>>On Fri, 19 Feb 1999 20:15:57 -0500, "Michael Madden"
>><mmadden@suffolk.lib.ny.us> wrote:
>>
>>>Best price that I found on the net is from
>www.lentinicomm.com. I looked
>>>yesterday to see if anyone was shipping yet.....the
>story.....soon!
>>>
>>I was in Lentini's store at about noon today Feb 22 and
>none have been
>>received yet.
>
>

2181. Standard Radio? Are they gone???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Greg Ottria <Gottria@inreach.com>
Message-ID: <5LzA2.464$YF1.2086598@news.inreach.com>
Source record: 115992

Whats up with Standard radio? I know parts of them are being bought out by
Yaesy and now their website is not up anymore. WWW.stdradio.com

--
Greg Ottria KE6PTP
Castro Valley California
Gottria@Inreach.com

2182. WTB: PCMCIA MODEM CARD OR EXT MODEM

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: John <jdaley@c2i2.com>
Message-ID: <36D2CDA9.5D5522B8@c2i2.com>
Source record: 115993

I am looking for a PCMCIA modem card 28.8 or 33.6 with install software.
I will also consider an ext. modem. TNX & 73 John

2183. Opinions on Yaesu VL-1000 Amp?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Spencer Ritchie <sfritchie@worldnet.att.net>
Message-ID: <7auk1r$2jr@bgtnsc01.worldnet.att.net>
Source record: 115994

I was wondering if anyone has this amp. What they thought about it. And how does one enable 10-12m coverage. Thanks in advance.
73
Spencer KC2TX

2184. Yaesu FT-100 rx spec change???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Vito Villamor <vovillamor@yahoo.com>
Message-ID: <36D2D75B.6B7B4EEC@yahoo.com>
Source record: 115995

On 2/13/99, Dan Elekman posted a message asking if anyone noticed Yaesu's specs (in the ham magazines) being different from the specs posted on Yaesy's web site. I can't pull up the original message because it has already expired on my news server. I think there was one reply saying that Yaesu was correcting either their web site, or something about even wider rx range than advertised... but I can't pull up that message either. [It's hard to beleive that my newsgroup server gets rid of from only 10 days ago].

I've been watching this newsgroup and waiting for someone to reply to the original message. I know there quite a few messages posted saying that people were waiting for these radios to arrive at the dealer. But has anyone checked what the actual specs are going to be on these radios?

If the orignal messages are on anyone else's news server, can you send them to me or repost them so the newgroup can be made aware.

---Vito

2185. For Sale Larson Duplexer 2m-440mhz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36d2e0d3.3841257@netnews.worldnet.att.net>
Source record: 115996

selling a brand new Larson duplexer in the package never used
with paperwork aes sells for 75.00 selling for 25.00 plus alitttle
shipping
email me thanks.... MIKE

2186. Boatanchor Classifieds

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Jeff James <jeff@eclipse.net>
Message-ID: <36D2E0A4.783ECE06@eclipse.net>
Source record: 115997

```
Free ads for tube and vintage solid state gear!
http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi
The Boatanchor Classifieds
Thanks for the read..
```

2187. FS: UHF Visars

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: naheks@aol.com
Message-ID: <19990223124514.21516.00000168@ng-cg1.aol.com>
Source record: 115998

I have a pair of very clean Motorola Visar radion. These come w/hi-cap nicads and a dual charger. 16-channel, no DTMF. Asking $775/obo.

2188. Looking for a Kenwood TH-45AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: kd7ctr@aol.com
Message-ID: <19990223125328.05276.00000482@ng134.aol.com>
Source record: 115999

I know it is a dinosaur, but I am looking for a working Kenwood TH-45AT. If you would like me to take it off your hands, Let me know. 73s de KD7CTR (KD7CTR@aol.com)

2189. Re: Yaesu FT100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Dwight W9YQ <dgbcms@netnet.net>
Message-ID: <7aupuq$k1r$1@news.inc.net>
Source record: 116000

Yup that's true! ... to each, his own ... pick your poison!

73 Dwight W9YQ

Frank Krozel wrote in message
<7auh7r$19q@dfw-ixnews10.ix.netcom.com>...
>Wasn't this last weeks message from Yaesu??? Based on the
many "false
>starts" I will look to Icom for theirs. Frank KG9H
>
>Dwight W9YQ wrote in message <7au5to$so0$1@news.inc.net>...
>>I just received, from a very reliable source, that Yaesu
>>they will be shipping within the next couple of days!
>>
>>Dwight W9YQ
>>
>>R. Makul K1XV wrote in message
>><7asvtomln1@news-2.news.gte.net>...
>>>On Fri, 19 Feb 1999 20:15:57 -0500, "Michael Madden"
>>><mmadden@suffolk.lib.ny.us> wrote:
>>>
>>>>Best price that I found on the net is from
>>www.lentinicomm.com. I looked
>>>>yesterday to see if anyone was shipping yet.....the
>>story.....soon!
>>>>
>>>I was in Lentini's store at about noon today Feb 22 and
>>none have been
>>>received yet.
>>
>>
>
>

2190. te koop

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: John <pa3hgq@vrza.org>
Message-ID: <919792486.650335@pluto.cybercomm.nl>
Source record: 116001

Yaesu FT 225 RD 2 meter all mode basis transceiver
incl.Yaesu tafelmicrofoon en de documentatie.

Prijs: f 1.000,00

Info e-mail: PD1ABY@VRZA.ORG
tel.nr: 06-55386079

Groeten Dick, PD1ABY

2191. FS Mint Drake SW2

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <7auu8i$r2r$1@nnrp1.dejanews.com>
Source record: 116002
Cross-posted to: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment

For Sale: Drake SW2 that I purchased from Universal Radio new 1/29/99 with remote and tilt stand, manual, boxes (double boxed). The radio has seldom been touched because I use the remote. I must sell to help pay for a transceiver. This is one fine rig!

$375 shipped CONUS. That's about $90 less than a new one with same accessories.

Bill K9KZ
k9kz@indy.net

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2192. Re: "Gear for Sale Listers" Advice

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: KD5GEH <kd5geh@arrl.net>
Message-ID: <7aurvb$j3h$1@newnews.startext.net>
Source record: 116003
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf

How about a forsale group, while we're at it? :) Seems to be about 80/20
forsale/discussion (I'm not including the totally off-topic threads that I
ignore)....

PAW <73457.650@CompuServe.COM> wrote in message
news:Oa7ypmzX#GA.123@nih2naae.prod2.compuserve.com...
>C'mon guys, before you send us off to cyberland looking for your
>website, at least put a list what ya have for sale here. I
>personally don't have a reader which allows tracking htm's from
>the NG screen, so if you want my interest, at least toss us a
>bone.
>
>--
>PAW
>(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
>http://ourworld.compuserve.com/homepages/w9jmn
>

2193. Re: vx5r audio distortion on receive?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-2302991336130001@192.168.1.4>
Source record: 116004

In article <7aufpgdga1@nnrp1.dejanews.com>, clintbrad4d@earthlink.net wrote:

> In article <7at91pavp1@fir.prod.itd.earthlink.net>,
> "ANDREWJ" <andrewj@earthlink.net> wrote:
> > i get lots of distortion (sounds like the speaker is vibrating) on the vx5
> > at full volume on nfm; on wide fm, sounds ok. any hints on how to fix the
> > internal speaker?
>
> Might be a grounding problem...fromthe VX-5R message group:
>
> The howling can be cured by removing the screws on the back panel,
> and scraping the black paint from the depressions that the screws sit in. This
> does not affect the looks of the rig, since the screw heads cover the cleaned
> area. Also ensure the screws are tight when you reinstall them.
>
> - Clint Bradford

and did anyone try this successfully?

alex

2194. Re: Yaesu FT-100 rx spec change???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-2302991344050001@192.168.1.4>
Source record: 116005

In article <36D2D75B.6B7B4EEC@yahoo.com>, Vito Villamor
<vovillamor@yahoo.com> wrote:

> On 2/13/99, Dan Elekman posted a message asking if anyone noticed
> Yaesu's specs (in the ham magazines) being different from the
> specs posted on Yaesy's web site. I can't pull up the original
> message because it has already expired on my news server. I think
> there was one reply saying that Yaesu was correcting either their
> web site, or something about even wider rx range than advertised...
> but I can't pull up that message either. [It's hard to beleive that
> my newsgroup server gets rid of from only 10 days ago].
>
> I've been watching this newsgroup and waiting for someone to reply
> to the original message. I know there quite a few messages posted
> saying that people were waiting for these radios to arrive at the
> dealer. But has anyone checked what the actual specs are going to
> be on these radios?
>
> If the orignal messages are on anyone else's news server, can you send
> them to me or repost them so the newgroup can be made aware.
>
>
> ---Vito

i think my mail server keeps them for 4 days! =(
alex

2195. FS - SK 510 socket for 4-1000/3-1000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990223140054.00787.00001278@ng-fu1.aol.com>
Source record: 116006

```
FS - Socket for 4-1000/3-1000
SK 510 $25.00
```

2196. Re: WTB:2.4 Ghz amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <CaTAqQAQBw02Ewhp@pacsat.demon.co.uk>
Source record: 116007

In article <KsnA2.40946$202.19887899@news1.teleport.com>, Ed Mellnik
<ema@teleport.com> writes
>Our club needs a 2.4 ghz amp that will give 5 to 10 watts out.
>ED
>
>

keep an eye on my web site - one will be appearing shortly in kit form.
the 1 watt driver is to appear in CQVHF next month.

73 Simon GM4PLM
+--+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+--+

2197. Re: F.S. Yaesu nFT-101EE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: robert.piland@msfc.nasa.gov
Message-ID: <robert.piland-2302991335340001@128.158.161.100>
Source record: 116008
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

Hi Ya Dave . . .

Hope all is well . . .

Is this the same 101 we talked about before?

cut off you HTML output so that your msg's will flow better

Brass

2198. Re: IC706 Main PCB

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Geoff Brown <equinox@itl.net>
Message-ID: <36D30531.58E3F984@itl.net>
Source record: 116009
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment

It's an Icom radio Simon, not Yaesu!
GB

Simon Lewis wrote:
>
> In article <36D12A00.D3C9DC09@domain.com>, defaultuser@domain.com writes
> >Hello there,
> >Thank you for your interest in reading this.
> >I am looking for a spare part for my friend's HF Transceiver.
> >He is looking for the Main PCB for his IC706.
> >Price in France is USD 800 which we find too much.
> >Could you help locate a cheaper second source ?
> >Regards from F5NMR / KE1IR / ex-GX0NCP.
>
> Try
>
> yaesuparts@worldnet.att.net
>
> They have quoted me some excellent prices for replacement boards for
> FT736r.
>
> 73 Simon GM4PLM
> +---+
> | Simon Lewis GM4PLM Editor - EMN |
> | European Microwave News - Supporting Microwave Radio Across Europe |
> | Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
> +---+

2199. TS 940 in Xfiles!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: STEVEN L UMBACH <N9ROU@prodigy.net>
Message-ID: <7av0ht$bf44$1@newssvr04-int.news.prodigy.com>
Source record: 116010

Nice to see such a great shot of I believe a Kenwood TS940 and a Shure 444 in the last episode of the Xfiles. I mean they filled the whole tv screen with that thing for an extended view in the dark - it looked huge and extremely impressive! I almost dropped my glass of milk. I have never owned a TS 940, but that big beautiful front panel with that big glowing analog s meter was a sight to see. I can imagine non-hams wondering if private citizens can really own something like that. Unfortunately I own a TS850 and a FT1000MP with digital s meters. Damn - looks like I am going to have to buy yet another rig!
---- Steve KK9ZZ

2200. Radios for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: needmopwr@aol.com
Message-ID: <19990223145524.17518.00001654@ng139.aol.com>
Source record: 116011

I have for sale The realistic HTX-100 10M allmode radio new in box, all papers mint condition. Radio has not been used. $150 plus shipping. I also have in Mint condition an Azden 6M Fm radio. It has all papers and original box still with it. It works like a charm 5/50 watts output. $350 plus shipping. Thanks Brodie 530-896-1508 or needmopwr@aol.com

2201. FS: Rare & collectable?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: blairt@direct.ca
Message-ID: <36d30823.155984@news.direct.ca>
Source record: 116012

I've never heard another one of these on the air:
1975 Uniden 2020 HF transceiver. Solid state with tube

finals (6146). No WARC or 160 bands. Manual, mike and

DC cable included. Works fine. Used for one CW QSO in

the past 4 years. I just bought a TS-50, so this

boat anchor is surplus for my needs. Good deal
for a U.S. ham, given the exchange rate.
$165.00 (U.S.) + shipping.
Let's figure out how to get it from here to there :)
73
Blair .
--

Blair Thompson(Amateur Radio Call VE7HHH)
Public Librarian Out-To-Pasture.

2202. I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Adam Huber <ahuber@csulb.edu>
Message-ID: <36D30E13.5A34E26E@csulb.edu>
Source record: 116013
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy

I need ADMS-1D or ADMS-1E to program my VX-1R. I have an older version of the software that I purchased a while ago. It was the first version and will not work with the VX-1R. I spoke with the company who makes it (not Yaesu) and they are willing to sell the upgrade to me.....for the same price I can purchase it new. That sucks. I already have the cable, I just need the version ADMS-1D or ADMS-1E.

Thanks,
Adam

2203. Re: ?? IS HOTMAIL DEAD??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990223152423.01133.00002052@ng-cf1.aol.com>
Source record: 116014

it used to good but now (last 4 months) it
is so slow it is unusable. I just found a few other Email addresses..(Free)
such as DEJA NEWS that are much faster and still free.
Tim

2204. WTB SHOTKEY DIODE's FOR HP COUNTER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Paul Van den Hende <paul.vandenhende@ping.be>
Message-ID: <7av2jh$56e$1@news3.Belgium.EU.net>
Source record: 116015

Hello,

Thanks for reading this message.

I'm looking for a shotkey diode bridge (4 diodes in one cabinet), for a HP Multifunctional counter Type 5334 b

Somebody has those, or know where i can find them ? Please mention also the price.

It's for a modification. The prescaler is no problem, but over here in Belgium the diode bridge is hard or even not to find.

The part number is:1900-0083

Best regards

Paul

2205. Re: Yaesu FT100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990223152909.01133.00002056@ng-cf1.aol.com>
Source record: 116016

I saw $1300 CASH Price at Lentini. There may be other Dealers who will sell it for that price but want $$$ to make up for the Credit Card Fee they have to pay when you use one.
I still suggest the Credit Card as it has helped me (Platinum Mastercard) get out of a few Ugly dealings with Ham Dealers who sell stuff that dies in 10 days and they refuse to take it back. They say to send it to the Manufacturer.
I call the Credit Card Company and they stop
payment and the Dealer has CHASE MANHATTEN to deal with. HHA HA]
It works every time. Also, I get a FREE EXTENDED WARRANTY OF ONE YEAR added to the purchase. If the radio dies in 1 3/4 yr later it is still covered. Not bad
TIM

2206. FS: ICOM IC-746, SM-6

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: SEREIKAS@worldnet.att.net
Message-ID: <MPG.113cdc6eae7e7899989689@netnews.worldnet.att.net>
Source record: 116017

I have for sale an Icom IC-746 Tranceiver. It covers 160 - 2 Meters and puts out 100 watts on all bands. It has an internal ATU that covers 160-6 meters. I am the original owner and this rig is mint....no scratches or dings.

Includes original box, manual and hand mike. I will also include the optional SM-6 desk mike with it's box. I'll ship the entire package (US) for $1449.

If interested, plese send me email at:
sereikas@worldnet.att.net

Thanks and 73,

George
KC2MF

2207. Timewave DSP-599zx $235

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: bah@gowebway.com
Message-ID: <7av6tj$390$1@nnrp1.dejanews.com>
Source record: 116018
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radioshortwave

For sale, Timewave DSP-599zx digital signal processor audio filter. Mint condition. Four months old. Only used a few times.
Original box, manual, etc. Comes complete with AC-4 power supply. $235.
Located in Montgomery County, Maryland. Would like to sell locally if possible. Please e-mail: bah@gowebway.com if interested.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2208. Wanted Kenwood TM-742 A info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: Bill Bailey <billbailey@accglobal.net>
Message-ID: <7av3no$5ok$1@news2.tor.accglobal.net>
Source record: 116019

Can anyone help us .I am doing this post for a friend who owns the radio he is having problems with his High power and has traced the problem back to Transistor Q23

2SD1902 (R)
What he is looking for is the Specs and the Availability of these.
All coments are greatly appreciated.

73`s

Robin

2209. THERE IS NO VX-7R !!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: "Jose R. Camara" <camara@quantacorp.com>
Message-ID: <36D311E8.8744DC92@quantacorp.com>
Source record: 116020
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Dear Sir/Madam:

My usenet post about the FT-50, VX-5R and a fictitious VX-7R had the purpose of informing potential buyers about some key differences of the two radios, plus add some suggestions for new features to Yaesu, jokingly in the form of a fictitious VX-7R.

I apologize if it has caused any confusion or inquiries about it. I am posting a copy of this in the same lists I posted the original to revert any incorrect impression it may have caused.

I'd also like to congratulate YAESU on two excellent radios, and seriously offer the VX-7R features as suggestions for future models. The anti-theft code would be, for instance, very easy to implement in many current radios and provide great protection, specially for the smaller and smaller HT's.

Regards,
Jose R. Camara

"Yaesu U.S.A." wrote:
>
> You know there is no VX-7R; why do you do this to people?
>
> YAESU U.S.A.
> C. H. Margelli

2210. FA: Four New 8950 Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-23 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36D31699.7297FEBB@cfu.net>
Source record: 116021

See ebay # 70505150. Till 2/28

2211. FS or Trade: TS-570S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: jdinkel@mum.edu
Message-ID: <7avr63$l3e$1@nnrp1.dejanews.com>
Source record: 115823

I have a mint TS-570s (stock) with hand held mic, orig. boxes, manual. Used little . Great radio but I need to raise a little cash. $1025 or perhaps trade for an older rig (for example, IC-735) plus cash to make up the value difference.

John KM4TI

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2212. Re: Manuals needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: k5cf <k5cf@clnk.com>
Message-ID: <01be5f9d$d1a04b80$c7e4050c@vancegil>
Source record: 115824
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

Don: Try www.w7fg.com. 73, Vance k5cf

sysadmin <dshane@ichange.net> wrote in article
<2cgA2.2$i9.66@news14.ispnews.com>...
> Need manuals (or copies) for Heath HM-2102 VHF Power/SWR meter and for
> military ME-26D/U multimeter. Anyone have any leads? TIA!
>
> Don, K4DLS
> Respond to k4dls@qsl.net
>

2213. Re: Radios for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: kb2ehj@mindspring.com
Message-ID: <OnJet0TDpclF-pn2-W4U10Pf1r5R3@user-2ivf20m.dialup.mindspring.com>
Source record: 115825

Dah!!!! I think you need to read this person's FULL reply and look at
the TO and FROM lines.

> I have a question. If it has never been used how do you know it "works like
> a charm"? Just curious.....
>
> --
> David M. Kaye, n2sjh@bigfoot.com
>
> "Imagine all the people living life in peace"
> -John Lennon
> Needmopwr <needmopwr@aol.com> wrote in message
> news:19990223145524.17518.00001654@ng139.aol.com...
> >I have for sale The realistic HTX-100 10M allmode radio new in box, all
> papers
> >mint condition. Radio has not been used. $150 plus shipping. I also have
> in
> >Mint condition an Azden 6M Fm radio. It has all papers and original box
> still
> >with it. It works like a charm 5/50 watts output. $350 plus shipping.
> Thanks
> >Brodie 530-896-1508 or needmopwr@aol.com
>
>

2214. Re: FT-50 vs Kenwood TH-G71A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: "Leland C. Scott" <no-spam@junk-mail.net>
Message-ID: <7b02t6$t6q@nnrp4.farm.idt.net>
Source record: 115826

I have the TH-G71A. Its a very good radio and the comments I get from other operators say it sounds very good on the air. The one thing it can't do is cross band operation. I also picked up the NiMH 1100Mah battery pack from Maha to replace the std NiCAD battery pack.

Leland C. Scott
KC8LDO

KD7CTR wrote in message <19990223203721.01139.00002205@ng-cd1.aol.com>...
>Personally, I would go with the Kenwood. I have nothing but good luck with
>Kenwood products.I haev herd mixed reviews about Yeasu. Have you seen the
new
>THD-7A? I played around with one in the store and fell in love. If I was
not
>getting the TM-V7A mobile, I would have picked up the HT. 73s de KD7CTR

2215. WTB: Icom IC271 Operation and Service Manuals

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: bh9v1zh <bh9v1zh@singnet.com.sg>
Message-ID: <7b03mh$gc6$1@mawar.singnet.com.sg>
Source record: 115827

Hi;
I am looking for the Operation and Service Manuals for ICOM IC271. Please
email to me.
Thanks
73
BH
9V1ZH

2216. Re: TS-830S vs. IC-751A Opinions?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: "Dr.Emil P. Zarkoff" <knot@all.com>
Message-ID: <7b056a$c4h$1@camel15.mindspring.com>
Source record: 115828
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.misc

Hi Paul,

I agree with Jim. He was exactly right. I too have owned them both. I enjoyed the 820S more. Im not sure why. Also, I sold the 751A when I found out about the battery backed RAM that has to be replaced every few years.

2217. F.S. Test Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: Tony Harper <tony@east-coast.freeserve.co.uk>
Message-ID: <7b0lhn$1l6$3@news4.svr.pol.co.uk>
Source record: 115829

Due to closure of PMR workshop the following equipment is available all prices are subject to vat. Most items can be sent by carrier for an additional £6.00 +vat charge.

Sabtronicc 8610B 10Hz-600Mhz freq.counter £20
Iso-Tech IDM201 D.M.Meter £30.00
Sabtronics 2010A D.M.meter £20.00
Goldstar OS904RD Osciloscope 40Hz £200.00
Bird Model 43 thruline wattmeter with slugs 20-1000Mhz 5watts as new never used since purchase.
RS antistatic soldering station £10.00
TAL 172 vswr/pwr meter £10.00
Hanson FS300H MF/HF vswr/pwr meter £10.00
Quartzlock 2A frequency standard off-air as new £150.00
Fluke 8060A true rms D.M.Meter £100.00
Marconi 2995/2958 Radio Test Set £2000.00
IFR AM-FM1200 Radio Test Set £1800.00
Demonstration Trailer with integral 40ft telescopic mast £1950.00

2218. Re: Yaesu FT-100 rx spec change???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990224081101.19255.00002264@ng94.aol.com>
Source record: 115830

go to the Yaesu Musan Web Site. They have ALL THE INFO there. It appears there is also a picture of the FT-100 SPECTRUM ANYALIZER that is abput twice the resolution of the IC-706 unit. It is mostly in Japanese but you can see the specs in English and the pictures tell a lot about the radio.
The price WILL drop to $1200 as I converted the Japanese price to USA Dollars. The FT847 lists for 210,000 YEN and the FT-100 goes for 148,000 YEN . SO if the FT-847 goes for $1700 USA Dollars (not taking into account the free antena tuner offer) then the FT-100 should cost $1200plus andy incentives that come down the road with time. I for one will wait till the bugs are out like on the FT-847 and the price to fall.
TIM

2219. Trade MFJ Voice Keyer for DSP 59+

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: Gene Holcombe <n5zdf@netdoor.com>
Message-ID: <TJTA2.1609$gU1.6644@axe.netdoor.com>
Source record: 115831

Trade my MFJ Voice Memory Keyer, Mod. #432 for a Timewave DSP 59+ audio filter.

Gene N5ZDF

2220. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7b14p6$nh4$1@nnrp1.dejanews.com>
Source record: 115832
Cross-posted to:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

In article <36D30E13.5A34E26E@csulb.edu>,
Adam Huber <ahuber@csulb.edu> wrote:
> I need ADMS-1D or ADMS-1E to program my VX-1R. I have an older version
> of the software that I purchased a while ago. It was the first version
> and will not work with the VX-1R. I spoke with the company who makes it
> (not Yaesu) and they are willing to sell the upgrade to me.....for the
> same price I can purchase it new. That sucks. I already have the
> cable, I just need the version ADMS-1D or ADMS-1E.

This does not sound right. RT Systems will upgrade you to their newest version
for twenty bucks - plus minimal charges for shipping. Are you really a
legitimate purchaser of their software?

Heck - I am two Updates behind - and RT Systems is upgrading me to the newest,
VX-5R-compatible ADMS-1E v2.0x version for only twenty bucks.

- Clint Bradford, KE6LCS

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2221. Re: FT-50 vs Kenwood TH-G71A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7b1571ntt1@nnrp1.dejanews.com>
Source record: 115833

In article <inks-2302991843140001@192.168.16.69>,
inks@wish-tv.com (Gerry Inks) wrote:
> I'm torn between these two radios.

Gerry - the Yaesu FT-50 is an extremely comfortable HT for medium-to-large hands. It just lays in your left hand, and you can change channels, adjust the volume, open the squelch, turn on the display lamp, key the mike, and turn on/off the power switch...ALL with ONLY using your thumb.

I use the ADMS 1-E Programming software - and it's great. Newer/current versions of the software allow ASCII data file importing and exporting, which is a really useful feature.

I use FNB-47 (7.2VDC) batteries for my FT-50 as well as my Vertex VX-10 commercial HT. Maha makes them in 1800MAh NiMH packs. Properly conditioned and charged with the Maha MH-C777a NiMH/NiCD charger, they have served me extremely well in daily use.

- Clint Bradford, KE6LCS

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2222. Re: TS-830S vs. IC-751A Opinions?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: tuomi@sci.fi
Message-ID: <7b1522cde1@tron.sci.fi>
Source record: 115834
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.misc

In article <7b056a$c4h$1@camel15.mindspring.com>, "Dr.Emil P. Zarkoff" <knot@all.com>
wrote:
>Hi Paul,
>
> I agree with Jim. He was exactly right. I too have owned them both. I
>enjoyed the 820S more. Im not sure why. Also, I sold the 751A when I found
>out about the battery backed RAM that has to be replaced every few years.

RAM has to be replaced every 10...15 years. 751A has better front-end.
751A has better dynamic characteristics. And, yes, it has that battery :^)
I'll newer sell my 751A. If I buy (better?) hf rig I use 751A with transverter
to work VHF/UHF/SHF.

Pasi

2223. FS: Kenwood TS-50 and AT-50 on Ebay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: Matt Robbins <robbinsm@umich.edu>
Message-ID: <rTUA2.8852$Ge3.34432601@news.itd.umich.edu>
Source record: 115835

I have a Kenwood TS-50 and AT-50 on eBay. The link below goes directly to it. Check it out.

Kenwood TS-50 HF Transceiver
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=70803458
Kenwood AT-50 Automatic Antenna Tuner
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=70803624

Thanks,
Matt

2224. FS/FT: Galaxy V Mark II xcvr with matching P/S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: k5dh@rtis.ray.com
Message-ID: <7b15s1$bit@news.rsc.raytheon.com>
Source record: 115836
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

For Sale or Trade:

Galaxy V Mark II HF transceiver with optional 100 KHz calibrator
and VOX modules installed, and matching power supply. No manual.
Picked it up at an auction. All tubes good (I replaced three duds).
Checked for basic functionality. Receives on all bands. Calibrator
works. Loaded transmitter up to 200 W output on CW on 40m and 20m.
Sidetone and semi-breakin keying work fine. SSB not tested (I have
no mic to try it with). Rig is quite clean, definitely the best
I've ever seen. It needs only a light cleaning. Only mod that I
can spot is the mic jack (changed from 3/16" to 1/4" style), and no
repairs that I can spot. I would consider this to be a project rig,
since I haven't fully tested it and cannot guarantee it's 100% ready
to go. But... it shouldn't need much work, if any, to be usable.

Will sell for $125 plus shipping, or trade even-up for a Drake 2NT
novice transmitter, or trade plus cash for A Drake T-4XB and AC-4
(I have a nice R-4B that needs a mate!).

73,
Dean - K5DH - D/FW, Texas area

2225. Re: FS: Rare & collectable?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: k5dh@rtis.ray.com
Message-ID: <7b162i$bit@news.rsc.raytheon.com>
Source record: 115837

In article <36d30823.155984@news.direct.ca>, blairt@direct.ca says...
>
> I've never heard another one of these on the air:
> 1975 Uniden 2020 HF transceiver. Solid state with tube
> finals (6146). No WARC or 160 bands. Manual, mike and
> DC cable included. Works fine. Used for one CW QSO in
> the past 4 years. I just bought a TS-50, so this
> boat anchor is surplus for my needs. Good deal
> for a U.S. ham, given the exchange rate.
> $165.00 (U.S.) + shipping.

This same rig was marketed in the USA as the Tempo 2020.
It was imported and sold through Henry Radio.

And you're right, that is a good price.

73,
Dean / K5DH

2226. DO YOU NEED ELECT. PARTS?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: "MIKE (707)" <cobra2@gisco.net>
Message-ID: <36d42115.0@news.gisco.net>
Source record: 115838

IF YOU NEED ELECTRONIC PARTS, INCLUDING TUBES, THEN CHECK-OUT
http://www.surplussales.com

2227. FA:LAST DAY UNBUILT HEATH ETC!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: Jordan Arndt <jordana@nucleus.com>
Message-ID: <36D43ED2.4CF2@nucleus.com>
Source record: 115839

Hi I have Many items presently for Auction... Heath HP-23 Power supply an UNBUILT HD-1234 Antenna/Coax Switch A Kenwood VC-20 VHF Converter for the R-5000 NEW IN BOX!!! 6CA7/EL-34 Audio /Modulator tubes for the Heath Apache TX... an UNBUILT RITTER LOOP and MUCH more... to see goto:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=jordana@nucleus.com&sort=3&since=-1

thanks for your time and 73 de Jordan...

2228. FNB-41 Battery Pack Rebuilding

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: Jeff Johns <jeffj@scott.net>
Message-ID: <364682643085487NEWS2LX@news.scott.net>
Source record: 115840

Has anyone taken apart a FNB-41 battery pack to replace the nicads? If so, how did you get the case apart without totally destroying it?

73 Jeff W4JEF

--------- Jeff Johns W4JEF - AMSAT# 32615 - QRP-L# 1857 ----------
jeffj@scott.net w4jef@amsat.org	Reserve Patrol Captain
Satellite: Mir R0MIR-1, AO-27	Jefferson County Sheriff's Dept
200LX+BayPac+FT50=Portable Packet	QTH Birmingham, AL USA

2229. Re: FT-50 vs Kenwood TH-G71A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: Shawn Upton <supton@eece.maine.edu>
Message-ID: <36D43209.167E@eece.maine.edu>
Source record: 115841

Gerry Inks wrote:
>
> I'm torn between these two radios. Anybody have any experience with both
> for comparison? A couple of people here at work have the Yaesu, but I kind
> of like some of the Kenwood's features - 200 channels, backlit keypad,
> little higher xmit power, more alpha-numeric digits, etc. The only
> downside I've heard is the receiver is not quite as wide-banded as the
> FT-50, which I don't _think_ is a big deal to me.
>
> I need 2m/440, CAP (which is why I'm buying a new rig), and at least
> receive on our 450 business band repeaters at work.
>
> Thanks for any insight - I'm going to buy in the next day or so.
>
> Gerry
>

I have the FT-50, and it is a nice radio. Easy to use, small size,
etc. The only things I don't on it are: the speaker/mic jack is on the
side, and the SMA antenna connector is kinda weak if you ever sit on the
radio (radio fits well in back pockets!). The 100 memories are enough
for me, the difference in transmit power is not going to make any
difference at the other end of things (but it will eat up your batteries
quicker), the backlight on the radio is nice, and there are plenty of
mods for the FT-50. I don't have any experience with the Kenwood, so I
can't commment on that radio, but I would most likely buy my radio
again.
--
****
Shawn Upton
Electrical Engineering Student
University of Maine at Orono
webpage: http://www.eece.maine.edu/~supton/
mail: supton@eece.maine.edu
KB1CKT Tech Plus
****

2230. Re: FS/FT: Galaxy V Mark II xcvr with matching P/S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: k5dh@rtis.ray.com
Message-ID: <7b1chl$f8b@news.rsc.raytheon.com>
Source record: 115842
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

The Galaxy V has been sold. Thanks for all the inquiries!

73,
Dean - K5DH

2231. Re: FS Mint Drake SW2

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: Barry Bogart <Barry_Bogart@bc.sympatico.ca>
Message-ID: <36D43F36.61E5EC16@bc.sympatico.ca>
Source record: 115843
Cross-posted to: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment

Where are you located?

k9kz@indy.net wrote:

> For Sale: Drake SW2 that I purchased from Universal Radio new 1/29/99 with
> remote and tilt stand, manual, boxes (double boxed). The radio has seldom been
> touched because I use the remote. I must sell to help pay for a transceiver.
> This is one fine rig!
>
> $375 shipped CONUS. That's about $90 less than a new one with same
> accessories.
>
> Bill K9KZ
> k9kz@indy.net
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2232. FS; Kenwood, ICOM and Ranger

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: KC5ALC <kc5alc@mindspring.com>
Message-ID: <7b1hjf$ln6$1@camel25.mindspring.com>
Source record: 115844
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

For Sale- ICOM 275H 2-meter All-mode. 100 watts power out, radio is a 9 - 9.5 on 1- 10 scale. Includes hand mic, manual and MC-8 desk mic. $900 plus shipping.

For Sale- Kenwood TS-850S. This radio is from an SK estate. Radio is 9 - 9.5, includes SP-31 matching speaker, MC-60 desk mic and manual. $1100 plus shipping.

For Sale- Ranger 2970 10/11 meter mobile. Radio is a 9- 9.5 never mobile. Price includes manual, hand mic and mobile bracket. $300 plus shipping.

Do Not Reply VIA E-mail. Contact K4POW Ron Sweat 1-502-684-9194

2233. Re: THERE IS NO VX-7R !!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <36D44B0A.ED50A5A7@mindspring.com>
Source record: 115845
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Jose,

Yaesu needs to lighten up. Your intent and the fictionality of the
VX-7R seemed clear to me.

Phil

"Jose R. Camara" wrote:
>
> Dear Sir/Madam:
>
> My usenet post about the FT-50, VX-5R and a fictitious VX-7R had the
> purpose of informing potential buyers about some key differences of
> the two radios, plus add some suggestions for new features to Yaesu,
> jokingly in the form of a fictitious VX-7R.
>
> I apologize if it has caused any confusion or inquiries about it. I
> am posting a copy of this in the same lists I posted the original to
> revert any incorrect impression it may have caused.
>
> I'd also like to congratulate YAESU on two excellent radios, and
> seriously offer the VX-7R features as suggestions for future models.
> The anti-theft code would be, for instance, very easy to implement in
> many current radios and provide great protection, specially for the
> smaller and smaller HT's.
>
> Regards,
> Jose R. Camara
>
> "Yaesu U.S.A." wrote:
> >
> > You know there is no VX-7R; why do you do this to people?
> >
> > YAESU U.S.A.
> > C. H. Margelli

2234. FS: Kenwood TS-940Sat

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: mwells007@earthlink.net
Message-ID: <7b1kek$1f0$1@usenet46.supernews.com>
Source record: 115846

I have recently been laid off, and I am selling my Kenwood TS-940Sat, along
with the speaker SP-940, Voice Synthesizer Module VS-1, Microphone MC-60A,
Service manual, And Users Manual.
Unit is Excellent condition. Price is a firm 1000.00 + Shipping.
I am located in Van Nuys, Calif.

Michael Wells
WB6JLB

EMAIL: mwells007@earthlink.net
Phone: 818-756-3105

2235. Re: FT-50 Mod Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: rogerm@ezlink.com
Message-ID: <6eZA2.287$I5.4088102@WReNphoon2>
Source record: 115847
Cross-posted to: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner

You can still recieve the blocked frequency range
albeit on the image frequency. My FT50RD will
recieve cellphone at around 980 Mhz.

*** Posted from RemarQ - http://www.remarq.com - Discussions Start Here (tm) ***

2236. FS: Kenwood TM 731 DualBand 160.00,,

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36d58a14.109789731@news.earthlink.net>
Source record: 115848

I have a Kenwood TM-731 DualBand Mobile forsale.
440MHz watts are fine,but 2 MTR only does about 7 watts.
And the bulb behind display is off.
But you see frequencies fine on display.
Mic/power cord.
No manual.
Price: 160.00
Email,Rich.
ps: I thought it was sold a month ago on the net here,but the person
never bought it.
I think I gave him plenty of time,so its back up forsale.

2237. for sale or trade Sangean 803a

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: itzack@hotmail.com
Message-ID: <7b1rkabln1@nnrp1.dejanews.com>
Source record: 115849

I have A sangean 803 that works well, no manual or box but the unit is in good shape. The unit does hum when it is turned off. This does not at all affect the operation of the unit when it is on. The hum is not loud and can be reduced by the volume pot. I honestly don't know how much to post the unit for but please make an offer.. I am also interested in trades.. Hf and 10 meter equipment.

Thanks

John Ayres
Kc4npd

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2238. FS: Ham radio manauls and ARRL books on ebay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: Matt Robbins <robbinsm@umich.edu>
Message-ID: <fRZA2.8881$Ge3.34610975@news.itd.umich.edu>
Source record: 115850

Kenwood, Hallicrafters, Allied, and ARRL.
Do a seller search for u.of.m

Thanks,
Matt

2239. WTD COLLINS VIDEOS*******

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: jlogin@gville.mindspring.com
Message-ID: <7b1qvatrn3@camel19.mindspring.com>
Source record: 115851

Hi--Anyone selling their Collins videos...let me know....tnx & 73's
Bob, AA8A

2240. Re: Motorola Charger ID Help?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: Todd Engels <tengels@email.msn.com>
Message-ID: <#eHGpBEY#GA.281@upnetnews02.moswest.msn.net>
Source record: 115852
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.commercial-lmr,rec.radio.swap

Did you get my response? I don't see the post.
Steven E. Leong <seleong@gte.net> wrote in message
news:7aq9nc$lq6$1@news-2.news.gte.net...
>Hello!
>
>I was going through a box in the garage and found the
>following Motorola HT chargers. I would appreciate any
>help in identifying them (what HTs use them?). Thanks
>in advance for your help!
>
>Steve KC6IJM
>
>NLN7645A
>HTN9702A
>HTN9014A

2241. WTB WRL Globe Chief 90 or 90-A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: jgbotts@aol.com
Message-ID: <19990224165914.00958.00002641@ng-fd1.aol.com>
Source record: 115853

Looking for the above transmitter in working or restorable condition. Need not be mint or "collector quality". Contact k4ejq@juno.com with details and asking price. Thanks, Bunky, K4EJQ

2242. WTD..Kenwood R5000 DC-2 dc connection...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: amfone@concentric.net
Message-ID: <7b20infjo1@nnrp1.dejanews.com>
Source record: 115854

....Hello
Would like to put the Kenwood R5000.. in my car and need the DC-2 dc
connection....
anyone have one for sale ?
thanks tim

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2243. FA Internal Supply for a IC-740

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: cqdx4u <vital@gate.net>
Message-ID: <01be6046$64d042e0$6269e3c7@vital.gate.net>
Source record: 115855
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=68988049

2244. Re: FNB-41 Battery Pack Rebuilding

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: Ralph Mowery <rmowery@ibm.net>
Message-ID: <36D48156.DDC67F45@ibm.net>
Source record: 115856

The pack is glued together. I hit mine with a hammer all around where it is put together. Not very hard.. Then take a screwdriver and prised the tab at the top up slightly. Then starting at the top , put the screwdriver in the gap and start prising it apart. At the bottom there is a small tab on each side that helps hold the halfs together. Try to work from the top (the part that goes toward the radio) down as it wants to hinge open .

Jeff Johns wrote:

> Has anyone taken apart a FNB-41 battery pack to replace the nicads? If so,
> how did you get the case apart without totally destroying it?
>
> 73 Jeff W4JEF
>
> *--------- Jeff Johns W4JEF - AMSAT# 32615 - QRP-L# 1857 ----------*
> |jeffj@scott.net w4jef@amsat.org | Reserve Patrol Captain |
> | Satellite: Mir R0MIR-1, AO-27 | Jefferson County Sheriff's Dept|
> |200LX+BayPac+FT50=Portable Packet| QTH Birmingham, AL USA |
> *---*

2245. FS: 150ft radio tower

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: Gord Skiffington <skiffing@nbnet.nb.ca>
Message-ID: <36D4BA59.498B@nbnet.nb.ca>
Source record: 115857
Cross-posted to: nb.forsale,ns.forsale,tor.buysell,tor.forsale,rec.radio.amateur.equipment,rec.ham-radio.swap

L&R 150 foot guyed radio communications tower - good condition with all stainless steel tower bolts and nuts. All 5/16 guysteel replaced 1994. Tower complete with equalizer plates and includes 2 x Sinclabs 206EB VHF array (9dbd). Standing currently 25km south of Moncton, N.B. Canada - Owner for hire to assist dismantle/transport if required. Asking 5000.00 Canadian negotiable.

2246. 8kc mech filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: swldd@proaxis.com
Message-ID: <36D49427.22A9@proaxis.com>
Source record: 115858

I have a Collins 8kc Mech filter, part #526 9161 009, type
#F 455 N 80. Can someone e-mail me direct and let me know
the REAL value? I have been told a $100 and someone else
sez $250. Quite a difference! Tnx in advance!!!!
73----Doug
swldd@proaxis.com

2247. IC-2710H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: Turner Morgan <tfmorgan@thebee.net>
Message-ID: <7b22j3$836@enews4.newsguy.com>
Source record: 115859

Does anyone have or know of the source for any mods or improvements to the ICOM IC-2710H dual band transceiver?

Also, any word on when ICOM will offer the Windows programming software for actual sale? Right now, it is just vaporware, doesn't exist at any of the dealers I have tried, even though they have been carrying it in their catalogs for several months.

Thanks,
Turner WD0FJO

2248. FA**BROWNING GOLDEN EAGLE MK4A..3 day**

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <4552-36D4948E-31@newsd-142.iap.bryant.webtv.net>
Source record: 115860
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment

Very nice set of MK IVA Eagles.Check it out.3 day only!
http://cgi.ebay.com/aw-cgi/ebayISAPI.dll?ViewItem&item=70976006

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

2249. Dentron GLA-1000B 10M Mod!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: Tom Repstad <kb1cga@starc.org>
Message-ID: <36D4A363.28148CC3@starc.org>
Source record: 115861
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Doesn't anybody out there have a Dentron GLA-1000"B" with the 10M mod?
I'd really like to get the info on the mod, it has to be the "B" model.

--Tom
KB1CGA

2250. WTB: Heath HA-14 w/PS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: dalien <dalien@pacifier.com>
Message-ID: <36D4A320.14A0A6A2@pacifier.com>
Source record: 115862
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

WTB: Heathkit HA-14 Kompact Kilowatt with both power supplies and manuals.

-Dave W6OVP

2251. WTB: Solid state HF transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: Stephen Kraiman <dval@vsi.net>
Message-ID: <C12B2.339$cQ.19@news20.ispnews.com>
Source record: 115863
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I had a novice license 25 years ago. I am back into amateur radio and just earned my tech+ license. I am looking for a reasonably priced HF rig (reasonable is subjective).

It must be solid state and in good operating condition. 160-10 meters, AM/SSB/CW. At least 100W output. I am looking to spend between 200-400US$ including power supply & mike. I am located in located in the Philadelphia area.

Thanks,

Stephen Kraiman

2252. Re: FA**BROWNING GOLDEN EAGLE MK4A..3 day**

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: ice cold beer <pinhead_16@hotmail.com>
Message-ID: <jO3B2.176$od5.981@news12.ispnews.com>
Source record: 115864
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment

hey boo, do you consider yourself a warrior and if you do, please explain,
ice cold beer said it and i am back quiet.....
KF6IKC@webtv.net wrote in message
<4552-36D4948E-31@newsd-142.iap.bryant.webtv.net>...
Very nice set of MK IVA Eagles.Check it out.3 day only!
http://cgi.ebay.com/aw-cgi/ebayISAPI.dll?ViewItem&item=70976006

"Since the key to victory can often be found in that instant when the
Warrior commits himself,it is important to be neither early nor late.The
Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the
Warrior

2253. FS: RCI 3500

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <7b2hek$80s$1@news-1.news.gte.net>
Source record: 115865
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

I am selling a RCI 3500 for a friend.

It is a 100 Watt tcvr operating on the
frequencies from 26 to 30 MHz.

It comes with a Astatic noise canceling mike.

Price is $335

73s........ N9NWO

2254. Re: TS 940 in Xfiles!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: W4UDX <crslex@iglou.com>
Message-ID: <36d4cc0d.0@news.iglou.com>
Source record: 115866

Yeah but it was embarrasing to hear those police scanner sounds coming out
of that nice 940S!.....W4UDX

STEVEN L UMBACH wrote in message
<7av0ht$bf44$1@newssvr04-int.news.prodigy.com>...
> Nice to see such a great shot of I believe a Kenwood TS940 and a Shure
>444 in the last episode of the Xfiles. I mean they filled the whole tv
>screen with that thing for an extended view in the dark - it looked huge
and
>extremely impressive! I almost dropped my glass of milk. I have never owned
>a TS 940, but that big beautiful front panel with that big glowing analog s
>meter was a sight to see. I can imagine non-hams wondering if private
>citizens can really own something like that. Unfortunately I own a TS850
and
>a FT1000MP with digital s meters. Damn - looks like I am going to have to
>buy yet another rig!
> ---- Steve KK9ZZ
>
>

2255. FA: Hallicrafters HA-8 Splatter Guard

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: Dennis Clemenson <dclemenson@stellarnet.com>
Message-ID: <7b2h8n$e4h$1@remarQ.com>
Source record: 115867
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Vintage accessory with a special display tube to indicate modulation levels.

See it at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=68815667

2256. FA: Excellent Drake SPR-4 Receiver with options

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: Dennis Clemenson <dclemenson@stellarnet.com>
Message-ID: <7b2hcq$md9$1@remarQ.com>
Source record: 115868
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=70017825

2257. ICOM IC-707 MODS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: "MIKE (707)" <cobra2@gisco.net>
Message-ID: <36d4d664.0@news.gisco.net>
Source record: 115869

DOES ANYONE KNOW OF ANY MODS FOR THIS RADIO??

2258. FS: GE MVS RADIOS 30W UHF (HI SPLIT)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36D4E9C7.64C8@ix.netcom.com>
Source record: 115870
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale..

GE MVS mobile radios.. 30W, 16 channel..Combination NPU-30

These are commercial split, 470 - 512 MHZ.

Excellent condition with microphone, and mounting bracket.

Programmed and tuned to you channels/PL's.

$95 each + shipping

Steve-WA6GSD

2259. FS: VHF Power amp...20W in for 80W out.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36D4EADA.D48@ix.netcom.com>
Source record: 115871
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale..

Trilectric VHF power amps.Approx size 8"L X 5"W X 2.5"H.

12 VDC operation.. 20W input gives 80W output..

These are commercial units, were used in the 153 mhz range,
but will operate down to about 145mhz with full output.

Units are FM only

$49 + shipping.

Steve-WA6GSD

2260. FS Conar 400 Vintage Novice Transmitter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: k9two@sprintmail.com
Message-ID: <7avhds$cm7$1@nnrp1.dejanews.com>
Source record: 115913

Tube type novice transmitter in mint like new condition.
Operates 80,40 and 15 meter bands. Not a single scratch.

$95 + shipping

Don Ferrill K9TWO Phone 317-788-7810

Greenwood, Indiana

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2261. FS: HP608F RF GENERATOR $50

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: mkepp@hevanet.com
Message-ID: <7avhn9$d1n$1@nnrp1.dejanews.com>
Source record: 115914
Cross-posted to: sci.electronics.equipment,rec.radio.amateur.equipment

FOR SALE: Hewlett Packard model 608F RF generator. 10 to 455 Mhz. A little dirty; should clean up nicely. Has RF output, can't seem to get modulation to work. Modulation oscillator (classic HP oscillator circuit, with light bulb, etc) works just fine; both 400 and 1000 hz. Followed signal to circuit board, and I'm not sure where it is supposed to go from here. Since I don't have a schematics, I'll let the next owner deal with it. Tag above model number plate says "U.S.A.E.C. / Nevada Test Site", and has "atom" symbol. Way cool! Althought it doesn't produce any heat unless it's turned on. At least I don't think it does! Located in Portland, OR. Will ship anywhere in the continental US via UPS for an additional $40, although I'd rather it be picked up here in Portland, OR. Please respond to <mkepp@hevanet.com>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2262. 500 hz collins filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: landaircom@aol.com
Message-ID: <19990223190114.01139.00002404@ng-cc1.aol.com>
Source record: 115915

Collins filter F455-FA05 $325.00 FOB NY these filters are very scarce
Call Hal at 718-8473090 Land Air Communications

2263. Re: Radios for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: kd7ctr@aol.com
Message-ID: <19990223192750.01131.00002097@ng-ba1.aol.com>
Source record: 115916

The HTX-100 IS a SSB/CW x-ceiver only. I use one in my car. I am not knocking the unit, I make good DX contacts. 73s de KD7CTR

2264. Re: New wide-band antenna!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: kd7ctr@aol.com
Message-ID: <19990223193032.01131.00002098@ng-ba1.aol.com>
Source record: 115917

I have one myself on my Kenwood TH-79A-HP and Alinco DJ-191-HP and I too am loving it!! Too bad they're not too flexible.
73s de KD7CTR

2265. Re: Radios for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: David Kaye <dkaye68@worldnet.att.net>
Message-ID: <7avhis$sm7@bgtnsc02.worldnet.att.net>
Source record: 115918

I have a question. If it has never been used how do you know it "works like a charm"? Just curious.....

--
David M. Kaye, n2sjh@bigfoot.com

"Imagine all the people living life in peace"
-John Lennon
Needmopwr <needmopwr@aol.com> wrote in message
news:19990223145524.17518.00001654@ng139.aol.com...
>I have for sale The realistic HTX-100 10M allmode radio new in box, all
papers
>mint condition. Radio has not been used. $150 plus shipping. I also have
in
>Mint condition an Azden 6M Fm radio. It has all papers and original box
still
>with it. It works like a charm 5/50 watts output. $350 plus shipping.
Thanks
>Brodie 530-896-1508 or needmopwr@aol.com

2266. batttery voltage factor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: brycelee@globalserve.net
Message-ID: <36d349a0.15234912@news.globalserve.net>
Source record: 115919

I have a Yaesu FT - 530 handheld, purchased used earlier this year.
Two batteries were supplied.
The first labeled Yaesu ENB-25 7.2 V, 700 MAH manufactured by E.H.Yost & Company;
The second is MU-FNB-27 is a MAHA Ni-MH battery Pack, 12V DC, 900 mAH.

With both batteries, seemingly fully charged the radio performs well, for about the first hour or two. The readout on the FT allows one to monitor the voltage, and both batteries do read full voltage when charged.
Very suddenly, the voltage (and I'll use the 900 mAH battery as the example), the voltage drops to 9.0 volts then maybe ten minutes later drops to 5.2 volts. At this point the LCD display flashes indicating imminet shutdown.

The ENB-25 does the same thing although in a shorter time span.

I have noted previous discussions as to the viability of certain after-market batteries; could this be a problem? Incidentally the large battery was purchased new 18 months prior to my purchase of the radio although not here in Canada.
Now the strange thing.
If I then turn off the radio (with the flashing display) and remove either battery from the radio, and then replace the battery, the display returns to a 9.0 volt reading and maintains said voltage for say andother hour or more.

The contacts on the batteries and on the matching radio are clean and in good order.
The batteries have always been charged using a Yaesu NC-42 Quick Charger. I have also used the "slow" charger from Yaesu NC 28B

The question: is this normal for this type of battery?
If not what may be possible solutions?

2267. Re: THERE IS NO VX-7R !!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: eric_fre@hotmail.com
Message-ID: <7avmku$h3f$1@nnrp1.dejanews.com>
Source record: 115920
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

I have to sit back and laugh at this interesting experiment in human psychology!

I mean really the VX5 has been out now for nearly two months and people really seriously belive that a seven is already due?
How long ago was the VX1 released in the states.
I wonder how many calls Yaesu america got for the release of the new VX7?

Cheers
Eric.
"You can never underestimate the intelligence of the general populous!"
My 12yr political science teacher.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2268. FS: KWM-380

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: k8ra@aol.com
Message-ID: <19990223202740.23643.00002401@ng96.aol.com>
Source record: 115921

I have a very nice KWM-380 ... s/n 257 for sale. It has all the filters (140 / 360 /
1.7 / 2.1 / 6.0). It also has the control interface. The radio has the WARC chip in it so it transmits on all the amateur bands. The front panel and cabinet is perfect. The radio has all 18 service bulletins installed except for #17. SB #17 makes the radio compatible with the CU-380 antenna coupler. It was not a manditory change.

So you don't have to ask, the noise blanker and speech processor is not in the radio. The radio also has the service manual and a copy of all the service bulletins.

If you are interested, give me a call at 614-764-5872 or respond via e-mail. Pictures are available at http://members.aol.com/k8ra then look in the folder KWM-380.

Price ... $2700. plus some shipping.

Jerry K8RA

2269. Re: FT-50 vs Kenwood TH-G71A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-24 00:00:00 UTC
From: kd7ctr@aol.com
Message-ID: <19990223203721.01139.00002205@ng-cd1.aol.com>
Source record: 115922

Personally, I would go with the Kenwood. I have nothing but good luck with Kenwood products.I haev herd mixed reviews about Yeasu. Have you seen the new THD-7A? I played around with one in the store and fell in love. If I was not getting the TM-V7A mobile, I would have picked up the HT. 73s de KD7CTR

2270. Re: ICOM IC-707 MODS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: cheung <cheung@netbistro.com>
Message-ID: <01be60ef$a8b161c0$0100007f@LocalHost>
Source record: 115723

Mike: Do you mean the TM-G707 dual band? Apparently the main board is the same as the TM-V7E and I have seen the mods posted on another site but I would be scared to try to open this up without the real mods.

Bill

MIKE (707) <cobra2@gisco.net> wrote in article
<36d4d664.0@news.gisco.net>...
> DOES ANYONE KNOW OF ANY MODS FOR THIS RADIO??
>
>
>

2271. Re: ICOM IC-707 MODS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: cheung <cheung@netbistro.com>
Message-ID: <01be60f1$29ec7620$0100007f@LocalHost>
Source record: 115724

I am getting my new glasses today. I thought you meant the Kenwood.
Sorry...:)

Bill

MIKE (707) <cobra2@gisco.net> wrote in article
<36d4d664.0@news.gisco.net>...
> DOES ANYONE KNOW OF ANY MODS FOR THIS RADIO??
>
>
>

2272. Best Price on a VX5 ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: charles1@netcom.com
Message-ID: <charles1F7q6AC.Bvr@netcom.com>
Source record: 115725

Who has prices on VX5 ?

2273. FS tower and HF quad

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: thunderduck@hotmail.com
Message-ID: <7b46pa$rum@news1.newsguy.com>
Source record: 115726

72 ft tower and 2 ele quad ant and tower are
down for 350.00 will sell just tower or beam me e-mail
asc2721@ibm.net. tnx aaron
located in SE Louisiana

2274. Re: 2m HT Recommendations

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: drmarc@wwa.com
Message-ID: <7b3skr$5oa$2@hirame.wwa.com>
Source record: 115727

Cheap answers are:

Scan at rush hour and you will find the local repeaters.

ICOM and Kenwood make 2 mtr mobiles for around $200.

Dual bander costs more.

In article <7ak219$9k6$1@plonk.apk.net>, "Ken Rosenow" <kenr@apk.net> wrote:
>I have been inactive for many years and am looking for recommendations for a
>decent, inexpensive 2m (and possible 70cm) HT. Also, where can I find a
>listing of repeater frequencies in my area?
>
>Ken, N8AAF
>
>

Marc Schneider, Psy.D.
e-mail to: <drmarc@wwa.com>
(call sign: W4NVY)

2275. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7b4d42$hq3$1@nnrp1.dejanews.com>
Source record: 115728
Cross-posted to:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

In article <7b3nfl$eau@dfw-ixnews6.ix.netcom.com>,
kc5egg@ix.netcom.com(Gerald Schmitt) wrote:

>>> [A writer complains that he was treated weirdly by RT Systems. The same >>
>>> writer mis-states RT Systems' very public stance on legitimate Upgrades of
>>> their ADMS software. RT Systems has responded that no one in their company
>>> ever told that writer what he now claims in public...

>> So Clint asks: Are you really a legitimate purchaser of their software? [As
>> opposed to someone who has "borrowed" a copy of the software from someone
>> else.]

>And here comes Gerald "Don't believe ANYTHING Clint has to say" Schmitt:
> Clint you truly are a jerk...what a pompus ass you are Clint.

You obviously aren't a small business owner, Gerald. I doubt you have ever
successfully marketed anything in your career. No matter.

Why you perceive a problem with someone who just hung up with RT Systems and
discussed this very matter and found out the truth is beyond rational thought.

Work on your inner anger somewhere else, would you please? Your
anti-Clint rantings are in no way in the true spirit of what Amateur Radio is
supposed to be all about. In the mean time, I will continue to support those
firms that treat their public well. And RT Systems treats their valid customer
base with respect and excellent products.

- Clint Bradford, KE6LCS
909-681-6210 - Office

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2276. FORSALE -Ken TS-520S w/CW filter, mic, MFJ tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7b4ak8$ali@nntpb.cb.lucent.com>
Source record: 115729
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,nj.forsale,rec.radio.amateur.boatanchors

I have a mint Kenwood TS-520S that I would like to sell.
In my opinion, the 520 and 520S are
some of the best rigs around and would make a
fantastic beginner station or a great backup rig.

For any novices not familiar with this radio, it is all solid state
(discrete components, so its very easy to repair if ever needed)
except for a tube driver and a pair of very
robust 6146 tubes as the finals. It has a builit in power supply,
but can also run off of 12VDC with an optional DS-1A
DC-DC convertor (not included). It also has connections for the
Kenwood DG-5 digital display.
It covers 160,80,40,20,15, and 10 meters in CW and SSB (upper and lower) modes.
The receiver section is excellent and I always get excellent audio quality
reports. Many folks say that these older Kenwoods are some of the best
sounding rigs on the air.

This rig also has the optional 500Hz CW filter
installed (genuine Kenwood option). Also included
is the Kenwood hand mic and (if you need it) an
MFJ antenna tuner (I forgot model no - older unit
but works fine).

The price is $350 firm + shipping. You might find one for a few $ less,
but NOT is this great condition.

Joe Levantino
KB2FSH

(732) 949-0664

2277. wtb alpha 78 or 87a

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: w6sfg@aol.com
Message-ID: <19990225151417.13521.00000278@ng-ch1.aol.com>
Source record: 115730

I'm looking for an Alpha 78 or 87A
Please contact:
Bruce Braun W6SFG in VA.
804-239-4740
Bruce Braun
President: Creative Teleproductions, Inc.
Web site:http://members.aol.com/w6sfg/bbraun.html

2278. Yaesu 107 tuner and memory wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: ljl160@aol.com
Message-ID: <19990225153959.11651.00000147@ng-cd1.aol.com>
Source record: 115731

Looking for the matching antenna tuner and a memory unit for a Yaesu FT107
Thanks

2279. Re: FS: RCI 3500

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: ThomasS <stop@spam.com>
Message-ID: <36D5B977.4075@spam.com>
Source record: 115732
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Dean, Greg wrote:
>
> I am selling a RCI 3500 for a friend.
>

Ain't never heard of an RCI-3500...must be an export radio or something?

You sure it ain't a 2970?

2280. Re: VX-5R: how do you delete a memory channel?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Larry Benko <benko@aztek-eng.com>
Message-ID: <36D5BA75.6A7FDC3A@aztek-eng.com>
Source record: 115733

Hi,

I have owned a VX-5R for a few weeks and to the best of my knowledge you CAN NOT erase a memory channel short of doing a reset which erases them all. You can mask a memory but when doing so the channel is treated differently than an unerased channel which shows an asterik when doing a memory save. At first this bothered me a lot, but now it actually it kind of cool since restoration is so simple. By the way how do you like the HT. I got reports of low audio on mine at first compared to other radios that I own, but I increased the audio gain on all 3 bands and all is better now.

Larry Benko, AC0B

1dguy@my-dejanews.com wrote:
>
> Have not been able to figure this out. Can't find it in the manual.
>
> So how do you delete or erase a programmed memory channel? Not Mask it delete
> it, Or can you?
>
> Thank you, in advance.
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2281. Transceivers for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: "William J Vlymen III, M.D.,Ph.D" <vlymen@worldnet.att.net>
Message-ID: <36D5BBEB.E493C42A@worldnet.att.net>
Source record: 115734

1. Drake TR-7, RS-7, and power supply with replacement manual $495 or offer. Excellent condition. Has not been run for last 10 years.
2. Kenwood TS-711A with replacement manual. Excellent condition. $495 or offer.
WV

2282. Re: Best Price on a VX5 ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7b4ico$ms9$1@nnrp1.dejanews.com>
Source record: 115735

In article <charles1F7q6AC.Bvr@netcom.com>,
charles1@netcom.com (charles copeland) wrote:
> Who has prices on VX5 ?

Dealers do.

In the case of the VX-5R, I sure would want to know the EXACT production run from any dealer I'd do business with BEFORE purchasing.

Ham Radio Outlet in Anaheim, CA has the most current production run of VX-5R HTs available.

Within California, 1-714-533-7373. Outside of CA, 1-800-854-6046.

No shipping fees on orders over $100.00, I believe.

- Clint Bradford, KE6LCS

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2283. icm-1024

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: rlindzen@mit.edu
Message-ID: <36d5792d.5648734@news.mit.edu>
Source record: 115736

Has anyone had any specific experience with this replacement memory
board for various ICOM rigs -- especially the 751?

Dick KA1SA

2284. Kenwood BC-8 Help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: BeagleBo <kb0vp@worldnet.att.net>
Message-ID: <36D5CDFC.782@worldnet.att.net>
Source record: 115737

Does anyone know the charge time for Kenwood HT batteries in the BC-8 desk charger. TNX

Charlie KB0VP

2285. FS: Kenwood R5000 receiver...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: amfone@concentric.net
Message-ID: <7b4nik$rl2$1@nnrp1.dejanews.com>
Source record: 115738

Excellent conditon... works perfect.. looks as new....
with optional 6kc am filter... and optional voice freq. readout...
with original manual
$550.00

tim

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2286. FS: KENWOOD R5000 RECEIVER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: amfone@concentric.net
Message-ID: <7b4ntm$s36$1@nnrp1.dejanews.com>
Source record: 115739

EXCELLENT CONDITON WORKS PERFECT.. WITH OPTIONAL 6KC FILTER.. FOR AM
RECEPTION..AND VOICE FREQ. READOUT.....ALSO COMES WITH ORIGINAL MANUAL..
$550.00
TIM

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2287. FS: 15 NOS Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36D5D8E7.C104FE93@cfu.net>
Source record: 115740
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

All boxed. Supply of spares of Swan collector. (All for $50 + ship)

QUANTITY NO. PRICE EACH

2 6BZ6/6JH6 3.00

2 6EA8 3.00

1 6EW6 3.50

2 6FQ7/6CG7 7.00

1 6GK6 4.75

1 6JH8 3.50

1 12AT7 4.75

1 12AU7A 3.50

1 12AV6 2.50

3 12BA6 2.50

2288. Ten-Tec Filter FS and Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Tim Randa <randas@mindspring.com>
Message-ID: <7b4pd2mdj1@camel21.mindspring.com>
Source record: 115741

I'm looking for the model 217 500hz cw filter. I will trade or sell a model
218 1.8kc filter for $65 shipped.

73 to all (except Smokey)

de Tim

2289. Re: FT847, Did Yaesu update firmware?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Gary <catlink@erols.com>
Message-ID: <7b4r6lrds1@autumn.news.rcn.net>
Source record: 115742

Yes the firmware has been updated. All sets purchased today will be ok for frequency and mode polling.

FT-847 Software at
http://www.erols.com/catlink/847.htm

Rob Kling wrote in message <36D5EBD0.A32B3FED@home.com>...
>I am asking if Yaesu updated the on-board software(firmware) of the
>FT847 so that you can poll the radio for its operating state, memories
>etc.? I would really like to replace my 736R with this radio but I want
>better firmware.
>
>Rob

2290. Query: Experience with Kenwood TS50s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Bill Rubenstein <bill.rubenstein@sympatico.ca>
Message-ID: <36D5F9A0.AFBC8E88@sympatico.ca>
Source record: 115743

Can anyone tell me what the reputation is for this rig. I am just
getting back into hf and would like to know if it is a winner or loser?
Thanks. de VE3MRX/NV3D

2291. WTB Argonaut 509-515

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: "hhunter (Hal & Sue)" <hhunter@cableone.net>
Message-ID: <36D5F337.9C142A35@cableone.net>
Source record: 115744

Looking to buy Ten Tec Argonaut 509 or 515, Please state price and condition.

Tnx
Hal WA6HZE

2292. Standard C228 Manual?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: John KI4RO <ki4ro@mnsinc.com>
Message-ID: <36D5FCE9.F28D6253@mnsinc.com>
Source record: 115745

Does anyone have the manual for this STandard 2/220 HT?
Please respond to:

ki4ro@monumental.com
--
73
John
ICQ #9557493
http://www.mnsinc.com/ki4ro/john.htm
http://www.mnsinc.com/ki4ro/fara.htm
http://www.qsl.net/ki4ro
http://www.mirabilis.com/9557493

2293. What is best dsp unit ..cw only

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Jim Stone <af4at@coastalnet.com>
Message-ID: <9KnB2.156$X8.848@news13.ispnews.com>
Source record: 115746

I operate mostly 40 M cw and would like an external dsp unit that
can really narrow the bandwidth and cut down phase noise
generated by my old cw boxes... Have never used one and
would like to hear opinions from ops who use one on cw with good results
(or bad)
Tnx: Jim Stone

2294. Re: FS: RCI 3500

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: David Fisher <dfisher@indy.tds.net>
Message-ID: <36D608B3.554FF400@indy.tds.net>
Source record: 115747
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

They were made awhile back. They have grey faces, single LED displays for each digit in the freq. you are on with a toggle under each digit to adjust up and down. My best friend had a AR-3300. Great mobile rig!!! You can program them to do all kinds of cool stuff!

ThomasS wrote:

> Dean, Greg wrote:
> >
> > I am selling a RCI 3500 for a friend.
> >
>
> Ain't never heard of an RCI-3500...must be an export radio or something?
>
> You sure it ain't a 2970?

2295. Re: What is best dsp unit ..cw only

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <36d6265f@news1.us.ibm.net>
Source record: 115748

That requirement is easy. Even the Rat Shack unit, now discontinued, did good on CW. Most of the pricey ones do better on voice, but narrow, phase linear filtering for CW is the easiest chore for all the DSP chips. If indeed, CW is all you want, choose by price.

--
Crazy George

2296. Want WinRadio, Scout, or Desktop 2m/440

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: SCN User <sci@nojunk.pobox.com>
Message-ID: <7b5j6l$ebi@enews3.newsguy.com>
Source record: 115749
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

PLEASE remove "no-junk" from my e-mail address to reply or call (206) 405-2083.

I want to trade for a WinRadio, An Optoelectronics Scout and a Base dual band (2m/440) good quality ham radio no older than 3 yrs (like Kenwood TS790, Yaesu 736, Icom IC 820 or 821).

Would you be interested in a trade?
Pictures of items that say "on the net" can be found at http://pobox.com/~sci/Forsale/For_sale_pictures.htm
. Call if you see something of interest 206-405-4306 -Ron

TRUCK
-Pickup, 87 Jeep Comanche Pickup with Canopy, 4 cylinder, 2-wheel drive. New engine with 5 year 50k warranty (4 years left), new clutch, new muffler, Sony CD player (35 watts per channel @ detachable face) with 4 speakers, lifetime gas shocks, lifetime wheel alignment. Tuned, aligned, tires rotated and balanced 12/98. Changed rear differential and transmission fluid 1/99. Black truck with white canopy. Runs great. (Picture on internet) $2795.

ELECTRONICS
-Police Scanner, Desktop & Mobile, AOR Communications Receiver (AR2002) Continuous coverage 25MHz - 550MHz and 800 - 1300 MHz with 20 channel memories. That means NO blocked frequencies in those two zones. Receive modes are NFM, WFM, and AM. Accurate receiving frequency by PLL synthesizer circuit. Multi-functional LCD display for frequency, scan, mode, search, time. Easy and efficient keyboard operation for frequency selection and various modes. Has computer interface port, headphone and external speaker jacks. (Picture on internet) $225

XXX

-Police Scanner, Mobile, Bear Tracker BCT-10, highway patrol detection with strength meter, highway patrol coverage, local police coverage, pre-programmed scanner covers all 50 states plus Canada (just tell the unit what state you are in), 9 level strength meter, instant weather, built in speaker, windshield mountable, buttons include: alarm off, mute, mode, state, hold, lock-out. Squelch and volume control, external speaker. Includes antennae and windshield mount. $125

-Police Scanner, Desktop. Radio Shack Pro-2032 with 200 channels in 10 banks, hyper scan, etc. Great and reliable unit. $115

-27" Stereo TV, RCA (model F27631SF), s-video, remote control, ability to name channels onscreen, sleep timer, alarm clock, closed caption, previous channel (allows us guys to jump back and forth between two channels), "30

second skip" (allows you to wander the channels for 30 seconds per time this button is pressed and when that time is up, it jumps back to the channel you started at, perfect for avoiding commercials - another great guy feature). A perfect picture. Owners Manual. $200.

-Laserdisc and 5 music CD Player, Pioneer (CLD M301) allows you to shuffle 5 music compact disks or watch a laser disk. Many features. Works perfectly. Surround sound. Includes remote. $175

XXX

-Power Supply. (Astron RS-20A). Perfect for HAM applications. New in box. $100

-Fax/Answering Machine/Copier in one. Panasonic KX-F90 stand alone fax, answering system with copier. Resolution = standard, fine, super fine. 10 number programmable speed dial. Digital outgoing message, incoming on micro cassette. Fax poling capable. Works perfectly. $55

-Alpha-Numeric Pager with alarm, news, stocks, sports, weather, trivia updates. Motorola Advisor Pager. Included free (even before you subscribe to the paging service), you will receive stock updates, head line news, weather, sports and trivia on your pager! This pager sells new for $149.95. Also comes with alphanumeric software to distribute to your friends. You can also receive e-mail with this pager! I am selling the pager with four pager pouches and instructions for $55 (picture on internet)

-Bookman, Franklin calculator with advanced thesaurus, and changeable cartridge port. Also a calculator. Comes with Miriam Webster Dictionary cartridge, games included. Can purchase Bible cartridge, bartending, language translators... all still on market. Unit sells new without cartridge for over $80. Asking $29.

-Walkman, Panasonic water resistant Shock-Wave Cassette/AM/FM "walkman" player. Digital radio tuning, five memory buttons, auto reverse, and headphones vibrate with bass tones so you can actually feel the music! Hand strap for jogging and belt clip. $30

-Car Cassette/AM/FM stereo (JVC KS-R135), digital tuning, separate bass/treble, front rear fader. Perfect condition, $35.

-Dual Band Ham Mobile. Icom IC-2350H. TX 144-148 at 50/10/5 watt. (Rx 118-174) & TX/Rx 440-450 at 35/10/5 watt. Built in cooling fan. Cosmetically and functionally, perfect. Owner's manual and mic included. 50 memory channels and scan edge memory channels. Scratchpad function. Priority watch function. Programmable function button on mic. Pager function. Time-out timer, auto power off, mono band operation. (Picture on internet) $300.

-Telephone, 2 line, large LCD screen, caller ID, speakerphone, Northern Telecom (350), redial, upgradeable, printer output, directory, line in use indicator, voicemail compatible. Sells for $400 at GTE Phone Mart. The best phone they sell. $125.

MISC
-Leatherman, LM-18 Wave. 4" closed. Brand new. All stainless construction. Includes built-in wire cutters, needlenose pliers, phillips screwdriver, standard screwdriver, wire stripper, can/bottle opener, extra small, small, & medium screwdriver, scissors and lanyard attachment. Also has four locking blades (clip, serrated sheepsfoot, diamond coated file and wood saw) that can be accessed without opening the tool. Nylon sheath. Retails for $115.95 + tax. I want $75.

-Knife, Spyderco Mariner folding knife with metal belt clip. All stainless AUS-6 blade with thumb hole pull. Brushed stainless handle with lanyard hole. Back of handle has belt/pocket clip. Sells for $98.99 + tax. Asking $50.

-Clock, Seiko brass clock with world time, second hand has airplane on tip. Beautiful quality and condition. $100. (Sorry, price not negotiable) (Picture on Internet)

-Inline Skates, Rollerblade Metro Blades. Removable Tennis show allows skating downtown and popping off the blades, or how about on the way to class, and then just undo buckle and you have a regular tennis shoe! Cool, No? Wheels, brake and everything else in great condition. Men's size 9 1/2. (Picture on Internet) Asking $40

-Inline Skates, K2 "Fatty" stunt skates. Top of the line! Wheels, brake and everything else in great condition. These are great quality skates! For the hardcore blade enthusiast. Perfect for riding rails, steps, curbs, benches, or skating on whatever else you attack! Men's size 12. (Picture on Internet) New for over $250. Asking $65

-Helmet, Motorcycle 1/2 large Helmet, Gloss-black half-shell. Very comfortable, new for $95, asking $25.

-Plants. Silk 5' Tree, 4' palm-type, fern, and some big leaf plant... several others. Prices from $25 to $5.

-Flag, American 5' x 9.5" fabric with stitched in stars. Stripes are stitched together (rather than painted on). Perfect condition, never used, NEVER touched the ground. $35

-Lamps, two matching 6' tall black lamps that use standard light bulbs (non-halogen) for $15 each or both for $25. Reading lamp with two lanterns. $5.

-Briefcase, Integra, PrestoLock World Class Console System. Black genuine leather inside and out. No scratches or damage. New. In clean, great condition. With instructions. New for $119, $30

-Chair and Ottoman, black, high quality in great condition. No tears, damage etc. $75 (picture on internet)

-Partition, Solid Dark Oak (17" panels x 3 = 51"). Top half has dowel work. VERY high quality. In great condition. $75. (Picture on Internet)

- (ON HOLD) Home Repair 14-video set, Sunset, titles include: furniture refinish, ceramic tile, decks, plumbing, shelving, drywall, flooring, home repair, carpentry, painting, wallpapering... Includes guidebooks. All in new condition. $50 for entire set.

PAINTINGS & ART
-Painting, Eagle with Bible verse "mount on the wings of eagles..." $25 (picture on internet)

-Painting, Old man praying over bread and soup. Very traditional print in beautiful frame and glass. $28 (picture on internet)

-Painting, Jesus with Child. Framed no glass. $15 (picture on internet)

-Art, Jesus profile made out of wood, color from different wood stains. (Picture on internet) $20

-Painting, Old mill in the woods with small creek and pond. Professionally double matted and framed in perfect condition. (Picture on internet) $40

-Painting, Wooded landscape on sealed board. (Picture on internet) $29

-Painting, Set of floral landscape by stream. Black metal frame under glass. $60 for both. (Picture on Internet)

-Painting, Set of Talbot Orcas. Black metal frame under glass. Sold as set for $80. (Picture on Internet)

-Painting, Bengal Tiger running on beach, double matted with black metal frame under glass. $45 (Picture on internet)

-Paining, Monet with plastic frame under acrylic "glass" $15 (Picture on internet)

HARDWARE
-PCI SCSI Card & SCSI SyQuest with 4 cartridges. Western Digital SCSI PCI card with all manuals and software. SyQuest EZ 135 external SCSI backup with 4 cartridges, all manuals and software. Includes Corel SCSI software! $175 for both.

-Pen based palm computer, Sony Personal Intelligent Computer (PIC-1000) pen based computer with touch screen, sound, fax/data modem, earphone/mic for telephone calls, PCMCIA slot, backlit screen, built in microphone, IR port for wireless communication, carry case. Comes with Magic Exchange to interface with your PC. Built in word processor, games, spreadsheet, personal information manager, internet access, much more. Far superior to US Robotics Palm Pilot, and MUCH easier to use, with many more features. All original software and manuals. $125

XXXX

-Pentium II 300 MHz module FS. $195.

XXXX

-Digital Camera Memory, 2MB 3.3V SmartMedia (SSFDC) (Solid State Floppy Disk Card) $15

SOFTWARE
-OmniPage Pro 9.0 OCR for Win 95/98/NT. All docs and registration. Very latest edition. Retails for $103.16 (including tax) at Office Depot 2/99. $75.
-Tomb Raider III with Prima's Official Strategy Guide. (Tomb Retails at $49.99 and Guide at $12.99 = $62.98 and tax = $68.39). $35
-Cigar Companion Interactive. For Win 98/95/3.1 and Mac. Reviews of over 1000 cigars, complete info on storing/buying/smoking cigars, go behind scenes to see how the worldfamous Havana facotries operate, over one hour of video and thousands of photos, Internet Dossier, Shopping list, 3-d gallery and more. Also comes with best selling hard cover $24.95 book "The New Cigar Companion.". New, unopened. $25 for book and CD Rom.
-MS Visual Studio 6.0, unopened. Visual basic, Visual C++, Visual Fox Pro, Visual InterDev, Visual J++. (current best offer has been $300) Trade me.
-MS Project 98 on CD, new in box, unopened. $70
-MS Publisher 97. Disk only. $20
-Voice Recognition, Naturally Speaking Personal Edition, dictate directly into your computer. Continues to build a vocabulary based on your voice. $38
-Nuts & Bolts Utilities 1997. $10
-The Way Things Work 2.0. Visual and audio explanations of, uh... how things work. $15
-MS Encarta 97 World Atlas on CD for Win 95. $15
-Grolier Multimedia Encyclopedia on Win95 CD, $5
-Lotus SmartSuite 96 for Win 95 (includes 4.0 for Win 3.1) on CD. (Lotus 1-2-3, Lotus Word Pro, Lotus Approach, Lotus Freelance graphics, Lotus Organizer). $25
-MS Works 97 (4.5) for Win 95/NT4 on CD. $20
-MS Works 96 for Win 95 on CD. $15
-Lotus Organizer 97 for Win 95 on CD (Leading Time Management Software). $15
-Maximizer 96 (3.01) Personal Information Manager for Win 95 & NT CD $5
-Rand McNally Trip Maker 98. $20
-MS Trip AutoMap Planner 97. $20
-MS Money 97 for Win 95 on CD. $10
-TurboTax Home & Business "For Sole Proprietors" Tax year 1998. $35
-PrintMaster Gold Publishing Suite 4.0 for Win 95/98/3.1 $20
-MS Encarta 97 on CD for Win 95. $15
-MS Bookshelf 96/97 for Win 95 on CD. $15
-MS Urban Assault for Win 98 OR Win 95 only on one CD. $20
-Student Reference Library for Win 95/3.1 on CD. $10
-Escape with your Life "Instant Self Defense Tactics for Women" CD-ROM for Windows & 30 minute Videotape. $18
-Medical Drug Reference 3.0 for Win 95/3.1 & Mac on CD. $5
-Sage Christian Digital Library on CD, Vols. 1-4, 6 translations, 5 complete commentary sets, 6 separate commentaries, 11 reference & Theology books, 8 inspiration books, 12 collections (i.e. Calvin, Luther, J. Edwards, Carradine, Finney, William law, Moody, Owen, Spurgeon, Wesley), 9 biographies, the Holiness Collection, 5 illustration/quotation volumes, 3

fiction volumes, 6 separate Bible study collections, the Ante-Nicene Fathers, Nicene & Post Nicene Fathers, classic maps and tons more. Latest edition. $35
-Lucaino Pavarotti! "Messun Dorma" Palatrussardi - Milano. Will play on Mpeg's (PC & Apple/Mac), Video CD's, Amiga CD32, 3-DO. $4

MUSICAL EQUIPMENT
-Harmonica, Hohner CX-12. I have my original receipt for $190.43. $100

JEWELRY
-Diamond Ring, men's 1/3k diamond pinky ring. $250

-Antique Ski Resort Pins. $10 each. Vail, Aspen, etc.. All over 30 years old.

-Watch, Storm Wrist watch. Blue face. All stainless steel bracelet. $169. $45. (picture on net).

-WWII issue stainless steel watchband in original box. "Berkeley Lifetime Watch Band" $10

-Ring, USMC Diamond/Gold/Onyx men's, 10k & black onyx with 1/3 k. diamond, Jostens, lifetime warranty & re-sizing. (New $950) - (picture on net) $425

MISC
-Bible on Cassette. entire NT in "New Living Translation" with dramatized, multi-voice performance. 12 cassettes in all. $25
-Direct Marketing business starter kit, sells for over $200, asking $50.
-Instructional audio and videotapes. (Ask for list)
-Books, hard to find and unique titles (as for list)

Thanks for glancing through all this stuff. Everything is in good condition. I am selling everything I can live without for student loans. Feel free to E-mail me at sci@pobox.com or leave a message at (206) 405-2083. Thanks in advance.

2297. FS: MINT Icom 2100H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <7b26v9$kr6$1@nnrp1.dejanews.com>
Source record: 115773
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Bought new two months ago from R&L. Like new. $150 shipped CONUS.
Bill K9KZ
k9kz@indy.net

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2298. FS or Trade: Mirage B310-G amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: n4jzh@amsat.org
Message-ID: <36d49274.295455851@news.mindspring.com>
Source record: 115774

FS or Trade Mirage B-310G 10 in 100w out amplifier.
comes with box, book,mount bracket, patch cord.
$150.00 or trade for Clean Icom 2 meter mobile.
amp is a 9.5 on a scale of 10 email me with your offers.
73 n4jzh@amsat.org Donnie

2299. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Ken Bickel <ac4vvremove@mearrl.net>
Message-ID: <%N0B2.269$Bh5.373191@news.megsinet.net>
Source record: 115775
Cross-posted to:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Early versions of the VX1R could not be programmed due to a problem with the radio. If you own an earlier version of the software, why not find out the serial number of the radio and give RT Systems a call? If your radio is programmable, RT sells the upgrade for $20.00 as stated in the other message.

73

clintbrad4d@earthlink.net wrote in message
<7b14p6$nh4$1@nnrp1.dejanews.com>...
>In article <36D30E13.5A34E26E@csulb.edu>,
> Adam Huber <ahuber@csulb.edu> wrote:
>> I need ADMS-1D or ADMS-1E to program my VX-1R. I have an older version
>> of the software that I purchased a while ago. It was the first version
>> and will not work with the VX-1R. I spoke with the company who makes it
>> (not Yaesu) and they are willing to sell the upgrade to me.....for the
>> same price I can purchase it new. That sucks. I already have the
>> cable, I just need the version ADMS-1D or ADMS-1E.
>
>This does not sound right. RT Systems will upgrade you to their newest
version
>for twenty bucks - plus minimal charges for shipping. Are you really a
>legitimate purchaser of their software?
>
>Heck - I am two Updates behind - and RT Systems is upgrading me to the
newest,
>VX-5R-compatible ADMS-1E v2.0x version for only twenty bucks.
>
> - Clint Bradford, KE6LCS
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2300. FS: IC 901A 2meter and 450

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Frank <banet.net@w2ky>
Message-ID: <01be6058$04284890$e3266520@salana>
Source record: 115776

This is a pkg. deal and includes the following:

1. IC-901 2 and 450 meter units
2. HN-14 touch tone mike
3. SP-8 speaker
4. EX 766 optical fiber cable control interface unit
5. Two-UT-40 tone sq. units
6. MB-32 mounting bracket
7. MB-31 stacking bracket

On a scale of 10 it is a 9 $430 plus shipping (716-778-8115)

Note: Reverse my email address.

2301. Re: FS - SK 510 socket for 4-1000/3-1000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990224194051.02768.00002735@ng-fw1.aol.com>
Source record: 115777

SK-510 socket Sold
<<Subject: FS - SK 510 socket for 4-1000/3-1000
From: kb5mer@aol.com (KB5MER)
Date: Tue, Feb 23, 1999 2:00 PM
Message-id: <19990223140054.00787.00001278@ng-fu1.aol.com>

FS - Socket for 4-1000/3-1000
SK 510 $25.00>>

2302. SK-510 socket/ Sold

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990224194146.02768.00002738@ng-fw1.aol.com>
Source record: 115778

Thanks

2303. Re: 500 hz collins filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: landaircom@aol.com
Message-ID: <19990224194444.00478.00000728@ng136.aol.com>
Source record: 115779

The filter is sold thanke for all the replies

2304. FS : Kenwood MC-60 amplified base microphone, $80.00

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: dconti2@earthlink.net
Message-ID: <36d49da8.28503093@news.earthlink.net>
Source record: 115780
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood MC-60 amplified base microphone for sale. MINT condition,
hardly used. In box with manual.

$80.00 shipped to 48, pre-paid. No COD

E-Mail if interested, NO TRADES.

Dan

2305. FS: Kenwood TS-440S/AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: bcfmca@NOSPAMbcfmca.bc.ca
Message-ID: <36d4a22f.328003060@news.rct1.bc.wave.home.com>
Source record: 115781
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap

We have for sale (1) Kenwood TS-440S/AT radio for sale. We are asking $600US. The radio is in 8.5-9/10 condition with only minor scuffs on the top of the unit.

Has spent most of its life in the box (was for a project that never got off the ground).

Comes with original packaging, user's manual, and hand microphone.

The radio has had the extended TX modification done.

For more information check out the web page below.

Remove the capital letters from the reply email address (NOSPAM).

Thanks!

http://www.bcfmca.bc.ca/ts440.html

2306. ICOM T8E Mods?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Peter <pk@pnkay.demon.co.uk>
Message-ID: <919906553.24646.0.nnrp-08.9e980499@news.demon.co.uk>
Source record: 115782

Hi,

Can anyone point me in the right direction for mods to the Icom T8E handheld
please?

Thanks.
Peter, G0KUX.

pnk@pnkay.demon.co.uk

2307. Alinco DR570T memories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Bill Collins <bcollins@terraworld.net>
Message-ID: <7b2asnhpg1@opal.southwind.net>
Source record: 115783

Does anyone know if the memories can be increased from the 10 that it already has?
email me at bcollins@terraworld.net
Thanks

2308. Re: TS-830S vs. IC-751A Opinions?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: kk4tl@aol.com
Message-ID: <19990224212405.10900.00005387@ng148.aol.com>
Source record: 115784

Willco sells a replacement module for the battery. It's reasonably priced, solves the battery problem forever, and gives you a lot more memories. Their web page is:
http://www.ameritech.net/users/willco788/my1.htm

2309. Re: FT-50 vs Kenwood TH-G71A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: drgrant@ziplink.net
Message-ID: <36d4b7c2.469657521@news.tiac.net>
Source record: 115785

It dont matter much on the 50 anyways, becuase even if it has bigger
RX range, Yaesu is notorious for providing extra RX range and making
the radio deaf outside of the typical range anyways! :)

I have a G71 and it will do all that you ask of it, and
more. Mars/Cap and extended RX mod is easily performed
with 5 minutes, a few tools, and a soldering iron. Will even pick up
cell images nicely, if your into that sort of thing... the reception
is so strong it's almost as if its been ENGINEERED that way
right into the radio.

Only problems I have with the G71 are:

-Power output levels are rather polish. (theyre basically "full
output, really low, and really really low... theres no 1W or 2W
setting. low is 500 mils and el is 50 mils, and hi is whatever the
limit of the attached pack is...)

-Speaker Mic connection is polish; the speaker is in the 1/32 jack and
the mic is in the 1/8 jack. Gee, kenwood, thanks for forcing us to
use your speaker mic, and thanks for making us use a damn adaptor
when we want to listen to audio on an external speaker.

-SMA connector. This isnt really a downside but more of an annoyance,
as direct SMA > bnc adaptors can injure the tiny SMA connector.
Someone must have an SMA > BNC dongle cord assembly, that would
provide some strain relief.

-Battery charge issue; batteries have to be attached to the radio in
order to use the supplied wallwart to charge them.

Overall though, I think the G71 is a much better radio. It's still
a potato but doesnt seem to have the "crappy feel" and the operational
ergonomics nightmare that the FT-50 presents to the user.

-Mike

On Tue, 23 Feb 1999 18:43:14 -0600, inks@wish-tv.com (Gerry Inks)
wrote:

>I'm torn between these two radios. Anybody have any experience with both
>for comparison? A couple of people here at work have the Yaesu, but I kind
>of like some of the Kenwood's features - 200 channels, backlit keypad,
>little higher xmit power, more alpha-numeric digits, etc. The only
>downside I've heard is the receiver is not quite as wide-banded as the
>FT-50, which I don't _think_ is a big deal to me.
>

>I need 2m/440, CAP (which is why I'm buying a new rig), and at least
>receive on our 450 business band repeaters at work.
>
>Thanks for any insight - I'm going to buy in the next day or so.
>
>Gerry

2310. fs- Mint ICOM 725 w/CW & PS-55 $600+

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990224232522.05709.00002739@ng-fx1.aol.com>
Source record: 115786

Hi Guys;
For SALE:
Mint ICOM 725 HF Radio with CW filter and matching PS-55 supply. Comes with manual and hand mike. No Other options!
Price is $600 plus shipping.
Sorry but no trades just Money!
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

2311. Re: FS Mint Drake SW2

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <7b2rje$54e$1@nnrp1.dejanews.com>
Source record: 115787
Cross-posted to: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment

In article <36D43F36.61E5EC16@bc.sympatico.ca>,
Barry_Bogart@bc.sympatico.ca wrote:
> Where are you located?

Barry,
I'm in Alexandria, IN, about 40 miles north of Indy.
Bill K9KZ

>
> k9kz@indy.net wrote:
>
> > For Sale: Drake SW2 that I purchased from Universal Radio new 1/29/99 with
> > remote and tilt stand, manual, boxes (double boxed). The radio has seldom
been
> > touched because I use the remote. I must sell to help pay for a transceiver.
> > This is one fine rig!
> >
> > $375 shipped CONUS. That's about $90 less than a new one with same
> > accessories.
> >
> > Bill K9KZ
> > k9kz@indy.net
> >
> > -----------== Posted via Deja News, The Discussion Network ==----------
> > http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>
>

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2312. W/B: LOOKING FOR MAXTRAC OR SPECTRA 900 MHZ

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: mark homayouni <homayou@ibm.net>
Message-ID: <36D4F277.91072427@ibm.net>
Source record: 115788

LOOKING FOR PRICE BETWEEN $100.00 T0 150.00 PLEASE E-MAIL ME.

2313. F/S:VHF AND UHF HT1000 AND VISAR

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: mark homayouni <homayou@ibm.net>
Message-ID: <36D4F3BD.F7CDE5C1@ibm.net>
Source record: 115789

HT1000 FOR $400.00+SHIPPING
VISAR UHF FOR $400.00 +SHIPPING , CHARGER IS NOT INCLUDED
CAN BE PROGRAM BY YOUR REQUEST.

2314. WTB Yaesu FAS-1-4R remote antenna switch.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: jimbo45auto@my-dejanews.com
Message-ID: <7b3019$8nh$1@nnrp1.dejanews.com>
Source record: 115790

Hello there,
I am looking for a Yaesu FAS-1-4R Remote antenna switch. please
response email to jimmy45auto@yahoo.com
Thanks in advance,
Jim

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2315. Re: THERE IS NO VX-7R !!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: eric_fre@hotmail.com
Message-ID: <7b318rals1@nnrp1.dejanews.com>
Source record: 115791
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

In article <36D3757B.8EF4033F@newpony.com>,
msb <msbSPAMMAPS@newpony.com> wrote:
> what is the source of your information?
>
> re: windows NT as the radio's O/S...
> that seems difficult to believe. neither WNT, linux nor bsd
> are intelligent choices for a radio o/s. is that what you
> are saying -- the radio runs WNT as its OS?

Actually you have got this wrong,(looking at the Japanese site) it will be using a version of windows lite, like what is found on the sharp and HP palm-top computers. This means it should be able to run various Packet programs etc. This is all a nice feature coupled with the relatively large colour LCD display. Roumors sugest various slow scan formats will be available and operate with the wast digital audio processing available from the TI RISC chips being used. cheers Eric ;-)

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2316. FS: Motorola TDMA Cell Phone With HF Hit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: "ST1A55@msn.com" <ST1A55@email.msn.com>
Message-ID: <#sAE3QJY#GA.246@upnetnews02.moswest.msn.net>
Source record: 115792
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Motorola M75 Digital Cellular Phone

Unit is New has 99 alpha Number Storage Works with the AT&T PCS TDMA System
Comes with 1 High Cap NMiH Battery & 1 Slim Line NICK Cadmium Battery Wall
Charger.
This Phone Has A Built In Rapid Charger.

Also Comes with A Hands Free Kit With will charge the battery
Comes with remote mic to put on your visor and a remote speaker
It also Provides an external antenna connector Asking $300.00 For all

For more Info On the M75 Click Here
http://www.mot.com/GSS/CSG/Products/TDMA/m75.html

If interested E-mail Me At ST1A55@msn.com Thanks!!

2317. 2m/70cm Amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: George Galanis <george.galanis@dsto.defence.gov.au>
Message-ID: <36D4FD97.BAE6F8C9@dsto.defence.gov.au>
Source record: 115793

Does anyone know of any good 2m/70cm amplifiers that would be suitable for mobile use with a hand held like the FT50R. There are amplifiers available here in Australia for 2 metres. However I would prefer one for both bands.
Cheers from OZ
George
VK3BGJ

2318. Yaesu VX-5R mods ????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: 106255.1565@compuserve.com
Message-ID: <36d4fda6.465617@news.compuserve.com>
Source record: 115794

Just ordered a VX-5R. Anything useful anyone can tell me... Any wires
to snip etc. Software access or what.
Richard

2319. New domain.com

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: "G8AS)" <g8aso@warwick.warwks.sch.uk>
Message-ID: <36d54a6b.0@206.100.206.63>
Source record: 115795
Cross-posted to: aus.radio.amateur.misc,nl.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space

Greetings

The Laughing Policeman Wireless Society's new web domain is

http://laughingpoliceman.com

Please ensure that your bookmarks/favourites are updated accordingly.

g8aso@laughingpoliceman.com

73s Brian G8ASO

2320. FS: STX Portable 800 Trunking/Conv

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: "ST1A55@msn.com" <ST1A55@email.msn.com>
Message-ID: <OI42DhJY#GA.298@upnetnews02.moswest.msn.net>
Source record: 115796
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

STX with Battery Antenna Charger.
Does Type I System And Convental 800
Asking $200.00 Or Best Offer

2321. QUERY - ICOM RADIOS - Which Ones Fit Description? AND, SE US area, Malicious Interference Information

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: "Todd L. Sherman" <afn09444@afn.org>
Message-ID: <Pine.A32.3.95.990225034619.28712A-100000@freenet2.afn.org>
Source record: 115797
Cross-posted to:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,alabama.birmingham.radio.amateur

(Would appreciate direct replies to _afn09444@afn.org_, please -- if only because its faster and more convenient to pick out of the personal INBOX. Thanks. -Todd)

Which of the available Icom radios would fit the below description? We're trying to figure out the capabilities of a trucker (an Amateur Extra-class ham [unfortunately] with a vanity callsign) who has been causing malicious interference to repeaters in many counties here in Florida (whom we once TAILED through three counties), and possibly in other southeastern states along I-95 and I-10. For examples: Can he scan 440? Can he monitor two freqs simultaneously? Can he hear another frequency/channel at the same time as he is transmitting? ...Things like that.

- Operates on 2-meters
- About 50W max output
- SSB capability

Also, can anyone suggest inexpensive doppler DFing equipment that isn't limited to the possibility of damage with 100 microvolts RF or more? We'd like to get SOMETHING up in the area, fast.

He ALWAYS operates during working hours when our beam stations aren't home, and getting fixes on his position lately are near impossible without sitting 24 hours a day along the highways that pass through our county and watching for every occurance of a white, box-cab, flat-top, cab-over, cab-forward FREIGHTLINER model with "Intermodal Trucking Company" on the doors and a 1/4-wave mag-mount mounted forward center that goes by. (Oops! Did I just blab? Shame on me! 8-))

He's been harrassing us for almost two years straight now. I don't think I need to iterate our feelings towards this obvious mental case.

Some of his "usuals": 6-9, P-P, 5-5-5..., *-*-*..., B-A-D, overheard phone numbers, etc., in RC-85/850 DTMF pad tone tests; prank calls to innocent people and to 9-1-1 Dispatch; garbled voices; burps; Auggie-Doggie-like snickerings; interference to QSOs, to ongoing casual and emergency nets; always unidentified; at times at ANY hour of the day or night. 2:30am, 4:30am, 5:30am, 6am, 7am, 9am, noon, 1pm, 2pm, 3pm, 4pm, 5pm, 9pm, 10pm......He covers the darned whole clock.

He seems to "hang" in Marion County, south of us here in Gainesville, Alachua County, Fla. We suspect he often sits in truck stops between here and Ocala because he always seems able to get into both area's machines at

will. He's never gone for more than three days before returning again, suggesting he's grabbing loads possibly in other states and bringing them back here, where he causes interference again for anywhere from one to four days in a row. He varies his power to try to fool, goes to high when local stations are just too powerful to allow him access to the repeater and sometimes succeeds in overriding stations almost right BENEATH the repeater. We know he's affecting repeaters in Duval County, as well; HAS affected (but stopped) repeaters in Clay and Bradford counties; and possibly affects repeaters in Pinellas and Hillsborough Counties. They all report near-exact MOs. Each reports open-access patch repeaters being changed to coded-access patch repeaters -- if the patch hasn't altogether been removed. When this "jammer" goes through, defenses vary from changing from open to coded patch access, to all special user functions being disabled during, to the complete shut-down of repeaters. Very unfortunate.

Even after having once been TAILED by THREE of my MIF team trackers, and VIDEOTAPED, he STILL continues on. He's obviously got a mental problem as well as an addiction he just can't put to rest.

We _do_ have a case number with the FCC, yes.

How many other repeaters along the SE seaboard coastline are now either patch-less, or now no longer open access because of this guy? We'd like to know. It might also help us to figure out this guy's approximate "range" of affect.

He's sabotaging the hobby, this jerk.

Thanks,

Todd

/--\
| Todd L. Sherman/KB4MHH, Storm Evader - E-mail: afn09444@afn.org |
| -//- http://www.afn.org/~afn09444/ -\\- |
| Gainesville, Alachua County, Florida |
| Member: Alachua County SKYWARN (http://www.afn.org/~skywarn/) |
\--/

2322. New domain.com

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: "G8AS)" <g8aso@warwick.warwks.sch.uk>
Message-ID: <36d56206.0@206.100.206.63>
Source record: 115798
Cross-posted to: aus.radio.amateur.misc,nl.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space

Greetings

The Laughing Policeman Wireless Society's new web domain is

http://laughingpoliceman.com

Please ensure that your bookmarks/favourites are updated accordingly.

g8aso@laughingpoliceman.com

73s Brian G8ASO

2323. New domain.com

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: "G8AS)" <g8aso@warwick.warwks.sch.uk>
Message-ID: <36d562a2.0@206.100.206.63>
Source record: 115799
Cross-posted to: aus.radio.amateur.misc,nl.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space

Greetings

The Laughing Policeman Wireless Society's new web domain is

http://laughingpoliceman.com

Please ensure that your bookmarks/favourites are updated accordingly.

g8aso@laughingpoliceman.com

73s Brian G8ASO

2324. Re: FT-50 Mod Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: marc_k@walrus.com
Message-ID: <7b3d3a$10r$1@alice.walrus.com>
Source record: 115800
Cross-posted to: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner

Roger Mitchelll (rogerm@ezlink.com) wrote:
: You can still recieve the blocked frequency range
: albeit on the image frequency. My FT50RD will
: recieve cellphone at around 980 Mhz.

This is correct...to be more exact, the high IF is 45.1 Mhz in the
800-900 Mhz range.
So the images are 90.2 Mhz above the actual desired frequency.

: *** Posted from RemarQ - http://www.remarq.com - Discussions Start Here (tm) ***

2325. Radio and TV test equipment on sale!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Vincent <wkchu@hongkong.com>
Message-ID: <7b3f2b$13e55@news.hk.linkage.net>
Source record: 115801

Dear all,

We are the TV test equipment manufacturer, and now we have a lot of new products release pls visit our web page http://futuretech.yeah.net or e-mail to us futuretech@hongkong.com for the price list. Our home page is write under Big-5 Code and will be update to english version within two to three days. Sorry for any inconvenience cause!

Thank you for your attentions and hope we can make business with you!

B. Regards,
Vincent.

2326. Re: FS: RCI 3500

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: David Fisher <dfisher@indy.tds.net>
Message-ID: <36D54482.E62456A3@indy.tds.net>
Source record: 115802
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

Where are you located??? This is the AR-3500 right??? Thanks in advance...David

"Dean, Greg" wrote:

> I am selling a RCI 3500 for a friend.
>
> It is a 100 Watt tcvr operating on the
> frequencies from 26 to 30 MHz.
>
> It comes with a Astatic noise canceling mike.
>
> Price is $335
>
> 73s........ N9NWO

2327. Re: New domain.com

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Steve Sampson <ssampson@usa-site.net>
Message-ID: <KCbB2.49$wp.3139@news.goodnet.com>
Source record: 115803
Cross-posted to: aus.radio.amateur.misc,nl.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space

Yea, we saw your last 12 messages. What do you think we are? Stupid
or something?

I notified your ISP about the SPAM.

G8AS) wrote
>Greetings
>
>The Laughing Policeman Wireless Society's new web domain is
>
>http://laughingpoliceman.com
>
>Please ensure that your bookmarks/favourites are updated accordingly.
>
>g8aso@laughingpoliceman.com
>
>73s Brian G8ASO
>
>
>
>

2328. Re: THERE IS NO VX-7R !!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: rosiec@my-dejanews.com
Message-ID: <7b3k1k$ph3$1@nnrp1.dejanews.com>
Source record: 115804
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

In article <7b318rals1@nnrp1.dejanews.com>,
eric_fre@hotmail.com wrote:
> In article <36D3757B.8EF4033F@newpony.com>,
> msb <msbSPAMMAPS@newpony.com> wrote:
> > what is the source of your information?
> >
> > re: windows NT as the radio's O/S...
> > that seems difficult to believe. neither WNT, linux nor bsd
> > are intelligent choices for a radio o/s. is that what you
> > are saying -- the radio runs WNT as its OS?
>
> Actually you have got this wrong,(looking at the Japanese site) it will be
> using a version of windows lite, like what is found on the sharp and HP
> palm-top computers. This means it should be able to run various Packet

Do you mean to say Windows CE? My beta version of the 7X is an all mode transceiver which synthesizes its modes in software. To add modes, you simply install new software - kind of like the commercial modems used by ISPs. Perhaps the more recent versions have streamlined the software, but my version takes nearly six minutes to boot and to load all of its software under Windows NT workstation.

If the SWR climbs above 1.1:1, r.f. creeps into the microprocessor and Windows gives you the blue screen of death. Sometimes you get the blue screen of death "just because" (I forgot to mention that the radio has an LCD SVGA display).

I find that I get foolproof operation if I limit the use of the radio to playing the solitare game that comes with Windows. YMMV.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2329. FS: Alinco DJ-580 on eBay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Bob <mail-box@worldnet.att.net>
Message-ID: <7b3hib$b5d@bgtnsc02.worldnet.att.net>
Source record: 115805

I've got my Alinco DJ-580, with accessories, for sale on eBay at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=70684813

Thanks, K8GNZ.

2330. Re: 2m/70cm Amplifiers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: davem@groucho.cs.ubc.ca
Message-ID: <7b3k03$ees@groucho.cs.ubc.ca>
Source record: 115806

George Galanis <george.galanis@dsto.defence.gov.au> writes:
>Does anyone know of any good 2m/70cm amplifiers that would be suitable
>for mobile use with a hand held like the FT50R. There are amplifiers
>available here in Australia for 2 metres. However I would prefer one for
>both bands.

MAHA makes a couple of models. One is a "brick" that sits somewhere
separate from your HT.

The other is a "docking booster" that provides a "fake battery" for
your HT to mount on. You remove the HT's real battery, mount the radio
on the amplifier's "fake battery" which supplies power to the radio,
and connect a cable to the HT's antenna jack. It's a nice way to
provide both power and mechanical support to the HT.

I think both of these use an RF path design that leaves the 440 receive
path open when transmitting on 144 and vice versa. So if you have an
HT that will do cross-band repeating, it will still perform that function
when connected to the amplifier, giving you a high-power cross-band
repeater.

Dave

2331. FT290-mk2

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: gary.THrelfall@littlewoods.co.UK
Message-ID: <TFSQWQMQ@littlewoods.co.uk>
Source record: 115807

Hi Folks,
My 290r2 has drifted slightly off frequency since purchase in the late eighties,
Tx and Rx both by same degree, does anyone know a simple adjustment to
bring it back on frequency. This doesn`t have to be fantastically accurate, just
enough so that I get a solid response from the signal strenth meter on FM receive
and stations on SSB are roughly at twelve o`clock on the clarifier.
at the moment I need to have the clarifier all the way clockwise to get close.
I will be using relatively accurate on and off-air frequency standards.
Thanks in advance, Gary - G7TOK.

Littlewoods Home Shopping Group Limited

Registered Office

Sir John Moores Building
100 Old Hall Street
Liverpool
L70 1DX

Registered in England No 421258

This message is intended only for the use of the
individual to which it is addressed and may contain
information that is privileged, confidential and
exempt from disclosure. If the reader of this message
is not the intended recipient or an employee or agent
responsible for delivering the message to the intended
recipient, you are hereby notified that any dissemination
distribution or copying of this communication is strictly
prohibited. If you have received this communication in
error, please notify us immediately by replying to the
sender and deleting the original document.

2332. F.S. 4-1000 tube

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Paul Denby <pdenby@npiec.on.ca>
Message-ID: <7b3kjp$du3$1@brain.npiec.on.ca>
Source record: 115808

I have a new 4-1000 amplifier tube that is looking for a good home...the
price is right at Can. $225.
Paul
ve3vdx@rac.ca

2333. FS: Good STX Batteries

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: "J. Banks" <psgtech@ix.netcom.com>
Message-ID: <7b3m3c$jss@sjx-ixn8.ix.netcom.com>
Source record: 115809
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

While cleaning out the shop, I found a box of Moto OEM STX batteries.
Although they have been in storage for awhile, they look pretty good.

I tested all and tossed the junk. The remainder of the batteries were
conditioned on my Alexander Optimizer.

Batteries are $20 each, 2 for $30 or 3 for $40. I have about 15 left.

MOST are at least 1400-1500+ mh strong. All are guaranteed to have at least
1000 mh of power.

Jim
714.478.4039

2334. ***WANTED: Old Synthesizers, etc**********

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: rolandman1@aol.com
Message-ID: <7b3mnb$rq9$1@nnrp1.dejanews.com>
Source record: 115810
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.swap,alt.music-lover.audiophile.hardware

Hi folks :) I'm an electronic musician *seriously* looking for the following musical equipment, in any condition, even broken:

- OLD SYNTHESIZERS (from the 60's-80's)
- OLD KEYBOARDS (w/ knobs or sliders)
- OLD DRUM MACHINES
- OLD SEQUENCERs (w/ knobs for each step)
- OLD VOCODERs ("robot-voice" sound)
- MODULAR PATCHABLE SYNTHESIZERs
- RACK SYNTHS
- INTERESTING EFFECTS and anything related to the above.

Moog
ARP
Korg
Roland
Sequential Circuits
Oberheim
Yamaha
EML
Electrocomp
EMS
Synthi
Putney (VCS3)
RSF
Buchla
Serge
Polyfusion
Ionic
Paia
SMS
Wavemaker
E-mu
Steiner-Parker
Chroma
Aries
ANYTHING SIMILAR!

- Roland TB-303 Bassline
- Roland TR-909 Drum Machine
- Roland TR-808 Drum Machine
- Simmons SDS7
- Simmons SDSV
- Pearl SY-1 Syncussion

- E-mu SP-1200 Sampler Drum Machine
- Sequential Prophet VS rack
- Oberheim Expander
- ARP synthesizer model 2600
- Korg MS-20
- Korg synthesizer model ms-50
- Buchla Electric Music Box
- Buchla Music Easel
- Oxford Oscar w/ MIDI
- Sequential Circuits Pro-One
- Multimoog

Also looking for old literature on electronic music and synth equipment...

If you have any of the above OR SIMILAR for sale or know someone who might, please email me at rolandman1@aol.com and include phone number as well if you'd like.

Thanks in advance and apologies if this post annoys anyone.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2335. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <7b3nfl$eau@dfw-ixnews6.ix.netcom.com>
Source record: 115811
Cross-posted to:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

In <7b14p6$nh4$1@nnrp1.dejanews.com> clintbrad4d@earthlink.net writes:
>
>In article <36D30E13.5A34E26E@csulb.edu>,
> Adam Huber <ahuber@csulb.edu> wrote:
>> I need ADMS-1D or ADMS-1E to program my VX-1R. I have an older
version
>> of the software that I purchased a while ago. It was the first
version
>> and will not work with the VX-1R. I spoke with the company who makes
it
>> (not Yaesu) and they are willing to sell the upgrade to me.....for
the
>> same price I can purchase it new. That sucks. I already have the
>> cable, I just need the version ADMS-1D or ADMS-1E.
>
>This does not sound right. RT Systems will upgrade you to their newest
version
>for twenty bucks - plus minimal charges for shipping. Are you really a
>legitimate purchaser of their software?

Clint you truly are a jerk. Is this last comment necessary? As a matter
of fact RT doesn't care if you register or not what they sell is The
whole business for $39 with the level converter or the latest software
as an upgrade with the 2 to 3 adapter for $20. What really was uncalled
for was the comment about this questioner "really a legitimate
purchaser" what a pompus ass you are Clint.

>
>Heck - I am two Updates behind - and RT Systems is upgrading me to the
newest,
>VX-5R-compatible ADMS-1E v2.0x version for only twenty bucks.
>

That how they do it Clint and they will do it for anyone who calls and
orders it.

> - Clint Bradford, KE6LCS
>
>-----------== Posted via Deja News, The Discussion Network
==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your
Own

2336. If money were (nearly) no object...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: efricha@alumni.cs.colorado.edu
Message-ID: <36d55f67.37712257@news>
Source record: 115812
Cross-posted to: rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

Greetings, all...

Our organization is planning on purchasing an all-mode VHF/UHF
receiver/scanner. If the constraining factors were that

- It has to be US legal
- Price must be under $3000

What would you get? ICOM R-8500? AOR AR-5000+3? Something else?

The receiver will be used in the following ways:

- Telemetry receiver for satellite/deep space probes
- As above, but with input from a microwave downconverter
- "semi-amateur" radio astronomy

The receiver will be in a weathertight building but the building
has no heating or cooling.

I'd appreciate your thoughts on this, and *why* you feel the way
you do -- in other words, "AOR radios rock!" isn't a good reason. :-)

Thanks in advance,

Eric

--
Eric F. Richards
http://www.dimensional.com/~rcraig/dses/dses-home.html
Save scanning! http://www.strongsignals.net

2337. Re: QUERY - ICOM RADIOS - Which Ones Fit Description? AND, SE US area, Malicious Interference Information

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: NOSPAMREMOVETHISgecko@dialnet.net
Message-ID: <MPG.113f236397139eca9896c5@news.dialnet.net>
Source record: 115813
Cross-posted to:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,alabama.birmingham.radio.amateur

[This followup was posted to rec.radio.amateur.misc and a copy was sent
to the cited author.]

In article <Pine.A32.3.95.990225034619.28712A-100000@freenet2.afn.org>,
afn09444@afn.org says...

> for every occurance of a white, box-cab, flat-top, cab-over, cab-forward
> FREIGHTLINER model with "Intermodal Trucking Company" on the doors and a
> 1/4-wave mag-mount mounted forward center that goes by. (Oops! Did I just
> blab? Shame on me! 8-))

What does Intermodal Trucking Company have to say about their driver?
Have you tried telling them about his erratic driving and blatant
disregard for public safety? :) If you're lucky enough to tail him
again, that might be a very good idea.

2338. FS: VST Superdrive for G3 Powerbooks

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-2502991003260001@pom1.mbl.edu>
Source record: 115814
Cross-posted to: misc.forsale.computers.mac-specific.misc,rec.radio.amateur.equipment

New in box, $100.00 shipped

2339. FS: Windows 98 and 98Plus

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-2502991001450001@pom1.mbl.edu>
Source record: 115815
Cross-posted to: misc.forsale.computers.pc-specific.software,rec.radio.amateur.equipment

Both are CD's in unnopened boxes, $100.00 shipped

2340. KENWOOD TH-22AT, 2M SMALL HT 3W STANDARD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Tom <tdirose@stny.lrun.com>
Message-ID: <n5eB2.2112$r7.2780@newsr2.twcny.rr.com>
Source record: 115816

Hi , I'm seling This Kenwood TH-22A for $150.00 w/Box manual and charger.
It's battery has ben charged 7 times (last charged Sat.Dec.12,1998)
O.B.O.

I'll take Check , Money Order , Cash if your near here.

After all clear , I'll ship to you! N2HUG

tdirose@stny.lrun.com

2341. Re: Yaesu VX-5R mods ????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Francis <ve2fgs@videotron.ca>
Message-ID: <fSeB2.149$i32.319@weber.videotron.net>
Source record: 115817

See

http://www.icongrp.com/~sllewd/
http://www.geol.com/vx5/

Francis VE2FGS
ve2fgs@videotron.ca

Richard C. Ferryman <106255.1565@compuserve.com> a crit dans le message
<36d4fda6.465617@news.compuserve.com>...
|Just ordered a VX-5R. Anything useful anyone can tell me... Any wires
|to snip etc. Software access or what.
|Richard
|

2342. 500 Watt 10-40 Meter Palomar Linear Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Darrel Scott <dgsc@hotmail.com>
Message-ID: <7b3ue5$6hc$1@news.powerisp.com>
Source record: 115818

If you would like a good one click on my auction.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=71090496

2343. Re: 2 VX-5R Questions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Jeff Sumner <jdos2@iname.com>
Message-ID: <36D57F2C.9A1201A7@iname.com>
Source record: 115819

Dean, Greg wrote:

> How do you like the radio? And what is with the adjustable
> antenna that they are advertising? How does it work on 6M?
>
> And what opinions does it have?
>
>
> :Thanks for any advice,
> :Larry BEnko, AC0B

Sorry for stepping in where I've not been asked, but...

I purchased a VX-5 about 3 weeks ago now and have used it enough to know a bit of what it's capable of...

The transmit audio is good, as is the audio, the wide FM recieves very well (quite in contrast to my FT-50R, where the bandwidth provided isn't enough).

The 'adjustable antenna' is a simple rubber duckie with 2 tips. A larger one for <50 mhz work. I leave it on all the time with no noticable detriment to my work on 73cm and 2 meters.

There have been some problems- The antenna connector has already come loose, and since the nut is so far recessed, it has been a pain to tighten. Locktite fixed it. Intermod on 440 makes that part of the radio useless as long as I am around work, or in heavy intermod areas. The ICOM and other Yeasu's that I have don't suffer from this to nearly the same degree. This is almost (but not quite) as bad as my FT-530 was before I sent it back.

Battery life on the included battery is only about 1/2 of a seperately bought one (of the same type.) That is almost certainly going to have to go back to Yaesu.

Other than those little quirks, the radio has been a joy. The optional SU-1 unit measures altitude and barometric pressure, and is fun. The battery charger is quick and efficient.

JD

2344. TM-V7 & DTSS problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Ted Hay <tedh@xcelco.on.ca>
Message-ID: <7b3u1pfcs1@east44.supernews.com>
Source record: 115820

Hello

I'm unable to enter DTSS as described on pages 50-51 of the Manuel. Never can get the DT symbol to display. Anyone else run into a problem here or am I not reading the Manuel correctly? I want to be able to use the remote control of the radio through my handheld.

thanks for any tips

Ted VE3ONJ

2345. WELZ - trying to contact Mfgr/repair SP-600

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: wlawless@analogic.com
Message-ID: <36d5824b.972078@bilbo.analogic.com>
Source record: 115821

I have a WELZ SWR bridge, model SP-600. Unit has 3 sensors, one has
fried. Schematic is useless - no parts shown for sensor(s), hence no
values. No addresses for this manufacturer on product or on
schematic. Only says made in Japan. I would like to repair.
Alternatively, I would consider purchasing same model, even if damaged
- provided the "middle" sensor is in working order.
Thanks for any leads on contacting mfgr, etc.
Bill - KA1UQ
ka1uq@arrl.net

2346. VX-5R: how do you delete a memory channel?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: 1dguy@my-dejanews.com
Message-ID: <7b48b7$d7h$1@nnrp1.dejanews.com>
Source record: 115822

Have not been able to figure this out. Can't find it in the manual.

So how do you delete or erase a programmed memory channel? Not Mask it delete it, Or can you?

Thank you, in advance.

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2347. Test equipments on sales!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-25 00:00:00 UTC
From: Vincent <wkchu@hongkong.com>
Message-ID: <36d42e29.0@ruby.hknet.com>
Source record: 115872

Dear all,

We have a lot of useful test equipments for sales, if all of U have interest
pls goto http://futuretech.yeah.net or email to futuretech@hongkong.com

Hope U can find what you need!

Thanks,

Vincent

2348. Re: Which packet TNC?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Curtis CCR <curtisccr@netscape.net>
Message-ID: <36D73D15.370CCFBA@netscape.net>
Source record: 115623

Phil Wheeler wrote:
>
> Christopher Brewster wrote:
> >
> > I'm looking in the AES catalog at basic terminal node controllers for
> > packet. There are apparently closely competitive units from Kantronics,
> > PacComm, and MFJ, for around $150. The MFJ at that price (1270CQ) has a
> > modem. The other two don't say it so I guess they don't.
>
> I'm not sure what the MFJ copy says, but a TNC is basically a modem --
> but to a radio vs. a phone line.

A modem just modulates and demodulates data so that it can be carried
over an analog facility. Radio modems may or amy not also control
things like PTT. A "terminal node controller" does that too - but it's
also a packet assembler/disassembler (PAD).

>
> If just for VHF and 1200 baud, I've found the Kantronics KPC-3 to be a
> good unit: Very small and portable, and you can install an internal 9
> volt battery for portable ops.
>
> For HF digital I'd recommend the KAM+ (or whatever the current unit is),
> also Kantronics. It will support HF digital (pactor, RTTY, etc.) and
> VHF packet (1200 baud) simultaneously, making it a good total solution.
>
> I switched to Kantronics after using an AEA PK-232 MBX for a number of
> years.
>
> Phil

2349. Re: FS: RCI 3500

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <7b7gkv$l5l$1@news-2.news.gte.net>
Source record: 115624
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

We are in W. Lafayette IN. And, yes, it is a
RCI 3500. A couple of years old. And no
one has made an offer yet.

David Fisher <dfisher@indy.tds.net> ...
:Where are you located??? This is the AR-3500 right??? Thanks in
:advance...David
:

:
:> I am selling a RCI 3500 for a friend.
:>
:> It is a 100 Watt tcvr operating on the
:> frequencies from 26 to 30 MHz.
:>
:> It comes with a Astatic noise canceling mike.
:>
:> Price is $335
:>
:> 73s........ N9NWO
:

2350. Re: FS: RCI 3500

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <7b7gna$83f$1@news-2.news.gte.net>
Source record: 115625
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

:>
:> I am selling a RCI 3500 for a friend.
:>
:
:Ain't never heard of an RCI-3500...must be an export radio or something?
:
:You sure it ain't a 2970?

No, it is a 3500. It is older than the 2970.

2351. Re: F.S.VX-5R WITH EXTENDED TX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Mitchell Katz <mcguyver@bv.net>
Message-ID: <36D7518B.86288073@bv.net>
Source record: 115626

Consider trades?

I have a number of mint condition Black & White CCD cameras. Follow the below link toview . They are very small encased
C-mount cameras(I have some lenses for sale as well) They were purchased new for $249 each. I will sell for $150 each, or can
work out a deal for qty.

http://www.polarisusa.com/pi2201.htm

I have a NEW Vivitar Vivicam 3000 digital camera with 2MB flashcard installed. Comes with all manuals, software, cables,
boxes and batteries. I used few days for a specific case and have no further need for it. Great camera, see specs at link
below.

http://www.vivitar.com/VC3.html

pcintron5682@my-dejanews.com wrote:

> SELLING NEW VX-5R FOR $275.00 COMPLETE WITH ORIGINAL BOX AND ACCESSORIES
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2352. KPC-3 plus never used

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Mike <suzn99@email.msn.com>
Message-ID: <ubdcqkfY#GA.299@upnetnews02.moswest.msn.net>
Source record: 115627

KPC-3 Plus never used still in box with all ppaer work and warrenty..150.00

Jaffejim@wa2vos.com

2353. DX300 VS. DX390

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: "G.Singer" <deltacom@bwn.net>
Message-ID: <36D760CF.29A24D4A@bwn.net>
Source record: 115628

Hiya,
Has anyone ever compared the SW performance between the DX390 and the
DX300?
Thanks,
Gerry
--

Gerry Singer KC0CAT
Loc:40 09 38N 103 12 50W Grid Square DN80jd N/E Colorado
Pro 2042 W/Optocom 535 MX7000 Pro67 Pro2004 DX390 W/MFJ 784
R5000 W/MFJ VersaTunerII Azden PCS2000 HTX-242 Alinco DJ191
Icom H16 and U16 HyGain VIII TRC 499
.....and lots of antennas!
Scanner,Weather and Ham Radio web site
http://www.geocities.com/CapeCanaveral/Lab/5213

2354. WTB Yaesu FT-36 tone Brd

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: "B.Peter Treml" <nx8jpete@up.net>
Message-ID: <36D76033.E846D204@up.net>
Source record: 115629

WTB FT-726R Tone Board (FT-36)
Advise condx-price
Tnx,Pete,K8PT

--

2355. Re: Icom PS-15S FS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Mike <suzn99@email.msn.com>
Message-ID: <O18ymigY#GA.257@upnetnews02.moswest.msn.net>
Source record: 115630

Diamond B3 U341 very rare,,I got it from a guy that just didn't know any
better,,darn yhing is worht 350 but he taut it was busted so I got it for 22
bucks..what a stupid old bastard,,any way it is ready to go..it hav a little
ware and torn from the 14 years that it was up but it was hardly used so you
can take it for 178.45 blus you ship..leme no
dimdajjee
jaffejim@wa2vos.com
and visit this place to see how smart I ma
http://users.nais.com/~jaffejim/pushhere.htm
Walton Stinson wrote in message <7b6r6j$n5f@bgtnsc03.worldnet.att.net>...
>S - Icom PS-15S 20A pwr sply -$85 freight paid.
>Walt W0CP
>
>
>
>
>
>
>
>
>

2356. Re: cb equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7b7tjhrvi1@ostrich.cybercomm.net>
Source record: 115631

You can start by trying a cb reflector vs. a ham reflector.

williams wrote in message ...
>It's been difficult getting an answer to this.
>
>Please don't refer me to a web page as I don't know what I need to begin
with.
>
>I want my two cars and home to all be tied in together with cb's so we can
all
>communicate back and forth.
>
>What exactly will I need to accomplish this?
>

2357. Re: I returned my VX-5

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Bob W7KWS <rmfuller@hotmail.com>
Message-ID: <7b7uap$1ab$1@news-1.news.gte.net>
Source record: 115632

Jerry,

I did the same thing. A friend and I each bought a VX-5 and found the radios useless if we were using PL. We returned them to AES. By the way, AES was great in taking care of us.

We use our hand helds at Dayton every year where PL is mandatory to keep out the intermod. Also, intermod was pretty bad compared to my Standard Wide Bander. I would guess there was five times as much intermod in the VX-5 sitting side by side in downtown Las Vegas.

I hope Yaesu solves these problems, because if they do, this is a dynamite radio. I'd love to have one again if these problems are resolved. 5 watts in such a small package and with the shortwave and 6 meters. Yaesu is on the right track. Just needs a little more tweeking.

73, Bob

JERRY wrote in message <36D61BED.699E27FC@POBOX.COM>...
>I had a VX-5 for one day and returned it. It seems PL decode takes about
>3/4- 1second. I spoke to yaesu and this was confirmed by their tech
>dept. I travlel with a group, mostly hams. Using simplex with PL was
>imposssible, you miss the first part of each transmission while in ctcss
>decode.
>

2358. Re: Want WinRadio, Scout, or Desktop 2m/440

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Tim Stroud <stroudt@netexas.net>
Message-ID: <D651D84F736E618A.D6F95A74DEC67EEF.0EBD85EA2516178A@library-proxy.airnews.net>
Source record: 115633
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

I have a new Scout 4.0.

Will trade for your AR2002.

SCN User wrote in message <7b5j6l$ebi@enews3.newsguy.com>...
>PLEASE remove "no-junk" from my e-mail address to reply or call (206)
>405-2083.
>
>I want to trade for a WinRadio, An Optoelectronics Scout and a Base dual
>band (2m/440) good quality ham radio no older than 3 yrs (like Kenwood
>TS790, Yaesu 736, Icom IC 820 or 821).
>
>Would you be interested in a trade?
>Pictures of items that say "on the net" can be found at
>http://pobox.com/~sci/Forsale/For_sale_pictures.htm
>. Call if you see something of interest 206-405-4306 -Ron
>
>TRUCK
>-Pickup, 87 Jeep Comanche Pickup with Canopy, 4 cylinder, 2-wheel drive.
New
>engine with 5 year 50k warranty (4 years left), new clutch, new muffler,
>Sony CD player (35 watts per channel @ detachable face) with 4 speakers,
>lifetime gas shocks, lifetime wheel alignment. Tuned, aligned, tires
rotated
>and balanced 12/98. Changed rear differential and transmission fluid 1/99.
>Black truck with white canopy. Runs great. (Picture on internet) $2795.
>
>ELECTRONICS
>-Police Scanner, Desktop & Mobile, AOR Communications Receiver (AR2002)
>Continuous coverage 25MHz - 550MHz and 800 - 1300 MHz with 20 channel
>memories. That means NO blocked frequencies in those two zones. Receive
>modes are NFM, WFM, and AM. Accurate receiving frequency by PLL synthesizer
>circuit. Multi-functional LCD display for frequency, scan, mode, search,
>time. Easy and efficient keyboard operation for frequency selection and
>various modes. Has computer interface port, headphone and external speaker
>jacks. (Picture on internet) $225
>
>XXX
>
>-Police Scanner, Mobile, Bear Tracker BCT-10, highway patrol detection with
>strength meter, highway patrol coverage, local police coverage,
>pre-programmed scanner covers all 50 states plus Canada (just tell the unit
>what state you are in), 9 level strength meter, instant weather, built in
>speaker, windshield mountable, buttons include: alarm off, mute, mode,

>state, hold, lock-out. Squelch and volume control, external speaker.
>Includes antennae and windshield mount. $125
>
>-Police Scanner, Desktop. Radio Shack Pro-2032 with 200 channels in 10
>banks, hyper scan, etc. Great and reliable unit. $115
>
>-27" Stereo TV, RCA (model F27631SF), s-video, remote control, ability to
>name channels onscreen, sleep timer, alarm clock, closed caption, previous
>channel (allows us guys to jump back and forth between two channels), "30
>second skip" (allows you to wander the channels for 30 seconds per time
this
>button is pressed and when that time is up, it jumps back to the channel
you
>started at, perfect for avoiding commercials - another great guy feature).
>A perfect picture. Owners Manual. $200.
>
>-Laserdisc and 5 music CD Player, Pioneer (CLD M301) allows you to shuffle
5
>music compact disks or watch a laser disk. Many features. Works
perfectly.
>Surround sound. Includes remote. $175
>
>XXX
>
>-Power Supply. (Astron RS-20A). Perfect for HAM applications. New in
box.
>$100
>
>-Fax/Answering Machine/Copier in one. Panasonic KX-F90 stand alone fax,
>answering system with copier. Resolution = standard, fine, super fine. 10
>number programmable speed dial. Digital outgoing message, incoming on
micro
>cassette. Fax poling capable. Works perfectly. $55
>
>-Alpha-Numeric Pager with alarm, news, stocks, sports, weather, trivia
>updates. Motorola Advisor Pager. Included free (even before you subscribe
>to the paging service), you will receive stock updates, head line news,
>weather, sports and trivia on your pager! This pager sells new for
$149.95.
>Also comes with alphanumeric software to distribute to your friends. You
>can also receive e-mail with this pager! I am selling the pager with four
>pager pouches and instructions for $55 (picture on internet)
>
>-Bookman, Franklin calculator with advanced thesaurus, and changeable
>cartridge port. Also a calculator. Comes with Miriam Webster Dictionary
>cartridge, games included. Can purchase Bible cartridge, bartending,
>language translators... all still on market. Unit sells new without
>cartridge for over $80. Asking $29.
>
>-Walkman, Panasonic water resistant Shock-Wave Cassette/AM/FM "walkman"

>player. Digital radio tuning, five memory buttons, auto reverse, and
>headphones vibrate with bass tones so you can actually feel the music!
Hand
>strap for jogging and belt clip. $30
>
>-Car Cassette/AM/FM stereo (JVC KS-R135), digital tuning, separate
>bass/treble, front rear fader. Perfect condition, $35.
>
>-Dual Band Ham Mobile. Icom IC-2350H. TX 144-148 at 50/10/5 watt. (Rx
>118-174) & TX/Rx 440-450 at 35/10/5 watt. Built in cooling fan.
>Cosmetically and functionally, perfect. Owner's manual and mic included. 50
>memory channels and scan edge memory channels. Scratchpad function.
Priority
>watch function. Programmable function button on mic. Pager function.
>Time-out timer, auto power off, mono band operation. (Picture on internet)
>$300.
>
>-Telephone, 2 line, large LCD screen, caller ID, speakerphone, Northern
>Telecom (350), redial, upgradeable, printer output, directory, line in use
>indicator, voicemail compatible. Sells for $400 at GTE Phone Mart. The
>best phone they sell. $125.
>
>MISC
>-Leatherman, LM-18 Wave. 4" closed. Brand new. All stainless construction.
>Includes built-in wire cutters, needlenose pliers, phillips screwdriver,
>standard screwdriver, wire stripper, can/bottle opener, extra small, small,
>& medium screwdriver, scissors and lanyard attachment. Also has four
>locking blades (clip, serrated sheepsfoot, diamond coated file and wood
saw)
>that can be accessed without opening the tool. Nylon sheath. Retails for
>$115.95 + tax. I want $75.
>
>-Knife, Spyderco Mariner folding knife with metal belt clip. All stainless
>AUS-6 blade with thumb hole pull. Brushed stainless handle with lanyard
>hole. Back of handle has belt/pocket clip. Sells for $98.99 + tax. Asking
>$50.
>
>-Clock, Seiko brass clock with world time, second hand has airplane on tip.
>Beautiful quality and condition. $100. (Sorry, price not negotiable)
>(Picture on Internet)
>
>-Inline Skates, Rollerblade Metro Blades. Removable Tennis show allows
>skating downtown and popping off the blades, or how about on the way to
>class, and then just undo buckle and you have a regular tennis shoe! Cool,
>No? Wheels, brake and everything else in great condition. Men's size 9
>1/2. (Picture on Internet) Asking $40
>
>-Inline Skates, K2 "Fatty" stunt skates. Top of the line! Wheels, brake
>and everything else in great condition. These are great quality skates!
>For the hardcore blade enthusiast. Perfect for riding rails, steps, curbs,

>benches, or skating on whatever else you attack! Men's size 12. (Picture
on
>Internet) New for over $250. Asking $65
>
>-Helmet, Motorcycle 1/2 large Helmet, Gloss-black half-shell. Very
>comfortable, new for $95, asking $25.
>
>-Plants. Silk 5' Tree, 4' palm-type, fern, and some big leaf plant...
>several others. Prices from $25 to $5.
>
>-Flag, American 5' x 9.5" fabric with stitched in stars. Stripes are
>stitched together (rather than painted on). Perfect condition, never used,
>NEVER touched the ground. $35
>
>-Lamps, two matching 6' tall black lamps that use standard light bulbs
>(non-halogen) for $15 each or both for $25. Reading lamp with two lanterns.
>$5.
>
>-Briefcase, Integra, PrestoLock World Class Console System. Black genuine
>leather inside and out. No scratches or damage. New. In clean, great
>condition. With instructions. New for $119, $30
>
>-Chair and Ottoman, black, high quality in great condition. No tears,
>damage etc. $75 (picture on internet)
>
>-Partition, Solid Dark Oak (17" panels x 3 = 51"). Top half has dowel
work.
>VERY high quality. In great condition. $75. (Picture on Internet)
>
>- (ON HOLD) Home Repair 14-video set, Sunset, titles include: furniture
>refinish, ceramic tile, decks, plumbing, shelving, drywall, flooring, home
>repair, carpentry, painting, wallpapering... Includes guidebooks. All in
new
>condition. $50 for entire set.
>
>PAINTINGS & ART
>-Painting, Eagle with Bible verse "mount on the wings of eagles..." $25
>(picture on internet)
>
>-Painting, Old man praying over bread and soup. Very traditional print in
>beautiful frame and glass. $28 (picture on internet)
>
>-Painting, Jesus with Child. Framed no glass. $15 (picture on internet)
>
>-Art, Jesus profile made out of wood, color from different wood stains.
>(Picture on internet) $20
>
>-Painting, Old mill in the woods with small creek and pond. Professionally
>double matted and framed in perfect condition. (Picture on internet) $40
>

>-Painting, Wooded landscape on sealed board. (Picture on internet) $29
>
>-Painting, Set of floral landscape by stream. Black metal frame under
>glass. $60 for both. (Picture on Internet)
>
>-Painting, Set of Talbot Orcas. Black metal frame under glass. Sold as
set
>for $80. (Picture on Internet)
>
>-Painting, Bengal Tiger running on beach, double matted with black metal
>frame under glass. $45 (Picture on internet)
>
>-Paining, Monet with plastic frame under acrylic "glass" $15 (Picture on
>internet)
>
>HARDWARE
>-PCI SCSI Card & SCSI SyQuest with 4 cartridges. Western Digital SCSI PCI
>card with all manuals and software. SyQuest EZ 135 external SCSI backup
>with 4 cartridges, all manuals and software. Includes Corel SCSI software!
>$175 for both.
>
>-Pen based palm computer, Sony Personal Intelligent Computer (PIC-1000) pen
>based computer with touch screen, sound, fax/data modem, earphone/mic for
>telephone calls, PCMCIA slot, backlit screen, built in microphone, IR port
>for wireless communication, carry case. Comes with Magic Exchange to
>interface with your PC. Built in word processor, games, spreadsheet,
>personal information manager, internet access, much more. Far superior to
US
>Robotics Palm Pilot, and MUCH easier to use, with many more features. All
>original software and manuals. $125
>
>XXXX
>
>-Pentium II 300 MHz module FS. $195.
>
>XXXX
>
>-Digital Camera Memory, 2MB 3.3V SmartMedia (SSFDC) (Solid State Floppy
Disk
>Card) $15
>
>SOFTWARE
>-OmniPage Pro 9.0 OCR for Win 95/98/NT. All docs and registration. Very
>latest edition. Retails for $103.16 (including tax) at Office Depot 2/99.
>$75.
>-Tomb Raider III with Prima's Official Strategy Guide. (Tomb Retails at
>$49.99 and Guide at $12.99 = $62.98 and tax = $68.39). $35
>-Cigar Companion Interactive. For Win 98/95/3.1 and Mac. Reviews of over
>1000 cigars, complete info on storing/buying/smoking cigars, go behind
>scenes to see how the worldfamous Havana facotries operate, over one hour

of
>video and thousands of photos, Internet Dossier, Shopping list, 3-d gallery
>and more. Also comes with best selling hard cover $24.95 book "The New
>Cigar Companion.". New, unopened. $25 for book and CD Rom.
>-MS Visual Studio 6.0, unopened. Visual basic, Visual C++, Visual Fox Pro,
>Visual InterDev, Visual J++. (current best offer has been $300) Trade me.
>-MS Project 98 on CD, new in box, unopened. $70
>-MS Publisher 97. Disk only. $20
>-Voice Recognition, Naturally Speaking Personal Edition, dictate directly
>into your computer. Continues to build a vocabulary based on your voice.
>$38
>-Nuts & Bolts Utilities 1997. $10
>-The Way Things Work 2.0. Visual and audio explanations of, uh... how
>things work. $15
>-MS Encarta 97 World Atlas on CD for Win 95. $15
>-Grolier Multimedia Encyclopedia on Win95 CD, $5
>-Lotus SmartSuite 96 for Win 95 (includes 4.0 for Win 3.1) on CD. (Lotus
>1-2-3, Lotus Word Pro, Lotus Approach, Lotus Freelance graphics, Lotus
>Organizer). $25
>-MS Works 97 (4.5) for Win 95/NT4 on CD. $20
>-MS Works 96 for Win 95 on CD. $15
>-Lotus Organizer 97 for Win 95 on CD (Leading Time Management Software).
$15
>-Maximizer 96 (3.01) Personal Information Manager for Win 95 & NT CD $5
>-Rand McNally Trip Maker 98. $20
>-MS Trip AutoMap Planner 97. $20
>-MS Money 97 for Win 95 on CD. $10
>-TurboTax Home & Business "For Sole Proprietors" Tax year 1998. $35
>-PrintMaster Gold Publishing Suite 4.0 for Win 95/98/3.1 $20
>-MS Encarta 97 on CD for Win 95. $15
>-MS Bookshelf 96/97 for Win 95 on CD. $15
>-MS Urban Assault for Win 98 OR Win 95 only on one CD. $20
>-Student Reference Library for Win 95/3.1 on CD. $10
>-Escape with your Life "Instant Self Defense Tactics for Women" CD-ROM for
>Windows & 30 minute Videotape. $18
>-Medical Drug Reference 3.0 for Win 95/3.1 & Mac on CD. $5
>-Sage Christian Digital Library on CD, Vols. 1-4, 6 translations, 5
complete
>commentary sets, 6 separate commentaries, 11 reference & Theology books, 8
>inspiration books, 12 collections (i.e. Calvin, Luther, J. Edwards,
>Carradine, Finney, William law, Moody, Owen, Spurgeon, Wesley), 9
>biographies, the Holiness Collection, 5 illustration/quotation volumes, 3
>fiction volumes, 6 separate Bible study collections, the Ante-Nicene
>Fathers, Nicene & Post Nicene Fathers, classic maps and tons more. Latest
>edition. $35
>-Lucaino Pavarotti! "Messun Dorma" Palatrussardi - Milano. Will play on
>Mpeg's (PC & Apple/Mac), Video CD's, Amiga CD32, 3-DO. $4
>
>MUSICAL EQUIPMENT
>-Harmonica, Hohner CX-12. I have my original receipt for $190.43. $100

>
>JEWELRY
>-Diamond Ring, men's 1/3k diamond pinky ring. $250
>
>-Antique Ski Resort Pins. $10 each. Vail, Aspen, etc.. All over 30 years
>old.
>
>-Watch, Storm Wrist watch. Blue face. All stainless steel bracelet.
$169.
>$45. (picture on net).
>
>-WWII issue stainless steel watchband in original box. "Berkeley Lifetime
>Watch Band" $10
>
>-Ring, USMC Diamond/Gold/Onyx men's, 10k & black onyx with 1/3 k. diamond,
>Jostens, lifetime warranty & re-sizing. (New $950) - (picture on net) $425
>
>MISC
>-Bible on Cassette. entire NT in "New Living Translation" with dramatized,
>multi-voice performance. 12 cassettes in all. $25
>-Direct Marketing business starter kit, sells for over $200, asking $50.
>-Instructional audio and videotapes. (Ask for list)
>-Books, hard to find and unique titles (as for list)
>
>Thanks for glancing through all this stuff. Everything is in good
condition.
>I am selling everything I can live without for student loans. Feel free to
>E-mail me at sci@pobox.com or leave a message at (206) 405-2083. Thanks in
>advance.
>
>

2359. Re: FS: RCI 3500

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Gordy Gale <ggale@pacbell.net>
Message-ID: <36D79B8B.9CFF171@pacbell.net>
Source record: 115634
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap

There's one for sale on Ebay with a picture if you want to see what it looks like. But I'm not recommending that you buy the one on Ebay.
--
Gordy Gale

2360. Re: WTB SHOTKEY DIODE's FOR HP COUNTER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: dunnt@cco.caltech.edu
Message-ID: <dunnt-2602991726520001@tom-dunn.caltech.edu>
Source record: 115635

In article <7av2jh$56e$1@news3.Belgium.EU.net>, "Paul Van den Hende"
<paul.vandenhende@ping.be> wrote:

> Hello,
>
>
> Thanks for reading this message.
>
> I'm looking for a shotkey diode bridge (4 diodes in one cabinet), for a HP
> Multifunctional counter Type 5334 b
>
> Somebody has those, or know where i can find them ? Please mention also the
> price.
>
> It's for a modification. The prescaler is no problem, but over here in
> Belgium the diode bridge is hard or even not to find.
>
> The part number is:1900-0083
>
> Best regards
>
> Paul

The H/P cross reference for H/P part numbers to JEDEC number shows the
1900-0083 to be a H/P 5082-2831. You will have to find H/P distributor in
your area to find part. It is a "Low Vf Monolithic Match Schottky Quad". I
think it will be hard to find. Databook says to consult local H/P Sales
Rep. 73 Tom WB6IQD

2361. PicturePacket featured in March CQ

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Stan Huntting <stan@sni.net>
Message-ID: <7b68nr$3v1$1@news-2.csn.net>
Source record: 115636
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.packet,rec.radio.swap

PicturePacket is featured in a six-page review, starting on page 60 of the
March issue of CQ Magazine. Check it out! 73,

Stan

Stan Huntting, KW7KW (ex-KF0IA)
Email: stan@sni.net Fax: 303 444 2314
Post: 4655 Pleasant Ridge Rd., Boulder, CO 80301-1731, USA
SA Watch/KaWin/PicturePacket home page: http://www.sni.net/kawin/

2362. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7b664k$2cu$1@nnrp1.dejanews.com>
Source record: 115673
Cross-posted to:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

In article <7b50rm$9kj@dfw-ixnews6.ix.netcom.com>,
kc5egg@ix.netcom.com(Gerald Schmitt) wrote:

> Tell me Clint what is a "valid customer" I have 3 different versions of
> their product am I valid or not.

I do not know...did you purchase any of the versions, and send in the
Registration Cards? Do you show up on RT Systems' computer as a registered
user of their software? Don't you already know?

- Clint Bradford, KE6LCS
909-681-6210 - Office

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2363. Re: 23 cm multi-mode equipment?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <qyeKwHBj8o12EwOM@pacsat.demon.co.uk>
Source record: 115674

In article <7b60chjrn1@mimas.brunel.ac.uk>, Jan-Martin Hertzsch
<masrjmh@radagast.brunel.ac.uk> writes
>I'd like to operate on 23 cm, and I am looking for
>information on the equipment which might be available.
>In particular, I am interested in single-band multi-mode
>transceivers. The only reference I could find up to now
>was for the ICOM IC-1271, which must have been around
>10 or 15 years ago. Are there any other (maybe newer),
>but similar rigs, no matter who built them, and where
>could I find some technical data?
>
>73 de M0CEF = DL2LFH,
>Jan-Martin

The 1271 was awful and very unreliable.

You would be better building or buying something a lot newer.

Take a look at my web site - you will find a few good kits on there.

73 Simon GM4PLM
+---+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+---+

2364. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <7b69jl$8sa@dfw-ixnews11.ix.netcom.com>
Source record: 115675
Cross-posted to:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

In <7b664k$2cu$1@nnrp1.dejanews.com> clintbrad4d@earthlink.net writes:
>
>In article <7b50rm$9kj@dfw-ixnews6.ix.netcom.com>,
> kc5egg@ix.netcom.com(Gerald Schmitt) wrote:
>
>> Tell me Clint what is a "valid customer" I have 3 different versions
of
>> their product am I valid or not.
>
>I do not know...did you purchase any of the versions,

Am I now dishonest? Yes you twit I did purchase all of them.

> and send in the
>Registration Cards?

Nope never did that but they happily sold me an upgrade.

>Do you show up on RT Systems' computer as a registered
>user of their software? Don't you already know?

I have no idea whose data base I show up on but I do know
they happily sold me an upgrade without any idea who I was.

>
> - Clint Bradford, KE6LCS
> 909-681-6210 - Office
>
>-----------== Posted via Deja News, The Discussion Network
==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your
Own

2365. Ready traps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: ignacy@num.ads.uga.edu
Message-ID: <36d6bcec4vtanpl$mr2ice@news.uga.edu>
Source record: 115676

Does any place sell traps? Are they expensive?

On a similar note, does any place sell motorized inductor or capacacitor?

Ignacy, NO9E

2366. Re: VX-5r Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: 106255.1565@compuserve.com
Message-ID: <36d6ad0b.12543424@news.compuserve.com>
Source record: 115677

jrt1@idt.net wrote:

>>
>> --I have used that software in conjunction with the Eve program found on the
>
>internet and using the freeband virtual jumper setting opened up the transmit
>to work beyond the standard MARS mod.
>
>>
I have ordered a VX-5R and have downloaded the software Eva and the
jawr,jawd etc. Doe the virtual jumpers have the same effect as the
physical solder blob jumpers on theboard? If so I can forget about
opening the case and putting my trained flea to work.
Richard

2367. Motorola Battery Pack

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: KC5ALC <kc5alc@mindspring.com>
Message-ID: <7b6b5o$9dl$1@camel25.mindspring.com>
Source record: 115678
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

I have a brand new, never been in the charger, NTN- 5447B battery pack that I'm told, fits the Motorola HT - 1000. Sold as is because I have no way of knowing it's condition other than the fact that it's new. Price is $20 shipped in the lower 48.

Contact kc5alc@mindspring.com

2368. Wanted: Heath SB-line parts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: k5dh@rtis.ray.com
Message-ID: <7b6ane$nao@news.rsc.raytheon.com>
Source record: 115679
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I'm fixing up a Heath SB-301/400/600 station. Need one VFO dial (can come from SB-100/101/102/110/300/301/303/310/313/400/401), and two original power cords. Could also use a CW filter and an AM filter, if I can get 'em cheaply enough.

73,
Dean / K5DH

2369. Re: Best Price on a VX5 ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: 106255.1565@compuserve.com
Message-ID: <36d6b10c.13568572@news.compuserve.com>
Source record: 115680

clintbrad4d@earthlink.net wrote:

>In the case of the VX-5R, I sure would want to know the EXACT production run
>from any dealer I'd do business with BEFORE purchasing.
>
How does one obtain prod run? Does the serial number tell anything?
Then how can one tell if it is an older or recent run as there is no
reference I can find on the net?
Richard

2370. FS: 500MHz - 1GHz Frequency counters and VHF commercial 'talkie

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Charlie Thompson <xctx@onr.com>
Message-ID: <01be619b$59d355c0$570cc8cf@ct>
Source record: 115681

I have a couple of frequency counters, a VHF commercial talkie (154.57
MHz), and
several other electronic goodies for sale...you can see them at:

http://www.onr.com/user/ct/4sale.html

-thanx
W5CDT

--
>>>Remove the X's from my email address before using<<<

XctX@onr.com

2371. WTB: MT-500 channel elements

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Russ Freeman <jrf9949@garnet.acns.fsu.edu>
Message-ID: <36D6BCAD.503D9422@garnet.acns.fsu.edu>
Source record: 115682

I need UHF channel elements for Motorla MT-500's and MT-300's.
Thanks,
Russ

2372. Yaesu VX-1R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Lee Housey <lhousey@excel.net>
Message-ID: <VizB2.809$oe4.126123@homer.alpha.net>
Source record: 115683

Hello all:

My name is Josh and I have a problem with the VX-1R. The problem applies to the VHF Ham Band and the UHF Band. All of a sudden, frequencies are drifted 10khz or 40khz. Here's an example. I have a local 147.060 repeater in. On 147.060 it is very disorted, but if I turn to 147.040, its sounds normal and I can access the repeater. The same idea works for UHF Ham Band.

Why is it doing this when all the other bands are working fine and everything else is fine.

Any suggestions, leave a direct e-mail message to lhousey@excel.net rather than to the newsgroup, and I will read replies on the newsgroup as well.

All replies will be appreciated.

73
Josh, KG9BO

2373. Re: Best Price on a VX5 ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7b6k7cfeg1@nnrp1.dejanews.com>
Source record: 115684

In article <36d6b10c.13568572@news.compuserve.com>,
106255.1565@compuserve.com (Richard C. Ferryman) wrote:
> clintbrad4d@earthlink.net wrote:
>
> >In the case of the VX-5R, I sure would want to know the EXACT production run
> >from any dealer I'd do business with BEFORE purchasing.
> >
> How does one obtain prod run? Does the serial number tell anything?
> Then how can one tell if it is an older or recent run as there is no
> reference I can find on the net?

You get to know and trust your dealer...Current production models (as of last week) of the VX-5R contain the "8C03" coding in their serial numbers. This is at least the 3rd production run (8N01 and 8N02 were previous production runs).

SOURCE: Dale at HRO, Anaheim (whose Manager's significant other is a big-wig at Yaesu).

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2374. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7b6kdofqh1@nnrp1.dejanews.com>
Source record: 115685
Cross-posted to:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

In article <7b69jl$8sa@dfw-ixnews11.ix.netcom.com>,
kc5egg@ix.netcom.com(Gerald Schmitt) wrote:

> Yes you twit I did purchase all of them.
> ...[RT Systems] happily sold me an upgrade without any idea who I was.

Wow...yet another case of RT Systems caring for their customers.You didn't
even follow the basic rules (sending in the Registration Card) yet they
treated you like you did.

Thank you for your input.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2375. Re: Query: Experience with Kenwood TS50s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Rudi Wiedemann <wiedemann@home.com>
Message-ID: <NHzB2.4360$Nh3.492@news.rdc1.sfba.home.com>
Source record: 115686

John:

If I were to have to choose just one HF rig for all-around home & mobile use, I'd have to go with the Kenwood TS50.

No, it doesn't have lots of cool knobs and buttons, but it's got everything you need to do DX on all HF bands.

Best of all, it's a GREAT value on the used market.

You should be able to pick one up in "cherry" shape for about $650.

I recommend you DON'T get the optional AT50 autotuner. Just get a GREAT antenna system instead and you'll do MUCH better (and cheaper to boot).

Rudi - KF6RLQ

John Douglas wrote in message <7b4v9i$7ir$1@news.minn.net>...
>In article <36D5F9A0.AFBC8E88@sympatico.ca>, 71, King, Street, Mississauga, Ontario wrote:
>>Can anyone tell me what the reputation is for this rig. I am just
>>getting back into hf and would like to know if it is a winner or loser?
>>Thanks. de VE3MRX/NV3D
>>
>>
>>
>I used the TS-50 for about 2 years, mobile and portable, except for the need
>to go into the menu system to turn on the CW narrow filter I was very happy
>with the rig
>
>John Douglas
>N0ISL
>Timewave Technology

2376. Programming Cable For Kenwood TK-353

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: hammer49@tco.com
Message-ID: <36d6c524.1538473@News2.new-york.net>
Source record: 115687

Does any one know how to make this cable Or to purchase one .
Thanks

2377. FS: Kenwood TS-570S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Robert Stuedemann <kf8ru@netonecom.net>
Message-ID: <36D6CFE9.40671F95@netonecom.net>
Source record: 115688
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For Sale: Kenwood TS-570S HF+6 Meters radio. Radio has built in tuner, keyer, DSP and many more features. It is in Mint Condition and comes complete with mic, manual, power cord and factory shipping boxes. $985

2378. Heathkit SB-600 Speaker Very Clean

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Darrel Scott <dgsc@hotmail.com>
Message-ID: <7b6jiq$l0e$1@news.powerisp.com>
Source record: 115689
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.shortwave,rec.radio.swap

Check out my auction.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=71592514

2379. Re: TH-G71a diode removal question...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Tim <just4fun@pobox.com>
Message-ID: <YnAB2.997$5w.1653@wormhole.dimensional.com>
Source record: 115690

I've found that if it is a removal, and not a move (no need to reuse the diodes) you can simply use a small (real small) pair of needlenose pliers and crush the silly little things. Be very carefull doing this so you dont scar or accidentally cut any traces on the board ***If you do it this way, and want to put it back at a later date guess what...you're screwed!
Hope this helps!
73,
Tim K9TIM

Melon Juice wrote in message <36d333dd.16933827@news.martnet.com>...
>I got the docs from Kenwood FTP site on how to modify the G71... problem is the
>diodes that have to be removed are so tiny (they're like 3mm long), how do you
>remove them? Do I have to unsolder them from underneath and then pull out?
>any ideas? I am pretty familiar with soldering and electronics in general...
>just don't know how to approach this one...
>
>thanks!
>
>jake
>melon@martnet.com
>
>

2380. MODS.FOR ICOM UX-91A???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Patricia Pokrocos <patp@princeton.edu>
Message-ID: <36D6D226.5647@princeton.edu>
Source record: 115691

DOES ANYONE KNOW IF THERE ARE ANY MODS FOR THE WIDE BAND RECEIVE MODULE (UX-R91A)? THIS IS PART OF THE ICOM 901 SERIES. IT IS NOT CONTINIOUS COVERAGE, AND I WOULD LIKE TO OPEN IT UP SOME. ANY INFO. WOULD BE GREAT! THANKS. LOU.

2381. TM-V7 phantom mods...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Tim <just4fun@pobox.com>
Message-ID: <TuAB2.998$5w.1514@wormhole.dimensional.com>
Source record: 115692

Anyone out there heard of any mods for the Kenwood V7??? I saw a post to a newsgroup regarding a 70cm mod, but have not found it yet (the mod info that is).
Thanks in advance & 73,
K9TIM

2382. Re: Best Price on a VX5 ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: dennischiu@my-dejanews.com
Message-ID: <7b6p2r$k5p$1@nnrp1.dejanews.com>
Source record: 115693

I saw 13 new VX-5R in HRO San Diego. Their serial number start with 9C...,
newer than 8N...

N7XTE

>
> You get to know and trust your dealer...Current production models (as of last
> week) of the VX-5R contain the "8C03" coding in their serial numbers. This is
> at least the 3rd production run (8N01 and 8N02 were previous production
> runs).
>
> SOURCE: Dale at HRO, Anaheim (whose Manager's significant other is a big-wig
> at Yaesu).
>
> - Clint Bradford
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2383. How to make TS930S TX 2-30Mhz ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Mark <mark3fcd@xs4all.nl>
Message-ID: <7b6lpr$hr0$1@news2.xs4all.nl>
Source record: 115694

Does anybody know how I can make my TS930S transmit from 2-30MHz (outside bands) ??
The Kenwood mods did not supply this info.
tnx in advance!
'73 Mark, PA3FCD.

2384. Re: What is best dsp unit ..cw only

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <374ae25b.1035379697@news.atl.bellsouth.net>
Source record: 115695

On Thu, 25 Feb 1999 21:30:30 -0500, "Jim Stone" <af4at@coastalnet.com> wrote:
>I operate mostly 40 M cw and would like an external dsp unit that
>can really narrow the bandwidth and cut down phase noise
>generated by my old cw boxes... Have never used one and
>would like to hear opinions from ops who use one on cw with good results
>(or bad)
>Tnx: Jim Stone

In my opinion, the NIR-12 is the best of the lot, for any mode, including CW.
However, none of them will get rid of all reciprocal mixing artifacts due to
phase noise in the receiver's local oscillators. All of them will give you a
good narrow passband, but whatever falls in that passband will be passed
through. (There are noise reduction modes that work fairly well in some of
the boxes, and those in the NIR-12 appear to be the best, but anything that
resembles a legitimate signal will be inseparable from a legitimate signal.)
Buy any of them you like, but if you want to get rid of artifacts due to oscillator
phase noise, you're going to have to get rid of the phase noise at the source,
IE clean up the oscillators in the radio.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

2385. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: "Kurt A. Freiberger" <kurt@cs.tamu.edu>
Message-ID: <36D6E68F.FFE1783D@cs.tamu.edu>
Source record: 115696
Cross-posted to:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

clintbrad4d@earthlink.net wrote:

> Wow...yet another case of RT Systems caring for their customers.You didn't
> even follow the basic rules (sending in the Registration Card) yet they
> treated you like you did.

It has been held that the sending in of a registration card is not necessary in warranty or support cases. IMNSHO, all it does is get you on mailing lists that propagate like wildfire. Most of the time, I need nothing further from the manufacturer. In the small cases in which I DO need more from the manufacturer, I provide them with the necessary proof of ownership, if asked.

I have no gripe with RT Systems per se, except that I think they are WAY too paranoid in their copy protection scheme. Every time I defrag my hard drive, I have to reinstall the software. That torques me to no end. As soon as the Linux software is available, I'm switching.

--
Kurt A. Freiberger, WB5BBW Network Environmentalist Austin, TX
Published 12/12/98, Saint Paul Pioneer Press Bulletin Board:
Redmond, WA (AP) -- Microsoft announced today that the official release date for the new operating system "Windows 2000" will be delayed until the second quarter of 1901.

2386. d-104 diamond special edition

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: mark yuhas <myuhas@sunlink.net>
Message-ID: <nGBB2.218$wu4.552@news20.ispnews.com>
Source record: 115697

```
i was wondering if anybody has a d-104 diamond special edition mic for
sale.thanks
```

2387. Re: VX-5R: how do you delete a memory channel?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: w8llu@arrl.net
Message-ID: <7b6s3c$n88$1@nnrp1.dejanews.com>
Source record: 115698

How did you change the audio levels?

Also, how does your radio receive on the AM Bcast, FM Bcast, and other non ham bands. I just got one and the receive is awfull - ranges from no sensitivity to overload with several stations heard at the same time (esp. on FM Bcast). I put the VX-5R side by side with an ICt8 and the Icom wins hands down. The 2m and Wx receive seem just fine - just the non ham freqs are bad.

Bill

In article <36D5BA75.6A7FDC3A@aztek-eng.com>,
Larry Benko <benko@aztek-eng.com> wrote:
> Hi,
>
> I have owned a VX-5R for a few weeks and to the best of my knowledge you
> CAN NOT erase a memory channel short of doing a reset which erases them
> all. You can mask a memory but when doing so the channel is treated
> differently than an unerased channel which shows an asterik when doing
> a memory save. At first this bothered me a lot, but now it actually it
> kind of cool since restoration is so simple. By the way how do you like
> the HT. I got reports of low audio on mine at first compared to other
> radios that I own, but I increased the audio gain on all 3 bands and all
> is better now.
>
> Larry Benko, AC0B
>
> 1dguy@my-dejanews.com wrote:
> >
> > Have not been able to figure this out. Can't find it in the manual.
> >
> > So how do you delete or erase a programmed memory channel? Not Mask it
delete
> > it, Or can you?
> >
> > Thank you, in advance.
> >
> > ----------== Posted via Deja News, The Discussion Network ==----------
> > http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2388. Re: Manuals needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Andy Micheals <anigma@gte.net>
Message-ID: <7b6om4$ds7$1@news-2.news.gte.net>
Source record: 115699
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

sysadmin wrote:

> Need manuals (or copies) for Heath HM-2102 VHF Power/SWR meter and for
> military ME-26D/U multimeter. Anyone have any leads? TIA!
>
> Don, K4DLS
> Respond to k4dls@qsl.net

Try HI-MANUALS.com, they should have it.

2389. WTB 8874

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Michael Flanagan <kh6vt@pacbell.net>
Message-ID: <36D6EAFA.44DB0228@pacbell.net>
Source record: 115700

I am looking for an 8874 tube for a h.f. amp. I
have the cash. Let me know what you have.
kh6vt@yahoo.com

2390. Wanted Icom 751A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: EssBase <74364.207@CompuServe.com>
Message-ID: <36D6EB19.24010D2F@CompuServe.com>
Source record: 115701
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

E-Mail with price and condition, serial number and if you have the
original box.

2391. FORSALE - QST 1980 to 1994 complete

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7b6plt$l37@nntpb.cb.lucent.com>
Source record: 115702
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,nj.forsale

I have a COMPLETE SET of QST magazines from 1980 through 1994
(15 years, 180 issues!) that I need to sell. I'd love to
keep them but just don't have the room. They are in very
good condition. This is a fantastic resource for anyone who
is seriously interested in Amateur Radio.

I'm asking $100 for the entire set. You pick up in NJ or pay
shipping. If interestd, make an offer.

Thanks.

Joe Levantino - KB2FSH
Lucent Technologies, Bell Laboratories
Holmdel, NJ
732-949-0664

2392. ATTENTION to all Kansas City Tracker USERS.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Geert Pirens <geert.pirens@ping.be>
Message-ID: <7b6qemdbe1@news3.Belgium.EU.net>
Source record: 115703
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,tw.bbs.rec.radio.amateur,uk.radio.amateur

Hello Kansas City Tracker Users.

I'm collect the names of all the available programs that being written, or suppot the kansas city tracker.

All these information wil be placed in a Database and wil be available to all of you.

On my homepage http://www.ping.be/~p4u11324/ you wil find a list of all available software.
If you know a program that not being in the list, PLEASE fill in the Question form:

If you click here, you go wright to the question form
http://www.ping.be/~p4u11324/KCT_Ques.html

Thanks to all of you !

Geert Pirens
Vissit my home page: http://www.ping.be/~p4u11324/

2393. Icom PS-15S FS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Walton Stinson <wstinson@worldnet.att.net>
Message-ID: <7b6r6j$n5f@bgtnsc03.worldnet.att.net>
Source record: 115704

S - Icom PS-15S 20A pwr sply -$85 freight paid.
Walt W0CP

2394. Re: Best Price on a VX5 ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: firebuff66@aol.com
Message-ID: <19990226145257.00288.00000662@ng-fd1.aol.com>
Source record: 115705

I got my VX-5R from HRO.
I asked if it was a new run without the problems. They lied to me to make the sale, its an old run with the problem.
I wrote to them but they know what they did and will not answer.

2395. FS: Alinco DJ-580 HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: hodgesmn@email.uc.edu
Message-ID: <7b6uvp$759$1@news.ececs.uc.edu>
Source record: 115706

I have the above mentioned item for sale. It is in good condition. I have a brand new keypad for the radio that I am going to install. The old one is not too bad (the numbers are still legible) but if I sell it I will install the new one unless you want to do it yourself. It includes two Ni-MH 5W,12V packs that are 1300mA. I bought these batts from Dayton last year. They have not been used more than 5 times each. Also comes with an MFJ mic (basic mic) and the drop-in trickle charger which takes 14 hrs to charge the batts. If interested, email me above and make me an offer for everything. S/H will probably be an extra five bucks or so.

2396. Re: Query: Experience with Kenwood TS50s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: frederick.mckenzie-1@kmail.ksc.nasa.gov
Message-ID: <frederick.mckenzie-1-2602991509110001@k4dii.ksc.nasa.gov>
Source record: 115707

In article <36D5F9A0.AFBC8E88@sympatico.ca>, 71, King, Street,
Mississauga, Ontario wrote:
> Can anyone tell me what the reputation is for this rig. I am just
> getting back into hf and would like to know if it is a winner or loser?

Bill-

I used the TS-50 from the time it came out until the Icom IC-706 came
out. I have no doubt that the TS-50 is a better rig, even though it
doesn't have all the features of the 706. If Kenwood came out with a
revised TS-50 that had Six Meters, I would grab one.

I also used the AT-50 tuner, which is good for extending the range of
mobile whips. It covers most of the 40 Meter band with a Hustler antenna
on a magnet mount, but doesn't quite cover the 75 Meter phone band.
Without a tuner, the 75 Meter resonator bandwidth is around 30 KHz.

In contrast, the IC-706 matching AT-180 tuner covers about 2/3 of the
range of the AT-50.

I have used these rigs for mobile operation exclusively. There may be
better choices for a desk-top rig where space isn't a concern. For
example, I have the CW filter for the TS-50, but it is not convenient to
switch it on and off.

73, Fred, K4DII

2397. Yaesu FT-840 - $525

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7b6vqm$qsk@dfw-ixnews11.ix.netcom.com>
Source record: 115708

Nice, clean, with box, manual, etc..... $525. Frank work 630-924-1600 home 630-653-9090

2398. ebay ends today: A Dandy All Weather Army Carrying Case or Antenna Mast Control

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: "karlan at email.com" <karlan@ZEROSPAM.email.com>
Message-ID: <GwDB2.9412$po.4040@c01read02.service.talkway.com>
Source record: 115709

Has $49.99 Reserve! Ends Today!

$3300 New Army Antenna MasT Controller or A Beautiful
Super Military Army Vacuum Type All Weather
(Has Vacuum Button - I assume)
Carrying Case for important gear you have if the
controller equipment inside is not useful to you!

Item #69133014

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=69133014
--
Posted via Talkway - http://www.talkway.com
Surf Usenet at home, on the road, and by email -- always at Talkway.

2399. Re: TH-G71a diode removal question...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Clif Holland <avvid@onramp.net>
Message-ID: <36D70A86.248B@onramp.net>
Source record: 115710

Tim wrote:
>
> I've found that if it is a removal, and not a move (no need to reuse the
> diodes) you can simply use a small (real small) pair of needlenose pliers
> and crush the silly little things. Be very carefull doing this so you dont
> scar or accidentally cut any traces on the board ***If you do it this way,
> and want to put it back at a later date guess what...you're screwed!
> Hope this helps!
> 73,
> Tim K9TIM
>
> Melon Juice wrote in message <36d333dd.16933827@news.martnet.com>...
> >I got the docs from Kenwood FTP site on how to modify the G71... problem is
> the
> >diodes that have to be removed are so tiny (they're like 3mm long), how do
> you
> >remove them? Do I have to unsolder them from underneath and then pull out?
> >any ideas? I am pretty familiar with soldering and electronics in
> general...
> >just don't know how to approach this one...
> >
> >thanks!
> >
> >jake
> >melon@martnet.com
> >
> >

A note of caution on crushing the diodes. You can lift a trace they are
soldered to and when that happens sometimes they don't work. Best to
unsolder them.
--
Clif Holland, KA5IPF
Owner of AVVid, an Authorized Kenwood and Icom Service Center
For more info click on the following
http://rampages.onramp.net/~avvid
or call 1-800-214-5779

2400. Kenwood TS530S and things

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36D70F5B.5198@ix.netcom.com>
Source record: 115711
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have an excellent condition Kenwood TS-530S HF Tranceiver with digital
display for $375 and an MC-50 Mic for $60 and two SP-230 Speakers with
the Built in filters for $75 Each. This a great rig with a hot receiver
and a great sounding transmitter audio. Yes it has the WARC bands.
73 Chris VE3NGW/W4 Florida

2401. 2 meter HT for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Marc Robins <marc29400@ez2.net>
Message-ID: <920063236.513.46@news.remarQ.com>
Source record: 115712

2 meter HT for sale. Radio Shack HTX-202 HT in new condition. Includes two rechargable batteries, charger and one AA battery pack. A very nice radio.
$120
Marc WA6NJR

2402. ICOM IC-271H all mode 2m transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Marc Robins <marc29400@ez2.net>
Message-ID: <920063192.441.39@news.remarQ.com>
Source record: 115713

```
The ICOM IC-271H all mode 2m transceiver for sale
FM, SSB and CW. Power output is 100w.
Frequency coverage is 143.8-148.2 Mhz
Includes hand mike, manual and power cord.
$750

Marc WA6NJR
```

2403. HAMFEST March 7, 1999 - Lindenhurst, LI

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: W2GSB <info@gsbarc.org>
Message-ID: <GEEB2.5789$ur5.17118731@news.optonline.net>
Source record: 115714
Cross-posted to: rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.misc,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap

GREAT SOUTH BAY AMATEUR RADIO CLUB & SUFFOLK COUNTY RADIO CLUB
ARRL APPROVED LONG ISLAND HAMFEST - MARCH 7, 1999

On March 7, 1999 the Great South Bay Amateur Radio Club & Suffolk County Radio Club will again sponsor an indoor Hamfest. The location will be at the:

Knights of Columbus
400 South Broadway
Lindenhurst, Long Island, NY

There will be radio equipment, electronic componets, computers and access-ories, softeware, books, technical manulas, ARRL information, Amateur Radio License Exams, Door Prizes. General admission is $6.00.
Free Admission for spouses and children under 12.

VE - ARRL - 12:00 NOON
For exam candidates please remember to bring your original FCC Amateur Radio license (if licensed), any C.S.C.E. forms that are pending, plus a photocopy of each, pens, calculator, formal form of ID (preferably photo ID), and the examination fee, to the exam session. 1999 ARRL/VEC fee is $ 6.45, exact change is appreciated. Novice exams are free.
The VE team is from ISLIP ARES Group and GSBARC. Thanks guys.

For vendor and additional information pleas contact, Peter Portanova WB2OQQ at(516)541-4886. Email info@gsbarc.org

Talk-in will be via W2GSB Repeater on 146.685 4Z(136.5) PL.

Food Service during the Hamfest will be provided by members of the Knights of Columbus Council.

Information is also available during the GSBARC 2 meter info net every Monday evening at 7:00 pm on the W2GSB repeater, 146.685 -600 4Z(136.5) PL required. You may also write to:

HAMFEST 0399
P.O. Box 1356
West Babylon, NY 11704

Email: info@gsbarc.org

Visit GSBARC online at http://www.gsbarc.org/hamfest.htm or SCRC at http://www.members.tripod.com/~parasca/index/scrc.html

NEXT HAMFEST - Ocotber 24, 1999
Y2K HAMFEST - March 5, 2000 and October 29, 2000

73,
GSBARC & SCRC

2404. Mods to HP8558 spectrum analyzer ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: adrian@fangorn.demon.co.uk
Message-ID: <7b73oj$c5d$1@fangorn.demon.co.uk>
Source record: 115715

Older models (pre 1981) of the HP8558B spectrum analyzer plug-in require
a modification to work properly with the HP853A mainframe.

I can guess some of the details of these mods from the 853 and 8558 manuals,
but I'd prefer to find out the real modlist.

Is there someone with a late-model 8558B (serial 2147Axxxx or above)
that can look up a couple of pages for me ? Or better still, a copy
of the modification instructions (00853-60058) ?

-adrian

2405. WTB R390A receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: James Skalski <jskalski@buffnet.net>
Message-ID: <36D718F1.ABA3A257@buffnet.net>
Source record: 115716

I am looking to buy one of these receivers. Please respond direct with a description, serial number and price.
Partial units considered.
--
73,

Jim n2go

2406. Re: Best Price on a VX5 ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7b7b0u$58n$1@nnrp1.dejanews.com>
Source record: 115717

In article <19990226145257.00288.00000662@ng-fd1.aol.com>,
firebuff66@aol.com (FireBuff66) wrote:
> I got my VX-5R from HRO.
> I asked if it was a new run without the problems. They lied to me to make the
> sale, its an old run with the problem.
> I wrote to them but they know what they did and will not answer.

I'll wager you that it was NOT HRO in Anaheim, CA.

It's unfortunate that it occurred. Contact the Manager of the shop with all
the facts of the matter.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2407. RLS135 pindiode TS850

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: "Humblet J." <Johan.Humblet@village.uunet.be>
Message-ID: <36D723A5.F2D60DC3@village.uunet.be>
Source record: 115718

Hi,

Apparently one of the pindiodes on the RF unit (X44-3120-00) of my TS850 is QRT. The service manual says type is RLS135 (RF switch , BPF switch), used for band pass filter switching i guess... My question is , will any other pindiode do to replace this one ?

Please reply direct to : ï¿½johan.humblet@village.uunet.beï¿½

Thanks very much !!

Johan., ON7DU

2408. Re: VX-5R: how do you delete a memory channel?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Larry Benko <benko@aztek-eng.com>
Message-ID: <36D726B2.EC6E56B2@aztek-eng.com>
Source record: 115719

See:
http://www.ticon.net/~davez/vx5r.html

If you have any more questions email me.

Larry, AC0B

w8llu@arrl.net wrote:
>
> How did you change the audio levels?
>
> Also, how does your radio receive on the AM Bcast, FM Bcast, and other non
> ham bands. I just got one and the receive is awfull - ranges from no
> sensitivity to overload with several stations heard at the same time (esp. on
> FM Bcast). I put the VX-5R side by side with an ICt8 and the Icom wins hands
> down. The 2m and Wx receive seem just fine - just the non ham freqs are bad.
>
> Bill
>
> In article <36D5BA75.6A7FDC3A@aztek-eng.com>,
> Larry Benko <benko@aztek-eng.com> wrote:
> > Hi,
> >
> > I have owned a VX-5R for a few weeks and to the best of my knowledge you
> > CAN NOT erase a memory channel short of doing a reset which erases them
> > all. You can mask a memory but when doing so the channel is treated
> > differently than an unerased channel which shows an asterik when doing
> > a memory save. At first this bothered me a lot, but now it actually it
> > kind of cool since restoration is so simple. By the way how do you like
> > the HT. I got reports of low audio on mine at first compared to other
> > radios that I own, but I increased the audio gain on all 3 bands and all
> > is better now.
> >
> > Larry Benko, AC0B
> >
> > 1dguy@my-dejanews.com wrote:
> > >
> > > Have not been able to figure this out. Can't find it in the manual.
> > >
> > > So how do you delete or erase a programmed memory channel? Not Mask it
> delete
> > > it, Or can you?
> > >
> > > Thank you, in advance.
> > >

> > > -----------== Posted via Deja News, The Discussion Network ==----------
> > > http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
> >
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2409. Misc. For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Robert Stuedemann <kf8ru@netonecom.net>
Message-ID: <36D721FF.CB0C61A3@netonecom.net>
Source record: 115720
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

```
For sale: Kenwood YG455C-1 CW Filter....$100
Kenwood YK88C-1 CW Filter....$80
Kenwood YK88A-1 AM Filter....$80
Kenwood IF-232C Level Translator..$75
Kenwood VS-1 Voice Synthesizer...$40
Kenwood AT-130 Antenna Tuner....$115
Dentron Super Tuner Plus..................$110
```

2410. WTB: Icom UX97 1.2 module

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: aidehua@aol.com
Message-ID: <19990226180615.29503.00000633@ng139.aol.com>
Source record: 115721

Looking for the 1.2 module for the Icom 970H. Thanks.

2411. Re: FT-50 vs Kenwood TH-G71A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: inks@wish-tv.com
Message-ID: <inks-2602991830210001@192.168.16.69>
Source record: 115722

Thanks to everyone for their opinions. I purchased the Kenwood and it's on the way.

>Will even pick up
>cell images nicely, if your into that sort of thing... the reception
>is so strong it's almost as if its been ENGINEERED that way
>right into the radio.

Can you give me more info on this? I haven't seen this mentioned anywhere else.

Sorry to hear about the speakerphone jack. I'm sure that even if I don't want to use a speaker mic, which I may on occasion, I will often want to use an earphone for private monitoring. Guess I'll have to cook up an adapter!

Thanks for the info.

Gerry

--

Gerry Inks
Engineering Supervisor
WISH-TV (CBS) Indianapolis

2412. Icom IC-PS85 Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: WISNU <wisnu@centrin.net.id>
Message-ID: <36d58faf.0@news.centrin.net.id>
Source record: 115750

Hello All

Thanks for reading this email

By the way, I'm looking for the second hand of
the Icom IC-PS85 Power Supply in the good
condition and not in high price.

Pse quote me..

73 de Wisnu - YB0AZ - Jakarta Indonesia

2413. Collins 1.5 KC Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: landaircom@aol.com
Message-ID: <19990225192144.26694.00000224@ng134.aol.com>
Source record: 115751

Brand new in original box F455-J15 Filter for the collins 75A-4 $300.00
A collector item. Contact Hal at Land Air Communications

2414. Re: THE 2000 GLITCH

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: methodb@gnt.net
Message-ID: <36d5fba7.4216928@news.gnt.net>
Source record: 115752
Cross-posted to: alt.ham-radio,alt.ham-radio.vhf-uhf,rec.radio.amateur,rec.radio.amateur.equipment

On 23 Feb 1999 00:48:56 GMT, "BD" <n2zso@qsl.net> wrote:

>I UNDERSTAND THAT THERE MAYBE A GLITCH WITH ANY HT THAT WAS PROGRAMED VIA
>COMPUTER... DOES ANYONE HAVE ANY INFORMATION WHETHER THIS WILL EFFECT THE
>MOTOOLA HT-600 & MT-1000...
>
>THANX, 73 DE BILL
>
>
If done with a home computer do not worry about it. There will be no
effect from Y2K problem. Also do not worry about your home system they
will not be affected either.

2415. FT847, Did Yaesu update firmware?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Rob Kling <rkling@home.com>
Message-ID: <36D5EBD0.A32B3FED@home.com>
Source record: 115753

I am asking if Yaesu updated the on-board software(firmware) of the FT847 so that you can poll the radio for its operating state, memories etc.? I would really like to replace my 736R with this radio but I want better firmware.

Rob

2416. HEIL HM-10 DUAL ELEMENT MIC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Jerry <gvibert@optonline.net>
Message-ID: <36D5EA6D.C6F40CA5@optonline.net>
Source record: 115754

I have for sale a Heil HM-10 Microphone Dual Element
comes with original case and cord for Icom radios (blue cord)
Price: $80.00 shipped lower 48 states
thanks for reading

Jerry / K2GV
(516)-785-7313

2417. Re: THE 2000 GLITCH

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Rob Kling <rkling@home.com>
Message-ID: <36D5F373.A760420F@home.com>
Source record: 115755
Cross-posted to: alt.ham-radio,alt.ham-radio.vhf-uhf,rec.radio.amateur,rec.radio.amateur.equipment

You know I heard that if use an HT after year 2000 that the air pressure around the antenna will decrease so rapidly that a vortex will form around the HT and the user would be sucked up into the sky and Chicken Little will run around saying the sky is falling the sky is falling.

Please do not take this personal but I think this Y2K thing is totaly blown out of scale. The media is to blame for creating this scare. I feel that your concerns are legitimate but how does your HT know what time it is? How does your VCR, or your TV, microwave, toaster, coffe maker know what time or century it is in. If it is programmable you simply change the date to one that works. There is more concern for the social infrastructure that depends on accurate dates ie) banks, food chains, air-ports, train stations etc. I mean I would be more concerned that I had power to my house on January 1, 2000 than if my HT is going to work. January 1, 2000 will be just like any other day of the year, the sun will rise and it will set. What goes on in the middle happens to humans not the planet. Of course these are my opinions and the doom-sayers are free to disagree.

Chicken Little

2418. ## What are the VFO frequencies of the AR-8000 and BC-3000 as function of received frequency?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: tinkerman97@usa.net
Message-ID: <F7qL0H.n2H@news2.new-york.net>
Source record: 115756
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.scanner,rec.radio.amateur.equipment

Hello Netfriends,

I want to use one of my scanners (BC-3000XLT and AR-8000) as weak,
general purpose signal generators, exploiting the normally unwanted
phenomena of VFO radiation (both direct and leakage to antenna).
Due to the complex conversion schemes of these radios (up/down
conversion) I'm completely at loss to try to find this out by myself,
as the VFO frequency is no longer +/- IF from the received frequency.
Can someone help me out and provide me with this info?
In addition, does anyone have another idea for a wide range frequency
synthisizer such as described above?
Thank's in advance for any help offered.

Thanks and best regards,
T-man

Note: when Replying, please email me directly in addition
to posting here, so I don't miss any responses. Don't forget to
remove the "97" from my email address inserted as an anti-spam
counter measure...:-)

2419. FS: Motorola MT5000 VHF programable repeater

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: duece6x6@aol.com
Message-ID: <19990225200007.21719.00000366@ng127.aol.com>
Source record: 115757

I have a Motorola MT5000 repeater VHF for sale. It is complete and rack mounted ready to roll. It will work well for Amateur or commercial use. It is fully programmable. It is DES capable. It is in excellent condition.

$3,500.00 will take partial trade on Amatuer HF gear and Handhelds

Steve Duece6x6@aol.com email only please

2420. FS: MSF5000 Motorola VHF repeater

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: duece6x6@aol.com
Message-ID: <19990225204036.14476.00000398@ng-fs1.aol.com>
Source record: 115758

Sorry about the wrong Model #. This is a fully programmable VHF repeater system. From 132 to 174 mhz. Cavities will go 140 to 150 Mhz. 125 watts out. rack mounted and ready to go. DES capable!!!!! great for amatuer use.

$3,500.00 cash or partial trade for Amatuer HF equipment or Handhelds
will deliver in US for $150.00
Email only Steve duece6x6@aol.com

2421. FS: Sinclair VHF cavities

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: duece6x6@aol.com
Message-ID: <19990225204719.14469.00000350@ng-fs1.aol.com>
Source record: 115759

set of Sinclair VHF tuning cavities. 140 to 150 MHz.
$500.00 firm

email only Steve duece6x6@aol.com

2422. HELP - MAXON I/D INFO/PARTS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <WanB2.373$J41.18904@sapphire.mtt.net>
Source record: 115760

Ref:
MAXON portables
Model # CS-0520-HD
UHF 4ch

NEED:
(2) Chargers (Model # ????)
(2)Batts (10.8v Model #CA-1450A)
Prefer USED and working items.

Plse ack price and info via email
schertzer@ns.sympatico.ca

2423. Re: Query: Experience with Kenwood TS50s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: jdouglas@timewave.com
Message-ID: <7b4v9i$7ir$1@news.minn.net>
Source record: 115761

In article <36D5F9A0.AFBC8E88@sympatico.ca>, 71, King, Street, Mississauga, Ontario wrote:
>Can anyone tell me what the reputation is for this rig. I am just
>getting back into hf and would like to know if it is a winner or loser?
>Thanks. de VE3MRX/NV3D
>
>
>
I used the TS-50 for about 2 years, mobile and portable, except for the need
to go into the menu system to turn on the CW narrow filter I was very happy
with the rig

John Douglas
N0ISL
Timewave Technology

2424. WTB Kenwood TS-820

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: ss <ssluz@worldnet.att.net>
Message-ID: <36D602AB.61865734@worldnet.att.net>
Source record: 115762

Looking to buy TS-820 tranceiver.

Steve, NY3A

ssluz@worldnet.att.net

2425. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <7b50rm$9kj@dfw-ixnews6.ix.netcom.com>
Source record: 115763
Cross-posted to:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

In <7b4d42$hq3$1@nnrp1.dejanews.com> clintbrad4d@earthlink.net writes:
>
>In article <7b3nfl$eau@dfw-ixnews6.ix.netcom.com>,
> kc5egg@ix.netcom.com(Gerald Schmitt) wrote:
>
>>>> [A writer complains that he was treated weirdly by RT Systems. The
same >>
>>>> writer mis-states RT Systems' very public stance on legitimate
Upgrades of
>>>> their ADMS software. RT Systems has responded that no one in their
company
>>>> ever told that writer what he now claims in public...
>
>>> So Clint asks: Are you really a legitimate purchaser of their
software? [As
>>> opposed to someone who has "borrowed" a copy of the software from
someone
>>> else.]

The guy said in his original post that he had the level converter and
earlier software. Whereupon you question his honestly and integrity.

>
>>And here comes Gerald "Don't believe ANYTHING Clint has to say"
Schmitt:
>> Clint you truly are a jerk...what a pompus ass you are Clint.
>
>You obviously aren't a small business owner, Gerald. I doubt you have
ever
>successfully marketed anything in your career. No matter.

Actually Clint I have, I have currently own a small business in the
computer field. I make it a policy to not accuse my customers of
dishonesty. I assume that RT Systems also refrains from accusing
their customers of dishonesty. But old Clint will do it.

>
>Why you perceive a problem with someone who just hung up with RT
Systems and
>discussed this very matter and found out the truth is beyond rational
thought.
>

>Work on your inner anger somewhere else, would you please? Your
>anti-Clint rantings are in no way in the true spirit of what Amateur
Radio is
>supposed to be all about.

Oh and I suppose that accusing other amateurs of dishonesty is in the
"true spriit" of Amateur radio.

> In the mean time, I will continue to support those
>firms that treat their public well. And RT Systems treats their valid
customer
>base with respect and excellent products.

Tell me Clint what is a "valid customer" I have 3 different versions of
their product am I valid or not. I have no issue with RT Systems just
you and you stupid chamber of commerce raving. If I were RT Systems I
would tell you to shut up since you try so hard to sound like you
represent them and then insult and accuse their other customers. I must
respectfully disagree with your contention that they treat their
customers well. If you tell the truth about your "free upgrades" and
"free customer service phone numbers" and stop treating people who ask
a legitimate question like criminals then I will lay off of you but
until then ....

>
> - Clint Bradford, KE6LCS
> 909-681-6210 - Office
>
>-----------== Posted via Deja News, The Discussion Network
==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your
Own

2426. For sale dx-300 general coverage receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: itzack@hotmail.com
Message-ID: <7b5550$7kh$1@nnrp1.dejanews.com>
Source record: 115764

I have a realistic dx-300 in top shape with manual and shop manual for sale this unit works very well. 150khz-30mhz, digital readout, opperates on ac/dc power. Works in USB LSB CW and AM modes. Great for SWL. I am asking $140.00.

Itzack@hotmail.com
John Ayres
kc4npd

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2427. FS: MFJ-862 VHF/UHF Meter-$30

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Tony Heatwole <heatwole@shell.clark.net>
Message-ID: <7b52cu$pg8$3@callisto.clark.net>
Source record: 115765

Hello. I have a MFJ-862 144/220/440 cross-needle 300w SWR/Watt meter for sale. New cost is $50 from MFJ. My price is $30. It's in excellent working and excellent cosmetic condition and has very little use on it. Let me know if interested. Here's all of the information on it:

-30w/300w Switch
-Works On 144/220/440 Ham Bands
-Measures SWR And Wattage
-Add A 12v DC Power Cord To Light The Meter
-Includes Original Manual, Box, And Original Packaging

Will trade for a 20 amp or higher DC power supply, any Kenwood HF accessories, or an All Mode (AM/FM/SSB/CW/RTTY) base frequency counter. Or if you have anything else let me know. Thanks for reading.

Nat Heatwole
heatwole@clark.net
KB3CBW, General

2428. Re: FS: MFJ-862 VHF/UHF Meter-$30

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: kg4bia@aol.comdmx
Message-ID: <19990225230824.20407.00000413@ng-fz1.aol.com>
Source record: 115766

I might be interested in your meter. Do you still have it? Thanks.

Mark
KG4BIA

>Hello. I have a MFJ-862 144/220/440 cross-needle 300w SWR/Watt meter for
>sale. New cost is $50 from MFJ. My price is $30. It's in excellent working
>and excellent cosmetic condition and has very little use on it. Let me
>know if interested. Here's all of the information on it:
>

Mark Goods
KG4BIA@aol.com
goods@vaxrb.niehs.nih.gov

2429. FS:KENWOOD 850,YAESU 757,ICOM 706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: n2ht@aol.com
Message-ID: <19990226012107.15315.00000526@ng-fv1.aol.com>
Source record: 115767

Please call Bob kd2i direct for any other info .... @732-929-4264
asking as follows Kenwood 850 asking 900.00 , yaesu 757 asking 450.00
IC706 asking 700.00 thanks gud luck 73 John

2430. FA: ICOM IC-T8A tri-bander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Danny <kd4lyp@webdeals.net>
Message-ID: <36D63C5C.3411@webdeals.net>
Source record: 115768
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Just listed it!
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=71528354
3 days only.....I'm buying a new digital camera and have to sell it to
offset the cost of my new toy!

2431. I returned my VX-5

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: JERRY <jerryrc@POBOX.COM>
Message-ID: <36D61BED.699E27FC@POBOX.COM>
Source record: 115769

I had a VX-5 for one day and returned it. It seems PL decode takes about 3/4- 1second. I spoke to yaesu and this was confirmed by their tech dept. I travlel with a group, mostly hams. Using simplex with PL was imposssible, you miss the first part of each transmission while in ctcss decode.

2432. Need Yaesu FRG-7 Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: Charles McKee - Books <cmbooks@portal.ca>
Message-ID: <36d66cb1.9495175@news.portal.ca>
Source record: 115770

Feb 26, 1999

If anyone has a copy of the manual and schematic for the Yaesu Musen
FRG-7 Communications Receiver.....I would be most greatful and willing
to pay for good quality photo copy.

Just got a nice unit at the local Ham Fest and would like to brush up
on the whole thing.

Thanks in advance.

Charles VE7 CCX

VE7 CCX

CHARLES McKEE - BOOKS "the housedaddy bookman"
1306 - 6th Avenue, New Westminster, B.C. V3M 2C4 Canada

Business Email: cmbooks@portal.ca
WebSite: http://www2.portal.ca/~cmbooks/
Mirror Link: http://members.home.net:80/cmbooks
Mirror Link #2: http://www.abebooks.com/home/housedaddybooks/

Listings also posted on:
The Advanced Book Exchange and BiblioFind book databases.

Specializing in SF&F, Horror, Mystery, Canadiana, Fishing, Astronomy, Humour, etc.
Carrying the full line of Fedogan & Bremer Limited Edition and Terminal Fright
Publications.

CHARLES McKEE
Personal Email: cmbooks@home.com

2433. 23 cm multi-mode equipment?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: masrjmh@radagast.brunel.ac.uk
Message-ID: <7b60chjrn1@mimas.brunel.ac.uk>
Source record: 115771

I'd like to operate on 23 cm, and I am looking for
information on the equipment which might be available.
In particular, I am interested in single-band multi-mode
transceivers. The only reference I could find up to now
was for the ICOM IC-1271, which must have been around
10 or 15 years ago. Are there any other (maybe newer),
but similar rigs, no matter who built them, and where
could I find some technical data?

73 de M0CEF = DL2LFH,
Jan-Martin

2434. FS: Motorola MFS5000 VHF repeater system*DES capable*

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-26 00:00:00 UTC
From: duece6x6@aol.com
Message-ID: <19990226070604.20540.00000521@ng149.aol.com>
Source record: 115772

Complete plug and play Motorola VHF rack mounted repeater system. Programmable
from 132 to 174mhz, cavities will tune 140 to 150. 125 watts out.
in portable rack **********DES capable**********
$3,500.00 will take partial trade on amatuer HF and handheld equipment

Email only Steve duece6x6@aol.com

2435. How is EVE for the VX-5?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: dddavis@mindspring.com
Message-ID: <36d8684f.60860580@news.mindspring.com>
Source record: 115523

I just downloaded EVE version1.20 for programming my VX-5. Any input from those that have used this program? Specifically, are there any dangerous combinations of radio firmware versions and EVE versions that have nasty bugs like wiping out alignment settings, etc? I want to be sure before trying to program my radio with it.

regards, Don

KE4KYO

2436. Want: Instructions for the Hustler G7 VHF antenna

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Sam <sdsnyder@prodigy.net>
Message-ID: <36D86817.CD0@prodigy.net>
Source record: 115524

I just got one of these and it was disembled. I have had hustel antennas before and what I need is the page that has the settings for the sections.

Sam

2437. 2 meter equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Bob Haslett <haslettr@bulkley.net>
Message-ID: <36d8693e@news.vphos.net>
Source record: 115525

The Bulkley Valley Radio Club (Smithers, B.C.) would like to purchase two fairly inexpensive two meter transceivers for repeater use. Any offers can be made to me via e-mail. Bob Haslett - VE7CE "haslettr@bulkley.net

73

2438. FS: HEATHKIT DIP METER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Paul London <ki4xz@peganet.com>
Message-ID: <7b9pa1$7e9@andromeda.peganet.net>
Source record: 115526

FOR SALE IN ORIGINAL CARRYING CASE COMPLETE SOLID STATE DIP METER KIT MODEL #HD-1250 INCLUDING MANUAL.

SPECS: FREQUENCY RANGE 1.6 - 250 MHZ= USES 9V BATTERY= USE TO DETERMINE THE APPROXIMATE RESONANT OR OPERATING FREQUENCY OF EITHER ENERGIZED OR DE-ENERGIZED CIRCUITS=

WILL SELL FOR $50.00 DELIVERED TO YOUR DOOR (USA)

PAUL LONDON 941-637-0179 ki4xz@peganet.com

2439. WTB: 50MHz module for Yaesu FT-736R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: lakki@walrus.megabaud.fi
Message-ID: <7b9qmbfcj1@news.kolumbus.fi>
Source record: 115527
Cross-posted to:
rec.radio.amateur,rec.radio.amateur.misc,rec.radio.amateur.equipment,uk.radio.amateur,rec.ham-radio.swap,rec.ham-radio

```
Wanted!

50MHz (6m) module for Yaesu FT-736R

All offers via email! Also broken modules accepted!

Erik OH2LAK
--
Erik Finskas OH2LAK Email .... lakki@iki.fi
GSM +358-40-500-6800 oh2lak@sral.fi
** Life exists above 30MHz ** WWW .... http://www.iki.fi/lakki/
```

2440. FAQ: Plectron and Motorola Alert Monitor Receivers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: parnass@bell-labs.com
Message-ID: <7b9q14$g9j@ssbunews.ih.lucent.com>
Source record: 115528
Cross-posted to: rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.info

Last changed: February 17, 1999 |

Lines changed since the previous issue are marked with a |
character in the right margin.

Add a Plectron or Motorola Alert
Desktop Monitor Receiver
to Your Scanner Collection

by Bob Parnass, AJ9S

[NOTE: This article may not be reproduced in whole or in part on CDROMS, in bulletin boards, networks, or publications which charge for service without permission of the author. It is posted twice monthly on the USENET groups rec.radio.scanner, alt.radio.scanner, and rec.radio.info. It is also available electronically from the rec.radio.scanner ftp archive on the official USENET FAQ library ftp://rtfm.mit.edu/pub/usenet-by-group/rec.radio.scanner.]

In the 1960s and 1970s, thousands of firemen and ambulance squad members came to rely on their crystal controlled, transistor Plectron and Motorola desktop monitor receivers. They have now been replaced by battery operated portable pagers, and the desktop models are often available at hamfests in the $5 - $25 range. Since many are in rough condition and need repair, a hamfest special is better suited for hobbyists who like to fix their own radios.

Plectron and Motorola crystal controlled receivers are excellent for dedicated monitoring of local frequencies -- a task for which you wouldn't want to tie up your 400 channel programmable scanner. They are desktop models which can be powered from 117VAC or 12VDC with the proper mobile cord. The audio quality of a Plectron P1, Plectron 700 series, and Motorola Alert Monitor is far better than any consumer grade scanner and the sensitivity, image rejection, and intermod immunity is outstanding when aligned properly.

Models and Frequency Coverage

The Plectron and Motorola Alert monitors are single band receivers: VHF-low, VHF-high, or UHF. No single Plectron or Motorola Alert monitor can cover the entire 30-50 MHz

band, so there were versions optimized for each portion of the VHF-low band. There were different versions to cover low and high "splits" in the VHF-high band, too. For example, low band R8000s come in 30 - 35, 35 - 39, 39 - 49, and 49 - 54 MHz versions. There are two VHF high band versions of the 700 and R8000: 148 - 158 and 158 - 175 MHz.

VHF-low band Motorola Alert monitors come in two splits: 30 - 42 and 42 - 54 MHz.

Although UHF versions of the 700 series were made, they are somewhat rare and coverage is limited to 470 MHz and below.

Plectron made several models with dozens of different options. Both the original P1 and later 700 series are suitable for restoration, although I prefer the newer 700 models. The 8000 series were even newer and very desireable, but they are difficult to find at hamfests. The Plectron 500 "economy" series is less desirable.

The P1 series have black cabinets with a blue-green and silver color scheme used on the front panel. They were made in the Chief (tone decoder & carrier squelch), Patrol (carrier squelch only), and Sentry (tone only) models. The Sentry models lack a carrier squelch and therefore are of little use to hobbyists except for scavenging parts. Model number and frequency information appears on a gummed label on the rear panel:

Band (MHz) Chief Patrol Sentry

_____
25-54 R19 R15 R17
148-174 R20 R16 R18
450-470 R23 R21 R22

Table 1. Plectron P1 models

The R700 series have black cabinets with brown front panels and are slightly smaller than the P1 receivers. R700s were made in the Chief (tone decoder & carrier squelch) and Patrol (carrier squelch only) models:

Band (MHz) Chief Patrol

_____
25-54 R719 R715
148-174 R720 R716
450-470 R723 R721

Table 2. Plectron 700 models

The R8000 series are much smaller than the P1 and R700 and are housed in metal cabinets of various colors. The R8000s use the same MC3357 IF/detector/squelch IC used in crystal

scanners, but their crystals are not interchangeable with ordinary scanners. R8000s were made in the Chief (tone decoder & carrier squelch) and Patrol (carrier squelch only) models:

Band (MHz) Chief Patrol

30-54 R8190 R8150
148-174 R8200 R8160

Table 3. Plectron 8000 models

The Plectron FM Receiver/Recorder is a collector's item. It is essentially a 700 series Chief receiver with a built in cassette tape recorder. The recorder is carrier activated and can tape transmissions while the receiver is unattended. A connector on the rear panel allows for all kinds of remote control possibilities.

The tape recorder inside the Receiver/Recorder employs two | rubber belts. The Projector Recorder Belt Company makes | replacement belts which work fine, though they may not be | the original equipment: |

1. PRB SCA8.6 (218 mm) |
2. PRB SCQ 2.5 (64 mm) |

I use two Plectron P1s and four R700s in my living room, seven R700s down the basement, and several Plectrons and Alert Monitors stored in reserve. The basement Plectrons are turned on automatically when someone walks downstairs. Power to them is controlled by a modified Radio Shack Safe House infrared motion detector, originally sold as an intrusion alarm.

When a rescue squad member from Missouri advertised a number of Plectrons on USENET, I bought them -- all 20+ of them. I cleaned, fixed, and restored each one. After recrystalling them on local frequencies, I distributed them to members of my scanner club who were glad to get them.

Crystals

Both brands of receiver require special crystals. I sometimes use Radio Shack's generic 3rd overtone scanner crystals in the Plectrons but they oscillate on frequencies far away from their marked frequencies. That's because the Plectron oscillator is designed to be used with a crystal which oscillates on its fundamental, not overtone, frequency.

The best source for crystals is:

International Crystal Mfg Co.
11 N. Lee Ave
Oklahoma City, OK 73102
tel. 405-236-3741, 800-725-1426

You need not bother with calculating the crystal fundamental frequency. Merely supply International with the exact receiver model number, printed on the rear label, and the frequency you want to monitor. They will perform the necessary calculations.

Crystals for Plectrons

The Plectron P1 series contain two crystals. The second local oscillator crystal is 11.155 MHz regardless of band. On VHF high band (148 - 175 MHz), the P1 series employ this formula for the first local oscillator crystal:

Crystal frequency (MHz)
= (station freq (MHz) + 10.7) / 4

or

Crystal frequency (MHz)
= (station freq (MHz) - 10.7) / 4

On VHF low band (25 - 54 MHz), the P1 series employ this formula for the first local oscillator crystal:

Crystal frequency (MHz) = (station freq (MHz) + 10.7)

or

Crystal frequency (MHz) = (station freq (MHz) - 10.7)

There are two crystals (Y1, Y2) used in the Plectron R700 series, one for each local oscillator. The crystal formulas are:

RF Range (MHz) Y1 (MHz) Y2 (MHz)
_____
25-29 (f+10.7)/3 11.155
29-32.6 (f+10.7)/3 11.155
32.5-35 (f-10.7)/2 10.245
35-41 (f-10.7)/2 11.155
41-47 (f-10.7)/2 11.155 (use 10.245 MHz
for Y2 on 44.62 MHz)
47-54 (f-10.7)/3 11.155
148-158 (f-10.7)/9 11.155
158-175 (f-10.7)/9 10.245
450-470 (f-10.7)/18 11.155

The economy Plectron 500 series use this scheme for the first local oscillator crystal:

RF Range (MHz) Crystal (MHz)

---

25 - 35 (f+10.7)
35 - 54 (f-10.7)
148 - 174 (f-10.7)/4

Most Plectron 500s use an 11.155 MHz second local oscillator crystal. However, a 10.245 MHz crystal is used instead for receivers in these ranges: 33.4 - 33.78, 44.62, and 158.78 - 158.82 MHz.

Power Cords

AC power cords for both types of receivers use unique connectors and are scarce. I published the pinout for both Plectron and Motorola Alert Monitor receivers in June 1998 Monitoring Times magazine.

You can buy the proper replacement power cords but it's much cheaper to drill a hole on the rear panel and solder on a permanent a power cord. Make sure you use a grommet in the hole to prevent the metal chassis from chafing the line cord.

Many Plectrons and Alert Monitors were equipped with an internal NiCd battery pack, intended to power the receiver if the AC power fails. It's unusual to find a used monitor receiver with the NiCd pack still capable of holding a charge. More often, the batteries have died and the series charging resistor has overheated and burned. Be sure to remove the dead batteries as they often leak.

Squelch and Minimum Volume Setting

If you find the squelch on your Plectron 700 series receiver has too much hysteresis, replace R96, a 180K resistor, with a 560K resistor. On the P1, the resistor is designated R81.

Both Plectron and Motorola Alert monitor receivers are designed purposely to have a minimum volume setting which is still audible. The intent was to prevent firemen from turning the volume down completely, forgetting it was down, then missing an important call.

This "feature" was usually implemented by having a fixed value resistor in series between one end of the volume control and ground. In the R15X5, R14X5, R15X5, and R16X5, a 47 ohm resistor, designated R624, was inserted in series with the violet wire leading from the volume control.

You could decrease the lowest volume setting by decreasing the value of this fixed resistor. Alternatively, you could replace the resistor with a jumper wire to completely

silence the receiver at minimum setting of the volume control.

Tone Alert Feature

I have not used the Plectron tone alerting features so I cannot address that except to say that the special coils and capacitors for the dual tone decoders vary depending on the tone frequencies and are somewhat difficult to obtain.

Repair and Replacement Parts

Repair service and replacement parts for the Plectron P1 and R700 models is offered by:

Weber Electronics
PO Box 212
5138 Laurel Ln.
Broad Run, VA 20137
telephone (540) 347-7760
email: weber@citizen.infi.net

You can also obtain Plectron repairs and parts from:

Northeast Communications
4 Oak Ridge Rd
Newfoundland NJ 07435
201-697-8804

Alert Monitor parts are available from Motorola. Phone (800)972-3226.

Plectron SM-series Scanning Receivers

Plectron also sold an SM series of scanners, manufactured in Japan by the same folks who made Craig (division of Pioneer) scanners. The SM series are consumer-grade models and are included in this article for the sake of completeness. They are crystal controlled radios and feature priority scan and a separate trimmer capacitor for each channel to net the crystals on frequency.

Band Frequency Limits

VHF-low 30 - 50
VHF-high 150 - 174
UHF 450 - 470 MHz

Table 4. Plectron SM Model Band Limits

Model UHF VHF-high VHF-low

SM-301 X X X
SM-302 X X

SM-303 X X
SM-304 X X

Table 5. Plectron SM Models

The crystals used in the SM series are quite different from
the crystals used in the conventional single channel
Plectron monitors. Here are the crystal formulas:

VHF low band:
crystal 3rd overtone freq = receive freq + 10.7 MHz

VHF high band:
crystal 3rd overtone freq = (receive freq - 10.7 MHz)/3

UHF band:
crystal 3rd overtone freq = (receive freq - 10.7 MHz) /
10

Other crystal specifications for the SM series are:

CR 25/U holder
3rd overtone
20 pF load capacitance
parallel resonant
max series resistance 40 ohm
max drive 2 mW

Plectron Alternatives

Too bad Plectron is out of business. If you wish to
purchase a new receiver with "Plectron-like" signaling
capabilities, contact Reach Electronics:

Reach Electronics
1311 West Pacific
Lexington, NE 68850
(308) 324-6661
(800) 445-0007
FAX: (308) 324-4985

Reach sells tone & voice pagers, Alert monitors, and
ENCODERS. They also do contract manufacturing.

I currently have no Plectrons or Motorola Alert Monitors
for sale. I'm hoarding them. :-)

--
==========
Copyright 1999, Bob Parnass, AJ9S parnass@bell-labs.com

Locate & identify transmitters in your area with a color RadioMap(tm)

2441. WANTED: RF Probe for a Boonton 92B circuit.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: John Mace <john-mace@well-cottage.freeserve.co.uk>
Message-ID: <7b9qna$u2u$1@news5.svr.pol.co.uk>
Source record: 115529

I've acquired a Boonton 92B RF millivoltmeter without the probe or docs.
Bet I could make one if I had the circuit! Anyone got the info?
Cheers,
John

2442. 900MHz items to trade

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: kovar <kovar@ia.net>
Message-ID: <01be629e$dbd6e100$a2eee6ce@kovar.inav.net>
Source record: 115530

```
--
Jack Kovar
k0var
Iowa
```

2443. Re: ANYONE HAVE A WORKING VX-5R ??????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Francis <ve2fgs@videotron.ca>
Message-ID: <Ko_B2.3158$i32.2110@weber.videotron.net>
Source record: 115531

Do you have a VX-5R ???

clintbrad4d@earthlink.net a crit dans le message
<7b9p56$2mo$1@nnrp1.dejanews.com>...
|In article <ZiVB2.3022$i32.1949@weber.videotron.net>,
| "Francis" <ve2fgs@videotron.ca> wrote:
|> I would like to know if anyone out there have a working VX-5R... All
VX-5R
|> that I tried have that PL decoder that seems to take between 1 to 3
seconds
|> before decoding. Anyone have one that take less than that ???????????
|>
|> I'm working Yaesu hard for this. Please reply via E-Mail.
|
|No reason to "work" Yaesu...just find yourself a knowledgable, honest
dealer.
|
|Current production models of the VX-5R contain the "8C03" coding in
|their serial numbers. This is at least the 3rd production run (8N01 and
8N02
|were previous production runs).
|
|SOURCE: Dale at HRO, Anaheim (whose Manager's significant other is a
|big-wig at Yaesu).
|
| - Clint Bradford
|
|
|
|
|
|----------== Posted via Deja News, The Discussion Network ==----------
|http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2444. Re: Alinco DJ-S11T or 41T, are they worth buying?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: kd7ctr@aol.com
Message-ID: <19990227175746.10460.00000974@ng67.aol.com>
Source record: 115532

Not only did I have the 41T, a good amount of hams I know have them. You can find them at hamfests and on sale for $79. I used the 41 because we have 440 machines linked to 2 meter machines. If you are in a area that has good coverage, and you want a decent HT to throw in your pocket, I would go with it. There are several other HTs that size, but a little more pricey.
73s de KD7CTR

2445. Re: Query: Experience with Kenwood TS50s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: kd7ctr@aol.com
Message-ID: <19990227180041.10460.00000975@ng67.aol.com>
Source record: 115533

Please inform me what makes the TS50S more desireable than the 706MKII. I am in the market to get a 706. QSL pls
73s de KD7CTR

2446. IC746 and TL922 amp ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: dhallr@aol.com
Message-ID: <19990227181534.15197.00001256@ng145.aol.com>
Source record: 115534

My IC746 finally came... will the 746 relay handle the relay circuit on the
TL922 or will I need to install a relay in between them... I have no book on
the TL922 so dont know the voltage/current for the circuit... ?? Any help would
be appreciated..
please email me at KA1W@QSL.NET
thanks and 73
Dave

2447. Wanted: Top cover for TS-130

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: wa5kbq@emaill.com
Message-ID: <36d9812f.35929603@news.flash.net>
Source record: 115535

Does anyone have the top cover for a Kenwood TS-130?
Would consider a destroyed junker for the part.

Larry

2448. Re: Help with diode in wattmeter(URM-120)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: la8ak@online.no
Message-ID: <36d85374.3116357490@news.online.no>
Source record: 115536
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

On Sat, 27 Feb 1999 08:30:18 -0500, Ralph Mowery <rmowery@ibm.net>
wrote:

>There is an artical in the Sept 1996 issue of QST. Page 78.
>
>It states they are special slected 1N21 for operation in the square law area.
>There is a Struthers part number given as an example SS-13154-1-n where the n is
>a digit that identifies the diode to a specific plugin. The artical sujusts
>that if you have a number of the diodes, you can try them and probably find one
>that will work. Test in the range so that 50 mv across the 2 K ohm meter
>movement gives full scale.

is it a 25µA-meter?

>If the diode operates in the square law region at
>this power level and is sensitive for the low power level, it should work.
>
>Probably most of the diodes will work, but will not be accurate.
>
>Guess that you know that you can take the knob off the top and there is a
>seperate adjusting screw for each power range under the cover plate.
>
>nw2m@qsl.net wrote:
>
>> Greetings,
>>
>> I have a Struthers URM-120 wattmeter from the 1960's. I blew one of the
>> diodes in the 2-30MHz slug. :-(The diode has a marking of:
>>
>> ALPHA D4190-A 8703
>>
>> It is about 3/4 of an inch long and looks like a 22 bullet with a point.
>>
>> Are these special diodes, or simply in this form factor to be simply
>> "dropped-in"? I have access to a hobby lathe and can make a plastic "shell"
>> where a conventional diode can be placed inside. Are the diodes typically
>> your off the shelf items, silicon, germanium, schottky, etc?
>>
>> Need help with a direct replacement, or equivalent that I can make into the
>> form factor.
>>
>> Any thoughts or recommendations on diode performance over the HF band
>> (3-30MHz) would also be helpful. Something tells me that a high performance
>> switching diode would work just fine.... as the military stuff is over

>> engineered for good reasons. I will look in the ARRL books to see what they
>> use in their 2-30MHz watt meters.
>>
>> Thanks in advance,
>>
>> Al, NW2M
>>
>> -----------== Posted via Deja News, The Discussion Network ==----------
>> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>

LA8AK@ONLINE.no

2449. WTB: MB-430

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: radiobufff@aol.com.rfi.tvi
Message-ID: <19990227185208.19556.00001353@ng-fr1.aol.com>
Source record: 115537

Need a mobile bracket for a Kenwood HF rig, model TS-430, let me know what you have, Thanks for reading, Mark

Radio in the Bufff
Co-Ed Naked Radio
Support your local Oscillator

Please remove<.rfi.tvi>

http://members.aol.com/radiobufff/index.html

2450. Collins 75A4 Knobs to swap 2/1

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: PAW <73457.650@CompuServe.COM>
Message-ID: <OBO51JrY#GA.319@nih2naaa.prod2.compuserve.com>
Source record: 115538
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

I have some good Power or AVC knobs and need to find the AF & RF
gain control knobs. Will trade 2 for 1. W9JMN@Compuserve.com

--
PAW
(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
http://ourworld.compuserve.com/homepages/w9jmn

2451. WANTED: TRC 55 mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: user@host.co
Message-ID: <user-2702991954420001@t17-20.ra.uc.edu>
Source record: 115539

I got a TRC 55 for free at the last Ohio Hamfest. I was wondering if anyone knows how to get it on the ham bands (10 m). It uses a lot of crystals - crystal synthesis, not PLL. If anyone has some info, please let me know. Also, if anyone knows how those crystal synth rigs work, I have allways wondered.

Please respond via E-Mail
SteveL@fuse.net

thanks in advance!

2452. Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Gary Moscon <glm@cport.com>
Message-ID: <7ba4fjgus1@news0-alterdial.uu.net>
Source record: 115540

I am looking for a manual for an: AEA PK-232 MBX.

Gary ~ KA7GLM
glm@cport.com

2453. Re: IC746 and TL922 amp ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Tom Stack <wq5j@airmail.net>
Message-ID: <4AEC597509291690.CC21664C0EB0DC1D.751F2FEB6B3FF7B9@library-proxy.airnews.net>
Source record: 115541

Dave...strongly suggest relay....the relay in the 746 or any of the late ICOMs will fail with older amps.....FRB7 is the yaesu and I think MFJ makes one as well....money well spent....it's about $80 to replace that relay....tom
DHallr wrote in message <19990227181534.15197.00001256@ng145.aol.com>...
>My IC746 finally came... will the 746 relay handle the relay circuit on the >TL922 or will I need to install a relay in between them... I have no book on
>the TL922 so dont know the voltage/current for the circuit... ?? Any help would
>be appreciated..
>please email me at KA1W@QSL.NET
> thanks and 73
>Dave

2454. FS: MC50 Mike....excellent

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Tom Stack <wq5j@airmail.net>
Message-ID: <1B0F1AE0541CE7A5.ABB6A79BE147FF6F.0FE347C622D1AA49@library-proxy.airnews.net>
Source record: 115542

Have beautiful MC50 with box.....$57.50....help ship....thanks...tom, WQ5J, Weatherford, TX wq5j@airmail.net

2455. Kenwood 241-A mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: JIm Irons <jirons@prodigy.net>
Message-ID: <7ba8tf$7nf0$1@newssvr03-int.news.prodigy.com>
Source record: 115543

I need to know the vr numbers for turning the radio down a little, it's doing about 60 on high and I want to run it into a 3016 Mirage amp. Thanks for any help on this one !!

KG4BJG

Jim

2456. AEA FAX II or III

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: "David E. Shelton" <w4des@iolky.com>
Message-ID: <36d8adad.0@205.238.18.7>
Source record: 115544
Cross-posted to: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.digital.misc

I purchased an AEA FAX II setup at the Cinci Hamfest today and got into reading the manual tonight to discover that I did not have the software that comes with the hardware for it to work. If there is anyone out there that has the software that goes with this please lend a hand and email me a copy. If there is any aftermarket software that anyone knows that will work with the unit please let me know about that, too. I am very interested in giving this a try. I would be interested in any hints that help with its operation that were not to be found in the manual. Thank you very much!

--
tnx es 73,
David, W4DES
w4des@arrl.net
w4des@iolky.com

2457. FS: Dual band duplexer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36D8402D.6552ABB0@ix.netcom.com>
Source record: 115545
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have two 2/440 duplexer, one by Comet, one by Diamond. Both are same size, same specs, perform equally well. Take your pick. $15 each.

****
Duke - NA1A- Direct Line: (310) 649-2226
Ham Radio Website: http://www.qsl.net/na1a
****

2458. Re: GUNN Diodes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Angel Vilaseca <avilaseca@popmail.smis.ch>
Message-ID: <36D839B7.895D8A05@popmail.smis.ch>
Source record: 115546
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

lothina1@my-dejanews.com a ï¿½crit:

> why do you want to deal with Gunn elements ? have you ever considered
> building a DRO utilizing HEMT,S ? its cheaper and much more reliable, i build
> 24GHZ DRO utilizing 1 hemt with 13dBm output power at 5V Supply and the costs
> including PCB are running around 20$.
>
> lothar

Where did you get the parts?
was it a kit?
How did you do the testing?

Angel Vilaseca HB9SLV

2459. Re: ANYONE HAVE A WORKING VX-5R ??????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: "Glenn E. Frasier" <kd5dmg@digitex.net>
Message-ID: <OxdRr#sY#GA.86@upnetnews03>
Source record: 115547

I have a VX-5r with ser # 9c03.... and I still have the problem. It will at least stop scanning on a ctcss memory but like you say it takes 1-3 sec. after it stops to open sq.

--

Glenn E Frasier jr. Kd5dmg
kd5dmg@msn.com
home page http://members.tripod.com/kd5dmg/

Francis <ve2fgs@videotron.ca> wrote in message
news:Ko_B2.3158$i32.2110@weber.videotron.net...
>Do you have a VX-5R ???
>
>
>clintbrad4d@earthlink.net a crit dans le message
><7b9p56$2mo$1@nnrp1.dejanews.com>...
>|In article <ZiVB2.3022$i32.1949@weber.videotron.net>,
>| "Francis" <ve2fgs@videotron.ca> wrote:
>|> I would like to know if anyone out there have a working VX-5R... All
>VX-5R
>|> that I tried have that PL decoder that seems to take between 1 to 3
>seconds
>|> before decoding. Anyone have one that take less than that ???????????
>|>
>|> I'm working Yaesu hard for this. Please reply via E-Mail.
>|
>|No reason to "work" Yaesu...just find yourself a knowledgable, honest
>dealer.
>|
>|Current production models of the VX-5R contain the "8C03" coding in
>|their serial numbers. This is at least the 3rd production run (8N01 and
>8N02
>|were previous production runs).
>|
>|SOURCE: Dale at HRO, Anaheim (whose Manager's significant other is a
>|big-wig at Yaesu).
>|
>| - Clint Bradford
>|
>|
>|
>|

>|
>|----------== Posted via Deja News, The Discussion Network ==----------
>|http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>
>

2460. Re: I returned my VX-5

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Farrenkopf <farrenkopf@sympatico.ca>
Message-ID: <36D8C23F.83E75959@sympatico.ca>
Source record: 115548

I returned mine as well when I found it wouldn't stop scanning on a channel
programmed with PL.

Harold, VA3HF

Greg Ottria wrote:

> Sorry I just read "A friend and I" and I thought you were just simplexing
> with just one person.
>
> --
> Greg Ottria KE6PTP
> Castro Valley California
> Gottria@Inreach.com
> JERRY wrote in message <36D7687A.DD8FC6A9@POBOX.COM>...
> >Greg, not everyone I communicate with has DCS in their radios.
> >
> >Greg Ottria wrote:
> >
> >> Why not just use the DCS feature for simplex use? Better than PL.
> >>
> >> Greg Ottria KE6PTP
> >> Castro Valley California
> >> Gottria@Inreach.com
> >>
> >> Bob W7KWS wrote in message <7b7uap$1ab$1@news-1.news.gte.net>...
> >> >Jerry,
> >> >
> >> >I did the same thing. A friend and I each bought a VX-5 and found the
> >> >radios useless if we were using PL. We returned them to AES. By the
> way,
> >> >AES was great in taking care of us.
> >> >
> >> >We use our hand helds at Dayton every year where PL is mandatory to keep
> >> out
> >> >the intermod. Also, intermod was pretty bad compared to my Standard
> Wide
> >> >Bander. I would guess there was five times as much intermod in the VX-5
> >> >sitting side by side in downtown Las Vegas.
> >> >
> >> >I hope Yaesu solves these problems, because if they do, this is a
> dynamite
> >> >radio. I'd love to have one again if these problems are resolved. 5
> watts
> >> >in such a small package and with the shortwave and 6 meters. Yaesu is

> on
> >> >the right track. Just needs a little more tweeking.
> >> >
> >> >73, Bob
> >> >
> >

2461. WTB: Yaesu FT-1000MP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36D77B38.AEFAA9FF@ix.netcom.com>
Source record: 115573
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Looking for a Yaesu FT-1000MP. Reply with condition and price.
--

****
Ham Radio Website: http://www.qsl.net/na1a
****

2462. SALE - REVISED LIST - DXER'S LIBRARY

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: "Ralph W. Perry" <theperrys@kwom.com>
Message-ID: <w4SB2.48$AO1.246@news20.ispnews.com>
Source record: 115574

RARE AND DESIRABLE, VINTAGE SWBC ITEMS FOR YOUR SHACK!

a.) THE DX EDGE!!! Totally cool 1970s DX tool for determining daylight/darkness terminator's path at any time. Consists of 12 hard clear plastic sheets with terminator drawn, plus a large map plastic guide within which the terminator plastics slide back and forth, depending on month/time. Very effective. Grayline Dxers NEED one of these. $25

b.) QSLER'S DELIGHT: Four books to make you a better verie hunter. "LA Commercials" by Klemetz/Ingelstrong of DSWCI; "Secrets of Successful QSLing" both small and large versions and "QSL Address Book" by Dexter. $32.

1. DXER'S LIBRARY: Some great reading in this lot: "Shortwave Receivers, Past & Present" by Osterman; "Low-Band Dxing" (ham band 160, 80, 40, but some great takeaway knowledge for SWBC Dxers, too); and "1934 Official SW Manual (reprint). $35 for these three bound books, in super condition.

2. STOCKPILE OF PREPARED SPANISH & INDONESIAN QSL CARDS! Here's a stack, about 6 inches high, of multicolored prepared QSL cards in SS and Indo, handy for verifying those out-of-the-way stations. Spanish cards are in the famed "Certificado de Sintonia" format (the originals). Probably more than 600 cards, ready to go. $30 takes 'em all.

3. COMPREHENSIVE FOREIGN LANGUAGE REPORTING GUIDES: Full set, like new, of Tiare's "Language Lab" bound reporting manuals for Spanish (2 copies), French, Indonesia, Portuguese. Each lang guide more than 50 pages long and contains everything needed to send a proper reception report in that language. $25 for 5 books!

4. RARE! 2 INDONESIAN ATLASES: Purchased in Jakarta, invaluable to the Indo Dxer. "Atlas Ganaco" a 9"x14" softcover book, 32 color pages, covering Indonesia by region, plus the world. A solid reference, but the REAL PRIZE, is "Peta Buta", an 8.5x11.5-inch 64-page line drawing style atlas for schools. Shows detailed local political boundaries within Indonesia, including provincial boundaries for all of the country, plus all the teensy RPDK cities. Invaluable to understanding the "Tingkat Dua" (second level) radio stations. $25.

5. DSWCI TROPICAL BAND SURVEYS, 1977-85: Nine years of the famous survey, all here. $20 for all.

6. DX LIBRARY GRAB BAG: "Radio Database Internationall" (Winter/Spring 84) (2 copies); Tiare's "Limited Space Antenna Solutions" and "Clandestine Confidential"; "Time Service Publication" by the U.S. Naval Observatory, covering world's time signal stations; and "So You Bought a Shortwave Radio"

by Gerry Dexter.
$18 for all of this!

7. WORLD RADIO TV HANDBOOKS!!! Complete your collection's gaps now!
 1984 thru 1988 - fine to near mint condition, $12 each
-- 1990 thru 1992 - near mint condition, $11 each

8. "NUMERO UNO" weekly private DX newsletter: Complete 1972-84 run from the heyday of Don Jensen's legendary DX weekly in three fat binders, each jammed with DX news, pioneering reports on rare DX stations, feature articles, controversy, you name it! Full-sized 8.5 x 11 sheets, a stack of paper 9-nches thick, 600 issues. Won't break this up, to be sold as one lot. $225 firm.

9. FINE TUNING: Another mother lode, early issues from late 1970s / early 1980s. Dan Ferguson's private circulation DX every-couple-weekly: issues 1-70, 113-140, 172-239. One fat binder, stuffed! $45.

10. "THE RADIO BOYS SEARCH FOR THE INCA'S TREASURE": 1922 hardbound "Hardy Boys" type of radio fan's novel for kids, super condition. No diehard LA Dxer's shack is complete without this! $40.

11. SOUTH AMERICAN HANDBOOK (2): Classic reference, and the historical stuff doesn't age. Maps and geographic info make this a shack library must-have. Save $20 and buy a used copy! 1983 - $8. 1976 - $6.

12. BROADCASTING STATIONS NS OF THE WORLD (FBIS), I & II, 1974. Nice condition, 500 pgs of data from the US govt's listening posts. $10.

13. REVIEW OF INT'L BCSTG: 1983-84 Issues No. 75-87, $3.

14. GRAB BAG OF RADIO REFERENCE BOOKS: Japan's "BCL"; "DXing According to NASWA"; Radio Amateur's Handbook 1973; The ARRL Antenna Book. Take "em all for only $12

15. DANISH SW CLUB INTL BULLETINS: 3/73 TO 7/80, three fat binders chock full of info. Also, bulletins from the Finnish DX Club, 1967/68/71/72. Only $20 for all of it!

16. VINTAGE FRENDX!!!!!!! A lonnnnnnng run of the monthly publication of the North American Shortwave Association, FRENDX, from Jan 1971 through May 1984! That's 160 issues of nostalgia, news, radio information and feature articles, old names and faces, history of stations, etc. Virtually priceless! ..... but for you, the entire lot goes for $250, just a shade over a lousy buck-fifty an issue. You'll never buy such great reading, so cheaply, again in your life ! (Bonus: a free year of SPEEDX, just for fun.)

17. ANDES FOLKLORICO MUSIC ALBUMS!!!!!!!! For Latin DX specialists: Imported LP albums from Ecuador, Peru, Bolivia, featuring the hauntingly beautiful music from the Andes. Finally, learn the difference between a huayno and a passacalle! Assortments of 3 albums for $20 per lot, or lot of 10 albums for $50. Total of 50 albums available to sell and I will

assemble balanced assortments (HC/OA/CP). Also, these are 20 years old and look to be in tremendous condition, but I can't guarantee that they will all play like new and some warping is probable.

IN ADDITION TO ALL PRICES ABOVE, BUYER PAYS SHIPPING/HANDLING.

Ralph W. Perry
Email: ThePerrys@kwom.com
Or RalphPerry@Yahoo.com

2463. KENWOOD TS-940SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36D7F1BB.3C68B532@bellatlantic.net>
Source record: 115575
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Here's the deal you have been waiting for.

I have for sale a Kenwood TS-940SAT 9 mil serial no.plus. It comes with the following options: SP-940 Speaker, Built in antenna tuner, VS-1 voice synthesizer, YK-88S SSB filter, YK-88A AM filter, YK-88C CW filter, YG-455C-1 CW Xtal filter, Hand Mic, Service Manual,Instruction Manual, and the original box. Asking $ 1000..00 + shipping. Condition is excellent/good.It does have a scratch on the top center front. That is the only flaw. The front of the radio is mint.
Electrically excellent.
Non-smoker.
What more could you ask for in a radio.....
Please e-mail for inquires.
Mike N2OZO

2464. FS 220HT IC-03AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36D7F2F9.71EEB1F8@bellatlantic.net>
Source record: 115576
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale a IC-03AT 220 H.T.
The condition of the unit is excellent/good. It comes with the following
1- IC-03AT 220 H.T.
1- BC-35 Quick Charger
1- BP-5 Battery Pack
1- BP-7 Battery Pack
1- Extra 5/8 wave antenna
Also comes with the manual. I do not have the box..sorry.
I'm asking $200.00 plus shipping....If you are interested please
e-mail for inquires. I will forward my number if required..
Thanks for reading this..Mike

2465. Re: Help with diode in wattmeter(URM-120)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Ralph Mowery <rmowery@ibm.net>
Message-ID: <36D7F36A.8E42085A@ibm.net>
Source record: 115577
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

There is an artical in the Sept 1996 issue of QST. Page 78.

It states they are special slected 1N21 for operation in the square law area. There is a Struthers part number given as an example SS-13154-1-n where the n is a digit that identifies the diode to a specific plugin. The artical sujusts that if you have a number of the diodes, you can try them and probably find one that will work. Test in the range so that 50 mv across the 2 K ohm meter movement gives full scale. If the diode operates in the square law region at this power level and is sensitive for the low power level, it should work.

Probably most of the diodes will work, but will not be accurate.

Guess that you know that you can take the knob off the top and there is a seperate adjusting screw for each power range under the cover plate.

nw2m@qsl.net wrote:

> Greetings,
>
> I have a Struthers URM-120 wattmeter from the 1960's. I blew one of the
> diodes in the 2-30MHz slug. :-(The diode has a marking of:
>
> ALPHA D4190-A 8703
>
> It is about 3/4 of an inch long and looks like a 22 bullet with a point.
>
> Are these special diodes, or simply in this form factor to be simply
> "dropped-in"? I have access to a hobby lathe and can make a plastic "shell"
> where a conventional diode can be placed inside. Are the diodes typically
> your off the shelf items, silicon, germanium, schottky, etc?
>
> Need help with a direct replacement, or equivalent that I can make into the
> form factor.
>
> Any thoughts or recommendations on diode performance over the HF band
> (3-30MHz) would also be helpful. Something tells me that a high performance
> switching diode would work just fine.... as the military stuff is over
> engineered for good reasons. I will look in the ARRL books to see what they
> use in their 2-30MHz watt meters.
>
> Thanks in advance,
>
> Al, NW2M
>
> -----------== Posted via Deja News, The Discussion Network ==----------

> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2466. FS MFJ-948 Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36D7F445.F28F45B2@bellatlantic.net>
Source record: 115578
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale a MFJ-948 antenna tuner. Excellent/Good condition.
Electrically excellent. 300 watt range. It does not have a built-in
dummy load. This is a yellow face unit with a black wrap-around cover.
Non-smoker.
I'm asking $80.00 plus shipping.
If you are interested please e-mail me for inquires.....Mike

2467. Re: Best Price on a VX5 ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: fishbags@aol.com
Message-ID: <19990227085422.14478.00000970@ng-fs1.aol.com>
Source record: 115579

Advanced Specialties in NJ $345
http://home.att.net/~Advancedspec/advanced.htm

2468. Re: Windows 98 Upgrade CDROM For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: justkev@email.com
Message-ID: <36d7f94e.3755726@news.mint.net>
Source record: 115580
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

So she cross posted to an amateur radio newsgroup. At least she isn't spewing inflammatory anti-amateur radio rubbish like someone who will remain nameless (Burp). With as many Hams as there are who are online with their computers, I figure she made an intelligent cross post.

Kevin, N1UYW

On Sat, 27 Feb 1999 06:24:25 -0600, "KD5GEH" <kd5geh@arrl.net> wrote:

>Ya... I access this ng from my house, which has a ham-radio in one room, and
>my house is sitting on dirt, and the dirt's on a planet called Earth and
>cars drive in front of my house, and there's 3 cats in it, and my neighbors
>are retired, and......
>I guess just about everything's appropriate for this ng...
>
>JM <jmul@iland.net> wrote in message news:36D7D3C4.6D39@iland.net...
>>KD5GEH wrote:
>>>
>>> What does this have to do with amateur-radio?...
>>>
>>> >
>>Maybe I'm wrong but aren't you using a computer to access this NG? In
>>case you haven't noticed, Amateur Radio and computers are firmly
>>intwined, and have been for several years. Lighten up.
>
>

2469. Closet Cleanout!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: KB9SCZ <VanT@powernetonline.com>
Message-ID: <JXSB2.933$oe4.144877@homer.alpha.net>
Source record: 115581
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.swap

Here's what I got. No price is set in stone, I'm sure I'm probably off base with some of it :) If I am, I'm sure you'll be more than happy to "inform" me otherwise :)

Computer (most of it): Cyrix P200+, Otto mainboard (specs on request), 3.5 floppy, Enlight Mid-Tower AT 250W case, new ATI Xpert98 3D/2D accelerator card, new 16bit/3D Yamaha 719 sound card, new 3 button mouse. No harddrive, CD-Rom or ram. $400.00

R/S HTX-212 2m mobile (I think most are familiar with this one :) $150.00
TrippLite PR-12 12A Power Supply 9ACont.-12A ICS. Used for above radio. $65.00
Cushcraft AR-2 2m Ringo Vertical antenna, great for attics only 3.9' tall $30.00
Arrow Antenna 2m 3 element beam w/ Magnavox LD rotor. In attic too. $70.00
Yaesu FT-2500M 2m mobile w/ optional CTCSS board. $225.00 Nice radio!
Diamond SG-7500NMO 2m/70cm 3.5/6.0 dB mobile antenna with nmo large magnet mount. $55.00 This antenna rocks!
Bencher BY1 Iambic paddle with MFJ 407C keyer, I purchased both as demos from HRO less than 6 months ago. $65.00 for paddles, $50.00 for keyer or $105.00 for both.
R.L.Drake TV3300LP 1kw filter. $15.00
R/S Digital Sound Level Meter. $40.00 This ones for the audiophiles :)
R/S Gordon West Learning Morse Code cassettes $10.00
R/S Benchtop Digital Multimeter (new from warranty replacement) $75.00 Specs on request.
Lowrance X-65 fishfinder with speed/temp sensor (still shrinkwrapped). $250.00
Oh almost forgot, a 486SX25 (yes pathetic I know) processor only. $15.00 obo

Still digging around so keep an eye out :)

73
Van Tully
KB9SCZ
616&#65533; Madison St.
Little Chute, WI 54140
Telephone # upon request
VanT@powernetonline.com

2470. Re: Standard Radio? Are they gone???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7b946s$hg5$1@nnrp1.dejanews.com>
Source record: 115582

In article <19990226222822.15034.00000869@ng115.aol.com>,
k6kmt@aol.com (K6KMT) wrote:
> > and now their website is not up anymore. WWW.stdradio.com
>
> As of today Friday evening everything is fine... at least the web site. But I
> would like to know whats up with them if anything ... lots of rumors flying...

Why doesn't someone call Roger and see what's up???

- Clint Bradford

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2471. wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: monika@hurontel.on.CA
Message-ID: <199902271519.KAA10959@mail.hurontel.on.ca>
Source record: 115583

If your protocol allows, I would like to post a want: I am looking for a Ten-Tec Omni-5 or 6 and a legal limit amplifier. I am located in Goderich, Ontario Canada. Thanks and 3s' VE3PSR Peter LInke VE3PSR@rac.ca

2472. FS: Motorola P100 UHF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: a1emt@aol.com
Message-ID: <19990227102409.14112.00000947@ng-ca1.aol.com>
Source record: 115584

For Sale:

(1) Motorola P100 UHF portable radio. 6 channel, 4 watt. Excellent physical condition and operating condition. All factory tags intact. Needs new battery, the one on the radio will not hold charge for long.

Includes whip antenna, standard rate desk charger, speaker-mic which is also in excellent condition. Would be a great addition to someone already using P100's and who wants to add another practically new model. $135/ offer.

will e-mail photos to those interested.

Jim

2473. Re: I returned my VX-5

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Greg Ottria <Gottria@inreach.com>
Message-ID: <y9UB2.477$BQ6.2195548@news.inreach.com>
Source record: 115585

Sorry I just read "A friend and I" and I thought you were just simplexing
with just one person.

--
Greg Ottria KE6PTP
Castro Valley California
Gottria@Inreach.com
JERRY wrote in message <36D7687A.DD8FC6A9@POBOX.COM>...
>Greg, not everyone I communicate with has DCS in their radios.
>
>Greg Ottria wrote:
>
>> Why not just use the DCS feature for simplex use? Better than PL.
>>
>> Greg Ottria KE6PTP
>> Castro Valley California
>> Gottria@Inreach.com
>>
>> Bob W7KWS wrote in message <7b7uap$1ab$1@news-1.news.gte.net>...
>> >Jerry,
>> >
>> >I did the same thing. A friend and I each bought a VX-5 and found the
>> >radios useless if we were using PL. We returned them to AES. By the
way,
>> >AES was great in taking care of us.
>> >
>> >We use our hand helds at Dayton every year where PL is mandatory to keep
>> out
>> >the intermod. Also, intermod was pretty bad compared to my Standard
Wide
>> >Bander. I would guess there was five times as much intermod in the VX-5
>> >sitting side by side in downtown Las Vegas.
>> >
>> >I hope Yaesu solves these problems, because if they do, this is a
dynamite
>> >radio. I'd love to have one again if these problems are resolved. 5
watts
>> >in such a small package and with the shortwave and 6 meters. Yaesu is
on
>> >the right track. Just needs a little more tweeking.
>> >
>> >73, Bob
>> >
>

2474. Re: Windows 98 Upgrade CDROM For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: melissaX@Ydimensional.com
Message-ID: <_cUB2.1069$5w.1645@wormhole.dimensional.com>
Source record: 115586
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <7b83il$9e8$1@newnews.startext.net>, "KD5GEH" <kd5geh@arrl.net> wrote:
>What does this have to do with amateur-radio?...

If you use amateur radio with a computer, plenty.

>Melissa <melissaX@Ydimensional.com> wrote in message
>news:ehKB2.1052$5w.1601@wormhole.dimensional.com...
>>I wound up with an extra after upgrading and now have a Windows 98 Upgrade
>>CDROM for sale for $70, I'll even pay postage.
>>
>>Email me if interested, by removing the X & Y spam spoofing in my address.
>>
>
>

And that's just my opinion, I could be wrong. :)

- Melissa <http://www.dimensional.com/~melissa/>

By the way, if anyone's interested in a brand new
Windows 98 upgrade CDROM, in a sealed sleeve with
key, I have an extra and can sell it for $70.
I'll even pay postage. Email me.

Basic personal or small business web page design:
<http://www.dimensional.com/~melissa/webpages.htm>

To email me, remove the spam proofing capital letters on each side of the @
in my email address.

2475. Re: Windows 98 Upgrade CDROM For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: melissaX@Ydimensional.com
Message-ID: <TdUB2.1070$5w.1645@wormhole.dimensional.com>
Source record: 115587
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <7b8njq$g48$1@newnews.startext.net>, "KD5GEH" <kd5geh@arrl.net> wrote:
>Ya... I access this ng from my house, which has a ham-radio in one room, and
>my house is sitting on dirt, and the dirt's on a planet called Earth and
>cars drive in front of my house, and there's 3 cats in it, and my neighbors
>are retired, and......
>I guess just about everything's appropriate for this ng...

Apparently straw men are.

>JM <jmul@iland.net> wrote in message news:36D7D3C4.6D39@iland.net...
>>KD5GEH wrote:
>>>
>>> What does this have to do with amateur-radio?...
>>>
>>> >
>>Maybe I'm wrong but aren't you using a computer to access this NG? In
>>case you haven't noticed, Amateur Radio and computers are firmly
>>intwined, and have been for several years. Lighten up.
>
>

And that's just my opinion, I could be wrong. :)

- Melissa <http://www.dimensional.com/~melissa/>

By the way, if anyone's interested in a brand new
Windows 98 upgrade CDROM, in a sealed sleeve with
key, I have an extra and can sell it for $70.
I'll even pay postage. Email me.

Basic personal or small business web page design:
<http://www.dimensional.com/~melissa/webpages.htm>

To email me, remove the spam proofing capital letters on each side of the @
in my email address.

2476. anti-muting tuning mod for Sony 2010

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <36D80ECB.A2833303@asu.uswest.net>
Source record: 115588

I read somewhere a while back that there is a mod for the Sony 2010 SWL receiver that allows tuning without the receiver muting in between 100 Hz steps. Allegedly, it really improves tuning weak stations and tuning under heavy QRM. Sounds sensible to me. I'd be happy if it just removed the "thumping" between tuning steps and the accompanying flicker of the S-meter and rapid peaking/nulling of the audio.

Can someone point me to a net-based or print source for this mod? I have

the Sony service manual, schematics included, so if someone can guide me to the info I need to perform this mod, or describe even just the general principle (if such things can be safely generalized, hi, hi) I'd

be forever in your debt. Well, OK, for a few hours anyway. . .
--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

2477. Re: Windows 98 Upgrade CDROM For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: melissaX@Ydimensional.com
Message-ID: <hfUB2.1072$5w.1645@wormhole.dimensional.com>
Source record: 115589
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <36d7f94e.3755726@news.mint.net>, justkev@email.com (JustKev) wrote:
>So she cross posted to an amateur radio newsgroup. At least she isn't
>spewing inflammatory anti-amateur radio rubbish like someone who will
>remain nameless (Burp). With as many Hams as there are who are online
>with their computers, I figure she made an intelligent cross post.

It wasn't even much of a cross post, and I figured being I'm a ham too, I
should be able to.

And that's just my opinion, I could be wrong. :)

- Melissa <http://www.dimensional.com/~melissa/>

By the way, if anyone's interested in a brand new
Windows 98 upgrade CDROM, in a sealed sleeve with
key, I have an extra and can sell it for $70.
I'll even pay postage. Email me.

Basic personal or small business web page design:
<http://www.dimensional.com/~melissa/webpages.htm>

To email me, remove the spam proofing capital letters on each side of the @
in my email address.

2478. Need 572b tubes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: bpn518@aol.com
Message-ID: <19990227103431.23497.00000837@ng-fu1.aol.com>
Source record: 115590

Hi Gang,
Recently dropped my sb200 after some conversion to 6m.
Now at least one of the tubes is shorted.
So, if you have any good 572b pulls, or new ones hanging
around extra for you, please give me a reply.
Thanks,
Bennett ko2ok,
in NJ.

2479. FOR SALE Kenwood TH-77a Dual Band Handheld

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Tom <wd5t@stny.lrun.com>
Message-ID: <ibUB2.3901$r7.5024@newsr2.twcny.rr.com>
Source record: 115591

144/440 Mhz, 5+ watts high and 2 watts low power. Excellent condition. Comes with manuals, PB-6, PB-8 low and high power batteries, BC-11 rapid charger, SMC-33 Speaker/Remote control Microphone and a Diamond high gain 144/440 Antenna. $165
Please reply to:
wd5t@stny.lrun.com

2480. FA: LAST DAY Test Gear Mechanical filters Caps and MORE!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Jordan Arndt <jordana@nucleus.com>
Message-ID: <36D8234E.48ED@nucleus.com>
Source record: 115592

Hi I have MANY items ending today... Crystal and Mechanical filters ,
Hammond,Johnson, Cardwell Variable Caps, Collins Audio Transformers,
TEST GEAR GALORE And Much more... to see goto:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=jordana@nucleus.com&sort=3
&since=-1

thanks for your interest and good luck... de Jordan...

2481. Re: Yaesu FT100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990227105848.23497.00000847@ng-fu1.aol.com>
Source record: 115593

I and all the guys in this newgroup would appreciate a review from the first owners of the radio. Hey it is you chance to to be the "Big Man on Campus" tell all about the radio.
I am one of those timid guys who have to wait till i getthe green light from you guys.
73's Tim

2482. Re: mobile antenna for 10m

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: jcm1168@aol.comNOSPAM
Message-ID: <19990227110605.15441.00001644@ng-fi1.aol.com>
Source record: 115594

get yourself a FR limited Penatrator antenna I am sure you will have the radio moded for cb too so you can set it up on 10 meters and it should be broadbanded enuff to cover the cb40 too.

john

Wavelength Radio
www.WavelengthRadio.com
To Email Remove NOSPAM

2483. KD5DEH=FLAME BAIT= ASSHOLE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Hello <billgatez@email.com>
Message-ID: <7b99ba$31f$1@news.inficad.com>
Source record: 115595
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

SHUT UP STOOOOPID!
JM <jmul@iland.net> wrote in message news:36D7D3C4.6D39@iland.net...
>KD5GEH wrote:
>>
>> What does this have to do with amateur-radio?...
>>
>> Melissa <melissaX@Ydimensional.com> wrote in message
>> news:ehKB2.1052$5w.1601@wormhole.dimensional.com...
>> >I wound up with an extra after upgrading and now have a Windows 98
Upgrade
>> >CDROM for sale for $70, I'll even pay postage.
>> >
>> >Email me if interested, by removing the X & Y spam spoofing in my
address.
>> >
>Maybe I'm wrong but aren't you using a computer to access this NG? In
>case you haven't noticed, Amateur Radio and computers are firmly
>intwined, and have been for several years. Lighten up.

2484. Need help on Kenwood TS-530S IF output for SM-220

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Eddie Collins <ecollins@chickasaw.com>
Message-ID: <O4VB2.329$wp.14231@news.goodnet.com>
Source record: 115596
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc

I have a Kenwood TS-530S and a Kenwood SM-220 with the BS-5 unit, I need info on connecting the SM-220 to the TS-530S IF Output. I have a manual for the SM-220 , The manual does not say where to locate the IF output in the TS-530. Has any one used a Kenwood TS-530S and a SM-220?

Thanks De Eddie W5WBB

2485. Re: Query: Experience with Kenwood TS50s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: agassinut@aol.com
Message-ID: <19990227113051.24548.00001091@ng125.aol.com>
Source record: 115597

Traded my TS-850SAT for a TS-50 & AT-50. Wanted to go smaller in the tight space I have for HF equipment, Haven't regretted the swap! Great performer.

Tony - N2XJS

2486. Tecmar & TransEra PC GPIB card software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Gerry Kennedy <gerry@g3ogk.freeserve.co.uk>
Message-ID: <7b97e7$gv1$1@news7.svr.pol.co.uk>
Source record: 115598

I am looking for the software drivers for the TransEra
900 and Tecmar PC-Mate IEEE-488/GPIB cards for
the PC. I have the cards, but no driver software. Please
state your price for the software and thanks in
anticipation.
Gerry G3OGK

2487. ANYONE HAVE A WORKING VX-5R ??????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Francis <ve2fgs@videotron.ca>
Message-ID: <ZiVB2.3022$i32.1949@weber.videotron.net>
Source record: 115599

I would like to know if anyone out there have a working VX-5R... All VX-5R that I tried have that PL decoder that seems to take between 1 to 3 seconds before decoding. Anyone have one that take less than that ??????????

If you have a VX-5R, please send me a E-mail with your comments on this radio.

I'm working Yaesu hard for this. Please reply via E-Mail.

Thanks

_____
Francis VE2FGS
ve2fgs@videotron.ca

2488. Free HAm Magazines - Pick up only

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Tim Cook <timcook@erinet.com>
Message-ID: <7b9adc$7p$1@news.erinet.com>
Source record: 115600

I know this is a long shot, but I thought I would give this a chance before I put them out with the trash. I have several years of QST, 73, CQ, and other misc. Ham Radio magazines that I am clearing out. They are free to anyone who wants to pick them up. I am in the Dayton, Ohio area. I need to clear out some space. Most of the years are 85-95 or so. Please email direct if you are in the area and would like them. I hate to throw them out....
73
Tim
NZ8J

2489. IC-T2A Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Lake Wales Fire Department <lwfire01@digital.net>
Message-ID: <7b9bdl$5a0$1@east43.supernews.com>
Source record: 115601

I desperately need the tx mods for the t2a. Any help would be greatly appreciated.

jerry

2490. IC-T2A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Lake Wales Fire Department <lwfire01@digital.net>
Message-ID: <7b9ca3$6vg$1@east44.supernews.com>
Source record: 115602

Anyone have tx mod for my t2a? would be appreciated.
thanks, lwfd@juno.com

2491. FOR TRADE : MINT SWAN 600T

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: amfone@concentric.net
Message-ID: <7b9gptrpp1@nnrp1.dejanews.com>
Source record: 115603

REALLY MINT SWAN 600T WITH ORIGINAL MANUAL...
FOR TRADE FOR KENWOOD TS50S OR LIKE RADIO...
THANKS
TIM

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2492. FS: Power Design Digital Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: yulius@shay.ecn.purdue.edu
Message-ID: <7b9e2f$23j$1@mozo.cc.purdue.edu>
Source record: 115604

Hello,

I have a Power Design 6010D(digital display) power supply forsale. It is in
excellent working condition. The specifications: 0-60V, 0-1.5A, constant
current/constant voltage mode, digital display, overvoltage crowbar,
remote programming, and remote sensing. I am asking for $80 + UPS shipping.

If you are interested, please send an email to: yulius@ecn.purdue.edu

Best regards,

Aristo
--
****
* Aristo Yulius | Purdue University *
* Internet: yulius@ecn.purdue.edu | West Lafayette, IN 47907, USA *
****

2493. WTB: FT-50rd or ft-50 recording keypad

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: kovar <kovar@ia.net>
Message-ID: <01be6281$2fc51160$23eee6ce@kovar.inav.net>
Source record: 115605

I would like to find a FT-50RD, FT50R, and a "FT12? recording keypad"

Please state condition and price shipped to Iowa.
319-378-9852
kovar@ia.net--
Jack Kovar
k0var
Iowa

2494. FS: Boonton Digital Power Meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: yulius@shay.ecn.purdue.edu
Message-ID: <7b9eab$291$1@mozo.cc.purdue.edu>
Source record: 115606

Hello,

I have a Boonton 4200-S/21 Power Meter forsale. It is in excellent working condition. The specifications are -70 to +30 dBm, 100KHz - 110GHz(sensors dependent). The unit can also be upgraded to 2 channel sensors and IEEE-488. This unit has digital display and rear panel recorder output connector. Included with this unit, a power sensor 4200-6E(100KHz-18GHz, -40 to +30 dBm), power cord, and complete manual. I am asking for $550(shipped).

Picture of the power meter(from tucker.com):

http://expert.cc.purdue.edu/~yulius/boonton.html

If you are interested, please send an email to: yulius@ecn.purdue.edu

Best regards,

Aristo
--
****
* Aristo Yulius | Purdue University *
* Internet: yulius@ecn.purdue.edu | West Lafayette, IN 47907, USA *
****

2495. FS: Tube Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: yulius@shay.ecn.purdue.edu
Message-ID: <7b9ffb$2lp$1@mozo.cc.purdue.edu>
Source record: 115607

Hello,

I have a high voltage tube power supply forsale. This tube power supply uses the UTC S42 power transformer. The 1962 Allied catalog lists it as their highest price power transformer, with the following specs at 115V, 50-60 Hz: 1200/1050@300 ma VCT; Rect. Fil. 5V, 6A; Fil. 1 = 7.5V tapped 6.3V, 3A; Fil. 2 = 6.3V, 3A. Large choke (unknown manufacturer), Gudeman 10 uF/600V oil cap. All on black metal chassis with ceramic tube sockets, umbilical cords, power switch. Picture of the power supply:

http://expert.cc.purdue.edu/~yulius/utc.html

Transformers is guaranteed. Two 5R4G rectifier tubes are tested strong. Otherwise, it is sold as is due to its age. I am asking for $65 + UPS shipping.

If you are interested, please send email to yulius@ecn.purdue.edu.

Best regards,

Aristo Yulius
--
****
* Aristo Yulius | Purdue University *
* Internet: yulius@ecn.purdue.edu | West Lafayette, IN 47907, USA *
****

2496. FS MFJ-948 Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36D84D37.86F5872F@bellatlantic.net>
Source record: 115608
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale a MFJ-948 antenna tuner. Excellent/Good condition.
Electrically excellent. 300 watt range. It does not have a built-in
dummy load. This is a yellow face unit with a black wrap-around cover.
Non-smoker.
I'm asking $80.00 plus shipping.
If you are interested please e-mail me for inquires.....Mike

2497. FS 220HT IC-03AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36D84D54.B3DAD9B3@bellatlantic.net>
Source record: 115609
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale a IC-03AT 220 H.T.
The condition of the unit is excellent/good. It comes with the following
1- IC-03AT 220 H.T.
1- BC-35 Quick Charger
1- BP-5 Battery Pack
1- BP-7 Battery Pack
1- Extra 5/8 wave antenna
Also comes with the manual. I do not have the box..sorry.
I'm asking $200.00 plus shipping....If you are interested please
e-mail for inquires. I will forward my number if required..
Thanks for reading this..Mike

2498. KENWOOD TS-940SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36D84D7C.3D80BB8@bellatlantic.net>
Source record: 115610
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Here's the deal you have been waiting for.

I have for sale a Kenwood TS-940SAT 9 mil serial no.plus. It comes with the following options: SP-940 Speaker, Built in antenna tuner, VS-1 voice synthesizer, YK-88S SSB filter, YK-88A AM filter, YK-88C-1 CW filter, YG-455C-1 CW Xtal filter, Hand Mic, Service Manual,Instruction Manual, and the original box. Asking $ 1000..00 + shipping. Condition is excellent/good.It does have a scratch on the top center front. That is the only flaw. The front of the radio is mint.
Electrically excellent.
Non-smoker.
What more could you ask for in a radio.....
Please e-mail for inquires.
Mike N2OZO

2499. FS Tek Scope

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36D84DCA.A4F02DAA@bellatlantic.net>
Source record: 115611
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Tek 2215 60 Mhz dual trace scope in excellent condition.
Looks and works great....Asking $175.00 plus shipping.
Thanks for reading this....Mike

2500. Re: HEIL HM-10 DUAL ELEMENT MIC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Thomas Quayle <tomquayle@earthlink.net>
Message-ID: <36D84B47.35D79ED2@earthlink.net>
Source record: 115612

Jerry:
If you still have this item, I am interested. I can send a check, wait
for payment to clear before you ship.
Thanks,
Tom - W7ARR - Butte, MT

Jerry wrote:
>
> I have for sale a Heil HM-10 Microphone Dual Element
> comes with original case and cord for Icom radios (blue cord)
> Price: $80.00 shipped lower 48 states
> thanks for reading
>
> Jerry / K2GV
> (516)-785-7313

2501. Motorola SPIRIT SU-42 UHF 4 Watt 2 Channel handhelds

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36D84E05.2581@ix.netcom.com>
Source record: 115613
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have two beautiful Motorola Spirit handhelds.
These radios are new and are long range 4 watt UHF for reliable
communications. They have two channels. 464.500MHz and 454.550MHz
They feature a digital display and 32 PL Tones, Scan control
they come with one standup charger, antennas, batteries and manual/boxes
are included. If you like to see what they look like email me and I'll
send you a jpg.
Thank You, Chris VE3NGW/W4 Florida

2502. Capacitor Analyzer Sprague Model TO-6 For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36D84FA1.7CA4@ix.netcom.com>
Source record: 115614
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I have a Sprague Model TO-6 Capacitor analyzer. It's in excellent
condition and an excellent addition to any bench/shack. $175
73 Chris VE3NGW/W4 Florida

2503. Heath Capacitor Checker for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36D85076.750D@ix.netcom.com>
Source record: 115615
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I have an excellent condition Model IT-28 Capacitor checker.
I want $75 shipped. 73 Chris VE3NGW/W4 Florida 33319

2504. Re: ANYONE HAVE A WORKING VX-5R ??????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7b9p56$2mo$1@nnrp1.dejanews.com>
Source record: 115616

In article <ZiVB2.3022$i32.1949@weber.videotron.net>,
"Francis" <ve2fgs@videotron.ca> wrote:
> I would like to know if anyone out there have a working VX-5R... All VX-5R
> that I tried have that PL decoder that seems to take between 1 to 3 seconds
> before decoding. Anyone have one that take less than that ??????????
>
> I'm working Yaesu hard for this. Please reply via E-Mail.

No reason to "work" Yaesu...just find yourself a knowledgable, honest dealer.

Current production models of the VX-5R contain the "8C03" coding in
their serial numbers. This is at least the 3rd production run (8N01 and 8N02
were previous production runs).

SOURCE: Dale at HRO, Anaheim (whose Manager's significant other is a
big-wig at Yaesu).

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2505. fs yaesu ft-8100r

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Alan Bethel <ke6qis@northcoast.com>
Message-ID: <7b9kgr$qq0$1@remarQ.com>
Source record: 115617

hi the name here is alan and i have a 8100r db mobile for sale.
it is in mint condition and used only for about a hour. xyl says
overkill for her.
its currently listed in hro aes ect for $490. comes with dtmf
mic, box and manual ect.
its a great rig and has super rx and tx capabilitys, 50 watts
out on vhf!! rx to 1.3 ghz.!! 200ch.
$375 which includes shipping con u.s.. e-mail me back
if you are interested as i dont do news groups that often.
thanks. alan ke6qis
ke6qis@northcoast.com

2506. WTB: Kenwood MC-50 Desk Mike

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: ac6zp@aol.comNOSPAM
Message-ID: <19990227160618.12881.00000919@ng-fw1.aol.com>
Source record: 115618

Must be in very good condition...state price...

Please remove the NOSPAM from my email address before replying. Thanks
73...AC6ZP

2507. TS-930SAT desk or hand mike?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: ac6zp@aol.comNOSPAM
Message-ID: <19990227160828.12881.00000920@ng-fw1.aol.com>
Source record: 115619

I just bought this rig and it didn't come with a hand or desk mike. Can anyone tell me what model desk mike and hand mike I should get. I only want genuine Kenwood mike that was designed for this rig...Thanks.

Please remove the NOSPAM from my email address before replying...
Thanks...Steve
73...AC6ZP

2508. Alinco DJ-S11T or 41T, are they worth buying?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: "Dennis J. Ciurej" <dciurej@worldnet.att.net>
Message-ID: <7b9ncu$bh7@bgtnsc03.worldnet.att.net>
Source record: 115620

These suckers are so darn cheap, it's getting real tempting. Any pros or cons?

I've read the QST review, but wonder what the practical experience has been out there.

I'm planning to use them mostly for the FRS equivalent, i.e. use with other hams at hamfests and while travelling to communicate from car to car with other hams (and maybe, just maybe to get my wife interested enough to get a license).

For the above use, I'm betting that the 440 actually might be better than the 2 meter unit.

2509. FS: STANDARD 2 METER HANDHELD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Paul London <ki4xz@peganet.com>
Message-ID: <7b9n6h$65q@andromeda.peganet.net>
Source record: 115621

FOR SALE IN ORIGINAL BOX STANDARD 2 METER C-=156A HANDHELD RADIO WITH=

TWO (2) CBT156 BATTERY CASES WITH NICADS BATTERIES= 12V CIGARETTE LIGHTER POWER CORD= SPEAKER//MICROPHONE W/LAPEL CLIP= CARRYING STRAP= BELT CLIP AND MANUAL=

100 MEMORY CHANNELS + CALL & VFO= RX 135.000-174.000MHZ= TX 144.000-147.995+MHZ (MARS MOD)= STANDARD FREQ. STEPS= SCAN, PAUSE, BUSY & HOLD= STORE ALPHA NUMERIC TITLES, REPEATER OFFSET, ETC= NINE (9) DTMF MEMORIES= THREE (3) POWER LEVELS- L-M-H=

RADIO IS CLEAN AND WORKS PERFECTLY =
WILL SELL FOR $150.00 SHIPPED TO YOUR DOOR (USA)

PAUL LONDON 941-637-0179 ki4xz@peganet.com

2510. FS or TRADE: GAP Titan DX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Ben Flauder <va3bsf@rac.ca>
Message-ID: <%BZB2.442$Lr2.556@198.235.216.4>
Source record: 115622

I have a brand new GAP Titan DX (10-80M) vertical antenna still in the box.
Asking $500 CDN or will trade for nearly new dual or triband 5W handheld
tranceiver.

Ben - VA3BSF
va3bsf@rac.ca
905-773-0304

2511. F.S.VX-5R WITH EXTENDED TX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: pcintron5682@my-dejanews.com
Message-ID: <7b7h37$aa4$1@nnrp1.dejanews.com>
Source record: 115637

SELLING NEW VX-5R FOR $275.00 COMPLETE WITH ORIGINAL BOX AND ACCESSORIES

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2512. Re: Collins 1.5 KC Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: 8877@my-dejanews.com
Message-ID: <7b7j3b$c38$1@nnrp1.dejanews.com>
Source record: 115638

In article <19990225192144.26694.00000224@ng134.aol.com>,
landaircom@aol.com (LandAirCom) wrote:
> Brand new in original box F455-J15 Filter for the collins 75A-4 $300.00
> A collector item. Contact Hal at Land Air Communications

For $300 you should provide the apropriate amound of Vaseline too.
CT

>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2513. WANTED ICOM- TRADE YEASU ****

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: dbbadge@aol.com
Message-ID: <19990226194441.11202.00000705@ng-cc1.aol.com>
Source record: 115639

Wanted ICOM< Kenwood, handheld, or even mobile that has been modded to TX RX 140-160 Mhz. I have for trade a Yaesu FT-50R like new TX-RX about everywhere UHF to 490, VHV from Air to 210 Mhz, Receives air, CELL. Comes with two batteries, charger,manual. Email me with what you have to trade. HAMS from Maryland please do not reply, one of your own, Dennis Weal has already cheated me.

2514. cb equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: davew@wizzards.net
Message-ID: <N.022699.164544.93@davew.wizzards.net>
Source record: 115640

It's been difficult getting an answer to this.

Please don't refer me to a web page as I don't know what I need to begin with.

I want my two cars and home to all be tied in together with cb's so we can all communicate back and forth.

What exactly will I need to accomplish this?

2515. < FS - Ameritron ALS-500M HF Amp >

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: kk4tl@aol.com
Message-ID: <19990226201415.15111.00000628@ng115.aol.com>
Source record: 115641

Ameritron ALS-500M (600 watt) solid state amp for sale. Cosmetically an 8.5+; functionally a 10. Covers 160-15meters. Full output. I have the original manual also. $500.00 shipped and insured CONUS. Details, photo and specs can be viewed at: http://www.ameritron.com/products/ssamps/als500.html

Email if interested. KK4TL@AOL.COM

2516. Trade Kenwood R5000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: amfone@concentric.net
Message-ID: <7b7qnn$i56$1@nnrp1.dejanews.com>
Source record: 115642

Hello Would like to work out a trade a near mint Kenwood R5000 receiver with optional 6kc. am filter and optional voice freq. readout... manual and service manual.. for a Kenwood TS50s or like radio.. thanks tim

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2517. For trade : Kenwood R5000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: amfone@concentric.net
Message-ID: <7b7hem$am0$1@nnrp1.dejanews.com>
Source record: 115643

HAVE A NEAR MINT... KENWOOD R5000 with optional am 6kc filter
and optional voice freq. readout .. with manual and service manual..
Would like to work out a trade for a Kenwood TS50s or like radio..

thanks
73 tim
wb8uhz

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2518. For trade : Kenwood R5000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: amfone@concentric.net
Message-ID: <7b7hg6$am9$1@nnrp1.dejanews.com>
Source record: 115644

HAVE A NEAR MINT... KENWOOD R5000 with optional am 6kc filter
and optional voice freq. readout .. with manual and service manual..
Would like to work out a trade for a Kenwood TS50s or like radio..

thanks
73 tim
wb8uhz

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2519. FS: TS-570s $999

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: jdinkel@mum.edu
Message-ID: <7b7hgbama1@nnrp1.dejanews.com>
Source record: 115645

I have a "like new" TS-570s for sale, hand mic, orig. box, manual, stock $999
will consider trades (HF rigs only). Great radio.

73

John KM4TI

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2520. FS: Yaesu FT-757GX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: xyz <p34901@hotmail.com>
Message-ID: <7b7tq9kha1@nnrp1.dejanews.com>
Source record: 115646

Yaesu FT-757GX in excellent condition for sale... Never used in Mobile and the rig in in very clean condition complete with the original mic and manual.. Asking $500 US shipped.. This rig is 10/10 functionally and 9.5/10 cosmetically.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2521. Help, manual needed Atlas 215

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: k3fh@aol.com
Message-ID: <19990226215111.26585.00000977@ng152.aol.com>
Source record: 115647

A friend of mine needs a manual for an Atlas 215 (I think that's the correct model number). He has a problem connecting a straight key and operating CW. When going into CW mode for tuning-up purposes the rig works ok but his key will not key the rig. He got this rig from a Silent Key a year or 2 back and just upgraded so he would like to find a manual with a schematic. He has no packet or e-mail capability so please respond to my e-mail address or to the newsgroup.

Thanks and 73 de Mike K3FH

2522. Re: Misc. For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Bob <robert@goldtel.net>
Message-ID: <YbJB2.1225$hg7.1184@news7.ispnews.com>
Source record: 115648
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Bob,
Would have an IF-10B for sale by chance?

Bob, K1NOK

robert@goldtel.net

Robert Stuedemann wrote in message <36D721FF.CB0C61A3@netonecom.net>...
>For sale: Kenwood YG455C-1 CW Filter....$100
> Kenwood YK88C-1 CW Filter....$80
> Kenwood YK88A-1 AM Filter....$80
> Kenwood IF-232C Level Translator..$75
> Kenwood VS-1 Voice Synthesizer...$40
> Kenwood AT-130 Antenna Tuner....$115
> Dentron Super Tuner Plus.....$110
>

2523. Re: Standard C228 Manual?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: k6kmt@aol.com
Message-ID: <19990226222419.15034.00000868@ng115.aol.com>
Source record: 115649

John,

I have one! What is it you need? If you need a copy you might check with Standard. If your looking for some one to copy it ..Sorry, won't be me, unless you want to pay for a copy center to do it and then they might have a problem with copyright.

Tom, K6KMT

2524. Re: Standard Radio? Are they gone???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: k6kmt@aol.com
Message-ID: <19990226222822.15034.00000869@ng115.aol.com>
Source record: 115650

> and now their website is not up anymore. WWW.stdradio.com

As of today Friday evening everything is fine... at least the web site. But I would like to know whats up with them if anything ... lots of rumors flying... However, they are still advertising .. thats a good sign. tell us more about the Yaseu thing

tom, K6KMT

2525. VX5 ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: rfdepot@aol.com
Message-ID: <19990226230019.11949.00001595@ng-cg1.aol.com>
Source record: 115651

What is this VX5 I am hearing so much about. I asume it is a yaesu portable?

Thanks,

Ryan
N2YQT
RFDepot
RFDepot@aol.com

2526. Windows 98 Upgrade CDROM For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: melissaX@Ydimensional.com
Message-ID: <ehKB2.1052$5w.1601@wormhole.dimensional.com>
Source record: 115652
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

I wound up with an extra after upgrading and now have a Windows 98 Upgrade CDROM for sale for $70, I'll even pay postage.

Email me if interested, by removing the X & Y spam spoofing in my address.

2527. Re: I returned my VX-5

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Greg Ottria <Gottria@inreach.com>
Message-ID: <pOLB2.450$BQ6.2008369@news.inreach.com>
Source record: 115653

Why not just use the DCS feature for simplex use? Better than PL.

Greg Ottria KE6PTP
Castro Valley California
Gottria@Inreach.com

Bob W7KWS wrote in message <7b7uap$1ab$1@news-1.news.gte.net>...
>Jerry,
>
>I did the same thing. A friend and I each bought a VX-5 and found the
>radios useless if we were using PL. We returned them to AES. By the way,
>AES was great in taking care of us.
>
>We use our hand helds at Dayton every year where PL is mandatory to keep
out
>the intermod. Also, intermod was pretty bad compared to my Standard Wide
>Bander. I would guess there was five times as much intermod in the VX-5
>sitting side by side in downtown Las Vegas.
>
>I hope Yaesu solves these problems, because if they do, this is a dynamite
>radio. I'd love to have one again if these problems are resolved. 5 watts
>in such a small package and with the shortwave and 6 meters. Yaesu is on
>the right track. Just needs a little more tweeking.
>
>73, Bob
>

2528. Re: Best Price on a VX5 ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: N3PZA <billrk@desupernet.net>
Message-ID: <36d78b1f@news.desupernet.net>
Source record: 115654

Try www.denverradio.com

Tom Has the best prices here in the east. VX-5R $349.00 shipping included.

73
Bill
charles copeland wrote in message ...
>Who has prices on VX5 ?
>

2529. RF POWER MODULES 4-SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: sdlogic@hotmail.com
Message-ID: <7b8eev$1b7$1@nnrp1.dejanews.com>
Source record: 115655
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.antenna,sci.electronics.equipment,rec.audio.tech

I have the following popular RF power modules used in Alinco, Kenwood, etc. for sale. I only have a few so please hurry. These are NEW modules that are left over surplus from a project.

QTY AVAILABLE:
(1) Toshiba S-AV28 (140~152MHz, 07W out, 020mW in) list: $40.60 / MINE: $24.36
(3) Toshiba S-AU57 (430~450MHz, 05W out, 020mW in) list: $53.90 / MINE: $32.34
(2) Mits M57726 (140~152MHz, 43W out, 400mW in) list: $64.90 / MINE: $38.94
(2) Mits M57726R (140~152MHz, 43W out, 400mW in) list: $81.55 / MINE: $48.93
(1) Mits M57788M (430~460MHz, 45W out, 400mW in) list: $104.05/ MINE: $62.43
(5) Mits M57788MR (430~460MHz, 45w out, 400mW in) list: $111.75/ MINE: $67.05

NOTE: The TOSHIBA SAV17's are SOLD OUT.

Shipping extra. I can ship FEDEX COD. List prices taken from RF PARTS, CA.
Please email: sdlogic@hotmail.com if interested.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2530. Re: WTB: Heath HA-14 w/PS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Sylvester Samuel Burleigh <sabur@mich.com>
Message-ID: <36D787EE.EB3D9DC6@mich.com>
Source record: 115656
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

I have one if you don't find any out there. I had purchased it 2 yrs ago and only used it in the house a few times and have never had it mobile. It is not mint, but I do have both supplies for it and the manual. I am really not sure of what it may be worth as I really had forgotten about it as i just moved and haven't had a chance to put up an antenna as yet. Maybe you have an Idea of the value??? TNX DE AA8WL

dalien wrote:

> WTB: Heathkit HA-14 Kompact Kilowatt with both power supplies and
> manuals.
>
> -Dave W6OVP

2531. Re: I returned my VX-5

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: JERRY <jerryrc@POBOX.COM>
Message-ID: <36D7687A.DD8FC6A9@POBOX.COM>
Source record: 115657

Greg, not everyone I communicate with has DCS in their radios.

Greg Ottria wrote:

> Why not just use the DCS feature for simplex use? Better than PL.
>
> Greg Ottria KE6PTP
> Castro Valley California
> Gottria@Inreach.com
>
> Bob W7KWS wrote in message <7b7uap$1ab$1@news-1.news.gte.net>...
> >Jerry,
> >
> >I did the same thing. A friend and I each bought a VX-5 and found the
> >radios useless if we were using PL. We returned them to AES. By the way,
> >AES was great in taking care of us.
> >
> >We use our hand helds at Dayton every year where PL is mandatory to keep
> out
> >the intermod. Also, intermod was pretty bad compared to my Standard Wide
> >Bander. I would guess there was five times as much intermod in the VX-5
> >sitting side by side in downtown Las Vegas.
> >
> >I hope Yaesu solves these problems, because if they do, this is a dynamite
> >radio. I'd love to have one again if these problems are resolved. 5 watts
> >in such a small package and with the shortwave and 6 meters. Yaesu is on
> >the right track. Just needs a little more tweeking.
> >
> >73, Bob
> >

2532. Re: Windows 98 Upgrade CDROM For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: KD5GEH <kd5geh@arrl.net>
Message-ID: <7b83il$9e8$1@newnews.startext.net>
Source record: 115658
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

What does this have to do with amateur-radio?...

Melissa <melissaX@Ydimensional.com> wrote in message
news:ehKB2.1052$5w.1601@wormhole.dimensional.com...
>I wound up with an extra after upgrading and now have a Windows 98 Upgrade
>CDROM for sale for $70, I'll even pay postage.
>
>Email me if interested, by removing the X & Y spam spoofing in my address.
>

2533. FA: ICOM tribander IC-T8A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Danny <kd4lyp@webdeals.net>
Message-ID: <36D79C58.1D55@webdeals.net>
Source record: 115659

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=71528354

Icom tribander IC-T8A and extras. Less than 2 days left. I'm selling to buy a new toy.

2534. WTB: Kenwood 741/742 Band Modules

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: "John A. Morley" <endeavor@ultranet.com>
Message-ID: <36D7816A.76CBDE0B@ultranet.com>
Source record: 115660

Hi,

I would like to buy any band modules that you might have for the Kenwood TM-741 and TM-742 tri-band tranceivers..... I am particularly interested in a UT-1200 module, but all will be considered!!! Please contact me at endeavor@ultranet.com.

Best Regards,

John KA1JMF

2535. Re: Query: Experience with Kenwood TS50s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: tom <ab7tu@parg.org>
Message-ID: <36D7A6F0.79DB@parg.org>
Source record: 115661

Menu functions can be assigned to the 4 controll buttons on the mic.
Power, mode, filter, mic gain, etc. Good for CW, nice sidetone and QSK.
Used mine at home and mobile. With the AT-50 tuner it's a wonderfull
package and the prices are right. For a little more money the IC-706 has
many more capabilities. If you don't like menu systems you might not
like the 706. Traded my TS-50 for a TS-940 and kept the 706. I'm talkin
used here. GL

except for the need
> to go into the menu system to turn on the CW narrow filter I was very happy
> with the rig
>
> John Douglas
> N0ISL
> Timewave Technology

2536. Re: cb equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: tom <ab7tu@parg.org>
Message-ID: <36D7A962.5DD4@parg.org>
Source record: 115662

LOTS OF ROPE

> I want my two cars and home to all be tied together

>
> What exactly will I need to accomplish this?

2537. Want CAT program for YEASU FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: Seb <hb9icc@hamradio.ch>
Message-ID: <7b8fp7gme1@news.worldcom.ch>
Source record: 115663

Hi,

I'm looking for a CAT program for the Yeasu FT-847.

Someone know one ??

Thanks in advance.

Best regards,

HB9ICC Seb

2538. Re: 23 cm multi-mode equipment?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: masrjmh@radagast.brunel.ac.uk
Message-ID: <7b8h0s$5i8$1@mimas.brunel.ac.uk>
Source record: 115664

In article <qyeKwHBj8o12EwOM@pacsat.demon.co.uk>, Simon Lewis
<slewis@pacsat.demon.co.uk> writes:

|> ...
|> The 1271 was awful and very unreliable.

Somebody said it were rather deaf, but compared to what?

|>
|> You would be better building or buying something a lot newer. ...

If it comes to buying - what is available? Anything else than
modules for FT-xyz or TS-abc multiband machines?

Is there anything like a rig review for UHF and SHF equipment,
on the web or in printed form?

73, Jan-Martin (M0CEF)

2539. FS: Motorola TDMA Cellular Phone W/HF Kit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: "ST1A55@msn.com" <ST1A55@email.msn.com>
Message-ID: <Od17LwjY#GA.289@upnetnews02.moswest.msn.net>
Source record: 115665
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Motorola M75 Digital Cellular Phone

Unit is New has 99 alpha Number Storage Works with the PCS TDMA System
Comes with 1 High Cap NMiH Battery & 1 Slim Line NICK Cadmium Battery
Wall Charger.
This Phone Has A Built In Rapid Charger.

Also Comes with A Hands Free Kit With will charge the battery
Comes with remote mic to put on your visor and a remote speaker
It also Provides an external antenna connector
Asking $300.00 For all

For more Info On the M75 Click Here
http://www.mot.com/GSS/CSG/Products/TDMA/m75.html

If interested E-mail Me At ST1A55@msn.com Thanks!!

2540. Re: Query: Experience with Kenwood TS50s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: zzdx@aol.com
Message-ID: <19990227054954.15569.00000857@ng111.aol.com>
Source record: 115666

Great, better than a Icom-706, GL

2541. Re: Windows 98 Upgrade CDROM For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: JM <jmul@iland.net>
Message-ID: <36D7D3C4.6D39@iland.net>
Source record: 115667
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

KD5GEH wrote:
>
> What does this have to do with amateur-radio?...
>
> Melissa <melissaX@Ydimensional.com> wrote in message
> news:ehKB2.1052$5w.1601@wormhole.dimensional.com...
> >I wound up with an extra after upgrading and now have a Windows 98 Upgrade
> >CDROM for sale for $70, I'll even pay postage.
> >
> >Email me if interested, by removing the X & Y spam spoofing in my address.
> >
Maybe I'm wrong but aren't you using a computer to access this NG? In
case you haven't noticed, Amateur Radio and computers are firmly
intwined, and have been for several years. Lighten up.

2542. Kenwood TS-50 AM Perf.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: stuffinder@aol.com
Message-ID: <19990227064730.13532.00001359@ng-ch1.aol.com>
Source record: 115668

Just purchased a used TS-50 and am wondering if anybody has any ideas about optimizing or increasing AM XMIT performance?
TIA
Tom Heitzman

2543. Help with diode in wattmeter (URM-120)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: nw2m@qsl.net
Message-ID: <7b8oso$8s0$1@nnrp1.dejanews.com>
Source record: 115669
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.botanchors,rec.radio.amateur.homebrew

Greetings,

I have a Struthers URM-120 wattmeter from the 1960's. I blew one of the diodes in the 2-30MHz slug. :-(The diode has a marking of:

ALPHA D4190-A 8703

It is about 3/4 of an inch long and looks like a 22 bullet with a point.

Are these special diodes, or simply in this form factor to be simply "dropped-in"? I have access to a hobby lathe and can make a plastic "shell" where a conventional diode can be placed inside. Are the diodes typically your off the shelf items, silicon, germanium, schottky, etc?

Need help with a direct replacement, or equivalent that I can make into the form factor.

Any thoughts or recommendations on diode performance over the HF band (3-30MHz) would also be helpful. Something tells me that a high performance switching diode would work just fine.... as the military stuff is over engineered for good reasons. I will look in the ARRL books to see what they use in their 2-30MHz watt meters.

Thanks in advance,

Al, NW2M

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2544. Help with diode in wattmeter(URM-120)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: nw2m@qsl.net
Message-ID: <7b8p1p$8sp$1@nnrp1.dejanews.com>
Source record: 115670
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.botanchors,rec.radio.amateur.homebrew

Greetings,

I have a Struthers URM-120 wattmeter from the 1960's. I blew one of the diodes in the 2-30MHz slug. :-(The diode has a marking of:

ALPHA D4190-A 8703

It is about 3/4 of an inch long and looks like a 22 bullet with a point.

Are these special diodes, or simply in this form factor to be simply "dropped-in"? I have access to a hobby lathe and can make a plastic "shell" where a conventional diode can be placed inside. Are the diodes typically your off the shelf items, silicon, germanium, schottky, etc?

Need help with a direct replacement, or equivalent that I can make into the form factor.

Any thoughts or recommendations on diode performance over the HF band (3-30MHz) would also be helpful. Something tells me that a high performance switching diode would work just fine.... as the military stuff is over engineered for good reasons. I will look in the ARRL books to see what they use in their 2-30MHz watt meters.

Thanks in advance,

Al, NW2M

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2545. Re: Windows 98 Upgrade CDROM For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: KD5GEH <kd5geh@arrl.net>
Message-ID: <7b8njq$g48$1@newnews.startext.net>
Source record: 115671
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Ya... I access this ng from my house, which has a ham-radio in one room, and
my house is sitting on dirt, and the dirt's on a planet called Earth and
cars drive in front of my house, and there's 3 cats in it, and my neighbors
are retired, and......
I guess just about everything's appropriate for this ng...

JM <jmul@iland.net> wrote in message news:36D7D3C4.6D39@iland.net...
>KD5GEH wrote:
>>
>> What does this have to do with amateur-radio?...
>>
>> >
>Maybe I'm wrong but aren't you using a computer to access this NG? In
>case you haven't noticed, Amateur Radio and computers are firmly
>intwined, and have been for several years. Lighten up.

2546. mobile antenna for 10m

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-27 00:00:00 UTC
From: bujiaj8@aol.com
Message-ID: <19990227074500.19874.00000785@ng97.aol.com>
Source record: 115672

I have an RCI 2950 that I am using in a GMC van... I need to purchase a mobile antenna for it. Anybody got a good idea or have one for sale or could tell me where to get a good one. I am new to amateur radio so please don't think any questions I may ask are stupid.....

tnx
bill
kd5fxt

2547. wanted measurements model 59 dip meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Craig <bearl@ozemail.com.au>
Message-ID: <7bas3j$485$1@reader1.reader.news.ozemail.net>
Source record: 115373

I am looking for a working model of the measurments model 59 dip meter.

Thanks
Craig
Vk3HE

2548. tribander (Last Day! E-bay)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Danny <danny@webdeals.net>
Message-ID: <36D8F744.6DF@webdeals.net>
Source record: 115374
Cross-posted to: rec.radio.swap,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

Reserve is almost met.
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=71528354

The Icom IC-T8AHP is a triband handie talkie covering 6m,
2m and 70cm. The radio has a DTMF keypad and a back lit LCD display, and
features extended receive with AM and Wide FM modes, 9 autodial memory
channels
(16 digit), automatic repeater shift, CTCSS tone encode/decode/scan,
DTMF squelch
& paging, 123 memory channels, multiple scanning modes, and more. The
radio is
supplied with a rechargeable NiMH battery pack, plug-in wall charger,
belt clip, wrist
strap, and a rubber duck antenna.....and extras!

2549. Wanted: MOD for Cobra 29LTDST

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Jbeans <bimpy@erols.com>
Message-ID: <7bavkh$re9$1@winter.news.rcn.net>
Source record: 115375

Beam me up Scotty I need more power, are there any mods out there? Also I am looking for a place to by a linear amp 50 watt max I prefer 25 though mobile unit for my truck. Is there such an animal? Just getting into this stuff.

2550. FS: Rohn 45G Rotor Shelf

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: w0hls@aol.com
Message-ID: <19990228052744.17320.00001264@ng110.aol.com>
Source record: 115376

Looks like it fits Ham-M and Ham-II type rotors. Brand new fits Rohn 45G towers, and possibly Rohn with a slight modification/U bolt change.

Anyone interested. I don't have the tower any more.

Rolan in Kansas

2551. Re: Kenwood 241-A mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <36D91DF0.3BA93B47@flash.net>
Source record: 115377

Jim, VR3 is the Dev. Adj and VR-1 is the S-Meter adjustment
inbetween these two are two VR adjusters that are attached to each
other. The one on the left is the Mid Pwr adjustment VR-5. You might be
able to turn up your mid power to 30, if not, try the varriable resistor
next to VR-5 I think that is high power adjustment.

K5JOE

JIm Irons wrote:
>
> I need to know the vr numbers for turning the radio down a little, it's
> doing about 60 on high and I want to run it into a 3016 Mirage amp. Thanks
> for any help on this one !!
>
> KG4BJG
>
> Jim

2552. FS: VHF power amps..20W in for 80W out

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36DA40E3.53CA@ix.netcom.com>
Source record: 115378
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale...

Trilectric model A 2080H VHF power amps..

20W in gives 80W out.. Mobile 12VDC amps.

These are commercial amps, will work down to about 146 Mhz
on the ham band..

Were in service on 153 Mhz..Units are in excellent condition.

$45 each + shipping..

Steve-WA6GSD

2553. FS: Henry VHF power amps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36DA44BC.7EAE@ix.netcom.com>
Source record: 115379
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale...

Henry C130A30 VHF power amps.. 30 W in gives Max out of 130W.
Units are 12 V mobile amps, rated at 50% duty cycle as is, 100%
if fan cooling is provided.

Units are commercial amps with excellent RF filtering.

10 W in gives 20W out, 20W in gives 80W out.. Units can be used
from 135 to 174 Mhz..

Units are FM only.

$90 each, tuned per your requirements.

Trades considered..

Steve-WA6GSD

2554. Bugs (was: Re: I returned my VX-5)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: KJ <kjessup@SPAMSTOP_nconnect.net>
Message-ID: <36d99e7c.0@tornado.tcccom.net>
Source record: 115380

Farrenkopf wrote in message <36D8C23F.83E75959@sympatico.ca>...
>I returned mine as well when I found it wouldn't stop scanning on a channel
>programmed with PL.
>
>Harold, VA3HF

Is it just me or are all new radios these days
prone to more and more bugs? I admit I have
only been in amateur radio since March, 1993,
but almost every new radio toy I purchase these
days has bugs. You have to wait a year until the
product stabilizes.

Amateur radio rigs (and scanners) are now almost
"Microsoft-like" : release the product and let the
customer debug it!

n9sqb
--
Kevin
http://www.nconnect.net/~kjessup
kjessup@_NOSPAM_nconnect.net

2555. Questions about MFJ Tuners

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: compcnsult@aol.com
Message-ID: <19990228165308.26692.00001510@ng134.aol.com>
Source record: 115423

I am thinking about buying a MFJ Tuner. Specifically a 949.

Are these tuners any good. The price seems right. I am only running about 125 watts and want to tune into a long dipole antenna.

Thanks
WD0ASJ
wd0asj@aol.com

2556. For Sale Dosy Watt/SWR Meter Nice!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36dabba8.6745964@netnews.worldnet.att.net>
Source record: 115424

selling a model 4002 Dosy watt meter with SWR
comes with lighted Meter real nice has aux/vert/horz ant inputs...
price is 60.00 plus shipping email me thanks.
so cal..

2557. FA Heathkit Manuals - correction

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <36D9BE55.72F6@sympatico.ca>
Source record: 115425
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Assortment of Heathkit manuals for auciton. All are in nice condition, some have not had the constrcution boxes ticked off. Several Amateur, Audio,Experimental etc..

Heres the URL - I posted these previously, and neglected to include the URL. My apologies.

<http://cgi2.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=ve3rf>

2558. Re: Problems with new Kenwood 2M Mobile mikes??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: shiva649@aol.com
Message-ID: <19990228170957.13620.00001474@ng-fx1.aol.com>
Source record: 115426

I have a Kenwood 742A with the mike you
are describing and after 3 weeks the ptt
button went bad Had to go back for a new one

2559. Drake R8B Sound Enhancement

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Michael <MKlevickis@worldnet.att.net>
Message-ID: <36D9BF5C.7631@worldnet.att.net>
Source record: 115427

I operate a Drake R8B primarily to receive commercial voice transmissions. Although this is a decent radio, the sound quality from the internal speaker leaves something to be desired. I have considered adding either a Grove SP 200-B Sound Enhancer or a JPS or MFJ Digital Signal Processor to improve the sound quality and readability.

Has anyone had any experience with any of these units? I would appreciate suggestions and reasons for choosing one over the other. I have read that some DSP's distort voice transmissions because of a signal processing delay. Is this a problem with either the JPS of MFJ units?

Any comments would be appreciated.

Michael

2560. Re: YAESU 847 CAT PROGRAM

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Gary <catlink@erols.com>
Message-ID: <7bcfdd$75q$1@winter.news.rcn.net>
Source record: 115428

http://www.erols.com/catlink

There you will also find links to FT Manager.

Gary

W2IRL wrote in message <19990228150356.03398.00001759@ng144.aol.com>...
>
>HI MY NAME IS PAT
>I AM LOOKING FOR THE CAT PROGRAME FOR MY FT847
>ANY HELP WOULD BE GREAT
>
> 73 PAT W2IRL

2561. Re: YAESU 847 CAT PROGRAM

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Howard WD6A <hlnurse@cmmsft.com>
Message-ID: <7bcfht$gg9$1@ultra.sonic.net>
Source record: 115429

Pat--

Try FT-Manager. You won't be disappointed, and special
attention has been paid to the FT847. FT-Manager is a fine
piece of work! URL below:

http://ourworld.compuserve.com/homepages/f6dex/

73, Howard WD6a

W2IRL wrote in message <19990228150356.03398.00001759@ng144.aol.com>...
>
>HI MY NAME IS PAT
>I AM LOOKING FOR THE CAT PROGRAME FOR MY FT847
>ANY HELP WOULD BE GREAT
>
> 73 PAT W2IRL

2562. Re: Questions about MFJ Tuners

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: ny4t@home.com
Message-ID: <36dbc859.7328427@news.nash1.tn.home.com>
Source record: 115430

On 28 Feb 1999 21:53:08 GMT, compcnsult@aol.com (CompCnsult) wrote:

>I am thinking about buying a MFJ Tuner. Specifically a 949.
>
>Are these tuners any good. The price seems right. I am only running about 125
>watts and want to tune into a long dipole antenna.
>
>Thanks
>WD0ASJ
>wd0asj@aol.com

Well of course you get what you pay for but I've been very happy with
my 949E. It's not a top of the line tuner by any means but it tunes
my 260' wire loop from 10-80 meters just fine. I would recommend it
without hesitation.

Lee Hall (NY4T)
http://www.qsl.net/ny4t

2563. Re: WTB: Kenwood 741/742 Band Modules

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: radiofreq0@aol.com
Message-ID: <19990228181050.13521.00002270@ng-ch1.aol.com>
Source record: 115431

I'm interested in the ones anyone has two of!
First John then Jeff!
Thanks,
Jeff

2564. Classic Radio Site Announcement

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Anita Bautsch <abautsch@pdq.net>
Message-ID: <BekC2.155$r83.638@news12.ispnews.com>
Source record: 115432

http://members.xoom.com/w5am

Amateur Radio Hall of Fame featuring the Amercian Classics of Amateur Radio

2565. Cables for MOTOROLA radios to R.I.B !!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: fox/mulder@usa.net
Message-ID: <36d9cfbc.684137@news.tel.hr>
Source record: 115433
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Cheap cables for connecting Motorola radios to R.I.B and Computer .!!!

see for yourself ----->>> go to http://members.xoom.com/vr100

2566. FS: NEW Kenwood TM-V7A Dual-Bander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Ager <mickbeth@win.bright.net>
Message-ID: <36D9CF0B.7EF4EA06@win.bright.net>
Source record: 115434
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale a brand new Kenwood TM-V7A 2 m. / 440
tranceiver. This radio has never been powered up. It includes,
of course, the mike, power cord, and mobile bracket. I will ship
it to any US address, insured, for $375. Also, I am giving a 5
day money back guarantee to whoever buys it.

73 de Mike, W9MP
Phone: 715 458-3123

2567. Re: Free HAm Magazines - Pick up only

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Tim Cook <timcook@erinet.com>
Message-ID: <7bcjuo$3gm$1@news.erinet.com>
Source record: 115435

Thanks to all who responded, The magazines have found a good home..

Tim Cook wrote in message <7b9adc$7p$1@news.erinet.com>...
>I know this is a long shot, but I thought I would give this a chance before
>I put them out with the trash. I have several years of QST, 73, CQ, and
>other misc. Ham Radio magazines that I am clearing out. They are free to
>anyone who wants to pick them up. I am in the Dayton, Ohio area. I need to
>clear out some space. Most of the years are 85-95 or so. Please email
direct
>if you are in the area and would like them. I hate to throw them out....
>73
>Tim
>NZ8J
>
>

2568. 2 meter duplexer for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: tshortt@igs.NET
Message-ID: <36D9D445.15EDFC5F@igs.net>
Source record: 115436

I have a Sinclair model Q2330E "Res-Lok" duplexer for sale at $1,000.00 CAD. Please specify what frequency that you wish it tuned to. Thank you.
Terry, at tshortt@phc.igs.net

2569. Programming Cable Kenwood TK-353

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: hammer49@tco.com
Message-ID: <36d9cf3a.15839378@News2.new-york.net>
Source record: 115437

Looking for a Prgramming cable for a TK-353 [Ht],or know how to make one.

2570. Re: ANYONE HAVE A WORKING VX-5R ??????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Francis <ve2fgs@videotron.ca>
Message-ID: <XykC2.482$d96.37@weber.videotron.net>
Source record: 115438

Thanks Larry for your comments

_____
Francis VE2FGS
ve2fgs@videotron.ca

Larry Benko a crit dans le message <36D981E6.D2747FEC@aztek-eng.com>...
|I too have a VX-5R, S/N 8N02--- and side by side tone squelch
|comparisons with my W32A (1 HT held to each ear) show that the
|VX-5R opens the squelch later than the W32A but just by a fraction
|of a second, no where near the 1-3 sec. that some experience.
|General scanning seems to indicate that the VX-5R does stop at
|repeaters with a subaudible tone (and the VX-5R set to tone squelch).
|However if it sometimes did not stop, I'm not sure that I would
|know. I mainly bought the VX-5R to use for foxhunts and the
|all metal case works well when close in. Also being able to tune
|to the other side of the 1st IF (e.g. 146MHz + 2*47.5MHz) with
|about 30 db. of signal attn. again works well. All in all, I like
|the VX-5R but I too wish the tone decoding was a little faster. By
|the way when I got the VX-5R I received several comments about weak
|audio. However after turning up the audio pots. (for all 3 bands)
|this comment has gone away. The pots. are located under the
|sticky label in the battery compartment that covers the temp./
|barometric pressure unit.
|
|Larry Benko, AC0B
|
|
|"Glenn E. Frasier" wrote:
|>
|> I have a VX-5r with ser # 9c03.... and I still have the problem. It will
at
|> least stop scanning on a ctcss memory but like you say it takes 1-3 sec.
|> after it stops to open sq.
|>
|> --
|>
|> Glenn E Frasier jr. Kd5dmg
|> kd5dmg@msn.com
|> home page http://members.tripod.com/kd5dmg/
|>
|> ----------
|> Francis <ve2fgs@videotron.ca> wrote in message
|> news:Ko_B2.3158$i32.2110@weber.videotron.net...

|> >Do you have a VX-5R ???
|> >
|> >
|> >clintbrad4d@earthlink.net a &#65533;crit dans le message
|> ><7b9p56$2mo$1@nnrp1.dejanews.com>...
|> >|In article <ZiVB2.3022$i32.1949@weber.videotron.net>,
|> >| "Francis" <ve2fgs@videotron.ca> wrote:
|> >|> I would like to know if anyone out there have a working VX-5R... All
|> >VX-5R
|> >|> that I tried have that PL decoder that seems to take between 1 to 3
|> >seconds
|> >|> before decoding. Anyone have one that take less than that ???????????
|> >|>
|> >|> I'm working Yaesu hard for this. Please reply via E-Mail.
|> >|
|> >|No reason to "work" Yaesu...just find yourself a knowledgable, honest
|> >dealer.
|> >|
|> >|Current production models of the VX-5R contain the "8C03" coding in
|> >|their serial numbers. This is at least the 3rd production run (8N01 and
|> >8N02
|> >|were previous production runs).
|> >|
|> >|SOURCE: Dale at HRO, Anaheim (whose Manager's significant other is a
|> >|big-wig at Yaesu).
|> >|
|> >| - Clint Bradford
|> >|
|> >|
|> >|
|> >|
|> >|
|> >|----------== Posted via Deja News, The Discussion Network ==----------
|> >|http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
|> >
|> >

2571. FS ICOM 04AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Joe <jjpjjp@onramp.net>
Message-ID: <7bcjrt$i5q$1@news.onramp.net>
Source record: 115439

For Sale ICOM 04AT and Accessories

ebay listing:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=72249966

2572. Tempo One

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Ted Onyshczak <tedezak@bangornews.infi.net>
Message-ID: <7bckk6$j7k$1@nw003t.infi.net>
Source record: 115440

Anybody with experience on Tempo One? Is this a Ten Tec product from the 70's?

de Ted

2573. FS: Yaesu FT-101ZD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: kr4wmNO@SPAMbigfoot.com
Message-ID: <MPG.1143ae8975411e5d9896af@news.infoave.net>
Source record: 115441

In practically mint condition. Has a microscopic ding near the meter, rear panel still shiny as new, covers show normal use, near new. True 9.7 out of 10. Was obtained from a divorce sale, used only a few months when new, has been boxed since. Includes D-104 non-amplified mike in excellent working condition, chrome still good, base was poorly repainted and felt replaced poorly. Will throw in spare set of new 6146W matched final tubes. The ones in it don't need replacing now, but might some day. Have original box and copy of owners manual in binder/folder. $335 plus shipping and overboxing from Myrtle Beach, SC 29577. The original box is cheap chinese cardboard, and won't hold up to the rigors of shipping, so it MUST be overboxed prior to shipment. 73, -Web

WARNING!!!! Remove the letters NO and SPAM from around the @ sign in my e-mail address prior to sending me a reply!!! If you do not do so, you'll get it right back! kr4wmNO@SPAMbigfoot.com

2574. Re: How to make TS930S TX 2-30Mhz ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Tom Repstad <kb1cga@starc.org>
Message-ID: <36D9F03C.EF339D7B@starc.org>
Source record: 115442

Hi Mark,

The mods for the 930 to provide full frequency xmit are in the "mods" archive
on QRZ.COM, it is a relatively
simple fix (one jumper wire to solder in if I remember correctly). That will
get you the WARC and MARS,
18M, 30M, etc.. just be careful not to transmit out of legal bands :)

--Tom
KB1CGA

Mark wrote:

> Does anybody know how I can make my TS930S transmit from 2-30MHz (outside
> bands) ??
> The Kenwood mods did not supply this info.
> tnx in advance!
> '73 Mark, PA3FCD.

2575. Re: TS-930SAT desk or hand mike?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Tom Repstad <kb1cga@starc.org>
Message-ID: <36D9F26D.33F8D6@starc.org>
Source record: 115443

The Kenwood mics that were "designed" for the rig should be in the "options" section in the back of your manual, although any good mic will do. The 930 has a jumper inside to switch between high/low impedance mic's. I used a nice Johnson mic with my 930 as long as I had it and I got great reports. The 930 has excellent audio... so any good mic will do... if you just want to keep it all Kenwood, then the MC-60 is nice :)

--Tom
KB1CGA

AC6ZP wrote:

> I just bought this rig and it didn't come with a hand or desk mike. Can anyone
> tell me what model desk mike and hand mike I should get. I only want genuine
> Kenwood mike that was designed for this rig...Thanks.
>
> Please remove the NOSPAM from my email address before replying...
> Thanks...Steve
> 73...AC6ZP

2576. FS: rack-mount military 2m amp (4CX250B) for conversion

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: kr4wmNO@SPAMbigfoot.com
Message-ID: <MPG.1143bdffe540ace9896b0@news.infoave.net>
Source record: 115444

4CX250B rack-mount military amp for conversion to 2m amateur service. Tuned cavity, tube, metering, power supply. Needs wiring and connection work done by competent RF engineer (all needed info is in ARRL handbook). Don't expect much. $50 plus packing and shipping. This one is probably a picker-upper, as shipping outside South Carolina will likely cost more than what you're paying for the amp! Looks OK, but I don't have the time to put into it. Will be nice when wired and operating. It's not beat all to pieces. Don't ask me any questions about it- for this price, I'm not even going to walk out to my shed to get the model number off of it. Tube is worth more than what I'm selling the amp for (RF Parts catalog-119.95). I guarantee tube to be in working condition- I just tested it in my other VHF amp. Shipping about 75+ lbs. from Myrtle Beach, SC 29577

WARNING!!! Remove NO and SPAM from my e-mail address prior to replying, or your e-mail will bounce!

2577. FS: homebrew 2m amp, rack mountable, 2 times 4-125 glass tubes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: kr4wmNO@SPAMbigfoot.com
Message-ID: <MPG.1143bf275c391b459896b1@news.infoave.net>
Source record: 115445

Needs high voltage supply, otherwise appears all there. Nice homebrew amp, classic aluminum chassis with angle aluminum corner re-inforcement. 1/2 inch copper tubing plate circuit with full neutralization. Bullet-proof construction, all wires sheilded, metering compartment boxed off from rest of amp. Top-notch professional construction. $30 plus shipping and packaging from Myrtle Beach, SC 29577, about 40 pounds. No instructions available.

WARNING!!! Remove NO and SPAM from my e-mail address prior to replying or your e-mail will bounce!!!

2578. Re: FS: NEW Kenwood TM-V7A Dual-Bander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Mike Farmwald <mike@farmwald.com>
Message-ID: <36D9F755.E05BE611@farmwald.com>
Source record: 115446
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I'm interested. Why are you selling?

Mike

Ager wrote:

> I have for sale a brand new Kenwood TM-V7A 2 m. / 440
> tranceiver. This radio has never been powered up. It includes,
> of course, the mike, power cord, and mobile bracket. I will ship
> it to any US address, insured, for $375. Also, I am giving a 5
> day money back guarantee to whoever buys it.
>
> 73 de Mike, W9MP
> Phone: 715 458-3123

2579. Re: Query: Experience with Kenwood TS50s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Dave Schneider <daveschn@net-link.net>
Message-ID: <7bcu7u$a18@news.net-link.net>
Source record: 115447

Anyone looking for a TS-50 and/or AT-50 should take a look at the following auctions on Ebay.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=70803458

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=70803624

Sale ends 3/3.

nw2m@qsl.net wrote in message <7bc2tb$qs7$1@nnrp1.dejanews.com>...
>I like the TS-50 over the IC-706 only because of the Noise Blanker. We took
>a 706 to two Dayton Hamvention trips. We could not get rid of ignition noise
>from my van. With the TS-50 (on our 3rd trip to Dayton) we simply hit the NB
>and the noise was gone. The TS-50 is mine, the 706 belonged to another ham.
>Yes the 706 has more features and bands....
>
>I used shields, caps, and ferrites on igniition wires/coil/cap to reduce the
>ignition from an S7 to an S3. The TS-50 did the rest. Fuel pump noise is
>next...
>
>73,
>
>Al, NW2M
>
>
>------------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2580. Re: Astron RS35M STARTING TO "BUZZ"..help?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: davem@groucho.cs.ubc.ca
Message-ID: <7bd5s1$6qv@groucho.cs.ubc.ca>
Source record: 115448

AB7RU <nospam@worldspam.com> writes:
>My Astron RS35M is starting to make a buzzing or vibrating sound when I
>draw more than a minimum amount of current through it..voltage remains
>stable, it just makes this "vibration-sound" which gets louder as I
>increase the load on it. I suspect the bridge rectifier maybe about
>shot but I wonder if anyone else has had a similiar problem with
>theirs?

It might be something as simple as the case buzzing. I had a supply that
did this once. Under no load, it was quiet. Under full load, there
seemed to be more magnetic leakage from the transformer and this caused
the nearby steel cover to vibrate and buzz. Once I removed the cover,
it was nearly silent again. I eventually found a position for the cover
where, with the mounting screws all tight, it was quiet again.

Dave

2581. Re: 222mhz?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Bob <bdiaz@my-dejanews.com>
Message-ID: <36DA2836.5F3ABCE@my-dejanews.com>
Source record: 115449

Just being able to work the Condor connection is worth the price of
a 220 radio. I have 2 220 radios, so when I travel around
California my older boy, Michael (KF6LJA), and I enjoy being in
touch. I also get a chance to say Hi to several Ham friends of mine
who also have 220 equipment.

Alinco now makes a 220 HT that sells for about $200. It may not
have all the "deluxe" features, but it sure works great.

K6KMT wrote:
>
> In Calif 222 is very popular with the "Condor Connection" state wide linked
> system. Some consider the 222 ham band the most U/VHF interfearance free band.
> Also, there is a new manufacture of ham gear for 222... ADI/Prymme

2582. FS 45 watt Motorola Micor mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Rolly <dx_ing@hotmail.com>
Message-ID: <7bd9sc$as2$1@nuhou.aloha.net>
Source record: 115450
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

I have a 45 watt Motorola Micor converted to a repeater and currently on 444.025rx / 449.025tx. Just resently tune and working great. Asking $100.00 dollars or trade of what you may have preferably vhf/uhf related unit. Please reply to dx_ing@hotmail.com

thanks,
de john

2583. Re: Alinco DJ-S11T or DJ-S41T, are they worth buying?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Bob <bdiaz@my-dejanews.com>
Message-ID: <36DA2BF9.FEEB55BF@my-dejanews.com>
Source record: 115451

I own both the S11T and the S41T. Considering the low cost, $88 in
some places, their great little radios.

DJ-S41T: I do receive a lot of intermod with the unit; other than
that, the radio works great. I own 3 of these units. Both
my sons have their license. On the road, we operate in
simplex mode. But if there's an open repeater within
range, we use it. If we get a clear shot at the repeater,
we can be miles and miles from the repeater and still work
it. Assume flat ground, we can work in simplex mode up
to about 1/2 to 1 mile.

DJ-S11T: This unit does not seem to have the intermod problems that
the DJ-S41T has. I've never tried to see how far I could
take the radio to. However, I know that if I have a clear
shot at the repeater and it's close (within a few miles),
I can hit it without problems.

When I go on business trips, I like to take these radios along.
The small size makes them easy to pack along.

73,

Bob
KQ6WQ

Dennis J. Ciurej wrote:
>
> These suckers are so darn cheap, it's getting real tempting. Any pros or
> cons?
>
> I've read the QST review, but wonder what the practical experience has been
> out there.
>
> I'm planning to use them mostly for the FRS equivalent, i.e. use with other
> hams at hamfests and while travelling to communicate from car to car with
> other hams (and maybe, just maybe to get my wife interested enough to get a
> license).
>
> For the above use, I'm betting that the 440 actually might be better than
> the 2 meter unit.

2584. Re: THE 2000 GLITCH

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Bob <bdiaz@my-dejanews.com>
Message-ID: <36DA2F3A.E206E763@my-dejanews.com>
Source record: 115452
Cross-posted to: alt.ham-radio,alt.ham-radio.vhf-uhf,rec.radio.amateur,rec.radio.amateur.equipment

The ONLY way the year 2000 could cause a problem with your radio is
if it had a real time clock in it and knew the date and time.

Assume that there was such a radio with a Y2K bug, why not lie to the
radio and set its real time clock to the year 1972 or any other year?

BD wrote:
>
> I UNDERSTAND THAT THERE MAYBE A GLITCH WITH ANY HT THAT WAS PROGRAMED VIA
> COMPUTER... DOES ANYONE HAVE ANY INFORMATION WHETHER THIS WILL EFFECT THE
> MOTOOLA HT-600 & MT-1000...
>
> THANX, 73 DE BILL

2585. Amateur Radio Mailing Lists

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: "D." <donotspam@donotspam.com>
Message-ID: <7bdc88$ac6$1@camel18.mindspring.com>
Source record: 115453
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space

```
ArizonaONE Wired & Wireless PUBLIC Mailing Lists
------------------------------------------------

ARCCOMM Forum For Discussion & Announcements Concerning The
Central Arizona Chapter of The American Red Cross
Disaster Communications Committee
(Phoenix, Arizona)

F6FBB-LIST Forum Discussing The Amateur Packet Radio BBS Program
Developed By Jean-Paul Roublatt F6FBB
(Worldwide)

PHXAPRS Forum For Discussion of The Amateur Radio Program APRS
(Phoenix, Arizona)

****

Subscription/deletion requests and other administration requests go to:

listserv@phx-az.com

To subscribe, send the line:

subscribe listname

****

Would you like to add a mailing list? If so, please contact the site
administrator, for further information.
```

2586. Where to Get An RF Module...SC-1318 UHF for IC-2350??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36DA3A90.4B96@ix.netcom.com>
Source record: 115454
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

My Icom IC-2350 has lost it's UHF power module.. Other than Icom, where can these be purchased??

I tried to look it up at Richardson Electronics web site, but they show no cross or record for this part.. There is no manufacturers' name on it either..

Thanks for any help..

Steve-WA6GSD

2587. FS: GE MVS UHF (470-512) mobiles

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36DA3B1D.6982@ix.netcom.com>
Source record: 115455
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi.

I have for sale some GE MVS mobile radios.. They are model NPU-30,
which are 25W, 16 channel, 470-512 Mhz..

Come with mounting bracket and microphone... Programmed and
tuned to your channel/PL requirements.

$95 + shipping.

Thanks for reading

Steve-WA6GSD

2588. Re: Query: Experience with Kenwood TS50s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: radiofreq0@aol.com
Message-ID: <19990227222536.15439.00001863@ng-fi1.aol.com>
Source record: 115456

Where does the FT900CAT fit in this? I am speaking mobile with head detached
and rig set aside.
Please be as detailed as posiible.
Thanks,
Jeff

2589. Want: Terminating wattmeter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: John Burch <occupant@syix.com>
Message-ID: <01be62cd$1479d8e0$b24aabcd@default>
Source record: 115457
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Wanted: Terminating watt meter for VHF & UHF use
up to around 100 watts. High-Low switched ranges
would be nice. Must be in excellent condition.

Please email to occupant@syix.com

Thanks
..

2590. Re: FS: Dual band duplexer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: k6kmt@aol.com
Message-ID: <19990227231108.09616.00001058@ng113.aol.com>
Source record: 115458

I am interested in the Diamond.

Tom, K6KMT

2591. Re: Standard Radio? Are they gone???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: k6kmt@aol.com
Message-ID: <19990227232739.09616.00001064@ng113.aol.com>
Source record: 115459

>Why doesn't someone call Roger and see what's up???

Is Roger still there? I got the impression that he wasn't when the email changed from roger@std.com to sales@std.com. Also, they don't respond to email anymore and Roger was usually pretty good about that. I guess a phone call is in order... if I can remember to do it!

tom, k6kmt

2592. For Sale Henry 3 KW Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36dac770.4443993@netnews.worldnet.att.net>
Source record: 115460

```
Henry 3 KW pep SSB 1500 watts AM pep
Floor Model 220 volt 2esch 500Z tubes
all Manuals Good Cond must pick up in so cal..
Email Mark at N1MF@aol.com
this is a listing for a friend of Mine
price is 1500.00
10-160 meters
```

2593. Re: IC746 and TL922 amp ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Dale Harper <docdc@ix.netcom.com>
Message-ID: <7bahhi$ia@dfw-ixnews6.ix.netcom.com>
Source record: 115461

In article <19990227181534.15197.00001256@ng145.aol.com>,
dhallr@aol.com (DHallr) wrote:

>My IC746 finally came... will the 746 relay handle the relay circuit on the
>TL922 or will I need to install a relay in between them... I have no book on
>the TL922 so dont know the voltage/current for the circuit... ?? Any help would
>be appreciated..
>please email me at KA1W@QSL.NET
> thanks and 73
>Dave

My memory may be flawed here so take this with a grain of salt...but beware your radio if it's
not capable of handling these voltages and current.

Relay---> 120V or 125V
Current may be around 200 mils.

ALC ---> negative 8 volts.

Since you don't have a manual, a couple of caveats...

NEVER tune in the ssb mode...tuning is only to be done in the CW mode.

Kenwood doesn't want you to exceed 650 mils Ip...750 Ip MAX in the CW mode. Plate current should
not exceed 400 Mils on voice peaks in the ssb mode.

Ig should NEVER exceed 200 Mils.

Also, don't use vox with your 746, the amp tends to hot switch and you'll end up replacing the
TR relay in the amp. Also, no QSK unless it has bee modified for it.

Sooo... if you baby this amp, it'll last a long time. It has a few flaws, but you will be very
happy with it as long as you operate it conservatively. I truly like mine and I once thought
about selling it, but I cleared the glue out of the shack and after a few good breaths, decided
to keep it.

I pulled the eimac tubes out and put in the RF graphite tubes. I wanted to save the eimacs. I
found a little more drive needed, but if I drive it with 45 watts or 55 watts, who cares (I usually don't push mine past 800 watts but I only ragchew) . If you need new tubes, don't heasitate to put the RF tubes in.

If you knew all of this stuff already, I apologize for the bandwidth and hope you have a great
time with the 746.

73 and good luck with the new radio
Dale
KC8FAQ

2594. Re: IC746 and TL922 amp ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Dale Harper <docdc@ix.netcom.com>
Message-ID: <7bai41$kgr@dfw-ixnews12.ix.netcom.com>
Source record: 115462

Sometimes I just don't have the thinking cap on. If you want, I can xerox a manual for you and the
service manual and send them for the 922 if you want, send me e-mail and I'll be glad to do that.

73
Dale
KC8FAQ

2595. Wanted Icom UX-97 or UX-98 modules for IC-970A/H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: jleikhim@nettally.com
Message-ID: <36d8c937.7602395@news2.nettally.com>
Source record: 115463
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.space

Wanted Icom UX-97 or UX-98 modules for IC-970A/H. I am located in
North Florida. Respond via e-mail please with price, condition and
your phone number. Cash waiting.
Joe Leikhim K4SAT (EX KE4TZH)
Jleikhim@nettally.com

"tv dinner by the pool,
i'm so glad i finished school" -F.Zappa 1967

"The Revolution will NOT be televised" -Gil Scott Heron

2596. Trade: Digital Cell phone for 440 module for 767

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: n8ppz73@aol.com
Message-ID: <19990228003545.25029.00001451@ng13.aol.com>
Source record: 115464

Howdy's:

I have a Motorolla digital cell phone which was hardly used. If anyone has a 440 module for the Yaesu FT-767 and would have use for one, please let me know.

The phone can be seen at http://www.qsl.net/n8ppz/phone.jpg

It is a Micro Tac 3000 select digial PCS phone. has caller ID, and paging functions (text recieve) as well.

was used on a powertell network in FL until I moved back to OH.

Thanks,

Grego

2597. Re: mobile antenna for 10m

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: jwbest@earthlink.net
Message-ID: <36dccf14.422377702@news.earthlink.net>
Source record: 115465

On 27 Feb 1999 12:45:00 GMT, bujiaj8@aol.com (BUJIAJ8) wrote:
I've made a lot of contacts with a Larsen mag mount on the roof
of the Expedition. If length isn't a problem there are the ham sticks
and then you could always cut a CB 102" whip down. Lots of
options out there. With CB being so close and cheap you can
afford to experiment.

Gud Luck
Jim

>I have an RCI 2950 that I am using in a GMC van... I need to purchase a mobile
>antenna for it. Anybody got a good idea or have one for sale or could tell me
>where to get a good one. I am new to amateur radio so please don't think any
>questions I may ask are stupid.....
>
>tnx
>bill
>kd5fxt

2598. WTB: Icom antenna tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: jwbest@earthlink.net
Message-ID: <36dbcd06.421852144@news.earthlink.net>
Source record: 115466
Cross-posted to: rec.radio.swap;,rec.radio.amateur.equipment

Looking for AT180 antenna tuner or the AH3 remote tuner
by Icom.

Thanks
jwbest@earthlink.net

2599. ICOM IC-707 MICS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: "MIKE (707)" <cobra2@gisco.net>
Message-ID: <36d8d988.0@news.gisco.net>
Source record: 115467

WHAT'S BETTER:
1. SHURE 526T "SUPERPUNCH"
2. HEIL MODEL HMP (THRU-LINE)
3. ASTATIC D104 10DA-L
IM LOOKING FOR STRONG AUDIO ON S.S.B.

2600. Re: KD5DEH=FLAME BAIT= ASSHOLE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: KD5GEH <kd5geh@arrl.net>
Message-ID: <7bamuajmk1@newnews.startext.net>
Source record: 115468
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

I've already contacted Inficad about a little call I made to my
legal-advisor, Mr. Gatez...

PS. I'm sure you know who inficad is. I'm just so convinced that your
billgatez@email.com address is for real, but.......
Think headers, dude.. Think headers.. The internet, for the average user,
isn't the best place in the world to try hiding your identity...

Hello <billgatez@email.com> wrote in message
news:7b99ba$31f$1@news.inficad.com...
>SHUT UP STOOOOPID!
>JM <jmul@iland.net> wrote in message news:36D7D3C4.6D39@iland.net...
>>KD5GEH wrote:
>>>
>>> What does this have to do with amateur-radio?...

2601. Re: If money were (nearly) no object...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: efricha@alumni.cs.colorado.edu
Message-ID: <36d8e2fa.44371552@news>
Source record: 115469
Cross-posted to: rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

ke4zv@bellsouth.net (Gary Coffman) wrote:

> On Thu, 25 Feb 1999 14:49:09 GMT, efricha@alumni.cs.colorado.edu (Eric F. Richards) wrote:
> >Our organization is planning on purchasing an all-mode VHF/UHF
> >receiver/scanner. If the constraining factors were that
> >
> > - It has to be US legal
> > - Price must be under $3000
> >
> >What would you get? ICOM R-8500? AOR AR-5000+3? Something else?
>
> Something else, preferably something else that says Rohde & Schwarz
> or Watkins-Johnson on the front panel.

Hi, Gary,

Don't get me wrong -- I appreciate your response and respect your knowledge you display in r.r.a.e, but I could use specifics. I've only had one other response, endorsing the 8500. I happen to like it, too, but it's an excellent consumer grade piece of gear.

I wouldn't even know where to _look_ for W-J equipment (other than the HF1000, which isn't what I need!) or R&S. Who do I contact? Do you know dealers that will do single-unit sales? What models? Given the current regulatory environment -- H. R. 514 passed the House -- I need to move pretty quickly while such equipment is still legal in the U. S.

Thanks again,

Eric

> Gary
> Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
> 534 Shannon Way | We break it |
> Lawrenceville, GA | Guaranteed |

2602. Want: Cushman CE-6(A) mainframe of carcass

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: John Burch <occupant@syix.com>
Message-ID: <01be62e6$67a4b440$b24aabcd@default>
Source record: 115470
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Mine has died, please e-mail me with what you have available.
Need not be working.

Thanks

John
occupant@syix.com
....

2603. Re: Kenwood 241-A mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: jhask80868@aol.com
Message-ID: <19990228015812.17317.00001363@ng110.aol.com>
Source record: 115471

Hi Jim......

The radio runs 5, 15, and 50 watts....hope that helps.....I have one and love it.

Jim
Jim Haskell

2604. Re: AEA FAX II or III

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: "David E. Shelton" <w4des@iolky.com>
Message-ID: <36d8ec68.0@205.238.18.7>
Source record: 115472
Cross-posted to: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.digital.misc

Thanks to all that replied, I surely appreciate your help.
73,
David, W4DES

David E. Shelton <w4des@iolky.com> wrote in message news:...
>I purchased an AEA FAX II setup at the Cinci Hamfest today and got into
>reading the manual tonight to discover that I did not have the software
that
>comes with the hardware for it to work. If there is anyone out there that
>has the software that goes with this please lend a hand and email me a
copy.
>If there is any aftermarket software that anyone knows that will work with
>the unit please let me know about that, too. I am very interested in giving
>this a try. I would be interested in any hints that help with its operation
>that were not to be found in the manual. Thank you very much!
>
>--
>tnx es 73,
>David, W4DES
>w4des@arrl.net
>w4des@iolky.com
>
>

2605. FS:VIKING 1KW Matchbox

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: MindSpring User <blyall@mindspring.com>
Message-ID: <7bbkqvipo1@samsara0.mindspring.com>
Source record: 115473

For Sale: Johnson Viking 1KW Matchbox, with coupler. Good Condition. $275
+ shipping. Reply to blyall@mindspring.com .

2606. Re: Problems with new Kenwood 2M Mobile mikes??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: "Michael I. Andrews, Sr." <mandrews@richmond.infi.net>
Message-ID: <36D95DBB.46E6C1A6@richmond.infi.net>
Source record: 115474

Lee Hall wrote:

> I was wondering if anyone was having problems with the large backlit
> mikes now featured on Kenwood 2M and dual-band mobiles, particularly
> the TM-261A. I have heard of about a dozen cases around here but
> Kenwood doesn't admit there is a problem. The mikes have a tendency
> to intermittently unkey or not key up at all. Please post here if you
> are having the same problem. Several of these folks locally are
> highly steamed at Kenwood and wanted me to put out this query on the
> NG. BTW, I have a late '80's vintage TM221A and it works just fine.
> Think I'll keep it.
>
> 73,
> Lee Hall
> http://www.qsl.net/ny4t

I purchased a TM-261A on 1/26/99. No problems with the mic.....yet!

2607. Re: Icom 2100-H #@!%*!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: kd7ctr@aol.com
Message-ID: <19990228102611.13176.00001213@ng-cr1.aol.com>
Source record: 115475

I am sorry to hear that you have bad experiences with the IC-2100H. I have 2 of them. One in each car. They have been reliable and full quality for the 6 months I have owned them. What exactly were they doing that dissatisfied you? I am curious. All I use mine for is repeater/simplex use, and every once in a while using a autopatch. Nothing special. QSL
73s de KD7CTR

2608. Astron RS35M STARTING TO "BUZZ"..help?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: AB7RU <nospam@worldspam.com>
Message-ID: <nospam-28021999074205030 9@51.spokane-08-09rs16rt.wa.dial-access.att.net>
Source record: 115476

My Astron RS35M is starting to make a buzzing or vibrating sound when I draw more than a minimum amount of current through it..voltage remains stable, it just makes this "vibration-sound" which gets louder as I increase the load on it. I suspect the bridge rectifier maybe about shot but I wonder if anyone else has had a similiar problem with theirs?
Thanks...Mike

2609. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <7bbo7j$ati@sjx-ixn9.ix.netcom.com>
Source record: 115477
Cross-posted to:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

In <7b6kdofqh1@nnrp1.dejanews.com> clintbrad4d@earthlink.net writes:
>
>In article <7b69jl$8sa@dfw-ixnews11.ix.netcom.com>,
> kc5egg@ix.netcom.com(Gerald Schmitt) wrote:
>
>> Yes you twit I did purchase all of them.
>> ...[RT Systems] happily sold me an upgrade without any idea who I
was.
>
>Wow...yet another case of RT Systems caring for their customers.You
didn't
>even follow the basic rules (sending in the Registration Card) yet
they
>treated you like you did.

They did no such thing. I walked up to their table at a hamfest and exchanged Federal Reserve Notes for a small cardboard box that contained: a diskette and a 2 to 3 converter. The software is the entire new version because this is how they do it. They gave me no special or wonderful service in fact sold me yet another adapter that I did not want or need. Their copy protection is a nightmare the only thing worse is how they treat recent customers when a new version comes out.

>
>Thank you for your input.
>
> - Clint Bradford
>
>-----------== Posted via Deja News, The Discussion Network
==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your
Own

2610. Re: Astron RS35M STARTING TO "BUZZ"..help?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Tim Randa <randas@mindspring.com>
Message-ID: <7bbopagur1@camel15.mindspring.com>
Source record: 115478

Look at the mounting of the transformer..Astron is known for this noise.
Some guys have had to rubber mount the transformer to get rid of the
noise(of course make sure to reconnect some sort of "good" ground, but
usually just a good twist of a screw driver will take care of most of the
noise..also putting the supply on a towel will cut the vibration noise some
what.

Good Luck de Tim K0FL

AB7RU wrote in message ...
>My Astron RS35M is starting to make a buzzing or vibrating sound when I
>draw more than a minimum amount of current through it..voltage remains
>stable, it just makes this "vibration-sound" which gets louder as I
>increase the load on it. I suspect the bridge rectifier maybe about
>shot but I wonder if anyone else has had a similiar problem with
>theirs?
>Thanks...Mike

2611. WTB: Galaxy Duo-Bander 6 and 2 Meter xcvr

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Edward Plotzker <edplotzker@pol.net>
Message-ID: <36D9591F.7C7FF6D9@pol.net>
Source record: 115479
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ham-radio.marketplace,rec.radio.swap,rec.radio.shortwave,alt.ham-radio,alt.ham-radio.vhf-uhf,rec.ham-radio,rec.radio.amateur

I am looking for a Galaxy Duo-bander 6/2 mtr xcvr. They were made around 1966. If you can assist me please let me know. -- Ed edplotzker@pol.net

2612. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <7bbooe$gm7@sjx-ixn8.ix.netcom.com>
Source record: 115480

In <36D6E68F.FFE1783D@cs.tamu.edu> "Kurt A. Freiberger"
<kurt@cs.tamu.edu> writes:
>
>
>
>clintbrad4d@earthlink.net wrote:
>
>> Wow...yet another case of RT Systems caring for their customers.You
didn't
>> even follow the basic rules (sending in the Registration Card) yet
they
>> treated you like you did.
>
>It has been held that the sending in of a registration card is not
>necessary in warranty or support cases. IMNSHO, all it does is get
you
>on mailing lists that propagate like wildfire. Most of the time, I
need
>nothing further from the manufacturer. In the small cases in which I
DO
>need more from the manufacturer, I provide them with the necessary
proof
>of ownership, if asked.
>
>I have no gripe with RT Systems per se, except that I think they are
WAY
>too paranoid in their copy protection scheme. Every time I defrag my
>hard drive, I have to reinstall the software. That torques me to no
>end. As soon as the Linux software is available, I'm switching.
>
>--
>Kurt A. Freiberger, WB5BBW Network Environmentalist Austin, TX
>Published 12/12/98, Saint Paul Pioneer Press Bulletin Board:
>Redmond, WA (AP) -- Microsoft announced today that the official
release
>date for the new operating system "Windows 2000" will be delayed until
>the second quarter of 1901.

Kurt,

Don't pay a lot of attention to Clint he sees himself as some sort of
self appointed PR man and/or software cop, unfortunately his is
clueless. For a time he told us all how wonderful Radio Shack was and
I thought he worked there. Now Walter Middy Bradford seems to be
working for RT Systems.

2613. Building a repeater from 2 mobiles, how?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Tony Szablowski <a2112szablowski@worldnet.att.net>
Message-ID: <7bbpjm$df1@bgtnsc02.worldnet.att.net>
Source record: 115481

Yep, I've seen plenty of info on converting Master 2's and Motorola's
into repeaters, but I've got 2 Uniden programmable 25W mobiles that
I'd like to make into a repeater(Rx: 462, Tx: 467MHz).

A few questions, please.
What's needed to be done to the mobiles?
What's needed for the radios so they don't get desensitized (quickly)
in a crowded tower site?
Can a tone-panel be used with this setup for 2 PL's, 1DPL operation?

I really appreciate any and all help you folks could give.
--
Regards,
Tony
a2112szablowski@worldnet.att.net (remove 2112 to e-mail)

2614. Re: tribander (Last Day! E-bay)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: RC633 <tkpoustie@bc.sympatico.ca>
Message-ID: <mueC2.52$%C6.188788@news.bctel.net>
Source record: 115482
Cross-posted to: rec.radio.swap,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

Hey, I was gonna bid but I see you are not accepting bids from Canada so
I'll have to sit this one out. When I'm selling I couldn't care less where
the buyer is from, when they are paying the shipping----why do you choose to
limit your buyers by geography?

Tim VE7SEZ

Danny wrote in message <36D8F744.6DF@webdeals.net>...
>Reserve is almost met.
>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=71528354
>
>The Icom IC-T8AHP is a triband handie talkie covering 6m,
>2m and 70cm. The radio has a DTMF keypad and a back lit LCD display, and
>features extended receive with AM and Wide FM modes, 9 autodial memory
>channels
>(16 digit), automatic repeater shift, CTCSS tone encode/decode/scan,
>DTMF squelch
>& paging, 123 memory channels, multiple scanning modes, and more. The
>radio is
>supplied with a rechargeable NiMH battery pack, plug-in wall charger,
>belt clip, wrist
>strap, and a rubber duck antenna.....and extras!

2615. FT-1000D Factory mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Per <petidema@online.no>
Message-ID: <7bbsdliib1@readme.online.no>
Source record: 115483

I have factory mods up to lot.28 (xx28000).
Looking for more factory mods if it exsist.
LA9EX

2616. a "BUG" in the Grundig YB 400?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Surfer@Wave.Net
Message-ID: <_yeC2.128$mf4.120@read1.inet.fi>
Source record: 115484

Has anyone else noticed the following "bug" in YB400:

If the wakeup-time is set so that 10 o'clock will be passed within 60
minutes the radio will stop playing at 10.00

The same thing happens with 20.00

Share your knowledge so that the world will be a better place

2617. Re: USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Piero Sassu <n3fvg@worldlynx.net>
Message-ID: <36D976CE.7B34FC97@worldlynx.net>
Source record: 115485
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Actually, Consumer Reports did a comparison of Priority Mail, and
similar services offered by the Post Office, UPS, FedEx, Airborne
Express, etc. Consumer Reports found that Priority Mail by USPS was
faster on "longer" delivery situations. One of their tests involved a
Priority Mail 8.5"x11" envelope from an east coast address to a west
coast address. One of the comparisons was to USPS First Class Mail. The
Priority Mail envelope arrived in two days and the First Class envelope
arrived in five days. You still have to insure it if it has value.
For what it's worth...

CommQuart wrote:
>
> Priority Mail is simply First Class mail. There
> is no special handly for Priority Mail.
>
> Peter
>
> >I had a frustrating experience wth priority mail. Out of 4 packages sent
> >recently, two made it on time, one after 9 days and one never. I was told
> >by the postal employees that priority mail is now serviced by a
> >third-party.
> >
> >Ignacy, NO9E
> >

2618. FS**Browning Golden Eagle MK4 w/gold D104**

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <12727-36D96E43-16@newsd-144.iap.bryant.webtv.net>
Source record: 115486
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment

Very nice set of Browning Golden Eagle MK IV's. Would rate them as a solid 8+ or 9 on a 1-10 scale.Has a very small scratch on the cover of the transmitter. This set has the 99 ch. kit that goes in 5 kc. steps.Also has tuneable transmit "slider".Just replaced the burned out lamps for the "On-The-Air" sign and the LSB lite.Comes with a Astatic Gold Eagle D104 mic that is in ex.cond. Set has just been aligned and works great! Price is $500.00 + shipping and packing. If you need more info feel free to call or email me.

Take care,
Stan (530)241-0843

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

2619. Re: Query: Experience with Kenwood TS50s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: radiofreq0@aol.com
Message-ID: <19990228122455.12874.00000238@ng-fi1.aol.com>
Source record: 115487

I speak of a comparison between the TS50s, IC706MKII and the FT900CAT.as
mobile receivers in terms of selectivity, senstivity along with overall
usabilty in a mobile.
tnx,
Jeff

2620. Re: mobile antenna for 10m

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: charlesdavis@worldnet.att.net
Message-ID: <MPG.114347391ed35a9989a26@netnews.worldnet.att.net>
Source record: 115488
Body handling: HTML body converted to readable text

In article <19990227074500.19874.00000785@ng97.aol.com>,
bujiaj8@aol.com says...
> I have an RCI 2950 that I am using in a GMC van... I need to purchase a mobile
> antenna for it. Anybody got a good idea or have one for sale or could tell me
> where to get a good one. I am new to amateur radio so please don't think any
> questions I may ask are stupid.....
>
> tnx
> bill
> kd5fxt

If the height won't be a problem, use a Wilson 1000 magnet mt.
Cut approx. 3" off, and it'll work good on 10m.

--
Charles
K4SWB
<<>>
For Life!

2621. Re: ANYONE HAVE A WORKING VX-5R ??????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Francis <ve2fgs@videotron.ca>
Message-ID: <_hfC2.114$d96.28@weber.videotron.net>
Source record: 115489

Thanks for the input

_____
Francis VE2FGS
ve2fgs@videotron.ca

Glenn E. Frasier a crit dans le message ...
|I have a VX-5r with ser # 9c03.... and I still have the problem. It will
at
|least stop scanning on a ctcss memory but like you say it takes 1-3 sec.
|after it stops to open sq.
|
|
|
|--
|
|Glenn E Frasier jr. Kd5dmg
|kd5dmg@msn.com
|home page http://members.tripod.com/kd5dmg/
|
|
|----------
|Francis <ve2fgs@videotron.ca> wrote in message
|news:Ko_B2.3158$i32.2110@weber.videotron.net...
|>Do you have a VX-5R ???
|>
|>
|>clintbrad4d@earthlink.net a crit dans le message
|><7b9p56$2mo$1@nnrp1.dejanews.com>...
|>|In article <ZiVB2.3022$i32.1949@weber.videotron.net>,
|>| "Francis" <ve2fgs@videotron.ca> wrote:
|>|> I would like to know if anyone out there have a working VX-5R... All
|>VX-5R
|>|> that I tried have that PL decoder that seems to take between 1 to 3
|>seconds
|>|> before decoding. Anyone have one that take less than that ???????????
|>|>
|>|> I'm working Yaesu hard for this. Please reply via E-Mail.
|>|
|>|No reason to "work" Yaesu...just find yourself a knowledgable, honest
|>dealer.
|>|
|>|Current production models of the VX-5R contain the "8C03" coding in
|>|their serial numbers. This is at least the 3rd production run (8N01 and

|>8N02
|>|were previous production runs).
|>|
|>|SOURCE: Dale at HRO, Anaheim (whose Manager's significant other is a
|>|big-wig at Yaesu).
|>|
|>| - Clint Bradford
|>|
|>|
|>|
|>|
|>|
|>|----------== Posted via Deja News, The Discussion Network ==----------
|>|http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
|>
|>
|
|

2622. Re: ANYONE HAVE A WORKING VX-5R ??????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Larry Benko <benko@aztek-eng.com>
Message-ID: <36D981E6.D2747FEC@aztek-eng.com>
Source record: 115490

I too have a VX-5R, S/N 8N02--- and side by side tone squelch
comparisons with my W32A (1 HT held to each ear) show that the
VX-5R opens the squelch later than the W32A but just by a fraction
of a second, no where near the 1-3 sec. that some experience.
General scanning seems to indicate that the VX-5R does stop at
repeaters with a subaudible tone (and the VX-5R set to tone squelch).
However if it sometimes did not stop, I'm not sure that I would
know. I mainly bought the VX-5R to use for foxhunts and the
all metal case works well when close in. Also being able to tune
to the other side of the 1st IF (e.g. 146MHz + 2*47.5MHz) with
about 30 db. of signal attn. again works well. All in all, I like
the VX-5R but I too wish the tone decoding was a little faster. By
the way when I got the VX-5R I received several comments about weak
audio. However after turning up the audio pots. (for all 3 bands)
this comment has gone away. The pots. are located under the
sticky label in the battery compartment that covers the temp./
barometric pressure unit.

Larry Benko, AC0B

"Glenn E. Frasier" wrote:
>
> I have a VX-5r with ser # 9c03.... and I still have the problem. It will at
> least stop scanning on a ctcss memory but like you say it takes 1-3 sec.
> after it stops to open sq.
>
> --
>
> Glenn E Frasier jr. Kd5dmg
> kd5dmg@msn.com
> home page http://members.tripod.com/kd5dmg/
>
> ----------
> Francis <ve2fgs@videotron.ca> wrote in message
> news:Ko_B2.3158$i32.2110@weber.videotron.net...
> >Do you have a VX-5R ???
> >
> >
> >clintbrad4d@earthlink.net a ï¿½crit dans le message
> ><7b9p56$2mo$1@nnrp1.dejanews.com>...
> >|In article <ZiVB2.3022$i32.1949@weber.videotron.net>,
> >| "Francis" <ve2fgs@videotron.ca> wrote:
> >|> I would like to know if anyone out there have a working VX-5R... All
> >VX-5R
> >|> that I tried have that PL decoder that seems to take between 1 to 3

> >seconds
> >|> before decoding. Anyone have one that take less than that ???????????
> >|>
> >|> I'm working Yaesu hard for this. Please reply via E-Mail.
> >|
> >|No reason to "work" Yaesu...just find yourself a knowledgable, honest
> >dealer.
> >|
> >|Current production models of the VX-5R contain the "8C03" coding in
> >|their serial numbers. This is at least the 3rd production run (8N01 and
> >8N02
> >|were previous production runs).
> >|
> >|SOURCE: Dale at HRO, Anaheim (whose Manager's significant other is a
> >|big-wig at Yaesu).
> >|
> >| - Clint Bradford
> >|
> >|
> >|
> >|
> >|
> >|----------== Posted via Deja News, The Discussion Network ==----------
> >|http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
> >
> >

2623. Re: Query: Experience with Kenwood TS50s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: nw2m@qsl.net
Message-ID: <7bc2qa$qp5$1@nnrp1.dejanews.com>
Source record: 115491

I like the TS-50 over the IC-706 only because of the Noise Blanker. We took a 706 to two Dayton Hamvention trips. We could not get rid of ignition noise from my van. With the TS-50 (on our 3rd trip to Dayton) we simply hit the NB and the noise was gone. The TS-50 is mine, the 706 belonged to another ham. Yes the 706 has more features and bands....

I used shields, caps, and ferrites on igniition wires/coil/cap to reduce the ignition from an S7 to an S3. The TS-50 did the rest. Fuel pump noise is next...

73,

Al, NW2M

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2624. FS or Trade: TS-570s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: jdinkel@mum.edu
Message-ID: <7bc2qi$qp7$1@nnrp1.dejanews.com>
Source record: 115492

Mint TS-570s with mic, manual, orig. box. Great radio, love the DSP. Just like to try different rigs for fun. $995 or trade (down or across)! Prefer to trade down so that I can get a little cash.

73

John KM4TI

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2625. Re: Query: Experience with Kenwood TS50s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: nw2m@qsl.net
Message-ID: <7bc2tb$qs7$1@nnrp1.dejanews.com>
Source record: 115493

I like the TS-50 over the IC-706 only because of the Noise Blanker. We took a 706 to two Dayton Hamvention trips. We could not get rid of ignition noise from my van. With the TS-50 (on our 3rd trip to Dayton) we simply hit the NB and the noise was gone. The TS-50 is mine, the 706 belonged to another ham. Yes the 706 has more features and bands....

I used shields, caps, and ferrites on igniition wires/coil/cap to reduce the ignition from an S7 to an S3. The TS-50 did the rest. Fuel pump noise is next...

73,

Al, NW2M

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2626. FS PacComm sat modem set

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: kb2wqm <kb2wqm@cyberenet.net>
Message-ID: <36d9850f.0@news.cyberenet.net>
Source record: 115494
Cross-posted to: news.misc.radio.amateur.digital.misc,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.space,rec.radio.swap

Good day group. I have for sale a PacComm Satellite modem set. The set has all the lastest firmware upgrades, power supplies, and comes with a cable for a Yaesu 847. Will do all sat digital modes. Cost new $500 + shipping and power supplies. Asking $375 shipped USA.

73 Jeff kb2wqm

2627. Re: Alinco DJ-S11T or 41T, are they worth buying?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Jim Finney <jpfin@worldnet.att.net>
Message-ID: <36D9899D.E26A317B@worldnet.att.net>
Source record: 115495

Dennis,

The S41 is a good radio. I have two of them and use them mainly for cross banding to a higher power crossband rig. Also, the S41 can be modified to cover the FRS frequencies. The audio is good and strong for such a small rig.

I recommend it for a good micro-power HT.

Jim
WA5VPW

"Dennis J. Ciurej" wrote:

> These suckers are so darn cheap, it's getting real tempting. Any pros or
> cons?
>
> I've read the QST review, but wonder what the practical experience has been
> out there.
>
> I'm planning to use them mostly for the FRS equivalent, i.e. use with other
> hams at hamfests and while travelling to communicate from car to car with
> other hams (and maybe, just maybe to get my wife interested enough to get a
> license).
>
> For the above use, I'm betting that the 440 actually might be better than
> the 2 meter unit.

--

Jim Finney
==========
jpfin@worldnet.att.net

2628. Help modify FT-8100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Bob Stadtherr <bstadtherr@tcsn.net>
Message-ID: <7bc24p$t1a$1@news.ncal.verio.com>
Source record: 115496

I am trying to modify an FT8100 for a pilot friend.

I removed the resistor as instructed in the CAP/MARS mod, and reset the radio. I was able to access the desired frequencies no problem. When I download the radio from the ADMS software, the radio shows "err" on those frequencies.

Any fixes for this?

2629. Yaesu VX-5R New User Comments

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Dave Hart <dhart2@tampabay.rr.com>
Message-ID: <BYfC2.4733$NU.3081545@newse3.tampabay.rr.com>
Source record: 115497

Purchased a VX-5R from HRO last week and received it Friday. So far, so good. A few items right out of the chute:
1. As an earlier poster to this NG mentioned, there is no way described in the manual for deleting a memory. It can be overwritten, of course, but you can't delete it like with the Bearcats, etc., by simply writing a "zero" to it.
2. Same with editing or moving Memory Group freqs. I hope the software application will make a lot of this easier. I suppose I'll have to break down and order it.
3. The charger. I don't think you're supposed to transmit when the charger is plugged in. When I key the xmt, mine blanks the screen, then goes to scanning a memory group, even when I transmitted from the VFO positon. The book's heading on charging has "receiving only" in parenthesis, but nothing further in the following text, or anywhere else in the book, as far as I can tell. That's kind of a bummer, especially when in the car.
3a. I went ahead and purchased the AA-battery case as an option, (along with the car DC cable and the overpriced SMA-BNC adapter).
4. It's great so far. Tough to program manually (and we could use a few more Memory Groups rather than the 5 that can be programmed.
5. Nice receive audio and sensitivity. There is a bit of speaker rattle at moderate to high output -- I don't know if this is normal. I lot of it has to do with the dynamic range of the received signal.
6. Of course, HF reception is marginal, but I can receive WWV (barely) with the duckie. I plan to do some experimentation with long wire dipoles, verticals, etc. just for the hell of it.
7. I like the switchable TX power output feature. I can cruise at 2.5 or 1 watts just fine around my area.

Dave, K4AKT
Clearwater, Fla.

2630. Re: Best Price on a VX5 ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Dave Hart <dhart2@tampabay.rr.com>
Message-ID: <a7gC2.4745$NU.3087073@newse3.tampabay.rr.com>
Source record: 115498

I got mine at Ham Radio Outlet. http://www.hamradio.com/ Then hit search, then click on the yaesu name. $359.95 with no shipping and no sales tax. So that's all you send them -- $359.95. Actually, mine was more becaues I bought a few accessories, too (car charger, bnc adapter, 2-AA cell holder), but you get the idea! So far, it's great!
Good luck!
Dave, K4AKT

charles copeland wrote in message ...
>Who has prices on VX5 ?
>

2631. FS: Wacom duplexers model#wp652 220-300mhz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: George Lowell <n0eoq@6mt.com>
Message-ID: <7bc39drlg1@news1.alltel.net>
Source record: 115499
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

For Sale; Wacom duplexers model#wp652 220-300mhz

Are in service at this time and will be pulled out in a couple of days. Sold building. cavities are tuned to 223.8 - 1.6. Like new 2 years old no scratches paid $675.00 asking firm price of $475.00 plus shipping.

If interested please email at: ka0nno@6mt.com or call 870-389-6516

2632. Wanted: Cover for TS-130 (mail fixed)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: wa5kbq@email.com
Message-ID: <36d98fde.10633161@news.flash.net>
Source record: 115500
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I had an error in the reply address of my first message.

Does anyone have the top cover for a Kenwood TS-130?
Would consider a destroyed junker for the part.

Larry

2633. FA Heathkit Manuals

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <36D99580.51CF@sympatico.ca>
Source record: 115501
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.audio.marketplace,

Assorted collection of Heatkhkit manuals For Auction, includes Ham, Audio, Computer equipment. All in good shape, some have not even had the construction boxes ticked off.

2634. Re: Astron RS35M STARTING TO "BUZZ"..help?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <375c94d7.1185812737@news.atl.bellsouth.net>
Source record: 115502

On 28 Feb 1999 15:37:03 GMT, AB7RU <nospam@worldspam.com> wrote:
>My Astron RS35M is starting to make a buzzing or vibrating sound when I
>draw more than a minimum amount of current through it..voltage remains
>stable, it just makes this "vibration-sound" which gets louder as I
>increase the load on it. I suspect the bridge rectifier maybe about
>shot but I wonder if anyone else has had a similiar problem with
>theirs?
>Thanks...Mike

That's just transformer lamination buzz. Try tightening up the transformer screws. In some cases, the top cover is being vibrated by the transformer magnetic field, a non-conductive wedge between the transformer and the top cover generally stops it. Power transformers often loosen up as they get older. The varnish on the laminations often cooks out if they've been at all hot, and lets the laminations "sing". It won't hurt anything.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

2635. NEEDED**military antenna sections**

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: duece6x6@aol.com
Message-ID: <19990228142357.00290.00001559@ng-fd1.aol.com>
Source record: 115503

I need to buy or locate military fiberglass antenna sections #AT1041/U

#AT1042/U

Email please Steve duece6x6@aol.com

2636. Newest WDECODE ????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Torbj&#65533;rn Morka <scanman@online.no>
Message-ID: <7bc6em$qo7$1@readme.online.no>
Source record: 115504

```
-----BEGIN PGP SIGNED MESSAGE-----
Hash: SHA1
Where can i download the newest edition of this shareware-prog. ?
-----BEGIN PGP SIGNATURE-----
Version: PGP 5.5.5
iQA/AwUBNtmO/gpyT+w0fgloEQJV4gCcDGMY2jSaIY1m19vCMZ0DfyHteKcAoIvh
G3V9DfE0/yq6X5nIgyQhKX6A
=sm28
-----END PGP SIGNATURE-----
```

2637. WTB: Motorola MOTRAC VHF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: nsgantt@aol.com
Message-ID: <19990228144849.12163.00001737@ng-fq1.aol.com>
Source record: 115505

I'm looking for 2 Motorola MOTRAC VHF units in good working condition.

Please e-mail me at NSGantt@aol.com

Thanks

2638. Re: mobile vs base radio?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: seebody@toreply.com
Message-ID: <36dc9eab.5603622@news.ncal.verio.com>
Source record: 115506
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Generally, the base radios are rated for longer tx times, higher
power, and made more for home use.. Most likely the mobile radio will
advise you to refrain from long conversations.

On Sun, 28 Feb 1999 03:25:17 -0600, "KD5GEH" <kd5geh@arrl.net> wrote:

>What's the difference? Why would I buy a 'base station' radio if it costs
>much more than the mobile 'version'?
>As-in... Two radios from the same company with the same features (to my
>'tech' eyes) usually have a much different price-tag. It'd seem that the
>mobile, being much smaller, would cost more to build, but... usually costs
>less than the comparable base-radio...
To reply via e-mail, please use eplatt at wco period
com. Sorry, but this is the only way to despam my
address.

2639. FA: Drake SPR-4 Receiver with accessories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Dennis Clemenson <dclemenson@stellarnet.com>
Message-ID: <7bc74m$t24$1@remarQ.com>
Source record: 115507
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

on ebay, this is an excellent receiver. It is full of crystals and comes with the TA-4 transceive adapter, the SCC4 crystal calibrator, and the original manual.

See it at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=70017825

2640. YAESU 847 CAT PROGRAM

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: w2irl@aol.com
Message-ID: <19990228150356.03398.00001759@ng144.aol.com>
Source record: 115508

HI MY NAME IS PAT
I AM LOOKING FOR THE CAT PROGRAME FOR MY FT847
ANY HELP WOULD BE GREAT

73 PAT W2IRL

2641. Icom 02AT HT Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Walter Wickersham <waffle@oz.net>
Message-ID: <36D9A17F.39E0926C@oz.net>
Source record: 115509

I have recently bought a Icom 02AT, with no documentation :(.. It
seems
that the first 6 memories will not store a tone or offset, as if ment
for
simplex, however the last 4 (7-0) work perfectly..... Is this normal?

Walter
waffle@oz.net
kd7aur

2642. Re: mobile antenna for 10m

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: stoigo@ora.fda.gov
Message-ID: <7bcb6q$130$1@nnrp1.dejanews.com>
Source record: 115510

In article <19990227074500.19874.00000785@ng97.aol.com>,
bujiaj8@aol.com (BUJIAJ8) wrote:
> I have an RCI 2950 that I am using in a GMC van... I need to purchase a mobile
> antenna for it. Anybody got a good idea or have one for sale or could tell me
> where to get a good one. I am new to amateur radio so please don't think any
> questions I may ask are stupid.....
>
> tnx
> bill
> kd5fxt

Bill,

As the saying goes, there are no stupid questions....

As for a 10 meter mobile antenna, there are plenty of options, depending on your budget. If you check out "QST" and look through the advertisements, you can check their websites and scope out available types and costs. A quick and esy solution to your situation may be to visit your local "Radio Shack" and check out the mobile antennas they sell. (Normally, "Radio Shack" is not my first choice for amateur radio items). They sell a 10 meter/CB mobile mount with a magnetic base and a length of RG-58 cable that can easily be placed on top of your van and connected to your rig by running the cable through an open window (Then roll the window up :^)) and attach to your rig. Voila! You are on the air. (Of course, you have to adjust the length of the antenna to the 10 meter frequency with an included allen wrench - it take about 1 minute) Does it work?

I just worked a station in Brazil with the same antenna and a 25W mobile rig and I routinely QSO/DX with European stations on my way to work in the morning. I think their mobile mount costs about $40-50, tops. Their are other antennas out there, and I'm sure you'll receive additional suggestions.

But always ask questions...that's the good thing about this group.

Hope to hear you on the air soon.

73's
Steve Toigo / KA3TWU

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2643. WTB IC-821H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: John Isella <jisella@concentric.net>
Message-ID: <36D9A8D7.1A7@concentric.net>
Source record: 115511

Hi, I am looking for an Icom IC-821H in good condition from a non-smoking owner. Thanks, John Isella

jisella@concentric.net

2644. Re: FA Heathkit Manuals

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: WB3KJX <wb3kjx@pc-intouch.com>
Message-ID: <36d9b1c2.0@hiq.pc-intouch.com>
Source record: 115512
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.audio.marketplace

Do you have one for a Heathkit GW-22?
Scott WB3KJX

2645. W.T.B. AMP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: David Domina Sr <ddom@worldnet.att.net>
Message-ID: <7bc9p1$n2j@bgtnsc03.worldnet.att.net>
Source record: 115513

W.T.B USED AMP BUT NOT ABUSED AMP. HAVE YAESU FR50 WITH ACCESSORIES. BEEN
MODED OUT OF BAND. FOR SALE OR SWAP.
LOCATED IN NORTH CAROLINA
EMAIL AT K4DOM@ATT.NET

2646. Re: ANYONE HAVE A WORKING VX-5R ??????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7bccur$2f8$1@nnrp1.dejanews.com>
Source record: 115514

In article <Ko_B2.3158$i32.2110@weber.videotron.net>,
"Francis" <ve2fgs@videotron.ca> wrote:
> Do you have a VX-5R ???

Not yet? Why? Surely I can call first-hand sources and report my findings without actually owning one...right?

Nope - but one is on my personal "hit list" for next purchase. Thanks to Yaesu for making my speaker/mikes and earpieces compatible between my FT-50, VX-1R, Vertex VX-10, and now the new VX-5R...THAT sure saves a lot of money on what I consider to be necessary acessories!

Also - the ADMS software can be used for all three of those amateur HTs...and RT Systems is EXTREMELY CLOSE to releasing the new version that will program the VX-5R....

- Clint Bradford, KE6LCS

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2647. Heath Power Supply and misc items FS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Ken Simpson <W8EK@usa.net>
Message-ID: <S3iC2.1811$rA.4459@monger.newsread.com>
Source record: 115515

For Sale:

Heath IP-27. It is a low voltage power supply, fully adjustable from about 0.5 Volts to 50 Volts. It also has current limiting that is built in and adjustable from a couple ma up to 1.5 amps. There is also a nice large meter for measuring current or voltage. The supply is "floating", so can be used for either plus or minus supplies. It is the "Heath Brown" color. Manual included. $100 plus shipping from Florida.

Top louvered cover. Gray color. I think this is off of the SB-104 power supply, and is typically removed when the supply is put inside the speaker cabinet. My memory may be wrong. It could easily be for something else. The top of the cover is about 9 1/4 inches wide, and 8 3/8 inches deep. It is about 5 inches tall. $ 6

After getting all of the pieces of the SB-101 that I parted out a couple of months ago taken care of, I find that I have just a couple of parts left. I should add that all of these were "spoken for" originally, but the people have not followed through, so I am again offering them for sale.

Actual LMO itself. This is the tube type, and can be used in almost all of the SB / HW series that uses the tube type (includes SB-100,101, 300, 301, 400, 401, HW-100, etc.). $ 20

The black dial portion that goes on the front of the LMO, and holds the 2 lamps. This is not the actual dial part, but the black background for the 100 kHz part of the dial. It includes the bracket that attaches this mechanism to the top of the LMO. $ 5

The lever arm in the dial mechanism, that goes behind the circular dial, and has a lever arm that moves the 100 kHz portion of the dial across its scale. Includes the little nylon thing that goes in the groove of the circular dial. $ 6

Prices do not include shipping from Florida.

E-mail to W8EK@usa.net

Thanks.

73,

Ken, W8EK

Ken Simpson
E-Mail to W8EK@usa.net or W8EK@fdt.net

http://www.gnv.fdt.net/~kenmar
Voice Phone (352) 732-8400

2648. WTB: HEATHKIT IM2420 FREQUENCY COUNTER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Dean Kastoris <n8ihs@flash.net>
Message-ID: <36D9ACF3.1CA7D013@flash.net>
Source record: 115516

I am looking for a mint heathkit IM2420 frequency counter in perfect working condition. Please e-mail me at: n8ihs@flash.net

2649. Re: Query: Experience with Kenwood TS50s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: stuffinder@aol.com
Message-ID: <19990228160500.12867.00000306@ng-fi1.aol.com>
Source record: 115517

My Volvo 740 Turbo generates all sorts of electrical noise! I was able to eliminate to vast majority of fuel pump noise (worst single source) by installinf filters made by the LMR (Land Mobile Radio) div. of MTI (Marine Technology Ind..I believe they have a website. A-1 Electronics in MI (website also) is a good source for their products. 800-238-1786 or www.a1telecom.com I used 3 of their 20A rated filters on the fuel pump and guage leads. The guage lead was in same cable into tank! Retail is about $13 ea. If you have a tax # they will sell in small quantities wholesale. They also make alternator and power line filters.

Also used one on the coil. Still working on ignition noise and would like more info as to how you used the ferrites etc.
Tom Heitzman

2650. Technician's 1st Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Nedwek <nedwek@teleport.com>
Message-ID: <oeiC2.3696$hC.2062284@news1.teleport.com>
Source record: 115518

Hello,
I've been studying for my Technician license for 2 weeks or so and I'm confident that I can pass it. What I'm thinking about now is a first radio. I need advice as to what radio would let me take advantage of all bands and frequencies allowed Techs. I'm looking for something that will give access to all modes on 6m, 2m, and 70cm. What are your recommendations? What about price? How much would a radio like this cost? I will probably be working from home, so portability isn't much of an issue. If you recommend a base or mobile, what kind of antenna would you recommend? Any advice would be greatly appreciated.

Thank you,
Brandon Nedwek

2651. Re: USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: gws@n8emr.nitetech.com
Message-ID: <7bcagu$5qp$1@usenet43.supernews.com>
Source record: 115519
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Ignacy,
What do you mean made it on time. There is no time for priority mail
to get to its destination. Normally 2 days, but no guarantees.

>> Peter
>>
>> >I had a frustrating experience wth priority mail. Out of 4 packages sent
>> >recently, two made it on time, one after 9 days and one never. I was told
>> >by the postal employees that priority mail is now serviced by a
>> >third-party.
>> >
>> >Ignacy, NO9E
>> >

--
Gary W. Sanders gws@n8emr.nitetech.com
This address may *not* be used for unsolicited mailings.
Mary had a crypto key, she kept it in escrow,
and everything that Mary said, the Feds were sure to know."

2652. Alinco DJ560 mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: oldmantube@aol.com
Message-ID: <19990228163442.02990.00001452@ng104.aol.com>
Source record: 115520

I'm looking for a source for the Alinco DJ560 dual bander mods.

OMT

2653. Alinco DX-70 - $550

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7bccjv$3ff@dfw-ixnews7.ix.netcom.com>
Source record: 115521

I have one too many!!!
Great condition, box, manual, etc., etc.
Frank $550 FIRM

2654. Icom W-2A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: billyb446@aol.comadults
Message-ID: <19990228164527.11957.00002386@ng-cg1.aol.com>
Source record: 115522

Hello:

Does anyone know where I can get a case to carry on my belt for an Icom W-2A. Haven't seen any in the magazines of late.. Please e-mail if you know where to buy one..

All the best
Bill

2655. info on Nordemende Globetrotter 808

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: richie <richie@zigzag23.freeserve.co.uk>
Message-ID: <7ba1eq$q0p$1@news4.svr.pol.co.uk>
Source record: 115549

For a Nordemende Globetrotter 808

Any circuit diagrams/mods/manual type things would be appreciated
thankx

Zob

2656. Re: Query: Experience with Kenwood TS50s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: kb6luc@aol.com
Message-ID: <19990227193312.13175.00001071@ng-cr1.aol.com>
Source record: 115550

Over the last few years I have been pondering letting go of my TS-50 and getting an IC-706. I am mainly attracted by the 6 meter all-mode section of the 706. But every time I hear both radios on the air, I stop thinking about it. Just listen to both on SSB. The IC-706 has high-pitched, thin, constricted, weak transmit audio. Other than that it is a fine radio with many desirable features. When I switch back and forth between my TS-50 and my TS-850, listeners can not tell the difference between the two. The TS-50 delivers a good clean mobile signal that packs some punch.

2657. adi dualbander for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: russell owens <r@owens36.freeserve.co.uk>
Message-ID: <7ba3e8$4cr$1@news5.svr.pol.co.uk>
Source record: 115551

boxed with access ?140 southwales area email me

2658. FS: MFJ Deluxe DC Outlet Model MFJ-1118

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: n4dh@juno.COM
Message-ID: <19990227.201220.3734.1.n4dh@juno.com>
Source record: 115552

MFJ Deluxe High Current DC Outlet, Model MFJ-1118.
Has Voltmeter, 0-25V. Six switched outlets @ 15 amps.
2 Unswitched outlets @ 35 amps. Real nice. $45.
Bill, N4DH (704)-545-9368 Charlotte, NC 28227

You don't need to buy Internet access to use free Internet e-mail.
Get completely free e-mail from Juno at http://www.juno.com/getjuno.html
or call Juno at (800) 654-JUNO [654-5866]

2659. Info on IC-751

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: n7uqa@ncia.com
Message-ID: <7baags$g5g$1@nnrp1.dejanews.com>
Source record: 115553

Is there a mod for the ic 751 to give a 10Hz readout instead of 100Hz?

Thanks in advance...

Craig

N7UQA

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2660. Svetlana 4CX800A Tube For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: JOHN <john@penwortham.idps.co.uk>
Message-ID: <aE0C2.16814$_3.1394@stones>
Source record: 115554

I have a brand new boxed and guaranteed 4CX800A tube available. Cost new in UK ?165. Will sell for ?100 ono. This tube has never been connected to a supply.....Reason for sale, not needed as project abandoned for different amplifier design.

Contact me for details

John, G0JJL

2661. ICOM IC-P4CT , I need Help!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: capablanca@my-dejanews.com
Message-ID: <7baalg$gg3$1@nnrp1.dejanews.com>
Source record: 115555

I'm new to HAM radio and I have the chance of getting a ICOM IC-P4CT.
The radio works so fine, however there is no users manual.
I would like to know if anyone might have any
information about this radio and where I might be able to get the
instruction manual for it. I would appreciate any help anyone could give
me.

Thanks.
Moises

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2662. ht ant.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: "Merlin Willis,N6OFY" <merlinw@pacbell.net>
Message-ID: <01be62be$42c704c0$6401aace@merlin1>
Source record: 115556

can I us the ant from my adi 600, on my icom t7a, would it make any
difference?
thanks

Merlin,N6OFY

2663. Re: If money were (nearly) no object...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <3756a486.1124742339@news.atl.bellsouth.net>
Source record: 115557
Cross-posted to: rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

On Thu, 25 Feb 1999 14:49:09 GMT, efricha@alumni.cs.colorado.edu (Eric F. Richards) wrote:
>Our organization is planning on purchasing an all-mode VHF/UHF
>receiver/scanner. If the constraining factors were that
>
> - It has to be US legal
> - Price must be under $3000
>
>What would you get? ICOM R-8500? AOR AR-5000+3? Something else?

Something else, preferably something else that says Rohde & Schwarz
or Watkins-Johnson on the front panel.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

2664. Re: Yaesu FT100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: bt10ant@ptconnect.infi.net
Message-ID: <7bacaa$hi8$1@nnrp1.dejanews.com>
Source record: 115558

In article <19990227105848.23497.00000847@ng-fu1.aol.com>,
dlr18sh@aol.com (DLR18SH) wrote:
> I and all the guys in this newgroup would appreciate a review from the first
> owners of the radio. Hey it is you chance to to be the "Big Man on Campus"
tell
> all about the radio.
> I am one of those timid guys who have to wait till i getthe green light from
> you guys.
> 73's Tim
>

I have been promised one of the first ones at first part of next week. Of course, I was promised one of the first ones at first part of last week, so it's anyone's guess. I will get right up there though

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2665. Icom 32at audio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: scherbe6@airmail.net
Message-ID: <63752C89FA7B8A5F.2E5ECBEAAC9ABA07.AB0E61841FE1C41A@library-proxy.airnews.net>
Source record: 115559

I have a 32at that has developed a low audio signal. I have the schematic, but do not see any audio gain control. Is there anyone who knows this radio and is there a control there someplace?

It is a rather old dual band talkie...

Thanks, Ted

2666. VX-5R and 800 Meg RX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: smc@Blaze.wrdsb.edu.on.ca
Message-ID: <7bae84$j7f$1@nnrp1.dejanews.com>
Source record: 115560

Hi Folks,

I picked up a new VX-5R today. I am very impressed, but with one exception. Yaesu seems to think that 863.9875-868.9875 is cellular. In my area, our local public safety agencies use radio systems in this range. I thought I would just use the image frequencies, and whammo- they are blocked out too.

Does anyone else have a VX-5 that doesn't include this range? Are there any modifications that will open up this range? I don't care about cellular, just 866-869.

Cheers
Scott

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2667. Problems with new Kenwood 2M Mobile mikes??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: ny4t@home.com
Message-ID: <36dbb1b5.1454511@news.nash1.tn.home.com>
Source record: 115561

I was wondering if anyone was having problems with the large backlit mikes now featured on Kenwood 2M and dual-band mobiles, particularly the TM-261A. I have heard of about a dozen cases around here but Kenwood doesn't admit there is a problem. The mikes have a tendency to intermittently unkey or not key up at all. Please post here if you are having the same problem. Several of these folks locally are highly steamed at Kenwood and wanted me to put out this query on the NG. BTW, I have a late '80's vintage TM221A and it works just fine. Think I'll keep it.

73,
Lee Hall
http://www.qsl.net/ny4t

2668. WTB:HEATH SB-220 AMP.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: "A. Billings" <abillings@worldnet.att.net>
Message-ID: <36D92766.1ECE0F21@worldnet.att.net>
Source record: 115562

I am looking for a Heath SB-220 Amp.
Must be clean and in good working condition. priced reasonably.
Also looking for the same for parts.

Thanks Art./kc5doo
318 424-3312

2669. Icom 2100-H #@!%*!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: JIm Irons <jirons@prodigy.net>
Message-ID: <7bbghd$dkr4$1@newssvr04-int.news.prodigy.com>
Source record: 115563

I have owned 3 new 2100-H radios in the last month !!! They all have been sent back to HRO. The best one lasted only 2 weeks These are the worst radios I have ever seen. Needless to say I will never own another. BUYER BEWARE
KG4BJG Jim

2670. IC746 MODS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: w3nrs@aol.com
Message-ID: <19990228090630.15538.00001237@ng96.aol.com>
Source record: 115564

Anyone have any mods for the Icom 746 such as power adjustment or out of band
or what have you???
Clem W3NRS

2671. Re: Icom 2100-H #@!%*!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: kvanderlin@aol.com
Message-ID: <19990228091059.14476.00001437@ng-fs1.aol.com>
Source record: 115565

>I have owned 3 new 2100-H radios in the last month !!! They all have been
>sent back to HRO. The best one lasted only 2 weeks These are the worst
>radios I have ever seen. Needless to say I will never own another. BUYER
>BEWARE
>KG4BJG Jim
>
>
>

Armed with all this helpful information, I'm sure it is just a matter of time before Icom gets all the 2100H's back.

2672. Questions about Alinco DJ-S11T...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: wseward@megsinet.net
Message-ID: <7bblp4$h4b$1@nnrp1.dejanews.com>
Source record: 115566

I'm looking for opinions on the DJ-S11t. I'm looking to pick up a small 2M ht for downtown chicago use. 300mW of output should be fine since i'll be close to all the repeaters I'll want to hit. Here are some questions I have and if anyone has anything else to add please send me an email.

Is this a good radio for the money?

How does it sound both in and out?

Any intermod problems?

How is the battery life? How much Talk-Time? (I assume it's good with out 300mW of output.)

-\/\/ard--KB9TFF
wardseward@yahoo.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2673. Question about ALINCO DJ-S11T HT...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: wseward@megsinet.net
Message-ID: <7bblt1$h4p$1@nnrp1.dejanews.com>
Source record: 115567

Greetings!

I'm looking for opinions on the DJ-S11t. I'm looking to pick up a small 2M ht for downtown chicago use. 300mW of output should be fine since i'll be close to all the repeaters I'll want to hit. Here are some questions I have and if anyone has anything else to add please send me an email.

Is this a good radio for the money?

How does it sound both in and out?

Any intermod problems?

How is the battery life? How much Talk-Time? (I assume it's good with out 300mW of output.)

-\/\/ard--KB9TFF
wardseward@yahoo.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2674. mobile vs base radio?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: KD5GEH <kd5geh@arrl.net>
Message-ID: <7bb1g1pva1@newnews.startext.net>
Source record: 115568
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

What's the difference? Why would I buy a 'base station' radio if it costs much more than the mobile 'version'?
As-in... Two radios from the same company with the same features (to my 'tech' eyes) usually have a much different price-tag. It'd seem that the mobile, being much smaller, would cost more to build, but... usually costs less than the comparable base-radio...

Thanks.

2675. FS Tek Scope

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36D954B6.DDF7F425@bellatlantic.net>
Source record: 115569
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Tek 2215 60 Mhz dual trace scope in excellent condition.
Looks and works great....Asking $175.00 plus shipping.
Thanks for reading this....Mike

2676. KENWOOD TS-940SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36D954D3.AA613709@bellatlantic.net>
Source record: 115570
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Here's the deal you have been waiting for.

I have for sale a Kenwood TS-940SAT 9 mil serial no.plus. It comes with the following options: SP-940 Speaker, Built in antenna tuner, VS-1 voice synthesizer, YK-88S SSB filter, YK-88A AM filter, YK-88C-1 CW filter, YG-455C-1 CW Xtal filter, Hand Mic, Service Manual,Instruction Manual, and the original box. Asking $ 1000..00 + shipping. Condition is excellent/good.It does have a scratch on the top center front. That is the only flaw. The front of the radio is mint.
Electrically excellent.
Non-smoker.
What more could you ask for in a radio.....
Please e-mail for inquires.
Mike N2OZO

2677. FS 220HT IC-03AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36D954F2.9CBA787B@bellatlantic.net>
Source record: 115571
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale a IC-03AT 220 H.T.
The condition of the unit is excellent/good. It comes with the following
1- IC-03AT 220 H.T.
1- BC-35 Quick Charger
1- BP-5 Battery Pack
1- BP-7 Battery Pack
1- Extra 5/8 wave antenna
Also comes with the manual. I do not have the box..sorry.
I'm asking $200.00 plus shipping....If you are interested please
e-mail for inquires. I will forward my number if required..
Thanks for reading this..Mike

2678. FS MFJ-948 Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-02-28 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36D95533.3BE41DCC@bellatlantic.net>
Source record: 115572
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale a MFJ-948 antenna tuner. Excellent/Good condition.
Electrically excellent. 300 watt range. It does not have a built-in
dummy load. This is a yellow face unit with a black wrap-around cover.
Non-smoker.
I'm asking $80.00 plus shipping.
If you are interested please e-mail me for inquires.....Mike

2679. FS Repeater Controllers and mis.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: N7KFJ <n7kfj@email.msn.com>
Message-ID: <u6wDuVAZ#GA.246@upnetnews02.moswest.msn.net>
Source record: 115323

3 ea. RC100 Repeater Controllers $140.00 each With rack mount chassis and doc's. Work great!! Was just removed from service because of upgrade to Link RLC-3 system.

1 ea. RC85 Repeater Controller (PCB only)$200.00 Was purchased from ACC in 1989. Also lost's of doc's and old ACC news letters from the 80's

1 ea. ACC FP-900 with CTCSS Interface $100.00 Is to be used with the RC85 controller and Icom band units.

1 ea. ICOM IC-900 UHF Band Unit $175.00

n7kfj@msn.com

2680. Re: Icom 2100-H #@!%*!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: kd7ctr@aol.com
Message-ID: <19990301132059.14378.00000563@ng18.aol.com>
Source record: 115324

I think I am one of the "lucky"ones. I have 2 2100s and they both work great. I use the heck out of both of them. I am sorry that so many people are having trouble. I however am getting a Kenwood TM-V7A very soon. I do like what it has to offer.
73s de KD7CTR

2681. Icom 761

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: bwolford@magicnet.net
Message-ID: <36dadae3.5602514@news.magicnet.net>
Source record: 115325

Does anyone know the MARS mod that will open up the xmit on the Icom 761?

Thanks

2682. Re: ICOM 2100H minor problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: kd7ctr@aol.com
Message-ID: <19990301132905.14378.00000565@ng18.aol.com>
Source record: 115326

Do not worry, you are not the only one having troubles wiht the 2100. I have 2 of them. I personally like the units and have only had one problem with the 2. It was the pl scan could not lock on the pl. It took 3-4 cycles to finally lock on the correct pl tone. To remidy this problem, I take my HT and when I start the pl scan on teh 2100, I key up my HT that has the pl already and that locks the correct tone on the 2100. What a pain!!! Especally since most machines around me have a pl.
73s de KD7CTR

2683. For Sale Hamtronics COR-6 COR Module.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: George Lowell <n0eoq@6mt.com>
Message-ID: <7ben6f$a4q$1@news1.alltel.net>
Source record: 115327
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

For Sale Hamtronics COR-6 COR Module.

Bought in 5-98 Wired and tested from Hamtronics. Sold repeater build.
Details can be seen at:

http://www.hamtronics.com/cor6.html

Paid $149.00 Will sell for $100.00

If Interested please email ka0nno@6mt.com

Thank you, 73's Lisa

2684. FS: CS 9800

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: George Lowell <n0eoq@6mt.com>
Message-ID: <7bendn$a5j$1@news1.alltel.net>
Source record: 115328
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

For Sale
Connect Systems Inc. micropatch model 9800 Repeater controller.

It does the following:
Simplex Sampling Interconnect
VOX Control Station Interconnect
Duplex Base Station Interconnect
Repeater Controller with Duplex Interconnect
Dial Access Paging terminal
Talk-Back paging Terminal.

Has been in service since 4-98. Sold the repeater building. Sells new
between $600.00-$800.00

Will sell for $300.00

If Interested please email ka0nno@6mt.com

Thank you, 73's Lisa

2685. WTB:FTV-700 2m,6m,440

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: matt.caldwell@vc3.com
Message-ID: <7beq6t$1c4$1@nnrp1.dejanews.com>
Source record: 115329

I am looking to buy a FTV-700 2m 6m or 440 Transverter for my radio FT-757GXII I have a 6m that doesn't work. If you have one of these and don't use it I would love to take it off your hands. Yaseu is the Brand Name.

Email: matt.caldwell@vc3.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2686. Re: +++ FS: Yeasu FT-920 +++++

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: tchance@my-dejanews.com
Message-ID: <7bes25$30i$1@nnrp1.dejanews.com>
Source record: 115330

In article <7at513$44q$1@camel25.mindspring.com>,
"Dave" <k4de@mindspring.com> wrote:
> I have a Yaesu FT-920 for sale. It is in mint condition, and is owned by a
> non-smoker. It is less than 2 years old. It has the AM and FM options
> installed, and comes in the original box with the manual and hand mike. The
> FT-920 has 100 watts out on all bands 160m to 6m, the recevier tunes 100KHz
> to 30MHz, and also covers 49MHz to 54MHz. Power required is 13.8 volts at
> 20 amps, features are a built in keyer, full break in CW, digital voice
> recorder, and great DSP... $1100, and I'll pay the shipping in the
> continental US...
>
> Dave Ewing K4DE
>
> email k4de@mindspring.com
>
>

I am have been looking at 920s over the past six months ... Why are you
selling this one ... And yes I am interested ... Have they made any changes
to the 920s since they time you purchased this one ???

TEC

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2687. Heathkit IP-12

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Reed Park <reedpark@nbnet.nb.ca>
Message-ID: <36DAE569.F871CA1D@nbnet.nb.ca>
Source record: 115331
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hi

I'm looking for a manual (or just a schematic) for the Heathkit IP-12
power supply.

Thanks
Reed

--

ARROW Research (Avro CF-105)
Reed Park
252 Gauvin Road
Dieppe, New Brunswick
Canada E1A1M1

Amateur Radio VE1NU
WW II, # 19 SET user
I.C.Q. # 4138282

2688. Re: Alinco DJ-S11T or 41T, are they worth buying?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Duane Park <dspark@ix.netcom.com>
Message-ID: <36DAE799.30D1E1B6@ix.netcom.com>
Source record: 115332

I just bought both of them and I think they are a good deal for the money.
I live in a large city, so I get a little intermod at times, I usually fold
down
the antennas and this usually fixes it. If you live in a area with not as much
RF, you
shouldn't experience any problems, They are perfect for Hamfests,
Swapmeets, car to car etc. and they seem to really good on batteries.
Just my opinion....
Duane

Dennis J. Ciurej wrote:

> These suckers are so darn cheap, it's getting real tempting. Any pros or
> cons?
>
> I've read the QST review, but wonder what the practical experience has been
> out there.
>
> I'm planning to use them mostly for the FRS equivalent, i.e. use with other
> hams at hamfests and while travelling to communicate from car to car with
> other hams (and maybe, just maybe to get my wife interested enough to get a
> license).
>
> For the above use, I'm betting that the 440 actually might be better than
> the 2 meter unit.

2689. Info wanted on Kenwood TS-120

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: jordan@santanet.com
Message-ID: <7betc7$43p$1@nnrp1.dejanews.com>
Source record: 115333

I'm looking to purchase a multi-band mobile radio for a trip I'm making this Summer and someone had a pretty good price on a Kenwood TS0120s. Does anyone know where I can get more info on this rig, a picture perhaps? The guy wants $275 + Shipping, is that a good price?

Opinions are welcome...

73
Paul Jordan
kl0an
Fairbanks, AK

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2690. WTB: Multi-band radio 10-80 mtr

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: jordan@santanet.com
Message-ID: <7betgr$479$1@nnrp1.dejanews.com>
Source record: 115334

I'm looking to purchase a multi-band mobile radio for a trip I'm making this Summer. If you have something around the $300 price range, I'd be interested in seeing what it looks like and hearing all about it.

Right now I have a pretty good offer for a Kenwood TS0120s. Does anyone know where I can get more info on this rig, a picture perhaps? The guy wants $275 + Shipping, is that a good price?

Opinions are welcome...

73
Paul Jordan
kl0an
Fairbanks, AK

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2691. Re: Problems with new Kenwood 2M Mobile mikes??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Shanon Lee Herron KA8SPW <sherron@takeout.visteon.com>
Message-ID: <36DAE5DD.64D866F9@takeout.visteon.com>
Source record: 115335

My PTT switch quit working too, you could hear it click but no Xmit. I found a bad solder connection in the common ground circuit on the board in the mic. Try and resolder yours. I used the print in the service manual to figure which lead to trace. I resoldered most of the connections to be safe. I have also replaced the modular connector twice. I think the next time I am going to just cut it off and put on one of the old reliable 8 pin round connectors. I use mine remote mounted in my van. The modular plug is nice and small but the tab was not ment to be used twice a day. 73 Shanon KA8SPW

Shiva649 wrote:
>
> I have a Kenwood 742A with the mike you
> are describing and after 3 weeks the ptt
> button went bad Had to go back for a new one

2692. FS: Brand new mint ICOM IC-706MKII

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: k4msw@qsl.net.REMOVE
Message-ID: <gDCC2.3630$w57.847192@news3.mia>
Source record: 115336

For Sale:
Brand new in the box Icom IC-706MKII HF/VHF Transceiver (with DSP)
(powered up for 20 minutes to test and that's it)
comes with AH-4 automatic antenna tuner (never opened box)
and 500Hz CW Filter (uninstalled and in original box)
Must sell due to financial hardship.

Price: $1275 + shipping

If interested, please email: k4msw@qsl.net

Thanks and 73,

Todd, K4MSW

2693. ***For Sale*** Icom IC-T8A Tri-band HT. $280

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: John Alley <chia@korrnet.org>
Message-ID: <Pine.GSO.3.95.990301152816.25432A-100000@georgia.korrnet.org>
Source record: 115337

I have a brand new (only 10 days old) Icom IC-T8A that I would
like to sale for $280 shipped to CONUS. This is a GREAT Tri-band HT that
covers 6 meters, 2 meters, and 70cms. I have the HT the box all paperwork,
and the manual, and the BP-197 AA alkaline battery case. This HT is as new
there have been NO MODS done to it! The features are as follows:

RX: 50-75.995MHz
76-107.95MHz wide FM GREAT broadcast recieve
108-135.95MHz AM Aircraft Band
136-229.95MHz
300-399.99MHz
400-599.99MHz
600-999.99MHz (with NORMAL Cell blocked freqs. NOT part of public
service 800MHz band like the VX-5R!)

TX: 50-54.000MHz
140-150.00MHz
430-450.00MHz

This is a GREAT HT! I really love the HT, but here in my area the
6 meter coverage is pretty low, unless you have a great 6 meter base antenna.
And here my wife and I live in an apartment so there is no chance for an
external antenna until we get a house. I kinda need some cash right now also.
This HT is great, I am asking $280 for it shipped via. UPS ground, or USPS
standard to the CONUS. Please if anyone is interested let me know. I'll even
ship overseas if you can make up a little in the shipping. Thanks and E-Mail
me at one of the below addresses for info, or with questions or if you want
the HT. Thanks....

--
=====----****----====
73 de KF4UAE
KF4UAE@qsl.net
chia@korrnet.org
John R. Alley

2694. Re: Wanted: MOD for Cobra 29LTDST

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Zeitgeist <haroldson@gglbbs.com>
Message-ID: <7bf2h1$8ul$1@nnrp1.dejanews.com>
Source record: 115338

In article <7bavkh$re9$1@winter.news.rcn.net>,
"Jbeans" <bimpy@erols.com> wrote:
> Beam me up Scotty I need more power, are there any mods out there? Also I am
> looking for a place to by a linear amp 50 watt max I prefer 25 though mobile
> unit for my truck. Is there such an animal? Just getting into this stuff.
>
> I will assume you cross-posted in error, or you are waiting for the

flamethrowers to attack. You might try the rec.radio.cb group. They are
there for "Power" and "Modj" and "Freqs" and all the typical stuff you are
looking for.

You have entered the local BMW dealership looking for a 1976 AMC Gremlin fuel
pump.

"To err is human, to forgive is not SAC policy"

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2695. **Announcing** -- American Classics of Amateur Radio SITE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Anita Bautsch <abautsch@pdq.net>
Message-ID: <5fDC2.60$aq4.690@news3.ispnews.com>
Source record: 115339

http://members.xoom.com/w5am

Amateur Radio Hall of Fame featuring the Amercian Classics of Amateur Radio

2696. Re: Questions about MFJ Tuners

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Tom@astro.net
Message-ID: <920322732.003.41@news.remarQ.com>
Source record: 115340

I have the 969 and love it. One thing though, MFJ isn't know for their quality control as far as cold solder joints go, mine had one and a dirty roller inductor. Took it to my local ham shop (Ham Central - Thanks Eric!) and in 5 minutes good as new. Works great. MFJ makes good stuff but they need to be more careful with quality control and testing. If they tested mine they would have seen a problem right away.

73,
Tom

In article <19990228165308.26692.00001510@ng134.aol.com>, compcnsult@aol.com (CompCnsult) wrote:
>I am thinking about buying a MFJ Tuner. Specifically a 949.
>
>Are these tuners any good. The price seems right. I am only running about 125
>watts and want to tune into a long dipole antenna.
>
>Thanks
>WD0ASJ
>wd0asj@aol.com

Remove the "P" from the below address (spam blocker)

Tom Randall Amateur Radio - KB2SMS
Mt. Beacon Amateur Radio Club / ARRL / 10-10
tprandall@idsi.net Member: AAVSO Solar Division

My Astronomy/Ham radio site: http://www1.mhv.net/~trandall/welcome.html

2697. Wanted: Motorola Keyloader Cables (Expo & MX-300)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: leongst@mail.northgrum.com
Message-ID: <MPG.11449bd64af7e73998969f@news.northgrum.com>
Source record: 115341
Cross-posted to: ca.wanted,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

Wanted: Motorola Keyloader cables for Motorola Expo and MX-300 Series radios.

Thanks in advance for any assistance you can provide!

Steve KC6IJM

2698. FS: CURRENT MODEL C156A HANDHELD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Paul London <ki4xz@peganet.com>
Message-ID: <7bf0s4$1gt@andromeda.peganet.net>
Source record: 115342

FOR SALE IN ORIGINAL BOX STANDARD 2 METER C156A HANDHELD RADIO = INCLUDES =
TWO (2) CBT156 BATTERY CASES WITH NICAD BATTERIES= 12V MOBILE POWER CORD=
SPEAKER/MIC WITH LAPEL CLIP = CARRYING STRAP = BELT CLIP AND MANUAL=
THIS IS A VERY CLEAN CURRENT MODEL AND WORKS PERFFECTLY=
SPECS= EXTENDED RX AND TX (MARS MODIFIED) + 100 MEMORY CHANNELS + CALL +
VFO AND MUCH MORE

WILL SELL FOR $150.00 DELIVERED TO YOUR DOOR (USA)

PAUL LONDON ki4xz@peganet.com 941-637-0179

--
ki4xz@peganet.com

2699. Re: Help modify FT-8100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: brianburke@my-dejanews.com
Message-ID: <7bf5tl$c77$1@nnrp1.dejanews.com>
Source record: 115343

In article <7bc24p$t1a$1@news.ncal.verio.com>,
"Bob Stadtherr" <bstadtherr@tcsn.net> wrote:
> I am trying to modify an FT8100 for a pilot friend.
>
> I removed the resistor as instructed in the CAP/MARS mod, and reset the
> radio. I was able to access the desired frequencies no problem. When I
> download the radio from the ADMS software, the radio shows "err" on those
> frequencies.
>
> Any fixes for this?
>
>
Is this the same pilot that tells me that I can't use my type accepted radio
stuff on his airplane?

Brian/N0iMD

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2700. Heathkit memories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: dalien <dalien@pacifier.com>
Message-ID: <36DB116E.73C5D141@pacifier.com>
Source record: 115344
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

Seeing several unassembled Heathkits for sale brought back memories:

"It is cold outside, but the house is warm and smells of Christmas
decorations. The fireplace crackles; a soldering pencil waits to warm.
My cold wet feet slowly thaw in thick socks as the flurries turn to
blizzard. Supper is finally over, and it's time to sort the parts. It
is 1961, and I am young again..."

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=72559967
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=72644977
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=72052492
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=70362517

2701. Wanted: R1801 MX-300 PROM Adapter Module

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: leongst@mail.northgrum.com
Message-ID: <MPG.1144aecbdf5b50d49896a0@news.northgrum.com>
Source record: 115345
Cross-posted to: ca.wanted,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

Wanted: Motorola R1801 Suitcase Programmer MX-300 Series PROM
Programming Adapter Module. I have access to the programmer, but need
the correct module to program the MX-300S A/B/C/D PROMs.

Thanks very much in advance for your help!

Steve KC6IJM

2702. Re: Questions about MFJ Tuners

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: "Tom C. Brown, Jr." <mmc@netdoor.com>
Message-ID: <oLEC2.1956$gU1.8523@axe.netdoor.com>
Source record: 115346

Kinda like my MFJ 971 QRP tuner: DOA and when I opened the cabinet, the problem was obvious.....one of the wires was pressing quite firmly against the aluminum top cover! Bent it down a bit and it's worked fine ever since.

Or like my old 411 code generator: DOA with a defective power switch. Cross wired it to the other [unused] terminals on the switch and it worked until the headphone jack failed. Snaked a dental tool up into the headphone jack and fixed that and it worked until I retired it in favor of the 418, which is far far better built.

Or like my first 407C keyer. Quit very quickly after I first used it and I found out that there was a pad on the main PC board that had never seen solder! Soldered it and it's still working.

Or like my other 407C keyer. Quit very quickly after first use, and I found that the xtal was bad. Got one out of an old modem and replaced it and it still works.

Or like my MFJ 422B keyer. The battery clip fell out as soon as I put the first battery in it, and I had to re-mount it. And later it developed an added "feature" of making continuous dashes whenever it felt like it should..... Probably a bad joint but I've not had the time nor inclination to put any more time on it as of yet.....

You get the idea.

They really do fill a niche in the ham equipment market: very useful stuff that is very affordable. The only caveat is that you will have to fix a lot of it at some time during its life. Sometimes *VERY* early in its life! ;-) Which is not necessarily a bad trade when the price is cheap enough.

Interestingly enough, the quality of construction level seems to vary widely.....it's not universally low. I have a 493 keyer that has worked perfectly ever since I got it, and my 418 code generator has performed flawlessly for over a year. That's one I'd recommend to any CW op....

Concerning their tuners, though: pay no attention to the built-in RF wattmeter when operating SSB. I have measured 50+ percent error [low] which would have you running SERIOUS power if you were using a behemoth amp and using the PEP indication on the wattmeter as your guide! :-) The "Peak" function is OK for watching your power while running CW, but the crest factor of SSB is too great and the meter just can't make it.

But, the long and short of it is that you can't go anywhere and buy anything better for the same money.....

73 and GL

Tom AE5I

Tom@astro.net wrote in message <920322732.003.41@news.remarQ.com>...
> I have the 969 and love it. One thing though, MFJ isn't know for their
>quality control as far as cold solder joints go, mine had one and a dirty
>roller inductor. Took it to my local ham shop (Ham Central - Thanks Eric!)
>and in 5 minutes good as new. Works great. MFJ makes good stuff but they
need
>to be more careful with quality control and testing. If they tested mine
they
>would have seen a problem right away.
>
>73,
>Tom
>
>
>In article <19990228165308.26692.00001510@ng134.aol.com>,
compcnsult@aol.com
>(CompCnsult) wrote:
>>I am thinking about buying a MFJ Tuner. Specifically a 949.
>>
>>Are these tuners any good. The price seems right. I am only running about
125
>>watts and want to tune into a long dipole antenna.
>>
>>Thanks
>>WD0ASJ
>>wd0asj@aol.com
>
>
> Remove the "P" from the below address (spam blocker)
>
> Tom Randall Amateur Radio - KB2SMS
> Mt. Beacon Amateur Radio Club / ARRL / 10-10
> tprandall@idsi.net Member: AAVSO Solar Division
>
> My Astronomy/Ham radio site: http://www1.mhv.net/~trandall/welcome.html
>

2703. Re: Icom 2100-H #@!%*!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: JIm Irons <jirons@prodigy.net>
Message-ID: <7bf5b4$ed14$1@newssvr04-int.news.prodigy.com>
Source record: 115347

DLR18SH <dlr18sh@aol.com> wrote in message
news:19990301082446.26920.00001720@ng100.aol.com...
>what happened to all the IC-2100H.
>Did HRO give you a hard time returning them? Was the problem the Finals
burning
>up? I have heard there is a MAJOR problem in the Finals go bad from several
of
>my friends who also sent back 4 units. Icom says there is no problem. Hmmm
I
>call it a problem when 50% of the radios die shortly after sale..
> 73's TIM

Well one of them started running at 65 watts in all three modes the other 2
just quit transmiting.
I sent them back one at a time. This time for a refund. Also another ham in
the area has just sent
one back because it was putting out high power in all 3 power settings.
KG4BJG Jim

2704. Re: Forget Y2K - Hackers Like This Are Far More Serious!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: paul wise <n3ngo@prodigy.net>
Message-ID: <7bf5je$75cm$1@newssvr03-int.news.prodigy.com>
Source record: 115348

good point dave, i too agree that y2k will pass without major inconvenience.
i believe the bottom line is that alot of people are making alot of money
pushing y2k products and services.
business firms are paying hundreds of thousands of dollars to 'consultants',
basically someone who will validate your hardware and software for y2k
compliance.
i work for one of these businesses. my company paid a consulting firm over
$200 per-item just to take an inventory of what hardware we had that might
be affected. then my job became testing of all these systems, even though
they have no date or time capabilities
of course the 'consultants' included every meter and gauge to increase thier
cost.
then there are merchants pushing things like generators, flashlights, what
have you for when the lights go out (in case the power comany experiences
rollover problems)
have you priced or tried to buy a generator lately? most suppliers are
backordered for months...
the champaign industry is even trying to capatalize on this by stating that
there is no way they could produce enough to supply the demand for millenium
parties.
but they have had no problem supplying enough for any other new years
celebration?
i am suprised doctors are not cashing in by telling heart patients that
pacemakers installed before 1994 will not work in a 2000 environment, can
you imagine the implications if something like that broke?
i think alot of people are making as much as they can now, because they are
going to have to find some other way to make money in 9 more months...

DavidC wrote in message <01be63e2$f55b1b60$148592d0@Bit-Net.bit-net.com>...
>I have been telling folks for over a year that Y2K will be
>a mere blip on the screen compared to the field day
>hacker-terrorists will have in 2000.
>
>Hackers are terrorists and terrorists thrive on fear and
>the perception of calamity. With all of the profit and
>politicallly-opportunistic fear-hype surrounding Y2K these
>purveyors of fear have created the perfect environment
>for the hacker-terrorists.
>
>This story (below) only begins to illustrate what is in store.
>
>Sure wish someone would confront the Y2K fearmongers
>with the consequences of their selfish actions and begin
>the process of taking away from the hacker-terrorists this

>field-of-fear that has been manufactured.
>
>Anyone seen other hushed-up stories like this?
>
>DavidC K1YP
>

2705. Re: Info wanted on Kenwood TS-120

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: cainiowa@aol.com
Message-ID: <19990301180019.22974.00001860@ng95.aol.com>
Source record: 115349

Hi Paul:

I owned a TS-120 some time ago. $275 doesn't sound too bad if the rig is in good condition. I've seen some at hamfests that were pretty beat.

The rig is big for a mobile by today's standards. It only covers 10 to 80 meters and does not cover WARC bands.

I guess it depends on what you want to do with it. If it covers the bands you want to work, then it will do a good job for you.

73's de Jay WD9X

2706. Trio-Kenwood 820 Transceiver and remote VFO 820

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Darwin <downwind_sailor@yahoo.com>
Message-ID: <36DB1B05.759B248F@yahoo.com>
Source record: 115350

I just put them up on e-bay - http:..www.ebay.com

TS-820 Tanseiver. Note that this is the TRIO-Kenwood TS820 and is the same as the
Kenwood TS820. It is absolutely identical except that it has a TRIO label (even the
Kenwood leaf logo is the same). The case is in excellent condition and so is the
electronics. The power supply is built in. Works on 10/15/20/40/80/160 meters, 160
watts dc CW, 100 watts dc FSK, 200 Watts pep SSB.
Has Magicon RF processor module installed to convert RF compressor to RF clipper.
Has switch modification to allow using SSB 2400hz filter in parallel with 500hz CW filter.
Service update #13 completed to remove 'rubbery' feel to RIT tuning.

Remote VFO-820. Note that this is the TRIO-Kenwood VFO and is the same as the
Kenwood VFO. It is absolutely identical except that it has a TRIO label (even the
Kenwood leaf logo is the same). The VFO allows split operation of the transmit and
receive frequencies (good for DX work.)

Microphone is the Kenwood MC-50 desk mike but an Astatic UGB microphone and stand
are also included.

Original (Japanese) manuals for both units. Original Kenwood TS820 Manual and extra
photocopy. Potocopy of Kenwood VFO820 manual. Also includes the oringinal Kenwood
MC-50 manual and assorted other publications. The transiever has it's original shipping
carten.

Please buy them from me, I'm going cruising (8 years by sailboat) in about 6months and I
bought an Icom 735 for onboard use. These guys have got to go.
Thanx
Darwin Boblet
SV Dragon Lady

2707. Re: Trio-Kenwood 820 Transceiver and remote VFO 820

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Darwin <downwind_sailor@yahoo.com>
Message-ID: <36DB1B88.FA51D71D@yahoo.com>
Source record: 115351

I almost forgot, the reference # is 72846540
thanks again,
darwin boblet

2708. Drake 2C, 2NT, 2CS, 2QC cw rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Darwin <downwind_sailor@yahoo.com>
Message-ID: <36DB1A24.CF061BE5@yahoo.com>
Source record: 115352

Drake CW Ham ring, reciever: Drake 2C, Transmitter: Drake 2NT, and
Speaker with Q multiplier: Drake 2CS and 2QC available off of e-bay
http://www.ebay.com
See item # 72835754
Thanks
Darwin Boblet

2709. WTB: Galaxy Duo-Bander 6 and 2 Meter xcvr

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Edward Plotzker <edplotzker@pol.net>
Message-ID: <36DB1D1E.3D2802E2@pol.net>
Source record: 115353
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ham-radio.marketplace,rec.radio.swap,rec.radio.shortwave,alt.ham-radio,alt.ham-radio.vhf-uhf,rec.ham-radio,rec.radio.amateur

I am looking for a Galaxy Duo-bander 6/2 mtr xcvr. They were made around 1966. If you can assist me please let me know. -- Ed edplotzker@pol.net

2710. WTB 6M and 2M amps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: needmopwr@aol.com
Message-ID: <19990301184926.08726.00002177@ng121.aol.com>
Source record: 115354

I am looking for 2 and 6M bricks to be used for FM/ SSB. I would like about 160 watts for 2m and 100 or so for 6m. I have a limited budget so I can't pay a whole lot for each. Thanks, Brodie KE6BZY

2711. IC12AT Service manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <36db2d07@news1.us.ibm.net>
Source record: 115355

The first Icom 1.2GHz hand held radio. Icom claims they never printed a service manual. Anyone have schematics or any other useful info? I have one which is running out of trim range on the reference crystal, and don't want to butcher the radio experimenting if I can help it. E-mail me any information at munsch@ibm.net
Thanks, W5VPQ also known as--
Crazy George

2712. IC-Q7a lost band after mod?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: rave_bob@REMOVE.videotron.ca
Message-ID: <rave_bob-0103991938370001@192.168.1.2>
Source record: 115356

Did anyone experienced this? after modifying the radio for expended Tx i lost a couple of bands like around 412 somewhere in the 800 etc ... any idea of what could have caused this and what can i do to fix it?

thanks,

alex

2713. fed...UPS....Lets SUE EM..CLASS ACTION ANYONE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <36DB3095.10122E65@iglobal.net>
Source record: 115357
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio*

I will no longer be responsible for any shipment sent to OR from me on UPS...if you specify it, it becomes yours the minute I drop it off at UPS counter....

I mean it , Ive had it...please send me just a note, no explanation now....if you have a proveable grievance, or even NEARLY....I dont know yet, but I believe I have enough to get one of my family lawyers to take it on Spec...and I Have Had It....with them....I guess its fed ex only for me too now...post office is too tough to even get started on a claim.....I am foreward this to UPS corporate as well....GUESS WHAT UPS....HAMS HATE YOU AND there are lots of others that do too!!

Sincerely ,
Murray Neece
Smokin J's Discount Tobacco
and RADIO RANCH

2714. FA: Hamtronics TA-51 Transmitter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: "Christopher Zeman, KB9RHA" <zman.SCREW.YOU.SPAMMERS@iwc.net>
Message-ID: <KtGC2.123$K13.3323@news14.ispnews.com>
Source record: 115358
Cross-posted to: alt.ham-radio.nocode,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.packet,rec.radio.amateur.swap,rec.radio.swap

Hamtronics TA-51 Transmitter

Crystalled for 52.930 MHz
3 Watts Output Power, 100% Duty Cycle
Fully Assembled, works great!
Never put into service, only bench tested.

Money Orders only. Shipping is $3.20 anywhere in the U.S.

For more information on this radio, visit
http://www.hamtronics.com/xctr.html

Auction is at:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=72921997

2715. Re: F.S. JB2000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: "Dennis W. Ostrowski" <dwostrowski@lucent.com>
Message-ID: <36DB343F.AAA70ECB@lucent.com>
Source record: 115359
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

Robert Piland wrote:

-- F.S. JB2000 Amp Made by Black Cat 10-80 2000 watt amp. E-Mail =
-- dstump1@gte.net
--
>
> If this is my old Cat Dave . . .
>
> Let's talk I would like to have ot back . . .
>
> Brass

At least explain to this man that there is a big difference between a
JB2000 and a JB10-80!

Dennis

#12

2716. Re: FS or TRADE: GAP Titan DX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Ben Flauder <va3bsf@rac.ca>
Message-ID: <NFGC2.144$SY3.458@198.235.216.4>
Source record: 115360

Thanks...its sold.

va3bsf

2717. WTB: Radio Shack PRO-7 Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: TP <pridgent@pinn.net>
Message-ID: <7bfidq$a6o@netaxs.com>
Source record: 115361

Looking to buy a Radio Shack PRO-7 (#40-2066)speaker. Please respond via email if you have one or a pair for sale.
Terry
pridgent@pinn.net

2718. Re: F.S. JB2000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Toll Free <tollfree@tollfreecb.bigradios.com>
Message-ID: <rgIC2.688$6a3.1099@news20.ispnews.com>
Source record: 115362
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

You sure your not looking for a CopyCat??

hehe

Toll Free

--
Toll Free
Asstrodome City
``Smoking areas in restaurants are like peeing areas in swimming pools.''

Dennis W. Ostrowski wrote in message <36DB343F.AAA70ECB@lucent.com>...
>Robert Piland wrote:
>
>-- F.S. JB2000 Amp Made by Black Cat 10-80 2000 watt amp. E-Mail =
>-- dstump1@gte.net
>--
>>
>> If this is my old Cat Dave . . .
>>
>> Let's talk I would like to have ot back . . .
>>
>> Brass
>
> At least explain to this man that there is a big difference between a
>JB2000 and a JB10-80!
>
>Dennis
>
>#12

2719. Kenwood TS-711A/811A manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: KC5ALC <kc5alc@mindspring.com>
Message-ID: <7bfkca$c07$1@samsara0.mindspring.com>
Source record: 115363
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Sam's photocopy service manual and schematics for Kenwood TS-711A and 811A.
Also included is an operator's manual for the 811A. $12

Contact kc5alc@mindspring.com

2720. Re: Mailing list for the TH-D7?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: aa <n6vigAT@usaDOT.net>
Message-ID: <fzIC2.923$Cy5.1524@news7.ispnews.com>
Source record: 115364

www.tapr.org has a Mailing list for the TH-D7. I think www.qth.net has one
for kenwood in general.

Daniel Lavoie wrote in message ...
>Anyone know if there's a mailing list for the TH-D7?
>
>Thanks
>
>Daniel
>VE3DCL
>
>--
>
><< Take out NOSPAM to reply by e-mail >>
>
>

2721. NEED INFO.: Regency R-1060 Programming

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Mike Perry <mrmike@froggernet.com>
Message-ID: <36db62ff@news.pcom.net>
Source record: 115365

I recently got a Regency R1060 scanner at a garage sale without a manual.
Can anyone help with directions to program this scanner. What's the "Test"
and "Verify" buttons do ? I can't get it to input frequencies into memory.
Can you help by Email ?? If you have a manual to copy, please let me know &
I will pay copy & shipping costs.

contact me at: mrmike@froggernet.com

Thank you in advance for your help !

2722. Help: Kenwood TH 77A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Garren <garren@spindle.net>
Message-ID: <36DB5EEC.6DE2@spindle.net>
Source record: 115366

I Aquired a TH77a from a friend that had purchased it second hand and not working properly. It seems someone in the past has done a modification on it but has lost the capacitor and its jumper wire that is glued to the board near the chip diodes that are removed during the mod. The capacitor is labeled C-124. Has anyone performed this particular mod and happen to remember the value of C-124? Also a schematic would be very helpful as they severely butchered the board in that area and it is hard to tell exactly which points the capacitor leads solder to.

Thanks in advance.

2723. Re: fed...UPS....Lets SUE EM..CLASS ACTION ANYONE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: "Joe D. Bucher" <JoeB@viaduct.custom.net>
Message-ID: <36DB657E.3CA0@viaduct.custom.net>
Source record: 115367
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio*

J. Murray Neece wrote:
>
> I will no longer be responsible for any shipment sent to OR from me on
> UPS...if you specify it, it becomes yours the minute I drop it off at
> UPS counter....
>
> I mean it , Ive had it...please send me just a note, no explanation
> now....if you have a proveable grievance, or even NEARLY....I dont know
> yet, but I believe I have enough to get one of my family lawyers to take
> it on Spec...and I Have Had It....with them....I guess its fed ex only
> for me too now...post office is too tough to even get started on a
> claim.....I am foreward this to UPS corporate as well....GUESS WHAT
> UPS....HAMS HATE YOU AND there are lots of others that do too!!
>
> Sincerely ,
> Murray Neece
> Smokin J's Discount Tobacco
> and RADIO RANCH

Most folks just don't know how to properly package an item to
survive the rigors of UPS. I have shipped hundreds of electronic
related items and have just had one lost shipment. None lost to
damage. I have bought items from individuals that assured me they
would pack it well and when it arrived it was trashed! Used properly,
UPS is the cheapest and most reliable shipping source we have.
However, Fedex is better than UPS if cost is of no concern. Thanks
for letting me get my 2 cents in! ...Joe

2724. Antennas

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: sequoiaflowers <sequoiaflowers@email.msn.com>
Message-ID: <OSxjwqHZ#GA.309@upnetnews03>
Source record: 115368

Can someone help me create my own 2 meter antenna? Thank you

Send replys to David.Springgay1@juno.com.

David Springgay

2725. Help: Subaudible tones for Kenwood TM201B

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: bushml <bushml@phnx.uswest.net>
Message-ID: <36db52c2.0@news2.uswest.net>
Source record: 115369

Greetings:
Is anyone familiar as to the possiblity of adding tones to my old Kenwood TM201B? Has anyone tried to add sub-audible tones, or is there anyone on the newsgroup that knows a technician that has accomplished this.
I was told that it is not possible to do, but I have noticed add-ons in QST and some other magazines that assure the addition to tones to any rig. I would really like to make full use of the 2 meter band and the repeaters in my area with this old rig.
Any help would be appreciated. Please send information to KD7KR@arrl.net
Thanks, 73
Mike

2726. Re: a "BUG" in the Grundig YB 400?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: dean@iowaone.net
Message-ID: <36dade10.15993287@news.iowaone.net>
Source record: 115381

That is the way all clock radios work...

On Sun, 28 Feb 1999 16:56:26 GMT, Surfer@Wave.Net (The Wave Surfer)
wrote:

>Has anyone else noticed the following "bug" in YB400:
>
>If the wakeup-time is set so that 10 o'clock will be passed within 60
>minutes the radio will stop playing at 10.00
>
>The same thing happens with 20.00
>
>Share your knowledge so that the world will be a better place

2727. Re: Drake R8B Sound Enhancement

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: cslc82@email.mot.com
Message-ID: <36d9df13.253985712@netnews.worldnet.att.net>
Source record: 115382

Before you spend a lot of money on a DSP, or even the companion Drake external speaker, I would urge you try to locate a big, old Public Address speaker (like the ones that were in school classrooms in a big brown box), maybe 8"-10" speaker. Sometimes these can be found at Salvation Army, Goodwill Industries, and other thrift shops as well as hamfests. Similarly, these same places often have "junk" stereo systems which have decent speakers for the application you're describing. Even if you buy a $25 stereo and throw out all but one speaker, you're doing well.

I say this from experience, as the speaker makes so much difference in the sound! The Drake can drive a 4 or 8 ohm speaker to decent levels and you'll be amazed how good it sounds. In my case I got a pair of cheap Radio Shhck bookshelf speakers and rescued a small stereo amp (about 10 watts) from my junk room. My transceiver output feeds the left channel and my Drake R8A feeds the right channel. Both rigs sound fantastic, with the Drake having the best audio by far.

DSP and audio filters can be helpful with bad interference, but they both take away from the audio, they don't add to it.

Good luck!

73

Dan
K0DAN

==========
On 28 Feb 1999 22:13:57 GMT, Michael <MKlevickis@worldnet.att.net>
wrote:

>I operate a Drake R8B primarily to receive commercial voice
>transmissions. Although this is a decent radio, the sound quality from
>the internal speaker leaves something to be desired. I have considered
>adding either a Grove SP 200-B Sound Enhancer or a JPS or MFJ Digital
>Signal Processor to improve the sound quality and readability.
>
>Has anyone had any experience with any of these units? I would
>appreciate suggestions and reasons for choosing one over the other. I
>have read that some DSP's distort voice transmissions because of a
>signal processing delay. Is this a problem with either the JPS of MFJ
>units?
>
>Any comments would be appreciated.
>

>Michael

2728. Motorola mx330 conversion

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Bill Collins <bcollins@terraworld.net>
Message-ID: <7bcnbb$oc6$1@opal.southwind.net>
Source record: 115383

Anybody know if a Motorola MX330 can be converted to 440 ham band. It is currently set for the 406-418 range. If so, what is involved in doing the conversion, and what is needed, other than channel units?
thanks in advance!
Please email me via bcollins@terraworld.net

2729. Re: mods for TM-G707

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Arthur Uberti <n2xpm@worldnet.att.net>
Message-ID: <7bcq38$60a@bgtnsc01.worldnet.att.net>
Source record: 115384

It is the same mod as the Kenwood Dual band mobile that has the Blue face.
73
artie
Bo Chan wrote in message <36c7a8be.0@carrera.intergate.ca>...
>Does anyone have the mod of TM-G707?
>
>
>

2730. Yaesu VX5 Japan Version Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: n2ss@bellatlantic.net
Message-ID: <36d9edae.169827900@news5.bellatlantic.net>
Source record: 115385

Anyone have any experience modifying the Japanese version to cover US freqs and repeat modes? Japanese version covers 144-146 only for transmit and has no repeat function on 2 meters and 440 band is 430-440 in Japan. Thanks for any help on this. Tony N2SS

2731. wtb: 10 meter radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: bujiaj8@aol.com
Message-ID: <19990228205322.22974.00001548@ng95.aol.com>
Source record: 115386

Have a 2950 and would like to purchase another or a 2510. email with information concerning the sale of these two radios.

bill

2732. Re: Tempo One

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: k2gt@qsl.net
Message-ID: <36da03b1.29729292@newsreader.2xtreme.net>
Source record: 115387

On Sun, 28 Feb 1999 18:49:25 -0500, "Ted Onyshczak"
<tedezak@bangornews.infi.net> wrote:

>Anybody with experience on Tempo One? Is this a Ten Tec product from
>the 70's?
>
>de Ted
It is a Yaesu product, first manufactured as the FT200 in 1969 and
sold mostly overseas. I bought mine directly from the Yaesu factory
while in the service in Japan. A year later, Henry Radio imported them
as the Tempo One, and Yaesu moved manufacturing to China or somewhere.

2733. Re: Motorola Saber Info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Tony Szablowski <a2112szablowski@worldnet.att.net>
Message-ID: <7bd0aa$a8c@bgtnsc01.worldnet.att.net>
Source record: 115388

Russ Freeman wrote in message
<36C70DDB.C93EE632@garnet.acns.fsu.edu>...
>What is the difference between a Saber I/II/III? I know that some
have
>displays and DTMF pads and that some scan and some don't. Is the
>ASTRO option a whole different radio or an optional module?

I believe the Astro has a greater split capability, digital & analog
Tx/Rx ability, and maybe a few more bells and whistles than the
regular Saber. I think the main difference between the regular
Sabers(1/2/3) are the keypad/DTMF and certain functions obtainable
through the keypads. If you can afford the Astro, get it. It's a
great radio, but I think the Motorola MT2000 is a better deal.
--
Regards,
Tony
a2112szablowski@worldnet.att.net (remove 2112 to e-mail)

2734. Re: mods for TM-G707

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Solarpower1watt@Juno.com
Message-ID: <vFnC2.2893$dE.49873@newsfeed.slurp.net>
Source record: 115389

.
>>Does anyone have the mod of TM-G707?

Much good info can be had at: <http://www.icongrp.com/~sllewd/>

Ed

REPLY INFO:
==
Return address modified to prevent automatic SPAM response.
TO REPLY: remove the "watt" from my return address.
==

2735. IC-4SAT Internal Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: zygmunt@mindspring.com
Message-ID: <36da04e3.50794818@news.mindspring.com>
Source record: 115390

If the IC-4SAT internal (chargeable) battery is dead, can it be resuscitated? If not, can it be replaced? My HT works fine with external batteries but not with the internal one alone.

--

Zyg, AF4MP

2736. (2) moto ASTROS for auction, pics available

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7bd523$kg3$1@nnrp1.dejanews.com>
Source record: 115391

(2) moto astros for auction. i think these are 800's, they dont power up. have good cases,lcd's are not cracked, keypads intact. units are for auction on ebay. pics available. heres the link.. http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=71600180 thanks robert

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2737. ANTIQUE NATIONAL RADIO SET, KIT BUILT, 3PCS FOR AUCTION

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7bd5nq$l6r$1@nnrp1.dejanews.com>
Source record: 115392

antique radio set. (3pcs) radio, PS/spkr, and vfo. look to be from the 40's. obtained from the family of the builder. units are all original down to the cloth cords. still have handrawn schematics inside cases. pics are available. heres the link..
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=72615492
thanks
robert

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2738. OLDER PHONE PATCH UNIT FOR REPEATER for auction

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7bd5tj$l8s$1@nnrp1.dejanews.com>
Source record: 115393

teleconnect 850 older repeater phone patch. unit is on ebay. pics avail.
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=72627591
thanks
robert

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2739. GE 800 MARKV RADIOS, GOOD TO MOD FOR 2.4 GIG HAM for auction

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7bd63glbl1@nnrp1.dejanews.com>
Source record: 115394

ge mark v radios. 2 radios, 1 chassis and 2 boards. some folks have moded these to make 2.4 gig ham transmitters. sold as parts/experimenter radios. units are on ebay. heres the link http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=72661629 thanks' robert

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2740. MOTO MT 500 YELLOW FACEPLATE W/KEYPAD for auction

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7bd6cillu1@nnrp1.dejanews.com>
Source record: 115395

moto mt500 yellow faceplate w/keypad. these yellow units are used by CSX railroad. pics are available. unit is on ebay, heres the link.
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=71616632
thanks
robert

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2741. FS: Two National NC-173 Receivers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: duckman_osu@ionet.net
Message-ID: <36d9da2d.39009317@news.ionet.net>
Source record: 115396
Cross-posted to:
rec.radio.amateur.boatanchors,alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.swap,rec.radio.amateur.equipment

Hi, All!
I have two National NC-173 receivers for sale. Really
hate to get rid of these, but finances force sale.
First receiver is in very nice shape, works fine, with just a few
minor scratches. Has original speaker and mint owners manual.
Second receiver is complete but does not receive. Very minor
damage to lower front panel. Will fix up nicely.
Will sell all for $250 plus shipping. Will not seperate.

Dewayne "Duck" Moore
duckman_osu@ionet.net

2742. ICOM 2100H minor problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Joe Mehaffey <joe@mehaffey.com>
Message-ID: <36DA1B7A.F3B8816A@mehaffey.com>
Source record: 115397
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

Last year, I got rid of all the family's older 2M radios and installed three IC-2100H units in the vehicles and one additional unit in the house. The House unit runs on 13.6volt DC battery power float charged continuously. These units have been VERY satisfactory once I solved the following problem.

The problem that I have seen on ALL FOUR radios is as follows:
1) If the TONE SQUELCH is set to anything but the default of 100 hz,
AND
2) You set the frequency to <say> 186.2 hz tone squelch
AND
3) You LEAVE THE OPTIONS MENU SITTING ON EITHER THE 186HZ RX OR 186HZ TX set frequency (as opposed to say the .600mhz offset or the dimmer setting or the color setting) when you push the MEMORY WRITE button,
THEN
3) Within a day or two you will notice that your radio does not work and when you LOOK AT THE TONE SQUELCH FREQUENCIES, you find they are BOTH (tx and rx) at the default 100hz setting instead of 186.2 where they should be.

This has routinely happened on all four radios, EVEN the one connected to the unterruptable battery power source.

Icom says they never heard of this problem.

The workaround is to be sure to have your OPTIONS MENU sitting on <say> the color selection option when you push the MEMORY WRITE key. When I do this, I have never had the tone squelch settings change.

Does anybody have a fix for this problem? I am SURE if all four of my IC-2100H radios have this problem, I am not the only one having the problem despite Icom's story.

Thanks
Joe Mehaffey
W2JO

--
Got a Question about GPS technology? Looking for a GPS FAQ site?
See: http://joe.mehaffey.com

2743. FS: ICOM FL-103 SSB Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990228235625.29500.00001623@ng139.aol.com>
Source record: 115398

Hello,

I have a FL-103 filter for sale. It is in box and ready to ship.

$75.00

Thanks!

Jason S. Hulet
314 E. Bay Blvd.
Traverse City, MI 49686
KC8FXE

2744. WTB: MB-62 base mount or ICOM 706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990301000035.29503.00001834@ng139.aol.com>
Source record: 115399

Hello,

I am looking for a used MB-62 base mount for IC-706.

Please E-Mail me

Jason S. Hulet
314 E. Bay Blvd.
Traverse City, MI 49686
KC8FXE

2745. For Sale Astatic Mics @Look

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36dc1ecd.4820457@netnews.worldnet.att.net>
Source record: 115400

selling some good Astatic Mics some like new.....
Silver Eagle Mic Base Model.. like new Mint cond ..80.00 D104 Style
D104 base model Reg Model with SSB Head ..50.00 good cond
Mobile Mic Brand new D104-M6B wired for a HR 2510 Uniden.. 40.00
thes prices are firm and plus some shipping cost but not much UPS
Inshured!! of course.... in so cal come pick them up KC6 RDJ ..73's
email me if you are interested... thanks

2746. Re: Technician's 1st Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: mojaveplan@aol.com
Message-ID: <19990301010117.22471.00001608@ng135.aol.com>
Source record: 115401

yaesu ft100 $???, yaesu ft847 $1700, icom706mkIIG $1200?. expensive rigs with all those bands, but available. you might want to start out with a single band rig for now and get other bands going later, after you get your feet wet. go to a hamfest or two.

any old antenna will do for six meters and will get you all the e skip you want this spring. if you want tropo on 6, youll need much more $$ and a big antenna and tower(also applies to tropo on 2m and 70cm). use good coax no matter what(anything above mini8). if you only want fm thru repeaters, and you live close to town, again, any old vertial antenna will work for that. get a ringo ranger or beam if youre in the sticks. hope this helps and good luck with the test!
73's jeff kd7dcy>Hello,
> I've been studying for my Technician license for 2 weeks or so and I'm
>confident that I can pass it. What I'm thinking about now is a first radio.
>I need advice as to what radio would let me take advantage of all bands and
>frequencies allowed Techs. I'm looking for something that will give access
>to all modes on 6m, 2m, and 70cm. What are your recommendations? What about
>price? How much would a radio like this cost? I will probably be working
>from home, so portability isn't much of an issue. If you recommend a base or
>mobile, what kind of antenna would you recommend? Any advice would be
>greatly appreciated.
>
>Thank you,
>Brandon Nedwek
>
>

2747. List of the rec.radio newsgroups

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7bdc0l$kus@news.Hawaii.Edu>
Source record: 115402
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

```
Archive-name: radio/personal-brief-introduction

In an effort help ensure a poster's article reaches the appropriate
audience, below is a list of the rec.radio newsgroups. In most cases,
a group's name will explain its purpose. Cross-posting should rarely
be necessary.

rec.radio.broadcasting (devoted to the broadcast industry; moderated)
rec.radio.cb
rec.radio.info (periodic informational bulletins; moderated)
rec.radio.scanner
rec.radio.shortwave
rec.radio.swap (for buying, selling, and trading; not a discussion group)

rec.radio.amateur.antenna
rec.radio.amateur.boatanchors (tube-type communications equipment)
rec.radio.amateur.digital.misc (packet, pactor and other digital modes)
rec.radio.amateur.dx (long-distance amateur communications)
rec.radio.amateur.equipment (questions, comments regarding commercially-
built amateur gear; not for buying/selling)
rec.radio.amateur.homebrew (devoted to home-building ham gear)
rec.radio.amateur.policy (issues include code, restructuring, local
restrictions in conflict with FCC R&R)
rec.radio.amateur.space (satellites, meteor scatter, EME)
rec.radio.amateur.misc (any topic not covered in the above groups)

(At least two other English language radio hierarchies exist, prefixed
with "uk" (United Kingdom), and "aus" (Australia), in place of "rec.")

Again, cross-posting should rarely be necessary. Many times, a long-
running thread results from a single cross-posted article, and the
contents of such a thread drift further and further away from being
"on-topic" in the various NGs that receive each and every followup.

For more detailed information, see "Guide to the Rec.radio Newsgroups"
posted on the 15th of each month.

Jeffrey Herman, WH6U
(rec.radio.amateur working-group)
```

2748. HEATH SA2060 2K ROLLER INDUCTOR TUNER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: cslc82@email.mot.com
Message-ID: <36da383d.863932@netnews.worldnet.att.net>
Source record: 115403

HEATH SA2060 TUNER

Heath SA2060 antenna tuner:

Continuous tuning (roller inductor)
1.8-30 MHz @ 2KW
Includes 4:1 balun
3 coaxial outputs including bypass
Wire antenna outputs (wire & balanced)
Dual meters (FWD hi/lo, REF hi/lo/SWR)
With manual

$250 + freight.

Unit works fine and looks good. Digital pix available.

Dan
K0DAN

2749. WANTED: CBS VOLUMAX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: kj9t@aol.com
Message-ID: <19990301015452.13529.00002726@ng-ch1.aol.com>
Source record: 115404

I AM LOOKING FOR A CBS VOLUMAX FOR MY AM TRANSMITTER. IF U HV ONE OF THESE
AVAILABLE, PSE CONTACT ME AT:
KJ9T@AOL.COM

2750. YAESU FT-990AC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: cslc82@email.mot.com
Message-ID: <36dc3901.1060484@netnews.worldnet.att.net>
Source record: 115405

YAESU FT-990AC FOR SALE

Yaesu FT-990AC, includes

AC power supply
automatic tuner
optional 2.0 khz SSB filter
operator's manual
service manual (notebook)

Looks and works great.

$1200 + freight from Kansas City area.

Dan
K0DAN

2751. Re: Technician's 1st Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: KD5GEH <kd5geh@arrl.net>
Message-ID: <7bddlhavs1@newnews.startext.net>
Source record: 115406

I asked the same thing a few mnths back. I finally wound up with 4 seperate radios. One advantage's you can usually find used single-band radios CHEAP.. Another's that if something goes wrong with one, you're not "up a creek without a radio".. And yet another's my favorite.. I just like having lotsa 'junk'.....
As for antennas (you didn't ask, but)... I got the el-cheapo Cushcraft AR270 2m/440 for about $65 (the other 2 were used).. You can pay much more for one, but it sure works for me. I can usually 'hit' one repeater 200miles away and a few others 80-100 miles off, and there seems to be atleast several hundred (I know there's not actually that many) right here in the dfw area that I can 'get to' with only 5watts on the HT.
Hmm...

Nedwek <nedwek@teleport.com> wrote in message
news:oeiC2.3696$hC.2062284@news1.teleport.com...
>Hello,
> I've been studying for my Technician license for 2 weeks or so and I'm
>confident that I can pass it. What I'm thinking about now is a first radio.
>I need advice as to what radio would let me take advantage of all bands and
>frequencies allowed Techs. I'm looking for something that will give access
>to all modes on 6m, 2m, and 70cm. What are your recommendations? What about
>price? How much would a radio like this cost? I will probably be working
>from home, so portability isn't much of an issue. If you recommend a base
or
>mobile, what kind of antenna would you recommend? Any advice would be
>greatly appreciated.
>
>Thank you,
>Brandon Nedwek
>
>

2752. TV & Radio Test equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Vincent <wkchu@hongkong.com>
Message-ID: <7bdgab$gta16@news.hk.linkage.net>
Source record: 115407

Dear All,

If you are looking for some TV & Radio Test Equipment, Pls visit our home page http://futuretech.yeah.net or e-mail to us futuretech@hongkong.com for more information.

B. Regards,
Vincent
FutureTech Computer System Company

2753. WANTED: Service Manual for Marconi TF995B/5 Signal Generator

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Jeff <jeff-king@xtra.co.nz>
Message-ID: <36DB74DB.7575@xtra.co.nz>
Source record: 115408

Could anyone please help me locate a copy of a Service Manual for a
Marconi TF995B/5 Signal Generator. I have a unit in need of some TLC.
Thanks.
JEFF
ZL3TNV

2754. Re: mobile vs base radio?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: "Tom B." <ab7tu@parg.org>
Message-ID: <36DA549F.235F@parg.org>
Source record: 115409
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

What is a "Base Station"? Some people insist if it doesn't have a built in power supply then it's a mobile. So to them I say 10-4 Good Buddy. If you don't have to impress anyone with the size of your "RIG", get the cheaper (smaller) one. The bigger radios have more room for knobs and buttons so you can access controll functions manually without having to go into a menu system to make the radio do what you want. The newer and bigger the radio, the more menu options it is likely to have. IMHO.

2755. Re: FS: homebrew 2m amp, rack mountable, 2 times 4-125 glass tubes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: kr4wmNO@SPAMbigfoot.com
Message-ID: <MPG.114459ea1875f13a9896b2@news.infoave.net>
Source record: 115410

```
Amp is sold
```

2756. Re: FS: rack-mount military 2m amp (4CX250B) for conversion

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: kr4wm@bigfoot.com
Message-ID: <MPG.11445a09f8655c39896b3@news.infoave.net>
Source record: 115411

Amp is sold.

2757. Forget Y2K - Hackers Like This Are Far More Serious!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <01be63e2$f55b1b60$148592d0@Bit-Net.bit-net.com>
Source record: 115412

I have been telling folks for over a year that Y2K will be
a mere blip on the screen compared to the field day
hacker-terrorists will have in 2000.

Hackers are terrorists and terrorists thrive on fear and
the perception of calamity. With all of the profit and
politicallly-opportunistic fear-hype surrounding Y2K these
purveyors of fear have created the perfect environment
for the hacker-terrorists.

This story (below) only begins to illustrate what is in store.

Sure wish someone would confront the Y2K fearmongers
with the consequences of their selfish actions and begin
the process of taking away from the hacker-terrorists this
field-of-fear that has been manufactured.

Anyone seen other hushed-up stories like this?

DavidC K1YP

Monday, March 01, 1999

Hackers Seize UK Military Satellite - Report

February 28, 1999 6:42am
Reuters

LONDON (Reuters) - Hackers have seized control of one of Britain's military
communication satellites and issued blackmail threats, The Sunday Business
newspaper reported.

The paper, quoting security sources, said the intruders altered the course
of one of Britain's four satellites which are used by defense planners and
military forces around the world.

The sources said the satellite's course was changed just over two weeks
ago. The hackers then issued a blackmail threat, demanding money to stop
interfering with the satellite.

``This is a nightmare scenario,'' said one intelligence source. Military
strategists said that if Britain were to come under nuclear attack, an
aggressor would first interfere with military communications systems.

``This is not just a case of computer nerds mucking about. This is very,
very serious and the blackmail threat has made it even more serious,'' one
security source said.

Police said they would not comment as the investigation was at too sensitive a stage. The Ministry of Defense made no comment.

Source: Reuters

2758. Re: Icom 2100-H #@!%*!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990301082446.26920.00001720@ng100.aol.com>
Source record: 115413

what happened to all the IC-2100H.
Did HRO give you a hard time returning them? Was the problem the Finals burning up? I have heard there is a MAJOR problem in the Finals go bad from several of my friends who also sent back 4 units. Icom says there is no problem. Hmmm I call it a problem when 50% of the radios die shortly after sale..
73's TIM

2759. Re: Motorola mx330 conversion

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: 67 Support Squadron <symntlab@texas.net>
Message-ID: <01be63ed$95ae9c40$d21cc1cf@rfsysprgmmgr>
Source record: 115414

I have done many that were in the 450-470 range to the 440 Ham but not sure about yours. That might be too much of a stretch for the 403-418. It involves a Rx preselector which would go there with about a 3-6 DB loss of sensitivity and the TX side has a Driver and PA module tuned for that band, it many not make it that far. Hope this helps.

Greg/N5SKE

Bill Collins <bcollins@terraworld.net> wrote in article <7bcnbb$oc6$1@opal.southwind.net>...
> Anybody know if a Motorola MX330 can be converted to 440 ham band. It is currently set for the 406-418 range. If so, what is involved in doing the conversion, and what is needed, other than channel units?
> thanks in advance!
> Please email me via bcollins@terraworld.net
>

2760. Re: Resistor Color Code Acronym

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <01be63ed$b0489ba0$148592d0@Bit-Net.bit-net.com>
Source record: 115415
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

> Bad Boys Rape Our Young Girls But Violet Gives Willingly
> Thats how I learned it!
> Chuck (W3FJJ)

Perhaps Bill Clinton was a Ham in Hot Springs as a boy?

2761. Re: USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: KC4NYH <chainsaw1@mindspring.com>
Message-ID: <7be9mm$63n$1@camel18.mindspring.com>
Source record: 115416
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Well I have had 3 radios shipped with minor to very bad damage by using UPS,
FedEx on the other hand has all ways been on time and with out any damage
what so ever! It's FedEx for me every time!

triage@worldnet.att.net wrote in message
<7acuii$136$1@nnrp1.dejanews.com>...
>I've always had great luck with UPS. Never a lost or damaged package in
the
>many years I have shipped. Fedex, on the other hand, lost a shipment of
mine
>last year (never found) and took over 3 months to reimburse me-a very
>frustrating experience....It's UPS for me....
>
>
>In article <XbLx2.386$0A4.1065@news.rdc1.mi.home.com>,
> "Bill Crocker" <bcrocker@home.com> wrote:
>> Greg:
>>
>> How does FedEx respond to these types of claims? I've never delt with
them.
>>
>> Thanks,
>> Bill Crocker
>>
>> Greg Renner wrote in message <36C7726E.C4A7CF42@uswest.net>...
>> >
>> >USPS just lost a PRO 2006 I sold to someone and there are hoops
necessary
>> to
>> >collect the insurance. They will not accept a claim until 30 days after
>> the
>> >shipping date. You will then need to get a form 1000 from your local
post
>> >office. You will need to have a signed letter from the addressee
stating
>> that
>> >they did not get the item and finally proof of the value of the item.
>> >Shipping costs are not refunded.
>> >
>> >I am in the middle of this process and have not found out how long til
the
>> >person I sold it to gets his money. From here on out it is FedEx only,
>> they

>> >are worth the extra money.
>> >
>> >Greg
>> >
>> >
>>
>>
>
>------------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2762. manual wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: JGeiger@mcrest.EDU
Message-ID: <41AC2A9AC384D211B8BE0008C7B121C7043D58@MIU_NT1>
Source record: 115417

I am looking for a copy of a manual for a Santec m144 2 meter ht. I will pay for copying and mailing costs.

73s John NE0P

2763. TS-940SAT complete with all the frills on E-bay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: kr4wmNO@SPAMbigfoot.com
Message-ID: <MPG.1144840e984387ba9896b4@news.infoave.net>
Source record: 115418

If you want to purchase a nice clean TS-940SAT, now's your chance.
Minimum bid $1550.00. Info on page. Picture sent on request.

73, -Web

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=72756710

WARNING!!! You MUST remove NO and SPAM from e-mail address to reply to
this message!!!

2764. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7bej0eqin1@nnrp1.dejanews.com>
Source record: 115419

In article <7bbooe$gm7@sjx-ixn8.ix.netcom.com>,
kc5egg@ix.netcom.com(Gerald Schmitt) wrote:

> For a time he told us all how wonderful Radio Shack was...

Because I felt that the world's most popular 2-meter HT, the HTX-202, was an excellent performer?

Wow...the conclusions you draw....

- Clint Bradford

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2765. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7bej5mqnb1@nnrp1.dejanews.com>
Source record: 115420
Cross-posted to:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

In article <7bbo7j$ati@sjx-ixn9.ix.netcom.com>,
kc5egg@ix.netcom.com(Gerald Schmitt) wrote:

> Their copy protection is a nightmare...

How does this negatively affect anyone using the software on a system that
meets RT Systems's published "system requirements" for running the software?

- Clint Bradford

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2766. Mailing list for the TH-D7?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: Daniel Lavoie <LavoieDNOSPAM@iSTAR.CA>
Message-ID: <SszC2.21$N34.186580@NewsRead.Toronto.iSTAR.net>
Source record: 115421

Anyone know if there's a mailing list for the TH-D7?

Thanks

Daniel
VE3DCL

--

<< Take out NOSPAM to reply by e-mail >>

2767. Re: F.S. JB2000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-01 00:00:00 UTC
From: robert.piland@msfc.nasa.gov
Message-ID: <robert.piland-0103991059040001@128.158.161.100>
Source record: 115422
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

In article <7b9noc$2tv$1@news-2.news.gte.net>, "axel" <dstump1@gte.net> wrote:

> This is a multi-part message in MIME format.
>
> ------=_NextPart_000_002D_01BE626F.B4565040
> Content-Type: text/plain;
> charset="iso-8859-1"
> Content-Transfer-Encoding: quoted-printable
>
> F.S. JB2000 Amp Made by Black Cat 10-80 2000 watt amp. E-Mail =
> dstump1@gte.net
>

If this is my old Cat Dave . . .

Let's talk I would like to have ot back . . .

Brass

2768. FT50 Software Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: york2@aol.comno-spam
Message-ID: <19990302144352.09850.00002049@ng-ce1.aol.com>
Source record: 115223

Does anyone have any experience with the software mods for the FT50? I've seen Goran Vlaski's page (http://www2.crosswinds.net/frankfurt/~vlaski/) and was wondering if this really works (I'm not so hot with the soldering iron).

Thanks

2769. Wanted: Opinion on dual band mobile..

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: seebody@toreply.com
Message-ID: <36dc4031.20358679@news.ncal.verio.com>
Source record: 115224

I'm looking for a dual band mobile radio, basic requirements are remote mount, alpha tags, and preferably wide band RX (UHF would be nice to get to 488, VHF 160 is about as high, with AM air reception). Anyone have any mods for the Kenwood V7A to open it up to 488? The Yaesu 8100 looks nice, but lacks Alpha. I do news photography on the side, and our fire departments are on 488, so would like to listen to both.. Please reply here and to eplatt at wco dot com please.

Thanks.
To reply via e-mail, please use eplatt at wco period com. Sorry, but this is the only way to despam my address.

2770. FT-Manager CAT for Yaesu

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Laurent Labourie <llabourie@nordnet.fr>
Message-ID: <7bhg26$4np$1@news.nordnet.fr>
Source record: 115225

Hello

I am pleased to announce the last version of FT-Manager.
FT-manager is a program under Windows 95/98/NT which allows the
control of practically all the transceivers Yaesu even oldest.

Last version 1.9.5 includes new functions especially relative to
the Logbook (QSLs printing, DXCC award...)

To see on http://ourworld.compuserve.com/homepages/f6dex/FTMane.htm

Best 73 - Laurent F6DEX

2771. Re: FS: ICOM HM-103 Org. IC-706 Mic...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Warren Mays <wdmays@earthlink.net>
Message-ID: <36DC43F3.1FBBF87D@earthlink.net>
Source record: 115226

Jason,

I'll take your Icom HM-103 if you still have it available (assuming that the modular connector is still OK). Please tell me where to send my Money Order.

Thanks et 73's Warren K7SA/4

2772. RADIO/TECH VOL. 9A&9B

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: "MIKE (707)" <cobra2@gisco.net>
Message-ID: <36dc45c9.0@news.gisco.net>
Source record: 115227

RADIO MODIFICATION BOOKS!! VOLUMES 9A & 9B ON E-BAY ITEM # 72181677

2773. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <7bhhoc$h78@dfw-ixnews7.ix.netcom.com>
Source record: 115228
Cross-posted to:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

In <7bej5mqnb1@nnrp1.dejanews.com> clintbrad4d@earthlink.net writes:
>
>In article <7bbo7j$ati@sjx-ixn9.ix.netcom.com>,
> kc5egg@ix.netcom.com(Gerald Schmitt) wrote:
>
>> Their copy protection is a nightmare...
>
>How does this negatively affect anyone using the software on a system
that
>meets RT Systems's published "system requirements" for running the
software?

Since you apparently do not have the computer skills to determine this for yourself I'll help you. Every time you defrag the disk you have to reinstall the software. You cannot easily make a backup copy of the floppy disk. If you backup and restore your hard disk you have to reinstall ADMS. This is abusive copy protection. I got so fed up with it I hacked the copy protection in self defense. But naturally since Clint is satisfied all this crap is just fine. Give it break Clint I'll send you a buck buy a clue.

>
> - Clint Bradford
>
>-----------== Posted via Deja News, The Discussion Network
==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your
Own

2774. Looking for FT-900 in Canada

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: vince <vlongpre@cgocable.net>
Message-ID: <ibYC2.364$_t2.3315@news.rdc1.ab.wave.home.com>
Source record: 115229

I'm looking for a FT-900. Is there anyone out there that wants to sell one to me? Thanks in advance.I live in Ontario. 5 Mins from Niagara Falls.

Vince
vlongpre@cgocable.net

2775. FS : Motorola Radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: "ST1A55@msn.com" <ST1A55@email.msn.com>
Message-ID: <Oe9mgBPZ#GA.289@upnetnews02.moswest.msn.net>
Source record: 115230
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

For Sale

1 HT-600 UHF 438-470 With Auto Dial Keypad
Battery Rapiad Charger & Antenna $200.00

1 STX 800 Conv &Type I Trunking Full Keypad With Display
Top Sub Switch With Battery Rapiad Charger & Antenna $200.00

1 STX Public Safty Speaker Mic With Antenna $100.00

If Intersted E-Mail Me AT: ST1A55@msn.com

2776. PROBE STYLE OSCILLOSCOPE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: cvelasco@aol.com
Message-ID: <19990302160632.15374.00003046@ng11.aol.com>
Source record: 115231

One RS Probe Style Oscilloscope Cat. No. 22-310
Operates alone or with your laptop. Great for hamfests or field days on the spot testing of electronics circuits. View waveforms or voltages readout on backlit 16x32-pixel LCD or trough your computer screen. Includes Windows/Windows 95/
MS DOS compatible software with complete on-screen help.Use your computer system to record and print waveforms. Made in Europe model.
First $60 takes it shipped to your door with the manual box and included PC software. e mail at CVelasco@aol.com

2777. Commercial HF AMP for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36DC5506.6A4E@ix.netcom.com>
Source record: 115232
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap.rec.amateur.radio.homebrew

I have a beautifully built Sailor HF AMP. This one has two RCA 8122
ceramics tetrodes which checked out full output. 1.8MHz to 30MHz
All the tuning is done with servos and the band settings are set with
brass slugs. Built under high standards, rackmount, very high quality
components including a large cooling fan. It was removed and fully
functional from a cruise ship that went to solid state. This amp puts
out about 800watts with very little input. It has a built on solid
state pre-driver stage which can be bypassed if need to. It's complete
and in excellent condition. It requires a power supply and controls or
the servos. No manual but can be found at marine electronics shops.
Sailor is still the leader in Marine and satelitte communication
networks. I will send jpgs by request to anyone interested. I want
$400+shipping for it. The tubes alone cost that! Roughly 45 lbs
73 Chris VE3NGW/W4 Florida

2778. WTB 7/8 Hardline

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: bvkirk@kanza.net
Message-ID: <36dc5b0f.25725972@news.kanza.net>
Source record: 115233

I am looking for approximatly 125 feet of 7/8 hardline with or without connectors. I will be at the Hambash in Kansas City and the Green Country Hamfest in Tulsa in March so I could meet you either place.

email bvkirk@kanza.net

W0PT

2779. FS MFJ-948 Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36DC5B30.75D593E0@bellatlantic.net>
Source record: 115234
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale a MFJ-948 antenna tuner. Excellent/Good condition.
Electrically excellent. 300 watt range. It does not have a built-in
dummy load. This is a yellow face unit with a black wrap-around cover.
Non-smoker.
I'm asking $80.00 plus shipping.
If you are interested please e-mail me for inquires.....Mike

2780. FS 220HT IC-03AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36DC5B55.28E0476A@bellatlantic.net>
Source record: 115235
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale a IC-03AT 220 H.T.
The condition of the unit is excellent/good. It comes with the following
1- IC-03AT 220 H.T.
1- BC-35 Quick Charger
1- BP-5 Battery Pack
1- BP-7 Battery Pack
1- Extra 5/8 wave antenna
Also comes with the manual. I do not have the box..sorry.
I'm asking $200.00 plus shipping....If you are interested please
e-mail for inquires. I will forward my number if required..
Thanks for reading this..Mike

2781. KENWOOD TS-940SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36DC5B7A.D1A480A4@bellatlantic.net>
Source record: 115236
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Here's the deal you have been waiting for.

I have for sale a Kenwood TS-940SAT 9 mil serial no.plus. It comes with the following options: SP-940 Speaker, Built in antenna tuner, VS-1 voice synthesizer, YK-88S SSB filter, YK-88A AM filter, YK-88C-1 CW filter, YG-455C-1 CW Xtal filter, Hand Mic, Service Manual,Instruction Manual, and the original box. Asking $ 1000..00 + shipping. Condition is excellent/good.It does have a scratch on the top center front. That is the only flaw. The front of the radio is mint.
Electrically excellent.
Non-smoker.
What more could you ask for in a radio.....
Please e-mail for inquires.
Mike N2OZO

2782. FS Tek Scope

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36DC5BEB.4BA5B638@bellatlantic.net>
Source record: 115237
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Tek 2215 60 Mhz dual trace scope in excellent condition.
It comes with service and operating manuals. Also it comes with 3
X1/X10 probes with adapters.
Looks and works great....Asking $175.00 plus shipping.
Thanks for reading this....Mike

2783. FS: Icom 3SAT 220 ht

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: twrlader@aol.com
Message-ID: <19990302165548.19556.00002499@ng-fr1.aol.com>
Source record: 115238

For Sale: 1 Icom 3SAT 220 HT 5 watt, 40 ch, PL, two almost new W&W batteries (bp-83+84), charger cup for W&W charger, belt clip, manual, for $250 plus shipping, reply to TWRLADER@aol.com if interested ...tnx Rob N2MZP

2784. FS: Kenwood 742 Tri-Bander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: twrlader@aol.com
Message-ID: <19990302165832.19556.00002501@ng-fr1.aol.com>
Source record: 115239

For Sale:1 Kenwood 742 Tri-Bander with 2/440 module, pl encode/decode, cross band repeat, Excellent condition for $475 plus shipping. Reply to TWRLADER@aol.com if interested.....tnx Rob N2MZP

2785. Best price for FT-847 - where ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Sils <sils@polbox.com>
Message-ID: <xbZC2.1630$284.206533@news.tpnet.pl>
Source record: 115240

Any info would be appreciated.
(I already know that HRO sells it for $1700)

Sils

2786. FS: VX-1R A101

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Marty Henry <proforma@ptd.net>
Message-ID: <dtZC2.1512$AP3.2335@nnrp1.ptd.net>
Source record: 115241

EARLY FIRMWARE 1.01 (FREEBAND MOD)
BOX, MANUAL, CHARGER, LEATHER CASE
MINT
$200

MARTY
KB2RMT

2787. WTB: UNIDEN SMU4525KT Service Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Tony Szablowski <a2112szablowski@worldnet.att.net>
Message-ID: <7bho4i$g60@bgtnsc02.worldnet.att.net>
Source record: 115242

Looking for service/repair manual for Uniden SMU4525KT mobile. Prefer
original, but will accept FULL copies of original manual. Please
reply via private email.
--
Regards,
Tony
a2112szablowski@worldnet.att.net (remove 2112 to e-mail)

2788. Head set boom mike

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Butch Magee <butchkay@netdoor.com>
Message-ID: <36DC63D8.FA5376E5@netdoor.com>
Source record: 115243
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

The one advertised in QST as the "The affordable boom mic. headset"
from W. Gregoire & Assoc. ccomes with optional cloth fitted pad covers
(so you won't sweat) and fitted with Kenwood 8 pin hf mike plug, also
ooptional push to talk hand button, OR, you can go vox. $45.00
shipped

2789. FS:Cushcraft R4 Vertical

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Jim <coda@dreamsoft.com>
Message-ID: <RVZC2.157$v8.3845@newsfeed.slurp.net>
Source record: 115244

Hi,
I have a Cushcraft R4 vertical antenna for sale. Covers 10,12,15,20
meters with manual. Works great. $75.00 plus shipping. I can be contacted
at coda@dreamsoft.com
Tnxs, Jim

2790. Re: KENWOOD TS-940SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: ac6zp@aol.comNOSPAM
Message-ID: <19990302180629.14115.00002296@ng-ca1.aol.com>
Source record: 115245

Does the 940 have a built in power supply?

Please remove the NOSPAM from my email address before
replying...Thanks...73...Steve (AC6ZP)

2791. Yaesu CD2 any good?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Timo.Schroeder@gmx.net
Message-ID: <36dc723c.3505794@news.tcinternet.net>
Source record: 115246

I just saw that the Yaesu CD2 mobile rapid charger is on sale for 29.99 at AES. AFAIK it works with the FT-11R, has anybody had any expierience with it?

Thanks,

Timo, KC0ELJ

2792. Re: Measurments Model 59 Grid dip For sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: w1ksz@tiac.net
Message-ID: <36dc7193.3687221@news.tiac.net>
Source record: 115247
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

At that price I wouldn't sign my name either.
Dick, W1KSZ

On Tue, 02 Mar 1999 01:54:02 -0500, Chris <ck5@ix.netcom.com> wrote:

>The finest most sensitive grid dip meter ever made. Comes complete with
>all the coils, matching serial numbers and a copy of the manual. $295

2793. Need schematic/manual AZDEN PCS4800 (10M FM)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: dgf@netcom.com
Message-ID: <dgfF7zqFG.CLA@netcom.com>
Source record: 115248

If you have a schematic of this rig I'd be real grateful to obtain
a copy somehow...

73 Dave WB0GAZ dgf@netcom.com

2794. Re: solarcon A99 manual/tips

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: "MIKE L." <mikeydell@worldnet.att.net>
Message-ID: <01be6506$e76f6900$8fc44e0c@default>
Source record: 115249

If the SWR is higher at the top of the band than it is at the bottom,
turn both rings 1/4 to 1/2 turn counter-clockwise to raise them.
To lock the rings, turn the upper ring clockwise and the lower ring
counter-clockwise so they rest tightly against each other.

Tuning to exact freqs. requires cutting off pieces of the top section;
there is a length table with the instructions. BTW, it is tuned (out
of the box) for 11 meters. You could use a tuner for 10 meters if
you don't want to cut sections off; I'm using an MFJ 941E tuner and
I'm getting excellent DX results.

Mike L.

2795. FA: Great stuff! Several Items!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: "Christopher Zeman, KB9RHA" <zman.SCREW.YOU.SPAMMERS@iwc.net>
Message-ID: <nf%C2.794$zt2.1431@news6.ispnews.com>
Source record: 115250
Cross-posted to: alt.ham-radio,alt.ham-radio.hf,alt.ham-radio.morse,alt.ham-radio.nocode,alt.ham-radio.packet,alt.ham-radio.rtty,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.swap

I am an honest seller. There is no funny business going on with my auctions
as there have been with others.

AEA PK-232MBX Multimode TNC
Bidding starts at $75.00
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=73324995

Hamtronics TA-51 6 meter transmitter
Bidding starts at $20.00
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=72921997

Ramsey PA-10 2 meter amplifier
Bidding starts at $5.00
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=72946417

High Speed PCI Serial I/O Card
Bidding starts at $10.00
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=72950830

Acer CD-ROM Drive with Digital and Analog Sound Output
Bidding starts at $1.00
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=72956779

I am an honest seller. There is no funny business going on with my auctions
as there have been with others.

Thank you,
Christopher Zeman, KB9RHA
zman@iwc.net

2796. Re: solarcon A99 manual/tips

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Steven Baker <pacman@bcl.net>
Message-ID: <36DC31A8.96127C28@bcl.net>
Source record: 115251

I did not have to cut none of mine off and works great on 10 meter. I just tuned
it with the rings. if you want to use it for 15m-20m you will need to get a tuner.
Mine worked fine on 15 with aa tuner. If you need the manual for it I can scan it
and send
it to you via e-mail. Just send me a e-mail if you want a copy.

73s Steve KB9HGI
kb9hgi@qsl.net
KB9HGI'S HAM PAGE

jape@my-dejanews.com wrote:

> i was basically given this antenna & was wondering how you use tuning rings.
> also any tips for tweaking this thing? i'm pretty much a newbie so please
> keep it simple. i'm also looking for an inexpensive code key to practice with.
> any suggestions are greatly appreciated. thanx in advance, jack
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2797. New Alinco 10 meter Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Steven Baker <pacman@bcl.net>
Message-ID: <36DC326C.7E117BBF@bcl.net>
Source record: 115252

Anyone have any info on the new Alinco 10 meter radio? Or do you know
where
I can find some info on it? Does it have SSB? How many watts? Whats the
price?
please send any info to me email kb9hgi@qsl.net

73s Steve KB9HGI
KB9HGI'S Ham Shack

2798. FT: Kenwood TS-520S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Rick Riverman <rbriver@cybcon.com>
Message-ID: <7bi1itklk1@remarQ.com>
Source record: 115253

I have a Kenwood TS-520S in very good condition with Hand Mic and full manual set to trade for a

- Yaesu FT-51R or
- Kenwood TH78A

Thanks,
Rick Riverman W7RBR
Aloha, Oregon

2799. ICOM u4-AT FS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: matrugen <krysbs@esslink.com>
Message-ID: <4_%C2.196$HD5.573@news12.ispnews.com>
Source record: 115254
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap

For Sale Icom u-4AT 440mhz hand held includes (2) BP 23 (1) BP24 battery packs, all need new cells, also includes AD-11 battery adapter for above fits Icom BP-2,3,4,5,8; and AD-10 adapter for using BC-35 or 36 for all $75 or make offer. Also, Icom SM-2 desk mic $40 and Comet CX-224 mobile antenna 144, 220, 440 mhz PL-259 mount $45; wanted hustler or ham sticks mobile HF antenna;
e-mail -krysbs@esslink.com KC1RW

2800. Is it possible to change a Kenwood TH78E into a TH78A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: journel@videotron.ca
Message-ID: <zJ0D2.2834$d96.2005@weber.videotron.net>
Source record: 115255

Hi,

I have a Kenwood TH78 European version and I want to use it in the american amateur radio bands.

Is is possible to configure it to work in those bands as the TH78A?

Thanks in advance,

Pierre.

2801. Re: Problems with new Kenwood 2M Mobile mikes??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Gary Williams <williamsjg@erols.com>
Message-ID: <36DC9C39.1F21775D@erols.com>
Source record: 115256

MIne works fine. Sorry to hear about your troubles.
Gary AA3NP

Lee Hall wrote:

> I was wondering if anyone was having problems with the large backlit
> mikes now featured on Kenwood 2M and dual-band mobiles, particularly
> the TM-261A. I have heard of about a dozen cases around here but
> Kenwood doesn't admit there is a problem. The mikes have a tendency
> to intermittently unkey or not key up at all. Please post here if you
> are having the same problem. Several of these folks locally are
> highly steamed at Kenwood and wanted me to put out this query on the
> NG. BTW, I have a late '80's vintage TM221A and it works just fine.
> Think I'll keep it.
>
> 73,
> Lee Hall
> http://www.qsl.net/ny4t

2802. FS: RF and Other Parts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Bruce Rahn <brahn@erinet.com>
Message-ID: <36DC9F13.6AC1688B@erinet.com>
Source record: 115257
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,misc.industry.electronics.marketplace,rec.ham-radio.swap

I have a quantity of RF and other parts in excess of my personal needs.
Some items are available in large (>50) quantities.

Here's what I have and asking price:

ITEM PRICE
(each)

Johanson 8054 1.5 to 20 pf Capacitors $1.50
(Piston Style)

Piston Style 0.7 to 15 pf Capacitors $1.25

0.01 ufd Monolithic Ceramic Capacitors (Bag of 50) $2.50/bag

MCL TFM-150 Mixers $5.50
(LO/RF: 10-2000MHz, IF: DC-1000MHz, +10dBm LO)

MCL LPS-109 Power Dividers $2.50
(2 way, 0 degree, 10-500MHz)

MCL MAT-3 3dB Attenuators $1.25
(DC-1500MHz)

MCL MAT-9 9dB Attenuators $1.25
(DC-1500MHz)

AVANTEK VTO-8090 0.9 to 1.6 GHz Voltage $10.00
Controlled Oscillator, 50 ohm, +13dBm output,
TO-8 Case, with mounting hardware.

Cablewave Systems FXA 12-50 NM N Male $15.00
Coax Connector for 1/2" Hard Line
New, In the box!

2N918 Transistor $0.35

2N4924 Transistor $0.20

MRF5174 Transistor $0.50

USD935 Diode $0.15

Push Button Switch $0.15

Pictures and specifications (where available) on the above items may be
found on my web page at:

http://www.qsl.net/wb9anq/ or http://members.tripod.com/~wb9anq/

All parts are unused. Shipping is extra (typically $3.20)

73 -- Bruce, WB9ANQ

2803. VX-5 + satellite/TNC?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-0203992143520001@192.168.1.4>
Source record: 115258
Cross-posted to:
rec.radio.amateur.packet,rec.radio.amateur.space,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur

Hi, i just bought a vx-5r and i d like to know what do i need to use it to communicate by modem with someone? (cheap hardware...could i use a sound modem in linux? if so how does it key the PTT on and off? a special cable?)

also how do i communicate with satellite at 5Watts? is there a special antenna for that?

Any suggestion for having more fun with this radio is appreciated thanks :)

alex

2804. Re: Heathkit memories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: dalien <dalien@pacifier.com>
Message-ID: <36DCA89E.74A0E781@pacifier.com>
Source record: 115259
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Thanks, Plum. Appreciate your comments, and happy it brought back good memories for you too. It really had nothing to do with eBay as I have no interest in the SALE of any of those items. (I'm bidding, but they are probably too pricey for me, and this post will only raise the price. I maybe should have left the links out as some invariably took it wrong, but they seemed quite relevant.

The only Heathkit I built that didn't work the first time was the fairly complex and tightly wired first SSB mobile transmitter (HX-20 ???). Turns out I had touched and burned into a small electrolytic audio coupling capacitor, and the damage was hidden from view. Took lots of troubleshooting, logic and hunting to find it. But then it worked so well, with a Hammurland HQ-110C for receiving. Great sport!

73 Dave W6OVP

P.S. I hate to see those high prices and the frenzy on eBay, but it sure is cleaning out the basements and garages!

Bob Plumskey wrote:

> Really enjoyed that paragraph, and I too burned fingers on hot soldering
> irons, & loved the smell of rosin core solder, dripped on mom's kitchen
> table. One thing, every heathkit I assembled, worked well, and if it
> stopped working, I wasn't afraid to get in there and fix it - after all,
> I was its creator and master!
>
> Since no one else mentioned it, I won't notice either that it was a
> clever way to get folks over to (ugh) eBay. Heathkits Forever!!!!
>
> Cool Post....
>
> Plum
>
> end
> Johnsonburg, PA 15845 (814)965-2634
> W6LAC, Elk County, PA USA, Grid FN01pl
> http://www.inergy.com/BearCreek_Cabin
>

2805. Re: Measurments Model 59 Grid dip For sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <36dcb1c1@news1.us.ibm.net>
Source record: 115260
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

Well, it might be worth that if it has the VHF head, rare, and the UHF head,
very rare, and the three LF coils.

--
Crazy George

2806. Re: fed...UPS....Lets SUE EM..CLASS ACTION ANYONE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <36dcb426@news1.us.ibm.net>
Source record: 115261
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Absolutely, the problem is packing. Look at some heavy equipment shipped by Hewlett-Packard or Tektronix. They use foam corner supports, triple cardboard boxes where necessary, front panel protectors,etc. I get the impression that most people (hams particularly) have NEVER seen anything heavy and delicate packed properly for shipping. Remember that the typical boat anchor is a lot denser and heavier than anything manufactured today, and packing for smaller and/or lighter stuff is entirely different. nevermind the newspaper stuffing atrocities. Most packing efforts I have seen are appropriate for anvils, and not much else.

--
Crazy George

2807. Re: Does anyone still sell unbuilt Heathkits?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: John Miles <jmiles@pop.removethistomailme.net>
Message-ID: <36DCB411.130A@pop.removethistomailme.net>
Source record: 115262
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

>
> It would be really cool, for nostalgia purposes, if I could find an unbuilt
> SB102 and build it. Does anyone still have and sell things like this?
>

You can't (easily) find unbuilt SB102s and the like, but what you can do
is look through old ARRL Handbooks for fun projects that can be built
using parts from places like http://www.tubesandmore.com. The old
Handbooks are a dime a dozen on EBay and elsewhere, and surprisingly a
lot of the older parts are still available without much scrounging at
all.

-- jm KE5FX

Note: My E-mail address has been altered to avoid spam

2808. Re: VX-5 + satellite/TNC?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-0203992315090001@192.168.1.4>
Source record: 115263
Cross-posted to:
rec.radio.amateur.packet,rec.radio.amateur.space,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur

> I use a BayPac modem and HP200LX Paltop PC running BayCom software.

ok and how much does this cost? (not the WinCE but the modem ;) i still
need to make my home made cable work for the vx-5 to PC interface...so i
think i wont be able to build this... :)

> Well... for Mir a simple ground plane antenna is all the is needed. It's
> quite easy to work with a ground plane, I do it mobile from a patrol car
> with a mag mount antenna and at home with a homebrew J-pole.

ok my english vocabulary surrounding ham radio isnt very good...what is a
ground plane antenna? how does it look like?

> You can work AO-27 with the rig with just a simple whip antenna. I use my
> FT50 and a MFJ-1715S to work the bird almost daily. The Arrow antenna will
> work much better, but it costs a bit more than the whip. The price of the
> Arrow is not very expensive and you'll have an excellent antenna!

same here (:) what is an arrow antenna? the whip antenna is a metal antena
like on most car? :) (ill have to learn my ham-vocabulary soon =)

i wont do packet on the road but i ll probably try to do sats
though...(while walking i dont have a car :)

this is pretty new stuff to me, at what altitude are those sats? can you
be multiple people on 1 sat using ctcss tones?(or dcs) and are there
packet sats? how does it work? hehe :) (i m too much curious :)

also, if i try to build an atenna myself how do i calculate its impedance?
(is that the right word in english ?:/)

thanks a lot!

alex

2809. Collins 75A4 Knob Swap wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: PAW <73457.650@CompuServe.COM>
Message-ID: <#AQB#cMZ#GA.343@nih2naaa.prod2.compuserve.com>
Source record: 115264
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

Looking to swal small for large knobs for the 75A4. I have plain
top row knobs, need RF & AF knobs. I'll go 2 fer 1.
W9JMN@compuserve.com.

--
PAW
(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
http://ourworld.compuserve.com/homepages/w9jmn

2810. Re: Heathkit memories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: dalien <dalien@pacifier.com>
Message-ID: <36DCC1A1.F3768AE5@pacifier.com>
Source record: 115265
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Great story, Dave. Bet there are lots of other "stories" reading this and wondering whether to tell. We hope so.

Here's another Heathkit Memory:

It is the summer of 1953. After a year in college and exposure to other electronics types, mostly "hi-fi" and "stereo" freaks, I had to try and build something from a kit. Decided on a Heathkit VTVM, because, well, you have to be able to measure things, don't you?

It was a hard-earned $24.95 (??? Help me, I don't have the old catalogs here) that went to Benton Harbor, but it was my summer fun project after sweating hard on Iowa farms at $5/day to make next years tuition. The VTVM was such fun to build, those cool evenings in the damp basement, using the big new 250 watt 2-speed Weller soldering gun (another $10 or so) and the big soldering iron. (Still have 'em).

Dad thought I was nuts. He asked dumb questions like "what are you going to measure"? Well, um, how about the voltage at the wall outlet? It got a lot of measuring that summer. "Do you really need one of those?" Of course I needed one of those. "Well, then, why don't you use this acid core solder? We have lots of it."

I built lots of Popular Mechanics electronics projects in the late '40s and early '50s, but never met a ham. The local TV mechanic gouged this 12 year old $3.50 for a 20/20/150v electrolytic capacitor when that was a full days laborers pay, and he could easily have clipped one out of an old TV set and given it away. I finally met hams in college, and that Heathkit VTVM became the first piece of test gear at WN0ZSR. I still have it, and it works just fine.

Dad later became the very active W0LTB/W0KD, and built his own Heathkits. (1899-1986. RIP). So did a Son who built Heathkits, and a Daughter, and that VTVM played an important role.

-Dave W6OVP

Dave Hinerman wrote:

> On Mon, 01 Mar 1999 14:15:11 -0800, dalien <dalien@pacifier.com>
> wrote:
>
> >Seeing several unassembled Heathkits for sale brought back memories:
> >

> >"It is cold outside, but the house is warm and smells of Christmas
> >decorations. The fireplace crackles; a soldering pencil waits to warm.
> >My cold wet feet slowly thaw in thick socks as the flurries turn to
> >blizzard. Supper is finally over, and it's time to sort the parts. It
> >is 1961, and I am young again..."
>
> Yup. Not -quite- 1961, I built my first in 1976.
>
> Sitting at my desk in July, the window open, a gentle breeze stirring
> the solder smoke about my head as I assembled a HW-16 and wondering if
> my Novice ticket would arrive before I finished it, and how would I
> test the transmitter if it didn't? I knew I could use some light bulbs
> for a dummy load, but I also knew they'd radiate from DC to daylight
> (well, incandescent light), and the FCC was just WAITING for this new
> Novice to screw up so they could yank his license before he even got
> it, so I'd better wait...
>
> Then Mom comes in, wanting to know what kind of trouble I was in NOW
> because there was this letter from the FCC in the day's mail and she
> just KNEW I'd blown up NORAD or something...
>
> All to the tune of "Afternoon Delight."
>
> A child of the 70's? Darned right.
>
> Where's my soldering iron? I gotta build something.

2811. WTB:Drake TR7 Schematic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36DCE17D.B93E4CFC@postoffice.pacbell.net>
Source record: 115266
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Would like to buy a service manual for the TR7 or at least the
schematic.A copy or original is ok.
Thanks Al

2812. Re: Anyone have out of band tx mod for Yaesu FT-8500?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Sam Taylor <cygnet@cncnet.com>
Message-ID: <36dce269.0@nntp.quiknet.com>
Source record: 115267
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Sam Taylor writes,
Yaesu will supply this with proof of your amatuer
Status and Mars Certificate or a letter from your
Chief of Fire Police Department or base Commander
its a lot simpiler than you might think
Sam
Evan Platt wrote in message <36dcbbae.4162134@news.ncal.verio.com>...
>Looking for out of band tx or RX mod for Yaesu FT-8500...
>
>Thanks.
>
>Evan
>To reply via e-mail, please use eplatt at wco period
>com. Sorry, but this is the only way to despam my
>address.

2813. Re: Help: Subaudible tones for Kenwood TM201B

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Sam Taylor <cygnet@cncnet.com>
Message-ID: <36dce406.0@nntp.quiknet.com>
Source record: 115268

de KO6JQ,
The Com-Spek unit works like a charm Dip switches
but there easy to use once you get the hang of it
Communications Specialists out of Arizona
73 Sam
bushml wrote in message <36db52c2.0@news2.uswest.net>...
>Greetings:
>Is anyone familiar as to the possiblity of adding tones to my old Kenwood
>TM201B? Has anyone tried to add sub-audible tones, or is there anyone on
the
>newsgroup that knows a technician that has accomplished this.
>I was told that it is not possible to do, but I have noticed add-ons in QST
>and some other magazines that assure the addition to tones to any rig. I
>would really like to make full use of the 2 meter band and the repeaters in
>my area with this old rig.
>Any help would be appreciated. Please send information to KD7KR@arrl.net
>Thanks, 73
>Mike
>
>

2814. YEASU FT707 circuit diagram

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: "SANDEEP SINGH THUKRAL(97011002)" <sandy7uf@ccs.iitb.ernet.in>
Message-ID: <Pine.GSO.3.96.990302203117.12056B-100000@nalanda.ccs.iitb.ernet.in>
Source record: 115269
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ham-radio.marketplace,rec.radio.swap,rec.radio.shortwave,alt.ham-radio,alt.ham-radio.vhf-uhf,rec.ham-radio,rec.radio.amateur

Dear Friends

Can anyone please give me the circuit diagram of the FT707 transeiver from Yeasu. We have to get it repaired and we do not have any local dealer of Yeasu here. Please send me an electronic/hard copy of the circuit diagram. I will be ready to pay for the postal charges.
My snail mail address is
Sandeep Thukral
Room 31, Hostel 7
IIT Bombay
Powai
Mumbai
400076
INDIA

Thanks in advance,

Sandeep

2815. Which one? - Alinco DJ-G5TH or Icom IC-W32A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: erikd@icehouse.net
Message-ID: <7bfgg3lgl1@nnrp1.dejanews.com>
Source record: 115273

Trying to decide which to get... any and all comments welcome!

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2816. Re: Windows 98 Upgrade CDROM For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7bff1h$93p@news.Hawaii.Edu>
Source record: 115274
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <36D7D3C4.6D39@iland.net>, JM <jmul@iland.net> wrote:
>Maybe I'm wrong but aren't you using a computer to access this NG?

Hey, I use this computer to access the NGs dedicated to sailing,
but no one places computer ads in those groups.

> In
>case you haven't noticed, Amateur Radio and computers are firmly
>intwined, and have been for several years.

Only for the appliance operators. Us homebrewers have been generating
RF just fine without the use of computers.

73, Jeff WH6U

2817. Re: Windows 98 Upgrade CDROM For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7bffi7$9b9@news.Hawaii.Edu>
Source record: 115275
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Melissa <melissaX@Ydimensional.com> wrote:
>"KD5GEH" <kd5geh@arrl.net> wrote:

>>What does this have to do with amateur-radio?...

>If you use amateur radio with a computer, plenty.

Ah, so you're implicitly calling for the combining of the comp.*
and rec.radio.amateur.* NGs? What a mess that would be - completely
unreadable with over 100 kiloposts per day.

Why not send your ads to say, rec.radio.amateur.digital.misc?

>And that's just my opinion, I could be wrong. :)

Yeah, what she said.

73, Jeff WH6U

2818. ALINCO web page price warning!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: rsdeputy@aol.com
Message-ID: <19990301205817.18429.00000845@ng17.aol.com>
Source record: 115276

I thought I better post this as a service to any others who might be using ALINCO's web page to purchase manuals and accessories for their radios. About a week ago, I purchased from their web page (http://www.alinco.com/usa.html) a owners manual for the DR-110 and a service manual for the DR-130. The web page showed (and as of this writing still shows) the DR-110 manual to be $5.95 and the DR-130 service manual to be $14.95. When my manuals arrived today, I was charged $7.95 for the DR-110 manual and $19.95 for the DR-130 manual. This is a 33.4% markup over what the web page shows. So, I called them and disputed the overcharge. The first two people I talked to told me that they had a price increase and the web page was out of date and that the price I was charged was the "correct" price. I told them it was not good business to jack up the price without telling me they were doing it. And I pointed out that the order confirmation email I got from them also had the old prices on it! When I finally got passed to a third person, I was told they will credit me for the difference. Too bad they won't pay me for the long distance phone call I made to correct their mistake!

So, in closing, if you are planning to order anything from ALINCO's web page, you better call them for current pricing before you press the send button. You just might end up getting charged 33% more than you thought!

73

Robin Deputy
Amateur Radio KE9SQ
PCIA Certified Mobile Communications Technician #39520
RSDeputy@aol.com

2819. Re: Forget Y2K - Hackers Like This Are Far More Serious!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Jonesy <jonz@rmi.nospam.net>
Message-ID: <7bfg9f$h9f$1@news1.rmi.net>
Source record: 115277

paul wise <n3ngo@prodigy.net> wrote:

<--snip-->
: then there are merchants pushing things like generators, flashlights, what
: have you for when the lights go out (in case the power comany experiences
: rollover problems)
: have you priced or tried to buy a generator lately?

I can't wait for all the unused generators to show up in the
"Thrifty Nickel" and at yard sales for give-away prices --- just
in time for Field Day, 2000.

73
Jonesy W3DHJ

--
SK

--
Marvin L. Jones jonz<AT>rmi.net
Gunnison, Colorado
305 days to go until the Year 2000 -- So what!?
670 days to go until the 3rd Millennium of the C.E.

2820. Re: Heathkit memories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: wa9vrh <wa9vrh@ocslink.com>
Message-ID: <01be6450$ca8f41e0$057b9ece@larry>
Source record: 115278
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

Built alot of Heathkits never remembered needing a jar of vasaline just to get it to the workbench.

2821. FS:APHEX--BEHRINGER--ALESIS & MIKES

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: BILL SALERNO <W2ONV@WORLDNET.ATT.NET>
Message-ID: <7bfhpk$hk0@bgtnsc01.worldnet.att.net>
Source record: 115279

The bargains of the year.....
aphex model # 661 comp. $390
aphex model # 109 equalizer $225
aphex model # 250 aural exciter $695
aphex model #104 big bottom and aural exciter $125
rolls pre amp.# RP 220 $275
alesis reverb model #microverb 3 $125
behringer model # ultrafex ex3100 $150
behringer model #502 pre amp
orban model #622B equalizer $395

MICROPHONES
RODE CLASSIC $1100
SHURE model BG4 $140
AUDIX model om-5 $125
ELECTRO VOICE model 664 $125

MIXER
MACKIE model # 1604

manuals with all of the above equipment
FIRST COME ....call 201 368 3655 or e mail w2onv@worldnet.att.net or fax
201 368 2460

prices do not include shipping.......BILL SALERNO....... HURRY

2822. Re: Heathkit memories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: "Al, N2NKB"
Message-ID: <7bfij4$7l0@bgtnsc02.worldnet.att.net>
Source record: 115280
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

dalien wrote in message <36DB116E.73C5D141@pacifier.com>...
>Seeing several unassembled Heathkits for sale brought back memories:
>
>"It is cold outside, but the house is warm and smells of Christmas
>decorations. The fireplace crackles; a soldering pencil waits to warm.
>My cold wet feet slowly thaw in thick socks as the flurries turn to
>blizzard. Supper is finally over, and it's time to sort the parts. It
>is 1961, and I am young again..."

One of the most exciting events from the past for many of us has been
arriving home after school or work, and seeing that UPS has left a package
from Heath on the front porch.
Al, N2NKB

2823. FS:BEHRINGER & MACKIE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: BILL SALERNO <W2ONV@WORLDNET.ATT.NET>
Message-ID: <7bfinb$njd@bgtnsc01.worldnet.att.net>
Source record: 115281

Sorry left out pricing on these two items...

Behringermodel #502 pre amp.$150
Mackie MOdel # 1604 $395

Bill Salerno 201 368 3655 or w2onv@worldnet.att.net or fax 201 368-2460

2824. Info: Need info on how to tune Low Band Radius Mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: rrfasi@castles.com
Message-ID: <36db455d.1372823@enews.newsguy.com>
Source record: 115282

I have 2 Radius M208 mobiles on the 42 -50 Mhz split. I can Program 6 Meters but the VCO doesn't lock. Ihave the software - any tips on how to tune up to 6 Meters?

Dick

KM6PA

2825. Re: fed...UPS....Lets SUE EM..CLASS ACTION ANYONE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <7bfrn4$v4c$1@nnrp1.dejanews.com>
Source record: 115283
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio*

If UPS is so bad why do most of the dealers ship by UPS? Not saying you're wrong, just asking.
Bill K9KZ

> I will no longer be responsible for any shipment sent to OR from me on
> UPS...if you specify it, it becomes yours the minute I drop it off at
> UPS counter....
>
> I mean it , Ive had it...please send me just a note, no explanation
> now....if you have a proveable grievance, or even NEARLY....I dont know
> yet, but I believe I have enough to get one of my family lawyers to take
> it on Spec...and I Have Had It....with them....I guess its fed ex only
> for me too now...post office is too tough to even get started on a
> claim.....I am foreward this to UPS corporate as well....GUESS WHAT
> UPS....HAMS HATE YOU AND there are lots of others that do too!!
>
> Sincerely ,
> Murray Neece
> Smokin J's Discount Tobacco
> and RADIO RANCH
>
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2826. Re: Wanted: R1801 MX-300 PROM Adapter Module

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: jerry r <jerryrc@pobox.com>
Message-ID: <36DB74B3.97F57D57@pobox.com>
Source record: 115284
Cross-posted to: ca.wanted,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap

Steve, there must have been 6 versions of that module, plus 6 eproms to go with it, it all depends what prom you have. You should try for the erasable prom unit.

Steve Leong wrote:

> Wanted: Motorola R1801 Suitcase Programmer MX-300 Series PROM
> Programming Adapter Module. I have access to the programmer, but need
> the correct module to program the MX-300S A/B/C/D PROMs.
>
> Thanks very much in advance for your help!
>
> Steve KC6IJM
>

2827. Does anyone still sell unbuilt Heathkits?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: melissaX@Ydimensional.com
Message-ID: <kAKC2.1221$5w.1937@wormhole.dimensional.com>
Source record: 115285
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

It would be really cool, for nostalgia purposes, if I could find an unbuilt SB102 and build it. Does anyone still have and sell things like this?

And that's just my opinion, I could be wrong. :)

- Melissa <http://www.dimensional.com/~melissa/>

By the way, if anyone's interested in a brand new
Windows 98 upgrade CDROM, in a sealed sleeve with
key, I have an extra and can sell it for $70.
I'll even pay postage. Email me.

Basic personal or small business web page design:
<http://www.dimensional.com/~melissa/webpages.htm>

To email me, remove the spam proofing capital letters on each side of the @ in my email address.

2828. Re: Where to Get An RF Module...SC-1318 UHF for IC-2350??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: jerry r <jerryrc@pobox.com>
Message-ID: <36DB740B.7572079A@pobox.com>
Source record: 115286
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Good luck Steve, those are expensive wherever you get it. How much does
Icom get?

wa6gsd@ix.netcom.com wrote:

> My Icom IC-2350 has lost it's UHF power module.. Other than
> Icom, where can these be purchased??
>
> I tried to look it up at Richardson Electronics web site, but
> they show no cross or record for this part.. There is no
> manufacturers' name on it either..
>
> Thanks for any help..
>
> Steve-WA6GSD

2829. check this

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Mitch <mitch@nw.com.au>
Message-ID: <36DB7C7E.D2BA9717@nw.com.au>
Source record: 115287

tired of trying to find programming infomation of interfaces
for your radios,try this email server it could help
http://www.onelist.com/subscribe/rp
regards

2830. FS: ICOM HM-103 Org. IC-706 Mic...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990302005317.20542.00002176@ng149.aol.com>
Source record: 115288

Hello,

I have a HM-103 hand mic for sale. It is the one that came with my ICOM 706MKII. I am purchasing a different mic with DTMF for my 706MKII and will no longer need this mic.

The HM-103 is clean, near new... works great, haven't experienced the low audio characteristic that some complain about... Great simple mic...

$40.00 I'll ship

Jason S. Hulet/KC8FXE
Traverse City, MI

2831. What DTMF Mics work with IC-706MKII?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990302010619.26584.00002284@ng152.aol.com>
Source record: 115289

Hello,

Which DTMF Mics work with the IC-706MKII besides the HM-77A???

Thanks!!

Jason Hulet
KC8FXE

2832. Re: Windows 98 Upgrade CDROM For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: KD5GEH <kd5geh@arrl.net>
Message-ID: <7bfua8nlm1@newnews.startext.net>
Source record: 115290
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Get rid of your predjudices (however that's spelled)....
Anyway.. I use ham-radio (well, not much yet.. mostly just 2meters/440) and
I use computers, but I build & program computers as a hobby.. I'm about
ready to build an interface (A dumb tnc, I guess) and write a terminal prog
for the ham-radio, but I don't plan on ever 'tinkering' with the radio, so
am I still an 'appliance-operator'?....

Jeffrey Herman <jeffreyh@Hawaii.Edu> wrote in message >
>Only for the appliance operators. Us homebrewers have been generating
>RF just fine without the use of computers.

2833. Kenwood TS530S and things

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36DB8183.5DD7@ix.netcom.com>
Source record: 115291
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have an excellent condition Kenwood TS-530S HF Tranceiver with digital
display for $350 and an MC-50 Mic for $60 and a SP-230 Speaker with
the Built in filters for $75. This a great rig with a hot receiver
and a great sounding transmitter audio. Yes it has the WARC bands.
73 Chris VE3NGW/W4 Florida

2834. WTB: Kenwood MC-60A Desk Mike

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: ac6zp@aol.comNOSPAM
Message-ID: <19990302012157.15320.00002343@ng-fv1.aol.com>
Source record: 115292

Looking for a very clean, complete, working unit. Non-smokers a plus...

Please remove the NOSPAM from my email address before
replying...Thanks...73...AC6ZP

2835. Capacitor Analyzer Sprague Model TO-6 For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36DB81C2.23C5@ix.netcom.com>
Source record: 115293
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I have a Sprague Model TO-6 Capacitor analyzer. It's in excellent
condition and an excellent addition to any bench/shack. $175
73 Chris VE3NGW/W4 Florida

2836. Heath Capacitor Checker for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36DB824A.1919@ix.netcom.com>
Source record: 115294
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I have an excellent condition Model IT-28 Capacitor checker.
I want $65 shipped. 73 Chris VE3NGW/W4 Florida 33319

2837. Motorola SPIRIT SU-42 UHF 4 Watt 2 Channel handhelds

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36DB835C.1A30@ix.netcom.com>
Source record: 115295
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Chris wrote:
I have two beautiful Motorola Spirit handhelds.
These radios are new and are long range 4 watt UHF for reliable
communications. They have two channels. 464.500MHz and 454.550MHz
They feature a digital display and 32 PL Tones, Scan control
they come with one standup charger, antennas, batteries and manual/boxes
are included. If you like to see what they look like email me and I'll
send you a jpg.
Thank You, Chris VE3NGW/W4 Florida

2838. Ham Radio Resources

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: mikrounit@my-dejanews.com
Message-ID: <7bg3q1$5jb$1@nnrp1.dejanews.com>
Source record: 115296

Hello All,

Here is a Ham Radio Web Page that
has MANY Useful Ham Radio Resources.
Info on: Satellites, Track Satellites from
my page, HF, Yaesu, FT-847,
MY Hf Rig Reviews, plus more.
I have spent well over 100 hours on it.
So, please stop by.
The URL:

http://kq6mu.8m.com

Thanks & 73,

Mike Green KQ6MU

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2839. Re: Heathkit memories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: KD5GEH <kd5geh@arrl.net>
Message-ID: <7bfv4q$ns5$1@newnews.startext.net>
Source record: 115297
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

Oh well.. One of mine was just seeing the new CATALOG.. I was too young to be able to buy any of the stuff (with stingy/strict parents, atleast), but that and Edmond, well.... ;)

Al, N2NKB <n2nkb@n2nkb@postoffice.worldnet.att.net> wrote in
>
>One of the most exciting events from the past for many of us has been
>arriving home after school or work, and seeing that UPS has left a package
>from Heath on the front porch.
>Al, N2NKB
>
>

2840. Measurments Model 59 Grid dip For sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36DB8B0A.60A9@ix.netcom.com>
Source record: 115298
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

The finest most sensitive grid dip meter ever made. Comes complete with all the coils, matching serial numbers and a copy of the manual. $295

2841. FS Henry 80watt VHF mobile amp, $80.00

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: billgy@my-dejanews.com
Message-ID: <7bg8f8$a39$1@nnrp1.dejanews.com>
Source record: 115299
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have a clean, good operating Henry VHF mobile amp., mod. C80A02. 1to4watts in, 80watts max out. no preamp. 136-174 mHz. range. $80 plus shipping.

email or call 530 6224712

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2842. For Sale Mint pro 43 scan full 800 mhz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36dc9c7d.6756469@netnews.worldnet.att.net>
Source record: 115300

have a real nice pro 43 handheld scanner 200 ch
mint cond comes with rechargable batterys and charger
ant,manual I think ... price is 250.00 firm email me this scanner is
ready to goes hears better than any scannner I have ever had tripile
conversion the only way to hear those way out stations really hears
well in the 800 mhz band if you know what I mean.. email me so cal.

2843. FS: Motorola M75 Digital Cell Phone Reduced

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: "ST1A55@msn.com" <ST1A55@email.msn.com>
Message-ID: <uLU6sMJZ#GA.274@upnetnews02.moswest.msn.net>
Source record: 115301
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Motorola M75 Digital Cellular Phone

Unit is New has 99 alpha Number Storage Works with the PCS TDMA System
Comes with 1 High Cap NMiH Battery & 1 Slim Line NICK Cadmium Battery
Wall Charger.
This Phone Has A Built In Rapid Charger.

Also Comes with A Hands Free Kit With will charge the battery
Comes with remote mic to put on your visor and a remote speaker
It also Provides an external antenna connector
Asking $275.00 For all

For more Info On the M75 Click Here
http://www.mot.com/GSS/CSG/Products/TDMA/m75.html

If interested E-mail Me At ST1A55@msn.com Thanks!!

2844. FS: Icom R7000/TV-R7000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: aidehua@aol.com
Message-ID: <19990302050850.20541.00002198@ng149.aol.com>
Source record: 115302

R7000/TVR7000, Service Manual, and Instruction Manual. Excellent condition.

$900.

2845. Re: fed...UPS....Lets SUE EM..CLASS ACTION ANYONE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: wmeara@erols.com
Message-ID: <36dc051a.77871786@news.erols.com>
Source record: 115303
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio*

On Mon, 01 Mar 1999 23:13:50 -0500, "Joe D. Bucher"
<JoeB@viaduct.custom.net> wrote:

>J. Murray Neece wrote:
>>
>> I will no longer be responsible for any shipment sent to OR from me on
>> UPS...if you specify it, it becomes yours the minute I drop it off at
>> UPS counter....
>>
>> I mean it , Ive had it...please send me just a note, no explanation
>> now....if you have a proveable grievance, or even NEARLY....I dont know
>> yet, but I believe I have enough to get one of my family lawyers to take
>> it on Spec...and I Have Had It....with them....I guess its fed ex only
>> for me too now...post office is too tough to even get started on a
>> claim.....I am foreward this to UPS corporate as well....GUESS WHAT
>> UPS....HAMS HATE YOU AND there are lots of others that do too!!
>>
>> Sincerely ,
>> Murray Neece
>> Smokin J's Discount Tobacco
>> and RADIO RANCH
>
>Most folks just don't know how to properly package an item to
>survive the rigors of UPS. I have shipped hundreds of electronic
>related items and have just had one lost shipment. None lost to
>damage. I have bought items from individuals that assured me they
>would pack it well and when it arrived it was trashed! Used properly,
>UPS is the cheapest and most reliable shipping source we have.
>However, Fedex is better than UPS if cost is of no concern. Thanks
>for letting me get my 2 cents in! ...Joe
>
JOe: I;m getting ready to ship some BAs. what are the alternatives
to UPS and, if there are no real alternatives, what do you recommend
for packing? How about letting one of these "professional" mailers
handle the box preparation. any hints or suggestions would be
appreciated.

2846. Re: Alinco DJ-S11T or 41T, are they worth buying?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Bob Sull <w8imo@kellnet.com>
Message-ID: <36DBE23B.4ECB848A@kellnet.com>
Source record: 115304

"Dennis J. Ciurej" wrote:

> These suckers are so darn cheap, it's getting real tempting. Any pros or
> cons?
>
> I've read the QST review, but wonder what the practical experience has been
> out there.
>
> I'm planning to use them mostly for the FRS equivalent, i.e. use with other
> hams at hamfests and while travelling to communicate from car to car with
> other hams (and maybe, just maybe to get my wife interested enough to get a
> license).
>
> For the above use, I'm betting that the 440 actually might be better than
> the 2 meter unit.

I have the 41T that I bought about a year ago, last year prior to Dayton.....

I think it is a great rig for it's size and cost. At the "valley of intermod",
the
Dayton flea market last year I had no problem with intermod. Never missed
a call and never needed to change the battery.

Hard to beat for $88!

73,
Bob

2847. Re: Kenwood TS-440S/AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Goose <pdg@syntens.nl>
Message-ID: <7bgnhurli1@freyja.bart.nl>
Source record: 115305
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap

Hello Ik Like to buy this from you but i am living in the netherlands is it possible to ship it COD

Or mabey we can arrange somthing else please email me at PDG@syntens.nl

Thanx

Peter

BCFMCA heeft geschreven in bericht
<36d4a22f.328003060@news.rct1.bc.wave.home.com>...
>We have for sale (1) Kenwood TS-440S/AT radio for sale. We are asking
>$600US. The radio is in 8.5-9/10 condition with only minor scuffs on
>the top of the unit.
>
>Has spent most of its life in the box (was for a project that never
>got off the ground).
>
>Comes with original packaging, user's manual, and hand microphone.
>
>The radio has had the extended TX modification done.
>
>For more information check out the web page below.
>
>Remove the capital letters from the reply email address (NOSPAM).
>
>Thanks!
>
>http://www.bcfmca.bc.ca/ts440.html

2848. Re: F.S. JB2000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: robert.piland@msfc.nasa.gov
Message-ID: <robert.piland-0203990721020001@128.158.161.100>
Source record: 115306
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

In article <rgIC2.688$6a3.1099@news20.ispnews.com>, "Toll Free"
<tollfree@tollfreecb.bigradios.com> wrote:

> You sure your not looking for a CopyCat??
>
> hehe
>
>
> Toll Free
>
>
> --
> Toll Free
> Asstrodome City
> ``Smoking areas in restaurants are like peeing areas in swimming pools.''
>
> Dennis W. Ostrowski wrote in message <36DB343F.AAA70ECB@lucent.com>...
> >Robert Piland wrote:
> >
> >-- F.S. JB2000 Amp Made by Black Cat 10-80 2000 watt amp. E-Mail =
> >-- dstump1@gte.net
> >--
> >>
> >> If this is my old Cat Dave . . .
> >>
> >> Let's talk I would like to have ot back . . .
> >>
> >> Brass
> >
> > At least explain to this man that there is a big difference between a
> >JB2000 and a JB10-80!
> >
> >Dennis
> >
> >#12

A cabinet is a cabinet the transformer will take on two more tubes without
even thinking about

The one knob wonder w/ a bypassed driver

Sounds like he may have had the driver circuit hooked back up

I know that Dave has taken alot better care of it then the original (one of)
did

Brass

2849. WTB: Alpha 87A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: wy0j@aol.com
Message-ID: <19990302093414.07564.00002672@ng-fa1.aol.com>
Source record: 115307

Looking for Alpha 87A in good condx.
Jim Brown KK0T
wy0j@aol.com

2850. CRYSTAL MIKE ELEMENT SOUGHT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990302095221.14413.00002293@ng140.aol.com>
Source record: 115308

Hello, I sold a gentleman a TURNER MODEL 80 crystal mike, and the element did not arrive intact. I want to find another element for this gentleman , i've already reduced the charge for it, but want to help get him another. This is a shame, because the mike was so clean when it left. If you can help w/ the hardware or any suggestions, please let me know.
Thank you,
Joe Pratt, Tubecntral@aol.com

2851. Re: Does anyone still sell unbuilt Heathkits?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: k5dh@rtis.ray.com
Message-ID: <7bgt9m$fcv@news.rsc.raytheon.com>
Source record: 115309
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <kAKC2.1221$5w.1937@wormhole.dimensional.com>,
melissaX@Ydimensional.com says...
>
>It would be really cool, for nostalgia purposes, if I could find an unbuilt
>SB102 and build it. Does anyone still have and sell things like this?

Sure... you can find 'em on eBay, at swap meets, in magazine ads,
and so forth. But be prepared to spend ALL of your life's saving
on them! Unbuilt Heathkits make Collins gear seem cheap.

Dean / K5DH

2852. Icom IC-201 questions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: "Caitlyn M. Martin" <cait.martin@ibm.net>
Message-ID: <36DC08E6.6143B880@ibm.net>
Source record: 115310

Hi, everyone,

As some of you may have gathered from my requests for a manual, I recently acquired an old (as in maybe 25 years old) Icom IC-201 2 meter (144-146 mhz) all mode base rig. I purchased it from a ham in Kansas, and it has a serial number of 0023. Yes, 23! It's also in absolutely beautiful condition, and got me a very nice report in a local SSB QSO. I'm tickled to have it, but I do have questions.

First, though I was able to buy a copy of the schematic, I have been unable to find a manual for it. My experience with Icom in the past is that they are no help whatsoever with really old rigs. If anyone has either an owners or service manual, I would gladly pay to have it copied and mailed to me.

If not, maybe some other present or former IC-201 owners can answer some questions for me. First, the FM duplex function is not working, and I understand that required an add on crystal and/or mod. Can someone fill me in on the details, since we do have repeaters in the 145 mhz band segment here, and it would be nice to add that capability.

The rig has four crystal slots for fixed frequency operation. Is the formula for the crystals the same as Icom's FM rigs of the period, the "Series 20" crystals used in everything from the IC-20 and IC-21 forward?
If not, does anyone know the specs for the crystals?

I would be interested in any other information y'all might be able to share.

Thanks and 73,
Caity
KU4QD

2853. Re: Heathkit memories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: dalien <dalien@pacifier.com>
Message-ID: <36DC0CCD.BAF71126@pacifier.com>
Source record: 115311
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

I couldn't afford much then either. Mostly lots of catalog looking. Had them memorized. But I did get to built several inexpensive transmitters for myself, and some stereo gear, then LOTS of lab equipment for schools. It was all lots of fun.

W6OVP

KD5GEH wrote:

> Oh well.. One of mine was just seeing the new CATALOG.. I was too young to
> be able to buy any of the stuff (with stingy/strict parents, atleast), but
> that and Edmond, well.... ;)
>
> Al, N2NKB <n2nkb@n2nkb@postoffice.worldnet.att.net> wrote in
> >
> >One of the most exciting events from the past for many of us has been
> >arriving home after school or work, and seeing that UPS has left a package
> >from Heath on the front porch.
> >Al, N2NKB
> >
> >

2854. *******WTB Collins VIDEOS*******

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: jlogin@gville.mindspring.com
Message-ID: <7bh3f7$2gg$3@camel15.mindspring.com>
Source record: 115312

Hi --Anyone have them for sale??? Tnx Bob, AA8A

2855. Re: fed...UPS....Lets SUE EM..CLASS ACTION ANYONE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: tcrpe <tcrpe@yahoo.com>
Message-ID: <hpUC2.1553$YV6.1916@news2.giganews.com>
Source record: 115313
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio*

I agree with this. Packed properly, all shipments to me have arrived intact. I have, however received heavy items in old grocery store boxes, haphazardly stuffed with loose newspapers.

The damage was clearly caused by inept packaging.

Twice, I have asked for the sender to properly package something, you know buy a shipping carton, use foam peanuts, etc., even offering to pay all the costs. The shipper is hesitant, whining about the time to get the PROPER materials, time to use the proper materials, what a waste of money it is, etc.

I always end up telling him to FORGET IT!

TR

Joe D. Bucher wrote in message <36DB657E.3CA0@viaduct.custom.net>...
>J. Murray Neece wrote:
>>
>> I will no longer be responsible for any shipment sent to OR from me on
>> UPS...if you specify it, it becomes yours the minute I drop it off at
>> UPS counter....
>>
>> I mean it , Ive had it...please send me just a note, no explanation
>> now....if you have a proveable grievance, or even NEARLY....I dont know
>> yet, but I believe I have enough to get one of my family lawyers to take
>> it on Spec...and I Have Had It....with them....I guess its fed ex only
>> for me too now...post office is too tough to even get started on a
>> claim.....I am foreward this to UPS corporate as well....GUESS WHAT
>> UPS....HAMS HATE YOU AND there are lots of others that do too!!
>>
>> Sincerely ,
>> Murray Neece
>> Smokin J's Discount Tobacco
>> and RADIO RANCH
>
>Most folks just don't know how to properly package an item to
>survive the rigors of UPS. I have shipped hundreds of electronic
>related items and have just had one lost shipment. None lost to
>damage. I have bought items from individuals that assured me they
>would pack it well and when it arrived it was trashed! Used properly,
>UPS is the cheapest and most reliable shipping source we have.
>However, Fedex is better than UPS if cost is of no concern. Thanks
>for letting me get my 2 cents in! ...Joe
>

2856. Re: Icom W-2A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: ttl1997@aol.com
Message-ID: <19990302121446.23495.00002357@ng-fu1.aol.com>
Source record: 115314

Hi, You can buy a carrying case for Icom W-2A for about $20.00 CDN dollars(special on sale) at this web side: http://elkel.concepta.com/ElkelA.html

Icom HT's carrying case LC-72.

2857. Re: Does anyone still sell unbuilt Heathkits?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: adam@onramp.net
Message-ID: <MPG.1145d51fec0c49cf9896a0@news.onramp.net>
Source record: 115315
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <kAKC2.1221$5w.1937@wormhole.dimensional.com>,
melissaX@Ydimensional.com says...

> It would be really cool, for nostalgia purposes, if I could find an unbuilt
> SB102 and build it. Does anyone still have and sell things like this?

It probably would be really cool to build one from the box, but
they are rare and very expensive. You might find just as much
satisfaction from finding one that doesn't work (or work well) in good
cosmetic condition and then rebuilding it. After all, most of the old
carbon composition resistors will be out of value, the electrolytics
could be bad, etc. I am reworking a SB-300 now, and it is close enough
to building it new to suit my tastes.

> And that's just my opinion, I could be wrong. :)

And then again, you might be right.

Adam, KM5SS
adam@onramp.net

2858. solarcon A99 manual/tips

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: jape@my-dejanews.com
Message-ID: <7bh9da$6gi$1@nnrp1.dejanews.com>
Source record: 115316

i was basically given this antenna & was wondering how you use tuning rings.
also any tips for tweaking this thing? i'm pretty much a newbie so please
keep it simple. i'm also looking for an inexpensive code key to practice with.
any suggestions are greatly appreciated. thanx in advance, jack

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2859. FT: Kenwood TS-520S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Rick Riverman <rbriver@cybcon.com>
Message-ID: <7bh7ma$l48$1@remarQ.com>
Source record: 115317

I have a Kenwood TS-520S in very good condition with Hand Mic and full
manual set
for trade for a

- Yaesu FT-51R or
- Kenwood TH78A

Thanks,
Rick Riverman W7RBR
Aloha, Oregon

2860. !!WANTED!! K1EA DVP sound card

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: John Unger <w4au@contesting.com>
Message-ID: <36DC20FD.28DE@contesting.com>
Source record: 115318

I am looking for a used (or new) K1EA DVP board. It would be helpful if it had cables, but it doesn't matter for what kind of radio. Does anyone out there have one that they would like to sell?

tnx es 73 - John, W4AU

2861. Commercial Marine HF AMP for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36DC268C.2EC0@ix.netcom.com>
Source record: 115319
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have a beautifully built Sailor HF AMP. This one has two RCA 8122
ceramics tetrodes which checked out full output.
All the tuning is done with servos and the band settings are set with
brass slugs. Built under high standards, rackmount, very high quality
components including a large cooling fan. It was removed and fully
functional from a cruise ship that went to solid state. This amp puts
out about 800watts with very little input. It has a built on solid
state pre-driver stage which can be bypassed if need to. It's complete
and in excellent condition. It requires a power supply and controls for
the servos. No manual but can be found at marine electronics shops.
Sailor is still the leader in Marine and satelitte communication
networks. I will send jpgs by request to anyone interested. I want
$400+shipping for it. The tubes alone cost that! Roughly 45 lbs
73 Chris VE3NGW/W4 Florida

2862. Re: Help: Kenwood TH 77A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: "Russell C. Nixon" <rc9nixon@mindspring.com>
Message-ID: <36DC29A7.4F54DDA0@mindspring.com>
Source record: 115320

I have a TH77A. The best $35 I spent was for a service manual from East Coast transistor. They are KW's parts asnd service vendor in the east. There is a fairly complete set of mods out there on the web with text and ascii diagrams. Do a web search for th77a and mods. I haven't done them because I'm just not that interested in the bands opened up. If I was still attending airshows as I once did, I'd probably do the 108 - 135 AM mod, but as a 2M/70CM HT it does me just fine.

Russ Nixon - KF4WXD

Garren wrote:
>
> I Aquired a TH77a from a friend that had purchased it second hand and
> not working properly. It seems someone in the past has done a
> modification on it but has lost the capacitor and its jumper wire that
> is glued to the board near the chip diodes that are removed during the
> mod. The capacitor is labeled C-124. Has anyone performed this
> particular mod and happen to remember the value of C-124? Also a
> schematic would be very helpful as they severely butchered the board in
> that area and it is hard to tell exactly which points the capacitor
> leads solder to.
>
> Thanks in advance.

2863. F/S TS-450-SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: HRE/Coin <hamradio@wizzards.net>
Message-ID: <36DC336C.25FD@wizzards.net>
Source record: 115321
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.shortwave

I have a Real Clean Used Kenwood TS-450-SAT for Sale !
This is a General Coverage HF 0 - 100 + Xcvr. With Auto Antenna
Tuner. "New Hand Mic" and DC Cable... /// NONSMOKER !!!
Just $750.00
Call - Joe / N6fra (541) 479-1212
http://www.wizzards.net/hamradio

2864. Re: Info: Need info on how to tune Low Band Radius Mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Greg Buchwald <buchwald@ccrl.mot.com>
Message-ID: <36DC38EA.290A3502@ccrl.mot.com>
Source record: 115322

Hi OM,

Open up the radio. Under the top plastic over you will find a metal shield covering the entire main chassis (not the amp portion). Remove it. Under this, you will find a second, smaller cover over the VCO. The two coils at teh back of the radio are the TX and RX VCO; there is a larger coil in the front section. Only adjust the back, small coils and keep track of the number of turns. They generally have ferrite slugs and these must be backed out or removed completely to get the VCO to lock above 50 MHz. Some people replace the slugs with aluminum slugs since the aluminum core will decrease the inductance of the coil. You should find that the radios will lock up once you extract the slugs a few turns or remove them entirely. Noise figure above 52.525 will be degraded since the front end low pass is generally not tuneable. (Some older units had adjustable coils, but most do not). Good luck - I have amde a dozen of these radios go on six and they work well.

73

greg - k9qi

2865. WTB Auto Antenna Tuner to suit ICOM 706 MkII

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: David Gemmell <davidg@oem.com.au.DeleteThisEndPart>
Message-ID: <newscache$v28x7f$v2h$1@news.fan.net.au>
Source record: 115370
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment

WTB auto antenna tuner. Please advise full details.

--
rgds frm
David Gemmell VK4ZEK
davidg@oem.com.au.ThisIsDeleted

Following lines are for SPAMscum.
postmaster@localhost
abuse@localhost
root@localhost

==========

2866. Re: Questions about MFJ Tuners

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: Ken Bickel <ac4vvremove@mearrl.net>
Message-ID: <AZFC2.1221$lb3.2261239@news.megsinet.net>
Source record: 115371

Have used my 949E for several years with no problems. Have used it with
five different antennas. Am currently using it with a 40 meter loop and can
tune it up on any band from 160 to 10 meters.

73

CompCnsult wrote in message <19990228165308.26692.00001510@ng134.aol.com>...
>I am thinking about buying a MFJ Tuner. Specifically a 949.
>
>Are these tuners any good. The price seems right. I am only running about
125
>watts and want to tune into a long dipole antenna.
>
>Thanks
>WD0ASJ
>wd0asj@aol.com

2867. Re: F.S. JB2000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-02 00:00:00 UTC
From: chuck@chucks2way.com
Message-ID: <36dc3643.262983118@news.visitus.net>
Source record: 115372
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

On Mon, 01 Mar 1999 10:59:04 -0600, robert.piland@msfc.nasa.gov
(Robert Piland) wrote:

>In article <7b9noc$2tv$1@news-2.news.gte.net>, "axel" <dstump1@gte.net> wrote:
>
>> This is a multi-part message in MIME format.
>>
>> ------=_NextPart_000_002D_01BE626F.B4565040
>> Content-Type: text/plain;
>> charset="iso-8859-1"
>> Content-Transfer-Encoding: quoted-printable
>>
>> F.S. JB2000 Amp Made by Black Cat 10-80 2000 watt amp. E-Mail =
>> dstump1@gte.net
>>
>
>If this is my old Cat Dave . . .
>
>Let's talk I would like to have ot back . . .
>
>Brass

and for $800.00 you can HAVE it!

Too much for an amp that OLD!

-Chuck K8CPA
Chuck's 2 Way Radio Service and C.B. Radio Sales
Website: Http://www.chucks2way.com
E-mail: MailTo:chuck@chucks2way.com
ICQ #17044539 or 17079579
Mailing List at http://www.chucks2way.com/list.htm
Chatroom at http://www.chucks2way.com/prechat.htm
Steal my Banner! (woo hoo!) http://www.chucks2way.com/c2banner.gif
==========
Live in Southeastern Michigan?
Looking for affordable Internet access?
Go to http://www.visitus.net
Call them now at 1-313-945-5588
Ask for Rich!
Tell 'em Chuck sent ya!

2868. FS 220HT IC-03AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36DDE607.533D7613@bellatlantic.net>
Source record: 115073
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale a IC-03AT 220 H.T.
The condition of the unit is excellent/good. It comes with the following
1- IC-03AT 220 H.T.
1- BC-35 Quick Charger
1- BP-5 Battery Pack
1- BP-7 Battery Pack
1- Extra 5/8 wave antenna
Also comes with the manual. I do not have the box..sorry.
I'm asking $200.00 plus shipping....If you are interested please
e-mail for inquires. I will forward my number if required..
Thanks for reading this..Mike

2869. FS MFJ-948 Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36DDE635.AA10C1E3@bellatlantic.net>
Source record: 115074
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale a MFJ-948 antenna tuner. Excellent/Good condition.
Electrically excellent. 300 watt range. It does not have a built-in
dummy load. This is a yellow face unit with a black wrap-around cover.
Non-smoker.
I'm asking $80.00 plus shipping.
If you are interested please e-mail me for inquires.....Mike

2870. F/S: MTX-800

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: mark homayouni <homayou@ibm.net>
Message-ID: <36DDEB3A.908B7634@ibm.net>
Source record: 115075

I DO HAVE 8 MTX800 SOME HAS KEY PAD AND THEY ARE ONE AND TWO AND
SIX CHANNEL GIVE ME OFFER FOR ALL . THANKS. MARK

2871. Re: Icom 2100-H #@!%*!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7bkqhigou1@ostrich.cybercomm.net>
Source record: 115076

Why anyone would buy a 2100H after all the talk about the problems with
the radio it replaced (2000H) I can't figure out.
Joseph Mowery wrote in message <36DDA4C7.6ACC8E64@nswc.navy.mil>...
>What was the VSWR that you had on the radio???
>
>DLR18SH wrote:
>
>> what happened to all the IC-2100H.
>> Did HRO give you a hard time returning them? Was the problem the Finals
burning
>> up? I have heard there is a MAJOR problem in the Finals go bad from
several of
>> my friends who also sent back 4 units. Icom says there is no problem.
Hmmm I
>> call it a problem when 50% of the radios die shortly after sale..
>> 73's TIM
>

2872. .Jobs in Electronics

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: rick etter <retter@bright.net>
Message-ID: <36DDEDBD.FB6@bright.net>
Source record: 115077

If you're interested in putting your electronics knowledge to work, check out this offer:

http://www.faa.gov/ats/best/

You will have to jump through a few hoops(it is a government job, afterall), but they are looking to hire by the end of this year.

2873. Re: Icom 02AT HT Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Tim Landers <timl@mindspring.com>
Message-ID: <36DDF5D6.5DAF0619@mindspring.com>
Source record: 115078

Walter:

Mine has been modified. This disables the "automatic offset" feature. In order to put an offset, you must enter the offset amount in KHz(00600 on mine for 600 khz, I think) in addition to the + or -. Mine uses tones in those channels just fine, so I don't know what could be wrong there. You have to enter the two-digit tone "code". I taped a chart (from the manual) on the back of my battery that shows what frequency goes with which code. Of course, you can always try them until the repeater opens ;-).

Mine is 15 years old, has had a few minor repairs, and I replaced the finals a couple years ago. Still ticking!

Walter Wickersham wrote:
>
> I have recently bought a Icom 02AT, with no documentation :(.. It
> seems
> that the first 6 memories will not store a tone or offset, as if ment
> for
> simplex, however the last 4 (7-0) work perfectly..... Is this normal?
>

--
Tim Landers
N4HIG and N4KYP
timl@[nospam]mindspring.com
Train Enthusiasts
Notice: We charge a $100 access fee for unsolicited e-mail

2874. FS by auction

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Steve Lenaghan VE4LR <swtel@prairie.ca>
Message-ID: <36DDF602.9D1A1EC2@prairie.ca>
Source record: 115079

Marconi 520 MHz high accuracy generator
Motorola T1601 Remote Control
Small Business Phone System
http://cgi2.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=swtel
and
http://www.prairie.ca/~swtel/surplus.html

Steve, VE4LR

2875. Service monitor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Bob <nowhere@nowhere.net>
Message-ID: <7bkun8$6tj$1@news.ipa.net>
Source record: 115080
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

```
CT System 3000B
0-1ghz
excellent shape with soft case
$1800.00 cash or cash and trade for radio equip

call Bob @ 501-250-0260 after 6 p.m. cst
```

2876. Re: Installing /Locating a TU-8 Tone Board for KW 440s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <36de0229@news1.us.ibm.net>
Source record: 115081

The ARRL repeater handbook lists the tones which are publicized. Otherwise,
you need a tone reader on the receiver. Usually there is enough
bleedthrough, even when it is not intentionally repeated, to read the code.
If the skip is right, listen on the input with the tone reader.
--
Crazy George

2877. Re: HELP: Do I need a duplexer...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <36de028e@news1.us.ibm.net>
Source record: 115082
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap

If there are no frequency related spurious (harmonics and the like) then a simple band split combiner will be adequate. If, on the other hand for example, some particular harmonic of, say the 2 meter transmitter falls within the passband of the 6 meter receiver, there ain't no way you're gonna make it work anyway. Suggestion: Try the two repeaters through a combiner into a dummy load and see what happens. Band reject duplexers, the kind we can afford, do not suppress out of band emissions very much. A transmitter suck out cavity on each opposite receiver may be necessary, depending on the specific hardware. The old tube type boat anchors were better in this regard. We all had to relearn the isolation curves when solid state came along.
--
Crazy George

2878. Re: Forget Y2K - Hackers Like This Are Far More Serious!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <7bkvrp$5bc$1@news-1.news.gte.net>
Source record: 115083
Cross-posted to: alt.fan.rush-limbaugh,alt.law-enforcement,alt.politics.usa,alt.politics.usa.congress,alt.rush-limbaugh,rec.radio.amateur.equipment,talk.politics,talk.politics.guns,talk.politics.misc

There had been discussions about how some of the programmers
hired to "fix" the Y2K problems may be planting future problems in
the form of viruses and time bombs. Also there is concern that many
of the foreign programmers may be doing industrial espionage This
may lead to many companies not using contractors in the future due to
fear of those that are not under company control.

DavidC <davidc@bit-net.com> ...
:I have been telling folks for over a year that Y2K will be
:a mere blip on the screen compared to the field day
:hacker-terrorists will have in 2000.
:
:Hackers are terrorists and terrorists thrive on fear and
:the perception of calamity. With all of the profit and
:politicallly-opportunistic fear-hype surrounding Y2K these
:purveyors of fear have created the perfect environment
:for the hacker-terrorists.
:
:This story (below) only begins to illustrate what is in store.
:
:Sure wish someone would confront the Y2K fearmongers
:with the consequences of their selfish actions and begin
:the process of taking away from the hacker-terrorists this
:field-of-fear that has been manufactured.
:
:Anyone seen other hushed-up stories like this?
:
:DavidC K1YP
:
:
:Monday, March 01, 1999
:
:Hackers Seize UK Military Satellite - Report
:
:February 28, 1999 6:42am
:Reuters
:
:LONDON (Reuters) - Hackers have seized control of one of Britain's military
:communication satellites and issued blackmail threats, The Sunday Business
:newspaper reported.
:
:The paper, quoting security sources, said the intruders altered the course
:of one of Britain's four satellites which are used by defense planners and

:military forces around the world.
:
:The sources said the satellite's course was changed just over two weeks
:ago. The hackers then issued a blackmail threat, demanding money to stop
:interfering with the satellite.
:
:``This is a nightmare scenario,'' said one intelligence source. Military
:strategists said that if Britain were to come under nuclear attack, an
:aggressor would first interfere with military communications systems.
:
:``This is not just a case of computer nerds mucking about. This is very,
:very serious and the blackmail threat has made it even more serious,'' one
:security source said.
:
:Police said they would not comment as the investigation was at too
:sensitive a stage. The Ministry of Defense made no comment.
:
:Source: Reuters
:

2879. Re: Forget Y2K - Hackers Like This Are Far More Serious!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <7bkvrr$5bc$2@news-1.news.gte.net>
Source record: 115084
Cross-posted to: alt.fan.rush-limbaugh,alt.law-enforcement,alt.politics.usa,alt.politics.usa.congress,alt.rush-limbaugh,rec.radio.amateur.equipment,talk.politics,talk.politics.guns,talk.politics.misc

paul wise <n3ngo@prodigy.net> ...
:good point dave, i too agree that y2k will pass without major
inconvenience.
:i believe the bottom line is that alot of people are making alot of money
:pushing y2k products and services.
:
:business firms are paying hundreds of thousands of dollars to
'consultants',
:basically someone who will validate your hardware and software for y2k
:compliance.
:
:i work for one of these businesses. my company paid a consulting firm over
:$200 per-item just to take an inventory of what hardware we had that might
:be affected. then my job became testing of all these systems, even though
:they have no date or time capabilities
:of course the 'consultants' included every meter and gauge to increase
thier
:cost.
:
:then there are merchants pushing things like generators, flashlights, what
:have you for when the lights go out (in case the power comany experiences
:rollover problems) have you priced or tried to buy a generator lately? most
:suppliers are backordered for months...
:
:the champaign industry is even trying to capatalize on this by stating that
:there is no way they could produce enough to supply the demand for
millenium
:parties.
:
:but they have had no problem supplying enough for any other new years
:celebration?
:
:i am suprised doctors are not cashing in by telling heart patients that
:pacemakers installed before 1994 will not work in a 2000 environment, can
:you imagine the implications if something like that broke?
:
:i think alot of people are making as much as they can now, because they are
:going to have to find some other way to make money in 9 more months...

Always follow the money.
And Y2K has made a pile of money for computer manufacturers,
for programmers and others in the industry. Hope we all have
jobs after 2001.

:
:DavidC wrote in message ...
:>I have been telling folks for over a year that Y2K will be
:>a mere blip on the screen compared to the field day
:>hacker-terrorists will have in 2000.
:>
:>Hackers are terrorists and terrorists thrive on fear and
:>the perception of calamity. With all of the profit and
:>politicallly-opportunistic fear-hype surrounding Y2K these
:>purveyors of fear have created the perfect environment
:>for the hacker-terrorists.
:>
:>This story (below) only begins to illustrate what is in store.
:>
:>Sure wish someone would confront the Y2K fearmongers
:>with the consequences of their selfish actions and begin
:>the process of taking away from the hacker-terrorists this
:>field-of-fear that has been manufactured.
:>
:>Anyone seen other hushed-up stories like this?
:>
:>DavidC K1YP
:>
:
:
:

2880. Re: Forget Y2K - Hackers Like This Are Far More Serious!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <7bkvvdkpe1@news-1.news.gte.net>
Source record: 115085
Cross-posted to: alt.fan.rush-limbaugh,alt.law-enforcement,alt.politics.usa,alt.politics.usa.congress,alt.rush-limbaugh,rec.radio.amateur.equipment,talk.politics,talk.politics.guns,talk.politics.misc

Jonesy <jonz@rmi.nospam.net> ...
:<--snip-->
:: then there are merchants pushing things like generators, flashlights,
what
:: have you for when the lights go out (in case the power comany experiences
:: rollover problems)
:: have you priced or tried to buy a generator lately?
:
:I can't wait for all the unused generators to show up in the
:"Thrifty Nickel" and at yard sales for give-away prices --- just
:in time for Field Day, 2000.
:
:73
:Jonesy W3DHJ
:__
:SK

Since Lowes has 5KW generators for $498, I am not concerned
about buying one at high prices. And a generator is always useful.

:
:--
:Marvin L. Jones jonz<AT>rmi.net
:Gunnison, Colorado
:305 days to go until the Year 2000 -- So what!?
:670 days to go until the 3rd Millennium of the C.E.

2881. yaesu 8100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Nick <sputnick@intnet.net>
Message-ID: <36DE0795.60873CB@intnet.net>
Source record: 115086

i plan to buy the yaesu 8100 dualband mobile. i'd like to hear from
people that own or have used it. pros/cons , alternative radios.
thanks
nick, kf4gae

2882. Re: Best price for FT-847 - where ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: N3PZA <billrk@desupernet.net>
Message-ID: <36de0770@news.desupernet.net>
Source record: 115087

HF-UHF FT-847 HF THRU UHF All-mode, Free FC-20 Tuner or ATAS-100 Antenna
from Yaesu 3/31/99 $1,689.00 Has Acc.

www.denverradio.com

2883. Re: fed...UPS.... SUX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <36DE0924.4C3B6D87@iglobal.net>
Source record: 115088
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio*

Have you shipped any amps? or FT 1000ds? Or 990s? Thats where they get you....
Ive had an FT 1000 bent inside at least SIX INCHES of foam...admitted ly most
broken things I Get are weak in the packing dept...but when they come in my door
ROLLING a TL 922a after dropping it from Knee height.....THAT JUST AINT
RIGHT... I say...THEY SUCK!! "But thats just my opinion, you are entitled to
yours! hi hi..." Looks like my choices are few....73 Murray

Jack Brabham wrote:

> Well I use em all at various times. I've shipped or received around 30
> items via UPS in the last year or so and still have not had a problem. I
> have received some stuff that was poorly packed that survived anyway.
>
> The PO Priority service is good for small items but gets pricey as size goes
> up.
>
> I use FEDEX at work for overnite shipments, but they are also too high
> priced for ham stuff or anything else that can stand a few days in route.
>
> I tend to avoid buying from individuals who want me to pay for professional
> packing for typical ham items. Would be OK for things that need to be
> crated, like say a R390 or a 77SX. Bubble wrap, plastic peanuts, and
> cardboard boxes are easy to come by. I recycle packing materials and
> rarely have to actually buy any. I sort of assume that folks that can't
> handle routine packing are questionable and best avoided.
>
> 73 de Jack - W4ASM
>
> J. Murray Neece wrote in message <36DB3095.10122E65@iglobal.net>...
> >I will no longer be responsible for any shipment sent to OR from me on
> >UPS...if you specify it, it becomes yours the minute I drop it off at
> >UPS counter....
> >
> > I mean it , Ive had it...please send me just a note, no explanation
> >now....if you have a proveable grievance, or even NEARLY....I dont know
> >yet, but I believe I have enough to get one of my family lawyers to take
> >it on Spec...and I Have Had It....with them....I guess its fed ex only
> >for me too now...post office is too tough to even get started on a
> >claim.....I am foreward this to UPS corporate as well....GUESS WHAT
> >UPS....HAMS HATE YOU AND there are lots of others that do too!!
> >
> >
> >Sincerely ,
> >Murray Neece

> >Smokin J's Discount Tobacco
> >and RADIO RANCH
> >

2884. Re: Yaesu software on a Macintosh???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: rave_bob@REMOVE.videotron.ca
Message-ID: <rave_bob-0303992355440001@192.168.1.2>
Source record: 115089

In article <7bij2faae1@nnrp1.dejanews.com>, wardseward@yahoo.com wrote:

> I am getting a VX-5R soon and I really want to be able to program it with my
> computer, but I'm a Macintosh user (BTW, PC vs Mac isn't the point here.) So,
> I'm wondering if anyone has ever homebrewed a cord, and used the Yaesu
> software or Eve (shareware), and Virtual PC (running Windows95) to program
> there VX-5R or VX-1R? I'm sure it can be done, but I have no idea what pin
> does what when i would convert from com plug to mac serial plug. Any help?
>
> BTW...I currently have a copy of EVE and have ran it on VirtualPC...on radio
> yet though.

i also have a vx-5r and a mac...(and also another mac and other pcs...) so
i use the PC to try to make my home built cable work..but with the right
adapter to the cable, i m sure you could make it work...well at least i
could make my TI programming software for windows work under
softwindows...i dont have the pin conversation table though good luck! :)

alex

2885. FS: Ten Tec Century 21 "digital" HF $250+shp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Joe K7JOE <K7JOE@yahoo.com>
Message-ID: <36DE1791.EE55019F@yahoo.com>
Source record: 115090
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi Folks,
I have for sale a VERY nice condition Ten Tec Century 21 "digital"
HF radio. For those that don't know, this is an all solid state
HF radio covering 80/40/20/15/10 meter bands. Power input is
60 to 70 watts. Has a built in power supply. Had a digital red LED
frequency read out. Is CW only with full break in (QSK).
The PTO is very smooth, only some dust here and there. All switches
working well. Output is 40-50W on all bands. Has three filter
selections (2.5Khz, 1.0 Khz, and 0.5 Khz selectivity).

For those that collect Ten Tec gear, or just like using it, this
one's for you. A great rig. Was my novice "dream radio" back in the
late 1970's --- now I upgraded to running the Collins S-line in
split configuration so it's time to pass this on to someone
else. I can't seem to find the owners manual, but, will get
a copy if you so desire.

Would like $250 + shipping/insurance for this radio.
thanks,
Joe K7JOE
Portland OR

2886. Need Schematic , Etc for Alinco 510 Dualbander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36DE2660.75A4@ix.netcom.com>
Source record: 115091
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Anyone willing to send me a copy of the schematics and board info for an Alinco 510 dual band mobile??

I inherited a "basket case" from a friend and want to try to get it working again.

Thanks in advance.

Steve-WA6GSD

2887. Alinco DX70TH Erratic Tuning Fix

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Raymond Hutchinson <rdhutch@earthlink.net>
Message-ID: <36DE24F6.73FA@earthlink.net>
Source record: 115092

A few weeks ago I posted a question here asking if others had
experienced erratic tunung/ function of the "multi-Function" control on
Alinco DX70's. I recieved many e-mails stating that a number of these
radios had this problem.

I am very happy to report that I took my radio to Alinco USA in
Torrence CA, and they cheerfully fixed it for FREE, while I waited, even
though the radio was long out of warranty! They only need the control
head to do the repair. Told me that two capacitors linked to the
control have too small a value, hence not enough time delay constant,
causing the erratic operation. They replaced the caps and now the contol
is rock solid. Otherwise. I really like the radio.

Thought I should pass along this info!

73, Ray, KQ6WI
--

2888. Re: CRYSTAL MIKE ELEMENT SOUGHT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Sam Taylor <cygnet@cncnet.com>
Message-ID: <36de3a86.0@nntp.quiknet.com>
Source record: 115093

Sam taylor writes,
Try Mouser Electronics current Catalogue page 304
they list 3 Crystal Elements 2 are 1 inch diameter
one is 1.38 inch diameter all about 4 bucks
Phone is 800 346 6873
Good luck 73 KO6JQ
TUBECNTRAL wrote in message <19990302095221.14413.00002293@ng140.aol.com>...
>Hello, I sold a gentleman a TURNER MODEL 80 crystal mike, and the element
did
>not arrive intact. I want to find another element for this gentleman , i've
>already reduced the charge for it, but want to help get him another. This
is a
>shame, because the mike was so clean when it left. If you can help w/ the
>hardware or any suggestions, please let me know.
> Thank you,
> Joe Pratt, Tubecntral@aol.com
>

2889. Yaesu FT1000mp -> CT9

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: IK0IZW Renzo <derenzo@grisnet.it>
Message-ID: <7bmm8b$5d9$1@nslave1.tin.it>
Source record: 115094

Do u know the right way to connect the ft1000mp with the CT9 software, remoting the rig with the dx-spots received from the local cluster? I know that there wasn't any kind of problem with the old release (1000d) but it's different with the newest.
Many tnx in advance for any kind of infos!

73 de Renzo

2890. Re: fed...UPS....Lets SUE EM..CLASS ACTION ANYONE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Jack Brabham <jbrabham@mindspring.com>
Message-ID: <7bjtfv$o5c$1@camel29.mindspring.com>
Source record: 115123
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio*

Well I use em all at various times. I've shipped or received around 30 items via UPS in the last year or so and still have not had a problem. I have received some stuff that was poorly packed that survived anyway.

The PO Priority service is good for small items but gets pricey as size goes up.

I use FEDEX at work for overnite shipments, but they are also too high priced for ham stuff or anything else that can stand a few days in route.

I tend to avoid buying from individuals who want me to pay for professional packing for typical ham items. Would be OK for things that need to be crated, like say a R390 or a 77SX. Bubble wrap, plastic peanuts, and cardboard boxes are easy to come by. I recycle packing materials and rarely have to actually buy any. I sort of assume that folks that can't handle routine packing are questionable and best avoided.

73 de Jack - W4ASM

J. Murray Neece wrote in message <36DB3095.10122E65@iglobal.net>...
>I will no longer be responsible for any shipment sent to OR from me on
>UPS...if you specify it, it becomes yours the minute I drop it off at
>UPS counter....
>
> I mean it , Ive had it...please send me just a note, no explanation
>now....if you have a proveable grievance, or even NEARLY....I dont know
>yet, but I believe I have enough to get one of my family lawyers to take
>it on Spec...and I Have Had It....with them....I guess its fed ex only
>for me too now...post office is too tough to even get started on a
>claim.....I am foreward this to UPS corporate as well....GUESS WHAT
>UPS....HAMS HATE YOU AND there are lots of others that do too!!
>
>
>Sincerely ,
>Murray Neece
>Smokin J's Discount Tobacco
>and RADIO RANCH
>

2891. Re: Wanted: RX mod for Kenwood V7A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Noel Vandenbroucke <noel.vdb@village.uunet.be>
Message-ID: <7bjun1$71o$1@xenon.inbe.net>
Source record: 115124

remove on controlboard :
resistor numbered 546 ,549 and 551 .
succes .
Evan Platt heeft geschreven in bericht
<36dd9141.41114032@news.ncal.verio.com>...
>Anyone have any mods for the Kenwood V7A to open it up to receive up
>to 488?
>
>Thanks.
>
>
>To reply via e-mail, please use eplatt at wco period
>com. Sorry, but this is the only way to despam my
>address.

2892. Re: Is there a Yaesu mail-list?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Dwight W9YQ <dgbcms@netnet.net>
Message-ID: <7bjuto$s1$1@news.inc.net>
Source record: 115125

email to <Majordomo@qth.net> with the following
command in the body of your email message:

subscribe yaesu

Yaesu is a mailing list (reflector) open to all radio
amateurs for discussion of Yaesu.

* Anything Yaesu Related

Dwight W9YQ

wardseward@yahoo.com wrote in message
<7bjnd6$8vb$1@nnrp1.dejanews.com>...
>Is there a listserv about and for Yaesu users?
>
>
>-\/\/ard--KB9TFF
>wardseward@yahoo.com
>
>------------== Posted via Deja News, The Discussion Network
==----------
>http://www.dejanews.com/ Search, Read, Discuss, or
Start Your Own

2893. FS PicoPacket TNC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: k1jc@ma.ultranet
Message-ID: <7bjvk9cgn5@antiochus.ultra.net>
Source record: 115126

For Sale: PacComm PicoPacket TNC. This physically
small (1 X 2.5 X 3.0 in) TNC is GPS ready and would be
perfect for APRS. Has the latest firmware and hardware
upgrades. Comes with cables for PC and Yaesu HT, technical
and operating manuals. $100 plus shipping.

Please fix email address to reply

73, Joe

2894. WTB 10 meter moble

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: itzack@hotmail.com
Message-ID: <7bk30l$ka7$1@nnrp1.dejanews.com>
Source record: 115127

I am looking for a good 10 meter moble rig. Needs to have "key" input for CW.
Please respond to Itzack@hotmail.com or 843-821-0329.

TNX
John Ayres
Kc4npd

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2895. FS Ten Tec 2 meter trans

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: jcm1168@aol.comNOSPAM
Message-ID: <19990303134312.12876.00002391@ng-fi1.aol.com>
Source record: 115128

I have a Ten tec 2 meter CTCSS 143-149mhz. Mic, power cord mounting bracket manual. Packet ready . I dont have a need for it I bought a htx 242 . make a real good packet rig. Want 130 dollars plus shipping. Its 2 mo old.

John

2896. FT101ZD Chip Wanted!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Duncan Walters <Duncan@g4dfv.freeserve.co.uk>
Message-ID: <7bk04r$h4$1@news8.svr.pol.co.uk>
Source record: 115129

Needed urgently!
MSM9520 Display chip for Yaesu
FT101ZD. This item is now discontinued
and is not available from Yaesu.
Anyone out there got one?
Any help will be greatly appreciated.
Please reply soon.

Duncan G4DFV

Duncan@g4dfv.freeserve.co.uk

2897. jcm1168 who are you??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7bk2br$37a@dfw-ixnews11.ix.netcom.com>
Source record: 115130

I sent two messages but they bounced.
John:
I'm interested if it has the high power pa. Also, interested in any of my
stuff?
Ten Tec 1208 transverter 20 meter in, 6 meter out
Ten Tec 1210 transverter, 10 meter in, 2 meter out
DSP-9 DSP filter
Frank

2898. Re: fed...UPS....Lets SUE EM..CLASS ACTION ANYONE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Casey Bahr <caseyXX@YYimagina.com>
Message-ID: <36DD8557.2623@YYimagina.com>
Source record: 115131
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio*

Jack Brabham wrote:
>

<... snipped for brevity>

>
> I tend to avoid buying from individuals who want me to pay for professional
> packing for typical ham items. Would be OK for things that need to be
> crated, like say a R390 or a 77SX. Bubble wrap, plastic peanuts, and
> cardboard boxes are easy to come by. I recycle packing materials and
> rarely have to actually buy any. I sort of assume that folks that can't
> handle routine packing are questionable and best avoided.
>
> 73 de Jack - W4ASM
>

Jack,

Interesting correlation, which after thinking on past deals like
that, I tend to agree with. Often, too, these folks don't tell
you about the 3rd party packing being part of the shipping costs
and now I ask about that specifically, since being burned once or
twice by those substantially extra costs.

73,

Casey, KS7J
http://www.imagina.com/webpages/casey

<original snipped for brevity>

2899. Re: Is there a Yaesu mail-list?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: ejune@intuitive-data.com
Message-ID: <09990203113426.OUI96.ejune@intuitive-data.com>
Source record: 115132

You can read the archives of the Yaesu mailing list at:

http://www.contesting.com/_yaesu/

--
Regards,

Eric June
KU6J

2900. FS: MIL RG-214 coax cable

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <36DD90B6.8977FACB@erols.com>
Source record: 115133

I have one 1000 ft. roll of MIL RG-214. $250
Pick-up in Frederick, MD (MD/DC/NoVA). Thanks.

2901. Wanted: Yaesu 8500 dual band

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: seebody@toreply.com
Message-ID: <36dd923a.19951179@news.ncal.verio.com>
Source record: 115134
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

I'm interested in picking up a Yaesu 8500.. Interested in buying ASAP. Prefer Bay Area (CA) but I'll take what I can get. Please e-mail me at the address listed below, or call me at 888-629-5738 (pager) or e-mail my pager at 6295738 at skytel dot com

Thanks.

Evan
To reply via e-mail, please use eplatt at wco period com. Sorry, but this is the only way to despam my address.

2902. Re: FT50 Software Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36DD935C.BDD90622@t-online.de>
Source record: 115135

Vito Villamor schrieb:
>
> Try this page for Yaesu FT-50 software mods:
>
> http://members.aol.com/aeimn/ft50/index.htm
>
> There's some good documentation and pictures here.

He was asking for mods for the new FT50's, the old FreeBand
mod is not working, goto my page and download the FT50 Software
the normal mods and the second generation mods for all FT50's
are implemented in the Software.

Read the manual by the way.

On the same page is the Software with the Software mods for
the VX1R also.

No need for the ADMS in both cases.

Greetings, ...

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

2903. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7bk85b$p40$1@nnrp1.dejanews.com>
Source record: 115136

In article <7bjhdl$n7g@dfw-ixnews6.ix.netcom.com>,
kc5egg@ix.netcom.com(Gerald Schmitt) wrote:

> As to your comments frankly I don't believe you.

Believe me or not, Gerald, I do not NEED you to believe me. My online presence is in no manner, shape, nor form affected by you and your simple-minded, anti-Clint rants.

- Clint Bradford

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2904. Re: Measurments Model 59 Grid dip For sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Jerry Dowell <jerry_dowell@hp.com>
Message-ID: <7bk4pt$ao1$1@ocean.cup.hp.com>
Source record: 115137
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

The LF head with coils and UHF head can't be all that rare... I picked up a set with the 3 heads, all coils, power supply/meter, all manuals in excellent condition in a fitted wooden case for $40 , at which point I sold an LF with incomplete coil set, a spare UHF, and a couple of standard heads. All were bought over the years for trivial cash. I probably would not want to sell the set for as little as $295, although that would be a fair price for it. The performance of the 59 in all frequency ranges is outstanding compared to other brands, and well worth having if one has a need for such an instrument.

Jerry AI6L

munsch@ibm.net wrote in message <36dcb1c1@news1.us.ibm.net>...
>Well, it might be worth that if it has the VHF head, rare, and the UHF head,
>very rare, and the three LF coils.
>
>--
>Crazy George
>
>

2905. WTB SX99 Knobs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: WA1DCP <vital@gate.net>
Message-ID: <01be65b2$d8c18da0$1169e3c7@vital.gate.net>
Source record: 115138
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I need 4 small knobs for a SX99 with the silver inserts.
I think the knobs from a 38 would also work.
I could use knobs that the plastic is in bad shape as long as the
metal inserts are good.
I have 4 knobs without inserts.
Thanks Port

2906. Re: Wanted: Yaesu 8500 dual band

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Sam <sam@wireco.net>
Message-ID: <36DD9C26.6B7@wireco.net>
Source record: 115139
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Evan Platt wrote:
>
> I'm interested in picking up a Yaesu 8500.. Interested in buying ASAP.
> Prefer Bay Area (CA) but I'll take what I can get. Please e-mail me at
> the address listed below, or call me at 888-629-5738 (pager) or e-mail
> my pager at 6295738 at skytel dot com
>
> Thanks.
>
> Evan
> To reply via e-mail, please use eplatt at wco period
> com. Sorry, but this is the only way to despam my
> address.

Check with Adam at bc5000irx@aol.com.

2907. Re: Does anyone still sell unbuilt Heathkits?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: ushards@lexis-nexis.com
Message-ID: <7bk6fo$1qp$1@mailgate2.lexis-nexis.com>
Source record: 115140
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <36DCB411.130A@pop.removethistomailme.net>,
John Miles <jmiles@pop.removethistomailme.net> writes:
>>
>> It would be really cool, for nostalgia purposes, if I could find an unbuilt
>> SB102 and build it. Does anyone still have and sell things like this?
>>
>
> You can't (easily) find unbuilt SB102s and the like, but what you can do
> is look through old ARRL Handbooks for fun projects that can be built
> using parts from places like http://www.tubesandmore.com. The old
> Handbooks are a dime a dozen on EBay and elsewhere, and surprisingly a
> lot of the older parts are still available without much scrounging at
> all.

I have an unbuilt HW-101 that my wife bought and did nothing with
years ago. It's still on my list of projects to do, juggling with
my other hobbies such as woodworking, and remodeling my 114 year old
house. No, the HW-101 isn't for sale, so don't ask...

D.L. - NU8H
--
_/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/
D.L. Sharp - NU8H
(937) 865-6800 x5960 ushards@lexis-nexis.com
_/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/

2908. FS or Trade 2m FM Mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: mikrounit@hughes.net
Message-ID: <7bka0gqtv1@nnrp1.dejanews.com>
Source record: 115141

Hello All,

I have the following for Sale or Trade:

Heathkit HW-202 2m FM Mobile.
Solid State, 10 watts out FM.
Comes with mobile bracket & Original
Hand Mic. Works Great!
The radio is a Nice & Compact.
It is NOT a boatanchor!!!
Runs off of 12 VDC.
$50 plus Shipping CONUS.

Thanks & 73,

Mike Green KQ6MU
(805) 272-6949
mikrounit@hughes.net

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2909. Re: Wanted: RX mod for Kenwood V7A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36DD9DA9.DF7CD765@t-online.de>
Source record: 115142

Noel Vandenbroucke schrieb:
>
> remove on controlboard :
> resistor numbered 546 ,549 and 551 .
> succes .

I have completly disassembled my TM-V7, where the hell are
these resistors, can you give a more precise description.

Thanks.

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

2910. WTB R390A receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: James Skalski <jskalski@buffnet.net>
Message-ID: <36DD9FD0.18876CD1@buffnet.net>
Source record: 115143

--Looking for the above receiver. Please respond directly with
description and serial number.
73,

Jim n2go

2911. FT-847: looking for some tips

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Sils <sils@polbox.com>
Message-ID: <gthD2.3961$284.555591@news.tpnet.pl>
Source record: 115144

Hi !
I decided to purchase FT-847 rig.
Before I order one, I would like to know
if there is anything I should be beware of.
Like version of firmware, serial number (which would tell
me if there are still some bugs or are they already solved)
etc.,etc.

Thanks and 73 !
Sils

2912. Yaesu FC-20 Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Sils <sils@polbox.com>
Message-ID: <jthD2.3962$284.555591@news.tpnet.pl>
Source record: 115145

Any oppinions from FC-20 users would be appreciated.
I heard that there is some kind of problem somewhere
in between FT-847 and FC-20 !
Any idea about that ?
Thanks in advance.
Sils

2913. what's inside a VHF/UHF 1x2 splitter?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: lcoe@convex.com
Message-ID: <7bk8c6$enj@phoenix.rsn.hp.com>
Source record: 115146

i have always assumed that the signal was xfmr coupled, 1 input, two
outputs and that was the source of about a 3db loss.

but i measure continuity on all legs. what inside this thing?
what would a schematic symbol look like?

can i take it apart without destroying it? will i be able to
see the actual components? or is it all potted full? is a 1x4
splitter built the same way?

thanks,

loren respond to lcoe@rsn.hp.com

p.s.

this subject has come up in TVRO, folks say you can use a standard
splitter w/an added cap on one leg instead of having to order a
special "dc-pass" splitter from a BUD dealer/supplier.

2914. Re: Tempo One

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Mike Guest <mguest@clandjop.com>
Message-ID: <36dd7165.0@206.102.184.13>
Source record: 115147

I had a new one in 1974. They were made by Yaesu.
If you peeled the Tempo sticker off of the front, it will say yaesu 2000.
As far as I know, Ten Tec never made any tube-type radios.
Mike
Ted Onyshczak wrote in message <7bckk6$j7k$1@nw003t.infi.net>...
>Anybody with experience on Tempo One? Is this a Ten Tec product from
>the 70's?
>
>de Ted
>
>

2915. Yaesu FT1000mp -> CT9

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: IK0IZW Renzo <derenzo@grisnet.it>
Message-ID: <7bk4sfhji1@nslave1.tin.it>
Source record: 115148

Do u know the right way to connect the ft1000mp with the CT9 software, remoting the rig with the dx-spots received from the local cluster? I know that there wasn't any kind of problem with the old release (1000d) but it's different with the newest.
Many tnx in advance for any kind of infos!

73 de Renzo

2916. Re: Icom 2100-H #@!%*!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Joseph Mowery <jmowery@nswc.navy.mil>
Message-ID: <36DDA4C7.6ACC8E64@nswc.navy.mil>
Source record: 115149

What was the VSWR that you had on the radio???

DLR18SH wrote:

> what happened to all the IC-2100H.
> Did HRO give you a hard time returning them? Was the problem the Finals burning
> up? I have heard there is a MAJOR problem in the Finals go bad from several of
> my friends who also sent back 4 units. Icom says there is no problem. Hmmm I
> call it a problem when 50% of the radios die shortly after sale..
> 73's TIM

2917. Re: Resistor Color Code Acronym

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Joseph Mowery <jmowery@nswc.navy.mil>
Message-ID: <36DDA57D.FD453FD@nswc.navy.mil>
Source record: 115150
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

You forgot to add Get Some Now, Gold - 5%, Silver - 10%, None - 20%
Joe
KF4YYA

DavidC wrote:

> > Bad Boys Rape Our Young Girls But Violet Gives Willingly
> > Thats how I learned it!
> > Chuck (W3FJJ)
>
> Perhaps Bill Clinton was a Ham in Hot Springs as a boy?

2918. Re: New Alinco 10 meter Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: bdiaz@my-dejanews.com
Message-ID: <7bkd24tni1@nnrp1.dejanews.com>
Source record: 115151
Body handling: HTML body converted to readable text

Here's what I found on the ARRL WEB Extra Pages:

Alinco DR-M03SX 10-Meter FM Mobile

Alinco has announced a new 10-meter FM mobile, the
DR-M03SX just in time to take advantage of the
improved band conditions. It's so new the Alinco
Web site hasn't added it to its pages yet.

The M03SX offers 10 W and 100 memories, CTCSS
encode standard with a decode option, adjustable
repeater offsets, and a DTMF mike.

Alinco says the new radio, which has a suggested
retail price of $260, is smaller than a standard
2-meter mobile and it has begun shipping units to
dealers.

Manufacturer: Alinco, 438 Amapola Ave, Suite 130,
Torrance CA 90501; http://www.alinco.com/; tel;
310-618-8616

By the way, join the ARRL, and you can sign-up
for the extra information like this. :-)

73,
Bob
KQ6WQ

In article <36DC326C.7E117BBF@bcl.net>,
Steven Baker wrote:
>
> --------------C17C09F00C8D08EE5D0C47ED
> Content-Type: text/plain; charset=us-ascii
> Content-Transfer-Encoding: 7bit
>
> Anyone have any info on the new Alinco 10 meter radio? Or do you know
> where
> I can find some info on it? Does it have SSB? How many watts? Whats the
> price?
> please send any info to me email kb9hgi@qsl.net
>
> 73s Steve KB9HGI
> KB9HGI'S Ham Shack
>
> --------------C17C09F00C8D08EE5D0C47ED

> Content-Type: text/html; charset=us-ascii
> Content-Transfer-Encoding: 7bit
>
>
>
> Anyone have any info on the new Alinco 10 meter radio? Or do you know where
>
I can find some info on it? Does it have SSB? How many watts? Whats
> the price?
>
please send any info to me email kb9hgi@qsl.net
>
73s Steve KB9HGI
>
KB9HGI'S Ham Shack
>
> --------------C17C09F00C8D08EE5D0C47ED--
>
>

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2919. VX-5R question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Paul <pgs@northnet.org>
Message-ID: <36DDACFA.4B76A696@northnet.org>
Source record: 115152

Anyone know if the Yaesu VX-5R will cross band repeat in both one and two way? I'm sure it will at least cross band. Just need to know if it will repeat. Thankyou in advance.
Paul

2920. Re: Installing /Locating a TU-8 Tone Board for KW 440s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: protect@bright.net
Message-ID: <protect-ya023180000303991707370001@news.bright.net>
Source record: 115153

Universal Radio in Reynoldsburg Ohio has them. They have an address and phone in most the Ham magazines or you can call them at 800-431-3939. This board is very easy to put in and instructions come with it. I put one in my TS-450S which uses the same board. It screws down to the main board and has a pigtail that plugs in to a socket.

In article <36dd4cd7.1627898283@news.cwru.edu>, k8fox@arrl.net (Mike Thomas) wrote:

> I am attempting to locate a tone board (TU-8) for my Kenwood 440s.
> Does anyone know where I can find one and if the installation is
> difficult?
Charles KB8WSG

2921. FS: HP 8484A Power Sensors

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: dozertx1@aol.com
Message-ID: <19990303172116.11132.00002926@ng-cb1.aol.com>
Source record: 115154

American Test Equipment 'SPECIAL' for the week!

HP/8484A Power Sensors
Frequency range- 10MHz-18GHz
Power Range- .1nw-10uw
does not have the 11708A attenuator
good working/cosmetic condition

Sale price is 200.00 each

C.O.D and Credit Card only please.

817-329-0660
http://www.americantest.com
ask for Steve Dolan

2922. IC706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: jcm1168@aol.comNOSPAM
Message-ID: <19990303172329.12873.00002730@ng-fi1.aol.com>
Source record: 115155

Can some one tell me the diffs. in the 706s mk2, G ,,, should i stay away from any of them?

John

Wavelength Radio
www.WavelengthRadio.com
To Email Remove NOSPAM

2923. Re: Icom 2100-H #@!%*!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: JIm Irons <jirons@prodigy.net>
Message-ID: <7bkdiq$13ma$1@newssvr03-int.news.prodigy.com>
Source record: 115156

Joseph Mowery <jmowery@nswc.navy.mil> wrote in message
news:36DDA4C7.6ACC8E64@nswc.navy.mil...
>What was the VSWR that you had on the radio???
> SWR was 1.1 to 1
Jim KG4BJG Also I have recieved a full refund !

>DLR18SH wrote:
>
>> what happened to all the IC-2100H.
>> Did HRO give you a hard time returning them? Was the problem the Finals
burning
>> up? I have heard there is a MAJOR problem in the Finals go bad from
several of
>> my friends who also sent back 4 units. Icom says there is no problem.
Hmmm I
>> call it a problem when 50% of the radios die shortly after sale..
>> 73's TIM
>

2924. WTD:BATTERYS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: firecomm@aol.com
Message-ID: <19990303174643.08675.00002868@ng-fp1.aol.com>
Source record: 115157

HI

NEED BATTERYS FOR MY STANDARD HX 241 UHF RADIOS, WITH RAPID CHARGERS ALSO.

THANKS FIRECOMM

2925. Re: Installing /Locating a TU-8 Tone Board for KW 440s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: stevem14@aol.com
Message-ID: <19990303174800.08680.00000407@ng-cg1.aol.com>
Source record: 115158

<< I put one in my
TS-450S>>

I read in a previous post that you installed a tu-8. I think I bought one of these to put in my kw 440 so that I could hit 10-m fm repeaters, To my dismay, I cant find any advice on which tone to set so that I can access diferent repeaters when 10m is hot. Its kinda catch-22, without the right tone, I cant hit a "toned" repeater and without talking on the repeater, I dont know what tone to use. Does anyone here heve advice/experience on what would be the best tone to set to hit 10m fm repeaters? (its rather inconvient to repeatedly change the tone frequency when the board is installed)

Steve (N0ZY)

2926. Re: Does anyone still sell unbuilt Heathkits?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: scherbe6@airmail.net
Message-ID: <B38D43DF8253644F.B637D781631A3707.6B6D644D746BB7BF@library-proxy.airnews.net>
Source record: 115159

I have a friend who is building a 6 meter transciever kit from
Ten-Tec. He said it went pretty well so maybe you can check this out
for a kit.
Ted

2927. Re: F.S. JB2000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: "Dennis W. Ostrowski" <dwostrowski@lucent.com>
Message-ID: <36DDC2FD.9EB1B79B@lucent.com>
Source record: 115160
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

Brass wrote:

> A cabinet is a cabinet the transformer will take on two more tubes without
> even thinking about

The stock transformer has a hard time handling just the two tubes that
are in it (the JB10-80 model).

The JB2000 does not have enough drive from the built-in driver to 'tax'
the transformer...

> The one knob wonder w/ a bypassed driver

And the smaller transformer!

> Sounds like he may have had the driver circuit hooked back up

That means even LESS output!

Dennis

#12

2928. Re: Info wanted on Kenwood TS-120

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: frederick.mckenzie-1@kmail.ksc.nasa.gov
Message-ID: <frederick.mckenzie-1-0303991841420001@k4dii.ksc.nasa.gov>
Source record: 115161

In article <7betc7$43p$1@nnrp1.dejanews.com>, jordan@santanet.com wrote:
> I'm looking to purchase a multi-band mobile radio for a trip I'm making this
> Summer and someone had a pretty good price on a Kenwood TS0120s. Does anyone
> know where I can get more info on this rig, a picture perhaps? The guy wants
> $275 + Shipping, is that a good price?

Paul-

I purchased my TS-120S with the intention of using it mobile. Then I found it worked so much better than the old rig, and never got around to putting it into the car. I used it as a base station until I got a TS-430S several years later.

If you get a good one, it will serve you well. That doesn't mean they don't have problems, however. I had two problems worth mentioning. One was a frequency drift, since it uses a VFO rather than a crystal-controlled synthesizer. That one you can live with.

The other problem is a show-stopper. It seems that some of the radios exhibit a problem where the transmitter output continues, even though you have gone back to receive. Something oscillates on a frequency determined by fate, putting out a carrier at full transmit power. Mine was repaired, and wasn't doing it when I finally sold it.

I understand that the repair includes incorporation of some factory mods. There are also notes to be found on the web, on how to fix it by improving the grounding scheme among the various circuit boards. Because of this potential problem, I would not recommend the radio unless you could verify that all the factory mods had been incorporated. The price is good, but any additional cost for repair might make it a bad deal.

On the other hand, I would highly recommend the TS-430S. It is old enough that the price should be reasonable. It has the crystal-controlled synthesizer for good frequency stability. It has an internal jumper that will activate the WARC bands when disconnected. It also has an option available for Ten Meter Narrow Band FM. I never had any trouble with mine, and only replaced it because the newer TS-690S has more memory channels and operates on Six Meters.

73, Fred, K4DII

2929. WTB "Bird 2500C Slug"

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Bob Dodson WB5APD EM84ak <wb5apd@stc.net>
Message-ID: <36DDCEB7.1978@stc.net>
Source record: 115162

I am looking for a Bird 2500C slug for 2 meters. Slug must still look new and have no problems with it. If you have one you would like to part with please let me know price and condition. Many thanks. Please RESPOND VIA E-MAIL I am not on news group much.

--
73's
Bob Dodson
Dahlonega Ga. WB5APD/EM84AK
"ex-WA4WQC, ex-WV6SKV"
mailto:wb5apd@stc.net

2930. KENWOOD TS-940SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36DDCDEC.5FE878@bellatlantic.net>
Source record: 115163
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Here's the deal you have been waiting for.

I have for sale a Kenwood TS-940SAT 9 mil serial no.plus. It comes with the following options: SP-940 Speaker, Built in antenna tuner, VS-1 voice synthesizer, YK-88S SSB filter, YK-88A AM filter, YK-88C-1 CW filter, YG-455C-1 CW Xtal filter, Hand Mic, Service Manual,Instruction Manual, and the original box. Asking $ 1000..00 + shipping. Condition is excellent/good.It does have a scratch on the top center front. That is the only flaw. The front of the radio is mint.
Electrically excellent.
Non-smoker.
What more could you ask for in a radio.....
Please e-mail for inquires.
Mike N2OZO

2931. New license tutorial site

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Amach <sugarsmack@ficom.net>
Message-ID: <36ddd1f5.0@news.isdn.net>
Source record: 115164
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

Please visit: The Ham Radio License Exam Tutorial site at:

http://www.ficom.net/members/ham-tutor/

Feel free to comment. Thanks,

2932. Motorola MT-1000 software and cable

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Chris Fichtner <cfichtner@email.msn.com>
Message-ID: <Oh0ElRdZ#GA.236@upnetnews03>
Source record: 115165

I have an MT-1000 that I need to reprogram. Does anyone know where I can get the software and cable to do this? I tried the local Motorola dealer and they would not sell it.

2933. Re: Icom 2100-H #@!%*!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Mike Dumas <mike@vci.net>
Message-ID: <36DDD842.2DD47BA5@vci.net>
Source record: 115166

DLR18SH wrote:

> ...Icom says there is no problem. Hmmm I
> call it a problem when 50% of the radios die shortly after sale..
> 73's TIM

This sounds familiar.
Except in my case its the Icom M127 Marine vhf rigs we've sold...
They all fail in a few different ways in the first month (or less)
and sometimes make up to 3 trips back (and counting)
BUT Icoms Offical Word is 'there is no problem'. <G>

Guess what brand we now refuse to sell.

mike
N4ONL

2934. HELP: Do I need a duplexer...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: "Christopher Zeman, KB9RHA" <zman.SCREW.YOU.SPAMMERS@iwc.net>
Message-ID: <nYkD2.208$CM6.3741@news14.ispnews.com>
Source record: 115167
Cross-posted to: alt.ham-radio,alt.ham-radio.nocode,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.swap

I have two transmitters, one on 6 meters and one on 2 meters, for my repeater under construction. I will be using a dual-band repeater antenna and need to find out if I need a transmitter combiner or would a duplexer, such as the kind used with multi-band transceivers, work?

Thank you,
Christopher Zeman, KB9RHA
zman@iwc.net

2935. Re: IC706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: "Christopher Zeman, KB9RHA" <zman.SCREW.YOU.SPAMMERS@iwc.net>
Message-ID: <WZkD2.209$CM6.2478@news14.ispnews.com>
Source record: 115168

How much are the MKIIGs going for? I'd like to sell my 706 and buy an MKIIg.

Thank you,
Christopher Zeman, KB9RHA
zman@iwc.net

mark wrote in message <36ddd604.8164393@news.npwt.net>...
>Well the 706 (mark none) has less power on at least 2M band (maybe 6m
>as well) as the 709mk2 the mk2g has 440 band as well as the other.
>
> I have heard that the plain 706's can damage the VHF circuts
>somehow at high power HF use, but that there is a afirly simple fix
>for that if you run into it.
>
> Personaly I am considering the 706 mk2 g as a radio for myself
>a tech for it's VHF/UHF SSB and general coverage (as well as being I
>expect a better shortwave receivere than most of the ones I have now)
>
>On 3 Mar 1999 22:23:29 GMT, jcm1168@aol.comNOSPAM (JCM1168) wrote:
>
>>Can some one tell me the diffs. in the 706s mk2, G ,,, should i stay away
from
>>any of them?
>>
>>John
>>
>>Wavelength Radio
>>www.WavelengthRadio.com
>>To Email Remove NOSPAM
>>
>>
>
>Mark Morgan
>KB9RQZ
>
>Public comment welcome, indeed private email
> on the Morse Code issues, esp if insulting will
> become at My sole discretion
>Sending Private email is deemed acceptance of these terms
>
>Why can't people keep there flames Public?

2936. FS: Kenwood SP31 Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Steve <sbynum@NOSPAMearthlink.net>
Message-ID: <7bkm1n$gq7$1@ash.prod.itd.earthlink.net>
Source record: 115169
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have very nice condition {no scratches and non smoking environment...looks new} Kenwood SP 31 speaker.
$75 shipped to lower 48 states

Steve N6SMR
** REMOVE "NOSPAM" FROM THE EMAIL ADDRESS**

2937. Re: Measurments Model 59 Grid dip For sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36DDDE26.47F6@ix.netcom.com>
Source record: 115170
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

Jerry Dowell wrote:
>
> The LF head with coils and UHF head can't be all that rare... I picked up a
> set with the 3 heads, all coils, power supply/meter, all manuals in
> excellent condition in a fitted wooden case for $40 , at which point I sold
> an LF with incomplete coil set, a spare UHF, and a couple of standard heads.
> All were bought over the years for trivial cash. I probably would not want
> to sell the set for as little as $295, although that would be a fair price
> for it. The performance of the 59 in all frequency ranges is outstanding
> compared to other brands, and well worth having if one has a need for such
> an instrument.
>
> Jerry AI6L
>
> munsch@ibm.net wrote in message <36dcb1c1@news1.us.ibm.net>...
> >Well, it might be worth that if it has the VHF head, rare, and the UHF
> head,
> >very rare, and the three LF coils.
> >
> >--
> >Crazy George
> >
> >
Hi George
I ended up with four complete units over the years. All in excellent
condition and all with brand new tubes. By the way they are the only
four I have ever seen anywhere. These instruments got bought up very
quickly about 2 years ago after some article that was written about
them. They are by far the very best there is in an instrument that does
so much and should be part of everyone bench. At $295 it's a steal.
73 Chris

2938. FS Tek Scope

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36DDE588.19EDD151@bellatlantic.net>
Source record: 115171
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Tek 2215 60 Mhz dual trace scope in excellent condition.
It comes with service and operating manuals. Also it comes with 3
X1/X10 probes with adapters.
Looks and works great....Asking $175.00 plus shipping.
Thanks for reading this....Mike

2939. KENWOOD TS-940SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36DDE5DF.6B98D1DF@bellatlantic.net>
Source record: 115172
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Here's the deal you have been waiting for.

I have for sale a Kenwood TS-940SAT 9 mil serial no.plus. It comes with the following options: SP-940 Speaker, Built in antenna tuner, VS-1 voice synthesizer, YK-88S SSB filter, YK-88A AM filter, YK-88C-1 CW filter, YG-455C-1 CW Xtal filter, Hand Mic, Service Manual,Instruction Manual, and the original box. Asking $ 1000..00 + shipping. Condition is excellent/good.It does have a scratch on the top center front. That is the only flaw. The front of the radio is mint.
Electrically excellent.
Non-smoker.
What more could you ask for in a radio.....
Please e-mail for inquires.
Mike N2OZO

2940. boosting low power

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: brewsterc@excite.com
Message-ID: <brewsterc-0203992043010001@pm5-151.msp.infi.net>
Source record: 115173

I'm using an SG-2020. I need it for its low current draw but I'm wondering what would be needed to boost it to a normal power like 100W. I would just like the capability for when it's really needed. The only outboard amps I see are huge things. Is there something modest for this purpose?

Request: If you respond to this posting, please send me a copy. My net access is intermittent. Many thanks...

Christopher Brewster, KC0EVQ
Plymouth Minnesota
brewsterc@excite.com

2941. Re: FT50 Software Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Ivers Timothy <tivers@optonline.net>
Message-ID: <36DCABC2.33B5CA04@optonline.net>
Source record: 115174

It will not work on the newer version of the Ft-50.

York2 wrote:

> Does anyone have any experience with the software mods for the FT50? I've seen
> Goran Vlaski's page (http://www2.crosswinds.net/frankfurt/~vlaski/) and was
> wondering if this really works (I'm not so hot with the soldering iron).
>
> Thanks

2942. Re: VX-5 + satellite/TNC?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Jeff Johns <jeffj@scott.net>
Message-ID: <42949544932424864636NEWS2LX@news.scott.net>
Source record: 115175
Cross-posted to:
rec.radio.amateur.packet,rec.radio.amateur.space,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur

On Tue, 02 Mar 1999 21:43:52 -0500, firewave@REMOVE.videotron.ca (Alex) wrote:

> Hi, i just bought a vx-5r and i d like to know what do i need to use it to
> communicate by modem with someone? (cheap hardware...could i use a sound
> modem in linux? if so how does it key the PTT on and off? a special
> cable?)

I use a BayPac modem and HP200LX Paltop PC running BayCom software.

> also how do i communicate with satellite at 5Watts? is there a special
> antenna for that?

Well... for Mir a simple ground plane antenna is all the is needed. It's
quite easy to work with a ground plane, I do it mobile from a patrol car
with a mag mount antenna and at home with a homebrew J-pole.

> Any suggestion for having more fun with this radio is appreciated thanks :)

You can work AO-27 with the rig with just a simple whip antenna. I use my
FT50 and a MFJ-1715S to work the bird almost daily. The Arrow antenna will
work much better, but it costs a bit more than the whip. The price of the
Arrow is not very expensive and you'll have an excellent antenna!

73 es gl Jeff W4JEF

```
*--------- Jeff Johns W4JEF - AMSAT# 32615 - QRP-L# 1857 ----------*
|jeffj@scott.net w4jef@amsat.org | Reserve Patrol Captain |
| Satellite: Mir R0MIR-1, AO-27 | Jefferson County Sheriff's Dept|
|200LX+BayPac+FT50=Portable Packet| QTH Birmingham, AL USA |
*-----------------------------------------------------------------*
```

2943. WTB: Drake T-4XB & AC-4

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: wa5kbq@hotmail.com
Message-ID: <36dfadd0.3214010@news.flash.net>
Source record: 115176

Looking for a clean (inside) T-4XB and AC-4. The case doesn't need to be perfect, just not trashed, but the chassis and front panel must be in good condition.

Thanks - Larry - WA5KBQ

2944. wtb: 2950 or 2510

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: bujiaj8@aol.com
Message-ID: <19990302223837.23492.00002595@ng-fu1.aol.com>
Source record: 115177

Still looking to purchase a 2950, 2970, or a good 2510. email with info.

tnx
bill

2945. Re: F/S TS-450-SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Don Little <ve6ci@telusplanet.net>
Message-ID: <36DCB1D4.42BF9256@telusplanet.net>
Source record: 115178
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.shortwave

Hello Joe

Are u firm on the price as it is more than i can afford.

Don/VE6CI

HRE/Coin wrote:

> I have a Real Clean Used Kenwood TS-450-SAT for Sale !
> This is a General Coverage HF 0 - 100 + Xcvr. With Auto Antenna
> Tuner. "New Hand Mic" and DC Cable... /// NONSMOKER !!!
> Just $750.00
> Call - Joe / N6fra (541) 479-1212
> http://www.wizzards.net/hamradio

2946. WTB Icom 706MK11

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Don Little <ve6ci@telusplanet.net>
Message-ID: <36DCB8E3.C52B012C@telusplanet.net>
Source record: 115179

Looking for a nice icom 706mk11 and of course a good price.

Thanks
Don\VE6CI

2947. JPS NIR-10 DSP for sale.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Michel Morin <morinm@csdgs.qc.ca>
Message-ID: <oS2D2.626$_n2.15205@carnaval.risq.qc.ca>
Source record: 115180

NIR-10 in excellent condition with manuals, cables and versions 3 and 4 of
the firmware. Asking $100. U.S. which includes shipping and insurance.
Inquire by email if interested

73 de VE2CJW
Michel Morin
.

2948. Anyone have out of band tx mod for Yaesu FT-8500?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: seebody@toreply.com
Message-ID: <36dcbbae.4162134@news.ncal.verio.com>
Source record: 115181
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Looking for out of band tx or RX mod for Yaesu FT-8500...

Thanks.

Evan
To reply via e-mail, please use eplatt at wco period
com. Sorry, but this is the only way to despam my
address.

2949. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7bihhb$995$1@nnrp1.dejanews.com>
Source record: 115182
Cross-posted to:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

In article <7bhhoc$h78@dfw-ixnews7.ix.netcom.com>,
kc5egg@ix.netcom.com(Gerald Schmitt) wrote:

>> Their copy protection is a nightmare...
>> Since you apparently do not have the computer skills to determine this
>> for yourself I'll help you. Every time you defrag the disk you have to
>> reinstall the software.

Sorry your system is so instable...I regularly degfragment my systems, with
noi such problem with ADMS as you have encountered.

After installation, I file my original diskettes away...no need to make an
"archival" copy for any reason.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2950. Trade Mac Performa 6200 for good HF rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: rpemers@aol.com.alt.edu
Message-ID: <19990302235831.20410.00002359@ng-fz1.aol.com>
Source record: 115183

I am currently getting back into Ham radio and need an HF rig. Since I got a nice new PC for Christmas, I have a Macintosh Performa 6200 that we don't use any more and I would like to trade it for a good late mode HF rig with WARC bands and general coverage receiver. Something like the Kenwood TS-140S I used to own. The Performa 6200 CD is approx. 3 years old and comes with 1.2 gig HD, 40 megs of RAM, 15" multiscan monitor, internal CD ROM drive, an Iomega zip drive with 10 zip disks, a connectix QuickCam, USRobotics 56k X2 modem, an Epson Sytlus 500 printer(only prints in B/W for some reason), microphone, joystick, all cables and some software. I am the original owner of this computer and it is in excellent condition. A stated earlier, I would be interested in trading for a late model HF rig in like condition and value, which I would say is between $450-$550.
If interested please email me at:

rpemers@aol.com

Ron
WO8J

2951. Re: ICOM u4-AT FS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: shewolf@den.net
Message-ID: <36dfc286.1125867@news.mindspring.com>
Source record: 115184

Reference to your listing, would you accept 50 dollars for it?
Emery-aa5pl.

On Tue, 2 Mar 1999 20:08:41 -0500, "matrugen" <krysbs@esslink.com>
wrote:

>For Sale Icom u-4AT 440mhz hand held includes (2) BP 23 (1) BP24 battery
>packs, all need new cells, also includes AD-11 battery adapter for above
>fits Icom BP-2,3,4,5,8; and AD-10 adapter for using BC-35 or 36 for all $75
>or make offer. Also, Icom SM-2 desk mic $40 and Comet CX-224 mobile antenna
>144, 220, 440 mhz PL-259 mount $45; wanted hustler or ham sticks mobile HF
>antenna;
> e-mail -krysbs@esslink.com KC1RW
>
>
>

2952. Yaesu software on a Macintosh???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: wardseward@yahoo.com
Message-ID: <7bij2faae1@nnrp1.dejanews.com>
Source record: 115185

I am getting a VX-5R soon and I really want to be able to program it with my computer, but I'm a Macintosh user (BTW, PC vs Mac isn't the point here.) So, I'm wondering if anyone has ever homebrewed a cord, and used the Yaesu software or Eve (shareware), and Virtual PC (running Windows95) to program there VX-5R or VX-1R? I'm sure it can be done, but I have no idea what pin does what when i would convert from com plug to mac serial plug. Any help?

BTW...I currently have a copy of EVE and have ran it on VirtualPC...on radio yet though.

-\/\/ard--KB9TFF
wardseward@yahoo.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2953. looking for HP parts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: jerry r <jerryrc@pobox.com>
Message-ID: <36DCCDCB.B324A068@pobox.com>
Source record: 115186

I am looking for the following HP parts, need surplus/used/ cheap

1826-0024
1826-0032
1826-0085
1826-0088

Thanks

2954. Re: Measurments Model 59 Grid dip For sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36DCD4B9.200A@ix.netcom.com>
Source record: 115187
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

munsch@ibm.net wrote:
>
> Well, it might be worth that if it has the VHF head, rare, and the UHF head,
> very rare, and the three LF coils.

The head I have and the coils I have cover from 2MHz to 430MHz
Thanks, Chris

2955. YAESU : Adjusting VR1009 and VR1010 !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Patrick Vermote <pvermote@club-internet.fr>
Message-ID: <7bj0ft$ql9$1@front4.grolier.fr>
Source record: 115188

Hi,

I'm looking for the procedure to adjust correctly the VR 1009 and VR1010 in my FT-920.

Tnx for answer.

Pat (F6IIT)

2956. Re: fed...UPS....Lets SUE EM..CLASS ACTION ANYONE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: wmeara@erols.com
Message-ID: <36dd5443.61986267@news.erols.com>
Source record: 115189
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio*

On Tue, 2 Mar 1999 08:32:07 -0800, "tcrpe" <tcrpe@yahoo.com> wrote:

>I agree with this. Packed properly, all shipments to me have arrived
>intact. I have, however received heavy items in old grocery store boxes,
>haphazardly stuffed with loose newspapers.
>
>The damage was clearly caused by inept packaging.
>
>Twice, I have asked for the sender to properly package something, you know
>buy a shipping carton, use foam peanuts, etc., even offering to pay all the
>costs. The shipper is hesitant, whining about the time to get the PROPER
>materials, time to use the proper materials, what a waste of money it is,
>etc.
>
>I always end up telling him to FORGET IT!
>
>TR

TR (and others): Seems to me that there should be some commercial
outfits out there that would be able to do the packing better than I
would be able to do it myself. Does anyone have any experience with
taking BAs to these outfits?

73 Bill N2CQR

2957. FS: ICOM IC-706MKII + AH-4 Tuner + FL-100 500Hz CW filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: k4msw@qsl.net.REMOVE
Message-ID: <oe9D2.21$Pk.69729@news3.mia>
Source record: 115190

```
ICOM IC-706MKII + AH-4 Tuner + FL-100 500Hz CW filter
Brand new in the box.
$1150 shipped

Email if interested: k4msw@qsl.net

73,
Todd
```

2958. WTB: Fluke 9010A Pods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: jmarous@midmark.com
Message-ID: <7bjcqv$v82$1@nnrp1.dejanews.com>
Source record: 115191

Looking for the following pods for a Fluke 9010A microsystem troubleshooter:
6502
8080
8088
6800
6809
68000

Pleae email with offers.

mailto:jmarous@midmark.com

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2959. Re: New Alinco 10 meter Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990303075647.14572.00002598@ng-fb1.aol.com>
Source record: 115192

there is some info on the ARRL MEMEBERS
ONLY WEB PAGE.
Tim

2960. Re: Best price for FT-847 - where ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990303080028.14572.00002599@ng-fb1.aol.com>
Source record: 115193

You can buy it in Japan for $1250 (does not include the free Tuner). I ordered one from a
Store called the T-Zone licated in the Akihabara. All English Speaking Salesman

and Used my Platinum MasterCard (2 Year Warranty) plus shipping $35. Very Happy with the service. Hey If you Order from HRO
or AES and the unit breaks after 10 days they say to send it to Icom/Kenwood/Yaesu and will not exchange it anyway. Why deal with them if they won't back up the product. I got a 30 day NO QUESTIONS ASKED return policy from the T-ZONE.
Tim

2961. Re: Best price for FT-847 - where ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: ignacy@num.ads.uga.edu
Message-ID: <36dd48d5$1$vtanpl$mr2ice@news.uga.edu>
Source record: 115194

>You can buy it in Japan for $1250 (does not include the free Tuner). I
>ordered one from a
>Store called the T-Zone licated in the Akihabara. All English Speaking
>Salesman

>and Used my Platinum MasterCard (2 Year Warranty) plus shipping $35.

Was the shipping within Japan or to the USA?

Ignacy, NO9E

2962. SARA Hamfest Saturday March 6, Parsippany NJ

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: algo@bellatlantic.net
Message-ID: <7bje1q$q08$5@news-2.news.gte.net>
Source record: 115195

This Saturday, March 6, is the Split Rock Amateur Radio Assn Hamfest, in Parsippany NJ, Route 46 and Baldwin Road. This is the first hamfest of the season in the Northern NJ area and is well attended by vendors and buyers with cabin fever. Easy access from Interstate 80 and 287, talk in on 146.985, PL 131.8 and on 146.52 simplex. Short drive from anywhere in NY metropolitan area and Eastern Pennsylvania. VE session for getting/upgrading the license. League speaker is Ed Hare, W1RFI, from ARRL Hq. Tailgating if weather permits.

Vendors, 6:30 AM, buyers 8:00 AM. VE Registration at 8:30 AM for examinations to begin at 9 AM.

2963. Re: fed...UPS.. ITS THE ONE TIME SHIPPERS !!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <36DD4114.11028405@iglobal.net>
Source record: 115196

Well, the "mailbox etc" stuff Ive gotten was really bad!! I suspect there may be better ones....but I suppose it will take an education....first off they should outlaw "peanuts" for anything over 3 pounds...they are a radio and amp killers!! The problem is incoming...one time shippers will act like they know the ropes and do not...OH well, I give up...there is no good answer except Fed Ex...which means as ususal, the answer is MONEY>>> 73 Murray

Bill Meara wrote:

> On Tue, 2 Mar 1999 08:32:07 -0800, "tcrpe" <tcrpe@yahoo.com> wrote:
>
> >I agree with this. Packed properly, all shipments to me have arrived
> >intact. I have, however received heavy items in old grocery store boxes,
> >haphazardly stuffed with loose newspapers.
> >
> >The damage was clearly caused by inept packaging.
> >
> >Twice, I have asked for the sender to properly package something, you know
> >buy a shipping carton, use foam peanuts, etc., even offering to pay all the
> >costs. The shipper is hesitant, whining about the time to get the PROPER
> >materials, time to use the proper materials, what a waste of money it is,
> >etc.
> >
> >I always end up telling him to FORGET IT!
> >
> >TR
>
> TR (and others): Seems to me that there should be some commercial
> outfits out there that would be able to do the packing better than I
> would be able to do it myself. Does anyone have any experience with
> taking BAs to these outfits?
>
> 73 Bill N2CQR

2964. Tons of Gear For Sale Or Trade!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: charger7878@my-dejanews.com
Message-ID: <7bjik9$4hf$1@nnrp1.dejanews.com>
Source record: 115197

If you have not checked out the Message board on the CB City website, you are missing out. There are tons of CB & HAM gear in there listed by all sorts of people. If you have something for sale you may want to post it there as well. In 2 months time it has had over 6,000 hits, so it is being viewed by a lot of people. Don't just take my word for it, check it out for yourself. You will be glad that you did.

It is located at www.cbcity.com

Dean

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2965. Re: Problems with new Kenwood 2M Mobile mikes??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Dale Harper <docdc@ix.netcom.com>
Message-ID: <7bjg56$s1r@sjx-ixn5.ix.netcom.com>
Source record: 115198

In article <36DC9C39.1F21775D@erols.com>,
Gary Williams <williamsjg@erols.com> wrote:

>MIne works fine. Sorry to hear about your troubles.
>Gary AA3NP
>
>Lee Hall wrote:
>
>> I was wondering if anyone was having problems with the large backlit
>> mikes now featured on Kenwood 2M and dual-band mobiles, particularly
>> the TM-261A. I have heard of about a dozen cases around here but
>> Kenwood doesn't admit there is a problem. The mikes have a tendency
>> to intermittently unkey or not key up at all. Please post here if you
>> are having the same problem. Several of these folks locally are
>> highly steamed at Kenwood and wanted me to put out this query on the
>> NG. BTW, I have a late '80's vintage TM221A and it works just fine.
>> Think I'll keep it.
>>
>> 73,
>> Lee Hall
>> http://www.qsl.net/ny4t
>

I have had problems wih two of them. Mostly the keying switch doesn't hold up. In one case, the
switch gave up entirely, the other switch had to be mashed hard and then it was intermittent. I
didn't know others were having problems also.

Dale
KC8FAQ

2966. FS DJ-G5T

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: "W. Charles Alexander" <charlie@netset.com>
Message-ID: <7bjh35$jl7$1@athena.netset.com>
Source record: 115199
Cross-posted to: cmh.forsale,osu.for-sale,rec.radio.amateur.equipment,rec.radio.amateur.misc

I have an Alinco DJ-G5T Dual Band HT for sale. With 2 Battery packs,
Charger, box and manual, also have Speaker/Mike.
185.00 Shipped to the 48 Via Fed x 2 nd day
614-351-8835 eve's

==========

73 de charlie
W. Charles Alexander
KC8IKG 39.951 N 83.124 W
Columbus, Ohio USA

Drake R7, R8B & ICOM R8500
Antennas: 33 Ft Off-Cneter Fed Dipoles, 45 Ft Longwires
Slinky Dipole and a Dressler ARA 60 Active Antenna (All In Attic)
Decoders: Universal M8000
==========

2967. Re: fed...UPS....Lets SUE EM..CLASS ACTION ANYONE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: wetartie@ix.netcom.com
Message-ID: <N.030399.092328.56@vna-va19-56.ix.netcom.com>
Source record: 115200
Cross-posted to: rec.radio*,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

On 3/3/99 10:26AM, in message <36dd5443.61986267@news.erols.com>, Bill Meara <wmeara@erols.com> wrote:

> TR (and others): Seems to me that there should be some commercial
> outfits out there that would be able to do the packing better than I
> would be able to do it myself. Does anyone have any experience with
> taking BAs to these outfits?

"Mailboxes, Etc." does both packing and shipping. Be prepared to pay the price, however. Charges will be approximately twice what buying your own new materials elsewhere would cost, with shipping charges and service fees running almost twice what UPS would charge if you brought the box to their customer counter yourself for shipping.

73,

-bill
KB3PT

2968. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <7bjhdl$n7g@dfw-ixnews6.ix.netcom.com>
Source record: 115201

First point Clint cross posting is very declasse' one group
is enough for this or don't you understand how to set up
Dejanews? That's what I thought.

As to your comments frankly I don't believe you. Your credibility
while never high has continued to slip with such claims as:
1. "I got a free upgrade" later denied by you but we all saw it.
2. RT Systems "free tech support phone number" absolutely not true.
The list goes one but you get the idea.

I guess being right and putting people down is more important than
truth and honor to you, that being the case I withdraw. In the future
I'll just refute your BS on an as needed basis so you don't mislead
those who are not yet wise to you.

In <7bihhb$995$1@nnrp1.dejanews.com> clintbrad4d@earthlink.net writes:
>
>In article <7bhhoc$h78@dfw-ixnews7.ix.netcom.com>,
> kc5egg@ix.netcom.com(Gerald Schmitt) wrote:
>
>>> Their copy protection is a nightmare...
>>> Since you apparently do not have the computer skills to determine
this
>>> for yourself I'll help you. Every time you defrag the disk you have
to
>>> reinstall the software.
>
>Sorry your system is so instable...I regularly degfragment my systems,
with
>noi such problem with ADMS as you have encountered.
>
>After installation, I file my original diskettes away...no need to
make an
>"archival" copy for any reason.
>
> - Clint Bradford
>
>------------== Posted via Deja News, The Discussion Network
==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your
Own

2969. Installing /Locating a TU-8 Tone Board for KW 440s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: k8fox@arrl.net
Message-ID: <36dd4cd7.1627898283@news.cwru.edu>
Source record: 115202

I am attempting to locate a tone board (TU-8) for my Kenwood 440s.
Does anyone know where I can find one and if the installation is
difficult?

-Mike K8FOX

2970. Re: fed...UPS....Lets SUE EM..CLASS ACTION ANYONE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: treynolds@my-dejanews.com
Message-ID: <7bjm98$7tf$1@nnrp1.dejanews.com>
Source record: 115203
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio*

In article <36dd5443.61986267@news.erols.com>,
wmeara@erols.com (Bill Meara) wrote:
> On Tue, 2 Mar 1999 08:32:07 -0800, "tcrpe" <tcrpe@yahoo.com> wrote:
>
> >I agree with this. Packed properly, all shipments to me have arrived
> >intact. I have, however received heavy items in old grocery store boxes,
> >haphazardly stuffed with loose newspapers.
> >
> >The damage was clearly caused by inept packaging.
> >
> >Twice, I have asked for the sender to properly package something, you know
> >buy a shipping carton, use foam peanuts, etc., even offering to pay all the
> >costs. The shipper is hesitant, whining about the time to get the PROPER
> >materials, time to use the proper materials, what a waste of money it is,
> >etc.
> >
> >I always end up telling him to FORGET IT!
> >
> >TR
>
> TR (and others): Seems to me that there should be some commercial
> outfits out there that would be able to do the packing better than I
> would be able to do it myself. Does anyone have any experience with
> taking BAs to these outfits?
>
> 73 Bill N2CQR
>

Yes. Mail Boxes Etc will pack items for you. I sold a couple of R390s (80 lbs each) and at the buyers suggestions I had them pack it. They did a good job but I stood and watched them do it.

73s
Tom

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2971. FS 33-50 ghz wave meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Mike Kulyk <mkulyk@worldnet.att.net>
Message-ID: <01be4459$b5dd2620$68ed4f0c@preinstalledcom>
Source record: 115204
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

Made by Alpha Industries possible model # TRG 551

$90 plus Shipping
Photos available by e-mail

Mike

2972. FS 14-14.5 ghz preamp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Mike Kulyk <mkulyk@worldnet.att.net>
Message-ID: <01be445a$294cd880$68ed4f0c@preinstalledcom>
Source record: 115205
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

Aydin GaAs FET Amplifier gain 20 db PN A22796 Rev A

15vdc SMA female connectors

$20 plus shipping

2973. FS HP Network Analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Mike Kulyk <mkulyk@worldnet.att.net>
Message-ID: <01be445a$b8017040$68ed4f0c@preinstalledcom>
Source record: 115206
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

Main Frame and HP 8410B network analyzer, and 8413A Phase gain indicator

Unit is missing input cable and input box

I do have a copy of the catalog page, I am willing to FAX the page to
serious inquiries.

The unit does power up

$200 plus shipping

Mike

2974. FS: Ten-Tec 1254 receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: pv <verrando@airmail.net>
Message-ID: <B8CF6FADC5AE73FB.73358785391FB6B5.51AD75B6EA41E3AB@library-proxy.airnews.net>
Source record: 115207

Please check out my 1254 for sale for 169 including
shipping in the U.S. Exceptionally well built, great
little radio.
See it and other great stuff at:
http://lavender.fortunecity.com/brazil/192/sale.htm
Thank You!

2975. FS HP Microwave Variable Attenuators

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Mike Kulyk <mkulyk@worldnet.att.net>
Message-ID: <01be445b$8f4aa8a0$68ed4f0c@preinstalledcom>
Source record: 115208
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

2 units Model HP 382A 0-50 dB Wr112 waveguide outputs transitions included

$25 each plus shipping

Mike

2976. FS Parallel Port Ethernet adapter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Mike Kulyk <mkulyk@worldnet.att.net>
Message-ID: <01be445c$0d980860$68ed4f0c@preinstalledcom>
Source record: 115209
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

Accton model EN 2209 ro1 10B2 and 10BT. Includes copy of driver disk from Accton and manual

$45.00 plus shipping

Mike

2977. Is there a Yaesu mail-list?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: wardseward@yahoo.com
Message-ID: <7bjnd6$8vb$1@nnrp1.dejanews.com>
Source record: 115210

Is there a listserv about and for Yaesu users?

-\/\/ard--KB9TFF
wardseward@yahoo.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2978. FS Microwave waveguide Termination's

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Mike Kulyk <mkulyk@worldnet.att.net>
Message-ID: <01be445c$72db3080$68ed4f0c@preinstalledcom>
Source record: 115211
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

2 units one is WR 75, and the other is WR112

$15.00 each both for $25 plus shipping

2979. WTB 440 mhz Amateur Mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Mike Kulyk <mkulyk@worldnet.att.net>
Message-ID: <01be445c$e641bb20$68ed4f0c@preinstalledcom>
Source record: 115212
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I am looking for a amateur grade 440 mobile at least 25 watts output with
PL encode. Must be programmable from the front panel

Mike WB2GLW

2980. Wanted Icom 751A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: EssBase <74364.207@CompuServe.com>
Message-ID: <36DD58A3.77D855B8@CompuServe.com>
Source record: 115213
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

E-Mail with price,condition,serial number, original box, options if any.

2981. WTB for 155

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Simon Cox <simon.cox@breathe.co.uk>
Message-ID: <36dd5a4d.0@news1.vip.uk.com>
Source record: 115214
Cross-posted to:
rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,uk.radio.amateur

I need 1 but would prefer 2 of the 8 way cable mounted Jones plugs to fit
the Visual Indicator and Transmitter panel mounted plugs.

I'm near Taunton, Somerset.
---
simon.cox@breathe.co.uk

2982. WTB for 1155

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Simon Cox <simon.cox@breathe.co.uk>
Message-ID: <36dd5b3b.0@news1.vip.uk.com>
Source record: 115215
Cross-posted to:
rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,uk.radio.amateur

Sorry missed a 1 from the subject of the initial posting.

I need 1 but would prefer 2 of the 8 way cable mounted Jones plugs to fit
the Visual Indicator and Transmitter panel mounted plugs.

I'm near Taunton, Somerset.

--

People worry about me, I ride a Z1000 LTD
and listen to RA 17's, nobody's perfect !
simon.cox@breathe.co.uk

2983. Re: JPS NIR-10 DSP for sale.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Gene Holcombe <n5zdf@netdoor.com>
Message-ID: <j1dD2.2110$gU1.8972@axe.netdoor.com>
Source record: 115216

Michel,
Swap you a MFJ Voice Memory Keyer for your Nir 10.

Gene N5ZDF
Michel Morin wrote in message ...
>NIR-10 in excellent condition with manuals, cables and versions 3 and 4 of
>the firmware. Asking $100. U.S. which includes shipping and insurance.
>Inquire by email if interested
>
>73 de VE2CJW
>Michel Morin
>.
>
>

2984. IC-706MKII Control Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: jls <jls1@inreach.com>
Message-ID: <36DD5F60.8A8BE090@inreach.com>
Source record: 115217

I have the control software that is downloadable from the Icom site but am wondering if there is anything else available which is more comprehensive and possibly features faster screen updates. Does anyone here know of a full featured remote control program for the 706 MKII?

2985. Plessey PR 2250

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Kurt Brandstetter <kurt.brandstetter@teleweb.at>
Message-ID: <NudD2.4410$wG6.24774@news.chello.at>
Source record: 115218

Hello from Vienna!

Today I've got a Plessey R 2250 HF receiver; was used in the past for air control as a remote
receiver; looks like new.
Does anybody know this receiver and has some information about it. Fine would be if anybody knows an URL dealing with this one (f.i. the URL of Plessey). Does anybody know what was the price of this receiver back in 1978 (or so) ?
Would be nice to send me an answer to my questions.

--
end
73's de OE 1002419
Kurt from Vienna Austria
You are welcome. Bye for now.

Email: kurt.brandstetter@teleweb.at
If this adress is blocked use: oe1002419@mail.yahoo.com

HomePage: http://members.teleweb.at/kurt.brandstetter/
Please visit my page!

2986. Re: FT50 Software Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Vito Villamor <vovillamor@yahoo.com>
Message-ID: <36DD5EF3.3E0000B8@yahoo.com>
Source record: 115219

Try this page for Yaesu FT-50 software mods:

http://members.aol.com/aeimn/ft50/index.htm

There's some good documentation and pictures here.

The MARS/CAP mod is fairly simple, even if you're a little
rusty with a soldering iron. The solder balls are pretty
big and easy to get to. I used an iron and solder wick to
soak up the solder. The Freeband mod, on the other hand,
involves removing a small resistor in a tighter space than
the solder balls. You can do it, if that's what you need or
want. MARS/CAP is all I really needed.

By the way, there are software mods available that do the same
thing as the hardware mod. If you have the ADMS software, you
use the programming cable that it came with, and download the
software from the Internet, and you can modify the FT-50
for MARS/CAP or Freeband without taking the radio apart. The
only drawback is that the radio resets back to factory settings
(standard unmodified tx and rx), if you have to reset the
radio (but when was the last time you had to do that with anything?).

I've had success with software mods on my VX-1R (took some time, but
got Freeband mod), and on my VX-5R (worked on the first try). The
software for these mods were very well written and documented (Thanks
to the amateur radio hobbyists that took the time to create these
programs...). There are instructions on the Internet about how to
modify the file that ADMS creates for the FT-50, and then in turn, the
modified file is downloaded to the radio and modifies the radio. The
instructions were clear enough as I read them, but I had some problems
and needed to get my FT-50 modified for the next day, so I ended up
doing the hardware mod for MARS/CAP.

The key to the software mods is the cable, and as of now the cable is
only
available with the ADMS software. Or, you can build an interface cable
if you really want to (it's not a simple adapter cable; it's a 4
conductor
plug from the FT-50, to internal circuitry in the interface, to a serial
connector on your computer).

Good luck with your mods, let me know which one you do...
---Vito

York2 wrote:
>

> Does anyone have any experience with the software mods for the FT50? I've seen
> Goran Vlaski's page (http://www2.crosswinds.net/frankfurt/~vlaski/) and was
> wondering if this really works (I'm not so hot with the soldering iron).
>
> Thanks

2987. WTB: FR-101 options

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: "Dr. Know" <rmarks@monitoringtech.com>
Message-ID: <36dd93f7.0@207.227.203.4>
Source record: 115220

Hello Group,

Purchased a very clean FR-101 and would like to obtain a users manual as well as service manual. I would also like to find out about the 6meter and 2meter modules that fit inside the FR-101. There is also a slot for a FM board. In short want to purchase all the options including the matching transmitter and all the xtals for the FR-101 can anyone on this group give or direct me to were I might find this info?

Thanks and 73
KB4YHO Rick in VA

2988. Re: Best price for FT-847 - where ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: O9's <onines@jps.net>
Message-ID: <36dde849.0@news1.jps.net>
Source record: 115221

Tim, could you give us all some information as to how to contact T-Zone?
Did you ship to US? Tx. Steve
DLR18SH <dlr18sh@aol.com> wrote in message
news:19990303080028.14572.00002599@ng-fb1.aol.com...
>You can buy it in Japan for $1250 (does not include the free Tuner). I
ordered
>one from a
>Store called the T-Zone licated in the Akihabara. All English Speaking
Salesman
>
>and Used my Platinum MasterCard (2 Year Warranty) plus shipping $35. Very
Happy
>with the service. Hey If you Order from HRO
>or AES and the unit breaks after 10 days they say to send it to
>Icom/Kenwood/Yaesu and will not exchange it anyway. Why deal with them if
they
>won't back up the product. I got a 30 day NO QUESTIONS ASKED return policy
from
>the T-ZONE.
> Tim

2989. TH-D7 and UoSat

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: Daniel Lavoie <LavoieDNOSPAM@iSTAR.CA>
Message-ID: <RKeD2.44$NW4.238401@NewsRead.Toronto.iSTAR.net>
Source record: 115222
Cross-posted to: alt.ham-radio.packet,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.packet,rec.radio.amateur.space

Will the TH-D7 work with the 9600bps 140/440FM UoSat and KitSat?

Thanks

Daniel
VE3DCL
--

<< Take out NOSPAM to reply by e-mail >>

2990. HUMOR: SSB and the Y2K Bug

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: bdiaz@my-dejanews.com
Message-ID: <7bhulepfa1@nnrp1.dejanews.com>
Source record: 115270
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.dx

While the press has said a lot of the upcoming things that
can go wrong with computers, come the year 2000, little
has been said regarding something VERY important to Hams.
Who cares if the world comes to an end, if you can't work DX?

When SSB was developed, it was a means of compressing more
usable frequencies in a given Band. Thus, rather than take
6 kHz for voice with DSB, a SSB signal takes about 3 kHz.
While we like SSB for not taking up as much space on the Band,
it was never designed to handle the extra digits found in the
year 2000.

No one know for sure what will happen, but some fear that all
the SSB radios will read the year 2000 as the year 1900. This
could be a real problem, because we all know that in the year
1900 SSB didn't exist. Not only that, the AM and FM modes
didn't exist!!!!

It could be, that come January 1, 2000, all radios will only
operate in CW mode; the only mode that existed in 1900.
This could be a major problem for the "No Code" Hams and
those who learned the code "just to pass the test" and
forgot it after that.

It's believed that the year 2000 will cause a major shutdown
of all electrical power in the world when the computers at
the power companies crash. If so, this would be a MAJOR
reduction of QRM. Add to the fact, that we're in a good
position in the Sun Spot Cycle and we have a super chance
to work some great DX before the world comes to an end!!!

I pity the poor Hams who haven't worked on their CW skills
when this happens. Still, they have about 9 or 10 months
to build up their CW skills, before the whole world comes
to a "This Program Has Performed An Illegal Operation And
Will Be Shut Down" end!!!

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2991. wtb TS-820S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: ss <ssluz@worldnet.att.net>
Message-ID: <36DC7C52.6D356C74@worldnet.att.net>
Source record: 115271

Looking for TS-820S.

Thanks;

ssluz@worldnet.att.net

2992. Wanted: RX mod for Kenwood V7A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-03 00:00:00 UTC
From: seebody@toreply.com
Message-ID: <36dd9141.41114032@news.ncal.verio.com>
Source record: 115272

Anyone have any mods for the Kenwood V7A to open it up to receive up to 488?

Thanks.

To reply via e-mail, please use eplatt at wco period com. Sorry, but this is the only way to despam my address.

2993. FS 220HT IC-03AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36DF21E3.6D4C9681@bellatlantic.net>
Source record: 114973
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale a IC-03AT 220 H.T.
The condition of the unit is excellent/good. It comes with the following
1- IC-03AT 220 H.T.
1- BC-35 Quick Charger
1- BP-5 Battery Pack
1- BP-7 Battery Pack
1- Extra 5/8 wave antenna
Also comes with the manual. I do not have the box..sorry.
I'm asking $200.00 plus shipping....If you are interested please
e-mail for inquires. I will forward my number if required..
Thanks for reading this..Mike

2994. KENWOOD TS-940SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36DF220D.3B4F2A5A@bellatlantic.net>
Source record: 114974
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Here's the deal you have been waiting for.

I have for sale a Kenwood TS-940SAT 9 mil serial no.plus. It comes with the following options: SP-940 Speaker, Built in antenna tuner, VS-1 voice synthesizer, YK-88S SSB filter, YK-88A AM filter, YK-88C-1 CW filter, YG-455C-1 CW Xtal filter, Hand Mic, Service Manual,Instruction Manual, and the original box. Asking $ 1000..00 + shipping. Condition is excellent/good.It does have a scratch on the top center front. That is the only flaw. The front of the radio is mint.
Electrically excellent.
Non-smoker.
What more could you ask for in a radio.....
Please e-mail for inquires.
Mike N2OZO

2995. FS Tek Scope

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36DF2247.278A7137@bellatlantic.net>
Source record: 114975
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Tek 2215 60 Mhz dual trace scope in excellent condition.
It comes with service and operating manuals. Also it comes with 3
X1/X10 probes with adapters.
Looks and works great....Asking $175.00 plus shipping.
Thanks for reading this....Mike

2996. Icom W32a

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: MindSpring User <dcwilkin@mindspring.com>
Message-ID: <7bnb1klop1@camel19.mindspring.com>
Source record: 114976

I need the Keypad combination for resetting the CPU for the W32a thanx

2997. F.S. ICOM IC-275H 2-Meter All Mode

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Gerald E Blankenship <eugene@auburn.campuscwix.net>
Message-ID: <36DF3A31.7631@auburn.campuscwix.net>
Source record: 114977

Have the IC-275H, 100 Watt All Mode 2-Meter Transceiver in excellent
conditon. Have Box, Hand Mike and manual. Will ship for $775
Thanks Gene

2998. WTB used TK-350 Kenwood

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Bill & Patricia <buffaloe@ipa.net>
Message-ID: <7bniq9$2ue$1@news.ipa.net>
Source record: 114978
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

looking for a few more TK-350 Kenwoods
with slow chargers

buffaloe@ipa.net

2999. Re: Icom W32a

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Rick Pemble <pemble@earthlink.net>
Message-ID: <7bnk44$o3a$1@ash.prod.itd.earthlink.net>
Source record: 114979

While pushing [SQL], [VFO] and [MR], turn power ON to reset the CPU.
(direct quote from the manual)

Cheers

Rick W4RP

MindSpring User wrote in message <7bnb1klop1@camel19.mindspring.com>...
>
>
>I need the Keypad combination for resetting the CPU for the W32a thanx
>
>

3000. What are these heathkits??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36DF57F3.7249@ix.netcom.com>
Source record: 114980
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

A friend has a chance to buy a Heath SB-300 and SB-401 for $70 each.. What are these radios, and what is a fair price for them assuming average condition??

Thanks

Steve - WA6GSD

3001. IC-Q7 programming opinionsa wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Thomas Calvete <calvete@rpa.net>
Message-ID: <7bnh0k$2p8m@enews3.newsguy.com>
Source record: 114981

I was thinking of programming my IC-Q7 with one of the free ware packages.

Any recommendations?
Where can I get a good interface adapter?

-Tom
ka2omq@rpa.net

or

ka2omq@arrl.net

3002. MT500/HT220 questions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: JP <jpowell@one.net>
Message-ID: <36DF6260.1B276D2E@one.net>
Source record: 114982

Can a 4463B (Motorola MT500 Rapid Charge) battery be safely charged in an HT220 charger?

Does anyone know off-hand if the channel elements and tone filters (NFN6010A?) are interchangeable between the MT500 and the HT220?

TIA,

Jason

3003. wtb: kenw. ts-790a

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Alan Bethel <ke6qis@northcoast.com>
Message-ID: <920609443.693.92@news.remarQ.com>
Source record: 114983

wanted kenwood 790a with 1.2 ghz modual, sat board, ctcss board
computer interface and power supply.
please e-mail me back with price and info. thanks alan.

3004. WTB: Heathkit HA-14

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: dalien <dalien@pacifier.com>
Message-ID: <36DF6AFD.629F911@pacifier.com>
Source record: 114984
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.swap

WTB: Heathkit HA-14 Kompact Kilowatt with both power supplies and manuals. Please EMAIL:

-Dave w6ovp@arrl.net

3005. Re: What are these heathkits??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Alfred Carlson <wa7uhr@gte.net>
Message-ID: <7bnr8v$2o6$1@news-1.news.gte.net>
Source record: 114985
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

SB-300/SB-400 are amateur band single sideband and cw
receiver/transmitter
combination. Know as the Heathkit twins. The price of $70 each is
good,
especially if the speaker and power supply for the transmitter is
included. Make
sure you have manuals and a microphone would also be a plus. 73 de
Fred.
PS. It is vacuum tube equipment.

wa6gsd@ix.netcom.com wrote:

> A friend has a chance to buy a Heath SB-300 and SB-401 for $70
> each.. What are these radios, and what is a fair price for them
> assuming average condition??
>
> Thanks
>
> Steve - WA6GSD

3006. Re: What are these heathkits??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: tcrpe <tcrpe@yahoo.com>
Message-ID: <qcLD2.10577$YV6.4902@news2.giganews.com>
Source record: 114986
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Alfred Carlson wrote in message <7bnr8v$2o6$1@news-1.news.gte.net>...
>PS. It is vacuum tube equipment.

A definite plus!

TR

3007. FS AEA PK-232

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: jstanisi@isd.net
Message-ID: <7blr62$o5u$1@remarQ.com>
Source record: 115023

I never use this thing anymore since the Computer/Sound card
revolution. It comes with all the cables, manual, orginal box, and a
nice little switching interface unit which allows you to switch between
packet, rtty and voice without disconnecting the mic cable on FM 2 meter
rigs. This switching unit is for Kenwood rigs using 8 pin mic jacks.
The cables I have were used on a 440s and a KNWD 2 meter rig.
$75 if interested e-mail jstanisi@isd.net ......Jim WG0D

3008. Re: Yaesu FC-20 Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-0403990646580001@pom1.mbl.edu>
Source record: 115024

In article <jthD2.3962$284.555591@news.tpnet.pl>, "Sils" <sils@polbox.com>
wrote:

> Any oppinions from FC-20 users would be appreciated.
> I heard that there is some kind of problem somewhere
> in between FT-847 and FC-20 !
> Any idea about that ?
> Thanks in advance.
> Sils

I would look for an alternitive, I bought mine with my 847 (before they
gave them away). I find it to be extremely SWR sensitive, my autotuner in
my 920 tunes better than the FC20 into the same antenna. Just not enough
fine tuning.

good luck, K1SWR

3009. Re: New wide-band antenna!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: "Rich Wells, N2MCA" <n2mca@strongsignals.net>
Message-ID: <36DE770C.D1EF03C@strongsignals.net>
Source record: 115025
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner

Bill Crocker wrote:
> Just picked up a new Diamond RH77CA wide-band antenna!
...
> I'm trying this out on an Alinco DJ-X10T hand-held, wide-band scanner. So
> far, pretty impressive!

Yes, it is rather impressive. In my review of 30 handheld antenna
models, it came in first amongst non-extendable (read 'fixed
length') types.

Strong Signals,
Rich Wells N2MCA
http://www.strongsignals.net/

3010. Re: Ruggedness of Yaesu FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: kc2dla@my-dejanews.com
Message-ID: <7bluid$763$1@nnrp1.dejanews.com>
Source record: 115026

> I'm looking for an all band, all mode extremely rugged radio and so far I've
> found nothing.

Take a look at the SGC-2020. It is a very rugged radio, just not as many
features and bands as the Yeasu FT-847

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3011. WTB: HEATH SB-220 AMP.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: "A. Billings" <abillings@worldnet.att.net>
Message-ID: <36DE7F07.17BE0060@worldnet.att.net>
Source record: 115027

I am looking for a Heath SB-220 Amp.
Must be clean and in good working condition. priced reasonably.
Also looking for the same for parts.

Thanks Art./kc5doo
318 424-3312

3012. Re: -FS- Hy-Gain 6m Halo N.I.B. !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: s55648@aol.com
Message-ID: <19990304074229.20127.00000008@ng-cg1.aol.com>
Source record: 115028

SOLD!
Ill take it
Jeff

3013. Collins 75A4 knobs wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: PAW <73457.650@CompuServe.COM>
Message-ID: <OQj02vjZ#GA.288@nih2naab.prod2.compuserve.com>
Source record: 115029

Want to trade 75A4 knobs small for large 2 for one.

--
PAW
(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
http://ourworld.compuserve.com/homepages/w9jmn

3014. Re: Motorola MT-1000 software and cable

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Dan <n7wpd@xxmission.com>
Message-ID: <7bm0s2$q3c$1@news.xmission.com>
Source record: 115030

Try www.batlabs.com for the cable and rib and then goto www.mot.com for the
software.
The local Motorola shop didn't want to sell you a the software because the
software must be purchased from the Big M and a user site license agreed to.
Only problem is the software is about $300.
Maybe cheaper to just have the local shop program it for you.

Dan

Jarrod B. Boehme <jboehme@pdq.net> wrote in message
news:MYqD2.194$bH4.878@news12.ispnews.com...
>I have the same problem but it is a mts2000. Anything you find out let me
>know....
>
>Chris Fichtner wrote in message ...
>>I have an MT-1000 that I need to reprogram. Does anyone know where I can
>get
>>the software and cable to do this? I tried the local Motorola dealer and
>>they would not sell it.
>>
>>
>
>

3015. Old Boat Anchor advise

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Kevin Johnson <kej2@ix.netcom.com>
Message-ID: <7bm14a$r5f@dfw-ixnews3.ix.netcom.com>
Source record: 115031

I have acquired a Yaesu FTDX 560.. Can anyone tell me if this particular transceiver's RX/TX is decent. I can not locate any information for specifications on websites, perhaps we have some old timer which can shed some light on this rig. I am sure it needs some tubes but have not began to investigate which until I feel it is worth doing...
Any info would help, thanks everyone!!!

Kevin

3016. FS Alinco DJ-G5T Dual BAnd HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: "W. Charles Alexander" <charlie@netset.com>
Message-ID: <7bm1udomc1@athena.netset.com>
Source record: 115032
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Alinco DJ-G5T For Sale in excellent condition. With Manual, box,
Speaker/Mike.
2 HiPower Battery Packs and charger.
185.00 Shipped via fed x 2 nd day to the 48.
charlie@netset.com

==========

73 de charlie
W. Charles Alexander
KC8IKG 39.951 N 83.124 W
Columbus, Ohio USA

Drake R7, R8B & ICOM R8500
Antennas: 33 Ft Off-Cneter Fed Dipoles, 45 Ft Longwires
Slinky Dipole and a Dressler ARA 60 Active Antenna (All In Attic)
Decoders: Universal M8000
==========

3017. Re: New wide-band antenna!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Voodoo@somwhere.com
Message-ID: <7bm2dr$84b$1@pthp35.telecom.pt>
Source record: 115033
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner

In article <36DE770C.D1EF03C@strongsignals.net>, n2mca@strongsignals.net says...
>
>Bill Crocker wrote:
>> Just picked up a new Diamond RH77CA wide-band antenna!
>...

>Yes, it is rather impressive. In my review of 30 handheld antenna
>models, it came in first amongst non-extendable (read 'fixed
>length') types.
>
>Strong Signals,
>Rich Wells N2MCA
>http://www.strongsignals.net/

>>>>>>> If is possible can you give me, more details about Diamond RH77CA wide-band antenna, please??
Many thanks for your atention.
Best 73"

�lvaro Rocha
CT01264 (SWL)

Porto
Portugal
AL-VARUS :-{)
" SI DEVS PRO NOBIS, QVI CONTRA NOS "
ICQ#15161256

3018. Re: HUMOR: SSB and the Y2K Bug

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: deblockr@dialogic.com
Message-ID: <7bm2t0$9v9@brimstone.dialogic.com>
Source record: 115034
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.dx

What's all this about computers and the Y2K Bug? I thought that the Y2K Bug is a new, commemorative Vibroplex keyer?

:-)

-73 de N2JSO - Ron

3019. Re: Wanted: RX mod for Kenwood V7A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36DE938F.48A8A499@t-online.de>
Source record: 115035

In Memory of tecNovia schrieb:
>
> On Wed, 03 Mar 1999 21:38:01 +0100, Ingra-Beton@t-online.de (Vlaski
> Goran) wrote:
>
> >Noel Vandenbroucke schrieb:
> >>
> >> remove on controlboard :
> >> resistor numbered 546 ,549 and 551 .
> >> succes .
> > >
> > >I have completly disassembled my TM-V7, where the hell are
> > >these resistors, can you give a more precise description.
> > >
> > >Thanks.
>
> http://home1.inet.tele.dk/ehh/mods/radio.htm

Noel was answering a request for RX on 488MHz, at the link you
gave is only the normal RX 400-470 mod.

Or am I wrong ?

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

3020. VX-5R question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: take2@my-dejanews.com
Message-ID: <7bm93vgee1@nnrp1.dejanews.com>
Source record: 115036

I've been reading the posts on the VX-5R since they first appeared in the news servers. Anyone know what the current status on the CTCSS is? Does it still have that bug? If it has been fixed, starting with what serial # would it be considered fixed?

Should the ICT8A be considered instead of the VX5R? I'd like to get some more information before I put some $300 dollars into an HT.

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3021. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7bma1dhdd1@nnrp1.dejanews.com>
Source record: 115037

In article <7bjhdl$n7g@dfw-ixnews6.ix.netcom.com>,
kc5egg@ix.netcom.com(Gerald Schmitt) wrote:

> RT Systems "free tech support phone number" absolutely not true.

I am sorry. I didn't know you lived outside the United States. You are right -
RT Systems' toll-free phone numbers are only good in the U.S.

They support their products via email, though, for those of you outside the
United States.

- Clint Bradford

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3022. Re: IC706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: CJ <cjr@visi.com>
Message-ID: <36DEA1DF.9EE83549@visi.com>
Source record: 115038

Richard Ferguson wrote:
>
> The 706 no mark has 100W on HF and 6M, 10W on 2M.
And allows the addition of one accessory filter
> The 706 mk 2 has 100W on HF and 6M, 20W on 2M
And allows the addition of two accessory filters
> The 706 mk 2g has 100W on HF and 6M, 50W on 2M, and 20 on 440,
> (check me on the mk2 numbers, but I am pretty sure of the others.)
>
> I have the original 706, and am very happy with it.
> I understand that you can blow the 2M receiver if the
> 6M or HF antenna is right next to the 2M receiver, so I use
> a diplexer to protect the 2M side from the other bands.
> the original 706 had one connector for HF and 6M, and one
> for 2M. I think that the mk2g has 2M and 440 on the same
> connector.
>
> I would say that they are all very nice radios.
>
> Richard
> KA0DXM
>
> JCM1168 wrote:
> >
> > Can some one tell me the diffs. in the 706s mk2, G ,,, should i stay away from
> > any of them?
> >
> > John
> >
> > Wavelength Radio
> > www.WavelengthRadio.com
> > To Email Remove NOSPAM

I have the original 706 also and am quite satisfied with it.

73, CJ K0CJ

3023. Icom 230 - $45

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7bm81m$hub@dfw-ixnews12.ix.netcom.com>
Source record: 115039

This is just sitting in my office. Seems to work.... but is sold shipped
for $45, as-is. No manual that I can see.
Frank

3024. Re: Wanted: Yaesu 8500 dual band

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: seebody@toreply.com
Message-ID: <36deaab1.5344090@news.ncal.verio.com>
Source record: 115040
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

I found one.. Thanks all for the quick responses! =)

Evan

On Wed, 03 Mar 1999 19:54:01 GMT, seebody@toreply.com (Evan Platt)
wrote:

>I'm interested in picking up a Yaesu 8500.. Interested in buying ASAP.
>Prefer Bay Area (CA) but I'll take what I can get. Please e-mail me at

To reply via e-mail, please use eplatt at wco period
com. Sorry, but this is the only way to despam my
address.

3025. Re: Code Tutors

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: chelms@occ-uky.campuscw.net
Message-ID: <36dea953.3624321@news.campuscwix.net>
Source record: 115041

Gerry,

Started on licenses from scratch last July, bought a 418 and "Ham University" in July, took tests in August, received General class ticket in September. I am NOT a rocket scientist. The 418 works very well, has good battery life, provides enough options to keep you from getting bored, and is very helpful at code drill. Negatives? LCD screen kinda dim. That's it. Buy a cheap earphone at Radio Shack so you can use it in public without irritating people or use it at home without conflicting with someone else's TV, sleep, etc. I'm using my 418 now to head toward Extra which I hope to get before the end of the year. Starting from scratch with the code, I recommend you get a program like Ham University to learn the characters and drill with them, then use it and the 418 to build up speed. Ham University, by the way, has all of the written exam questions and presents them in drill or exam form. Even has a morse code game. Good luck.

Chuck Helms
KG4AAH

On 4 Mar 1999 07:54:35 GMT, "Gerry Ortoli" <ortiac@ibm.net> wrote:

>Does anyone have any experience with the available code tutors, such as the
>MFJ series (413, 417, 418)?

3026. Re: FT50 Software Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Vito Villamor <vovillamor@yahoo.com>
Message-ID: <36DEA396.8D00A0ED@yahoo.com>
Source record: 115042

Vlaski Goran wrote:

> He was asking for mods for the new FT50's, the old FreeBand
> mod is not working, goto my page and download the FT50 Software
> the normal mods and the second generation mods for all FT50's
> are implemented in the Software.

Maybe that's why I couldn't successfully software modify my FT-50, and ended up doing the hardware mod. Once again, though, the hardware mod for
MARS/CAP was fairly easy for me to do. If it wasn't, I would've spent more time with the software mod. My FT-50 was fairly new; purchased late last December from HRO, Anaheim, so I pretty sure I was using mod software that was incompatible with my radio.

A good round of applause and appreciation needs to go to you, Mr. Goran, and to others who have helped us software modify our radios.

All in all, though, I sold my FT-50 (after owning it for only 2 months) and bought a VX-5R. And the first thing I did with it was software modify it...

Thanks again for all your efforts,
---Vito

3027. Re: Icom 230 - $45

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7bmc59$6k5@dfw-ixnews9.ix.netcom.com>
Source record: 115043

SOLD SOLD SOLD
Frank Krozel wrote in message <7bm81m$hub@dfw-ixnews12.ix.netcom.com>...
>This is just sitting in my office. Seems to work.... but is sold shipped
>for $45, as-is. No manual that I can see.
>Frank
>
>

3028. Re: Code Tutors

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: dwhite@Hawaii.Edu
Message-ID: <7bmc4l$dbv@news.Hawaii.Edu>
Source record: 115044

Gerry,

I echo the other response. I picked up a 418 a few weeks ago and I am pretty confident that I will make the jump from my prior plateau of 14 or 15 wpm and pass the Extra code test on 13 March. I use headphones and study on the bus for 20 minutes each morning and evening. It helped me get past the stage of visualizing dots and dashes to reach the stage of recognizing them by sound alone. One last thing, I recommend changing the factory settings so that the character is only displayed after it has sounded. This change seemed to help me learn to copy a character behind the actual code.

Good luck. You can do it.

73,
Doug N9GFL

Gerry Ortoli
(ortiac@ibm.net) wrote:
: Does anyone have any experience with the available code tutors, such as the
: MFJ series (413, 417, 418)? I've struggled for some time to learn CW &
: just can't quite seem to get it. I've tried some of the tapes (poor) &
: software (better). I'm thinking that maybe if I get something like the
: MFJ-418 I'll just keep the darn thing with me at all times & maybe that'll
: help! Any comments appreciated.

: Gerry (still code-less)
: KE4ZDY

3029. 107.2 PL WTD for TR-7400

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7bmcfc$6pv@dfw-ixnews9.ix.netcom.com>
Source record: 115045

I need the PL module for 107.2Hz for the TR-7400. The p/n for the module is L79-0412-05 Frank KG9H

3030. Re: IC706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: jcm1168@aol.comNOSPAM
Message-ID: <19990304114020.12883.00003338@ng-fi1.aol.com>
Source record: 115046

Thankyou for all the info...

john

Wavelength Radio
www.WavelengthRadio.com
To Email Remove NOSPAM
KD7EHQ

3031. Re: THE 2000 GLITCH

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: gmattie@bwn.net
Message-ID: <36de1eb6.17622764@news.bewellnet.com>
Source record: 115047
Cross-posted to: alt.ham-radio,alt.ham-radio.vhf-uhf,rec.radio.amateur,rec.radio.amateur.equipment

Don't lie to it!

Ignore him...lying is naughty and you'll go to hell.

If your HT dies on new years day 2000, just pitch it in the trash
because it's obviously poorly engineered.

KG5NM

3032. ICOM IC 37A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Paul Mierop <FIRE@us.ibm.com>
Message-ID: <36DEC5B3.5575FEA@us.ibm.com>
Source record: 115048

Just bought a IC37a at a hamfest. Works well, however the display and LED's are
quite dim. Dim enough that you can not see them in bright daylight without holding
your hand over display to shield. Do all IC37a have dim display or is this a problem. If problem is there a known fix ?

73's and Thanks
Paul Mierop
KE2LS

3033. Re: Code Tutors

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Harry <WA4OFS@iag.net>
Message-ID: <36DEC77D.DFC05256@iag.net>
Source record: 115049

TRY CODE QWIK FEW LOCALS TRYED THIS SYSTEM AND PASSED GENERAL WITH ROOM TO SPARE,NOT AFFILIATED WITH THESE PEOPLE . HARRY

Gerry Ortoli wrote:

> Does anyone have any experience with the available code tutors, such as the
> MFJ series (413, 417, 418)? I've struggled for some time to learn CW &
> just can't quite seem to get it. I've tried some of the tapes (poor) &
> software (better). I'm thinking that maybe if I get something like the
> MFJ-418 I'll just keep the darn thing with me at all times & maybe that'll
> help! Any comments appreciated.
>
> Gerry (still code-less)
> KE4ZDY

3034. Telrex Antenna's ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: dhallr@aol.com
Message-ID: <19990304125753.10297.00002556@ng-cf1.aol.com>
Source record: 115050

Is Telrex still in business? I remember they used to operate in Asbury Park NJ.
I acquired a TB5EM and need a few things. Did they move? go out of business? I
tried their old phone number but got a breadstick factory.... anyone ??
appreciate it
Dave KA1W

3035. Re: fed...UPS....Lets SUE EM..CLASS ACTION ANYONE???(UPS follies)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7bmjd2qhr1@nnrp1.dejanews.com>
Source record: 115051
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio*

i posted this one a while back and not too many people seemed concerned. guess its time to post again...
i have a close ham buddy that works at miami international airport. when a package falls off the UPS conveyor belt it goes in the dumpster. the employees and supervisors both do it. this individual works nights and has witnessed it many times. i wont ship UPS, period. if its too heavy for USPS then i take the trnsfrmr out to meet weight limits. i have had usps only loose one and break one. i dont think thats all that bad considering i've sent over 60+ packages with them. priority mail is handled by a vendor. lots of the goof ups i hear people complain about are related to priority mail, not parcel post.

fed-ex is nice but their prices are out the roof. i'll stick with usps for now. havent filed an insurance claim yet so dont know what thats like. robert ke4mcl miami fl

In article <7bfrn4$v4c$1@nnrp1.dejanews.com>,
k9kz@indy.net wrote:
> If UPS is so bad why do most of the dealers ship by UPS? Not saying you're
> wrong, just asking.
> Bill K9KZ
>
> > I will no longer be responsible for any shipment sent to OR from me on
> > UPS...if you specify it, it becomes yours the minute I drop it off at
> > UPS counter....
> >
> > I mean it , Ive had it...please send me just a note, no explanation
> > now....if you have a proveable grievance, or even NEARLY....I dont know
> > yet, but I believe I have enough to get one of my family lawyers to take
> > it on Spec...and I Have Had It....with them....I guess its fed ex only
> > for me too now...post office is too tough to even get started on a
> > claim.....I am foreward this to UPS corporate as well....GUESS WHAT
> > UPS....HAMS HATE YOU AND there are lots of others that do too!!
> >
> > Sincerely ,
> > Murray Neece
> > Smokin J's Discount Tobacco
> > and RADIO RANCH
> >
> >
>
> ----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3036. Opinions on Yaesu FT757 variants

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: weiss@tds.net
Message-ID: <7bmj7h$ad9@news2.tds.net>
Source record: 115052

Hi,

I'm close to upgrading from my ancient HW-101 to a "newer" rig.

The brand new rigs are all well over $1,000 with decent feature sets so they are unfortunately
not an option.

I am looking for:

General coverage Rcx including wide filtering for SWL, full breakin CW,
a hot yet selective receiver, and some QRM rejection capabilities (like IF notch). Autotuner a
big plus. RIT/XIT.

The FT-757 seems to fit this bill, except that as an early frequency synthesized rig it apparently
is prone to phase noise and is thereby "noise limited" in its dynamic range.

Is this a major concern?

How does the 757GXII differ from the palin ft-757?

Thanks,

Jeffrey Weiss N0IRR

3037. FS /Trade Sony Mavica FD-7 Digital Camera (MINT)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: KC4NYH <chainsaw1@mindspring.com>
Message-ID: <7bmnaq$pf8$1@camel15.mindspring.com>
Source record: 115053
Cross-posted to: alt.ham-radio.vhf-uhf,dc.ham-radio,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Hello to the group,
My name is Mark (KC4NYH) and I have a Sony Mavica FD-7 Digital Camera, the feature are as follows:

1.5 hr battery with quick charger,
2" X 2" Color LCD monitor to view the snap shots,
Writes pics to a 1.44mb floppy drive for PC & Macintosh formats,
Menu driven interface for the following:

resolution change (high/low)
format disk
delete pic from disk
look at thumbnail shot of all pic on disk
and much, much more...

unit has built in flash,
10x zoom,
digital special effects,
auto / manual focus switch,
auto lighting adjustment,

This is a VERY NICE camera for anyone who needs fast digital photos without the hassle of interface cords, cards, and other forms of downloading the pics to the PC!

Can see some of the shots I've taken with this Camera at:
HTTP://www.mindspring.net/~chainsaw1

I paid $700.00 for the camera new about 5 mos. ago and it's got about 2 hrs of use on it (Like New!)
I will sell it for $500. or I'll trade it for a Icom IC-271a with pre-amp and DC power supply options installed.
Or I will entertain the idea of trading for (4) Cushcraft 13B2 beams with phasing harnesses!

Contact me at:
KC4NYH@mindspring.com

3038. FS: Alinco DJ-580 HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: hodgesmn@email.uc.edu
Message-ID: <7bmnna$nf3$1@news.ececs.uc.edu>
Source record: 115054

Looking to sell one Alinco DJ-580 HT. It is in good condition. I just installed a new keypad since the old one was hard to read. It comes with two 12V, 1300Ma, 5W Ni-MH battery packs and a drop in trickle charger which takes about 14 hrs to charge. Both packs have seen very little use on them-no more than 5 uses each. I'll thrown in a basic MFJ mic with the unit too. Looking to get around $175 for everything. If interested, let me know. No reasonable offers refused.

3039. Re: Telrex Antenna's ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Hybiske <hybiske@generalatronics.com>
Message-ID: <7bmnfm$k2l$1@client2.news.psi.net>
Source record: 115055

>Is Telrex still in business? I remember they used to operate in Asbury Park
NJ.
>I acquired a TB5EM and need a few things. Did they move? go out of
business? I
>tried their old phone number but got a breadstick factory.... anyone ??
>appreciate it
>Dave KA1W

Dave,

Telrex has been out of business for some time. Their antenna's were built
to last. Try www.contesting.com and go to Antenna Ware. It's a mail list
where you can post for parts that you need. I understand that the doorknob
caps go on occasion.

Tom
K3GM

3040. Re: KENWOOD TS-940SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: wsi261@banet.net
Message-ID: <36dee72c@news1.us.ibm.net>
Source record: 115056
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

One with no scratches!!!!!!!!!!!!!!!!>>>>>>>>>>>>>Lee<><><><>
OZO wrote in message <36DDE5DF.6B98D1DF@bellatlantic.net>...
>Here's the deal you have been waiting for.
>
>I have for sale a Kenwood TS-940SAT 9 mil serial no.plus. It comes
>with the following options: SP-940 Speaker, Built in antenna tuner, VS-1
>voice synthesizer, YK-88S SSB filter, YK-88A AM filter, YK-88C-1 CW
>filter, YG-455C-1 CW Xtal filter, Hand Mic, Service Manual,Instruction
>Manual, and the original box. Asking $ 1000..00 + shipping. Condition is
>excellent/good.It does have a scratch on the top center front. That is
>the only flaw. The front of the radio is mint.
>Electrically excellent.
>Non-smoker.
>What more could you ask for in a radio.....
>Please e-mail for inquires.
>Mike N2OZO

3041. Help with Kenwood TM-741A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: jnbmoore@my-dejanews.com
Message-ID: <7bmsbi$2vi$1@nnrp1.dejanews.com>
Source record: 115057

I currently have a Kenwood TM-741A installed in my pickup truck
and I have the optional UT-50 6M module installed in the third
band slot. I have tried to find in the manual for this radio if
there is any way to change the factory programmed 1MHz offset for
repeaters on 6M, but can find nothing. Anyone out there have any
experience with this?? I need to be able to set a 500kHz offset
to work a repeater here in Western NY that does not have the
standard offset. You can e-mail me directly at :
jnbmoore@pobox.com. Any help would be greatly appreciated. I
cannot get a connection with the Kenwood communications website,
so I thought I could try here.

73's
John
KD4UPW

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3042. WTB Display Board for CX7A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Ron Harshbarger <rnharsh@visi.com>
Message-ID: <SgCD2.768$66.41134@ptah.visi.com>
Source record: 115058

I need a display board for the Signal One - CX7A

73
K3PID rnharsh@visi.com

3043. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <7bmt2k$kvt@dfw-ixnews9.ix.netcom.com>
Source record: 115059

In <7bma1dhdd1@nnrp1.dejanews.com> clintbrad4d@earthlink.net writes:
>
>In article <7bjhdl$n7g@dfw-ixnews6.ix.netcom.com>,
> kc5egg@ix.netcom.com(Gerald Schmitt) wrote:
>
>> RT Systems "free tech support phone number" absolutely not true.
>
>I am sorry. I didn't know you lived outside the United States. You are
right -
>RT Systems' toll-free phone numbers are only good in the U.S.

Please post the toll free technical support number. Thank you.

>
>They support their products via email, though, for those of you
outside the
>United States.
>
> - Clint Bradford
>
>-----------== Posted via Deja News, The Discussion Network
==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your
Own

3044. Re: Code Tutors

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Tom@astro.net
Message-ID: <7bmto2$m9p$1@remarQ.com>
Source record: 115060

In article <01be6614$c52b9760$cede6420@Gerry.nsc.com>, "Gerry Ortoli" <ortiac@ibm.net>
wrote:
>Does anyone have any experience with the available code tutors, such as the
>MFJ series (413, 417, 418)? I've struggled for some time to learn CW &
>just can't quite seem to get it. I've tried some of the tapes (poor) &
>software (better). I'm thinking that maybe if I get something like the
>MFJ-418 I'll just keep the darn thing with me at all times & maybe that'll
>help! Any comments appreciated.
>
>Gerry (still code-less)
>KE4ZDY

Gerry,
I got the MFJ 418 a few months ago and like it a lot. Nifty little unit!
You can set it up YOUR way and very easily. Try it out, I think you'll like
it.

73,
Tom

Remove the "P" from the below address (spam blocker)

Tom Randall Amateur Radio - KB2SMS
Mt. Beacon Amateur Radio Club / ARRL / 10-10
tprandall@idsi.net Member: AAVSO Solar Division

My Astronomy/Ham radio site: http://www1.mhv.net/~trandall/welcome.html

3045. WTD. Drake R8A or B, Kenwood TS50s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: amfone@concentric.net
Message-ID: <7bn152$7dc$1@nnrp1.dejanews.com>
Source record: 115061

Hello
Looking for an excellent conditon R8A or R8B.... also would like a Kenwood TS50S.... will consider like Radios......
thanks
73 tim

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3046. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <7bmu52$ej1@dfw-ixnews8.ix.netcom.com>
Source record: 115062

In <7bma1dhdd1@nnrp1.dejanews.com> clintbrad4d@earthlink.net writes:
>
>In article <7bjhdl$n7g@dfw-ixnews6.ix.netcom.com>,
> kc5egg@ix.netcom.com(Gerald Schmitt) wrote:
>
>> RT Systems "free tech support phone number" absolutely not true.
>
>I am sorry. I didn't know you lived outside the United States. You are
right -
>RT Systems' toll-free phone numbers are only good in the U.S.

RT Systems toll free numbers are also only for ordering. The numnber
for ADMS tech support is 256-880-3093 and that is not toll free from
anywhere but a very small part of Alabama. But you knew that just like
you knew where I lived didn't you Clint? I guess you would rather be a
liar than be wrong, your choice.

I'm not really interested in Clint bashing I'm only interested in the
truth. You tell these fairy tales about free upgrades and toll free
support lines for whatever strange reasons you have and people who
believe you are doomed to disapointment. Who are they going to get
pissed off at--not you but at RT Systems. The question is why are you
mad at RT Systems? Apparently you are because you are setting them up
to have a bunch of mad customers as a result of your lies. If I were
RT I'd be on your case by now. See if you can justify your actions
without lying about what I said. This should be good.

>
>They support their products via email, though, for those of you
outside the
>United States.
>
> - Clint Bradford
>
>------------== Posted via Deja News, The Discussion Network
==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your
Own

3047. Re: Opinions on Yaesu FT757 variants

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7bmuek$j7u$1@ostrich.cybercomm.net>
Source record: 115063

I had a 757GX years ago.
After talking to many people, I traded it in for a Kenwood TS430S.
The 430 is a great deal better.
Then I got a 440, and 850.
The 757 is not very good.
Pretty rig though!
...Dave
weiss@tds.net wrote in message <7bmj7h$ad9@news2.tds.net>...
>Hi,
>
>I'm close to upgrading from my ancient HW-101 to a "newer" rig.
>
>The brand new rigs are all well over $1,000 with decent feature sets so
they are unfortunately
>not an option.
>
>I am looking for:
>
>General coverage Rcx including wide filtering for SWL, full breakin CW,
>a hot yet selective receiver, and some QRM rejection capabilities (like IF
notch). Autotuner a
>big plus. RIT/XIT.
>
>The FT-757 seems to fit this bill, except that as an early frequency
synthesized rig it apparently
>is prone to phase noise and is thereby "noise limited" in its dynamic
range.
>
>Is this a major concern?
>
>How does the 757GXII differ from the palin ft-757?
>
>Thanks,
>
>Jeffrey Weiss N0IRR
>
>

3048. WTB: Your Old Calculator

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: floete@aol.com
Message-ID: <19990304172651.07557.00003652@ng-fa1.aol.com>
Source record: 115064

Let's say you've got an old calculator hanging around doing nothing but taking up space. If that's the case, why don't you unload the poor thing on me -- and you'll have a wee bit more $$$ to toss at whatever else you might want. I'm mostly looking for the older LED-type handheld calcs from the 70s or so, the ones with the blackish screens, often with glowing red numbers, as opposed to those you see most often today, with their typically grayish screens. I'm looking for all makes, all models, including (but not at all limited to) those from Hewlett-Packard (HP), Texas Instruments, Casio, Sears, Adler, Wards, Olivetti, Canon, Bowman, etc, etc. The thing may seem crummy to you, but to me it may not.
Plus, if you've got the old manuals, cases, chargers, so much the better. Just drop me an email (floete@aol.com), maybe we can work something out, because these things fascinate me! Thanks much, Erik

3049. Re: Opinions on Yaesu FT757 variants

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: ignacy@num.ads.uga.edu
Message-ID: <36df16a4$1$vtanpl$mr2ice@news.uga.edu>
Source record: 115065

It all depends on your budget. Among the small rigs in the $500 range, such as TS-430, FT-757 and IC-735, the last one is a big winner in quality and feel. Among more expensive rigs, IC 751A is a much higher class but I am not sure whether it can have an AT. If you can shell more, TS-850 is a bargain, as AT versions can be had for as low as $900. Good receiver with real AM filter, very nice signal, good filtering, much better AGC and BK than that of the cheaper rigs. Excellent sensitivity and no AF hiss.

73,

Ignacy, NO9E

3050. Re: Best price for FT-847 - where ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: rjs@wright-pierce.com
Message-ID: <8UDD2.1848$Pq.6967@newsfeed.slurp.net>
Source record: 115066

Telephone number and web page?????

Tnx 73

In article <19990303080028.14572.00002599@ng-fb1.aol.com>, dlr18sh@aol.com
says...
>
>You can buy it in Japan for $1250 (does not include the free Tuner). I ordered
>one from a
>Store called the T-Zone licated in the Akihabara. All English Speaking
Salesman
>
>and Used my Platinum MasterCard (2 Year Warranty) plus shipping $35. Very
Happy
>with the service. Hey If you Order from HRO
>or AES and the unit breaks after 10 days they say to send it to
>Icom/Kenwood/Yaesu and will not exchange it anyway. Why deal with them if they
>won't back up the product. I got a 30 day NO QUESTIONS ASKED return policy
from
>the T-ZONE.
> Tim

3051. Re: Motorola MT-1000 software and cable

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Tony Szablowski <a2112szablowski@worldnet.att.net>
Message-ID: <7bn24a$luc@bgtnsc01.worldnet.att.net>
Source record: 115067

Chris Fichtner wrote in message ...
>I have an MT-1000 that I need to reprogram. Does anyone know where I
>can get the software and cable to do this? I tried the local Motorola
dealer >and they would not sell it.

That's because you need to buy the s/w("RSS") from mother Motorola.
You must sign a rather lengthy contract before they send you the RSS.
Though I don't recommend this, people seem to be able to get RSS by
posting a msg in the rec.radio.swap NG. Be advised that if Motorola
catches you with copied s/w you can be fined _big time_, or even jail
time. As for the cables and RIB, go to www.batlabs.com for schematics
on these.
--
Regards,
Tony
a2112szablowski@worldnet.att.net (remove 2112 to e-mail)

3052. Re: Opinions on Yaesu FT757 variants

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Steve <sbynum@earthlink.net>
Message-ID: <7bn0redkc1@holly.prod.itd.earthlink.net>
Source record: 115068

In that price range, consider the TS 430s. A great rig....even today! Sure
it doesnt have dsp but IMHO dsp is over rated.

--

Steve

WB2TBB wrote in message <7bmuek$j7u$1@ostrich.cybercomm.net>...
>I had a 757GX years ago.
>After talking to many people, I traded it in for a Kenwood TS430S.
>The 430 is a great deal better.
>Then I got a 440, and 850.
>The 757 is not very good.
>Pretty rig though!
>...Dave
>weiss@tds.net wrote in message <7bmj7h$ad9@news2.tds.net>...
>>Hi,
>>
>>I'm close to upgrading from my ancient HW-101 to a "newer" rig.
>>
>>The brand new rigs are all well over $1,000 with decent feature sets so
>they are unfortunately
>>not an option.
>>
>>I am looking for:
>>
>>General coverage Rcx including wide filtering for SWL, full breakin CW,
>>a hot yet selective receiver, and some QRM rejection capabilities (like
IF
>notch). Autotuner a
>>big plus. RIT/XIT.
>>
>>The FT-757 seems to fit this bill, except that as an early frequency
>synthesized rig it apparently
>>is prone to phase noise and is thereby "noise limited" in its dynamic
>range.
>>
>>Is this a major concern?
>>
>>How does the 757GXII differ from the palin ft-757?
>>
>>Thanks,
>>
>>Jeffrey Weiss N0IRR
>>

>>
>
>

3053. WTB Kenwood TS 830s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Steve <sbynum@earthlink.net>
Message-ID: <7bn4vp$g24$1@oak.prod.itd.earthlink.net>
Source record: 115069
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

I am looking for a TS 830s. It must be in excellent condition physically
and electrically
{no scratches}. Please email detailed info on what it includes ect and your
asking price and contact info.

--

Steve

3054. Re: Service monitor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: landaircom@aol.com
Message-ID: <19990304183645.11659.00003517@ng-cd1.aol.com>
Source record: 115070

I have a 3000B I am looking to sell If you get more than one inquire
for one you will be able to make some money moving mine also.If you like. Unit
in good operating condition. Signed Hal Land Air Communications

3055. Re: WTB Kenwood TS 830s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: landaircom@aol.com
Message-ID: <19990304185014.07423.00003203@ng69.aol.com>
Source record: 115071

$650.00 FOB NY

3056. FS MFJ-948 Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: OZO <n2ozo@bellatlantic.net>
Message-ID: <36DF2194.9CD51260@bellatlantic.net>
Source record: 115072
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale a MFJ-948 antenna tuner. Excellent/Good condition.
Electrically excellent. 300 watt range. It does not have a built-in
dummy load. This is a yellow face unit with a black wrap-around cover.
Non-smoker.
I'm asking $80.00 plus shipping.
If you are interested please e-mail me for inquires.....Mike

3057. Re: VX-5R question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Solarpower1watt@Juno.com
Message-ID: <hjkD2.290$qh.242@newsfeed.slurp.net>
Source record: 115095

In article <36DDACFA.4B76A696@northnet.org>, Paul <pgs@northnet.org> wrote:
>Anyone know if the Yaesu VX-5R will cross band repeat in both one and
>two way? I'm sure it will at least cross band. Just need to know if it
>will repeat. Thankyou in advance.
> Paul
>

Can't repeat; it's only got one vfo.

Ed

REPLY INFO:
==
Return address modified to prevent automatic SPAM response.
TO REPLY: remove the "watt" from my return address.
==

3058. Re: KENWOOD TS-940SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: k3bu@aol.com
Message-ID: <19990303192103.00295.00003255@ng-fd1.aol.com>
Source record: 115096

I keep seing this ad, after offering to buy the rig, to come inspect it and if all OK, to purchase it. There was no answer, he offered to come half way for cat in a bag deal? Looks like something fishy with it if the seller is affraid of inspection.
Why didn't you answer Mike? What's the problem?

Yuri K3BU

3059. Whats better? Icom IC-W32A or Yaesu FT-51R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: erikd@icehouse.net
Message-ID: <7bkmq1$6mv$1@nnrp1.dejanews.com>
Source record: 115097

Any and all comments welcome! Thanks!

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3060. Ruggedness of Yaesu FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Jethro Jumbalaya Twain <qwasty@hotmail.com>
Message-ID: <7bko8k$7qj$1@nnrp1.dejanews.com>
Source record: 115098

can the Yaesu FT-847 operate submerged or after a ten foot fall onto gravel? I'm looking for an all band, all mode extremely rugged radio and so far I've found nothing. Someone suggested ruggedizing a CW QRP kit but that isn't what I *really* want, even though it'd be an option.

"There are three types of people in this world: those who can count and those who can't" - Unknown Mathematician

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3061. Re: IC706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: konstans@nospam.nwpt.net
Message-ID: <36ddd604.8164393@news.npwt.net>
Source record: 115099

Well the 706 (mark none) has less power on at least 2M band (maybe 6m
as well) as the 709mk2 the mk2g has 440 band as well as the other.

I have heard that the plain 706's can damage the VHF circuts
somehow at high power HF use, but that there is a afirly simple fix
for that if you run into it.

Personaly I am considering the 706 mk2 g as a radio for myself
a tech for it's VHF/UHF SSB and general coverage (as well as being I
expect a better shortwave receivere than most of the ones I have now)

On 3 Mar 1999 22:23:29 GMT, jcm1168@aol.comNOSPAM (JCM1168) wrote:

>Can some one tell me the diffs. in the 706s mk2, G ,,, should i stay away from
>any of them?
>
>John
>
>Wavelength Radio
>www.WavelengthRadio.com
>To Email Remove NOSPAM
>
>

Mark Morgan
KB9RQZ

Public comment welcome, indeed private email
on the Morse Code issues, esp if insulting will
become at My sole discretion
Sending Private email is deemed acceptance of these terms

Why can't people keep there flames Public?

3062. Radio Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: adamf13@aol.com
Message-ID: <19990303201313.12873.00002306@ng-fw1.aol.com>
Source record: 115100

Just a quick question that hopefully someone can help me with.

I'm looking for the modifications to the following radios:

Icom W32

Yeasu 50R

Any help would be appreciated in this matter.

Tnx and 73,
Adam

3063. Re: IC706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Richard Ferguson <raferguson@worldnet.att.net>
Message-ID: <36DDE1C0.4CA7226A@worldnet.att.net>
Source record: 115101

The 706 no mark has 100W on HF and 6M, 10W on 2M.
The 706 mk 2 has 100W on HF and 6M, 20W on 2M
The 706 mk 2g has 100W on HF and 6M, 50W on 2M, and 20 on 440,
(check me on the mk2 numbers, but I am pretty sure of the others.)

I have the original 706, and am very happy with it.
I understand that you can blow the 2M receiver if the
6M or HF antenna is right next to the 2M receiver, so I use
a diplexer to protect the 2M side from the other bands.
the original 706 had one connector for HF and 6M, and one
for 2M. I think that the mk2g has 2M and 440 on the same
connector.

I would say that they are all very nice radios.

Richard
KA0DXM

JCM1168 wrote:
>
> Can some one tell me the diffs. in the 706s mk2, G ,,, should i stay away from
> any of them?
>
> John
>
> Wavelength Radio
> www.WavelengthRadio.com
> To Email Remove NOSPAM

3064. KENWOOD REPAIR -CANADA-

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <SnID2.55$IU5.2164@sapphire.mtt.net>
Source record: 115102

Plse ack info via eamil

3065. Re: Radio Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: adamf13@aol.com
Message-ID: <19990303203128.12873.00002323@ng-fw1.aol.com>
Source record: 115103

Oh ..... and one more:

Icom H207

TNX &73,
Adam

3066. Re: IC706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: jcm1168@aol.comNOSPAM
Message-ID: <19990303205149.12876.00002765@ng-fi1.aol.com>
Source record: 115104

thanks for the info

3067. Re: Ten Tec Century 22 - $250

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: aa7fg@gte.net
Message-ID: <7bl0up$f48$1@nnrp1.dejanews.com>
Source record: 115105

In article <7ahnrc$6eg@dfw-ixnews7.ix.netcom.com>,
"Frank Krozel" <frank@electronicinstrument.com> wrote:
> Yet, another spare radio. I have this as an extra one. Frank
>
> Would this FB radio still be available? (a little late probably?)

Pat - AA7FG, Oregon...

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3068. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Watch Dog <watcher@ispyonu.net>
Message-ID: <01be65ee$42d304e0$59c6b8cd@MyComputer.nowhere.net>
Source record: 115106
Cross-posted to:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Do you suppose you could stop posting this crap to homebrew unless
you want to tell us how to replicate this type of software

clintbrad4d@earthlink.net wrote in article
<7bihhb$995$1@nnrp1.dejanews.com>...
> In article <7bhhoc$h78@dfw-ixnews7.ix.netcom.com>,
> kc5egg@ix.netcom.com(Gerald Schmitt) wrote:
>
> >> Their copy protection is a nightmare...
> >> Since you apparently do not have the computer skills to
determine this
> >> for yourself I'll help you. Every time you defrag the disk you
have to
> >> reinstall the software.
>
> Sorry your system is so instable...I regularly degfragment my
systems, with
> noi such problem with ADMS as you have encountered.
>
> After installation, I file my original diskettes away...no need to
make an
> "archival" copy for any reason.
>
> - Clint Bradford
>
> -----------== Posted via Deja News, The Discussion Network
==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your
Own
>

3069. Battery needed (Alinco DJ120 2m ht)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: tomnavyret@aol.com
Message-ID: <19990303223114.12156.00003223@ng-fq1.aol.com>
Source record: 115107

I have and Alinco DJ120 2meter HT that works excellent except that the battery finally gave out. I need to know a source of batteries for it if possible. Would also like to know if there is a battery pack for it that takes drycells/nicads. Feel lost without it <G>.
N7RMU
Tom B.
Tomnavyret@aol.com
"Gun Control is defined as hitting what you are aiming at!!!!"
http://members.aol.com/tomnavyret/goldfish-beginners.html

3070. -FS- Hy-Gain 6m Halo N.I.B. !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Ron Sibbitt <n8lmt@usa.net>
Message-ID: <7bkv0r$d3g$1@ramp2.tir.com>
Source record: 115108
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap

```
6 meter Halo
(Omni directional - horizontally polarized mobile
6m antenna)
Hy-Gain model HH6BA 366
>> NEW <<
Still in Factory Sealed Box !!!!
1960's vintage.
$30.00 plus $5.shipping usa48
email me....
n8lmt@usa.net
```

3071. EBAY- Unbuilt Heath HP-23B supply!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990303225828.09616.00003041@ng113.aol.com>
Source record: 115109

Hi Guys;
Wanna build yourself a new HeathKit Supply?
Then this HP-23B is for you, new, unbuilt with picture at>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=72644977
Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

3072. Re: Radio Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: jerry r <jerryrc@pobox.com>
Message-ID: <36DE10D6.E2F05730@pobox.com>
Source record: 115110

http://home1.inet.tele.dk/ehh/mods/radio.htm

The best mod site I have seen..........

3073. Re: Whats better? Icom IC-W32A or Yaesu FT-51R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: jerry r <jerryrc@pobox.com>
Message-ID: <36DE111F.F0585828@pobox.com>
Source record: 115111

I have them both, more intermod on the W32 sometimes, more power out ,
more audio on the Icom.

3074. Re: yaesu 8100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: jerry r <jerryrc@pobox.com>
Message-ID: <36DE1156.86AC4009@pobox.com>
Source record: 115112

Great radio, love it, would love it better if the read-out was bigger.

3075. Re: -FS- Hy-Gain 6m Halo N.I.B. !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Sylvester Samuel Burleigh <sabur@mich.com>
Message-ID: <36DE1A24.91512440@mich.com>
Source record: 115113
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap

Hi, I would like to buy this antenna . TNX DE AA8WL

Ron Sibbitt wrote:

> 6 meter Halo
> (Omni directional - horizontally polarized mobile
> 6m antenna)
> Hy-Gain model HH6BA 366
> >> NEW <<
> Still in Factory Sealed Box !!!!
> 1960's vintage.
> $30.00 plus $5.shipping usa48
> email me....
> n8lmt@usa.net

3076. Re: -FS- Hy-Gain 6m Halo =SOLD=

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Ron Sibbitt <n8lmt@usa.net>
Message-ID: <7bl5p4hkl1@ramp2.tir.com>
Source record: 115114
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap

the Hy-Gain 6m Halo N.I.B. ! is SOLD

tnx to all who responded to my posting.

ron

3077. Re: ICOM 2100H minor problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: gfiber@news.cmc.net
Message-ID: <36e121ad.10888879@news.cmc.net>
Source record: 115115
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.equipment

On Mon, 01 Mar 1999 04:45:52 GMT, Joe Mehaffey <joe@mehaffey.com>
wrotf:

>Last year, I got rid of all the family's older 2M radios and installed
>three IC-2100H units in the vehicles and one additional unit in the
>house. The House unit runs on 13.6volt DC battery power float charged
>continuously. These units have been VERY satisfactory once I solved the
>following problem.
>
>The problem that I have seen on ALL FOUR radios is as follows:
>1) If the TONE SQUELCH is set to anything but the default of 100 hz,
>AND
>2) You set the frequency to <say> 186.2 hz tone squelch
>AND
>3) You LEAVE THE OPTIONS MENU SITTING ON EITHER THE 186HZ RX OR 186HZ TX
>set frequency (as opposed to say the .600mhz offset or the dimmer
>setting or the color setting) when you push the MEMORY WRITE button,

You should return to VFO mode here

>THEN
>3) Within a day or two you will notice that your radio does not work and
>when you LOOK AT THE TONE SQUELCH FREQUENCIES, you find they are BOTH
>(tx and rx) at the default 100hz setting instead of 186.2 where they
>should be.
>
>This has routinely happened on all four radios, EVEN the one connected
>to the unterruptable battery power source.
>
>Icom says they never heard of this problem.
>
>The workaround is to be sure to have your OPTIONS MENU sitting on <say>
>the color selection option when you push the MEMORY WRITE key. When I
>do this, I have never had the tone squelch settings change.
>
>Does anybody have a fix for this problem? I am SURE if all four of my
>IC-2100H radios have this problem, I am not the only one having the
>problem despite Icom's story.
>
>Thanks
>Joe Mehaffey
>W2JO

Have you tried like the manual suggests and only write to the memory channels when in VFO mode not in another menu ? I think you are just not writing the memories correctly . The mmanual does not say you can write to the memories from any old screen you desire to do so from. I suspect this is the trouble, the cpu does not know what to do with a memory write from the wrong location.
Gary Fiber
Copyright 1999
Washington State Resident

3078. EIMAC 4-1000'S LOW HOURS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Marc <blusky@internetcds.com>
Message-ID: <01be660e$59fa3e20$cf841ad0@blusky>
Source record: 115116
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

I have 5, Eimac 4-1000's with very low hours. These tubes show no ion burns at all on glass, i.e. very clean, 3 come with finned plate caps. $100 ea or best offer.

3079. Re: Motorola MT-1000 software and cable

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: "Jarrod B. Boehme" <jboehme@pdq.net>
Message-ID: <MYqD2.194$bH4.878@news12.ispnews.com>
Source record: 115117

I have the same problem but it is a mts2000. Anything you find out let me know....

Chris Fichtner wrote in message ...
>I have an MT-1000 that I need to reprogram. Does anyone know where I can get
>the software and cable to do this? I tried the local Motorola dealer and
>they would not sell it.
>
>

3080. Code Tutors

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: Gerry Ortoli <ortiac@ibm.net>
Message-ID: <01be6614$c52b9760$cede6420@Gerry.nsc.com>
Source record: 115118

Does anyone have any experience with the available code tutors, such as the MFJ series (413, 417, 418)? I've struggled for some time to learn CW & just can't quite seem to get it. I've tried some of the tapes (poor) & software (better). I'm thinking that maybe if I get something like the MFJ-418 I'll just keep the darn thing with me at all times & maybe that'll help! Any comments appreciated.

Gerry (still code-less)
KE4ZDY

3081. Re: yaesu 8100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: ml562430@nassaulibrary.org
Message-ID: <01be6616$e2fd0920$0d0830d1@oemcomputer>
Source record: 115119

Nick -

I've had an 8100 for about one year now. I also own the Kenwood TMV-7A. The 8100 is a fine radio - small, easy to conceal. Real easy to program through the face plate, or with a PC (you can import frequency data from any other Yaesu radios you may own - FT-50, etc.) But I have become spoiled by the Kenwoods alpha tags and use it in the mobile (it's easier and safer to see alpha tags than freqs while driving) and now keep the 8100 in the base (where I can better see and remember the frequency I'm on).

Bill Gunther

3082. Mods for ICOM IC-T81A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: edial@cisco.com
Message-ID: <36de521c.1300637@news.cisco.com>
Source record: 115120

Does anyone have the mods yet for the ICOM IC-T81A?

Thanks

3083. Re: Icom 02AT HT Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <3dtD2.1$X34.128@sapphire.mtt.net>
Source record: 115121

I have NEW IN BAG Leather cases fer the ICOM 02AT
if both u guys are intrested? $20USD ea FREE SHIP

3084. FS AEA PK-232

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-04 00:00:00 UTC
From: jstanisi@isd.net
Message-ID: <7blohf$ro7$1@remarQ.com>
Source record: 115122

I never use this thing anymore, since the Computer/Sound card
revolution.
It comes with the orginal box, cables, manual, and a nice
little switching interface to go between packet, rtty, and voice
without disconnecting mic cables. This unit is for Kenwood rigs using
8 pin mic jacks.
$75 if interested e-mail jstanisi@isd.net WG0D Jim

3085. For Sale Silver Eagle D-104 Mic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36e20cdb.1156869@netnews.worldnet.att.net>
Source record: 114923

price is 75.00 Mint cond with preamp
email me for a nice silver eagle
plus shipping thanks

3086. Re: collins gear used for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Robert Stuedemann <kf8ru@netonecom.net>
Message-ID: <36E00E8C.C5204578@netonecom.net>
Source record: 114924

Thanks for reading my reply. I'm interested in your Collins station and would like to know the condition, price and which power supply and console you have? Also is it round or winged emblem? Please let me know. Thanks, Bob 73 de KF8RU

3087. Re: FS: Yaesu VX-1R VHF/UHF Mini HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: klausner@frijoles.net
Message-ID: <36e2089f.5498726@news.earthlink.net>
Source record: 114925

YAESU VX-1R Miniature VHF/UHF Dual Band Amateur Handheld. Radio in original box, and in excellent condition. Complete with two lithium batteries, manual, dual band antenna, and wall charger. $175.

~~~~~~

Ben Klausner, N5DJL | To find what no one has ever found,
Austin, TX | Look where no one has ever looked.
~~~~~~

3088. Tower

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Brian Kell - N7VCC <phoenix@nwi.net>
Message-ID: <7bp34v$r7f$1@sparky.wolfe.net>
Source record: 114926

I am looking to buy (for a reasonable price), a 80 - 100' tower that is strong enough to support an HF beam with a 12sqft. windload. I live in a 70mph windzone.

Please e-mail me at: phoenix@nwi.net
Thank you
Brian - N7VCC

3089. FS: Kenwood TH-G71A.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Michel Morin <morinm@csdgs.qc.ca>
Message-ID: <nqUD2.1758$_n2.49106@carnaval.risq.qc.ca>
Source record: 114927

Excellent condition TH-G71A, still on warranty. Comes with a SMC-33
microphone, PG-3J filtered cigarette lighter adapter, PB-39 high power
battery and BC-17 charger. Includes manual, warranty card and original bill
of sale, also original boxes. AES sells this bundle for $382.85 plus taxes.
I will let you have it for $300. U.S. including shipping and insurance.
Reason for sale is that I need a mobile rig. Inquire by email if interested.

73 de VE2CJW
Michel Morin
Quebec, Canada.

3090. FS:Motorola Iden equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: spectrumcom@my-dejanews.com
Message-ID: <7bp8b2$471$1@nnrp1.dejanews.com>
Source record: 114928

NTN-7673B DUAL BATTERY RAPID CHARGER 25.00 SHIPPED
FLN-2196B IDEN MOBILE PROGRAMMING CABLES 35.00+shipping 225.00 NEW FROM MOTOROLA
NTN-7762 1200 MAH BATTERIES NEW!!!25.00 SHIPPED NEW FROM MOTOROLA OVER 69.00
NTN-7762A USED BATTERIES 15.00 EACH SHIPPED 96 DATE CODE
NTN-7657B SINGLE UNIT CHARGER
800 MHZ ANTENNAS 5.00 EACH SHIPPED
SPECIAL DEAL!!! ONE DUAL RAPID CHARGER,TWO NEW BATTERIES ONLY 60.00 shipped WITH A WALL ADAPTER FOR THE CHARGER..
Will accept postal money orders only .All equipment listed is******* IDEN RELATED*****

*Will accept Prepaid Postal Money Order or Personal Check(10 day delay)
*If Shipping is noted as included with price it is shipped via US Postal Service Priority Mail (Insured)
Thanks Bryan Bailey

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3091. Re: VX-5R question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: firebuff66@aol.com
Message-ID: <19990305123936.00291.00003624@ng-fd1.aol.com>
Source record: 114929

You can't get great infomation about the VX-5 its a peice of junk.

//

Pursuant to U.S. Code, title 47, Chapter 5, Subchapter II, ¤227,
"Any and all nonsolicited commercial E-mail sent to this address
is subject to a download and archival fee of $500.00 U.S."
E-mailing denotes acceptance of these terms.

3092. Icom 271H 2m All-mode

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: aidehua@aol.com
Message-ID: <19990305124156.00297.00003664@ng-fd1.aol.com>
Source record: 114930

Check it out!

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=74383470

3093. ==== WTB ARF-2001 RADIO ====

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990305132645.14109.00004003@ng-ca1.aol.com>
Source record: 114931

Hello To All.. I Would Very Much Like To find a ARF-2001 C.B. Radio.
And The Service Manual. Will Trade For BROWNING Or TRAM Equipment
Or Will Pay A Fare Price. Please E-mail Or Call Me.
Radiowalt@aol.com Or 818 883 8282
Los Angeles
Thanks, Walt

3094. WTB: Heathkit SB-300 AM Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: adam@onramp.net
Message-ID: <MPG.1149df2ed931418f9896a3@news.onramp.net>
Source record: 114932
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.antiques.radio+phono,rec.radio.amateur.equipment

Good day, everyone. I am looking for the AM filter for a SB-300 I am currently restoring to its former glory. The part number is 404-201 or 404-M201-P22. If anyone has one that they can part with, please let me know. It would be nice to have the complete filter set installed in the radio.

Thanks!

Adam Adkins, KM5SS
adam@onramp.net

3095. FS:SYSTEM SABER 3

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36E02827.8A6E9D8C@postoffice.pacbell.net>
Source record: 114933
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Radio is on the frequency split of 438 to 470 mhz.It is in nice
condition and has full front display and keyboard.It is secure capable
and has a DES-XL module installed.Includes
radio,belt clip,antenna and high capacity battery. $700 or interesting
trade
Al.

3096. Re: VX-5R question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: charles1@netcom.com
Message-ID: <charles1F84znJ.94A@netcom.com>
Source record: 114934

In article <19990305123936.00291.00003624@ng-fd1.aol.com>,
FireBuff66 <firebuff66@aol.com> wrote:
>
>You can't get great infomation about the VX-5 its a peice of junk.

Why?

The VX5 I had the pleasure to play with a short time was astounding.
No other HT posesses so much in such a small ergonomic package.

3097. Re: VX-5R question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: David Kaye <dkaye68@worldnet.att.net>
Message-ID: <36E03E00.70CE8C16@worldnet.att.net>
Source record: 114935

I agree with you. I just bought one and it is great! It has it's
quirks but no other HT does so much for its size and price.

Dave, N2SJH

charles copeland wrote:

> In article <19990305123936.00291.00003624@ng-fd1.aol.com>,
> FireBuff66 <firebuff66@aol.com> wrote:
> >
> >You can't get great infomation about the VX-5 its a peice of junk.
>
> Why?
>
> The VX5 I had the pleasure to play with a short time was astounding.
> No other HT posesses so much in such a small ergonomic package.

3098. FT990

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: DUCROUX <bobducroux@wanadoo.fr>
Message-ID: <7bphm6$ba5$1@news.x-echo.com>
Source record: 114936

FT990 100w hf filter cw 250 hz for sale

=-
Article poste via Voila News - http://www.news.voila.fr

3099. FS CELWAVE UHF BAND-REJECT DUPLEXERS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: msisco9939@aol.com
Message-ID: <19990305164206.17319.00004078@ng110.aol.com>
Source record: 114937

Yep:

Still have a couple left....These are "Perfect" for the small UHF
Ham/Commerical
repeaters....Several Styles availible, some with BNC, Some with Type N, Some
with SO-239, all in "Excellent" shape, and have been sweep tested to insure
proper operation....I also can set them up on you freqs for a few bucks extra.
These are the (6) cavity types

Asking $195.00+$8.00 for shipping and handling

Terms:

Acceptable PrePayment in the form of a Postal Money order or other mutual
piror arrangements.

I can Also supply some RG-142B/U teflon cable...Makes excellent cables for
attaching Duplexer to Radios.....

Monty

3100. WTB: HF + 6

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Scott <diverscott@my-dejanews.com>
Message-ID: <7bpmvchjc1@nnrp1.dejanews.com>
Source record: 114938

Looking for a HF+6 all mode for first HF rig.

srummings@hotmail.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3101. Re: Telrex Antenna's ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Edgar Brown <yungthor@gte.net>
Message-ID: <7bpjf0app1@news-2.news.gte.net>
Source record: 114939

DHallr <dhallr@aol.com> wrote in message
news:19990304125753.10297.00002556@ng-cf1.aol.com...
>Is Telrex still in business? NO
If you need a balun try DKP Designs at email address dkp8@aol.com

3102. Re: Anyone have out of band tx mod for Yaesu FT-8500?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Jarrod Boehme <jboehme@pdq.net>
Message-ID: <ZPYD2.64$Il3.876@news12.ispnews.com>
Source record: 114940
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

How about opening the case of your 8500, and looking for the small green wire close to or on the back of the face plate. Cut or desolder it then reset your radio with wide receive option. For a detailed procedure got to www.qrz.com and check out their mods section. The 8500 is listed there along with many others.

Evan Platt wrote in message <36e0ff0a.7015436@news.ncal.verio.com>...
>I found the mod, thanks.
>
>
>On Tue, 2 Mar 1999 23:18:33 -0800, "Sam Taylor" <cygnet@cncnet.com>
>wrote:
>
>>Sam Taylor writes,
>>Yaesu will supply this with proof of your amatuer
>>Status and Mars Certificate or a letter from your
>>Chief of Fire Police Department or base Commander
>>its a lot simpiler than you might think
>To reply via e-mail, please use eplatt at wco period
>com. Sorry, but this is the only way to despam my
>address.

3103. Final call for bids. HP 1631D going for $600

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: joe@widind.com
Message-ID: <7bpmsd$4th$1@news.jump.net>
Source record: 114941
Cross-posted to:
misc.industry.electronics.marketplace,sci.electronics.equipment,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.repair

A HP 1631D 43 channel logic analyzer and 50 MHz DSO combination is
being sold to the highest bid. Complete with manual, pods,and leadsets.

This HP 1631D has been declared Declared "going once" as of March 5.
Bidding will close at midnight March 12 unless extended by a higher bid in
the final 48 hours.

For details see:

http://www.widind.com/auctions/hpgear.htm

--
Thanks and Best Regards
Joe Westenhaver W4FEC joe@widind.com
http://www.widind.com/
http://www.widind.com/auctions/

3104. Re: WTB: Heathkit SB-300 AM Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: frederick.mckenzie-1@kmail.ksc.nasa.gov
Message-ID: <frederick.mckenzie-1-0503991749030001@k4dii.ksc.nasa.gov>
Source record: 114942
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

In article <MPG.1149df2ed931418f9896a3@news.onramp.net>, adam@onramp.net
(Adam Adkins) wrote:
> Good day, everyone. I am looking for the AM filter for a SB-300 I
> am currently restoring to its former glory. The part number is 404-201
> or 404-M201-P22.

Adam-

From an old posting:

Newsgroups: sci.electronics.repair
Subject: Heath Company
From: darnold@richmond.infi.neet (Donald B. Arnold)
Date: Wed, 1 Mar 1995 02:03:27

Heath maintains a parts department at (616) 925-6000

From another old posting:

Newsgroups: rec.radio.amateur.homebrew
Subject: Re: What happened to Heath.
From: greg9@aol.com (Greg9)
Date: 20 Mar 1995 23:35:27 -0500

Heath Replacement Parts
455 Riverview Drive
Benton Harbor, MI 49022

I don't know if this information is still current, but is worth a shot.

73, Fred, K4DII

3105. Final call for Bids...TEK 1503C $3000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: joe@widind.com
Message-ID: <7bpoi6$5bo$1@news.jump.net>
Source record: 114943
Cross-posted to:
rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.repair,misc.industry.electronics.marketplace,sci.electronics.equipment

A TEK 1503C metalic time domain reflectometer
being sold to the highest bid. Complete with manuals, chart recorder and
RS 232 adapter and software. This unit is a current Tek product and sells for
$7670 in this configuration. The present high bid is $3000.

This TEK 1503C has been declared Declared "going once" as of March 5.
Bidding will close at midnight March 12 unless extended by a higher bid in
the final 48 hours.

For details see:

http://www.widind.com/auctions/hpgear.htm
--
Thanks and Best Regards
Joe Westenhaver W4FEC joe@widind.com
http://www.widind.com/
http://www.widind.com/auctions/

3106. FS: ICOM R-8500 MINT!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: "T.E. Riemer" <TERiemer@WorldNet.ATT.Net>
Message-ID: <7bpnu4$d73@bgtnsc03.worldnet.att.net>
Source record: 114944
Cross-posted to: rec.radio.shortwave,rec.radio.scanner,rec.radio.amateur.dx,rec.radio.amateur.equipment

ICOM R-8500 Wide band Receiver/Scanner.

Absolutely MINT, No Scratches, Dents, etc.

6 Months old.

With all original packing material (Box, Foam Inserts, Owner's Manual, and Warranty Card).

For Sale: $1000.00 plus shipping costs.

Please contact: TERiemer@WorldNet.ATT.Net

3107. HAMFEST March 7, 1999 - Lindenhurst, LI

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: W2GSB <info@gsbarc.org>
Message-ID: <jPZD2.8231$ur5.22721130@news.optonline.net>
Source record: 114945

HAMFEST March 7, 1999 - Lindenhurst, LI

GREAT SOUTH BAY AMATEUR RADIO CLUB & SUFFOLK COUNTY RADIO CLUB
ARRL APPROVED LONG ISLAND HAMFEST - MARCH 7, 1999

On March 7, 1999 the Great South Bay Amateur Radio Club & Suffolk County Radio Club will again sponsor an indoor Hamfest. The location will be at the:

Knights of Columbus
400 South Broadway
Lindenhurst, Long Island, NY

There will be radio equipment, electronic componets, computers and access-ories, softeware, books, technical manulas, ARRL information, Amateur Radio License Exams, Door Prizes. General admission is $6.00.
Free Admission for spouses and children under 12.

VE - ARRL - 12:00 NOON
For exam candidates please remember to bring your original FCC Amateur Radio license (if licensed), any C.S.C.E. forms that are pending, plus a photocopy of each, pens, calculator, formal form of ID (preferably photo ID), and the examination fee, to the exam session. 1999 ARRL/VEC fee is $ 6.45, exact change is appreciated. Novice exams are free.
The VE team is from ISLIP ARES Group and GSBARC. Thanks guys.

PLEASE NOTE: The VE session will be held at the Babylon Town Town EOC.
200 E Sunrise HWY, North Lindenhurst, NY.

For vendor and additional information pleas contact, Peter Portanova WB2OQQ at(516)541-4886. Email info@gsbarc.org

Talk-in will be via W2GSB Repeater on 146.685 4Z(136.5) PL.

Food Service during the Hamfest will be provided by members of the Knights of Columbus Council.

Information is also available during the GSBARC 2 meter info net every Monday evening at 7:00 pm on the W2GSB repeater, 146.685 -600 4Z(136.5) PL required. You may also write to:

HAMFEST 0399
P.O. Box 1356
West Babylon, NY 11704

Email: info@gsbarc.org

Visit GSBARC online at http://www.gsbarc.org/hamfest.htm or
SCRC at http://www.members.tripod.com/~parasca/index/scrc.html

NEXT HAMFEST - Ocotber 24, 1999
Y2K HAMFEST - March 5, 2000 and October 29, 2000

73,
GSBARC & SCRC

3108. Icom 725 front - $28 shipped!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7bpqp1$g6r@dfw-ixnews5.ix.netcom.com>
Source record: 114946

New front, Icom 725 $28 shipped
Frank KG9H

3109. Yaesu FT-757 front -$28

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7bpqqm$g84@dfw-ixnews5.ix.netcom.com>
Source record: 114947

New front, Yaesu FT-757 old version $28 shipped
Frank KG9H

3110. Kenwood TS-440 front $28

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7bpqtj$ga0@dfw-ixnews5.ix.netcom.com>
Source record: 114948

```
New front, Kenwood TS-440 $28 shipped
Frank KG9H
```

3111. Kenwood TS-120 front - $28 shipped

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7bpqsl$g98@dfw-ixnews5.ix.netcom.com>
Source record: 114949

```
New front, Kenwood TS-120 $28 shipped
Frank KG9H
```

3112. Re: EIMAC 4-1000'S LOW HOURS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Jim Heath <jimheath@foothill.net>
Message-ID: <7bps60$j3s$1@ns2.foothill.net>
Source record: 114950
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Hi,

Where are you? I use that tube in my amplifier.

73, Jim KB6SX

Marc wrote in message <01be660e$59fa3e20$cf841ad0@blusky>...
>I have 5, Eimac 4-1000's with very low hours. These tubes show no ion burns
>at all on glass, i.e. very clean, 3 come with finned plate caps. $100 ea or
>best offer.
>

3113. FS: Used Sweep Tubes (Tested)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: oldradio@webtv.net
Message-ID: <24894-36E06C59-84@newsd-243.iap.bryant.webtv.net>
Source record: 114951

Hello,

I have the following tested tubes for sale. All tested strong.

2) 6KD6 $14.00 each
2) 6HF5 $ 5.00 each
1) 6LR6 $14.00 each
1) 6JE6C $18.00 each

Also have a GL-5894 General Electric (un-tested). Make offer.

Shipping will be actual US postage cost. Please e-mail direct if interested.

Regards,

Kelly S. Molles

www.angelfire.com/ca2/tubesandradios

3114. IC-T8a mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: MindSpring User <dcwilkin@mindspring.com>
Message-ID: <7bpt64$s8i$1@camel25.mindspring.com>
Source record: 114952

Can anyone please post the keypad combination for the extend receive mod for the Icom T-8a

Thanx
Dave Wilkin KF4WVB

3115. EMI

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Myron Steir <msteir@ezs.net>
Message-ID: <36E09793.83028233@ezs.net>
Source record: 114953

This may be a little off topic, but has anyone had success eliminating electromagnetic interference entering an am radio through the loop antenna?

The interference is being generated by a photoelectric light switch that's in series with the bulb socket that operates a light over the garage door. You know, on at night, off at daylight.

If I must, I can eliminate the device but it's convenient, so I'd rather

not. I tried winding some of the 6 feet of antenna lead around a toroid

donut to try and choke it off, but it didn't work. Any suggestions besides changing to gaslight <grin>?

Myron
W2EDY

3116. Re: fs yaesu ft-8100r

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Alan Bethel <ke6qis@northcoast.com>
Message-ID: <7bq7ss$1nb$1@remarQ.com>
Source record: 114954

its's sold!!!!!! 73's alan

Alan Bethel wrote in message <7b9kgr$qq0$1@remarQ.com>...
> hi the name here is alan and i have a 8100r db mobile for sale.

3117. Re: Wanted: RX mod for Kenwood V7A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: sjslavik@citilink.com
Message-ID: <36e1ce6a.1928781@news.citilink.com>
Source record: 114987

On Wed, 03 Mar 1999 21:38:01 +0100, Ingra-Beton@t-online.de (Vlaski Goran) wrote:

>Noel Vandenbroucke schrieb:
>>
>> remove on controlboard :
>> resistor numbered 546 ,549 and 551 .
>> succes .
>
>I have completly disassembled my TM-V7, where the hell are
>these resistors, can you give a more precise description.
>
>Thanks.

http://home1.inet.tele.dk/ehh/mods/radio.htm

3118. Re: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7bn7tbdcm1@nnrp1.dejanews.com>
Source record: 114988

In article <7bmt2k$kvt@dfw-ixnews9.ix.netcom.com>,
kc5egg@ix.netcom.com(Gerald Schmitt) wrote:

gerald - every time I needed to contact RT Systems with a tech support question and used their toll-free line, I was assisted.

Maybe I communicate differently than you do with them...I dunno. I certainly behave much more calmly and intelligently that you're displaying in public here.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3119. Re: Code Tutors

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: zmola@campbellsci.com
Message-ID: <36df25e2.1237819@192.168.2.19>
Source record: 114989

On Thu, 04 Mar 1999 12:48:46 -0500, Harry <WA4OFS@iag.net> wrote:

>TRY CODE QWIK FEW LOCALS TRYED THIS SYSTEM AND PASSED GENERAL WITH ROOM TO
>SPARE,NOT AFFILIATED WITH THESE PEOPLE . HARRY
>
>Gerry Ortoli wrote:
>
>> Does anyone have any experience with the available code tutors, such as the
>> MFJ series (413, 417, 418)? I've struggled for some time to learn CW &
>> just can't quite seem to get it. I've tried some of the tapes (poor) &
>> software (better). I'm thinking that maybe if I get something like the
>> MFJ-418 I'll just keep the darn thing with me at all times & maybe that'll
>> help! Any comments appreciated.
>>

No code to passing 13wpm in 1 month. My personal testimonial.
http://www.cq2k.com
I only copy solid at 7-10 wpm but that is enought to pass the test.

My wife squeeked by the 5wpm just by listening when I was practicing.

It takes 30 min a day, but at 4 letters per day you get to 5wpm in
about a week. It's a little silly but it works.

3120. Re: Telrex Antenna's ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: k4sqr@aol.com
Message-ID: <19990304203654.04274.00003435@ng15.aol.com>
Source record: 114990

>Dave KA1W
Sri ; they have been out of business 4-5 years.
The "son" ran it into the ground from all I have talked with about it.

Sri.-GL on used antenna for parts.
Jim, K4SQR

3121. FS FTS17A Yeasu tone board

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: summitrt@aol.com
Message-ID: <19990304204020.19884.00001875@ng60.aol.com>
Source record: 114991

New in the box tone board for Yeasu radios. CTCSS decode. $30.

3122. neebie question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: richard@nospam.com
Message-ID: <36df397c.9868510@172.16.1.166>
Source record: 114992
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur

Neebie question

I am buying my first mobile and am choosing between these three.
Which radio would you pick and why?

ICOM IC-2100H
YAESU FT-2500M
ADI AR-146

Any info is very appreciated.

THANKS!!!!!!!!!!!!!

Richard

3123. Re: VX-5R question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: jetbell@aol.com
Message-ID: <19990304212949.00970.00003140@ng-fc1.aol.com>
Source record: 114993

All types of great information on the listone group. I must get 15 emails a day about the vx-5r.

Good luck

Larry

3124. Re: neebie question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: jdouglas@timewave.com
Message-ID: <7bnfn3$6bp$1@news.minn.net>
Source record: 114994
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur

In article <36df397c.9868510@172.16.1.166>, richard@nospam.com wrote:
>Neebie question
>
>I am buying my first mobile and am choosing between these three.
>Which radio would you pick and why?
>
>ICOM IC-2100H
>YAESU FT-2500M
>ADI AR-146
>
>Any info is very appreciated.
>
>THANKS!!!!!!!!!!!!!
>
>Richard

Hello Richard:

I would rank the choices:

1) Yaesu FT-2500
2) Icom IC-2100H
3) ADI AR-146

The FT-2500 is the most rugged of the 3 and handles intermod very well. The ICOM is not far behind, I guess I would get the radio that has the best price of the 2.

The ADI-AR-146 is a clone of an older Kenwood 241 and should be the cheapest by far. If budget is important, start with this one. You can always usd it for packet later when you get a dual mode 2m/44 rig.

Hope this helps

73

John Douglas
N0ISL/UA4LIS/UB5WJD
Timewave Technology
http://www.timewave.com

3125. Re: neebie question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: richard@nospam.com
Message-ID: <36df43fd.12557867@172.16.1.166>
Source record: 114995
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur

Thank you very much for the reply. The ICOM and the YAESU are the
same price, so it looks like the ICOM.

Thanks again.

On Fri, 05 Mar 1999 01:30:47 GMT, jdouglas@timewave.com (John Douglas)
wrote:

>In article <36df397c.9868510@172.16.1.166>, richard@nospam.com wrote:
>>Neebie question
>>
>>I am buying my first mobile and am choosing between these three.
>>Which radio would you pick and why?
>>
>>ICOM IC-2100H
>>YAESU FT-2500M
>>ADI AR-146
>>
>>Any info is very appreciated.
>>
>>THANKS!!!!!!!!!!!!!
>>
>>Richard
>
>Hello Richard:
>
>I would rank the choices:
>
>1) Yaesu FT-2500
>2) Icom IC-2100H
>3) ADI AR-146
>
>The FT-2500 is the most rugged of the 3 and handles intermod very well. The
>ICOM is not far behind, I guess I would get the radio that has the best price
>of the 2.
>
>The ADI-AR-146 is a clone of an older Kenwood 241 and should be the cheapest
>by far. If budget is important, start with this one. You can always usd it for
>packet later when you get a dual mode 2m/44 rig.
>
>Hope this helps
>
>73
>

>John Douglas
>N0ISL/UA4LIS/UB5WJD
>Timewave Technology
>http://www.timewave.com

3126. Re: Tempo One

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: winjones@ix.netcom.com
Message-ID: <7bnggk$o2p@dfw-ixnews4.ix.netcom.com>
Source record: 114996

Ten-Tec only made one tube radio in its history. It was the TX-100, which was a tube-type novice transmitter made in the early 70's. It used a single 6146 output tube, I think. It had a matching solid state direct convesion receiver, the RX-10. I once owned the pair and sold them cheap. There were very few made and they now bring a premium price from die-hard Ten-Tec collectors.

73, Winston

In <36dd7165.0@206.102.184.13> "Mike Guest" <mguest@clandjop.com> writes:
>
>I had a new one in 1974. They were made by Yaesu.
>If you peeled the Tempo sticker off of the front, it will say yaesu 2000.
>As far as I know, Ten Tec never made any tube-type radios.
>Mike
>Ted Onyshczak wrote in message <7bckk6$j7k$1@nw003t.infi.net>...
>>Anybody with experience on Tempo One? Is this a Ten Tec product from
>>the 70's?
>>
>>de Ted
>>
>>
>
>

3127. WTB ===> MFJ-418 or 417 Morse Code Pocket Tutor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: tethomas1@aol.com
Message-ID: <19990304220926.12874.00003323@ng-fi1.aol.com>
Source record: 114997

Hello
I am looking for a MFJ-418 or 417 Morse Pocket Tutor MFJ-418 or 417 Morse Pocket Tutor in very good to mint condition.

Send your best price to: tethomas1@aol.com

Thanks
Ted

3128. FS: Kenwood MC-60 desk microphone.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Michel Morin <morinm@csdgs.qc.ca>
Message-ID: <YbID2.1355$_n2.32127@carnaval.risq.qc.ca>
Source record: 114998

Excellent condition MC-60 desk microphone. Fits any Kenwood HF rig. Has an internal preamp. Asking $100. U.S. shipping and insurance included. Inquire by email if interested.

73 de VE2CJW
Michel Morin
Quebec, Canada.

3129. FS: JPS NIR-10 DSP.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Michel Morin <morinm@csdgs.qc.ca>
Message-ID: <peID2.1357$_n2.32279@carnaval.risq.qc.ca>
Source record: 114999

NIR-10 in excellent condition with manuals, cables and versions 3 and 4 of
the firmware. Asking $100. U.S. which includes shipping and insurance.
Inquire by email if interested

73 de VE2CJW
Michel Morin
.

3130. IC-micro 4E Repeater offset ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Adam Maurer <vk3alm@ozemail.com.au>
Message-ID: <01be66b7$271ccdc0$48eb6ccb@adam>
Source record: 115000

Howdy.

How on earth do you change the repeater offset in an
Icom IC-u4E 70cm handheld???

The version I have is 7.6MHz and not particularly useful over here!
(VK has a 5.0MHz offset)

I have tried holding the lamp button down whilst fiddling with the
UP/DN switch (as per IC-u2) to no avail. Is then a bridgepad inside
or something to change this?? I have no manual, hence my request here.

HELP ! ! ! ! ! !
Pleas e-mail; vk3alm@ozemail.com.au

Adam
VK3ALM/4

3131. FS: Kenwood TS-850SAT.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Michel Morin <morinm@csdgs.qc.ca>
Message-ID: <8xJD2.1475$_n2.34843@carnaval.risq.qc.ca>
Source record: 115001

Excellent condition Kenwood TS-850SAT HF transceiver with a serial number in the 40 millions. Comes with all manuals, hand microphone and power cable. Includes a Kenwood YG-455S-1 high quality SSB 1.7 khz crystal filter. Asking $1000. U.S.

Also Kenwood MC-60 desk MIcrophone excellent condition $100. U.S.
Also JPS NIR-10 DSP with cables, manual and version 3 and 4 firmware. $100. U.S

All prices include shipping and insurance. Inquiries by email.

73 de VE2CJW
Michel Morin
Quebec, Canada..

3132. YAESU FT-990AC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: cslc82@email.mot.com
Message-ID: <36df69d0.1247333@netnews.worldnet.att.net>
Source record: 115002

YAESU FT-990AC FOR SALE

Yaesu FT-990AC, includes

AC power supply
automatic tuner
optional 2.0 khz SSB filter
operator's manual
service manual (notebook)

Looks and works great.

$1200 + freight from Kansas City area.

Digital pix available on request.

Dan
K0DAN

3133. collins gear used for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: dsebahar@aol.com
Message-ID: <19990305003141.26586.00003374@ng152.aol.com>
Source record: 115003

75s1
32s1
30L1 , power supply , station con. speaker
for sale

3134. Re: Forget Y2K - Hackers Like This Are Far More Serious!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: "Michael J. Kiraly" <mjk@ameritech.net>
Message-ID: <PKKD2.6495$oq2.1289788@nntp0.chicago.il.ameritech.net>
Source record: 115004
Cross-posted to: alt.fan.rush-limbaugh,alt.law-enforcement,alt.politics.usa,alt.politics.usa.congress,alt.rush-limbaugh,rec.radio.amateur.equipment,talk.politics,talk.politics.guns,talk.politics.misc

Dean, Greg wrote:
>
> :i think alot of people are making as much as they can now, because they are
> :going to have to find some other way to make money in 9 more months...
>
> Always follow the money.
> And Y2K has made a pile of money for computer manufacturers,
> for programmers and others in the industry. Hope we all have
> jobs after 2001.

Don't worry: You'll probably find Y2K's impact on whether
people "want fries with that" to be practically negligible, Greg.

3135. FS: AOR 7030 with Extras

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: "Benjamin A. Wallace" <bwallace@sd.cts.com>
Message-ID: <01be66d0$d8cd0c60$3506a3cd@bwallace.cts.com>
Source record: 115005

For Sale AOR7030 (not +) but almost the same. Has the CPU 400 memory upgrade and alphanumeric tag upgrade plus the Noise Blanker and auto/manual notch filter upgrade. Also includes the remote control, box, docs. This radio is absolutely excellent operational and cosmetic condition. The AM sync and auto sync is awesome.
$825 shipped CONUS

3136. Re: Code Tutors

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Gerry Ortoli <ortiac@ibm.net>
Message-ID: <01be66e3$7dfe9c00$b3dd6420@Gerry.nsc.com>
Source record: 115006

Thanks to everyone who responded here & directly.

I'm overwhelmed by the number of responses, & really, really appreciate the encouragement.

Many thanks!

Gerry
KE4ZDY

3137. Re: New wide-band antenna!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: "Rich Wells, N2MCA" <n2mca@strongsignals.net>
Message-ID: <36DFC5C9.81DC3B84@strongsignals.net>
Source record: 115007
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner

Al-Varus :-{ wrote:
> If is possible can you give me, more details about Diamond RH77CA wide-band
> antenna, please??

See http://www.rfparts.com/diamond/hand.html

Strong Signals,
Rich Wells N2MCA
http://www.strongsignals.net/

3138. Re: HELP: Do I need a duplexer...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: "CHRISTOPHER W. (Chris) BOONE" <Cboone@Earthlink.Net>
Message-ID: <36E072DC.805924AC@Earthlink.Net>
Source record: 115008
Cross-posted to:
alt.ham-radio,alt.ham-radio.nocode,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

If you are running split site (which I assume you are?) and
will not be using duplexers to keep the TX out of the RXs..
then you can easily tie the 2 TXs together by using a LP
filter for the 6mtr side with a cutoff of say 70MHz and a HP
filter for 2 with a cutoff of say 140 MHz....the COMET or
DIAMOND diplexers for crossband operation will work just
fine for this...or you CAN easily homebrew...
BTW a DUPLEXER allows you to operate DUPLEX (TX and RX)...a
DIPLEXER allows you to feed multiple TXs into the same feedline.
A CROSSBAND coupler (also called diplexer) allows different
freq band TXs OR RXs to share one feedline......

73
Chris
WB5ITT

"Christopher Zeman, KB9RHA" wrote:
>
> I have two transmitters, one on 6 meters and one on 2 meters, for my
> repeater under construction. I will be using a dual-band repeater antenna
> and need to find out if I need a transmitter combiner or would a duplexer,
> such as the kind used with multi-band transceivers, work?
>
> Thank you,
> Christopher Zeman, KB9RHA
> zman@iwc.net

3139. Re: FS: Kenwood SP31 Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: rmay442@aol.com
Message-ID: <19990305074434.06312.00004085@ng122.aol.com>
Source record: 115009

Will you take $65 for your sp-31?

3140. Amplifier Help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Oris <oris@dirtball.com>
Message-ID: <36DFD8B4.1A8D@dirtball.com>
Source record: 115010

Hello
I'm repairing a Cliperton L. I have replaced the rear waffer on the band switch. The band switch in a SB 220 will work less 10 meters. I was thinking about a seprate switch to do 10. Well thats not important now. I want to fix the parasidic chokes comeing of the plates of the tubes. The dentron schmatic calls for 100 ohm 2 watt resistors in that circuit. I was wondering being I cann't find any more of the 2 watt 100 ohm carbon resistors if I could use 2 1 watt 200 ohm resistors in its place. After I figure out what to here this amplifier will be finished and ready to go back on the air.
thanks for reading
73 from Oris

3141. Re: Best price for FT-847 - where ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Paul Knight <paul.knight@prairiecomm.com>
Message-ID: <7bomptfle1@eve.enteract.com>
Source record: 115011

I just contacted them on this, and received this reply:

> Yes, we have Yaes FT-847 in stock. The price is 157,000JPY. However,
> this one is for use in Japan only, because the band differenciates.
> The shipping cost is 13,500JPY, and the total price is 170,500JPY.

Using todays exchange rate, that worked out to about $1415 shipped.

http://vtzone.ado.co.jp/home.html

You won't see any ham gear; I sent an email direct to their sales
department to inquire.

Hope that helps -

Paul WD8DKY
paul.knight@prairiecomm.com

Ray Sirois wrote in message <8UDD2.1848$Pq.6967@newsfeed.slurp.net>...
>Telephone number and web page?????
>
>Tnx 73
>
>In article <19990303080028.14572.00002599@ng-fb1.aol.com>,
dlr18sh@aol.com
>says...
>>
>>You can buy it in Japan for $1250 (does not include the free Tuner). I
ordered
>>one from a
>>Store called the T-Zone licated in the Akihabara. All English Speaking
>Salesman
>>
>>and Used my Platinum MasterCard (2 Year Warranty) plus shipping $35.
Very
>Happy
>>with the service. Hey If you Order from HRO
>>or AES and the unit breaks after 10 days they say to send it to
>>Icom/Kenwood/Yaesu and will not exchange it anyway. Why deal with them
if they
>>won't back up the product. I got a 30 day NO QUESTIONS ASKED return
policy
>from
>>the T-ZONE.
>> Tim
>

3142. Re: Astron RS35M STARTING TO "BUZZ"..help?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Dan <n7wpd@xxmission.com>
Message-ID: <7bon5c$22i$1@news.xmission.com>
Source record: 115012

Typical for Astron. Tightening the screws did help.
I put a small piece of foam underneath mine to keep it quiet.

Dan / N7WPD

Tim Randa <randas@mindspring.com> wrote in message
news:7bbopagur1@camel15.mindspring.com...
>Look at the mounting of the transformer..Astron is known for this noise.
>Some guys have had to rubber mount the transformer to get rid of the
>noise(of course make sure to reconnect some sort of "good" ground, but
>usually just a good twist of a screw driver will take care of most of the
>noise..also putting the supply on a towel will cut the vibration noise some
>what.
>
>Good Luck de Tim K0FL
>
>
>AB7RU wrote in message ...
>>My Astron RS35M is starting to make a buzzing or vibrating sound when I
>>draw more than a minimum amount of current through it..voltage remains
>>stable, it just makes this "vibration-sound" which gets louder as I
>>increase the load on it. I suspect the bridge rectifier maybe about
>>shot but I wonder if anyone else has had a similiar problem with
>>theirs?
>>Thanks...Mike
>
>

3143. Re: Best price for FT-847 - where ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: ignacy@num.ads.uga.edu
Message-ID: <36dff50d3vtanpl$mr2ice@news.uga.edu>
Source record: 115013

>Using todays exchange rate, that worked out to about $1415 shipped.

Does one pay any customs?

Ignacy, NO9E

3144. Re: What are these heathkits??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Glenn <aa5pk@juno.com>
Message-ID: <7bopqp$5h9@bgtnsc01.worldnet.att.net>
Source record: 115014
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

>The price of $70 each is good, especially if the speaker and power supply
for the >transmitter is included.

I agree the price is good and great if the speaker is included, but the
SB-401 had
a built-in AC power supply (mine did, anyway).

Glenn AA5PK

3145. Re: New wide-band antenna!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Voodoo@somwhere.com
Message-ID: <7bop93$1pt$1@pthp35.telecom.pt>
Source record: 115015
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner

In article <36DFC5C9.81DC3B84@strongsignals.net>, n2mca@strongsignals.net says...
>

>See http://www.rfparts.com/diamond/hand.html
>
>Strong Signals,
>Rich Wells N2MCA
>http://www.strongsignals.net/

>>>>>>>>> Many thanks for the info !!!!!!!!! :-)))))))))))))
My best 73" for you and your's !!!!!!!

From :
Ivaro Rocha
CT01264/SWL
Porto
Portugal
--
AL-VARUS :-{)
" SI DEVS PRO NOBIS, QVI CONTRA NOS "
ICQ#15161256

3146. Re: What are these heathkits??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: k5dh@rtis.ray.com
Message-ID: <7boqch$6sj@news.rsc.raytheon.com>
Source record: 115016
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

In article <36DF57F3.7249@ix.netcom.com>, wa6gsd@ix.netcom.com says...
>
>A friend has a chance to buy a Heath SB-300 and SB-401 for $70
>each.. What are these radios, and what is a fair price for them
>assuming average condition??

SB-300 is receiver, SB-401 is transmitter. Even for complete
parts units, $70 is a good price!

73,
Dean / K5DH

3147. Help making PC cable for a Icom

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: kg4bia@aol.comdmx
Message-ID: <19990305104142.13531.00005745@ng-ch1.aol.com>
Source record: 115017

Hi All,

Has anyone fabricated the cable that connects the W32A to the PC to program the radio or does anyone have the diagram for the pin outs? Thanks in advance.

Mark Goods
KG4BIA@aol.com
goods@vaxrb.niehs.nih.gov

3148. FS: Yaesu FT-840 in the box, low hours

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <36DFFB77.FCD83FD6@ix.netcom.com>
Source record: 115018
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Yaesu FT-840 in the box with mike, manual and packing material
included. Very low hours, cosmetically fine and working well.
No extra filters. Mike still in original box.
I can find one very light (no metal showing) paint ding
about an inch long on the bottom cover. May rub out.
Otherwise the finish is in "new" condition.
I've checked it and returned the unit to factory default settings.

$650 plus your choice of shipping from 78728.

Pre-payment requested,
multiple positive references available on request.

TNX ES 73 DE Dave Stinson AB5S
arc5@ix.netcom.com

3149. Re: Anyone have out of band tx mod for Yaesu FT-8500?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: seebody@toreply.com
Message-ID: <36e0ff0a.7015436@news.ncal.verio.com>
Source record: 115019
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

I found the mod, thanks.

On Tue, 2 Mar 1999 23:18:33 -0800, "Sam Taylor" <cygnet@cncnet.com>
wrote:

>Sam Taylor writes,
>Yaesu will supply this with proof of your amatuer
>Status and Mars Certificate or a letter from your
>Chief of Fire Police Department or base Commander
>its a lot simpiler than you might think
To reply via e-mail, please use eplatt at wco period
com. Sorry, but this is the only way to despam my
address.

3150. Re: New wide-band antenna!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Reg Edwards <G4fgq.Regp@btinternet.com>
Message-ID: <01be6766$07af32c0$683a63c3@default>
Source record: 115020
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner

Not another ? Is there no end ?

Reg.

3151. Re: collins gear used for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: Al Dolgosh <al.dolgosh@hamradio.org>
Message-ID: <36E006AC.7B434ED@hamradio.org>
Source record: 115021

How much?

DSebahar wrote:

> 75s1
> 32s1
> 30L1 , power supply , station con. speaker
> for sale

3152. WTB Crystals for HW202

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-05 00:00:00 UTC
From: William Erhardt <erhardt@mt.net>
Message-ID: <BKTD2.2545$qu6.1585661@news2.randori.com>
Source record: 115022

I need transmit and receive crystals 144.390 for a HW-202 to use for APRS on a mountain top here in Helena, Montana. Does anyone have these crystals.

Bill KA7YAO

3153. Kenwood TS 570D $850

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: PAW <73457.650@CompuServe.COM>
Message-ID: <uRInUPBa#GA.359@nih2naad.prod2.compuserve.com>
Source record: 114823
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

Kenwood TS 570D $850 & Shipping. Pic on Site.

--
PAW
(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
http://ourworld.compuserve.com/homepages/w9jmn

3154. Need Yaesu FT-10 mod for extended receive

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: "Michael J. White" <mike.white@erols.com>
Message-ID: <7bs6f5$161$1@winter.news.rcn.net>
Source record: 114824

I have an FT-10 and like it a lot. Is there a mod to open up the receive a bit? I don't care about out-of-band xmit, but I'd like to be able to get NOAA wx radio at 162 MHz. Any help? Please email. Thanks.

Mike, N4PDY
mike.white@erols.com

3155. Re: FS tower and HF quad

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Don or Darla Arnold <DArnold@datasync.com>
Message-ID: <36E1A369.AB047FAF@datasync.com>
Source record: 114825

Is tower still avail,
do i take it down
how large is biggest piece
and where in se louisianna are you located

thunderduck@hotmail.com wrote:

> 72 ft tower and 2 ele quad ant and tower are
> down for 350.00 will sell just tower or beam me e-mail
> asc2721@ibm.net. tnx aaron
> located in SE Louisiana

--
OUR WEB PAGE UPDATED 01 JAN 99
http://www.geocities.com/Heartland/Valley/6430 Darla and Don's Website
http://hattiesburg.net/columns/darnold.shtml My online column

DARLA (dawn) ICQ# 7341931
Don (weathernut) ICQ# 14664294

Never argue with an idiot. He'll drag you down to his level,
then beat you with experience.

3156. Re: FS tower and HF quad

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Don or Darla Arnold <DArnold@datasync.com>
Message-ID: <36E1A397.AF3A851F@datasync.com>
Source record: 114826

ALSO is it a guyed town or selfsupportting
don

thunderduck@hotmail.com wrote:

> 72 ft tower and 2 ele quad ant and tower are
> down for 350.00 will sell just tower or beam me e-mail
> asc2721@ibm.net. tnx aaron
> located in SE Louisiana

--
OUR WEB PAGE UPDATED 01 JAN 99
http://www.geocities.com/Heartland/Valley/6430 Darla and Don's Website
http://hattiesburg.net/columns/darnold.shtml My online column

DARLA (dawn) ICQ# 7341931
Don (weathernut) ICQ# 14664294

Never argue with an idiot. He'll drag you down to his level,
then beat you with experience.

3157. Re: Icom 02AT HT Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Don or Darla Arnold <DArnold@datasync.com>
Message-ID: <36E1A45C.37B01553@datasync.com>
Source record: 114827

NO that is not a normal prob..all 10 memerios should work
don
kb5fhx

Walter Wickersham wrote:

> I have recently bought a Icom 02AT, with no documentation :(.. It
> seems
> that the first 6 memories will not store a tone or offset, as if ment
> for
> simplex, however the last 4 (7-0) work perfectly..... Is this normal?
>
> Walter
> waffle@oz.net
> kd7aur

--
OUR WEB PAGE UPDATED 01 JAN 99
http://www.geocities.com/Heartland/Valley/6430 Darla and Don's Website
http://hattiesburg.net/columns/darnold.shtml My online column

DARLA (dawn) ICQ# 7341931
Don (weathernut) ICQ# 14664294

Never argue with an idiot. He'll drag you down to his level,
then beat you with experience.

3158. FS: TR-9130 All Mode +++

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Tom Repstad <kb1cga@starc.org>
Message-ID: <36E1A699.1BB07F87@starc.org>
Source record: 114828
Cross-posted to: rec.radio.swap,rec.radio.amateur.swap,rec.radio.amateur.equipment

Kenwood TR-9130 2M All mode w/mobile bracket (no manual)... cosmetic condition an "8" (some scratches on case but front panel very good.), but works great. Have brand new Communications Specialist CTCSS tone encoder unit to go with it but have not installed it yet. Also has Kenwood Touch-Tone keypad mic. $235.00 for
both! (Just the 9130 $200, just the tone encoder $45).

--Tom
KB1CGA

3159. ALinco DR-510

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Don or Darla Arnold <DArnold@datasync.com>
Message-ID: <36E1A5FD.225CC1C7@datasync.com>
Source record: 114829

Just bought a alinco dr-510 at fest...any thing i should know about this
radio
its a dual bander 144/440

thanks in advance
don

--
OUR WEB PAGE UPDATED 01 JAN 99
http://www.geocities.com/Heartland/Valley/6430 Darla and Don's Website
http://hattiesburg.net/columns/darnold.shtml My online column

DARLA (dawn) ICQ# 7341931
Don (weathernut) ICQ# 14664294

Never argue with an idiot. He'll drag you down to his level,
then beat you with experience.

3160. FS:TH-22AT 2m HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Tom <tdirose@stny.lrun.com>
Message-ID: <flhE2.4238$ZF1.8264@newsr2.twcny.rr.com>
Source record: 114830

Hi,
I have a 144MHz. Kenwood TH-22AT 136.000MHz.-173.999MHz.
In box w/manual. 150.00 obo. If I ship, extra or/ pick-up ? 18 Mo.old.
Tom

3161. Re: ANT VS. AMP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <01be681f$dca183c0$ba8492d0@Bit-Net.bit-net.com>
Source record: 114831
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

> >It's an ancient subject but since KB5WZI brought it up ...
> >Whether to invest in (1) a better antenna, or (2) a more powerful final.
> >I favor the ANTENNA solution.
>
> Perhaps the answer should be both, with caution.
> ...
> Myself I have a 2 element 5-band Quad roof mounted at about
> $1000 + damage to roof. A used 500W solid state amplier cost $400.
> Both provide ability to works pileups in 1-20 min, and to be heard
> comfortably by other stations when conditions are reasonable.
> Ignacy, NO9E

Of course the problem is that the amp only works on the TX side, so you may become one of the "alligator" stations ... loud TX and lesser RX so you either step on weak-signal stations you cannot hear, or weak-signal DX is completely missed by you as you tune across the band.

The antenna is always the first device to maximize, IMHO, given the choice between antenna and amplifier. Once you have done the best you can with the antenna (not heroic measures, just an effort to minimize feedline and mismatch losses and to maximize gain, preferred pattern, and F-to-B) then it is time to consider amplifying your TX signal as well.

Before doing either I am assuming that some attention has been paid to acquiring a rig that is optimized for the sort of operational modes and circumstances you emphasize.

If you never listen to non-Ham stations then why buy a rig that has a compromised front end for continuous coverage?

If you never run HF digital modes you may find some older hybrid (part solid state and part tube) rigs have quieter and more sensitive RX front ends than many of the newer rigs (the TS-830S and TS-530S come to mind).

If you wish to operate on the busiest bands during the busiest times then you will want to acquire a rig with above-average filtering and a nice tight
front end (the JRC JST-245 comes to mind).

Audio and IF DSP filtering is also a consideration (IF DSP is always internal,
audio DSP may be internal or external (the Timewave 599zx and NIR-12 are external audio devices which approach the task very differently and are considered state-of-the-art, you will need to study the specs and ask users to determine which is best for you).

Your choice of microphone, and proper speaking angle and volume, can make
a huge difference in TX as can the proper adjustment of the rig ...
distortion
from overdriven audio causes QRM and a loss of intelligibility.

Just a few observations ... mostly gathered from advice I have received
from
elmers and other experienced experts ... your mileage may vary, etc.

73, DavidC K1YP

3162. Re: FS: TR-9130 All Mode +++

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: jcm1168@aol.comNOSPAM
Message-ID: <19990306172959.12867.00004310@ng-fi1.aol.com>
Source record: 114832

Tom,
How old is that rig? And what is the output.

John

Wavelength Radio
www.WavelengthRadio.com
To Email Remove NOSPAM
KD7EHQ

3163. Re: A Generic diode ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <36E1AD47.66C8446B@wenet.net>
Source record: 114833
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Hi,
You can use 1N4007, 1000V PIV, 1A for almost any power supplies. For signal diode, it is different, 1N4148 will do for silicon diode and 1N270/277 will do for germanium diodes.
de K6hm
Young

dalien wrote:

> Is there a single modern "generic" silicon diode which can replace all
> the early diodes used in Heathkit (and other) power supplies?

3164. Re: FS: Henry C130A30 VHF power amps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: radiobufff@aol.com.rfi.tvi
Message-ID: <19990306175005.07566.00004797@ng-fa1.aol.com>
Source record: 114834

Those are very nice amps, I have 2 and also one now for 6m

Radio in the Bufff
Co-Ed Naked Radio
Support your local Oscillator

Please remove<.rfi.tvi>

http://members.aol.com/radiobufff/index.html

3165. FS: Kenwood TS-570S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Robert Stuedemann <kf8ru@netonecom.net>
Message-ID: <36E1AD4F.56823D8F@netonecom.net>
Source record: 114835
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For Sale: Kenwood TS-570S HF + 6 meters. This radio is in Perfect Condition and has built in antenna tuner, keyer, DSP, and many more features. It comes complete with mic, manual. power cord and factory shipping boxes. $975

3166. HELP re. Atlas 180?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <01be6824$7d6c1820$ba8492d0@Bit-Net.bit-net.com>
Source record: 114836
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Anyone know of a reflector specific to the vintage
Atlas rigs?

I am acquiring an Atlas 180 and it is coming only with a
partial manual. I'd like to acquire a clean copy (or a scanned
copy) of the compete manual and schematic.

Mods, etc. would also be appreciated. This may be my
only rig for a few months and I'd like to maximize it.

Thanks! & 73,
~~~

\ ~ / .... DavidC K1YP@qsl.net
~~~

3167. HELP!: UHF/VHF range prediction

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Ted Grant <tedgrant@earthlink.net>
Message-ID: <36E1AC81.459D@earthlink.net>
Source record: 114837
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.antenna,rec.radio.amateur.equipment

I am looking for [economical] ways to predict path loss between a base / repeater and a mobile/handheld at UHF/VHF.

I'm interested in "local" propagation-- a few miles to tens of miles-- in cities with tall buildings and suburban areas with houses and trees. I want to *quantify* the effect of things like height of base & mobile antennas, and environment, having an HT antenna inside the car, etc, on received signal strength.

I'm hoping to find some rule-of-thumb guides, simple algorithms or low cost software. [I'm not really interested in DX propagation or multi-thousands of dollar cellular industry software].

Thanks in advance.

3168. Re: ANT VS. AMP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Bruce Petrarca <Bruce@ScubaPhoto.com>
Message-ID: <36E1B843.A8D34D84@ScubaPhoto.com>
Source record: 114838
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

Nicely put, David.

One additional idea - antenna height = gain.

Even on 20, the difference between being at 30 feet and 60 feet makes a bigger difference than doubling the weight and wind load of the antenna you put on the top!

DUCK - that should start some shooting!

--
Bruce Petrarca
http://www.QSL.net/kx0e
http://www.ScubaPhoto.com

DavidC wrote:

> > >It's an ancient subject but since KB5WZI brought it up ...
> > >Whether to invest in (1) a better antenna, or (2) a more powerful final.
> > >I favor the ANTENNA solution.
> >
> > Perhaps the answer should be both, with caution.
> > ...
> > Myself I have a 2 element 5-band Quad roof mounted at about
> > $1000 + damage to roof. A used 500W solid state amplier cost $400.
> > Both provide ability to works pileups in 1-20 min, and to be heard
> > comfortably by other stations when conditions are reasonable.
> > Ignacy, NO9E
>
> Of course the problem is that the amp only works on the TX side, so you
> may become one of the "alligator" stations ... loud TX and lesser RX so you
> either step on weak-signal stations you cannot hear, or weak-signal DX is
> completely missed by you as you tune across the band.
>
> The antenna is always the first device to maximize, IMHO, given the
> choice between antenna and amplifier. Once you have done the best
> you can with the antenna (not heroic measures, just an effort to minimize
> feedline and mismatch losses and to maximize gain, preferred pattern,
> and F-to-B) then it is time to consider amplifying your TX signal as well.
>
> Before doing either I am assuming that some attention has been paid
> to acquiring a rig that is optimized for the sort of operational modes
> and circumstances you emphasize.
>
> If you never listen to non-Ham stations then why buy a rig that has a

> compromised front end for continuous coverage?
>
> If you never run HF digital modes you may find some older hybrid (part
> solid state and part tube) rigs have quieter and more sensitive RX front
> ends than many of the newer rigs (the TS-830S and TS-530S come to mind).
>
> If you wish to operate on the busiest bands during the busiest times then
> you will want to acquire a rig with above-average filtering and a nice
> tight
> front end (the JRC JST-245 comes to mind).
>
> Audio and IF DSP filtering is also a consideration (IF DSP is always
> internal,
> audio DSP may be internal or external (the Timewave 599zx and NIR-12 are
> external audio devices which approach the task very differently and are
> considered state-of-the-art, you will need to study the specs and ask users
> to determine which is best for you).
>
> Your choice of microphone, and proper speaking angle and volume, can make
> a huge difference in TX as can the proper adjustment of the rig ...
> distortion
> from overdriven audio causes QRM and a loss of intelligibility.
>
> Just a few observations ... mostly gathered from advice I have received
> from
> elmers and other experienced experts ... your mileage may vary, etc.
>
> 73, DavidC K1YP

3169. WTD: ROHN 25 in NE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: radiobufff@aol.com.rfi.tvi
Message-ID: <19990306182949.07563.00004387@ng-fa1.aol.com>
Source record: 114839

Needed for local 220 repeaters, three 10ft sections of ROHN 25, we have the
base and top section, we need three more 10ft sections, located near Worcester
MA
will travel up to 1 Hour or approx. 100 miles to pick up in New England, Please
let us know what you may have, Thanks, Mark

224.54

224.48

Radio in the Bufff
Co-Ed Naked Radio
Support your local Oscillator

Please remove<.rfi.tvi>

http://members.aol.com/radiobufff/index.html

3170. HT Antenna/Mic/Power Supply ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Dan & Julie Rakowski <rakowski@tir.com>
Message-ID: <36E1C5BC.868C3D1E@tir.com>
Source record: 114840

Hi all,

I received my Tech ticket in February. I've started making a few contacts through a local repeater using an Alinco DJ-191T, equipped with a 5W battery, Maha speaker-mic and MFJ "Long Ranger" 1/4 wave whip.

Two of my contacts reported something like "white noise" in my signal. I'm space-limited, so an antenna tower is off-limits. I'd like suggestions from those in similar situations on how to improve my antenna situation.

As a secondary matter, I've been looking at power supplies. I saw one in the HRO catalog (Astron RS-4A, 3A, 13.8 VDC, $39.95) and another in the AES catalog (AIM 38-384, 4A, 13.8 VDC, $39.95). I'd also like some advise from someone who's found a decent-sounding speaker-mic for use with Alinco handhelds.

Any advice you can provide is appreciated.

Thanks,
Dan

--
Dan Rakowski KC8LRE
rakowski@tir.com

3171. iCOM IC 707

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: "MIKE (707)" <cobra2@gisco.net>
Message-ID: <36e1c91f.0@news.gisco.net>
Source record: 114841

Does ANYONE have any mods for this radio??

3172. WANTED: Wilson WR-1000 rotator

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <NZjE2.2241$x5.3693@lwnws01.ne.mediaone.net>
Source record: 114842
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

```
Looking for a Wilson WR-1000, with or without control box.
Reasonable $$ paid for one. Any out there?
Thanks!
Chuck...K1KW
```

3173. Re: Yaesu software on a Macintosh???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: swartout@remove.isi.edu
Message-ID: <swartout-0603991651170001@192.168.1.100>
Source record: 114843

In article <rave_bob-03039923554400001@192.168.1.2>,
rave_bob@REMOVE.videotron.ca (Alex) wrote:

> In article <7bij2faae1@nnrp1.dejanews.com>, wardseward@yahoo.com wrote:
>
> > I am getting a VX-5R soon and I really want to be able to program it with my
> > computer, but I'm a Macintosh user (BTW, PC vs Mac isn't the point
here.) So,
> > I'm wondering if anyone has ever homebrewed a cord, and used the Yaesu
> > software or Eve (shareware), and Virtual PC (running Windows95) to program
> > there VX-5R or VX-1R? I'm sure it can be done, but I have no idea what pin
> > does what when i would convert from com plug to mac serial plug. Any help?
> >
> > BTW...I currently have a copy of EVE and have ran it on VirtualPC...on radio
> > yet though.
>
> i also have a vx-5r and a mac...(and also another mac and other pcs...) so
> i use the PC to try to make my home built cable work..but with the right
> adapter to the cable, i m sure you could make it work...well at least i
> could make my TI programming software for windows work under
> softwindows...i dont have the pin conversation table though good luck! :)
>
> alex

I don't have a VX-5, but I've been able to program the VX-1, FT-51 and
(with some difficulty) the FT-50 using Virtual PC on a Mac. I use the DIN
to DB-9 adapter that comes with the Mac Pac for the Palm Pilot, and just
plug the RT systems cable into that. I occasionally get checksum errors,
but generally it works ok. Of the 3 radios the FT-50 is the most
difficult to establish communication with --- often takes several tries.
The others usually work the first time. The Mac I'm using is a G3
Powerbook (the old style in the 3400 case) running OS 8.5.

-Bill

3174. WTB: GE MVS Microphone hangers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36E1B0EA.33E9@ix.netcom.com>
Source record: 114844
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Anyone have a quantity of GE MVS mic hangers sitting around
gathering dust?? Maybe 35 or so??

These are the ones with the magnet in them to activate the
reed switch in the GE mics..

Thanks

Steve-WA6GSD

3175. Re: HELP!: UHF/VHF range prediction

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Steve Sampson <ssampson@usa-site.net>
Message-ID: <NDkE2.488$U4.41420@news.goodnet.com>
Source record: 114845
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.antenna,rec.radio.amateur.equipment

That's like asking for a simple rule of thumb method for intergalactic
travel, with no knowns, and 1000 unknowns.

There's probably at least 999 answers. Pick one :-)

Here's the deal. It doesn't work that way. Find out where you want
coverage, and draw it on a map. Then find an antenna site that is
near the middle.. Climb the antenna, and put up a signal source that
puts out 40, 80, 160, and 320 Watts with a Morse ID. Then take
a field-strength meter and measure the actual pattern. That's the best
rule of thumb.

Here's another:

Path Loss (dB) = 10 log (4 * PI * D / L) ^ 2

Where D is the distance between two antennas in meters, and L is
the wavelength in meters. Make a computer program or
Spreadsheet that plots dB versus Distance, and figure everything
over 90 dB is in the noise; thus, some dB of amplification will be
necessary.

This is about as close as you'll get to a rule of thumb, but this doesn't
take multipath and intermod into effect.

Ted Grant wrote
>I am looking for [economical] ways to predict path loss between a base /
>repeater and a mobile/handheld at UHF/VHF.
>
>I'm interested in "local" propagation-- a few miles to tens of miles--
>in cities with tall buildings and suburban areas with houses and trees.
>I want to *quantify* the effect of things like height of base & mobile
>antennas, and environment, having an HT antenna inside the car, etc, on
>received signal strength.
>
>I'm hoping to find some rule-of-thumb guides, simple algorithms or low
>cost software

3176. Re: FT102 mods (relays etc.)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: "Michael J. White" <mike.white@erols.com>
Message-ID: <7bsmin$b10$1@winter.news.rcn.net>
Source record: 114846

>I've got chance of a FT102 cheap but I've heard they have relay problems!
>what do I do?

Buy it and join the cult. The 102 is a very fine radio. The problem with the DIP relays is that the contacts go resistive, but you can replace them or have them replaced. I had some luck opening the relay cases and cleaning the contacts, but they're tiny and you have to be careful. There's a guy who advertises in QST who works on these and will replace the relays with ones that don't go bad.

Other than troublesome relays, it's a great rig. You just have the same problem you have with other IC-based rigs of that vintage; finding parts. There are chips in that radio for which there is no known source; if one goes, you have an expensive paperweight. The only way you can replace them is to cannibalize another radio. However, many older radios have that problem, not just the 102, and chip failure is no bigger a problem with the 102 than any other rig.

You shouldn't pay more than about $400 - $500 for the radio alone, depending on condition. There is a very nice external VFO with memories (the basic radio has none), an even nicer antenna tuner, and a variety of speakers, one of which has a built-in phone patch. All in all, a real nice station. A complete station might fetch upwards of $1K, and worth it. Don't let the relay problem scare you; you can deal with it. Best of luck.

Mike, N4PDY

3177. Re: Kenwood TS-440 front $28

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Terry Brown <browntl@concentric.net>
Message-ID: <36E1DF0F.F40E47D@concentric.net>
Source record: 114847

Frank, is that just the faceplate or does it include the pressure sensitive touch pads? My keypad controls are acting up and I'd like to find a new one to replace it with. Thanks.
Terry

Frank Krozel wrote:

> New front, Kenwood TS-440 $28 shipped
> Frank KG9H

3178. Re: VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Francis <ve2fgs@videotron.ca>
Message-ID: <StlE2.2696$XL6.2311@weber.videotron.net>
Source record: 114848

The PL bug is not fixed. Yeasu do not have any remedy for this. Here's a Yaesutech's reply I received:

//
////////////////////////////////////

Francis,
Reference your email received 2/17/99, we are still waiting for information about the slow CTCSS decoder time. We are aware of the problem and are actively working on the solution with Yaesu Japan. As mentioned earlier, Yaesu USA will update any VX-5R at no cost for parts, labor or shipping when a factory update has been implemented.
Best Regards, Mike Krueger - N6MIK, Yaesu Technical Support

//
////////////////////////////////////

Let's wait.....

--
Francis VE2FGS
ve2fgs@videotron.ca

lbathe@my-dejanews.com a &#65533;crit dans le message <7bsljfsup1@nnrp1.dejanews.com>...
|I have one of the early VX-5R tri-banders. It's a great radio and seems to
|work fine other than the notorious PL scan decode problem I'm wondering if
I
|should send it back to Yeasu for the fix. I don't know if I will ever use
|that feature. Of those of you who have early models and sent them back to
|Yeasu, are you satisfied with the fix of the PL scan problem? Thanks for
|your input. Lynn KB7ZPV
|
|----------== Posted via Deja News, The Discussion Network ==----------
|http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3179. Re: HELP!: UHF/VHF range prediction

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <36e1ea32@news1.us.ibm.net>
Source record: 114849
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.antenna,rec.radio.amateur.equipment

Well, Guys, I haven't looked lately, but in the old days, GE, Motorola, RCA, and most of the other manufacturers had slide rules, one page work sheets etc., for just what you are asking. Also, Db Products, Andrew, Antenna Specialists, Communications Products, Prodelin, and the rest of the two-way antenna manufacturers had essentially the same type of help items. Find an old retired two-way shop owner who kept all his old files.
--
Crazy George

3180. Re: IC-4SAT Internal Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Bob Headrick <bobh@proaxis.com>
Message-ID: <36E1E5B6.911BE5D8@proaxis.com>
Source record: 114850

> If the IC-4SAT internal (chargeable) battery is dead, can it be
> resuscitated? If not, can it be replaced? My HT works fine with
> external batteries but not with the internal one alone.

The internal battery pack can be replaced for about $22 or so from
places like periphex or other battery mfg.

- 73 Bob w7ov

3181. FS: Icon IC-T8A Tri-Band HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Tom Repstad <kb1cga@starc.org>
Message-ID: <36E1F308.837A1AD5@starc.org>
Source record: 114851
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap

Have an Icom IC-T8A Tri-Band HT for sale. 50/144/440Mhz, 5W out. Has
original NiCd and an additional
Maha NiMh (MH-BP-200M) battery. Plus Speaker/Mic, Wall-Wart charger,
original box & manuals. All in excellent condition. $325.00 + shipping.

--Tom
KB1CGA

3182. Dentron GLA-1000B Info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Tom Repstad <kb1cga@starc.org>
Message-ID: <36E1F7DB.BE255D9A@starc.org>
Source record: 114852

Does anyone else out there own a GLA-1000B? I'm trying to get info on
the 10M mod for the "B" model. Please e-mail me if you have any info..
thanks...

--Tom
KB1CGA

3183. FS: Yaesu FTV901R xvtr and MMT432/28

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Doug Millar <dougnhelen@moonlink.net>
Message-ID: <36E1F6F0.207CDDD2@moonlink.net>
Source record: 114853

For sale:
1. Yaesu transverter FTV901R has modules for 432 and 144. Has cables ready for FT101 series @28mhz. With book, in great shape. Will work with Kenwood 520-830 series as well. $250.
2. Microwave Modules transverter for 432 with 28 mhz if. 10watts output and 3db nf. Good shape with cord and plug for dc. $125.

Buyer pays shipping

Doug Millar K6JEY
DM03, Long Beach, Ca.
(562)424-3737.

3184. Yaesu FT101B Tranceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Horizons <Rujeni@erols.com>
Message-ID: <7bsts0$7nt$1@winter.news.rcn.net>
Source record: 114854

Yaesu FT101-B Transceiver

Best Offer

rujeni@erols.com

3185. Re: Anyone have out of band tx mod for Yaesu FT-8500?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Mick <noname@nowhere.com>
Message-ID: <7bsuti$9m4$1@remarQ.com>
Source record: 114855
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

By the way...cutting the small green wire also opens up the FT-8000. Cut it, and reset the the radio. It takes longer to re-install the freqs. than it does to make the mod. Having the ADMS-2 program does make it easier to reprogram.
Jarrod Boehme wrote in message ...
>How about opening the case of your 8500, and looking for the small green
>wire close to or on the back of the face plate. Cut or desolder it then
>reset your radio with wide receive option. For a detailed procedure got to
>www.qrz.com and check out their mods section. The 8500 is listed there
>along with many others.

3186. FS: Alinco DR-1200 2 meter mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Brian Radabaugh <brianrada@earthlink.net>
Message-ID: <36E1F665.EE95F9A2@earthlink.net>
Source record: 114856
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale an Alinco DR-1200 2 meter mobile fm radio with Microphone(non-Alinco), mobile bracket, and power cord. 25 watts output power, All works great. Transmits 144-148 mhz, receives 130-173 mhz, pl encode, $150/offer plus shipping. Seattle area
Contact Brian 425-745-8607

3187. F/S:MT1000 403-433MHZ

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: mark homayouni <homayou@ibm.net>
Message-ID: <36E20551.60C4E761@ibm.net>
Source record: 114857

8 UNIT MT1000 403-433MHZ , EACH 250.00+SHIPPING JUST THE UNIT

3188. F/S:HT600 470-500 MHZ

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: mark homayouni <homayou@ibm.net>
Message-ID: <36E205AF.F816EC53@ibm.net>
Source record: 114858

ONE UNIT HT600 470-500MHZ COME WITH BATTERY,ANTENNA,AND RAPID CHARGER
$250.00

3189. F/S: MT1000 RF BOARD 470-500 MHZ

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: mark homayouni <homayou@ibm.net>
Message-ID: <36E20634.37692CE1@ibm.net>
Source record: 114859

```
5 RF BOARD WITH FRAME 470-500 MHZ EACH $100.00+SHIPPING
```

3190. Re: Yaesu FT101B Tranceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <7bt0tk$sg0$1@news-1.news.gte.net>
Source record: 114860

Based on the descriptive info supplied, I'll bid 99c...

Gary - KJ6Q

Horizons wrote in message <7bsts0$7nt$1@winter.news.rcn.net>...
>Yaesu FT101-B Transceiver
>
>Best Offer
>
>
>
>rujeni@erols.com
>
>

3191. Re: Wanted: RX mod for Kenwood V7A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: CurrlyBob <spoof@wi.net>
Message-ID: <36E16DDD.EF275F90@wi.net>
Source record: 114861

Evan Platt wrote:

> Anyone have any mods for the Kenwood V7A to open it up to receive up
> to 488?
>
> Thanks.
>
> To reply via e-mail, please use eplatt at wco period
> com. Sorry, but this is the only way to despam my
> address.

Maybe you should cut the yellow jumper wire next to the red one but dont
cut the little blue one next to the batt.

3192. How to - Cable to portable stereo???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Greg <gregk*SPAM-B-GONE*@powersurfr.com>
Message-ID: <7bt79d$9mv2@dagger.videotron.ab.ca>
Source record: 114862

Hi, I would like to get cable stereo on my portable stereo that does not have a cable input. Currently I have a wire attached to the inside wire of the coax coming out of my wall. This is attached to an alligator clip which I clip onto the antenna. I have purchased a coax connector and have drilled a hole in the case for it. The connector has a male side that accepts normal cable and the otherside has two solder points. I was going to connect it to where the antenna wires go to the pc board but the antenna only uses one wire???. How would I connect my cable to get better quality sound than I do now? Do I need a 75 ohm transformer somewhere in there?

Thanks in advance, Greg.

3193. Re: Heathkit memories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Tom Repstad <kb1cga@starc.org>
Message-ID: <36E16AC7.F27DBD03@starc.org>
Source record: 114863
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

I got to build quite a few Heathkits... (mostly test equipment, my dad
bought me a bunch of stuff when I was in High School, so I could set up
a little TV repair business in the basement)... I really wish Heathkit
was still in the kit business, now that I am older and have more $$....
I can't believe they went out of business....

--Tom
KB1CGA

dalien wrote:

> I couldn't afford much then either. Mostly lots of catalog looking.
> Had them memorized. But I did get to built several inexpensive
> transmitters for myself, and some stereo gear, then LOTS of lab
> equipment for schools. It was all lots of fun.
>
> W6OVP
>
>
>
> KD5GEH wrote:
>
>> Oh well.. One of mine was just seeing the new CATALOG.. I was too
>> young to
>> be able to buy any of the stuff (with stingy/strict parents,
>> atleast), but
>> that and Edmond, well.... ;)
>>
>> Al, N2NKB <n2nkb@n2nkb@postoffice.worldnet.att.net> wrote in
>> >
>> >One of the most exciting events from the past for many of us has
>> been
>> >arriving home after school or work, and seeing that UPS has left a
>> package
>> >from Heath on the front porch.
>> >Al, N2NKB
>> >
>> >
>

3194. Mac Ham Software List

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: wd1v@mediaone.net
Message-ID: <wd1v-0603990635370001@wdonev.ne.mediaone.net>
Source record: 114873

Macnet Ham Software List

http://people.ne.mediaone.net/wd1v/Page7.html

```
\
\ 0__~\
\_\@_^\__*)
O \o
```

John D. Seney, WD1V [FN42]
http://people.ne.mediaone.net/wd1v/index.html

3195. Re: VX-5R question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Dad News Accounts <john@harvardsystems.com>
Message-ID: <7br3s2opb1@remarQ.com>
Source record: 114874

Not sure what makes you an authority on the VX-5R?

I own one and it is a great radio!

FireBuff66 wrote in message
<19990305123936.00291.00003624@ng-fd1.aol.com>...
>You can't get great infomation about the VX-5 its a peice of junk.
>
>
>//
>
>
>
>
>
>Pursuant to U.S. Code, title 47, Chapter 5, Subchapter II, §227,
>"Any and all nonsolicited commercial E-mail sent to this address
>is subject to a download and archival fee of $500.00 U.S."
>E-mailing denotes acceptance of these terms.

3196. Information Wanted on DIGI SCAN.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Richard <43z280@one.net.au>
Message-ID: <36e1169c.0@pink.one.net.au>
Source record: 114875
Cross-posted to: rec.radio.cb,aus.radio.amateur.misc,rec.radio.amateur.equipment

I am chasing some information on a Digi Scan, UFO Model made by REDCO, Reliable Electronic Design Company from the US. It is very similar to the Digi Scan DS 400 made by DIGALOG TECHNOLOGY,INC also from the US, but instead of having rocker swiitches to program it has a set of pins which you swap around. This is where I am having trouble.

Any assistance would be greatly apreciated.

Thanks in advance.

Richard.

E-Mail 43z280@one.net.au

3197. FS: Hewlett Packard SPDT Switch

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: MindSpring User <blyall@mindspring.com>
Message-ID: <7br65u$no8$1@samsara0.mindspring.com>
Source record: 114876

For Sale:HP 8761B SPDT RF Switch. This is a low-loss relay switch,
requiring 24 to 30 VDC to function. SMA connectors. $45 plus shipping.
Reply to bob@rftest.com

3198. Re: Yaesu software on a Macintosh???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Famille_Magnan@infoteck.qc.ca
Message-ID: <19990306073817487 0817@ppp2-101.infoteck.qc.ca>
Source record: 114877

Larry Weil <kc1ih@mediaone.net> wrote:
> Well, Ward, I have an FT-50R and here's what I found. I formerly had a
> Mac 6100-66 with a 486 DOS card. Using the card, I was able to use the
> ADMS software, with a Mac serial to DB-25 cable, and an adapter to DB-9,
> and then the ADMS cable.. For some reason a cable that went directly from
> Mac serial to DB-9 did not work.
>
> I later upgraded to a G3 233 Desktop, and run Virtual PC on this machine.
> With this setup, the serial port does not seem to be able to access the
> ADMS cable, no mater what I do in terms of the port setup or
> cables/adapters, etc. I think I saw an article that VPC is only able to
> use the Mac serial ports for modem and printer applications and not for
> other serial interfaces, I am unable to confirm if this is indeed true.
>
> Fortunately, I also have a PC laptop, this is what I now use to run ADMS.
> So, you may need to find a cheap laptop or get a DOS card in order to have
> the ADMS software properly access the serial ports.
>
> How this would apply to EVE I do not know, but I would guess that the
> access to the serial ports would be the same.
>
> Larry Weil
> KC1IH

I am in the process of buying a new Mac. An iMac actually. I also wanted
to use VPC to program my FT-50RDH and sent an email to Connextix Tech
Support and here is what I got:

> I can't say for certain, but it's very unlikely that this program will
> function the way you want with Virtual PC... even with some sort of USB
> to COM port adapter since we do not access the COM ports or USB
> directly.

I read somewhere on their site that VPC access the Mac serial ports for
for modem and printer applications only. And you need to have the Mac
driver for the device you're accessing to do it. I thought it might be
different with the iMac since it uses USB ports but it will not work
either.

Stay safe !

73 de VE2JPT

Jean-Pierre

Jean-Pierre Magnan

Firefighter
VE2 JPT
Notre-Dame-du-Mont-Carmel FD, Qui¿½bec, Canada G0X 3J0
email: famille_magnan@infoteck.qc.ca
URL: http://members.tripod.com/~Famille_Magnan/ (Brand new page. Go take a look)

The opinions expressed above are mine, all mine.
But I love to share them 8-)

3199. Re: Yeasu FT100 experience

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: brianburke@my-dejanews.com
Message-ID: <7bretv$u0a$1@nnrp1.dejanews.com>
Source record: 114878
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,nl.radio.amateur,aus.radio.amateur.misc

In article <7bqrb3fmk1@nnrp1.dejanews.com>,
jy1@diplomats.com wrote:
> Hi there,
>
> Some of my friends are interested in buying an FT100, but
> I'm not sure if I can recommend such a small rig? My
> main concern is the large signal behaviour, especially
> in the military 30-70 MHz frequency range (RX).
> Does anybody have any experience with this? Please report.
>
> Greetings,
> JY1

Aren't you a silent key?

Brian/N0iMD

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3200. FA: Mirage MP-1 HF Wattmeter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Greg Becker <na2n@ifam.com>
Message-ID: <7brchm$av8$1@remarQ.com>
Source record: 114879
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For auction on eBay: Mirage MP-1 remote sensor peak-reading HF wattmeter:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=74601364

3201. FA: Ramsey 440 MHz Low Noise Preamp Kit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Greg Becker <na2n@ifam.com>
Message-ID: <7brcmq$31b$1@remarQ.com>
Source record: 114880
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=74584083

3202. FA - Ameco PLF-2 1.8-54 MHz Tuneable Preamp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Greg Becker <na2n@ifam.com>
Message-ID: <7brco3$2tg$1@remarQ.com>
Source record: 114881
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=74592728

3203. FS RS-6 Spy Radio. $300

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: jeepguy@bellsouth.net
Message-ID: <36fa3581.5054311@news.atl.bellsouth.net>
Source record: 114882

This is the RS-6, a mid-50's vintage Spy Radio that uses smaller tubes
than the
RS-1. They are about the size of one's little finger. They are not
socketed, but
rather soldered in place and wrapped in copper foil. I have been
told that this is
the radio that U-2 pilots carried in vest pockets for emergency
communications
(presumably ground search and rescue). The left section is the
power supply, the
center is a regulator, the bottom is the receiver. A Morse Code
key can be plugged
in or a built-in foldout key is visible on the transmitter on the
right. I copied this
info from a web site I found
http://bluesky.com/warren/radios/spyradios/html.
Units appear to be complete and include the rubber pouches. I have
not powered
them up but I was told they are in working order. I'm sorry I
don't have any other
info .$300 Buyer pays shippng and insurance.
Tom
http://personal.atl.bellsouth/atl/j/e/jeepguy/ww21.JPG

3204. FA - DRSI DPK-2 TNC with state modem - NEW

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Greg Becker <na2n@ifam.com>
Message-ID: <7brcp1$643$1@remarQ.com>
Source record: 114883
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=74607283

3205. ICOM IC-R70--Connect to 13.8VDC??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: F W Mooney <fmooney@sprintmail.com>
Message-ID: <7brcqq$7k$1@oak.prod.itd.earthlink.net>
Source record: 114884
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Greetings.

I have an ICOM IC-R70, which has no external connection for 13.8 volts dc power. However, internally, there is a jack (J1) which when disconnected, opens the circuit between the internal power supply and the 13.8 volt bus which powers the radio. I'm tempted to try wiring from my car's cigarette lighter jack to this connector to go mobile.

Has anyone out there ever done this? I'm a little concerned about damage due to inadequate voltage regulation, coming off the electical system of the car. Are car electrical systems adequate, or should I put a regulator between the car power and the radio?

- Fred M.
KA1DGL

3206. FS Icom T22A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Larry Naumann <lnaum@stlnet.com>
Message-ID: <36E1456A.ED497FB1@stlnet.com>
Source record: 114885

I have a T22A in very good condition. The only wear mark is the letters on the H/L button are little worn. Other than that the unit looks and works like new. Also has the tone squelch board installed and a speaker mike. I have the manual and box also.
I will ship in CONUS for $150.
Larry N0SA

3207. Re: ICOM IC-R70--Connect to 13.8VDC??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: kovar <kovar@ia.net>
Message-ID: <01be67e3$5ad99a80$44eee6ce@kovar.inav.net>
Source record: 114886
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Fred,

Your idea has merit and sounds fine!
It would be a good idea to install a fuse in the +12VDC line inside the radio,at the point you tap into the +12vdc.
Also a Diode in parallel with the + and - will save the radio if you make the mistake of hooking the +12vcd backwards.
Your comment of regulating the input voltage may not be important.
You should expect 12vdc to 13.8vdc out of a Car's electrical system.
Measure the voltage on the radios 12VDC line and see if it is at 13.8VDC.
If it is you are all set.
If it is right at 12VCD them you should regulate it down.
The next step would be to find out how much current the radio draws on the 12vdc line.
Find 2 diodes like a 1n4002 that handle the current draw.
each will drop the voltage .7volts when installed in series.
13.8 - 1.4 equals 12.4vdc. Close enough?
That is the cheap way.
A regulator takes a bit more work but and Let me know if you need to set one up.

JAck
Jack Kovar
k0var
Iowa

F W Mooney <fmooney@sprintmail.com> wrote in article
<7brcqq$7k$1@oak.prod.itd.earthlink.net>...
> Greetings.
>
> I have an ICOM IC-R70, which has no external connection for 13.8 volts dc
> power. However, internally, there is a jack (J1) which when disconnected,
> opens the circuit between the internal power supply and the 13.8 volt bus
> which powers the radio. I'm tempted to try wiring from my car's cigarette
> lighter jack to this connector to go mobile.
>
> Has anyone out there ever done this? I'm a little concerned about damage
> due to inadequate voltage regulation, coming off the electical system of the
> car. Are car electrical systems adequate, or should I put a regulator
> between the car power and the radio?
>

> - Fred M.
> KA1DGL
>
>
>
>

3208. WANTED

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: firecomm@aol.com
Message-ID: <19990306102841.16072.00004639@ng10.aol.com>
Source record: 114887

HI

LOOKING FOR BATTERYS FOR STANDARD HX 241 RADIO. AND ALSO RAPID CHARGES FOR THEM.

THANKS FIRECOMM

3209. FS: TS-930 microprocessor board.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: "Paul W. Hansen" <pwhansen@bellsouth.net>
Message-ID: <01be67e5$db2a3260$28e44dd8@default.atl.bellsouth.net>
Source record: 114888
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

TS-930 microprocessor unit removed from radio serial number after 3.1 million. Guaranteed to be operational in all respects and guaranteed for 30 days from purchase. This is a plug in repair for those intermittent units out there. Originally sold from Kenwood for around $230.00 when they were available. Asking $150.00 including shipping.

Contact: Paul Hansen, W6XA
(770) 939-1320
pwhansen@bellsouth.net
--
73, Paul

3210. NSS- Annapolis

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: donlewis79@hotmail.com
Message-ID: <RUbE2.1010$Ku1.1002417@newse3.tampabay.rr.com>
Source record: 114889

March 4, 1999 filename: nss0304.txt

Merle Parton,

In case you don't know the latest developments at NSS,
let me update you.

NSS was decommissioned in early 1996. The sole remaining
facility employee is John Schorpp, the antenna man.

The towers and transmitter building are scheduled to be
demolished by September 1999. There has been an
appropriation of $4.2 million to demolish the site and
convert it to a wildlife preserve.

There is a group of people, including John Schorpp, and
now me, who learned of this development only this past
weekend, that want to stop the demolition and convert
the site to a museum of VLF radio technology.

As a member of the Antique Wireless Association, I wrote
a letter to its president last night, citing the few facts I
know, and asking what it might be able to do to aid this
venture to convert to a museum. The AWA operates a
large communications museum in Bloomfield, NY, just
south of Rochester NY. It has ties with the Smithsonian
Institution.

There is a public hearing in Annapolis March 8, 1999. The
time is 6:00 p.m. of the Lowe Office Building. That's all
the address I have. I have handwritten directions to it that
John Schorpp handed out at a hamfest we attended this
past weekend.

John Schorpp has asked me to ask you to consider putting
a notice of this meeting on the NSS Web page. I know
this is short notice, and there isn't even a complete address,
but let me give you my name and phone number: Pete
Sypher, 301-601-2711. I'm going to the meeting. I'm going
to spend time and effort for this cause of converting the
site to a museum, even though the chances of this being
realized are slim, in my estimation.

73, let me know what you think about all this.

Pete Sypher

3211. Re: fed...UPS....Lets SUE EM..CLASS ACTION ANYONE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Rob Kling <rkling@home.com>
Message-ID: <36E14D98.E2856CFC@home.com>
Source record: 114890
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Why would you expect anyone else to ship something better than you would do it. People just do not care about your stuff no matter how much you pay them. I had a summer job where we would ship air compressors and air motors and we would make sure the packing material did not contact the products being shipped. We wrapped all units in plastic. This should be the first thing when shipping any piece of electronic equiptment! Next try and ship it in the original box within a box. Peanuts are great for the outer to inner box packing material. Peanuts will compress during shipping so you need to have a tight box. By tight I mean you have to feel like you over stuffed the box. If the box closes easy you do not have enough! I like to use a lot of plastic tape (3M is good). The cheaper brands are thinner and you have to use more. This gives the box some strength around the areas the box can seperate, ie corners and seams. The item you are shipping should not move when you are finished. A good box is a must, I like paper boxes for mobil to hand helds. Much bigger boxes for heavier units. If the sender is getting cheap about the shipping then do not buy the item! Whats the point if it does not work when you receive it. If you are spending a thousand dollars on a radio $20 is not alot to pay for it to be packed well. To me $20 is not high for a $300 dollar item. I have actually used new paper, if you pack it tight it will work for light items, double boxed of course.

Rob Kling

Bill Meara wrote:
>
> On Tue, 2 Mar 1999 08:32:07 -0800, "tcrpe" <tcrpe@yahoo.com> wrote:
>
> >I agree with this. Packed properly, all shipments to me have arrived
> >intact. I have, however received heavy items in old grocery store boxes,
> >haphazardly stuffed with loose newspapers.
> >
> >The damage was clearly caused by inept packaging.
> >
> >Twice, I have asked for the sender to properly package something, you know
> >buy a shipping carton, use foam peanuts, etc., even offering to pay all the
> >costs. The shipper is hesitant, whining about the time to get the PROPER
> >materials, time to use the proper materials, what a waste of money it is,
> >etc.
> >
> >I always end up telling him to FORGET IT!
> >
> >TR
>

> TR (and others): Seems to me that there should be some commercial
> outfits out there that would be able to do the packing better than I
> would be able to do it myself. Does anyone have any experience with
> taking BAs to these outfits?
>
> 73 Bill N2CQR

3212. SWL Worlwide Web Site

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: pirans <pirans@netcomuk.co.uk>
Message-ID: <36E14FD3.87C756C2@netcomuk.co.uk>
Source record: 114891

SWL, Ham, Software, utilities, DX clusters, Callsigns, Antenna tips and
a lot more.
Every thing you'll need at Ewaves
Open the site and go to "London full guide" and click on SWL on the next
page.
This site is not only for UK listeners.
73
G-20992

--
Pirans
Ewaves: The Digital London Guide
http://www.chez.com/ewaves

3213. Alpha 76 help please

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: jon <ltree@shore.net>
Message-ID: <DgcE2.393$I51.63111@news.shore.net>
Source record: 114892

I just boughjt an alpha 76- two tuber and desperately need the instruction manual- can someone photocopy one for me and tell me the charge and I will get a check in the mail pronto...many thanks Jon- K1TP

3214. FS: 250TH Lewis and Kaufman, brand new

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: arnoldg@sf.telia.no
Message-ID: <36e151d6.882699@news1.telia.com>
Source record: 114893
Cross-posted to: rec.antiques.radio+phono,rec.audio.tubes,rec.ham-radio,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

I have 6 pcs 250TH Lewis and Kaufman - probably made on license from
Eimac - for sale. These are brand new, in original super heavy duty
military boxes. Never been used. A very nice valve, indeed.
E-mail me if you are interested.

Best regards,

Arnold Goksoyr

DEMOSTENES A. Goksoyr
N5850 Balestrand
NORWAY
Phone +47 5769 1340
Fax +47 5769 1267
e-mail arnoldg@sf.telia.no

More than 1800 different valves in stock. Plus: sockets,
transformers, caps, resistors and books about valves and
valve equipment. Many rare European valve types.
You will find it at my homepage: http://demostenes.vestdata.no

3215. FS: Russian 6C4C (=6B4G)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: arnoldg@sf.telia.no
Message-ID: <36e1520c.937075@news1.telia.com>
Source record: 114894
Cross-posted to: rec.antiques.radio+phono,rec.audio.tubes,rec.ham-radio,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap,rec.radio.amateur.equipment

I have found some of these excellent 6B4G valves. 6C4C in Russia is
equivalent to 6B4G and it looks identical to the old Sylvania 6B4G
with double anode stapped together by a metal plate, not the type with
two separate anodes. The 6C4C valves is very well built and give you
an impression of high quality. It is unlike the new Sovtek 6B4G which
looks like a scaled down Sovtek 300B with a single anode.
E-mail me if you are interested.

Best regards,

Arnold Goksoyr

DEMOSTENES A. Goksoyr
N5850 Balestrand
NORWAY
Phone +47 5769 1340
Fax +47 5769 1267
e-mail arnoldg@sf.telia.no

More than 1800 different valves in stock. Plus: sockets,
transformers, caps, resistors and books about valves and
valve equipment. Many rare European valve types.
You will find it at my homepage: http://demostenes.vestdata.no

3216. Re: Yeasu FT100 experience

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Yves Remedios <news@g4udt.freeserve.co.uk>
Message-ID: <JbeHmJAuaU42EwgG@g4udt.freeserve.co.uk>
Source record: 114895
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,nl.radio.amateur,aus.radio.amateur.misc

In article <7bqrb3fmk1@nnrp1.dejanews.com>, jy1@diplomats.com writes
>Greetings,
>JY1

I am sure I am not the only person who feels unhappy to see this call sign in use so soon after the death of the King. May I suggest you refrain from using it for a few years out of respect for the King Hussein.

The King also an honorary member of Harrow Radio Club.

3217. Re: IC706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: kb1dnl@aol.com
Message-ID: <19990306115850.25031.00004469@ng13.aol.com>
Source record: 114896

I also am planning on the IIG for my primary radio. Called HRO to order and they told me that the FCC has not authorized sale of the rig as of yet.. waiting patiently, and am confident it will be a great radio to own . thanks to all those satisfied 706 owners out there who wrote in.

KB1DNL

3218. SW radios for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: "G.Singer" <deltacom@bwn.net>
Message-ID: <36E15406.57668239@bwn.net>
Source record: 114897

Greetings,
I have a DX 390 for sale. It's a 9 out of 10 works perfect. Box and
manual.
Used maybe 10 hrs....$150.00

DX300 for sale. It's also a 9 out of 10. Works perfect, operators manual
and service manual....$250.00.
Add shipping from Colorado on these units.
E-mail if interested
--

Gerry Singer KC0CAT
Loc:40 09 38N 103 12 50W Grid Square DN80jd N/E Colorado
Pro 2042 W/Optocom 535 MX7000 Pro67 Pro2004 DX390 W/MFJ 784
R5000 W/MFJ VersaTunerII Azden PCS2000 HTX-242 Alinco DJ191
Icom H16 and U16 HyGain VIII TRC 499
.....and lots of antennas!
Scanner,Weather and Ham Radio web site
http://www.geocities.com/CapeCanaveral/Lab/5137

3219. Re: Ruggedness of Yaesu FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Jethro Jumbalaya Twain <qwasty@hotmail.com>
Message-ID: <7brq9e$72d$1@nnrp1.dejanews.com>
Source record: 114898

I've looked at the SG-2020, it's short on features and, while it could take small amount of rough handling, it's still vulnerable to a misplaced cup of coffee. I need a radio that can *operate* for several hours while submerged.

In article <7bluid$763$1@nnrp1.dejanews.com>,
kc2dla@my-dejanews.com wrote:
>
>
> > I'm looking for an all band, all mode extremely rugged radio and so far I've
> > found nothing.
>
> Take a look at the SGC-2020. It is a very rugged radio, just not as many
> features and bands as the Yeasu FT-847
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>

"There are three types of people in this world: those who can count and
those who can't" - Unknown Mathematician

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3220. FS: AR-8000 UNBLOCKED

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: John Lewitzky <johnl@ptd.net>
Message-ID: <36E1619B.CF965F05@ptd.net>
Source record: 114899

AR-8000 Scanner--full coverage from 500kHz to 1900mHz. Excellent condition with original box, instructions, AC adapter and NiCads. Also includes Opto Scout connector, ScannerWare software and computer interface with cable. $ 485 include shipping CONUS.

John
N3ZQJ

3221. FS: JRC-525 w/Acc.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: John Lewitzky <johnl@ptd.net>
Message-ID: <36E16273.7DE99825@ptd.net>
Source record: 114900

JRC 525 Receiver in excellent condition; includes the following:

CMK-165 VHF/UHF Converter 34-60, 114-174, 423-456 All Mode
CFL-218A 1800Hz Filter
CMH-532 Computer Control Board
Serial cable from board to radio w/JRC connector
Original box and manual
Scancat radio control software

$ 625 including shipping CONUS

John, N3ZQJ

3222. Ic-Q7A Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Robert John <RAJohnGM@postoffice.worldnet.att.net>
Message-ID: <7broov$ini@bgtnsc02.worldnet.att.net>
Source record: 114901

Anyone have mods to allow listening to the standard broadcast band like the R2. Are there any other mods for the Q7?

Thanks,
Bob AA8X

3223. FA: LAST DAY HEATH EV B&K MORE!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Jordan Arndt <jordana@nucleus.com>
Message-ID: <36E174DE.FB9@nucleus.com>
Source record: 114902

Hi I have many auctions ending today...
Heathkit Gear Parts tubes etc.. and EV 419 Desk Mic Base and laso Mic Clips...Variable Caps From EFJ....Tube Testers, Audio Gear and much more!!!... to see goto:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=jordana@nucleus.com&sort=3&since=-1

Thanks for your time... Now back to regularly scheduled programming...73
de Jordan...

3224. Yaesu 2100B

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: bujiaj8@aol.com
Message-ID: <19990306123308.09858.00003586@ng-ce1.aol.com>
Source record: 114903

I need a copy of the manual for a 2100B Yaesu amplifier. Can anybody out there help me out with a copy?
Please email with info..

tnx

bill
kd5fxt

3225. Mods for the IC706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: jcm1168@aol.comNOSPAM
Message-ID: <19990306123702.20117.00001678@ng-cg1.aol.com>
Source record: 114904

any now where a site is for mods for this model

Wavelength Radio
www.WavelengthRadio.com
To Email Remove NOSPAM
KD7EHQ

3226. What is a Regency LMV25B Transceiver?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: tracy585@aol.com
Message-ID: <19990306123924.05794.00004023@ng34.aol.com>
Source record: 114905

Can anybody tell me what a Regency lmv25b Transceiver is? Is it ham band? Crystal or PLL? Power output? Band of operation? # of channels? Etc.? Manual? Picture? Someone has one they are offering for sale and I can't find anything on it...

Tracy

3227. FS:Hf,VHF, Test gear

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Doug Millar <dougnhelen@moonlink.net>
Message-ID: <36E16CA5.A8FF29DB@moonlink.net>
Source record: 114906

I have a few things to list:
1. hp 8708 synchronizer for 608 signal generator. (Phase locks it)w/man.

2. hp 608 that goes with it $100 each, or $175 for both
3. Atlas transceiver 180 covers 160-20m. 100 watts works good $100
partial manual
4. Yaesu FT 720 440fm xcvr with remote cable and pl enc/decode $80
5. Racal Dana 5001 5 1/2 digit lab DMM excellent shape $90
6. Heath SB110, ps, man. new finals and spkr $250
7. Frequency Source LO brick, power supply and TCXO on 1152mhz $90
great LO ready to go for that 1296 rig.
8. Create Systems Log periodic 108-1300mhz, manual $125 good shape.
All prices are either pick up or buyer pays shipping

Contact Doug Millar K6JEY
(562) 424-3737
Long Beach, Ca. (DM03)

3228. A Generic diode ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: dalien <dalien@pacifier.com>
Message-ID: <36E170D8.4AA8E66F@pacifier.com>
Source record: 114907
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Is there a single modern "generic" silicon diode which can replace all
the early diodes used in Heathkit (and other) power supplies?

3229. FS KLM22C and 40CX in NJ

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Jeff Kelly <jkelly@bellatlantic.net>
Message-ID: <7brspj$srn@world1.bellatlantic.net>
Source record: 114908

FS KLM22C and 40CX in Rutherford NJ.
Local pickup only.Best offer.

Jeff Kelly
KT2K
jkelly@bellatlantic.net

3230. WTB TU-7 tone board

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: hrbcrb@aol.com
Message-ID: <19990306134819.05058.00004356@ng-da1.aol.com>
Source record: 114909

Looking for a TU-7 tone board for a Kenwood TM-35330

Thanks, Hugh KF6HHS

3231. WTB: SB-200 Input Coils

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: martyt@pobox.com
Message-ID: <36e17b96.1188527622@news.supernews.net>
Source record: 114910
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Looking for a 10m and 20m input coil for 10m and 20m for a Heath
SB-200.

If you have such a beast, or know where I can get one, please reply
via e-mail.

73,

-Marty KI0LO
martyt@pobox.com

3232. Re: A Generic diode ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Steve Murphy <k8vo@flyingbeers.org>
Message-ID: <qbfE2.449$wi1.657@news.flash.net>
Source record: 114911
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Check the specs on the 1N400x series (ex:1N4007, etc.) and see if one of them will work in your application. They're cheap and available almost anywhere. About as "generic" a diode as you'll find.
73,
Steve K8VO

dalien wrote in message <36E170D8.4AA8E66F@pacifier.com>...
>Is there a single modern "generic" silicon diode which can replace all
>the early diodes used in Heathkit (and other) power supplies?
>

3233. FS: GE MVS RADIOS (470-512Mhz split)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36E17DE6.1750@ix.netcom.com>
Source record: 114912
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale...

GE MVS radios.. 16 channels, 25Watt mobiles.
Radio do PL & DPL.

Excellent condition, with mic, bracket and plug shell &
pins to make required power cable.

$95 programmed per your requirements, plus shipping
via priority mail.

Steve-WA6GSD

3234. FS: Henry C130A30 VHF power amps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36E17E6A.7FE@ix.netcom.com>
Source record: 114913
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale...

Henry C130A30 mobile power amps.

20-40 watts input, 130 W max output.. Tunable from 130 to
174 mhz..FM only.

Tuned and tested on your specific frequencies.

$85 + shipping via priority mail.

Steve-WA6GSD

3235. FS: VHF power amps, 20W in for 80W out.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36E17ED7.2883@ix.netcom.com>
Source record: 114914
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale....

Trielectric VHF mobile power amps.

20W in gives 80W out.

Units are FM only, and are tuned at 153 Mhz.

Perform ok down to about 146 Mhz.

$45 + shipping via priority mail.

Steve-WA6GSD

3236. fs:RS Pro-64 handheld

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: spectrumcom@my-dejanews.com
Message-ID: <7bs43h$f2s$1@nnrp1.dejanews.com>
Source record: 114915

For sale Pro-64 reciever 200.00+Shipping OBO
*400 Channels
*Computer capable
*In excellent condition
*Includes Antenna Only
Thanks Bryan Bailey

*Will accept Prepaid Postal Money Order or Personal Check(10 day delay)
*If Shipping is noted as included with price it is shipped via US Postal Service Priority Mail (Insured)
Thanks Bryan Bailey

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3237. FT102 mods (relays etc.)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: David Shaw <david@warcop.freeserve.co.uk>
Message-ID: <7bs2b0$pb7$1@news7.svr.pol.co.uk>
Source record: 114916

I've got chance of a FT102 cheap but I've heard they have relay problems!
what do I do?

3238. RF-Concepts AMP Question ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: kb8tjx@amsat.org
Message-ID: <36e1b713.8249572@news.raex.com>
Source record: 114917

Hello to the group....
I am intent on putting a mast mount pre-amp up.
I have one up for 70cm, It is the ICOM unit
I have a RFC 4-310 in the shack. All work ok, including outside or inside Pre-amps, powering outside via coax and 12v from radio up the coax.

PROBLEM:
on the 2 meter side is a shack located RFC 2-317 (right beside the 4-310)......It blocks the 12v on feed thru.
The radio is putting out the 12v when pre-amp button is pushed on both 70cm and 2 mtrs.
12v goes thru the 70cm amp, but is blocked on the 2 meter amp...
I do not want to take both apart, to check....
Does anyone know what is wrong, specifically?
Thanks in advance.
John
kb8tjx@raex.com
73

3239. Icom 27a mods?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Bob Bethman <rbethman@erols.com>
Message-ID: <36E191DB.1CF6B4BD@erols.com>
Source record: 114918
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

I am looking for mods to expand the frequency range of my Icom 27A. I know the 28 had the ability to expand, want to know if the 27A can also. I want to be able to listen to the area above 148Mhz, I.e., 160 or so to trains and the like while traveling. Don't want to have to buy a scanner.

Bob
N0DGN/4

3240. Atwater Kent Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: "Dennis G. Boatright" <dboatri@ibm.net>
Message-ID: <36E192BE.372B5730@ibm.net>
Source record: 114919

I would like to get an idea of the value of my grandfather's ATWATER KENT RECIVER. Original label on bottom side of board describes it as "RECEIVING SET #4650". On name tag it says "Type 2A, Detector and 2-Stage A.F. Amp."
Thanks....

--
Dennis G. Boatright
5310 Kingsmill Road
Friendswood, TX 77546-3014
(281)-482-6583
dennis@homemail.com

3241. Re: A Generic diode ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Dana@Source.Net
Message-ID: <7bs81v$ic3$1@nnrp1.dejanews.com>
Source record: 114920
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

In article <qbfE2.449$wi1.657@news.flash.net>,
"Steve Murphy" <k8vo@flyingbeers.org> wrote:
> Check the specs on the 1N400x series (ex:1N4007, etc.) and see if one of
> them will work in your application. They're cheap and available almost
> anywhere. About as "generic" a diode as you'll find.

These are certainly very common 1-amp power diodes; try the 1N540x
series for 3-amp diodes.

Dana K6JQ
Dana@Source.Net

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3242. FS: Pro-90 TrunkTracker Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: "ST1A55@msn.com" <ST1A55@email.msn.com>
Message-ID: <O5hCnTBa#GA.108@upnetnews05>
Source record: 114921
Cross-posted to:
rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

Comes with NiCad Battery Wall Adaptor/Charger Antenna
$150.00 Or Best Offer

Like New If Intersted E-mail Me At ST1A55@msn.com

3243. FS: Kenwood TS450S/AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Eric Ludes <eludes@earthlink.net>
Message-ID: <36E192A3.38C57272@earthlink.net>
Source record: 114922

For sale:

Kenwood TS450SAT (with the auto tuner) HF transceiver with all original manuals, hand mic, power cable and box. This rig is in excellent condition. No mods or add-in filters...as it came from the factory. I am the original owner. Non-smoker, never mobile.

$725.00, picture emailed upon request.

73 and thanks for reading.

Eric - KG0JN

3244. Re: What are these heathkits??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: brianburke@my-dejanews.com
Message-ID: <7bq09tpls1@nnrp1.dejanews.com>
Source record: 114955
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

In article <36DF57F3.7249@ix.netcom.com>,
wa6gsd@ix.netcom.com wrote:
> A friend has a chance to buy a Heath SB-300 and SB-401 for $70
> each.. What are these radios, and what is a fair price for them
> assuming average condition??
>
> Thanks
>
> Steve - WA6GSD
>
Steve, try Dale/KB9JJA's page - he has an extensive database of heath stuff.

http://members.accessus.net/~dwentz/

73,
Brian/N0iMD

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3245. Cables for MOTOROLA radios to R.I.B !!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: fox/mulder@usa.net
Message-ID: <36e07946.1562497@news.tel.hr>
Source record: 114956
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Cheap cables for connecting Motorola radios to R.I.B and Computer .!!!

see for yourself ----->>> go to http://members.xoom.com/vr100

3246. WTB Mark-8 computer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: LAMP-PUBLISHING@worldnet.att.net
Message-ID: <7bq2gp$7dp@bgtnsc02.worldnet.att.net>
Source record: 114957

This was the computer in the 74 issue of Radio Electronics, if you have one and want to sell please email thanks

steve

3247. FS Kenwood TS-850SAT.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Michel Morin <morinm@csdgs.qc.ca>
Message-ID: <uc0E2.1986$_n2.54155@carnaval.risq.qc.ca>
Source record: 114958

Excellent condition Kenwood TS-850SAT HF transceiver with a serial number in the 40 millions. Comes with all manuals, hand microphone and power cable. Includes a Kenwood YG-455S-1 high quality SSB 2.4 khz crystal filter.

Asking $1000. U.S.

Also available:
Kenwood MC-60 desk MIcrophone excellent condition $100. U.S.
JPS NIR-10 DSP with cables, manual and version 3 and 4 firmware. $100. U.S

All prices include shipping and insurance. Inquiries by email.

73 de VE2CJW
Michel Morin
Quebec, Canada..

3248. FS Kenwood TH-G71A ht.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Michel Morin <morinm@csdgs.qc.ca>
Message-ID: <Pe0E2.1991$_n2.54121@carnaval.risq.qc.ca>
Source record: 114959

Excellent condition TH-G71A, still on warranty. Comes with a SMC-33 microphone, PG-3J filtered cigarette lighter adapter, PB-39 high power battery and BC-17 charger. Includes manual, warranty card and original bill of sale, also original boxes. AES sells this bundle for $382.85 plus taxes.

I will let you have it for $300. U.S. including shipping and insurance. Reason for sale is that I need a mobile rig. Inquire by email if interested.

73 de VE2CJW
Michel Morin
Quebec, Canada.

3249. FS JPS NIR-10 DSP.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Michel Morin <morinm@csdgs.qc.ca>
Message-ID: <yg0E2.1995$_n2.54272@carnaval.risq.qc.ca>
Source record: 114960

NIR-10 in excellent condition with manuals, cables and versions 3 and 4 of
the firmware.

Asking $100. U.S. which includes shipping and insurance.
Inquire by email if interested

73 de VE2CJW
Michel Morin
.

3250. FS Kenwood MC-60 desk mike.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Michel Morin <morinm@csdgs.qc.ca>
Message-ID: <5i0E2.2000$_n2.53782@carnaval.risq.qc.ca>
Source record: 114961

Excellent condition MC-60 desk microphone. Fits any Kenwood HF rig. Has an internal preamp.

Asking $100. U.S. shipping and insurance included. Inquire by email if interested.

73 de VE2CJW
Michel Morin
Quebec, Canada.

3251. Will VX-5R Receive Military AM Aircraft?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: wb5kcm@hotmail.com
Message-ID: <7bq8gn$c1$1@nnrp1.dejanews.com>
Source record: 114962

Will the VX-5R HT receive the AM mode in the 300 to 400 Mhz range for military/govt. aircraft frequencies?

Randy, WB5KCM...

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3252. Heath SS-9000 Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: marijimc@axs.net
Message-ID: <7bq8qhfu1@nnrp1.dejanews.com>
Source record: 114963

Want to buy a Heath SS-9000 (PS would be a plus). If you want an arm AND a leg, we would have to talk combination cash/trade. If just a leg, buy outright. E-mail marijimc@axs.net Thanks, Jim

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3253. Re: VX-5R question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: jerry r <jerryrc@pobox.com>
Message-ID: <36E0B06A.191D7094@pobox.com>
Source record: 114964

Hope you guys don't need PL receive, it takes 1 second to decode, and
rarely stops a scan on a pl signal.

3254. Re: VX-5R question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: n5hyh
Message-ID: <36e0cb71.10908283@news.mindspring.com>
Source record: 114965

On 6 Mar 1999 04:33:36 GMT, jerry r <jerryrc@pobox.com> wrote:

>Hope you guys don't need PL receive, it takes 1 second to decode, and
>rarely stops a scan on a pl signal.
>

CTCSS works fine on my VX-5R. I use it all the time.

Ron
N5HYH

3255. 4 sale: FT-747GX & TM-241A (Toronto)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: nroy5150@aol.com
Message-ID: <19990306032709.07564.00004309@ng-fa1.aol.com>
Source record: 114966

Hi Friends,

Please make me an offer on the following:

Qty (1) Yaesu FT-747GX Mobile HF radio c/w
Mobile mounting bracket

Qty (1) Kenwood TM-241A 2m mobile radio

Both units have been stored away for six years now. They've been used for
about 8 months of very light operating.

E-mail: nroy5150@aol.com

Thanks,

Nico

3256. adi at 600 charge time?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: k7ltf@usa.net
Message-ID: <36e0ef46.7270236@news.nwlink.com>
Source record: 114967

What is a good recommended charge time for the bat.
that comes with the radio. I have not been able to find it in the
user manual (: however the electronic volt meter for the bat,
when I took it off was just a little over 13v, does it need to be
more?

Zach Bender
Seattle WA

PS I am a little confused on how to scan the 800-900 meg portions, I
know there are channel scan groups, but is there another way to do it?

Tnx

3257. Yeasu FT100 experience

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: jy1@diplomats.com
Message-ID: <7bqrb3fmk1@nnrp1.dejanews.com>
Source record: 114968
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,nl.radio.amateur,aus.radio.amateur.misc

Hi there,

Some of my friends are interested in buying an FT100, but
I'm not sure if I can recommend such a small rig? My
main concern is the large signal behaviour, especially
in the military 30-70 MHz frequency range (RX).
Does anybody have any experience with this? Please report.

Greetings,
JY1

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3258. Wanted pro 23 scanner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36e3f4ec.1193126@netnews.worldnet.att.net>
Source record: 114969

looking for a pro 23 scanner from
radio shack email me thanks...

3259. Re: Yeasu FT100 experience

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Noel Vandenbroucke <noel.vdb@village.uunet.be>
Message-ID: <7bqu7egvv1@xenon.inbe.net>
Source record: 114970
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,nl.radio.amateur,aus.radio.amateur.misc

jy1@diplomats.com heeft geschreven in bericht
<7bqrb3fmk1@nnrp1.dejanews.com>...
>Hi there,
>
>Some of my friends are interested in buying an FT100, but
>I'm not sure if I can recommend such a small rig? My
>main concern is the large signal behaviour, especially
>in the military 30-70 MHz frequency range (RX).
>Does anybody have any experience with this? Please report.

Just buy one , and let us know about the good experiences
(if you'll find any) and the bad experiences .
Some one has to sacrify to serve the whole community .
>
>Greetings,
>JY1
>
>------------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3260. WTB: ICOM PS-85

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: ronfont@asbank.com
Message-ID: <7br3c7$ld4$1@nnrp1.dejanews.com>
Source record: 114971

Looking for a ICOM PS-85 power supply in good condition. Thanks Ron WA5BWB
Please email me at ronfont@asbank.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3261. Re: VX-5R question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-06 00:00:00 UTC
From: Dad News Accounts <john@harvardsystems.com>
Message-ID: <7br3npqsi1@remarQ.com>
Source record: 114972

Mine works fine also

John KE1CQ

jerry r wrote in message <36E0B06A.191D7094@pobox.com>...
>Hope you guys don't need PL receive, it takes 1 second to decode, and
>rarely stops a scan on a pl signal.
>

3262. Re: FS:Icom Delta 1A,2/440/1.2 HT,best offer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36E37A95.A029002F@postoffice.pacbell.net>
Source record: 114673

What kind of accessories comes with it.I have one already might be
interested.
Al

3263. Re: A Generic diode ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: "Bill J, Edinburgh" <maestro@cix.co.uk>
Message-ID: <7bufsk$s7u$2@plutonium.compulink.co.uk>
Source record: 114674
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

The 1N4001 rated at 1 kV (I think), 1 A seems to work fine in place of all the rectifiers I've come across.

NOT always OK for thermionic diodes, because they provide built-in surge prevention. Just add a suitable series resistance, say 100 ohm 5 watt to experiment with.

NOT suitable for replacing signal diodes, either.

Bill J., Edinburgh
dalien wrote in message <36E170D8.4AA8E66F@pacifier.com>...
>Is there a single modern "generic" silicon diode which can replace all
>the early diodes used in Heathkit (and other) power supplies?
>

3264. Re: TM-V7A Advice

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Mike <va3hie@eagle.ca>
Message-ID: <36E3141B.E7A83917@eagle.ca>
Source record: 114675

The TM-V7A is an exceptionally good rig. I have owned mine now for about 7 months and have had no problems what so ever with itwether mobile or here in the shack. The rig seems to have a very durable, sturdy cabinet. The only draw back I find is in the owners manual... it's too thick!!! (meaning there are plenty of options on the rig) Seriously though, kudos to Kenwood, A-1 job!!!
Mike VA3HIE

KD7CTR wrote:

> I am looking to buy a Kenwood TM-V7A mobile and wanted to get feedback from
> current owners. The discouraging thing is paying $99 for the remote face
> mounting cables. Also what does the VS-3 do for the unit? I have a TH-79A-HP
> and would like to use the mobile to cross-band.
> 73s de KD7CTR

3265. Re: A Generic diode ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: mzenier@netcom.com
Message-ID: <mzenierF8AGtI.Jq@netcom.com>
Source record: 114676
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

In article <36E1F770.3B655DB6@worldnet.att.net>,
Rocci <rocci@worldnet.att.net> wrote:
>There are 3 kinds of diodes you're likely to find in you Heathkit:
>1) Rectifier diodes
>2) Silicon small signal diodes
>3) Germanium small signal diodes.

They also used some schottky small signal diodes. (In their
last dip meter, as I remember).

Mark Zenier mzenier@eskimo.com mzenier@netcom.com Washington State resident

3266. Re: FS: TR-9130 All Mode +++

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: ken simmons K5UHF <ksimmons@jempac.com>
Message-ID: <36E2BB21.DD0F87C0@jempac.com>
Source record: 114723
Cross-posted to: rec.radio.swap,rec.radio.amateur.swap,rec.radio.amateur.equipment

Watch out for Tom Repstad he was going to buy a radio from me never sent money, tried to contact but email to him bounced. I did not send radio , did not loose money , he just did not do what he said he would do.
beware!
Ken

Tom Repstad wrote:

> Kenwood TR-9130 2M All mode w/mobile bracket (no manual)... cosmetic
> condition an "8" (some scratches on case but front panel very good.),
> but works great. Have brand new Communications Specialist CTCSS tone
> encoder unit to go with it but have not installed it yet. Also has
> Kenwood Touch-Tone keypad mic. $235.00 for
> both! (Just the 9130 $200, just the tone encoder $45).
>
> --Tom
> KB1CGA

3267. Yaesu 101E Help !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: mike <mikeandjoy@i-link-2.net>
Message-ID: <36E2C01F.CF7D5DFF@i-link-2.net>
Source record: 114724

Could Someone please tell Me how to use the Crystal Control Slots for
Ch.1
and Ch.2 ? The Manual doesn't tell Me much about them. I have tried to
use them,
With no Luck.
Please reply to My email address.
Thanks,
Mike

3268. Re: Ruggedness of Yaesu FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: rstealey@hotmail.com
Message-ID: <36e2c0ee.84986094@news.eclipse.net>
Source record: 114725

On Thu, 04 Mar 1999 01:39:33 GMT, Jethro Jumbalaya Twain
<qwasty@hotmail.com> wrote:

>can the Yaesu FT-847 operate submerged or after a ten foot fall onto gravel?

Sure no problem. Whenever I want to operate out in the pool,
I just throw the rig out the 2nd story window onto the driveway
(so I don't have to carry it downstairs) - doesn't everyone?
and if I get too hot by the pool, I just take the rig in with
me. This is all made possible by chip components
(rugged - glued down to PCBs) and the trend away from
moving parts in rigs today.

Don't forget your sunscreen !

Rick K2XT

3269. Re: Source for Ham and Scanner Crystals (Xtal)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: parnass@nwsgpb.lucent.com
Message-ID: <7bufq5$kjm@ssbunews.ih.lucent.com>
Source record: 114726

In article <7btrv5$bs7@news.cs.hope.edu>,
Jerry Szymczak <szymczak@macatawa.org> wrote:

>Does anyone know of sources for Ham and Scanner crystals.

From my FAQ article BUYING A USED SCANNER RADIO:

[...]

Obtaining Crystals

If you do purchase a crystal controlled scanner or monitor receiver, you will probably want to buy more crystals to cover local frequencies.

Scanner crystals may be ordered from your local Radio Shack store or from one of the companies below. Be sure to specify the operating frequency you want and the brand and model of scanner.

Some companies may ask you to send a schematic of the scanner or require more detailed information, like series or parallel resonance, load capacitance, etc.

Electra Corporation stocks crystals for the Bearcat scanners:

Electra Corporation
11915 E. Washington St.
Cumberland, IN 46229
Phone 317-894-3229

Crystals for Bearcat and other models are available from:

American Crystal Co.
1623 Central Ave.
Kansas City, KS 66102
tel. 913-342-5493

Bomar Crystal Company
201 Blackford Ave.
Middlesex, NJ 08846
tel. 908-356-7787

Cal Crystal Lab Inc.
1142 N. Gilbert St.
Anaheim, CA 92801
tel. 714-991-1580

International Crystal Mfg Co.
11 N. Lee Ave
Oklahoma City, OK 73102
tel. 405-236-3741, 800-725-1426

G & G Communications
9247 Glenwood Drive
LeRoy, NY 14482.
tel. 716-768-8151

Jan Crystals
Box #-6017
Fort Myers, FL 33911
tel. 941-936-2397

Monitor Crystal Svc
124 W Walnut St Watseka, IL 60970
tel. 815-432-5296

[...]

--
==========
Copyright 1999, Bob Parnass, AJ9S parnass@bell-labs.com

Locate & identify transmitters in your area with a color RadioMap(tm)

3270. ICOM 746 vs 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: scherbe6@airmail.net
Message-ID: <5A3DE4426C05CB9D.6DCCE74E8D91A18F.2173D1875D1316AB@library-proxy.airnews.net>
Source record: 114727

I am debating replacing my 730 with a new radio. I have the companion
ICOM ps-15 power supply.
I need some opinions re these two. My principal interest is HF so the
6m and 2m bands are not important here.
I'd like to hear from real users of either of these two.

Things like antenna tuners, ease of use, optional equipment needs,
functionality of the front panels, PRICE are important.

Thanks, Ted HF5HV

3271. FS: AL811 amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: dhickey389@aol.com
Message-ID: <19990307132429.06310.00005170@ng122.aol.com>
Source record: 114728

Low hours, excellent condition, 600 watts output , best offer.

Dennis Hickey
WD9ALX

3272. FS: 941 D ant tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: dhickey389@aol.com
Message-ID: <19990307132619.06310.00005172@ng122.aol.com>
Source record: 114729

941D antenna tuner hardly used. Excellent condition. Best offer.

Also, BW FL10/100 low-pass filter.

Dennis Hickey
WD9ALX

3273. STANDARD HX 241

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: firecomm@aol.com
Message-ID: <19990307132704.19555.00005103@ng-fr1.aol.com>
Source record: 114730

HI ALL

STILL LOOKING FOR BATTERYS FOR MY RADIOS. ALSO RAPID CHARGERS FOR THEM. I NEED 2 OF EVERYTHING.

THANKS FIRECOMM

3274. Tower Bill

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: biekertno@swbell.net
Message-ID: <7zzE2.446$y_2.5137@typhoon01.swbell.net>
Source record: 114731

All hams in Texas.. please read the Texas Amateur Radio Tower Bill, and write your Texas representatives, senators, and governor.
http://www.clarc.org/txtower.htm

73
Bob

3275. Re: Ruggedness of Yaesu FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Marv Luse <mwluse@dimensional.com>
Message-ID: <36E2CAC8.BE56BBF5@dimensional.com>
Source record: 114732

Jethro Jumbalaya Twain wrote:

> can the Yaesu FT-847 operate submerged or after a ten foot fall onto gravel?
> I'm looking for an all band, all mode extremely rugged radio and so far I've
> found nothing. Someone suggested ruggedizing a CW QRP kit but that isn't what
> I *really* want, even though it'd be an option.
>
> "There are three types of people in this world: those who can count and
> those who can't" - Unknown Mathematician
>
> ------------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

I've noticed problems with mine while attempting to operate it submerged below a depth of 400 feet. Also, while a ten foot fall onto gravel is no sweat for the unit, the one time I dropped it from my Cessna 150 at 5000 feet into a tar pit the receive frequency jumped 5 Hz. I complained to Yaesu, of course, but got no satisfaction. The nerve of those guys. You might want to look at an old ARC-5.

73,

Marv
KC0EGB

3276. FS: UHF SYSTEM SABER 3

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36E2BFBD.FEACD86B@postoffice.pacbell.net>
Source record: 114733
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Radio is in nice condition and has the DES-XL module
installed.Radio,antenna,belt clip and high capacity battery. $700 or
interesting trade.
Al

3277. FS: 6146B's New in box

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: kenn2sqw@aol.com
Message-ID: <19990307141403.26920.00004210@ng100.aol.com>
Source record: 114734

GE 6146B tubes, new in box. $ 16 each plus shipping or all 4 for $ 60 and I ship.
E-Mail to kenn2sqw@aol.com

73,
Ken

3278. Re: Icom 27a mods?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Bob Bethman <rbethman@erols.com>
Message-ID: <36E2D176.4E88067F@erols.com>
Source record: 114735
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Dan,

Yes, mine does the same. But as I wrote, I'd like to get it up to around 160 or

so if possible to listen to other things when I travel. The IC-28 expands up to

about 174Mhz. I'd like to do the same if possible.
It doesn't even have to transmit up there, I just want to listen.

Bob
N0DGN/4

Dan Yemiola N8FIU wrote:

> In article <36E191DB.1CF6B4BD@erols.com>,
> Bob Bethman <rbethman@erols.com> wrote:
> >I am looking for mods to expand the frequency range of my
> Icom 27A. I know the
> >28 had the ability to expand, want to know if the 27A can
> also. I want to be
> >able to listen to the area above 148Mhz, I.e., 160 or so to
> trains and the like
> >while traveling. Don't want to have to buy a scanner.
> >
> >Bob
> >N0DGN/4
> >
>
> i DONT KNOW ABOUT YOURS, BUT MY 27A TUNES 140.005 THRU
> 149.995 RIGHT OUT OF THE BOX.
>
> ONE MOD I DID WAS TO RPLACE THE RF CONNECTOR AND THAT SHORT
> LITTLE CABLE WITH A BNC CONNECTOR.
>
> A THREADED BNC WILL SCREW RIGHT INTO THE HOLE LEFT BY THE
> CABLE HOLDER AND NUT ASSEMBLY.

3279. IC-W32A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: "Joseph P. Humberger" <KB9TFH@michianatoday.com>
Message-ID: <7bum89pje1@ffx2nh5.news.uu.net>
Source record: 114736
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc

Hello,

My name is Joe Humberger KB9TFH, I am going to be purchacing an Icom W32a in a couple weeks. The reason for posting this message is that i was woundering if there are some things i should know about this radio, The Pro's and the Con's. A friend recomended this radio so i know very little about it. I would appreaciate any info given. And if you have this radio, Please tell me what u like and don't like about this radio.

Thanks,
Joe Humberger KB9TFH

3280. A Rig for a New Ham

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: andrewvictor@geocities.com
Message-ID: <7bupba$h4d$1@nnrp1.dejanews.com>
Source record: 114737

I wondering what transeiver I should buy. I have been looking at the FT-920, FT-840, FT-847, IC-746, and the IC-756. I looking for a rig under $2000.
Thanks,
Andrew

P.S. Do you reccomend I buy a Gap Vertical or a Butternut?

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3281. Re: Anyone have out of band tx mod for Yaesu FT-8500?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7bumj6$f65@news.Hawaii.Edu>
Source record: 114738
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

READ N' POST ROSIE <rosiec@my-dejanews.com> wrote:
>In article <7bsuti$9m4$1@remarQ.com>,

> "Mick" <noname@nowhere.com> wrote:
>> By the way...cutting the small green wire also opens up the FT-8000. Cut it,
>> and reset the the radio. It takes longer to re-install the freqs. than it
>> does to make the mod. Having the ADMS-2 program does make it easier to
>> reprogram.

>you hams.... always figuring out how to transmit illegally somewhere! LOL!

With an address like "noname@nowhere.com" I wouldn't bet the beach
that he's a ham. Lots of non-hams (like yourself) read and post to
these groups, "Rosie."

Jeff WH6U

3282. Re: IC-W32A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: "Conrad A. Weiser" <radimus@paonline.com>
Message-ID: <36E2E2A3.AA5FF299@paonline.com>
Source record: 114739
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc

I have one of these radios and am very happy with it. It's easy to use. The entire keypad can light up and the display is easy to read, so it can double as a mobile radio very nicely. That's what I did. I use it in my car attached to a Maha docking amp. My only regret is that I didn't get the programming software when I bought the radio. 200 memories is a lot to keep track of.

If you plan to use the crossband repeat feature, don't run both bands at high power. The radio will get REAL hot. If I'm crossbanding from 440 to 2M I only have the 2M side on high if I need to, and the radio still gets extremely warm.

Rad
N3XNV

"Joseph P. Humberger" wrote:

> Hello,
>
> My name is Joe Humberger KB9TFH, I am going to be purchacing an Icom
> W32a in a couple weeks. The reason for posting this message is that i was
> woundering if there are some things i should know about this radio, The
> Pro's and the Con's. A friend recomended this radio so i know very little
> about it. I would appreaciate any info given. And if you have this radio,
> Please tell me what u like and don't like about this radio.
>
> Thanks,
> Joe Humberger KB9TFH

3283. Yaesu Desk Mic Wanted! MB-1D ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Steve Wehring <wd5hni@flash.net>
Message-ID: <36E30036.DDE4081@flash.net>
Source record: 114740

Hello to all!, need a desk mic for the uhf rig, hr. Have FT-7200 the
MD-1 will not work, must be the MD-1B8? or whats required for there vhf
and uhf rigs.
thanks to all!... Steve WD5HNI in TX.

3284. FS: Dualband (2m/70cm) Handheld

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: wardseward@yahoo.com
Message-ID: <7bus93$jf4$1@nnrp1.dejanews.com>
Source record: 114741

FS: ADI AT-600HP dualband HT w/...,battery, wall charger, rubber ducky, manual and box, speaker/mic, leather case, and car lighter adapter.

This rig is in great shape and hasn't seen much use. I'm selling it because I am looking to get a smaller ht. If you have any questions send me an email. I'm asking $250 plus S&H.

-\/\/ard--KB9TFF
wardseward@yahoo.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3285. FS:Kantronics KamPlus

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: k2jy@aol.com
Message-ID: <19990307160626.04272.00004990@ng15.aol.com>
Source record: 114742

Have for sale a kantronics kamplus tnc in excellent condition,with host master II+,version 3.4 software.The price is 225.oo which includes shipping in the U.S

K2JY@aol.com

3286. Re: ICOM 746 vs 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Michael Madden <mmadden@suffolk.lib.ny.us>
Message-ID: <7bup4n$5fg$1@news01.li.net>
Source record: 114743

The receiver's are basically the same. Both Great! The major difference's are the band scope(Real Time) in the 756 and 2m in the 746. If money is the major factor in your analysis, go with the 746.

3287. Astron Repair

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Mark <binfordv@worldnet.att.net>
Message-ID: <7burau$cr0@bgtnsc03.worldnet.att.net>
Source record: 114744

Anyone know the ECG replacement number for the power transistors on the back of an Astron RS-20 power supply? The ones on mine don't have any numbers and I can't find my schematic for the supply.

3288. Re: A Rig for a New Ham

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: J Peitsch <peitsch@concentric.net>
Message-ID: <7buuec$536@chronicle.concentric.net>
Source record: 114745

2 grand will buy a lot of rig for a new ham, thats fer sure.

andrewvictor@geocities.com wrote in message
<7bupba$h4d$1@nnrp1.dejanews.com>...
>I wondering what transeiver I should buy. I have been looking at the
FT-920,
>FT-840, FT-847, IC-746, and the IC-756. I looking for a rig under $2000.
> Thanks,
> Andrew
>
>P.S. Do you reccomend I buy a Gap Vertical or a Butternut?
>
>------------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3289. WTB Yaesu 440 monobander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Steve <wswr@erols.com>
Message-ID: <7buvu5$8eo$1@winter.news.rcn.net>
Source record: 114746

Am looking for a Yaesu 440 mono band radio. Not sure of the
model number. Thought it was a Ft-7400 but I could be wrong.

In any case if you have one your not using and want to sell it, please
drop me a line.

Steve

3290. 8 inc icom > kenwood adapter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Marty Duplissey <mduplissey@lsbs.com>
Message-ID: <pGDE2.45$oT6.372@news3.ispnews.com>
Source record: 114747

I've got a very nice Icom sm-6 mic I'd like to use on a kenwood 440s. Does anybody make an adapter or could somebody point me in the right direction to make my own? I've got the pin-out and scematic to the sm-6 but nothing on the kenwood.

Marty Duplissey
N5KBP

--
Marty Duplissey
Lone Star Business Systems
Specializing in development for the credit report retrieval industry
Desktop, Networks, Intranets and Internet Delivery
http://www.lsbs.com

3291. FS High Voltage Variables

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <36E30B41.136D@sympatico.ca>
Source record: 114748
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.ham-radio.swap

I have the following High Voltage Variables for sale, good shape - shipping extra.

Hammond Manufacturing, a pair of 350UFd @ 3000 volts, with 1" Johnson porcelain mounting legs, and a Johnson porcelain inter capacitor connector. Should sell as a set - $40.00.

Hammond Manufacturing, 250 ufd @ 3000 volts, $15.00.

Hammond Manufacturing, 100ufd - 100ufd dual section 6000 volts $40.00

Pair of 100ufd with interconnecting cable from ARC5 transmitter $6.00

New in box Airdux coil, #1604T 2" 4TPI $15.00

3292. Re: Question on Yaesu 8500.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: JJ <jjsmith@ipa.net>
Message-ID: <7bv22rocg1@news.ipa.net>
Source record: 114749

Program your "P1" button to do scanning. Then press P1 momentarily instead
of holding it down and you will scan only the band you are currently in.

JJ

Evan Platt wrote in message <36e22d2a.62860594@news.ncal.verio.com>...
>I recently picked up a Yaesu 8500. REAL nice radio. Question thou: I'm
>using quite abit of it as a scanner to monitor the local police /
>fire. One bank though, would be nice if it would only scan if I were
>in that bank. For exampe, bank 4 is San Jose Police. Busy police
>department, 8 channels. If I'm in bank 4 and I hit scan (for less than
>.5 seconds), I'd like it to scan bank 4. But, if I'm in bank 1 and
>hold down scan, I'd like it to ignore bank 4.
>
>Any suggestions?
>
>Thanks!
>
>Evan
>To reply via e-mail, please use eplatt at wco period
>com. Sorry, but this is the only way to despam my
>address.

3293. Programming software for Ken. TM-V7A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: not.shown@to.prevent.spam
Message-ID: <36e308a0.7136762@cnn.exu.ericsson.se>
Source record: 114750

I just bought a Kenwood TM-V7A and went to their FTP site to
D/L the programming software. It accepts anonymous access to
everything except when I click on the software I need. It
than prompts for a username and password. CRAP.

I want to get this thing programmed quickly (without having
to use the front panel) and installed in my car this weekend.
That's why I bought it.

Anyone have this software or the login info to get it?

Anyone know the reason why Kenwood keeps this under lock
and key when they say right on their web page that it's
available?

Thanks,
Mike (KD6PKJ)

3294. Re: Astron Repair

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: CJ <cjr@visi.com>
Message-ID: <36E30DD8.4CBF65E4@visi.com>
Source record: 114751

The transistors on my RS-20M are 2N3771.

73, CJ K0CJ

Mark wrote:
>
> Anyone know the ECG replacement number for the power transistors on the back
> of an Astron RS-20 power supply? The ones on mine don't have any numbers and
> I can't find my schematic for the supply.

3295. Re: Yeasu FT100 experience/splaytter/poo receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: w1ksz@tiac.net
Message-ID: <36e30bba.18134167@news.tiac.net>
Source record: 114752
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,nl.radio.amateur,aus.radio.amateur.misc

I suppose you base these statements on personal knowledge and/or
actual measurements of those parameters ??
73, Dick, W1KSZ
(Still waiting for mine)

On Mon, 8 Mar 1999 08:29:04 +1000, "Craig" <bearl@ozemail.com.au>
wrote:

>This is just another humdrum ham radio, that works no better that a FT101,
>shure its small. But like the ic706 mk1 to 99, its third order imd is poor,
>the splatter that comes from these boxes is on par with most CB radios. The
>receivers are ver poor, low 3rd order interecept point. No ham should use
>these radios on the ham bands with a linear at a fixed station. Mobile and
>portable and emergency use are okay.
>
>But why these ham manufacturers try to put 3 grains of rice into straw, when
>most of their products have poor receivers and and poor transmit IMD, i dont
>undstand. At the rate at which most manufacturers are improving receivers,
>ham radio might be a dead hobby.
>
>But buy the FT100 and tell us all about how well it works for you, and how
>brilliant those 500 sub menus are, you better be the first to write a cheat
>sheet, you might make some money!
>
>Good Luck
>
>Please look at the specs, and try to understand what each one means.
>David deSouza-Kirby wrote in message ...
>>In article <7bqrb3fmk1@nnrp1.dejanews.com>, jy1@diplomats.com writes
>>>Hi there,
>>>
>>>Some of my friends are interested in buying an FT100, but
>>>I'm not sure if I can recommend such a small rig? My
>>>main concern is the large signal behaviour, especially
>>>in the military 30-70 MHz frequency range (RX).
>>>Does anybody have any experience with this? Please report.
>>>
>>>Greetings,
>>>JY1
>>>
>>
>>If this is a slight on JY1 I think it is in extremely bad taste.
>>
>>Dave G3VFP.

>>>-----------== Posted via Deja News, The Discussion Network ==----------
>>>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>>
>>_______________________________
>>
>>Reply to Dave@vfpnet.demon.co.uk
>
>

3296. Re: Antenna height

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: "Robinson, AB5VH" <rc@crusoe.org>
Message-ID: <7bv2fp$mm7$1@news-1.news.gte.net>
Source record: 114753
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

Yes. Do it.

--

-Robinson- (AB5VH)
San Benito, Texas
a nice little town on the beautiful Lower Rio Grande Valley

for radio, maritime, and locks/locksmithing stuff go to
my NEW, IMPROVED, BIGGER site at:
http://www.geocities.com/~robinsonab5vh/

dit diddy dit dit

BD wrote in message <7bt8gj$q2t$1@newnews.startext.net>...
>I know this's been discussed here.. But.. :)
>Will an additional 5ft added to an already 5ft mast make much difference
>with a 2meter/440 antenna? It'll only cost me an additional $30 or so for
>extra guy-wire, mast, etc.. when I replace the temporary thing I put up
>there, but..... Just a little more labor than simply replacing the
mast.
>
>I live right in the middle of the dfw metroplex, and can already reach
>repeaters on the outter limits of a 100mile radius.. And quite a few
>further off than that.
>
>(which hardly feels like HAM RADIO, but I'm still stuck on those danged
>multiple dots....)
>
>
>

3297. Icom W32A Help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: "Joseph P. Humberger" <KB9TFH@michianatoday.com>
Message-ID: <7bv2qs$7g3$1@ffx2nh5.news.uu.net>
Source record: 114754

Hello,

My name is Joe Humberger KB9TFH, I am going to be purchacing an Icom W32a in a couple weeks. The reason for posting this message is that i was woundering if there are some things i should know about this radio, The Pro's and the Con's. A friend recomended this radio so i know very little about it. I would appreaciate any info given. And if you have this radio, Please tell me what u like and don't like about this radio.

Thanks,
Joe Humberger KB9TFH

3298. Re: A Rig for a New Ham

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Bruce Petrarca <Bruce@ScubaPhoto.com>
Message-ID: <36E30FAF.40101102@ScubaPhoto.com>
Source record: 114755

I'd recommend an Icom and Cushcraft R7 or R7000!

73 de kx0e
Bruce

andrewvictor@geocities.com wrote:

> I wondering what transeiver I should buy. I have been looking at the FT-920,
> FT-840, FT-847, IC-746, and the IC-756. I looking for a rig under $2000.
> Thanks,
> Andrew
>
> P.S. Do you reccomend I buy a Gap Vertical or a Butternut?
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3299. Re: Problems with new Kenwood 2M Mobile mikes??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Don Labriola <labriola@ix.netcom.com>
Message-ID: <36E3154A.A835B381@ix.netcom.com>
Source record: 114756

I've had the same problem with one, particularly when the car was hot.
Traced it down to a soft piece of foam inside the mic that is used to push a
"micro-switch". I added (glued) a washer below the piece of foam rubber to
make up for the permanant compression of the foam and the problem is gone.
Good luck!

73 de W6QS - Don Labriola

Gary Williams wrote:

> MIne works fine. Sorry to hear about your troubles.
> Gary AA3NP
>
> Lee Hall wrote:
>
> > I was wondering if anyone was having problems with the large backlit
> > mikes now featured on Kenwood 2M and dual-band mobiles, particularly
> > the TM-261A. I have heard of about a dozen cases around here but
> > Kenwood doesn't admit there is a problem. The mikes have a tendency
> > to intermittently unkey or not key up at all. Please post here if you
> > are having the same problem. Several of these folks locally are
> > highly steamed at Kenwood and wanted me to put out this query on the
> > NG. BTW, I have a late '80's vintage TM221A and it works just fine.
> > Think I'll keep it.
> >
> > 73,
> > Lee Hall
> > http://www.qsl.net/ny4t

3300. want to buy 10-11 meter rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: JJ <jjsmith@ipa.net>
Message-ID: <7bv4e7phl1@news.ipa.net>
Source record: 114757

I need a rig that will do 10 and 11 meters with around 75-100 watts output.
Please let me know what you have to offer.

JJ

3301. FS:Saber 1 secure

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36E319ED.A8017541@postoffice.pacbell.net>
Source record: 114758
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Radio is in excellent condition,has a DES-XL module installed.Includes
radio,antenna and battery.Frequency range 440-470 mhz. $275
Al

3302. FT8500 help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: JJ <jjsmith@ipa.net>
Message-ID: <7bv5o3$q15$1@news.ipa.net>
Source record: 114759
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Can someone please tell me how to change how many banks of memory belong to vhf and uhf. Currently it is 5 banks of each, standard setup. I need 7 vhf and 3 uhf. Please help.

JJ

3303. Re: Programming software for Ken. TM-V7A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Rick Pemble <pemble@earthlink.net>
Message-ID: <7bv4a6$l6n$1@oak.prod.itd.earthlink.net>
Source record: 114760

I e-mailed the program to your return e-mail address. It is about 300K
bytes long (zipped).

Rick W4RP

Mike (KD6PKJ) wrote in message <36e308a0.7136762@cnn.exu.ericsson.se>...
>I just bought a Kenwood TM-V7A and went to their FTP site to
>D/L the programming software. It accepts anonymous access to
>everything except when I click on the software I need. It
>than prompts for a username and password. CRAP.
>
>I want to get this thing programmed quickly (without having
>to use the front panel) and installed in my car this weekend.
>That's why I bought it.
>
>Anyone have this software or the login info to get it?
>
>Anyone know the reason why Kenwood keeps this under lock
>and key when they say right on their web page that it's
>available?
>
>Thanks,
>Mike (KD6PKJ)
>

3304. FS: DRAKE MN2700

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36E31837.823B0EDF@postoffice.pacbell.net>
Source record: 114761
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Antenna tuner handles full legal limit, 160 thru 10 meters.Has built in
watt meter.
$225.
Al

3305. Re: Yeasu FT100 experience

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Joseph A Vilardo <jvilardo@voicenet.com>
Message-ID: <jpFE2.976$vz3.3129@news3.voicenet.com>
Source record: 114762
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,nl.radio.amateur,aus.radio.amateur.misc

Anyone who has'nt the balls to put his name on an e-mail gets NO INFORMATION
from this end. Your extreme bad taste of signing JY1 is also noted, Jerk.

Joe
K3JV
jy1@diplomats.com wrote in message <7bqrb3fmk1@nnrp1.dejanews.com>...
>Hi there,
>
>Some of my friends are interested in buying an FT100, but
>I'm not sure if I can recommend such a small rig? My
>main concern is the large signal behaviour, especially
>in the military 30-70 MHz frequency range (RX).
>Does anybody have any experience with this? Please report.
>
>Greetings,
>JY1
>
>------------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3306. Re: FS High Voltage Variables

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Randy and Cara Randall <crrandal@seidata.com>
Message-ID: <36E32443.59D455F4@seidata.com>
Source record: 114763
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.ham-radio.swap

Shouldn't the rating be pf (pico farad) instead of ufd (micro farad) ?

If it IS ufd, those are some SERIOUS caps!

Randy.

Larry Asp wrote:

> I have the following High Voltage Variables for sale, good shape -
> shipping extra.
>
> Hammond Manufacturing, a pair of 350UFd @ 3000 volts, with 1" Johnson
> porcelain mounting legs, and a Johnson porcelain inter capacitor
> connector. Should sell as a set - $40.00.
>
> Hammond Manufacturing, 250 ufd @ 3000 volts, $15.00.
>
> Hammond Manufacturing, 100ufd - 100ufd dual section 6000 volts $40.00
>
> Pair of 100ufd with interconnecting cable from ARC5 transmitter $6.00
>
> New in box Airdux coil, #1604T 2" 4TPI $15.00

3307. WTB ALPHA HF AMPLIFIER or HENRY 3K

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Joseph A Vilardo <jvilardo@voicenet.com>
Message-ID: <zxFE2.977$vz3.3025@news3.voicenet.com>
Source record: 114764

I am looking for a Alpha 87A that is in good shape or a Henry 3K (console).
I am willing to pay fair street price without any strings for a good working
Amplifier. Please provide serial number and age of the unit and reply by
e-mail or phone jvilardo@voicenet,com - Day time 610-429-1514 evenings
610-429-1297

Joe
K3JV

3308. Re: FS: TR-9130 All Mode +++

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Tom Repstad <kb1cga@starc.org>
Message-ID: <36E32932.96C514A1@starc.org>
Source record: 114765
Cross-posted to: rec.radio.amateur.swap,rec.radio.swap,rec.radio.amateur.equipment

You know Ken, unwarranted slander like this is ruining the net. You could have posted a message on the swap group to my attention and I would have answered. Yes I did change internet providers.... and as a result have a new e-mail address. Yes I was going to buy the SB-104A, but decided not to at this time. I did send you e-mail, I gather you did not get it. I have had a number postings here with my new e-mail address, if you were so concerned, why did you not reply to one of my postings to ask me about the deal? If everybody up here whined the way you are everytime somebody changed their mind, there would be not room for for-sale messages. That's why, you don't ship til you get the cash. Why would you even post this drivel when you lost nothing? I dunno Ken, seems like you are crying about nothing... give the world a break will ya...

--Tom
KB1CGA

ken simmons K5UHF wrote:

> Watch out for Tom Repstad he was going to buy a radio from me never sent
> money, tried to contact but email to him bounced. I did not send radio ,
> did not loose money , he just did not do what he said he would do.
> beware!
> Ken
>
> Tom Repstad wrote:
>
> > Kenwood TR-9130 2M All mode w/mobile bracket (no manual)... cosmetic
> > condition an "8" (some scratches on case but front panel very good.),
> > but works great. Have brand new Communications Specialist CTCSS tone
> > encoder unit to go with it but have not installed it yet. Also has
> > Kenwood Touch-Tone keypad mic. $235.00 for
> > both! (Just the 9130 $200, just the tone encoder $45).
> >
> > --Tom
> > KB1CGA

3309. Re: Astron Repair

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Tony Giroux <agiroux@cvn.net>
Message-ID: <36E30B28.73382B1E@cvn.net>
Source record: 114766

I don't know about ECG numbers, but the transistors on the back of my RS-20 have

2N3771 on them.

Tony - KF3BX

Mark wrote:

> Anyone know the ECG replacement number for the power transistors on the back
> of an Astron RS-20 power supply? The ones on mine don't have any numbers and
> I can't find my schematic for the supply.

3310. Commodore computer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: JOHN WARD <HITECH@EROLS.COM>
Message-ID: <7bvd64ddq1@winter.news.rcn.net>
Source record: 114767

I have 3 commordore 64 with tape drive and disk drive...If intersted let me know or email me Hitech@erols.com .

3311. Watson W-2000 Tribander Help Needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: David Pantrey <dpan@globalnet.co.uk>
Message-ID: <7bv1hdofh2@newnews.global.net.uk>
Source record: 114768

Hello,
thanks for reading this. Has anyone had experience of the Watson W-2000
tribander?
Particularly any tuning requred to the long radial to give low SWR across
the 6m band
Any advice welcome.
Many thanks

David G7LMT

3312. Re: IC-W32A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: "Michael E. McDonald" <macsuser@teleport.com>
Message-ID: <KCJE2.13044$hC.6452470@news1.teleport.com>
Source record: 114769
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc

I have one of these radios and I like it a lot. However, because of the wide front end, it tends to get swamped due to cell phones and pagers if you are in the vicinity of one of the towers. I have resolved this with an amp with a built in filter. I know of others who have purchased a notch filter to remove the troublesome signals. I agree with the other person who responded if you can get the software and the cable up front. The programming is much easier on the PC.

73

Mike McDonad
KC7YSW

Joseph P. Humberger wrote in message <7bum89pje1@ffx2nh5.news.uu.net>...
>Hello,
>
> My name is Joe Humberger KB9TFH, I am going to be purchacing an
Icom
>W32a in a couple weeks. The reason for posting this message is that i was
>woundering if there are some things i should know about this radio, The
>Pro's and the Con's. A friend recomended this radio so i know very little
>about it. I would appreaciate any info given. And if you have this radio,
>Please tell me what u like and don't like about this radio.
>
> Thanks,
> Joe Humberger KB9TFH
>
>

3313. Yaesu FT-3000M

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Jason Reina <jreina@lcc.net>
Message-ID: <36E3616D.D1552A6E@lcc.net>
Source record: 114770

Wondering if anyone owns a Yaesu FT-3000M. I am looking to buy one, and I was wondering what everyone thought about it. Also, is there a mod for expanded transmit in the 150-156 mhz range? I am a firefighter/emt, and I would love to have the radio to use for that as well. Please e-mail me if you have information!

Jason Reina
KD5CEK

3314. AEA PKT-1

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Dennis Jacobson <n6ng@jps.net>
Message-ID: <36E3690B.3586@jps.net>
Source record: 114771

Anyone have any information on this Type 1 (I think) TNC?
Specs, data sheets or manual? I could use anything you have...
Please let me know. Thanks
--
73... Dennis N6NG
(Remove XX from my "Reply Address" to respond)
Retired: Just another road kill on the Information Highway.

3315. Re: FT8500 help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: "Tom B." <ab7tu@parg.org>
Message-ID: <36E37F79.4F8@parg.org>
Source record: 114772
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Transferring Memory Banks. Page 30 in owners manual.

JJ wrote:
>
> Can someone please tell me how to change how many banks of memory belong to
> vhf and uhf. Currently it is 5 banks of each, standard setup. I need 7 vhf
> and 3 uhf. Please help.
>
> JJ

3316. Re: iCOM IC 707

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: brianburke@my-dejanews.com
Message-ID: <7bsr86$1dc$1@nnrp1.dejanews.com>
Source record: 114773

In article <36e1c91f.0@news.gisco.net>,
"MIKE (707)" <cobra2@gisco.net> wrote:
> Does ANYONE have any mods for this radio??
>
I've heard that they can be chopped up and made into a CB, but for ham radio they work great right out of the box. What are you looking for?

Brian/N0iMD

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3317. Kenwood 2m and DSP 232 problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: art.santella@juno.com
Message-ID: <36e1e18d.176095@news.snet.net>
Source record: 114774

I have a AEA/TimeWave DSP 232 all mode controller. I have the intermittent problem of the Kenwood 231A locking into the transmit mode when on a packet cluster. It has only happened twice but the rig almost overheated. I shut off the 232 and it comes out of transmit and then operates fine for days. I was told it might be a ground loop. Has anyone ever had any problem like this.

Art Santella
(K1VKO)
"If You Ain't The Lead Dog, The Scenery Never Changes."

3318. TM-V7A Advice

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: kd7ctr@aol.com
Message-ID: <19990306215229.13185.00004715@ng-cr1.aol.com>
Source record: 114775

I am looking to buy a Kenwood TM-V7A mobile and wanted to get feedback from current owners. The discouraging thing is paying $99 for the remote face mounting cables. Also what does the VS-3 do for the unit? I have a TH-79A-HP and would like to use the mobile to cross-band.
73s de KD7CTR

3319. Re: HT Antenna/Mic/Power Supply ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: "Paul, KC2DLA" <kpaul@usa.net>
Message-ID: <01be6845$0572e300$5ba6accf@bert.poss.com>
Source record: 114776

Dan & Julie Rakowski <rakowski@tir.com> wrote in article
<36E1C5BC.868C3D1E@tir.com>...
> Hi all,
>
> I received my Tech ticket in February. I've started making
> a few contacts through a local repeater using an Alinco
> DJ-191T, equipped with a 5W battery, Maha speaker-mic and
> MFJ "Long Ranger" 1/4 wave whip.
>
> Two of my contacts reported something like "white noise" in
> my signal.

Dan,
If this is a local repeater (within 5-10 miles away) you should be able to get into it without a problem with the rubber duck or your MFJ 1/4 wave. What I would suggest to you would be to build or buy a 5/8 wave 2 meter antenna. This kind of antenna is physivally and electrically longer for 2 meters, and directs more radiated power towards the horizon. This antenna should greatly improve your ability to acces repeater DFQ. One idea would be to buy a Larsen NMO-150B and then build a 1/4 wave radial system (or drill it through a cookie sheet) and hide it in a closet.

Gud luck es 73, de Paul KC2DLA

3320. Re: Ham-Equip Digest V99 #65

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: mmonce@urgentmail.COM
Message-ID: <9903062225031C.04033@weba2.iname.net>
Source record: 114777

CAN ANYONE TELL ME HOW I CAN UNSUBSCRIBE FROM THE HAM-EQUIPT DIGEST!!!! I TRIED TO UNSUBSCRIBE BUT IT DIDN'T WORK.SO CAN SOMEONE PLEASE UNSUBSCRIBE ME FROM THIS HAM-EQUIPT DIGEST MAILING LIST ASAP!!!!

THANKS
MERL MONCER N4BFT

---- you wrote:
>
> Ham-Equip Digest Sat, 6 Mar 99 Volume 99 : Issue 65
>
> Today's Topics:
> .Jobs in Electronics
> ==== WTB ARF-2001 RADIO ====
> Anyone have out of band tx mod for Yaesu FT-8500?
> Cables for MOTOROLA radios to R.I.B !!!!
> Code Tutors
> Commercial Marine HF AMP for sale
> Does anyone still sell unbuilt Heathkits? (2 msgs)
> ebay ends today: A Dandy All Weather Army Carrying Case or Antenna Mast Control
> EMI
> FS: Icom R7000/TV-R7000
> FS:Motorola Iden equipment
> FS:SYSTEM SABER 3
> FS: Yaesu FT-840 in the box, low hours
> FS JPS NIR-10 DSP.
> FS Kenwood MC-60 desk mike.
> FS Kenwood TH-G71A ht.
> FS Kenwood TS-850SAT.
> FS Tek Scope
> fs yaesu ft-8100r
> FT50 Software Mods
> FT990
> HAMFEST March 7, 1999 - Lindenhurst, LI
> IC-T8a mods (2 msgs)
> IC706
> Icom 271H 2m All-mode
> Icom 725 front - $28 shipped!
> I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?
> Installing /Locating a TU-8 Tone Board for KW 440s (2 msgs)
> Is there a Yaesu mail-list?
> Kenwood TS-120 front - $28 shipped
> KENWOOD TS-940SAT (2 msgs)
> Motorola mx330 conversion
> Need Manual HW-2036

> Need schematic/manual AZDEN PCS4800 (10M FM)
> New wide-band antenna!
> Plessey PR 2250
> PROBE STYLE OSCILLOSCOPE
> SARA Hamfest Saturday March 6, Parsippany NJ
> Telrex Antenna's ???
> Ten Tec Century 22 - $250
> VX-5R question (5 msgs)
> What are these heathkits??
> WTB:Drake TR7 Schematic
> WTB: HF + 6
> WTB Mark-8 computer
> Yaesu FT-757 front -$28
>
> Send Replies or notes for publication to: <Ham-Equip@UCSD.Edu>
> Send subscription requests to: <Ham-Equip-REQUEST@UCSD.Edu>
> Problems you can't solve otherwise to brian@ucsd.edu.
>
> Archives of past issues of the Ham-Equip Digest are available
> (by FTP only) from ftp.UCSD.Edu in directory "mailarchives/ham-equip".
>
> We trust that readers are intelligent enough to realize that all text
> herein consists of personal comments and does not represent the official
> policies or positions of any party. Your mileage may vary. So there.
> Loop-Detect: Ham-Equip:99/65
> --
>
> Date: Wed, 03 Mar 1999 21:19:41 -0500
> From: rick etter <retter@bright.net>
> Subject: .Jobs in Electronics
>
> If you're interested in putting your electronics knowledge to work,
> check out this offer:
>
> http://www.faa.gov/ats/best/
>
> You will have to jump through a few hoops(it is a government job,
> afterall), but they are looking to hire by the end of this year.
> ..
>
> ------------------------------
>
> Date: 5 Mar 1999 18:26:45 GMT
> From: radiowalt@aol.com (RADIO WALT)
> Subject: ==== WTB ARF-2001 RADIO ====
>
> Hello To All.. I Would Very Much Like To find a ARF-2001 C.B. Radio.
> And The Service Manual. Will Trade For BROWNING Or TRAM Equipment
> Or Will Pay A Fare Price. Please E-mail Or Call Me.
> Radiowalt@aol.com Or 818 883 8282

> Los Angeles
> Thanks, Walt
> ..
>
> ------------------------------
>
> Date: Fri, 5 Mar 1999 16:33:42 -0600
> From: "Jarrod Boehme" <jboehme@pdq.net>
> Subject: Anyone have out of band tx mod for Yaesu FT-8500?
>
> How about opening the case of your 8500, and looking for the small green
> wire close to or on the back of the face plate. Cut or desolder it then
> reset your radio with wide receive option. For a detailed procedure got to
> www.qrz.com and check out their mods section. The 8500 is listed there
> along with many others.
>
>
> Evan Platt wrote in message <36e0ff0a.7015436@news.ncal.verio.com>...
> >I found the mod, thanks.
> >
> >
> >On Tue, 2 Mar 1999 23:18:33 -0800, "Sam Taylor" <cygnet@cncnet.com>
> >wrote:
> >
> >>Sam Taylor writes,
> >>Yaesu will supply this with proof of your amatuer
> >>Status and Mars Certificate or a letter from your
> >>Chief of Fire Police Department or base Commander
> >>its a lot simpiler than you might think
> >To reply via e-mail, please use eplatt at wco period
> >com. Sorry, but this is the only way to despam my
> >address.
>
>
> ..
>
> ------------------------------
>
> Date: Sat, 06 Mar 1999 00:39:49 GMT
> From: fox/mulder@usa.net (Fox Mulder)
> Subject: Cables for MOTOROLA radios to R.I.B !!!!
>
> Cheap cables for connecting Motorola radios to R.I.B and Computer .!!!
>
> see for yourself ----->>> go to http://members.xoom.com/vr100
> ..
>
> ------------------------------
>
> Date: 5 Mar 1999 08:34:21 GMT

> From: "Gerry Ortoli" <ortiac@ibm.net>
> Subject: Code Tutors
>
> Thanks to everyone who responded here & directly.
>
> I'm overwhelmed by the number of responses, & really, really appreciate the
> encouragement.
>
> Many thanks!
>
> Gerry
> KE4ZDY
>
> ..
>
> ------------------------------
>
> Date: Tue, 02 Mar 1999 12:57:32 -0500
> From: Chris <ck5@ix.netcom.com>
> Subject: Commercial Marine HF AMP for sale
>
> I have a beautifully built Sailor HF AMP. This one has two RCA 8122
> ceramics tetrodes which checked out full output.
> All the tuning is done with servos and the band settings are set with
> brass slugs. Built under high standards, rackmount, very high quality
> components including a large cooling fan. It was removed and fully
> functional from a cruise ship that went to solid state. This amp puts
> out about 800watts with very little input. It has a built on solid
> state pre-driver stage which can be bypassed if need to. It's complete
> and in excellent condition. It requires a power supply and controls for
> the servos. No manual but can be found at marine electronics shops.
> Sailor is still the leader in Marine and satelitte communication
> networks. I will send jpgs by request to anyone interested. I want
> $400+shipping for it. The tubes alone cost that! Roughly 45 lbs
> 73 Chris VE3NGW/W4 Florida
> ..
>
> ------------------------------
>
> Date: 3 Mar 1999 20:36:08 GMT
> From: ushards@lexis-nexis.com (D.L.)
> Subject: Does anyone still sell unbuilt Heathkits?
>
> In article <36DCB411.130A@pop.removethistomailme.net>,
> John Miles <jmiles@pop.removethistomailme.net> writes:
> >>
> >> It would be really cool, for nostalgia purposes, if I could find an unbuilt
> >> SB102 and build it. Does anyone still have and sell things like this?
> >>
> >

> > You can't (easily) find unbuilt SB102s and the like, but what you can do
> > is look through old ARRL Handbooks for fun projects that can be built
> > using parts from places like http://www.tubesandmore.com. The old
> > Handbooks are a dime a dozen on EBay and elsewhere, and surprisingly a
> > lot of the older parts are still available without much scrounging at
> > all.
>
> I have an unbuilt HW-101 that my wife bought and did nothing with
> years ago. It's still on my list of projects to do, juggling with
> my other hobbies such as woodworking, and remodeling my 114 year old
> house. No, the HW-101 isn't for sale, so don't ask...
>
> D.L. - NU8H
> --
> _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/
> D.L. Sharp - NU8H
> (937) 865-6800 x5960 ushards@lexis-nexis.com
> _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/
> ..
>
> ------------------------------
>
> Date: Tue, 02 Mar 1999 20:01:22 -0800
> From: John Miles <jmiles@pop.removethistomailme.net>
> Subject: Does anyone still sell unbuilt Heathkits?
>
> >
> > It would be really cool, for nostalgia purposes, if I could find an unbuilt
> > SB102 and build it. Does anyone still have and sell things like this?
> >
>
> You can't (easily) find unbuilt SB102s and the like, but what you can do
> is look through old ARRL Handbooks for fun projects that can be built
> using parts from places like http://www.tubesandmore.com. The old
> Handbooks are a dime a dozen on EBay and elsewhere, and surprisingly a
> lot of the older parts are still available without much scrounging at
> all.
>
> -- jm KE5FX
>
> --
> Note: My E-mail address has been altered to avoid spam
> --
> ..
>
> ------------------------------
>
> Date: Fri, 26 Feb 1999 20:31:34 GMT
> From: "karlan at email.com" <karlan@ZEROSPAM.email.com>
> Subject: ebay ends today: A Dandy All Weather Army Carrying Case or Antenna Mast Control

>
> Has $49.99 Reserve! Ends Today!
>
> $3300 New Army Antenna MasT Controller or A Beautiful
> Super Military Army Vacuum Type All Weather
> (Has Vacuum Button - I assume)
> Carrying Case for important gear you have if the
> controller equipment inside is not useful to you!
>
>
> Item #69133014
>
>
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=69133014
> --
> Posted via Talkway - http://www.talkway.com
> Surf Usenet at home, on the road, and by email -- always at Talkway.
>
> ..
>
> ------------------------------
>
> Date: Fri, 05 Mar 1999 21:48:51 -0500
> From: Myron Steir <msteir@ezs.net>
> Subject: EMI
>
> This may be a little off topic, but has anyone had success eliminating
> electromagnetic interference entering an am radio through the loop
> antenna?
>
> The interference is being generated by a photoelectric light switch
> that's in series with the bulb socket that operates a light over the
> garage door. You know, on at night, off at daylight.
>
> If I must, I can eliminate the device but it's convenient, so I'd rather
>
> not. I tried winding some of the 6 feet of antenna lead around a toroid
>
> donut to try and choke it off, but it didn't work. Any suggestions
> besides changing to gaslight <grin>?
>
> Myron
> W2EDY
>
> ..
>
> ------------------------------
>
> Date: 2 Mar 1999 10:08:50 GMT
> From: aidehua@aol.com (Ai de hua)

> Subject: FS: Icom R7000/TV-R7000
>
> R7000/TVR7000, Service Manual, and Instruction Manual. Excellent condition.
>
> $900.
> ..
>
> ------------------------------
>
> Date: Fri, 05 Mar 1999 18:38:27 GMT
> From: spectrumcom@my-dejanews.com
> Subject: FS:Motorola Iden equipment
>
> NTN-7673B DUAL BATTERY RAPID CHARGER 25.00 SHIPPED
> FLN-2196B IDEN MOBILE PROGRAMMING CABLES 35.00+shipping 225.00 NEW FROM
> MOTOROLA
> NTN-7762 1200 MAH BATTERIES NEW!!!25.00 SHIPPED NEW FROM MOTOROLA OVER
> 69.00
> NTN-7762A USED BATTERIES 15.00 EACH SHIPPED 96 DATE CODE
> NTN-7657B SINGLE UNIT CHARGER
> 800 MHZ ANTENNAS 5.00 EACH SHIPPED
> SPECIAL DEAL!!! ONE DUAL RAPID CHARGER,TWO NEW BATTERIES ONLY 60.00
> shipped WITH A WALL ADAPTER FOR THE CHARGER..
> Will accept postal money orders only .All equipment listed is*******
> IDEN RELATED*****
>
> *Will accept Prepaid Postal Money Order or Personal Check(10 day delay)
> *If Shipping is noted as included with price it is shipped via US Postal
> Service Priority Mail (Insured)
> Thanks Bryan Bailey
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
> ..
>
> ------------------------------
>
> Date: Fri, 05 Mar 1999 10:53:27 -0800
> From: AL <k6djp@pacbell.net>
> Subject: FS:SYSTEM SABER 3
>
> Radio is on the frequency split of 438 to 470 mhz.It is in nice
> condition and has full front display and keyboard.It is secure capable
> and has a DES-XL module installed.Includes
> radio,belt clip,antenna and high capacity battery. $700 or interesting
> trade
> Al.
>
> ..
>

> ------------------------------
>
> Date: Fri, 05 Mar 1999 09:42:47 -0600
> From: David Stinson <arc5@ix.netcom.com>
> Subject: FS: Yaesu FT-840 in the box, low hours
>
> Yaesu FT-840 in the box with mike, manual and packing material
> included. Very low hours, cosmetically fine and working well.
> No extra filters. Mike still in original box.
> I can find one very light (no metal showing) paint ding
> about an inch long on the bottom cover. May rub out.
> Otherwise the finish is in "new" condition.
> I've checked it and returned the unit to factory default settings.
>
> $650 plus your choice of shipping from 78728.
>
> Pre-payment requested,
> multiple positive references available on request.
>
> TNX ES 73 DE Dave Stinson AB5S
> arc5@ix.netcom.com
> ..
>
> ------------------------------
>
> Date: Sat, 06 Mar 1999 02:19:10 GMT
> From: "Michel Morin" <morinm@csdgs.qc.ca>
> Subject: FS JPS NIR-10 DSP.
>
> NIR-10 in excellent condition with manuals, cables and versions 3 and 4 of
> the firmware.
>
> Asking $100. U.S. which includes shipping and insurance.
> Inquire by email if interested
>
> 73 de VE2CJW
> Michel Morin
> ...
>
>
>
> ..
>
> ------------------------------
>
> Date: Sat, 06 Mar 1999 02:20:49 GMT
> From: "Michel Morin" <morinm@csdgs.qc.ca>
> Subject: FS Kenwood MC-60 desk mike.
>
> Excellent condition MC-60 desk microphone. Fits any Kenwood HF rig. Has an

> internal preamp.
>
> Asking $100. U.S. shipping and insurance included. Inquire
> by email if interested.
>
> 73 de VE2CJW
> Michel Morin
> Quebec, Canada.
>
>
>
> ..
>
> ------------------------------
>
> Date: Sat, 06 Mar 1999 02:17:19 GMT
> From: "Michel Morin" <morinm@csdgs.qc.ca>
> Subject: FS Kenwood TH-G71A ht.
>
> Excellent condition TH-G71A, still on warranty. Comes with a SMC-33
> microphone, PG-3J filtered cigarette lighter adapter, PB-39 high power
> battery and BC-17 charger. Includes manual, warranty card and original bill
> of sale, also original boxes. AES sells this bundle for $382.85 plus taxes.
>
> I will let you have it for $300. U.S. including shipping and insurance.
> Reason for sale is that I need a mobile rig. Inquire by email if interested.
>
> 73 de VE2CJW
> Michel Morin
> Quebec, Canada.
>
>
>
> ..
>
> ------------------------------
>
> Date: Sat, 06 Mar 1999 02:14:50 GMT
> From: "Michel Morin" <morinm@csdgs.qc.ca>
> Subject: FS Kenwood TS-850SAT.
>
> Excellent condition Kenwood TS-850SAT HF transceiver with a serial number in
> the 40 millions. Comes with all manuals, hand microphone and power cable.
> Includes a Kenwood YG-455S-1 high quality SSB 2.4 khz crystal filter.
>
> Asking $1000. U.S.
>
> Also available:
> Kenwood MC-60 desk MIcrophone excellent condition $100. U.S.
> JPS NIR-10 DSP with cables, manual and version 3 and 4 firmware. $100. U.S

>
> All prices include shipping and insurance. Inquiries by email.
>
> 73 de VE2CJW
> Michel Morin
> Quebec, Canada..
>
>
>
> ..
>
> ------------------------------
>
> Date: Wed, 03 Mar 1999 20:44:40 -0500
> From: OZO <n2ozo@bellatlantic.net>
> Subject: FS Tek Scope
>
> Tek 2215 60 Mhz dual trace scope in excellent condition.
> It comes with service and operating manuals. Also it comes with 3
> X1/X10 probes with adapters.
> Looks and works great....Asking $175.00 plus shipping.
> Thanks for reading this....Mike
> ..
>
> ------------------------------
>
> Date: Fri, 5 Mar 1999 19:16:34 -0800
> From: "Alan Bethel" <ke6qis@northcoast.com>
> Subject: fs yaesu ft-8100r
>
> its's sold!!!!!! 73's alan
>
>
> Alan Bethel wrote in message <7b9kgr$qq0$1@remarQ.com>...
> > hi the name here is alan and i have a 8100r db mobile for sale.
>
>
>
> ..
>
> ------------------------------
>
> Date: 2 Mar 1999 19:43:52 GMT
> From: york2@aol.comno-spam (York2)
> Subject: FT50 Software Mods
>
> Does anyone have any experience with the software mods for the FT50? I've seen
> Goran Vlaski's page (http://www2.crosswinds.net/frankfurt/~vlaski/) and was
> wondering if this really works (I'm not so hot with the soldering iron).
>

> Thanks
> ..
>
> ------------------------------
>
> Date: 5 Mar 1999 21:17:58 GMT
> From: DUCROUX <bobducroux@wanadoo.fr>
> Subject: FT990
>
> FT990 100w hf filter cw 250 hz for sale
>
>
> =-
> Article poste via Voila News - http://www.news.voila.fr
> ..
>
> ------------------------------
>
> Date: Fri, 05 Mar 1999 23:31:27 GMT
> From: "W2GSB" <info@gsbarc.org>
> Subject: HAMFEST March 7, 1999 - Lindenhurst, LI
>
> HAMFEST March 7, 1999 - Lindenhurst, LI
>
> GREAT SOUTH BAY AMATEUR RADIO CLUB & SUFFOLK COUNTY RADIO CLUB
> ARRL APPROVED LONG ISLAND HAMFEST - MARCH 7, 1999
>
> On March 7, 1999 the Great South Bay Amateur Radio Club & Suffolk County
> Radio Club will again sponsor an indoor Hamfest. The location will be at
> the:
>
> Knights of Columbus
> 400 South Broadway
> Lindenhurst, Long Island, NY
>
> There will be radio equipment, electronic componets, computers and access-
> ories, softeware, books, technical manulas, ARRL information, Amateur Radio
> License Exams, Door Prizes. General admission is $6.00.
> Free Admission for spouses and children under 12.
>
> VE - ARRL - 12:00 NOON
> For exam candidates please remember to bring your original FCC Amateur
> Radio license (if licensed), any C.S.C.E. forms that are pending, plus a
> photocopy of each, pens, calculator, formal form of ID (preferably photo ID),
> and the examination fee, to the exam session. 1999 ARRL/VEC fee is $ 6.45,
> exact change is appreciated. Novice exams are free.
> The VE team is from ISLIP ARES Group and GSBARC. Thanks guys.
>
> PLEASE NOTE: The VE session will be held at the Babylon Town Town EOC.
> 200 E Sunrise HWY, North Lindenhurst, NY.

> For vendor and additional information pleas contact, Peter Portanova WB2OQQ
> at(516)541-4886. Email info@gsbarc.org
>
> Talk-in will be via W2GSB Repeater on 146.685 4Z(136.5) PL.
>
> Food Service during the Hamfest will be provided by members of the Knights
> of Columbus Council.
>
> Information is also available during the GSBARC 2 meter info net every
> Monday evening at 7:00 pm on the W2GSB repeater, 146.685 -600 4Z(136.5)
> PL required. You may also write to:
>
> HAMFEST 0399
> P.O. Box 1356
> West Babylon, NY 11704
>
> Email: info@gsbarc.org
>
> Visit GSBARC online at http://www.gsbarc.org/hamfest.htm or
> SCRC at http://www.members.tripod.com/~parasca/index/scrc.html
>
> NEXT HAMFEST - Ocotber 24, 1999
> Y2K HAMFEST - March 5, 2000 and October 29, 2000
>
> 73,
> GSBARC & SCRC
>
>
> ..
>
> ------------------------------
>
> Date: 6 Mar 1999 04:50:20 GMT
> From: bromschwig@aol.com (Bromschwig)
> Subject: IC-T8a mods
>
> The keypad mod is
>
> Turn on the radio while holding the following buttons.....
>
> BAND
> SQL
>
>
> Good luck!!!
> ..
>
> ------------------------------
>

> Date: Fri, 5 Mar 1999 19:36:17 -0500
> From: "MindSpring User" <dcwilkin@mindspring.com>
> Subject: IC-T8a mods
>
> Can anyone please post the keypad combination for the extend receive mod for
> the Icom T-8a
>
> Thanx
> Dave Wilkin KF4WVB
>
>
> ..
>
> ------------------------------
>
> Date: 3 Mar 1999 22:23:29 GMT
> From: jcm1168@aol.comNOSPAM (JCM1168)
> Subject: IC706
>
> Can some one tell me the diffs. in the 706s mk2, G ,,, should i stay away from
> any of them?
>
> John
>
> Wavelength Radio
> www.WavelengthRadio.com
> To Email Remove NOSPAM
>
>
> ..
>
> ------------------------------
>
> Date: 5 Mar 1999 17:41:56 GMT
> From: aidehua@aol.com (Ai de hua)
> Subject: Icom 271H 2m All-mode
>
> Check it out!
>
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=74383470
> ..
>
> ------------------------------
>
> Date: Fri, 5 Mar 1999 17:48:49 -0600
> From: "Frank Krozel" <frank@electronicinstrument.com>
> Subject: Icom 725 front - $28 shipped!
>
> New front, Icom 725 $28 shipped
> Frank KG9H

>
>
> ..
>
> ------------------------------
>
> Date: 3 Mar 1999 14:36:37 GMT
> From: kc5egg@ix.netcom.com (Gerald Schmitt)
> Subject: I need the ADMS-1D or ADMS-1E programming software for the Yaesu VX-1R?
>
> First point Clint cross posting is very declasse' one group
> is enough for this or don't you understand how to set up
> Dejanews? That's what I thought.
>
> As to your comments frankly I don't believe you. Your credibility
> while never high has continued to slip with such claims as:
> 1. "I got a free upgrade" later denied by you but we all saw it.
> 2. RT Systems "free tech support phone number" absolutely not true.
> The list goes one but you get the idea.
>
> I guess being right and putting people down is more important than
> truth and honor to you, that being the case I withdraw. In the future
> I'll just refute your BS on an as needed basis so you don't mislead
> those who are not yet wise to you.
>
> In <7bihhb$995$1@nnrp1.dejanews.com> clintbrad4d@earthlink.net writes:
> >
> >In article <7bhhoc$h78@dfw-ixnews7.ix.netcom.com>,
> > kc5egg@ix.netcom.com(Gerald Schmitt) wrote:
> >
> >>> Their copy protection is a nightmare...
> >>> Since you apparently do not have the computer skills to determine
> this
> >>> for yourself I'll help you. Every time you defrag the disk you have
> to
> >>> reinstall the software.
> >
> >Sorry your system is so instable...I regularly degfragment my systems,
> with
> >noi such problem with ADMS as you have encountered.
> >
> >After installation, I file my original diskettes away...no need to
> make an
> >"archival" copy for any reason.
> >
> > - Clint Bradford
> >
> >-----------== Posted via Deja News, The Discussion Network
> ==----------
> >http://www.dejanews.com/ Search, Read, Discuss, or Start Your

> Own
>
> ..
>
> ------------------------------
>
> Date: 3 Mar 1999 22:48:00 GMT
> From: stevem14@aol.com (SteveM14)
> Subject: Installing /Locating a TU-8 Tone Board for KW 440s
>
> << I put one in my
> TS-450S>>
>
>
> I read in a previous post that you installed a tu-8. I think I bought one of
> these to put in my kw 440 so that I could hit 10-m fm repeaters, To my dismay,
> I cant find any advice on which tone to set so that I can access diferent
> repeaters when 10m is hot. Its kinda catch-22, without the right tone, I cant
> hit a "toned" repeater and without talking on the repeater, I dont know what
> tone to use. Does anyone here heve advice/experience on what would be the best
> tone to set to hit 10m fm repeaters? (its rather inconvient to repeatedly
> change the tone frequency when the board is installed)
>
> Steve (N0ZY)
> ..
>
> ------------------------------
>
> Date: Wed, 03 Mar 1999 14:56:23 GMT
> From: k8fox@arrl.net (Mike Thomas)
> Subject: Installing /Locating a TU-8 Tone Board for KW 440s
>
> I am attempting to locate a tone board (TU-8) for my Kenwood 440s.
> Does anyone know where I can find one and if the installation is
> difficult?
>
>
> -Mike K8FOX
> ..
>
> ------------------------------
>
> Date: Wed, 3 Mar 1999 12:26:55 -0600
> From: "Dwight W9YQ" <dgbcms@netnet.net>
> Subject: Is there a Yaesu mail-list?
>
> email to <Majordomo@qth.net> with the following
> command in the body of your email message:
>
> subscribe yaesu

>
> Yaesu is a mailing list (reflector) open to all radio
> amateurs for discussion of Yaesu.
>
> * Anything Yaesu Related
>
> Dwight W9YQ
>
> wardseward@yahoo.com wrote in message
> <7bjnd6$8vb$1@nnrp1.dejanews.com>...
> >Is there a listserv about and for Yaesu users?
> >
> >
> >-\/\/ard--KB9TFF
> >wardseward@yahoo.com
> >
> >-----------== Posted via Deja News, The Discussion Network
> ==----------
> >http://www.dejanews.com/ Search, Read, Discuss, or
> Start Your Own
>
>
> ..
>
> ------------------------------
>
> Date: Fri, 5 Mar 1999 17:50:45 -0600
> From: "Frank Krozel" <frank@electronicinstrument.com>
> Subject: Kenwood TS-120 front - $28 shipped
>
> New front, Kenwood TS-120 $28 shipped
> Frank KG9H
>
>
> ..
>
> ------------------------------
>
> Date: Tue, 02 Mar 1999 16:43:22 -0500
> From: OZO <n2ozo@bellatlantic.net>
> Subject: KENWOOD TS-940SAT
>
> Here's the deal you have been waiting for.
>
> I have for sale a Kenwood TS-940SAT 9 mil serial no.plus. It comes
> with the following options: SP-940 Speaker, Built in antenna tuner, VS-1
> voice synthesizer, YK-88S SSB filter, YK-88A AM filter, YK-88C-1 CW
> filter, YG-455C-1 CW Xtal filter, Hand Mic, Service Manual,Instruction
> Manual, and the original box. Asking $ 1000..00 + shipping. Condition is
> excellent/good.It does have a scratch on the top center front. That is

> the only flaw. The front of the radio is mint.
> Electrically excellent.
> Non-smoker.
> What more could you ask for in a radio..........
> Please e-mail for inquires.
> Mike N2OZO
> ..
>
> ------------------------------
>
> Date: Thu, 4 Mar 1999 14:56:03 -0500
> From: <wsi261@banet.net>
> Subject: KENWOOD TS-940SAT
>
> One with no scratches!!!!!!!!!!!!!!!>>>>>>>>>>>>>Lee<><><><>
> OZO wrote in message <36DDE5DF.6B98D1DF@bellatlantic.net>...
> >Here's the deal you have been waiting for.
> >
> >I have for sale a Kenwood TS-940SAT 9 mil serial no.plus. It comes
> >with the following options: SP-940 Speaker, Built in antenna tuner, VS-1
> >voice synthesizer, YK-88S SSB filter, YK-88A AM filter, YK-88C-1 CW
> >filter, YG-455C-1 CW Xtal filter, Hand Mic, Service Manual,Instruction
> >Manual, and the original box. Asking $ 1000..00 + shipping. Condition is
> >excellent/good.It does have a scratch on the top center front. That is
> >the only flaw. The front of the radio is mint.
> >Electrically excellent.
> >Non-smoker.
> >What more could you ask for in a radio..........
> >Please e-mail for inquires.
> >Mike N2OZO
>
>
> ..
>
> ------------------------------
>
> Date: Mon, 01 Mar 1999 14:09:19 GMT
> From: "67 Support Squadron" <symntlab@texas.net>
> Subject: Motorola mx330 conversion
>
> I have done many that were in the 450-470 range to the 440 Ham but not sure
> about yours. That might be too much of a stretch for the 403-418. It
> involves a Rx preselector which would go there with about a 3-6 DB loss of
> sensitivity and the TX side has a Driver and PA module tuned for that band,
> it many not make it that far. Hope this helps.
>
> Greg/N5SKE
>
> Bill Collins <bcollins@terraworld.net> wrote in article
> <7bcnbb$oc6$1@opal.southwind.net>...

> > Anybody know if a Motorola MX330 can be converted to 440 ham band. It is
> currently set for the 406-418 range. If so, what is involved in doing the
> conversion, and what is needed, other than channel units?
> > thanks in advance!
> > Please email me via bcollins@terraworld.net
> >
> ..
>
> ------------------------------
>
> Date: Fri, 5 Mar 1999 21:37:41 -0800
> From: "Bill" <ki7be@hotmail.com>
> Subject: Need Manual HW-2036
>
> Hi, I'm looking for a manual for the Heathkit HW-2036 2m transceiver.
>
> 73
> Bill (KI7BE)
>
>
>
> ..
>
> ------------------------------
>
> Date: Tue, 2 Mar 1999 23:26:04 GMT
> From: dgf@netcom.com (David Feldman)
> Subject: Need schematic/manual AZDEN PCS4800 (10M FM)
>
> If you have a schematic of this rig I'd be real grateful to obtain
> a copy somehow...
>
> 73 Dave WB0GAZ dgf@netcom.com
>
> ..
>
> ------------------------------
>
> Date: 5 Mar 1999 16:08:50 GMT
> From: "Reg Edwards" <G4fgq.Regp@btinternet.com>
> Subject: New wide-band antenna!
>
> Not another ? Is there no end ?
>
> Reg.
> ..
>
> ------------------------------
>
> Date: Wed, 03 Mar 1999 16:32:45 GMT

> From: "Kurt Brandstetter" <kurt.brandstetter@teleweb.at>
> Subject: Plessey PR 2250
>
> Hello from Vienna!
>
> Today I've got a Plessey R 2250 HF receiver; was used in the past for air
> control as a remote
> receiver; looks like new.
> Does anybody know this receiver and has some information about it. Fine
> would be if anybody knows an URL dealing with this one (f.i. the URL of
> Plessey). Does anybody know what was the price of this receiver back in 1978
> (or so) ?
> Would be nice to send me an answer to my questions.
>
> --
> end
> 73's de OE 1002419
> Kurt from Vienna Austria
> You are welcome. Bye for now.
>
> Email: kurt.brandstetter@teleweb.at
> If this adress is blocked use: oe1002419@mail.yahoo.com
>
> HomePage: http://members.teleweb.at/kurt.brandstetter/
> Please visit my page!
>
>
>
> ..
>
> ------------------------------
>
> Date: 2 Mar 1999 21:06:32 GMT
> From: cvelasco@aol.com (CVelasco)
> Subject: PROBE STYLE OSCILLOSCOPE
>
> One RS Probe Style Oscilloscope Cat. No. 22-310
> Operates alone or with your laptop. Great for hamfests or field days on the
> spot testing of electronics circuits. View waveforms or voltages readout on
> backlit 16x32-pixel LCD or trough your computer screen. Includes
> Windows/Windows 95/
> MS DOS compatible software with complete on-screen help.Use your computer
> system to record and print waveforms. Made in Europe model.
> First $60 takes it shipped to your door with the manual box and included
> PC software. e mail at CVelasco@aol.com
> ..
>
> ------------------------------
>
> Date: Wed, 03 Mar 1999 16:58:53 GMT

> From: algo@bellatlantic.net (R. Makul K1XV)
> Subject: SARA Hamfest Saturday March 6, Parsippany NJ
>
> This Saturday, March 6, is the Split Rock Amateur Radio Assn Hamfest,
> in Parsippany NJ, Route 46 and Baldwin Road. This is the first
> hamfest of the season in the Northern NJ area and is well attended by
> vendors and buyers with cabin fever. Easy access from Interstate 80
> and 287, talk in on 146.985, PL 131.8 and on 146.52 simplex. Short
> drive from anywhere in NY metropolitan area and Eastern Pennsylvania.
> VE session for getting/upgrading the license. League speaker is Ed
> Hare, W1RFI, from ARRL Hq. Tailgating if weather permits.
>
> Vendors, 6:30 AM, buyers 8:00 AM. VE Registration at 8:30 AM for
> examinations to begin at 9 AM.
>
>
> ..
>
> ------------------------------
>
> Date: Fri, 5 Mar 1999 14:07:04 -0800
> From: "Edgar Brown" <yungthor@gte.net>
> Subject: Telrex Antenna's ???
>
> DHallr <dhallr@aol.com> wrote in message
> news:19990304125753.10297.00002556@ng-cf1.aol.com...
> >Is Telrex still in business? NO
> If you need a balun try DKP Designs at email address dkp8@aol.com
>
>
> ..
>
> ------------------------------
>
> Date: Thu, 04 Mar 1999 04:08:00 GMT
> From: aa7fg@gte.net
> Subject: Ten Tec Century 22 - $250
>
> In article <7ahnrc$6eg@dfw-ixnews7.ix.netcom.com>,
> "Frank Krozel" <frank@electronicinstrument.com> wrote:
> > Yet, another spare radio. I have this as an extra one. Frank
> >
> > Would this FB radio still be available? (a little late probably?)
>
> Pat - AA7FG, Oregon...
>
> ----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
> ..
>

> ------------------------------
>
> Date: Wed, 03 Mar 1999 16:43:23 -0500
> From: Paul <pgs@northnet.org>
> Subject: VX-5R question
>
> Anyone know if the Yaesu VX-5R will cross band repeat in both one and
> two way? I'm sure it will at least cross band. Just need to know if it
> will repeat. Thankyou in advance.
> Paul
>
> ..
>
> ------------------------------
>
> Date: Fri, 5 Mar 1999 19:33:19 GMT
> From: charles1@netcom.com (charles copeland)
> Subject: VX-5R question
>
> In article <19990305123936.00291.00003624@ng-fd1.aol.com>,
> FireBuff66 <firebuff66@aol.com> wrote:
> >
> >You can't get great infomation about the VX-5 its a peice of junk.
>
> Why?
>
> The VX5 I had the pleasure to play with a short time was astounding.
> No other HT posesses so much in such a small ergonomic package.
>
> ..
>
> ------------------------------
>
> Date: 6 Mar 1999 04:33:36 GMT
> From: jerry r <jerryrc@pobox.com>
> Subject: VX-5R question
>
> Hope you guys don't need PL receive, it takes 1 second to decode, and
> rarely stops a scan on a pl signal.
>
> ..
>
> ------------------------------
>
> Date: Sat, 06 Mar 1999 06:31:35 GMT
> From: n5hyh@ihnp4.ucsd.edu
> Subject: VX-5R question
>
> On 6 Mar 1999 04:33:36 GMT, jerry r <jerryrc@pobox.com> wrote:
>

> >Hope you guys don't need PL receive, it takes 1 second to decode, and
> >rarely stops a scan on a pl signal.
> >
>
> CTCSS works fine on my VX-5R. I use it all the time.
>
> Ron
> N5HYH
> ..
>
> ------------------------------
>
> Date: Fri, 5 Mar 1999 21:04:14 GMT
> From: John Hansen <hansen@fredonia.edu>
> Subject: VX-5R question
>
> charles copeland wrote:
> >
> > In article <19990305123936.00291.00003624@ng-fd1.aol.com>,
> > FireBuff66 <firebuff66@aol.com> wrote:
> > >
> > >You can't get great infomation about the VX-5 its a peice of junk.
> >
> > Why?
> >
> > The VX5 I had the pleasure to play with a short time was astounding.
> > No other HT posesses so much in such a small ergonomic package.
>
> You're right, its an astounding radio. Just ignore the trolls.
>
> John, W2FS
> ..
>
> ------------------------------
>
> Date: Sat, 06 Mar 1999 01:27:35 GMT
> From: brianburke@my-dejanews.com
> Subject: What are these heathkits??
>
> In article <36DF57F3.7249@ix.netcom.com>,
> wa6gsd@ix.netcom.com wrote:
> > A friend has a chance to buy a Heath SB-300 and SB-401 for $70
> > each.. What are these radios, and what is a fair price for them
> > assuming average condition??
> >
> > Thanks
> >
> > Steve - WA6GSD
> >
> Steve, try Dale/KB9JJA's page - he has an extensive database of heath stuff.

>
> http://members.accessus.net/~dwentz/
>
> 73,
> Brian/N0iMD
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
> ..
>
> ------------------------------
>
> Date: Tue, 02 Mar 1999 23:15:09 -0800
> From: AL <k6djp@pacbell.net>
> Subject: WTB:Drake TR7 Schematic
>
> Would like to buy a service manual for the TR7 or at least the
> schematic.A copy or original is ok.
> Thanks Al
>
> ..
>
> ------------------------------
>
> Date: Fri, 05 Mar 1999 22:48:15 GMT
> From: Scott <diverscott@my-dejanews.com>
> Subject: WTB: HF + 6
>
> Looking for a HF+6 all mode for first HF rig.
>
> srummings@hotmail.com
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
> ..
>
> ------------------------------
>
> Date: 6 Mar 1999 02:05:13 GMT
> From: LAMP-PUBLISHING@worldnet.att.net
> Subject: WTB Mark-8 computer
>
> This was the computer in the 74 issue of Radio Electronics, if you
> have one and want to sell please email thanks
>
> steve
>
> ..
>
> ------------------------------

>
> Date: Fri, 5 Mar 1999 17:49:43 -0600
> From: "Frank Krozel" <frank@electronicinstrument.com>
> Subject: Yaesu FT-757 front -$28
>
> New front, Yaesu FT-757 old version $28 shipped
> Frank KG9H
>
>
> ..
>
> ------------------------------
>
> End of Ham-Equip Digest V99 #65
> ******************************
>

Get free personalized email at http://www.iname.com

3321. Re: A Generic diode ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Rocci <rocci@worldnet.att.net>
Message-ID: <36E1F770.3B655DB6@worldnet.att.net>
Source record: 114778
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

There are 3 kinds of diodes you're likely to find in you Heathkit:
1) Rectifier diodes
2) Silicon small signal diodes
3) Germanium small signal diodes.
For most power supply and rectifier applifations, the 1n400x series are a good generic substitute, as long as you observe the breakdown voltage ratings. For most common small signal applications (detectors, low level switching, etc), the 1n4148 silicon diode is a good choice. For some low level RF detectors, it was common to use a germanium diode such as a 1n34. If the detector was designed for a germanium diode and you sub a silicon diode, you might find that the sensitivity is not as good.

dalien wrote:

> Is there a single modern "generic" silicon diode which can replace all
> the early diodes used in Heathkit (and other) power supplies?

3322. Re: VX-5R question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: jerry r <jerryrc@pobox.com>
Message-ID: <36E1FE32.1C80161E@pobox.com>
Source record: 114779

CTCSS works fine, maybe on a repeater, but try it simplex, about 1
second to decode.

3323. EBAY- UNBUILT Heath HP-23B, One Day Left!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990306231909.14111.00004479@ng-ca1.aol.com>
Source record: 114780

Hi Guys;
Only one(1) day left on this UNBUILT heathkit HP-23B supply, Dont let it slip by, its only at $130 now! You pay $75-90 for a used one these days! Heres the Link>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=72644977
Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

3324. Re: ANT VS. AMP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: mfuller@2ndlawlib.org
Message-ID: <36e30f71.109420657@news.primenet.com>
Source record: 114781
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

On 6 Mar 1999 22:23:07 GMT, "DavidC" <davidc@bit-net.com> wrote:

>Of course the problem is that the amp only works on the TX side, so you
>may become one of the "alligator" stations ... loud TX and lesser RX so you
>either step on weak-signal stations you cannot hear, or weak-signal DX is
>completely missed by you as you tune across the band.

Sounds a lot like a CB. :) Some guy keys up calling "how 'bout dat DX
land" and then can't hear 70% of the people getting back to him with
25 watts (twice the legal cb limit). It's almost funny to listen to.

Mark
Second Amendment Law Library, recent legal scholarship at:
http://www.2ndlawlib.org/

3325. Re: VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: firebuff66@aol.com
Message-ID: <19990307004346.05058.00004649@ng-da1.aol.com>
Source record: 114782

Yaesu has no idea what to do. they sent me a letter saying that they were
waiting for info from yaesu HQ. I guess the phones don't work at Yaesu HQ.
Yeasu should be ashamed for making the VX-5R
I guess they said lets make a pice of crap,, so we got the VX-5

\\ Just what I think

Pursuant to U.S. Code, title 47, Chapter 5, Subchapter II, §227,
"Any and all nonsolicited commercial E-mail sent to this address
is subject to a download and archival fee of $500.00 U.S."
E-mailing denotes acceptance of these terms.

3326. Re: VX-5R question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: firebuff66@aol.com
Message-ID: <19990307010207.05058.00004651@ng-da1.aol.com>
Source record: 114783

I have a VX-5 and other than it not scanning correctly and PL not decoding so I can here anything its a fair radio.
It is a good money maker for yaesu

//

Pursuant to U.S. Code, title 47, Chapter 5, Subchapter II, §227,
"Any and all nonsolicited commercial E-mail sent to this address
is subject to a download and archival fee of $500.00 U.S."
E-mailing denotes acceptance of these terms.

3327. Re: ANT VS. AMP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Tony Hwang <2810311762@home.com>
Message-ID: <36E21945.60B5727E@home.com>
Source record: 114784
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

Hi,
Ditto, Ditto. Ever heard that guy in N.Y. with 6 element quad and QRP?
It is easy on utility bill as well as TVI.
73,
Tony, VE6CGX

f117ab@ameritech.net wrote:
>
> If given the capability to have the ultimate amplifier or the ultimate antenna.
> . . .hmmmm - antenna.
> Art k9xf
>
> DavidC wrote:
>
> > > >It's an ancient subject but since KB5WZI brought it up ...
> > > >Whether to invest in (1) a better antenna, or (2) a more powerful final.
> > > >I favor the ANTENNA solution.
> > >
> > > Perhaps the answer should be both, with caution.
> > > ...
> > > Myself I have a 2 element 5-band Quad roof mounted at about
> > > $1000 + damage to roof. A used 500W solid state amplier cost $400.
> > > Both provide ability to works pileups in 1-20 min, and to be heard
> > > comfortably by other stations when conditions are reasonable.
> > > Ignacy, NO9E
> >
> > Of course the problem is that the amp only works on the TX side, so you
> > may become one of the "alligator" stations ... loud TX and lesser RX so you
> > either step on weak-signal stations you cannot hear, or weak-signal DX is
> > completely missed by you as you tune across the band.
> >
> > The antenna is always the first device to maximize, IMHO, given the
> > choice between antenna and amplifier. Once you have done the best
> > you can with the antenna (not heroic measures, just an effort to minimize
> > feedline and mismatch losses and to maximize gain, preferred pattern,
> > and F-to-B) then it is time to consider amplifying your TX signal as well.
> >
> > Before doing either I am assuming that some attention has been paid
> > to acquiring a rig that is optimized for the sort of operational modes
> > and circumstances you emphasize.
> >
> > If you never listen to non-Ham stations then why buy a rig that has a
> > compromised front end for continuous coverage?

> >
> > If you never run HF digital modes you may find some older hybrid (part
> > solid state and part tube) rigs have quieter and more sensitive RX front
> > ends than many of the newer rigs (the TS-830S and TS-530S come to mind).
> >
> > If you wish to operate on the busiest bands during the busiest times then
> > you will want to acquire a rig with above-average filtering and a nice
> > tight
> > front end (the JRC JST-245 comes to mind).
> >
> > Audio and IF DSP filtering is also a consideration (IF DSP is always
> > internal,
> > audio DSP may be internal or external (the Timewave 599zx and NIR-12 are
> > external audio devices which approach the task very differently and are
> > considered state-of-the-art, you will need to study the specs and ask users
> > to determine which is best for you).
> >
> > Your choice of microphone, and proper speaking angle and volume, can make
> > a huge difference in TX as can the proper adjustment of the rig ...
> > distortion
> > from overdriven audio causes QRM and a loss of intelligibility.
> >
> > Just a few observations ... mostly gathered from advice I have received
> > from
> > elmers and other experienced experts ... your mileage may vary, etc.
> >
> > 73, DavidC K1YP

3328. program mtx2000 ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: alon <alon@fnmail.com>
Message-ID: <36E27EE0.43216529@fnmail.com>
Source record: 114785

hello there!

i am looking 4 software 2 program mtx2000 (mtx838)
through a rib.
if u have it or know where 2 find it on the net please tell me.
i have some other software like :
maxtrac-all kinds+trunked+rav-gal,
ht1000(?),mt2000,mtx8000,mtx9000,mts2000,spectra,
and few schematic 2 build a rib (transistors or max232).

thanks
alon
mailto:alon@fnmail.com

3329. Question on Yaesu 8500.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: seebody@toreply.com
Message-ID: <36e22d2a.62860594@news.ncal.verio.com>
Source record: 114786

I recently picked up a Yaesu 8500. REAL nice radio. Question thou: I'm using quite abit of it as a scanner to monitor the local police / fire. One bank though, would be nice if it would only scan if I were in that bank. For exampe, bank 4 is San Jose Police. Busy police department, 8 channels. If I'm in bank 4 and I hit scan (for less than .5 seconds), I'd like it to scan bank 4. But, if I'm in bank 1 and hold down scan, I'd like it to ignore bank 4.

Any suggestions?

Thanks!

Evan
To reply via e-mail, please use eplatt at wco period com. Sorry, but this is the only way to despam my address.

3330. Re: Antenna height

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: "H. Adam Stevens" <alien@jump.net>
Message-ID: <36E231CA.EB5676B7@jump.net>
Source record: 114787
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

can't hurt
WA5IGW

BD wrote:

> I know this's been discussed here.. But.. :)
> Will an additional 5ft added to an already 5ft mast make much difference
> with a 2meter/440 antenna? It'll only cost me an additional $30 or so for
> extra guy-wire, mast, etc.. when I replace the temporary thing I put up
> there, but..... Just a little more labor than simply replacing the mast.
>
> I live right in the middle of the dfw metroplex, and can already reach
> repeaters on the outter limits of a 100mile radius.. And quite a few
> further off than that.
>
> (which hardly feels like HAM RADIO, but I'm still stuck on those danged
> multiple dots....)

3331. Re: Measurments Model 59 Grid dip For sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Xjshillw6ivw@earthlink.net
Message-ID: <36e22e20.2745466@news.earthlink.net>
Source record: 114788
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

On Tue, 02 Mar 1999 01:54:02 -0500, Chris <ck5@ix.netcom.com> wrote:

>The finest most sensitive grid dip meter ever made. Comes complete with
>all the coils, matching serial numbers and a copy of the manual. $295

I guess it depends upon what you consider a steal. If you have access
to electronic swap meets and are willing to look, maybe for a year or
so, you will find one much cheaper, more like $50. I know; I bought
one, and have seen others for sale. It would be like me offering my
SW-3 for $1000. It a rare item in much more demand, but I probably
would get some snappy responses. I agree much more on your opinion.
It's a really nice GDO.

Delete the X before using my e-mail address.
The X was added to stop spam.

3332. DRAKE TR-7 AND MORE FOR SELL

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: ts950sdx@aol.com
Message-ID: <19990307031424.29242.00004131@ng31.aol.com>
Source record: 114789

DRAKE 7 LINE FOR SELL
TR 7 LATE SER NUMBER ALL FILTERS NB AUDIO JACK IN BACK FRONT END MODS ALL BY DRAKE "' THE TR7A MODS"" WITH PS 7 ..MINT COND WH-7 2KW WATT METER MINT SP75 SPEECH PROCESSOR MINT 2 MS 7 SPEAKERS GOOD SHAPE 7077 DRAKE DESK MIC MINT RV75..YES RV75..MINT LOOKS LIKE IT JUST CAME OUT OF BOX WITH RTT CABLE *********$$$ 1500.00 SHIPPED***** U S A ONLY CAN SEND A PIC IF REALLY INTERESTED -
J KANE, KF4TOH, 1135 VALLEYVIEW DR, ASHLAND CITY, TN USA 37015, phone: 615-792-1393, Email: TS950SDX@aol.com -

3333. VX-5 Antenna Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Mark <binfordv@worldnet.att.net>
Message-ID: <7btcmf$pos@bgtnsc02.worldnet.att.net>
Source record: 114790

According to the manual the antenna extender element is for use when receiving below 50 MHz but I've found it's needed when your trying to work 6 meters. Anyone else have this same experience? Also, wonder how much that would effect 2 and 440 operation?

Mark KU4MP

3334. Re: Antenna height

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <36E25541.86C8C127@erols.com>
Source record: 114791
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

Given what coverage you say you currently have, I'd say your improvement (and
although there will be improvement) will be minuscule.

BD wrote:

> I know this's been discussed here.. But.. :)
> Will an additional 5ft added to an already 5ft mast make much difference
> with a 2meter/440 antenna? It'll only cost me an additional $30 or so for
> extra guy-wire, mast, etc.. when I replace the temporary thing I put up
> there, but..... Just a little more labor than simply replacing the mast.
>
> I live right in the middle of the dfw metroplex, and can already reach
> repeaters on the outter limits of a 100mile radius.. And quite a few
> further off than that.
>
> (which hardly feels like HAM RADIO, but I'm still stuck on those danged
> multiple dots....)

3335. Re: Antenna height

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: andy <acorbin@roanoke.infi.net>
Message-ID: <36E285E0.2E1F@roanoke.infi.net>
Source record: 114792
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

BD wrote:
>
> I know this's been discussed here.. But.. :)
> Will an additional 5ft added to an already 5ft mast make much difference
> with a 2meter/440 antenna? It'll only cost me an additional $30 or so for

From an overall standpoint, you will probably not notice the
difference. The rule of thumb is, "double the antenna height (above
average terrain) = quadruple the power". This would come out roughly to
one additional "S" unit on a calibrated "S" meter.

The thing to keep in mind though at the frequencies you mentioned
(especially UHF), moving an antenna 6" could move your signal into a
null, or out of a null. Its entirely possible you could move your
antenna where it is shadowed from where it was before. Or, you could
move it where you can access new repeaters. Works both ways.

Andy
WD4KDN

3336. Re: Yeasu FT100 experience

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: David deSouza-Kirby <dave@vfpnet.demon.co.uk>
Message-ID: <S4kVJJAFem42EwA7@vfpnet.demon.co.uk>
Source record: 114793
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,nl.radio.amateur,aus.radio.amateur.misc

In article <7bqrb3fmk1@nnrp1.dejanews.com>, jy1@diplomats.com writes
>Hi there,
>
>Some of my friends are interested in buying an FT100, but
>I'm not sure if I can recommend such a small rig? My
>main concern is the large signal behaviour, especially
>in the military 30-70 MHz frequency range (RX).
>Does anybody have any experience with this? Please report.
>
>Greetings,
>JY1
>

If this is a slight on JY1 I think it is in extremely bad taste.

Dave G3VFP.
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

---

Reply to Dave@vfpnet.demon.co.uk

3337. Re: Anyone have out of band tx mod for Yaesu FT-8500?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Jarrod Boehme <jboehme@pdq.net>
Message-ID: <E3uE2.8$Ug4.136@news15.ispnews.com>
Source record: 114794
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

We Hams don't always modify our radios to transmit illegally. Perhaps I am a member of a volunteer emergency service who uses vhf and uhf frequencies for radio communications. Seems silly to have 2 ht's and 2 mobiles if you can use 1 ht and 1 mobile. Also, reprogramming commercial is expensive, tuning an amateur is painless...

READ N' POST ROSIE wrote in message <7btl4elcp1@nnrp1.dejanews.com>...
>In article <7bsuti$9m4$1@remarQ.com>,
> "Mick" <noname@nowhere.com> wrote:
>> By the way...cutting the small green wire also opens up the FT-8000. Cut it,
>> and reset the the radio. It takes longer to re-install the freqs. than it
>> does to make the mod. Having the ADMS-2 program does make it easier to
>> reprogram.
>
>you hams.... always figuring out how to transmit illegally somewhere! LOL!
>
>rosie
>
>------------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3338. Source for Ham and Scanner Crystals (Xtal)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Jerry Szymczak <szymczak@macatawa.org>
Message-ID: <7btrv5$bs7@news.cs.hope.edu>
Source record: 114795

Does anyone know of sources for Ham and Scanner crystals.

I've checked for the ones I used years ago without any luck - probably out
of business due to the change in technology.

Just trying to resurrect some old equipment.

Thanks,

Jerry WB8BNX

3339. wtb: folded dipole

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: bujiaj8@aol.com
Message-ID: <19990307074322.19875.00004247@ng97.aol.com>
Source record: 114796

I would like to purchase a folded dipole with ability to operate on 10-80 meter range without a tuner. I have seen some of these in catalogues... Anybody have one that they would like to sell? Please email me ...

bill

3340. Re: Best price for FT-847 - where ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: ARM <hamen@hotmail.com>
Message-ID: <7btv78$5pc$1@news.misawa.attmil.ne.jp>
Source record: 114797

Yep, thats all true but.....
Im Stationed here in Japan, and have a friend that has a FT-847.
The problem is that the Radio has Japanese Band Plan specs. You will be cut severely on 2 meters (no repeaters here in Japan) and 440. Also you will miss out on the HF bands 160, 75, 40.
I have found the mod for extended receive but not transmit...The CPU that goes in the Japanese model is not the same as the US one, so the American mods do not work. So you might want to think it over before you go out and spend all that money. Oh the Japanese Base Station Radios do not come with MIC's...something else you need to get.

Roy

O9's wrote in message <36dde849.0@news1.jps.net>...
>Tim, could you give us all some information as to how to contact T-Zone?
>Did you ship to US? Tx. Steve
>DLR18SH <dlr18sh@aol.com> wrote in message
>news:19990303080028.14572.00002599@ng-fb1.aol.com...
>>You can buy it in Japan for $1250 (does not include the free Tuner). I
>ordered
>>one from a
>>Store called the T-Zone licated in the Akihabara. All English Speaking
>Salesman
>>
>>and Used my Platinum MasterCard (2 Year Warranty) plus shipping $35. Very
>Happy
>>with the service. Hey If you Order from HRO
>>or AES and the unit breaks after 10 days they say to send it to
>>Icom/Kenwood/Yaesu and will not exchange it anyway. Why deal with them if
>they
>>won't back up the product. I got a 30 day NO QUESTIONS ASKED return policy
>from
>>the T-ZONE.
>> Tim
>
>

3341. FS Mint Icom 706 MII

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Craig Novak <craig_novak@abraxis.com>
Message-ID: <36E282C7.C4FCB1A4@abraxis.com>
Source record: 114798

Thank you for reading this.

I have a beautiful, hardly touched unit. It has the DSP module and 500
Khz CW narrow filter. Includes the box, manual. $900.

As special incentive, I will throw in also near new, an MJF 969 tuner
for a total price of $950. I will not the tuner separate at this price.

Thank you,

Craig Novak
NQ4K

3342. Re: Mods for the IC706

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Clinton <cpeebles@_nospam_netidea.com>
Message-ID: <36E283C7.7694@_nospam_netidea.com>
Source record: 114799

JCM1168 wrote:
>
> any now where a site is for mods for this model
>
> Wavelength Radio
> www.WavelengthRadio.com
> To Email Remove NOSPAM
> KD7EHQ

http://www.qrz.com

--
Kill the MAI

Remove _nospam_ to reply

Clinton Peebles VE7KNL DN19ie
Salmo, B.C. Canada
E-Mail: cpeebles@netidea.com

3343. Re: Antenna height

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Reg Edwards <G4fgq.Regp@btinternet.com>
Message-ID: <01be68e6$0f95e0c0$843663c3@default>
Source record: 114800
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

If the extra 5 feet is enough, line-of-sight-wise, just to
clear a very nearby obstruction it would make a lot of
difference in that direction.

As it is only 5 feet above the ground, even without any
obstructions, a gain of 3 to 6 dB could be expected at very
low angles. It depends on type of ground and how much
low-angle power is lost in it at present.

****
Reg, G4FGQ For free software go to:-
http://www.btinternet.com/~g4fgq.regp

****

BD <bodu@pobox.com> wrote in article
<7bt8gj$q2t$1@newnews.startext.net>...
> I know this's been discussed here.. But.. :)
> Will an additional 5ft added to an already 5ft mast make
much difference
> with a 2meter/440 antenna? It'll only cost me an
additional $30 or so for
> extra guy-wire, mast, etc.. when I replace the temporary
thing I put up
> there, but..... Just a little more labor than simply
replacing the mast.
>
> I live right in the middle of the dfw metroplex, and can
already reach
> repeaters on the outter limits of a 100mile radius.. And
quite a few
> further off than that.
>
> (which hardly feels like HAM RADIO, but I'm still stuck
on those danged
> multiple dots....)
>
>
>
>

3344. WTB: Dead Kenwood TL-922A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: "David W. Fleming" <davefleming@novagate.com>
Message-ID: <7bu1as$265$0@208.154.0.238>
Source record: 114801

Want cosmetically good, but broken Kenwood TL-922A for station.
Must have all internal parts, less tubes.
Price accordingly.
Thanks.
David Fleming
NS8S
davefleming@73novagate.com Note: remove 73 from my email address when
replying for antispam reasons.

3345. Release date of FT100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: stoli126@aol.com
Message-ID: <19990307091120.13614.00004706@ng-fx1.aol.com>
Source record: 114802

Does anyone know the release date of the FT100 or if it has been released
does anyone own one as of this posting I am curious to hear some feedback
Many thanks

3346. Re: Source for Ham and Scanner Crystals (Xtal)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: tiuk@aol.com
Message-ID: <19990307092954.15539.00004164@ng96.aol.com>
Source record: 114803

You can try the following links.

http:www.chubs.demon.co.uk/xtals.htm

http:www.mnsinc.com/bry/xtalpage.htm

73, Roman, N2CDD

3347. Re: Release date of FT100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Dwight W9YQ <dgbcms@netnet.net>
Message-ID: <7bu3i4gbj1@news.inc.net>
Source record: 114804

Stoli126 wrote in message
<19990307091120.13614.00004706@ng-fx1.aol.com>...
>Does anyone know the release date of the FT100 or if it has
been released
>does anyone own one as of this posting I am curious to hear
some feedback
>Many thanks

This was just posted on the FT100 reflector:

Here is the response I receive from Yaesu when I asked why
the ship date is now late March. 73, Dan AA9NK

Dan,
Thank you once again for your inquiry as to when we are
finally going to
release the FT100. I understand how frustrating it is. You
should walk a
mile in my shoes!!!! We have been told the radios are now
ready and we are simply waiting on them to be shipped to us.
I do not feel it will be late
March, but I can not promise you it won't be. There was no
"serious
technical issue" only a few minor issues that had to be
resolved. And now those have been taken care of. Please
allow us a little more time and we will deliver the radio as
soon as possible. We truly appreciate your comments and
patience.

Best regards,
Neil Sims N5OC
Regional Sales Manager
Yaesu USA

3348. Re: Yeasu FT100 experience

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Marcus <marcusnl@xs4all.nl>
Message-ID: <7bu45j$58t$1@news2.xs4all.nl>
Source record: 114805
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,nl.radio.amateur,aus.radio.amateur.misc

First excuus me for my English!

The orginal poster is a ex PE amateur how was loosing his licence through
this kind of things on the radio etc.

Now he is doing this on the newsgroups.

Look at postings placed by DEJANEWS.COM en y know enough.

It,s a real sick person.

Grtz. Marcus

David deSouza-Kirby heeft geschreven in bericht ...
>In article <7bqrb3fmk1@nnrp1.dejanews.com>, jy1@diplomats.com writes
>>Hi there,
>>
>>Some of my friends are interested in buying an FT100, but
>>I'm not sure if I can recommend such a small rig? My
>>main concern is the large signal behaviour, especially
>>in the military 30-70 MHz frequency range (RX).
>>Does anybody have any experience with this? Please report.
>>
>>Greetings,
>>JY1
>>
>
>If this is a slight on JY1 I think it is in extremely bad taste.
>
>Dave G3VFP.
>>-----------== Posted via Deja News, The Discussion Network ==----------
>>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>
>_________________________________
>
>Reply to Dave@vfpnet.demon.co.uk

3349. Re: Antenna height ANSWER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: W1PEV <paulvanasse@tp.net>
Message-ID: <vPwE2.18$l92.71@news12.ispnews.com>
Source record: 114806
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

Your short answer is yes. This is a distance to "line of sight" problem to compensate for the curvature of the earth. As you probably know, VHF/UHF signals travel as far as they can see in a straight line similar to light beam (at least in theory). The following formula does not take into account for topographically challenged (hilly) areas or locations than contain obstructions. Ok, here we go:

Distance = 1.4 x the square root of the height difference (the amount you raised your antenna),

If the difference in antenna height is 5 feet,

The square root of 5 feet is 2.24,

2.24 x the multiplier of 1.4 = 3.13,

So, raising your antenna 5 feet will give you approximately 3.1 miles of additional "Line of Sight".

3.1 miles is a pretty substantial amount considering it might make the difference between keying up a repeater or not key up the repeater.

I hope this helps,

73's

Paul

BD wrote in message <7bt8gj$q2t$1@newnews.startext.net>...
>I know this's been discussed here.. But.. :)
>Will an additional 5ft added to an already 5ft mast make much difference
>with a 2meter/440 antenna? It'll only cost me an additional $30 or so for
>extra guy-wire, mast, etc.. when I replace the temporary thing I put up
>there, but..... Just a little more labor than simply replacing the
mast.
>
>I live right in the middle of the dfw metroplex, and can already reach
>repeaters on the outter limits of a 100mile radius.. And quite a few
>further off than that.
>
>(which hardly feels like HAM RADIO, but I'm still stuck on those danged
>multiple dots....)
>
>
>

3350. **********KLM ANTENNAS F/S OR TRADE**********

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: n2ion@aol.com
Message-ID: <19990307102432.18112.00004782@ng61.aol.com>
Source record: 114807

I HAVE THE FOLLOWING FOR SALE OR TRADE

2-KLM 2M-22CM VHF SATELLITE YAGIS
PRICE:$140 EACH + SHIPPING(I'D PREFER PICKUP)

2-KLM 435-40CXM UHF SATELLITE YAGIS
PRICE: $170 EACH + SHIPPING(I'D PREFER PICKUP)

1-DOWN EAST MICROWAVE 1269 LOOP YAGI

4-TONNA F9FT 1.2GHZ YAGIS
PRICE: $100 EACH OR $300 FOR ALL 4 + SHIPPING
****
****
WANTED

KLM 2M-20LBX YAGI
KLM 220-22LBX YAGI
KLM 432-30 LBX YAGIS

EMAIL WITH DETAILS

3351. Problem with Kenwood 830 - HELP!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: compcnsult@aol.com
Message-ID: <19990307103711.09856.00004027@ng-ce1.aol.com>
Source record: 114808

I purchased this rig used and listened to it off and on over a two day period (receive only) and it worked just fine. I was showing my son-n-law my new prize and listening on 40 meters just before going to bed last night. When I got up this morning I turned the rig on. The meter lights up normally but there is no display and all of the LED's (vfo, rit, etc) are very dim. Also no receiver noise is heard. I checked all of the switch settings but like I said the rig worked great all day yesterday and up until the time I went to bed. Looks like a power supply is being loaded down or just not putting out the correct voltage. I don't have a service manual.

Has anyone ever experienced this problem with the 830 before. If so I would greatly appreciate your help?

Please respond to this address or wd0asj@aol.com

73 & Thanks
Chuck
WD0ASJ

3352. WTB: VHF/UHF rugged mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Rudi Wiedemann <wiedemann@home.com>
Message-ID: <pdxE2.8199$FZ5.2088@news.rdc1.sfba.home.com>
Source record: 114809
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap

I'm looking for the best "value" in a simple and rugged yet effective 144 /
440 rig to move between my vehicles.

I don't need fancy stuff like detachable faceplates.

Small, solid and inexpensive is better.

Any suggestions?

73s....

Rudi - KF6RLQ

3353. WTT FTS17A for TSU-8

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: summitrt@aol.com
Message-ID: <19990307104838.05668.00004875@ng94.aol.com>
Source record: 114810

Wanted to trade, new in the box Yeasu FTS-17A CTCSS decoder for Kenwood TSU-8 CTCSS decoder. Will buy a TSU-8 outright of available.

Thanks,
Bob

3354. Re: Forget Y2K - Hackers Like This Are Far More Serious!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: adamf13@aol.com
Message-ID: <19990307110922.22975.00004325@ng95.aol.com>
Source record: 114811

>Dean, Greg writes:

>Since Lowes has 5KW generators for $498, I am not concerned
> about buying one at high prices. And a generator is always useful.

I think I'll pick one up for a song during one of those garage sales in the Spring!!!!

73,
Adam

3355. Re: HELP!: UHF/VHF range prediction

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <3794a0dc.1659712175@news.atl.bellsouth.net>
Source record: 114812
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.antenna,rec.radio.amateur.equipment

On Sat, 06 Mar 1999 17:30:36 -0500, Ted Grant <tedgrant@earthlink.net> wrote:
>I am looking for [economical] ways to predict path loss between a base /
>repeater and a mobile/handheld at UHF/VHF.
>
>I'm interested in "local" propagation-- a few miles to tens of miles--
>in cities with tall buildings and suburban areas with houses and trees.
>I want to *quantify* the effect of things like height of base & mobile
>antennas, and environment, having an HT antenna inside the car, etc, on
>received signal strength.
>
>I'm hoping to find some rule-of-thumb guides, simple algorithms or low
>cost software. [I'm not really interested in DX propagation or
>multi-thousands of dollar cellular industry software].

Unfortunately, you need a terrain modeling program if you expect
to get accurate answers. VHF/UHF radio waves don't travel well
through the Earth, nor do they travel in a simple manner through
urban clutter. On simple line of sight paths, signal strength falls
off in inverse proportion to the square of the distance, but there
are few simple line of sight paths in your scenarios. The signal
will arrive by multipath reflections, knife edge defraction, and by
forward or back scatter. These will all interact in complex ways
at different points in your coverage area to produce a very wide
range of signal levels at the receiver.

The line of sight range of a 5 watt HT is easily several hundred
miles (example, you can work AO27 with a HT), but on terrestrial
paths, depending on the specific terrain, it can vary from well
under a mile to perhaps 60 miles if the stations have a particularly
favorable path. I'm discounting ducting phenomena here, under
the proper ducting conditions, a HT may work over a several
hundred mile path. But that's a transient phenomena and can't
be counted on day to day.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

3356. W.T.B.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: LeRoy Prosic <ve3lgp@tct.net>
Message-ID: <7bu8vn$4dh@sabik.tct.net>
Source record: 114813

I would like to purchase a Standard tri-band C5900DA in like new condition.

3357. Re: 4 sale: FT-747GX & TM-241A (Toronto)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: LeRoy Prosic <ve3lgp@tct.net>
Message-ID: <7bu9d1$4hj@sabik.tct.net>
Source record: 114814

I,m interested . Please price them separately .
NRoy5150 wrote in message <19990306032709.07564.00004309@ng-fa1.aol.com>...
>Hi Friends,
>
>Please make me an offer on the following:
>
>Qty (1) Yaesu FT-747GX Mobile HF radio c/w
> Mobile mounting bracket
>
>Qty (1) Kenwood TM-241A 2m mobile radio
>
>Both units have been stored away for six years now. They've been used for
>about 8 months of very light operating.
>
>E-mail: nroy5150@aol.com
>
>Thanks,
>
>Nico

3358. Re: Source for Ham and Scanner Crystals (Xtal)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <36e2a9fb@news1.us.ibm.net>
Source record: 114815

Who did you buy from? International Crystal and JAN Crystals, two of the ham's favorites are still going strong and, I believe, at the same addresses as 20 years ago. Now, Peterson and Eidson are gone, I admit, but how far back do you want to go?
--
Crazy George

3359. FS: APHEX 104 C2 Aural Exciter with Big Bottom

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: cslc82@email.mot.com
Message-ID: <36e3a9ff.214289892@netnews.worldnet.att.net>
Source record: 114816

APHEX 104 C2 Aural Exciter with Big Bottom

New, in box, never used.
With manual and warranty card.
$175 + freight

3360. W.T.B. Standard C5900DA

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: LeRoy Prosic <ve3lgp@tct.net>
Message-ID: <7bub4d$505@sabik.tct.net>
Source record: 114817

Tri - Band in like new condition . Sorry for the screw - up in the previous posting . ve3lgp@tct.net

3361. repost:WTB:Standard TriBand C5900DA

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: radiofreq0@aol.com
Message-ID: <19990307115324.13530.00007162@ng-ch1.aol.com>
Source record: 114818

I am still looking for a Standard C5900DA TriBand in mint condition. I have posted this several times before to no avail. I will continue to post until I obtain one.
Thanks.
Jeff

3362. Re: TM-V7A Advice

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: kb0vof@my-dejanews.com
Message-ID: <7budrt$7vg$1@nnrp1.dejanews.com>
Source record: 114819

The V7 is an excellent radio. The blue face is both distinctive and easily read, but does tend to wash out in direct sunlight. Also, you cannot wear Blueblocker-type sunglasses! The radio performs up to the usual superior Kenwood standards. I use mine an average of 6 hours per day and it runs like a swiss watch. Get the cheapest remote face unit and make your own cable for the microphone, using cat-5 cable of the length you need and a female-female RJ45 adaptor; that'll cost around $10, plus the $35-40 for the face kit, so you save around $50 over the price you mention. Just be sure either the cable or the adaptor reverse the pins so you stay aligned properly. If you need more wire between the remote face and the body of the radio, simply cut the cable and splice in what you need - it's only 4-conductor wire and any wire will do. I used 6- conductor phone wire and used the extra 2 for the remote speaker. Works great, and threading the phone wire before soldering made it easier/faster than trying to thread it with those plastic connectors attached. 73 Gerry KB0VOF

> I am looking to buy a Kenwood TM-V7A mobile and wanted to get feedback from
> current owners. The discouraging thing is paying $99 for the remote face
> mounting cables. Also what does the VS-3 do for the unit? I have a TH-79A-HP
> and would like to use the mobile to cross-band.
> 73s de KD7CTR
>

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3363. Re: Icom 27a mods?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: dyemiola@infoave.et
Message-ID: <7bucbv$jl0$2@news3.infoave.net>
Source record: 114820
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <36E191DB.1CF6B4BD@erols.com>,
Bob Bethman <rbethman@erols.com> wrote:
>I am looking for mods to expand the frequency range of my
Icom 27A. I know the
>28 had the ability to expand, want to know if the 27A can
also. I want to be
>able to listen to the area above 148Mhz, I.e., 160 or so to
trains and the like
>while traveling. Don't want to have to buy a scanner.
>
>Bob
>N0DGN/4
>

i DONT KNOW ABOUT YOURS, BUT MY 27A TUNES 140.005 THRU
149.995 RIGHT OUT OF THE BOX.

ONE MOD I DID WAS TO RPLACE THE RF CONNECTOR AND THAT SHORT
LITTLE CABLE WITH A BNC CONNECTOR.

A THREADED BNC WILL SCREW RIGHT INTO THE HOLE LEFT BY THE
CABLE HOLDER AND NUT ASSEMBLY.

3364. FS; RACES EC ALMOST NEW BACKUP 2M HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Paul London <ki4xz@peganet.com>
Message-ID: <7buc36$t7o@andromeda.peganet.net>
Source record: 114821

AS COUNTY RACES E.C. I FEEL THAT I NO LONGER NEED MY STANDARD C156A 2 METER
HANDHELD FOR BACKUP. = INCLUDED ARE TWO CBT156 BATTERY CASES WITH NICADS
= 12V POWER CORD = SPEAKER/MIC WITH LAPEL CLIP = CARRYING STRAP = BELT CLIP
AND MANUAL=
RADIO IS CLEAN, WORKS PERFECTLY AND WILL BE SHIPPED IN ORIGINAL BOX = HAS
BEEN USED VERY LITTLE AND IS A CURRENT MODEL =
WILL SELL FOR $150.00 DELIVERED (USA)

PAUL LONDON KI4XZ@KF4HFR 941-637-0179
ki4xz@peganet.com

3365. Drake L-4 Linear

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: Darrel Scott <dgsc@hotmail.com>
Message-ID: <7budcjtun1@news.powerisp.com>
Source record: 114822
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

I need a case for a Drake L-4 Linear amplifier. Does anyone have any ideas where I might find one?

3366. WTB Gonset Twins -G-66/G-77

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: candoandys@aol.com
Message-ID: <19990306192917.05515.00003983@ng68.aol.com>
Source record: 114864

I am interested in acquiring the Gonset mobile twins. Andy - K6RYN, Fresno, CA

3367. Re: ANT VS. AMP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: f117ab@ameritech.net
Message-ID: <36E1C988.8695F73D@ameritech.net>
Source record: 114865
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

If given the capability to have the ultimate amplifier or the ultimate antenna.
. . .hmmmm - antenna.
Art k9xf

DavidC wrote:

> > >It's an ancient subject but since KB5WZI brought it up ...
> > >Whether to invest in (1) a better antenna, or (2) a more powerful final.
> > >I favor the ANTENNA solution.
> >
> > Perhaps the answer should be both, with caution.
> > ...
> > Myself I have a 2 element 5-band Quad roof mounted at about
> > $1000 + damage to roof. A used 500W solid state amplier cost $400.
> > Both provide ability to works pileups in 1-20 min, and to be heard
> > comfortably by other stations when conditions are reasonable.
> > Ignacy, NO9E
>
> Of course the problem is that the amp only works on the TX side, so you
> may become one of the "alligator" stations ... loud TX and lesser RX so you
> either step on weak-signal stations you cannot hear, or weak-signal DX is
> completely missed by you as you tune across the band.
>
> The antenna is always the first device to maximize, IMHO, given the
> choice between antenna and amplifier. Once you have done the best
> you can with the antenna (not heroic measures, just an effort to minimize
> feedline and mismatch losses and to maximize gain, preferred pattern,
> and F-to-B) then it is time to consider amplifying your TX signal as well.
>
> Before doing either I am assuming that some attention has been paid
> to acquiring a rig that is optimized for the sort of operational modes
> and circumstances you emphasize.
>
> If you never listen to non-Ham stations then why buy a rig that has a
> compromised front end for continuous coverage?
>
> If you never run HF digital modes you may find some older hybrid (part
> solid state and part tube) rigs have quieter and more sensitive RX front
> ends than many of the newer rigs (the TS-830S and TS-530S come to mind).
>
> If you wish to operate on the busiest bands during the busiest times then
> you will want to acquire a rig with above-average filtering and a nice
> tight
> front end (the JRC JST-245 comes to mind).

>
> Audio and IF DSP filtering is also a consideration (IF DSP is always
> internal,
> audio DSP may be internal or external (the Timewave 599zx and NIR-12 are
> external audio devices which approach the task very differently and are
> considered state-of-the-art, you will need to study the specs and ask users
> to determine which is best for you).
>
> Your choice of microphone, and proper speaking angle and volume, can make
> a huge difference in TX as can the proper adjustment of the rig ...
> distortion
> from overdriven audio causes QRM and a loss of intelligibility.
>
> Just a few observations ... mostly gathered from advice I have received
> from
> elmers and other experienced experts ... your mileage may vary, etc.
>
> 73, DavidC K1YP

3368. Re: HELP!: UHF/VHF range prediction

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: keinanen@sci.fi
Message-ID: <36f0c75a.406490222@news.sci.fi>
Source record: 114866
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.antenna,rec.radio.amateur.equipment

On Sat, 06 Mar 1999 17:30:36 -0500, Ted Grant <tedgrant@earthlink.net>
wrote:

: I'm interested in "local" propagation-- a few miles to tens of miles--
: in cities with tall buildings and suburban areas with houses and trees.

: I'm hoping to find some rule-of-thumb guides, simple algorithms or low
: cost software. [I'm not really interested in DX propagation or
: multi-thousands of dollar cellular industry software].

I have not seen any low cost programs doing any usable predictions in
such environments.

As for the rule-of-tumb, the signal strength seems to be inversely
proportional to the fourth power of distance in urban areas (while the
free space loss is only inversely proportional to the square of the
distance), due to various scattering modes between and around
buildings.

Paul OH3LWR

3369. VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: lbathe@my-dejanews.com
Message-ID: <7bsljfsup1@nnrp1.dejanews.com>
Source record: 114867

I have one of the early VX-5R tri-banders. It's a great radio and seems to work fine other than the notorious PL scan decode problem I'm wondering if I should send it back to Yeasu for the fix. I don't know if I will ever use that feature. Of those of you who have early models and sent them back to Yeasu, are you satisfied with the fix of the PL scan problem? Thanks for your input. Lynn KB7ZPV

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3370. WTT: FT900/CAT for TS50s w/IRC's & AT50

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: radiofreq0@aol.com
Message-ID: <19990306195525.12883.00005172@ng-fi1.aol.com>
Source record: 114868

I have an as new in the box FT900/CAT w/ seperation kit as new in the boxw/ all documerntaion. I want to trade for a Kenwood TS50s w/ IRC filters (CW and SSB) as well as the other options avaialbee on the TS50s. Also the AT50 auto tuner is to be includindw/ interconnecting cables Mounting brackets etc. for both units, etc.. THe pair must be of a late egnouph serial # that all factopry upgradews have been done. THese unoits must be in excellent condiotn in every wasy, as is my FT900/CAT
RSVP

3371. WTT: FT900/CAT for TS50s w/IRC's & AT50

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: radiofreq0@aol.com
Message-ID: <19990306200140.12873.00004994@ng-fi1.aol.com>
Source record: 114869

I have an as new in the box FT900/CAT w/ seperation kit and all documentation.
I want to trade for a Kenwood TS50s w/ IRC filters (CW and SSB) as well as the
other options available on the TS50s. Also the AT50 auto tuner is to be
included w/ interconnecting cables mounting brackets etc. for both
units. The pair must be of a late egnouph serial # that all factory upgrades
have been done. These units must be in excellent condition in every respect, as
is my FT900/CAT
RSVP
tnx,
Jeff

>
>
>

3372. External Keypad For TS440S?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <7bsm6h$td7$1@nnrp1.dejanews.com>
Source record: 114870

Does anyone know if there is an external keypad available for the Kenwood TS440S, new or used?

Bill K9KZ

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3373. Re: Ruggedness of Yaesu FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <378fd353.1641073541@news.atl.bellsouth.net>
Source record: 114871

On Sat, 06 Mar 1999 17:57:07 GMT, Jethro Jumbalaya Twain <qwasty@hotmail.com> wrote:
>I've looked at the SG-2020, it's short on features and, while it could take
>small amount of rough handling, it's still vulnerable to a misplaced cup of
>coffee. I need a radio that can *operate* for several hours while submerged.

The US Navy has a special radio housing which will permit that. It is called
a submarine.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

3374. Re: Best Price on a VX5 ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-07 00:00:00 UTC
From: summitrt@aol.com
Message-ID: <19990306205636.11206.00004477@ng-ft1.aol.com>
Source record: 114872

The Orlando Hamfest special was $329. The dealers were all complaining that the price was too low for them to make any money, especially if they took a credit card. The price at Dayton should be the same.
Dealer cost on the radio seems to be about $315-$319.

3375. Re: How do I reduce power on hw-101?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Gord Skiffington <skiffing@nbnet.nb.ca>
Message-ID: <36E4B97E.545F@nbnet.nb.ca>
Source record: 114524

Very simple.....reduce Mic gain or drive level....Monitor your output
with a wattmeter to satisfy what you require....simple eh!

3376. Re: Commodore computer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: JOHN WARD <HITECH@EROLS.COM>
Message-ID: <7c249hj1@winter.news.rcn.net>
Source record: 114525

yes If i could only find the interfaces for those without that they are
worthless to them
clintbrad4d@earthlink.net wrote in message
<7c111tcgb1@nnrp1.dejanews.com>...
>In article <7bvd64ddq1@winter.news.rcn.net>,
> "JOHN WARD" <HITECH@EROLS.COM> wrote:
>> I have 3 commordore 64 with tape drive and disk drive...If intersted let
me
>> know or email me Hitech@erols.com .
>
>They sure would make a great donation to your local middle school or high
>school Amateur Radio Club!
>
>
> - Clint Bradford
>
>------------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3377. Re: Mod for HTX-212

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: "Tom B." <ab7tu@parg.org>
Message-ID: <36E48401.A69@parg.org>
Source record: 114526

The Mars/Cap mod you can do yourself, it's in the owners manual. Can't imagine anyone wanting to open up the rx on this rig. The cross modulation is bad enough the way it comes from the factory. I've got 1 and my buddy has 2. Good rigs if you don't live in a high rf area.

3378. Re: HELP!: UHF/VHF range prediction

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: "Carl R. Stevenson" <wa6vse@fast.net>
Message-ID: <7c28ku$q0d$1@news1.fast.net>
Source record: 114527
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.antenna,rec.radio.amateur.equipment

```
-----BEGIN PGP SIGNED MESSAGE-----
Hash: SHA1

Gary Coffman <ke4zv@bellsouth.net> wrote in message
news:3794a0dc.1659712175@news.atl.bellsouth.net...
>On Sat, 06 Mar 1999 17:30:36 -0500, Ted Grant <tedgrant@earthlink.net>
wrote:
>>I am looking for [economical] ways to predict path loss between a base /
>>repeater and a mobile/handheld at UHF/VHF.
>>
>>I'm interested in "local" propagation-- a few miles to tens of miles--
>>in cities with tall buildings and suburban areas with houses and trees.
>>I want to *quantify* the effect of things like height of base & mobile
>>antennas, and environment, having an HT antenna inside the car, etc, on
>>received signal strength.
>>
>>I'm hoping to find some rule-of-thumb guides, simple algorithms or low
>>cost software. [I'm not really interested in DX propagation or
>>multi-thousands of dollar cellular industry software].
>
>Unfortunately, you need a terrain modeling program if you expect
>to get accurate answers. VHF/UHF radio waves don't travel well
>through the Earth, nor do they travel in a simple manner through
>urban clutter. On simple line of sight paths, signal strength falls
>off in inverse proportion to the square of the distance, but there
>are few simple line of sight paths in your scenarios.

Even outdoors in a suburban residential area (not real dense
condos, but single family homes on decent sized lots) the factor
can easily be an inverse 3rd or 4th power function of distance.

Gary is right ... to get accurate results you need some
pretty sophisticated software as well as accurate terrain
databases with indications of building density, etc.

- --
Carl - wa6vse
wa6vse@fast.net
http://www.users.fast.net/~wa6vse
NCI #1052
Join No Code International!
Hams for the 21st century.
Support the modernization of ham radio and help
to assure its survival into the 21st century!
```

http://www.nocode.org

-----BEGIN PGP SIGNATURE-----
Version: PGP for Personal Privacy 5.5.3

iQA/AwUBNuSlzZe+N6+q84HiEQIhtACbBY5+2O4BmUD0Z9/qIrFm7BO8P9MAnjig
yPQbKVjN43+R894SWRHf3B9r
=E9J+
-----END PGP SIGNATURE-----

3379. Galaxy VFO Schematic needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: J Mullis <jmul@iland.net>
Message-ID: <36E4B55C.1AF6DC07@iland.net>
Source record: 114528
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Thanks for reading. I am in need of specs and a schematic for a Galaxy VFO, the one that works with a Galaxy III or V. What I want to do is use it with a Heath DX60B if it has the right output frequency range, and uses similar voltages to the Heath VFO. Anyone use this combo together, and can advise me what to do to connect them together? Any help will be greatly appreciated.

3380. RE: Johnson Viking Invader

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Dana Jensen <danaj@ibm.net>
Message-ID: <36e4be43@news1.us.ibm.net>
Source record: 114529

Seeking power cable for Invader.....the one that goes on the back. Looked high and low for mine and can't find anywhere. Anyone has knows this Xmitter knows what I'm looking for.

Thx.

danaj@ibm.net

REPLY BY EMAIL PLS>>>>

3381. Re: IC-W32A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Paul Shayler <paul@g6tsf.demon.co.uk>
Message-ID: <ant0820141cbKjhw@g6tsf.demon.co.uk>
Source record: 114530
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc

In article <36E2E2A3.AA5FF299@paonline.com>, Conrad A. Weiser
<URL:mailto:radimus@paonline.com> wrote:

> If you plan to use the crossband repeat feature, don't run both bands at high
> power. The radio will get REAL hot. If I'm crossbanding from 440 to 2M I only
> have the 2M side on high if I need to, and the radio still gets extremely warm.
>
> Rad
> N3XNV
>
How do you enable X-band repeater function??

--
NO RISC?.....NO FUN!!
This message is brought to you by the power of the StrongARM (TM)
ACORN SA-RPC using SA-110 processor
Paul G6TSF g6tsf@amsat.org

3382. Delhi Tower for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Kelly Buller <kbuller@direct.ca>
Message-ID: <wYRE2.1257$fq6.2523394@newsgate.direct.ca>
Source record: 114623

Delhi 48 HD tower for sale 5years old in excellent condition. Comes with HamIV rotor,control box and cable.$695.00CAN Contact VE7EDL Kelly Email kbuller@direct.ca Located on the south coast of British Columbia

3383. GPIB CARD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: vtoth <vtoth@yesic.com>
Message-ID: <Q_RE2.157$NP5.507874@news2.randori.com>
Source record: 114624

Looking for a GPIB IBM PC card and software.
VE3UUG

3384. Re: Wanted: Standard CTN-520 tone board

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Piero Sassu <n3fvg@worldlynx.net>
Message-ID: <36E3EF40.FE0C27E6@worldlynx.net>
Source record: 114625
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I am also in need of the Standard CTN-520 tone board for my C228A HT.
Please contact me directly by e-mail at: n3fvg@worldlynx.net
Mike (K7JR) has first dibbs on one as he posted first, please contact me
if you have a second one...

73, Piero - N3FVG

3385. FS: HF beam antenna

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Dan <dan.jaume@usa.net>
Message-ID: <7c0r2t$2l2q$1@news.gate.net>
Source record: 114626

HF antenna, Hy-Gain TH5, 5 element. On the ground, for pick up in South
Central FL. In good shape, $ 200.00
Dan (561) 286-7241

3386. Re: adi at 600 charge time?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: riechert@my-dejanews.com
Message-ID: <7c0vfhaum1@nnrp1.dejanews.com>
Source record: 114627

I have a Radio Shack HTX-204 which is their version of the AT-600. The manual states 10 hours to fully charge the battery. That's for the 7.2V battery pack. If you have the 12V high power battery, I can't say. Have you tried e-mailing ADI or checking their web site? I've found they're pretty responsive.

In article <36e0ef46.7270236@news.nwlink.com>,
k7ltf@usa.net wrote:
> What is a good recommended charge time for the bat.
> that comes with the radio. I have not been able to find it in the
> user manual (: however the electronic volt meter for the bat,
> when I took it off was just a little over 13v, does it need to be
> more?
>
> Zach Bender
> Seattle WA
>
> PS I am a little confused on how to scan the 800-900 meg portions, I
> know there are channel scan groups, but is there another way to do it?
>
> Tnx
>
>

Jerry Riechert

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3387. SW RX for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: "G.Singer" <deltacom@bwn.net>
Message-ID: <36E3EEF0.D6E810C7@bwn.net>
Source record: 114628

I have a DX390 and a DX300 for sale, both in excellent condition..9 out
of 10. Make offer via e-mail.
Thanks,
Gerry
--

Gerry Singer KC0CAT
Loc:40 09 38N 103 12 50W Grid Square DN80jd N/E Colorado
Pro 2042 W/Optocom 535 MX7000 Pro67 Pro2004 DX390 W/MFJ 784
R5000 W/MFJ VersaTunerII Azden PCS2000 HTX-242 Alinco DJ191
Icom H16 and U16 HyGain VIII TRC 499
.....and lots of antennas!
Scanner,Weather and Ham Radio web site
http://www.geocities.com/CapeCanaveral/Lab/5137

3388. Re: Question on Yaesu 8500.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: seebody@toreply.com
Message-ID: <36e3f723.6705148@news.ncal.verio.com>
Source record: 114629

That isn't the same as the SCAN button on the super duper
do-everything micraphone?

Will give it a shot.

Thanks!

Evan

On Sun, 7 Mar 1999 17:30:45 -0600, "JJ" <jjsmith@ipa.net> wrote:

>Program your "P1" button to do scanning. Then press P1 momentarily instead
>of holding it down and you will scan only the band you are currently in.
To reply via e-mail, please use eplatt at wco period
com. Sorry, but this is the only way to despam my
address.

3389. Re: Commodore computer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7c111tcgb1@nnrp1.dejanews.com>
Source record: 114630

In article <7bvd64ddq1@winter.news.rcn.net>,
"JOHN WARD" <HITECH@EROLS.COM> wrote:
> I have 3 commordore 64 with tape drive and disk drive...If intersted let me
> know or email me Hitech@erols.com .

They sure would make a great donation to your local middle school or high
school Amateur Radio Club!

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3390. Re: A Generic diode ??? Warning!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Brad Thompson <Brad_Thompson@pop.valley.net>
Message-ID: <36E3F5E4.4348@pop.valley.net>
Source record: 114631
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Brian Bailey wrote:
>
> Bill J, Edinburgh wrote in message
> <7bufsk$s7u$2@plutonium.compulink.co.uk>...
> >The 1N4001 rated at 1 kV (I think), 1 A seems to work fine in place of all
> >the rectifiers I've come across.
> >
>
> WARNING -- The 1N4001 is only rated at 600 PRV according to the ECG xref. A
> larger one is the 1N4011 which is rated at 1000 PRV / 2.5A (ECG-125)
> --- Brian, W4OLF

Hello--

While the ECG replacement you mentioned may carry a 600-volt rating,
the 1N4001 is speced at 50 volts PIV.

Back in the early days of silicon rectifier diode production, low
yields of high-voltage diodes probably made it economical to sell
the low-voltage diodes (1N4001s and 1N4002s) at lower cost.

73,
Brad AA1IP

3391. 3 KW Dummy load / Attenuator

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Ken Raymond <tss@ma.ultranet.com>
Message-ID: <01be6987$db3a8720$854506d1@ken-s-system>
Source record: 114632

I am looking for an attenuator that can handle 1.5 KW continuously and has an attenuated output for spectral analisys for FCC part 97 testing for a HAM linear amp from 1.8 to 30 MHz. Any help will be appreciated. Please email directly.

Ken Raymond, KA1UBH
Test Site Services, Inc.
tss@ultranet.com

3392. Re: TM-V7A Advice

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Tim <just4fun@pobox.com>
Message-ID: <DOTE2.1609$5w.2566@wormhole.dimensional.com>
Source record: 114633

I have owned a V7 for over 1 year now..I am a huge Icom fan (I own both a 756 & a 706mkII), but can't seem to tear myself away from the V7 for V/UHF . Never had problem one with the rig. No probs with intermod either. Too bad Icom doesn't come out with a decent dual band mobile to compete.
My .02 worth....73,
Tim K9TIM--Denver Co
BTW> Don't lose the manual (as I have). The online manual is not quite as informative as they would like to think.

KD7CTR wrote in message <19990306215229.13185.00004715@ng-cr1.aol.com>...
>I am looking to buy a Kenwood TM-V7A mobile and wanted to get feedback from
>current owners. The discouraging thing is paying $99 for the remote face
>mounting cables. Also what does the VS-3 do for the unit? I have a
TH-79A-HP
>and would like to use the mobile to cross-band.
> 73s de KD7CTR

3393. Re: TM-V7A Advice

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Bruce Petrarca <Bruce@ScubaPhoto.com>
Message-ID: <36E40952.AE74C130@ScubaPhoto.com>
Source record: 114634

Had one for almost 2 years in the vehicle my wife (N7WNW) mostly uses. My only complaint is the display - washes out in moderately strong light and the surface is so shiny that it reflects any bright window. Makes for some dicy operations mobile. The display on my 742 isn't as shiny and doesn't fade as quickly in bright light (something we know a little about here in Arizona)!

Unlike other small Kenwoods (now discontinued) the V7A doesn't suffer from intermod at the drop of a hat. I had a 732 (I believe it was) and drove from Phoenix to Las Vegas to Salt Lake City to Farmington (NM) to Phoenix. The only place where I DIDN'T have intermod (after Kenwood Service tweaked it to try to stifle my complaints) was in between mountain ranges in eastern Utah. The 742 I replaced it with is MUCH better - the V7A is almost as good as the 742 and much smaller!

73 de kx0e
Bruce
--
Bruce Petrarca
http://www.QSL.net/kx0e

Mike wrote:

> The TM-V7A is an exceptionally good rig. I have owned mine now for about 7
> months and have had no problems what so ever with itwether mobile or here in the
> shack. The rig seems to have a very durable, sturdy cabinet. The only draw back
> I find is in the owners manual... it's too thick!!! (meaning there are plenty of
> options on the rig) Seriously though, kudos to Kenwood, A-1 job!!!
> Mike VA3HIE
>
> KD7CTR wrote:
>
> > I am looking to buy a Kenwood TM-V7A mobile and wanted to get feedback from
> > current owners. The discouraging thing is paying $99 for the remote face
> > mounting cables. Also what does the VS-3 do for the unit? I have a TH-79A-HP
> > and would like to use the mobile to cross-band.
> > 73s de KD7CTR

3394. Re: want to buy 10-11 meter rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: "Tom B." <ab7tu@parg.org>
Message-ID: <36E40A8D.675B@parg.org>
Source record: 114635

JCM1168 wrote:
Gee I hope John isn't adverstising the fact that he is performing
Illegal modifications on ham radios and then offering them for sale. I
wonder if he's got some nice CB amps for sale too. Another ham making a
contribution to the amateur service, way to go.

>
> JJ,
> We have new RCi 2970s on our site. It does from 10 watts to 150PEP on SSB and
> goes from 26-32mhz. check them out..
>
> Wavelength Radio
> www.WavelengthRadio.com
> To Email Remove NOSPAM
> KD7EHQ

3395. Re: IC-W32A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Joseph Mowery <jmowery@nswc.navy.mil>
Message-ID: <36E40C46.464BD032@nswc.navy.mil>
Source record: 114636
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc

Yes, get the software and cable. I purchased the software and cable with
the radio and made it much easier to program all of those memories, offset,
PL tones and etc.

Joe,
KF4YYA

"Joseph P. Humberger" wrote:

> Hello,
>
> My name is Joe Humberger KB9TFH, I am going to be purchacing an Icom
> W32a in a couple weeks. The reason for posting this message is that i was
> woundering if there are some things i should know about this radio, The
> Pro's and the Con's. A friend recomended this radio so i know very little
> about it. I would appreaciate any info given. And if you have this radio,
> Please tell me what u like and don't like about this radio.
>
> Thanks,
> Joe Humberger KB9TFH

3396. WTB: New-in-Box Kenwood TM-731A/TSU-6

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36E41495.FFF4FA32@cfu.net>
Source record: 114637

For a friend, I am looking for a new-in-box or absolutely mint Kenwood TM-731A with TSU-6 encode/decode. Tks! Jan N0JR

3397. FS__Heil HM-10

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Ian McCloy <ian_mccloy@bc.symaptico.ca>
Message-ID: <dAUE2.13$EI.252568@news.bctel.net>
Source record: 114638

For sale Heil HM-10 with original case, cable for Kenwood Radio and with black base stand. With original paperwork.

$ 100.00 US shipped or Best Offer

Ian Ve7ira

3398. Re: A Generic diode ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Michael Black <blackm00@CAM.ORG>
Message-ID: <Pine.GSO.3.94.990308124559.12621A-100000@Stratus.CAM.ORG>
Source record: 114639
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

On 8 Mar 1999, Brian Bailey wrote:

>
> Bill J, Edinburgh wrote in message
> <7bufsk$s7u$2@plutonium.compulink.co.uk>...
> >The 1N4001 rated at 1 kV (I think), 1 A seems to work fine in place of all
> >the rectifiers I've come across.
> >
>
>
> WARNING -- The 1N4001 is only rated at 600 PRV according to the ECG xref. A
> larger one is the 1N4011 which is rated at 1000 PRV / 2.5A (ECG-125)
> --- Brian, W4OLF
>
Actually, the 1N4001 has a PRV of 50volts. I just checked, and the ECG
replacement guide uses 1 diode as a subsitute for the lower half of the
1N400X sereis, and then a different diode for the upper half. They are
substituting a higher PRV diode for the low numbered ones.

But your point is good. The 1N400X sereis are all 1amp diodes, but
as the final number goes up, the PRV goes up.

Michael VE2BVW

3399. Re: A Generic diode ??? Warning!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: BOB DUCKWORTH <bob@ns.atl.org>
Message-ID: <36E3D090.7D79@ns.atl.org>
Source record: 114640
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

The 1N4007 is the 1amp 1000PIV part.
It's a good GP rectifier and I keep
a bunch in the parts bin.
-bob

3400. FS: Emperor 3010 10m radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Leon Snider <leons@worldnet.att.net>
Message-ID: <7c15oo$h7j@bgtnsc01.worldnet.att.net>
Source record: 114641

Pretty darned nice mobile 10 meter radio. Some small abrasions,from normal viewing distance,would be hard to see. Mike,power cord and I have a photo copy of the owners manual,somewhere! NO mobile bracket. I haven't transmitted on the air with it but have run it into a dummy load and it works. Also, the receiver seems to be pretty "hot". Make reasonable offer,send Postal M.O. and it's yours. Leon Snider KE4GG Pinson,AL

3401. wtb: Kenwood TS-130S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: ka3vsp@voicenet.com
Message-ID: <36e41cb4.3717186@netnews.voicenet.com>
Source record: 114642

WTB: Kenwood TS-130S hf xcvr in good to mint condition.
Email description, condition, any options included, price and
location. Feel free to include picture attachment if you have
one!

Thanks,
Brian
ka3vsp@voicenet.com

Philadelphia, PA

3402. WTB. Drake AL-4 antenna

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: BOB DUCKWORTH <bob@ns.atl.org>
Message-ID: <36E3D557.273@ns.atl.org>
Source record: 114643
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Anyone got an old Drake AL-4 BCB loop antenna
kicking around?

-bob

3403. When Did They Stop Making The Kenwood TS440S?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <7c1a2o$l0u$1@nnrp1.dejanews.com>
Source record: 114644
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I would like to know when they stopped making the Kenwood Ts440S and what the last serial numbers were. Tnx!

Bill K9KZ

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3404. Re: Anyone have out of band tx mod for Yaesu FT-8500?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <37a0236c.1758685426@news.atl.bellsouth.net>
Source record: 114645
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

On Sun, 7 Mar 1999 06:23:23 -0600, "Jarrod Boehme" <jboehme@pdq.net> wrote:
>We Hams don't always modify our radios to transmit illegally. Perhaps I am
>a member of a volunteer emergency service who uses vhf and uhf frequencies
>for radio communications. Seems silly to have 2 ht's and 2 mobiles if you
>can use 1 ht and 1 mobile. Also, reprogramming commercial is expensive,
>tuning an amateur is painless...

But still illegal to use on public service or commercial frequencies because
ham gear isn't Type Accepted for that use.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

3405. Re: ICOM 746 vs 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Rob Kling <rkling@home.com>
Message-ID: <36E4272D.EBF9FA33@home.com>
Source record: 114646

Is it "real time"? I know that you can listen while the scope is running
but I thought it was more like a sweep. Of course, if it sweeps fast
enough then it is as good as "real time":) I bought the 746 because it
swept fast enough for me and I generally do not want to listen and
search for another frequency at the same time. And at that time, the 746
and the 756 were almost the same price. Now you can get a 200 dollar
coupon for the 746. There are some operating features of the 746 that
bug me, one is the fact that the twin pass band tuning display is paired
with the scope. If you wanted to see PBT display you would have to turn
off your scope. I do not think this is true for the 756.

Michael Madden wrote:
>
> The receiver's are basically the same. Both Great! The major difference's
> are the band scope(Real Time) in the 756 and 2m in the 746. If money is the
> major factor in your analysis, go with the 746.

3406. Re: Opinions on Yaesu VL-1000 Amp?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: mrauchle@aol.com
Message-ID: <19990308143851.25737.00005921@ng109.aol.com>
Source record: 114647

I have a VL-1000 and have had it for a year. Yaesu will fax the instructions to "open it up" on 10/12 when you fax a copy of your lic. Its a great amp! Once opened up, it will put a Kilowatt everywhere from 160 to 6 meters! The specs say only 500 watts on 6 but I can atttest that it is the fill 1KW!!! I had a FL-7000 prior to and the VL-1000 is much less fussy about SWR.

73,

Mike KA7THA

3407. Collins Gear For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: mrauchle@aol.com
Message-ID: <19990308144456.25737.00005925@ng109.aol.com>
Source record: 114648

Posting this for a friend:

KWS-1, 51S-1RE, 75A4 For Sale
Call Ben, K9CSM at 303-622-9503 ONLY!

Thanks,

Mike KA7THA

3408. Programming software DR-140T ?????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Leo Bosard <lbosard@prairie.lakes.com>
Message-ID: <36e42b9e.0@news2.uswest.net>
Source record: 114649

For the past two years ALINCO has claimed on thier web page to have programming software and cable "coming soon". Well of course it seems they don't plan to live up to the promise they've made to those of us who bought the radio.

I'm wondering if anyone out there has had any luck developing a program of thier own or using a program for a different radio to program the DR-140.

I'm also wondering if this lack of fullfillment of advertised gimicks to get people to buy this radio has happened on other products of thiers, or was it unique to the DR-140. I'm happy with the radio, just not with the company!

3409. Motorola Speaker/Mic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Jeff Johns <jeffj@scott.net>
Message-ID: <4294956598284584111 5NEWS2LX@news.scott.net>
Source record: 114650

I have a Motorola speaker/microphone with a part number of NMN6156B. I'm not sure which Motorola HT it fits, it has a funny looking connector with 6 brass connectors on it. It would make a great speaker/microphone for a amateur HT, since it's extremely rugged seeing as how it's a commercial product. If anyone is interested in buying it, just make me an offer. No reasonable offer will be refused. If you don't want to buy it, but know which HT it fits, I would welcome that info!

73 Jeff W4JEF

--------- Jeff Johns W4JEF - AMSAT# 32615 - QRP-L# 1857 ----------
jeffj@scott.net w4jef@amsat.org	Reserve Patrol Captain
Satellite: Mir R0MIR-1, AO-27	Jefferson County Sheriff's Dept
200LX+BayPac+FT50=Portable Packet	QTH Birmingham, AL USA

3410. Wanted Icom 706 or 706 MK II

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: EssBase <74364.207@CompuServe.com>
Message-ID: <36E42CFE.871B1C78@CompuServe.com>
Source record: 114651
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

E-Mail with condition,price,mods,original box.

3411. Re: When Did They Stop Making The Kenwood TS440S?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Brad Kellison <ka8tok@four-way.net>
Message-ID: <36E43CDA.44E60312@four-way.net>
Source record: 114652
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

don't know the serial #'s but that radio stop production back about 10 years ago.. when the 450 came out.

k9kz@indy.net wrote:

> I would like to know when they stopped making the Kenwood Ts440S and what the
> last serial numbers were. Tnx!
>
> Bill K9KZ
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3412. ICOM R-8500 vs PCR-1000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: explorer <explorer_ham@rocketmail.com>
Message-ID: <7c1ek1cam1@pollux.ip-plus.net>
Source record: 114653

I would like to buy a good receiver with PC controlling.

Please, do you have any comments about ICOM R-8500 versus
PCR-1000 ?

Thank you in advance,

Alan

3413. Re: Yeasu FT100 experience

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Always your King <jy1@diplomats.com>
Message-ID: <7c1iei$st7$1@nnrp1.dejanews.com>
Source record: 114654
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,nl.radio.amateur,aus.radio.amateur.misc

David deSouza-Kirby <dave@vfpnet.demon.co.uk> wrote:
> If this is a slight on JY1 I think it is in extremely bad taste.

Thanks for sharing your concern, you're one of the
good guys. Congratulations! Live happily ever after.

Greetings from JY1, Live from Amateur Radio Heaven

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3414. FS: Pro-2039 & SC150 - 800MHz scanners

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Mitchell Katz <mcguyver@bv.net>
Message-ID: <36E44410.CC6618AD@bv.net>
Source record: 114655
Cross-posted to: rec.radio.swap,rec.radio.amateur,rec.radio.amateur.equipment

I have the following 2 scanners for sale

1 - Uniden Bearcat SC150 800MHz scanner, twin turbo, used but in good shape. 100

channels, no modifications done. Unit has a date code of 'OFIG' first $105
takes it

1 - RS Pro-2039 Base scanner. Very small and in great shape. 200 channel, 800MHz

HYPERSCAN. Broken screw in top mount antenna , but functions fine and has
optional BNC antenna connector on back. Unit is 120VAC ready with cord. Asking
$125 obo

I have a number of mint condition Black & White CCD cameras. Follow the below
link toview . They are very small encased C-mount cameras(I have some lenses for
sale as well) They were purchased new for $249 each. I
will sell for $150 each, or can work out a deal for qty. Let me know if
interested

http://www.polarisusa.com/pi2201.htm

3415. Re: Drake L-4 Linear

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <36E44979.2DA027D2@erols.com>
Source record: 114656
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Drake still has new bottom covers.

Darrel Scott wrote:

> I need a case for a Drake L-4 Linear amplifier. Does anyone have any
> ideas where I might find one?

3416. Re: IC-W32A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Steve Ahrendt <sahrendt@earthlink.net>
Message-ID: <36E4457C.5BA8BB99@earthlink.net>
Source record: 114657
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc

"Joseph P. Humberger" wrote:
>
> Hello,
>
> My name is Joe Humberger KB9TFH, I am going to be purchacing an Icom
> W32a in a couple weeks. The reason for posting this message is that i was
> woundering if there are some things i should know about this radio, The
> Pro's and the Con's. A friend recomended this radio so i know very little
> about it. I would appreaciate any info given. And if you have this radio,
> Please tell me what u like and don't like about this radio.
>
> Thanks,
> Joe Humberger KB9TFH

I bought one last month and am very happy with it. The PL scan function
was a nice bonus since I travel a lot and don't always have my repeater
directory with me.
I'm thinking about getting the HM-75A microphone since I have trouble
hearing. Can anyone comment on the audio quality/level of this mic?

Steve KD5FID

3417. QSYer For The TS440S?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <7c1hofsak1@nnrp1.dejanews.com>
Source record: 114658

Does anyone know if they made a QSYer for the Kenwood TS440S. Is Stone Mountain Engineering still in business?

Bill K9KZ

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3418. Re: When Did They Stop Making The Kenwood TS440S?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: kb6luc@aol.com
Message-ID: <19990308172746.13170.00005522@ng-cr1.aol.com>
Source record: 114659

Very early in 1991. I have no knowledge of serial number progression.

3419. Wtd: Heavy Duty Knife Switch

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: protect@bright.net
Message-ID: <protect-ya023180000803991746540001@news.bright.net>
Source record: 114660

I am looking for a heavy duty double pole double throw knife switch to carry 50 amp at 13 volt. This is to switch from my Astron power supply to my backup golf cart batteries during power outages. Thanks.
Charles, KB8WSG

3420. WTD: Millen GDO LF Coils

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: w1ksz@tiac.net
Message-ID: <36e459d0.2810604@news.tiac.net>
Source record: 114661

Just picked up a nice looking Millen GDO and would like to get a set
of LF coils. Anyone have any ??
Tnx es 73, Dick, W1KSZ

3421. FA: TEKTRONIX Plug-In Extenders

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: w1ksz@tiac.net
Message-ID: <36e45aee.3096338@news.tiac.net>
Source record: 114662

Used to test / calibrate Letter series and most Number series Plug-Ins
outside of Scope:

Regular Straight Extender - 74458618

Flexible Cable (30") Extender - 74460182

Both auctions end 12 March 1999.

73, Dick, W1KSZ

3422. FA: TEKTRONIX Manuals

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: w1ksz@tiac.net
Message-ID: <36e45afe.3112348@news.tiac.net>
Source record: 114663

Tektronix Manuals for Auction, ends 12 March 1999:
Type 82 - 74456487
Type 86 - 74457437

both are ORIGINALS.
73, Dick, W1KSZ

3423. Re: Millen GDO LF Coils

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <36e45e3e@news1.us.ibm.net>
Source record: 114664

When this request was posted last fall, someone suggested that Millen is
still selling them new. Check DejaNews for the web site.
--
Crazy George

3424. Re: Programming software DR-140T ?????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: fishbags@aol.com
Message-ID: <19990308183523.14629.00000181@ng10.aol.com>
Source record: 114665

QUOTE: ALINCO has claimed on thier web page to have
>programming software and cable "coming soon". Well of course it seems
they.................

RT systems, who makes the Alinco DJ-190/191 & DJ-X10 software, as well as
all the Yaesu & ADI software was supposed to come out w/ DR140 as well but
never did. It is RT systems you should complain to.>

3425. Re: FT8500 help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Russ Freeman <jrf9949@garnet.acns.fsu.edu>
Message-ID: <36E3DFDB.250E1D53@garnet.acns.fsu.edu>
Source record: 114666
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

In case you don't have a manual (which is probably why you are asking); press and hold D/MR while turning on the rig. The display will show the ratio of VHF/UHF banks. move the joystick up or down to change the ratio. Press MNU to save the changes. Your previously saved channel data will be lost, though.
Russ, KF4ZFS

Tom B. wrote:

> Transferring Memory Banks. Page 30 in owners manual.
>
> JJ wrote:
> >
> > Can someone please tell me how to change how many banks of memory belong to
> > vhf and uhf. Currently it is 5 banks of each, standard setup. I need 7 vhf
> > and 3 uhf. Please help.
> >
> > JJ

3426. Re: QSYer For The TS440S?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Bill Clarke <W2BLC599@bigfoot.com>
Message-ID: <7c1p0m$1mg$1@paxfeed.eni.net>
Source record: 114667

1. Yes, a QSYer was made for the Kenwoods.

2. Stone Mountain is apparently out of business.

3. With all the new little rigs on the market - now is a great time for someone to start building QSYers again.

--
Bill Clarke W2BLC
W2BLC@bigfoot.com

3427. WTB: QSY'r for IC-735

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Tim Cook <timcook@erinet.com>
Message-ID: <7c1qt7kvl1@news.erinet.com>
Source record: 114668

Looking for a QSY'r for an IC-735
Please email direct
Thanks
Tim
NZ8J

3428. AOR8200 FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: jagxr@mindspring.com
Message-ID: <7c1s64drq1@camel25.mindspring.com>
Source record: 114669

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=73106996

3429. FS: KLM 6M-5 6 meter 5 ele yagi - NIB

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Bruce Petrarca <Bruce@ScubaPhoto.com>
Message-ID: <36E472D4.BEFEB50F@ScubaPhoto.com>
Source record: 114670
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment

Absolutely NEW IN BOX (the tape hasn't been cut)!

Technical Specifications
band coverage..... 50ï¿½52 MHz
elements..... 5
gain..... 9.7 dBd
F-B ratio..... 30 dB
boom length..... 11'9"
boom diameter..... 2 inches
mast size..... 2 inches
turning radius..... 7.5 feet
power handling..... 5 kW PEP
windload..... 1.7 sq. ft
weight..... 9 pounds

Current Street price is $219 plus freight (and/or tax)

I'll UPS it anywhere in the Con US for $200.

73 de kx0e
--
Bruce Petrarca

3430. N9EGL web page

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Mark Griffith <mkgriff@htc.net>
Message-ID: <36E49A3E.98823F65@htc.net>
Source record: 114671

please feel free to check out this page, its got lots of neat links to a lot of pretty cool sites. Thanks.

http://ns.htc.net/~mkgriff/

3431. FS/FT: Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Harvey S Axlerod <axlerod@acsu.buffalo.edu>
Message-ID: <Pine.GSO.4.05.9903082045540.77-100000@callisto.acsu.buffalo.edu>
Source record: 114672
Cross-posted to: rec.audio.tubes,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I have the following tubes that I would like to get rid of. They are
all thyristors, most are untested because of high voltage applications:

1 Knuth 3C45
3 Westinghouse WL678
1 Electronic Inc C6J
1 Sylvania 6D4 NIB
1 RCA 2050
1 GE 2D21 NIB
7 various 2D21 tested, OK

Will consider interesting trades or reasonable offer. Thanks, Harvey

---
Harvey Axlerod, Postmaster/ Computer Discipline Officer, University at Buffalo
http://www.acsu.buffalo.edu/~axlerod 716-645-3570

3432. Re: Yeasu FT100 experience/splaytter/poo receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Craig <bearl@ozemail.com.au>
Message-ID: <7buujr$fq4$1@reader1.reader.news.ozemail.net>
Source record: 114677
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,nl.radio.amateur,aus.radio.amateur.misc

This is just another humdrum ham radio, that works no better that a FT101, shure its small. But like the ic706 mk1 to 99, its third order imd is poor, the splatter that comes from these boxes is on par with most CB radios. The receivers are ver poor, low 3rd order interecept point. No ham should use these radios on the ham bands with a linear at a fixed station. Mobile and portable and emergency use are okay.

But why these ham manufacturers try to put 3 grains of rice into straw, when most of their products have poor receivers and and poor transmit IMD, i dont undstand. At the rate at which most manufacturers are improving receivers, ham radio might be a dead hobby.

But buy the FT100 and tell us all about how well it works for you, and how brilliant those 500 sub menus are, you better be the first to write a cheat sheet, you might make some money!

Good Luck

Please look at the specs, and try to understand what each one means.
David deSouza-Kirby wrote in message ...
>In article <7bqrb3fmk1@nnrp1.dejanews.com>, jy1@diplomats.com writes
>>Hi there,
>>
>>Some of my friends are interested in buying an FT100, but
>>I'm not sure if I can recommend such a small rig? My
>>main concern is the large signal behaviour, especially
>>in the military 30-70 MHz frequency range (RX).
>>Does anybody have any experience with this? Please report.
>>
>>Greetings,
>>JY1
>>
>
>If this is a slight on JY1 I think it is in extremely bad taste.
>
>Dave G3VFP.
>>-----------== Posted via Deja News, The Discussion Network ==----------
>>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>
>_________________________________
>
>Reply to Dave@vfpnet.demon.co.uk

3433. Mitrek question...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: nw2m@qsl.net
Message-ID: <7bv4shqkg1@nnrp1.dejanews.com>
Source record: 114678
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Greetings,

I have a pair of Mitrek units, one for receiving 2 meters and the other transmitting on 440. This will be replacement hardware for our 2 meter remote site which was a single GE unit. These are new to me and were configured by a shop in Canada. Both units are in great shape.

The Mitrek receiver model is MX24JJA1906-BBW.

On the Audio-Logic board (which is mounted foil side up), there are several pots. What is the function of:

MOB RT
RT MOB
RT RT
MOB SQ
RT SQ

The RT SQ is the receiver squelch, I have adjusted that. Others are deviation(?), etc. Which one controls the audio from the receiver which feeds the transmitter? Or, is this adjustment on the transmit Mitrek unit? The reason for this is that all of the remote reveivers must transpond the same audio levels to our main site for voting. Mitreks are new to me... but not for long. I need to control the audio from the receiver to the transmitter for leveling.

Many thanks,

Al, NW2M

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3434. RE: Looking for FRG-7 Manual....many thanks to all!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Charles McKee - Books <cmbooks@portal.ca>
Message-ID: <36e31645.5287026@nntp.portal.ca>
Source record: 114679

March 7, 1999

Dear SWL's & Hams,

Many thanks to all who responded to my inquiry for a FRG-7 manual and schm.charts.

The number of replies was great and I've tried to respond to all. I'm all set now.

So for you folks looking for copies, take heart ... there are lots of copies and even a rare original or two kicking about!!

Now, I'm off to enjoy my "new" unit and listen to the world and relax with a hot cup of my favorite!!

Best,
Charles
VE7CCX

VE7 CCX

CHARLES McKEE - BOOKS "the housedaddy bookman"
1306 - 6th Avenue, New Westminster, B.C. V3M 2C4 Canada

Business Email: cmbooks@portal.ca
WebSite: http://www2.portal.ca/~cmbooks/
Mirror Link: http://members.home.net:80/cmbooks
Mirror Link #2: http://www.abebooks.com/home/housedaddybooks/

Listings also posted on:
The Advanced Book Exchange and BiblioFind book databases.

Specializing in SF&F, Horror, Mystery, Canadiana, Fishing, Astronomy, Humour, etc.
Carrying the full line of Fedogan & Bremer Limited Edition and Terminal Fright Publications.

CHARLES McKEE
Personal Email: cmbooks@home.com

3435. Re: want to buy 10-11 meter rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: jcm1168@aol.comNOSPAM
Message-ID: <19990307202659.13527.00011680@ng-ch1.aol.com>
Source record: 114680

JJ,
We have new RCi 2970s on our site. It does from 10 watts to 150PEP on SSB and goes from 26-32mhz. check them out..

Wavelength Radio
www.WavelengthRadio.com
To Email Remove NOSPAM
KD7EHQ

3436. Re: FS High Voltage Variables

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <36E32A2D.491A@sympatico.ca>
Source record: 114681
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.ham-radio.swap

Larry Asp wrote:
>
> I have the following High Voltage Variables for sale, good shape -
> shipping extra.
>
> Hammond Manufacturing, a pair of 350UFd @ 3000 volts, with 1" Johnson
> porcelain mounting legs, and a Johnson porcelain inter capacitor
> connector. Should sell as a set - $40.00.
>
> Hammond Manufacturing, 250 ufd @ 3000 volts, $15.00.
>
> Hammond Manufacturing, 100ufd - 100ufd dual section 6000 volts $40.00
>
> Pair of 100ufd with interconnecting cable from ARC5 transmitter $6.00
>
> New in box Airdux coil, #1604T 2" 4TPI $15.00

Values are PF not UF - Thanks to all who noticed - Lots of folks must
have read my ad . Hi!

3437. Re: Icom W32A Help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Tom@astro.net
Message-ID: <7bv9m7bcf1@remarQ.com>
Source record: 114682

I like the radio, can't find any minuses at all.

73,
Tom

In article <7bv2qs$7g3$1@ffx2nh5.news.uu.net>, "Joseph P. Humberger"
<KB9TFH@michianatoday.com> wrote:
>Hello,
>
> My name is Joe Humberger KB9TFH, I am going to be purchacing an Icom
>W32a in a couple weeks. The reason for posting this message is that i was
>woundering if there are some things i should know about this radio, The
>Pro's and the Con's. A friend recomended this radio so i know very little
>about it. I would appreaciate any info given. And if you have this radio,
>Please tell me what u like and don't like about this radio.
>
> Thanks,
> Joe Humberger KB9TFH
>
>
>

Remove the "P" from the below address (spam blocker)

Tom Randall Amateur Radio - KB2SMS
Mt. Beacon Amateur Radio Club / ARRL / 10-10
tprandall@idsi.net Member: AAVSO Solar Division

My Astronomy/Ham radio site: http://www1.mhv.net/~trandall/welcome.html

3438. Help- Need Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Viggie <jay_cee@worldnet.att.net>
Message-ID: <36E32B58.76137CF0@worldnet.att.net>
Source record: 114683
Cross-posted to: rec.radio.amateur.equipment,rec.radio.cb

Hello...
I have a Palomar 300A HF 10-40 Mhz. Amp. I am looking for a
manual and schematic for it. Also any info on input levels and power out
would be appreciated.

Thanks,

John N2VJE

3439. How do I reduce power on hw-101?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: itzack@hotmail.com
Message-ID: <7bva9qusu1@nnrp1.dejanews.com>
Source record: 114684

Hello,

I am looking for an way to reduce the power out of the hw-101...
I am looking to get <25 watts out maybe even <10. I you have any
Ideas on how to do this please e-mail me... Itzack@hotmail.com
Also if I remove the 6141's what is the power out from just the radio
before it reaches the finals?

TNX
John
Kc4npd

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3440. KENWOOD TS- 690 s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Russo <russo@NOSPAM.sybercom.net>
Message-ID: <egGE2.901$qc3.2708733@firenze.visi.net>
Source record: 114685

Anyone know how to adjust / turn on the cw side tone ? I would like to hear cw when I use my hand key... many thanks in advance.. Russ

3441. Help Icom UT-89 Tone Board

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: kd1my@banet.net
Message-ID: <7bvf93$2pt$1@nnrp1.dejanews.com>
Source record: 114686

I recently sold a spare Icom UT-89 tone board and the gentleman who bought it could not get it to work in his 2350. I tried to turn on the T_squelch in my 2340 and also found that will not work. Does anyone know if there is a secret to getting these to work. We tried the instructions in the manual but no help. These is two separate tone boards so I can't believe they are both bad.

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3442. Re: Anyone have out of band tx mod for Yaesu FT-8500?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7bvclg$sp@news.Hawaii.Edu>
Source record: 114687
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

READ N' POST ROSIE <rosiec@my-dejanews.com> wrote:
> jeffreyh@Hawaii.Edu (Jeffrey Herman) wrote:
>>READ N' POST ROSIE wrote:

>>>you hams.... always figuring out how to transmit illegally somewhere!
>>>rosie

>> With an address like "noname@nowhere.com" I wouldn't bet the beach
>> that he's a ham. Lots of non-hams (like yourself) read and post to
>> these groups, "Rosie."

>Well "Jeffrey" I wouldn't bet the beach that I'm not a ham and had a license a
>long, long time before you. False assumptions and all that you know....

Then why begin your first post above with "you hams"? Prefacing your
comment in that manner makes the reader think you're excluding your-
self from being a ham.

I was first licensed in 1976 as WA6QIJ. Check the '77 callbook if
you're in doubt.

Jeff WH6U (ex KH6OO, KH2PZ, NH6IL, WH6AEQ, WA6QIJ; worked at NMC6 and NMO)

3443. Re: USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990307214756.13611.00005153@ng-fx1.aol.com>
Source record: 114688

i had similar experience with UPS. I have always had bed luck with UPS and use FED EX for business. This time I ordered two items forma dealer accross country. One made it 3 days late and I am still waiting fot eh last one. I did a trace and the tracling shows the package being picked up etc but nothing else so it is now 15 days late. I sopeed payment on mastercard till the Dealer sends me another one. The Dealer said he mailed it and to take it up with UPS. My credit card company said if I didn't get it then the Dealer soesn't get paid and I don't get charged.
Tim

3444. FS:Icom Delta 1A,2/440/1.2 HT,best offer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: n2lmw@aol.com
Message-ID: <19990307215703.13615.00004518@ng-fx1.aol.com>
Source record: 114689

Icom Delta 1A Triband HT 2M/440/1.2 HT w/manual,w/PL deck,accessories,bat pks,other. I'm no longer using it and need money for other things, it works like new and is in good condition!! Contact N2LMW@AOL.com. Don't be shy, looking to sell for approx the price of a dual band HT/best offer..

3445. FS: 1.2Ghz equip from my repeater/best offer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: n2lmw@aol.com
Message-ID: <19990307220843.13615.00004526@ng-fx1.aol.com>
Source record: 114690

TX/RX Systems 4cavity 200W rated, duplexer, w/papers;
Down East 2W to 40W RF PWR AMP w/cooling shelf,continous duty;
Down East 12Db RX Preamp;
All in great condition, No Lightning OR water damage! I need money for other things,sold together or seperate/best offer. Contact N2LMW@AOL.com.

3446. Trade:BC9000xlt w/ctcss for Relm MS-200?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: n2lmw@aol.com
Message-ID: <19990307221336.13615.00004530@ng-fx1.aol.com>
Source record: 114691

BC-9000xlt w/ctcss deck has all box/manual/accessories/excellant cond best offer or trade for new cond Relm MS-200 mobile. contact N2LMW@AOL.COM

3447. Re: AN/PRC-138 vs normal KenYaeCom rigs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: tiwi_aborign9@my-dejanews.com
Message-ID: <7bvjud$6hp$1@nnrp1.dejanews.com>
Source record: 114692

In article <36c62728.7991341@news.mindspring.com>,
dpanek@mindspring.com wrote:
> A new PRC 138 will cost around $18,000
>

How about a PRC-104 from Mike Murpy for ~$2500 and a PRC-68B?

Sean

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3448. Logical Devices Prompro 8x m010 module information needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: wa6ylb@remove.this.theworks.com
Message-ID: <36e34896.10287189@news.theworks.com>
Source record: 114693
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

I have a working prompro 8x programmer that I am trying to find either
a M010 module or schematic (even a hand drawn one is great) for.

The M010 does the 27C010 or 27C1001 eproms.

I have the manuals and schematics books for this one here, but this
module isnt shown in them. It only tells how to use the module.

Also if you have a remote keypad for one of these, I'd be interested.

remove the REMOVE.THIS from email addr...
WA6YLB Byron Smith
http://www.theworks.com/~wa6ylb

3449. Re: FS: TR-9130 All Mode +++

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: discipio <wc1j@qsl.net>
Message-ID: <36E34A14.31A896CF@qsl.net>
Source record: 114694
Cross-posted to: rec.radio.amateur.swap,rec.radio.swap,rec.radio.amateur.equipment

That's great! Service with a smile...

Sounds like Ken may be on
to something. He said that you would not do something you
committed to doing. You admitted he was correct. Then you bash
him.

Tom Repstad wrote:
>
> You know Ken, unwarranted slander like this is ruining the net. You
> could have posted a message on the swap group to my attention and I
> would have answered. Yes I did change internet providers.... and as a
> result have a new e-mail address. Yes I was going to buy the SB-104A,
> but decided not to at this time. I did send you e-mail, I gather you
> did not get it. I have had a number postings here with my new e-mail
> address, if you were so concerned, why did you not reply to one of my
> postings to ask me about the deal? If everybody up here whined the way
> you are everytime somebody changed their mind, there would be not room
> for for-sale messages. That's why, you don't ship til you get the
> cash. Why would you even post this drivel when you lost nothing? I
> dunno Ken, seems like you are crying about nothing... give the world a
> break will ya...
>
> --Tom
> KB1CGA
>
>
>
> ken simmons K5UHF wrote:
>
> > Watch out for Tom Repstad he was going to buy a radio from me never
> > sent
> > money, tried to contact but email to him bounced. I did not send
> > radio ,
> > did not loose money , he just did not do what he said he would do.
> > beware!
> > Ken
> >
> > Tom Repstad wrote:
> >
> > > Kenwood TR-9130 2M All mode w/mobile bracket (no manual)...
> > > cosmetic
> > > condition an "8" (some scratches on case but front panel very
> > > good.),

> > > but works great. Have brand new Communications Specialist CTCSS
> > tone
> > > encoder unit to go with it but have not installed it yet. Also has
> >
> > > Kenwood Touch-Tone keypad mic. $235.00 for
> > > both! (Just the 9130 $200, just the tone encoder $45).
> > >
> > > --Tom
> > > KB1CGA
>
>

3450. Re: IC-4SAT Internal Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: zygmunt@mindspring.com
Message-ID: <36e34aff.3809088@news.mindspring.com>
Source record: 114695

Bob Headrick <bobh@proaxis.com> wrote:

>> If the IC-4SAT internal (chargeable) battery is dead, can it be
>> resuscitated? If not, can it be replaced? My HT works fine with
>> external batteries but not with the internal one alone.
>
>The internal battery pack can be replaced for about $22 or so from
>places like periphex or other battery mfg.

Thanks,

I did just that, ordered the internal battery, and installed it. The
4SAT works great.

73,

--

Zyg, AF4MP

3451. Re: FS: APHEX 104 C2 Aural Exciter with Big Bottom

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: jleikhim@nettally.com
Message-ID: <36e3472b.32111804@news2.nettally.com>
Source record: 114696

Uh, is this another "Monica" joke?

cslc82@email.mot.com (dt) wrote:

>APHEX 104 C2 Aural Exciter with Big Bottom
>
>New, in box, never used.
>With manual and warranty card.
>$175 + freight

Joe Leikhim K4SAT (EX KE4TZH)
Jleikhim@nettally.com

"tv dinner by the pool,
i'm so glad i finished school" -F.Zappa 1967

"The Revolution will NOT be televised" -Gil Scott Heron

3452. WANTED:SB220

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Leon Snider <leons@worldnet.att.net>
Message-ID: <7bvj51$447@bgtnsc03.worldnet.att.net>
Source record: 114697

Need a good,used,plate transformer for an SB220.(original,please) Price?
Thanks,Leon

3453. Re: Programming software for Ken. TM-V7A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: swtempo@yahoo.com
Message-ID: <36e4500e.3504890@news.mn.mediaone.net>
Source record: 114698

On Sun, 07 Mar 1999 23:27:04 GMT, not.shown@to.prevent.spam (Mike
(KD6PKJ)) wrote:

>I just bought a Kenwood TM-V7A and went to their FTP site to
>D/L the programming software. It accepts anonymous access to
>everything except when I click on the software I need. It
>than prompts for a username and password. CRAP.
>
>I want to get this thing programmed quickly (without having
>to use the front panel) and installed in my car this weekend.
>That's why I bought it.
>
>Anyone have this software or the login info to get it?
>
>Anyone know the reason why Kenwood keeps this under lock
>and key when they say right on their web page that it's
>available?
>
>Thanks,
>Mike (KD6PKJ)

Link to their ftp site from their web page. That's how I got mine.
Also, if you're using Netscape Navigator 4.x, be sure you have the
"send email address as anonymous FTP password" option checked. You'll
find it under Edit, Preferences, Advanced.

3454. Re: Problems with new Kenwood 2M Mobile mikes??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: swtempo@yahoo.com
Message-ID: <36e55196.3897210@news.mn.mediaone.net>
Source record: 114699

On Sun, 07 Mar 1999 16:09:46 -0800, Don Labriola
<labriola@ix.netcom.com> wrote:

>I've had the same problem with one, particularly when the car was hot.
>Traced it down to a soft piece of foam inside the mic that is used to push a
>"micro-switch". I added (glued) a washer below the piece of foam rubber to
>make up for the permanant compression of the foam and the problem is gone.
>Good luck!
>
>73 de W6QS - Don Labriola
>

>> Lee Hall wrote:
>>
>> > I was wondering if anyone was having problems with the large backlit
>> > mikes now featured on Kenwood 2M and dual-band mobiles, particularly
>> > the TM-261A. I have heard of about a dozen cases around here but
>> > Kenwood doesn't admit there is a problem. The mikes have a tendency
>> > to intermittently unkey or not key up at all. Please post here if you
>> > are having the same problem. Several of these folks locally are
>> > highly steamed at Kenwood and wanted me to put out this query on the
>> > NG. BTW, I have a late '80's vintage TM221A and it works just fine.
>> > Think I'll keep it.
>> >
>> > 73,
>> > Lee Hall
>> > http://www.qsl.net/ny4t

I had the same problem, and found the same thing that Don Labriola
did. Fixed mine in a similar way.

3455. Eddystone 830 receiver parts required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: "csc@smartt.com" <csc@smartt.com>
Message-ID: <36E3D7F5.37EA@smartt.com>
Source record: 114700

I am in the process of restoring an Eddystone 830/4 receiver.

To complete the project I am in need of the following components:-

S meter, metal shield or cover for the main tuning capacitor assembly and the associated calibration unit.

If anyone has these components or a similar unit from a different Eddystone model please reply to csc@smartt.com

Colin

3456. FT 50 Replacement Antenna?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: msdbm@aol.com
Message-ID: <19990308011317.07559.00005034@ng-fa1.aol.com>
Source record: 114701

Does anyone have a recommendation for a replacement dual band antenna that has an SMA connector and is proportional to the size of the radio (4" or so) and actually works?

I have tried the DIAMOND srh805 and it barely receives.

KF2NA

3457. WTB: Yaesu 8500

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: seebody@toreply.com
Message-ID: <36e36a4f.50717450@news.ncal.verio.com>
Source record: 114702

I have a friend looking to buy a 8500 (he's moving in 2 weeks and driving x country so wants something to pass the time).He needs a 8500 and wants to be able to put it on a credit card. Please contact me at my below address, so I can pass the info on to him.

Thanks.

Evan
To reply via e-mail, please use eplatt at wco period com. Sorry, but this is the only way to despam my address.

3458. Re: FT 50 Replacement Antenna?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Jeff Johns <jeffj@scott.net>
Message-ID: <476602846104916NEWS2LX@news.scott.net>
Source record: 114703

On 8 Mar 1999 06:13:17 GMT, msdbm@aol.com (MSDBM) wrote:

> I have tried the DIAMOND srh805 and it barely receives.

I have a Diamond and also had the same problem. I discovered that the pin in the antenna's connector was not making good contact with the SMA connector on the radio. To solve the problem, I took the antenna and used a file to file away between 1/32" to 1/16" of the bottom of the antenna's connector. By doing this it allowed the cinter pin of the antenna to mate with the SMA connector on the FT50. The antenna now works like a charm and seems to do a bit better than the stock antenna.

73 es gl Jeff W4JEF

3459. For Sale pro 46 Scanner CELL

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36e682d1.19236677@netnews.worldnet.att.net>
Source record: 114704

got a pro 46 mint cond with manual 11a2 date code
the good one works great 175.00 plus shipping firm
no trades please email me this is a nice 100 ch handheld
from radio shack gets all the cell band

3460. Re: Yaesu FT101B Tranceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Dana Jensen <danaj@ibm.net>
Message-ID: <36e38750@news1.us.ibm.net>
Source record: 114705

you have to describe it. Filters? RF processor? 11M crystals (god knows
why)....
modified? finals what are they.....modified or original.....
Most IMPORTANT!!! Does it work!!??

danaj@ibm.net
REPLY ONLY TO EMAIL ADDRESS

Horizons <Rujeni@erols.com> wrote in message
news:7bsts0$7nt$1@winter.news.rcn.net...
>Yaesu FT101-B Transceiver
>
>Best Offer
>
>
>
>rujeni@erols.com
>
>

3461. for sale silver eagle mic D-104

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36e58809.20572133@netnews.worldnet.att.net>
Source record: 114706

```
selling a silver eagle mic
75.00 plus shipping mint cond
email me thanks
```

3462. Re: Programming software for Ken. TM-V7A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: not.shown@to.prevent.spam
Message-ID: <36e48550.13543003@cnn.exu.ericsson.se>
Source record: 114707

Thanks,

I think there is something wrong with their FTP server. When I
did as you suggested, I got the readme file OK (I couldn't before),
but still the EXE wanted a username and password. I tried about
4 more times and it finally let me start a D/L. Weird.

Anyway, I now have it. Thanks again for your help.
73's,
Mike (KD6PKJ)

On Mon, 08 Mar 1999, swtempo@yahoo.com wrote:

>On Sun, 07 Mar 1999 23:27:04 GMT, not.shown@to.prevent.spam (Mike
>(KD6PKJ)) wrote:
>
>>I just bought a Kenwood TM-V7A and went to their FTP site to
>>D/L the programming software. It accepts anonymous access to
>>everything except when I click on the software I need. It
>>than prompts for a username and password. CRAP.
>>
>>I want to get this thing programmed quickly (without having
>>to use the front panel) and installed in my car this weekend.
>>That's why I bought it.
>>
>>Anyone have this software or the login info to get it?
>>
>>Anyone know the reason why Kenwood keeps this under lock
>>and key when they say right on their web page that it's
>>available?
>>
>>Thanks,
>>Mike (KD6PKJ)
>
>Link to their ftp site from their web page. That's how I got mine.
>Also, if you're using Netscape Navigator 4.x, be sure you have the
>"send email address as anonymous FTP password" option checked. You'll
>find it under Edit, Preferences, Advanced.

3463. Re: Astron Repair

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Mark <binfordv@worldnet.att.net>
Message-ID: <7c02hk$dia@bgtnsc03.worldnet.att.net>
Source record: 114708

Thanks fellow, that'll work!
CJ wrote in message <36E30DD8.4CBF65E4@visi.com>...
>The transistors on my RS-20M are 2N3771.
>
>73, CJ K0CJ

3464. FAIRHAVEN RD500

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Joe Lee <joelee@hk.super.net>
Message-ID: <36E39062.43732A47@hk.super.net>
Source record: 114709

Hi,

Anyone know where to buy the Fairhaven RD500 receiver and the price ?

Joe

3465. Wanted: Standard CTN-520 tone board

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: jmr <jmroden@crl.com>
Message-ID: <36E39C55.F8B4F35E@crl.com>
Source record: 114710
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I'm in need of a CTN-520 ctcss board for a Standard handheld. Please
e-mail with price.
Thanks.

Mike
K7JR / jmroden @ crl.com

3466. Re: want to buy 10-11 meter rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: brianburke@my-dejanews.com
Message-ID: <7c0b4l$p8t$1@nnrp1.dejanews.com>
Source record: 114711

In article <19990307202659.13527.00011680@ng-ch1.aol.com>,
jcm1168@aol.comNOSPAM (JCM1168) wrote:
> JJ,
> We have new RCi 2970s on our site. It does from 10 watts to 150PEP on SSB and
> goes from 26-32mhz. check them out..
>
> Wavelength Radio
> www.WavelengthRadio.com
> To Email Remove NOSPAM
> KD7EHQ
>

Are you going to tell him before or after the sale that it is a ham radio and
a license is required?

Brian/N0iMD

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3467. FS: TrunkTracker Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: "ST1A55@msn.com" <ST1A55@email.msn.com>
Message-ID: <eVdF0gVa#GA.214@upnetnews05>
Source record: 114712
Cross-posted to:
rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

For Sale Radio Shack Pro-90

Freq Range:
29-54
108-136.9875
137-174
406-512
806-823.9875
849.0125-868.9875
894.0125-956

Unit is like Brand New comes with Rechargeable Battery pack
antenna manual wall charger / adapter asking $150.00 OBO

3468. Re: Yeasu FT100 experience/splaytter/poo receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: tallguy@whitecliffsdx.freeserve.co.uk
Message-ID: <36ecc97c.6939853@news.freeserve.net>
Source record: 114713
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,nl.radio.amateur,aus.radio.amateur.misc

On Mon, 8 Mar 1999 08:29:04 +1000, "Craig" <bearl@ozemail.com.au>
wrote:

>This is just another humdrum ham radio, that works no better that a FT101,
>shure its small. But like the ic706 mk1 to 99, its third order imd is poor,
>the splatter that comes from these boxes is on par with most CB radios. The
>receivers are ver poor, low 3rd order interecept point. No ham should use
>these radios on the ham bands with a linear at a fixed station. Mobile and
>portable and emergency use are okay.

Or in other words: "Sod my radios even more out of date and i can't
afford a new one"

Before you say it, no i haven't got one. I'm just waiting for the
flood of cheap secondhand kit to come on to the market as more sado
"must-have-latest-version" operators trade up at a huge loss :-)))

Cheers,

Jon.

Jon Harris
Motorcycle: TRX850, GPz550 (breaking)
Radio: 26WC001/G7JPH
WWW:http://www.whitecliffsdx.freeserve.co.uk
Email:tallguy@whitecliffsdx.freeserveDEADWOOD.co.uk
(Remove the DEADWOOD to reply)

3469. Re: Yeasu FT100 experience

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: paokls@my-dejanews.com
Message-ID: <7c0kfjqa1@nnrp1.dejanews.com>
Source record: 114714
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,nl.radio.amateur,aus.radio.amateur.misc

Hi ALHUSSEIN BIN TALAL,

Long time no hearing,

I use the FT-100 myself and I find it a great rig.
It transmits perfectly in the military band (just for teasing of course) and
even on 3 meters FM I can do some jamming on car-radio's.
The most spectacular band is the air-band. When I'm bored I do the most talks
there, because there's always a listening ear available.

By the way, when are you going to visit me as planned ?

regards

Klaas Pa0KLS, The Netherlands

In article <7bqrb3fmk1@nnrp1.dejanews.com>,
jy1@diplomats.com wrote:
> Hi there,
>
> Some of my friends are interested in buying an FT100, but
> I'm not sure if I can recommend such a small rig? My
> main concern is the large signal behaviour, especially
> in the military 30-70 MHz frequency range (RX).
> Does anybody have any experience with this? Please report.
>
> Greetings,
> JY1
>
> ------------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3470. Do you have a radio to sell?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Scott <diverscott@my-dejanews.com>
Message-ID: <7c0ln4$1s5$1@nnrp1.dejanews.com>
Source record: 114715

I noticed a trend on this newsgroup: It's not very novice friendly.
What I mean by this is that most messages look something like "Kenwood X1456 G -$1000."
As a beginner I find this frustrating that I have no idea what is being sold. You may be selling exactly what I am looking for but I will never know. Sure I could research hundreds of ancient model numbers but why should I?

I am currently looking for an all mode HF+6 transciever. I have had many responses (I feel this is a bad sign) from people that want to sell me a Kenwood TS 690SAT for around $1000 or more. This is a little more than I wanted to spend on a used radio that is probably no longer supported by Kenwood (Hey, I'm new but I know about Kenwood) when I can get a NEW HF+6+2 for around $1000.

Scott

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3471. W/B:NOKIA OR MOTOROLA PHONE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: mark homayouni <homayou@ibm.net>
Message-ID: <36E3D215.4125ECF9@ibm.net>
Source record: 114716

LOOKING TO BUY PHONE ON G.S.M SYSTEMS
NOKIA 6110 OR 5110
MOTOROLA STAR TECH 85 OR 70
MODEL # 920 OR 520
GIVE ME YOUR BEST PRICE? MARK

3472. Re: Best price for FT-847 - where ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990308084324.22625.00004720@ng148.aol.com>
Source record: 114717

shipping was to the USA from Japan.
You can also order from the Hong Kong Dealer also (Enlish spreaking). Use your Mastercard to pay and you get the Best Exchange rate and you get the protection if the item is not sent etc. I had a bad experience with a CB place selling some Ham stuff within the USA. He sent a Opened used radio and Said "TOO BAD". I called my Chase Manhatten PLATINUM Mastercard . told them the story . He never got his $ I have the radio my shack, I am NOT paying interest on the amount on my statement. The guys says he will refuse my package if I attempt to return so I won't. This has gone on for 2 months and I think he will give up soon and I will have the radio for free !!! Uniden Lincoln 10 mter.
Used a bit . H AH AH. By the way> he called me last andtried to take less for the used radio. I said "TOO BAD". Send me a new one and then I will sent the used one COD and pay for the radio minus the phone charges to him.
He laughted so I guess I got a free slightly used radio.
Tim
Tim

3473. FS:10ft Dish/Receiver in St.Louis

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: "Kenneth M. Gianino" <ken@hnvr.com>
Message-ID: <36E3D459.552621F6@hnvr.com>
Source record: 114718
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

For Sale: 10 foot dish antenna with adjustable feedpoint mount, polar mount and actuator drive. C-band expanded radar mesh. Requires 3.5" pipe (4"OD) for mounting. Also includes C/Ku receiver and remote, dual-band feedhorn, C band LNB, Ku band LNB and cables. Some extra parts. No descrambler. In functional condition (good for NASA Select) when removed in October '98. Will require a box of standard carriage bolts to reassemble. $100 or trade for a recent 2m HT. Pick-up only in

South St. Louis County, Missouri (63129).
Ken - WB0QNA
(work) 314-241-1188 x203
ken@hnvr.com

3474. WTB GM300 VHF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: rfdepot@aol.com
Message-ID: <19990308091053.20116.00002761@ng-cg1.aol.com>
Source record: 114719

8 or 16 channel model. 146-174Mhz 45 Watt

reply to rfdepot@aol.com
RFDepot
RFDepot@aol.com

3475. Re: A Generic diode ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Brian Bailey <Trillian@worldnet.att.net>
Message-ID: <7c0luc$10v@bgtnsc02.worldnet.att.net>
Source record: 114720
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Bill J, Edinburgh wrote in message
<7bufsk$s7u$2@plutonium.compulink.co.uk>...
>The 1N4001 rated at 1 kV (I think), 1 A seems to work fine in place of all
>the rectifiers I've come across.
>

WARNING -- The 1N4001 is only rated at 600 PRV according to the ECG xref. A larger one is the 1N4011 which is rated at 1000 PRV / 2.5A (ECG-125)
--- Brian, W4OLF

3476. HELP: Problem with TS-140S intermittent failure

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: jramirez@inteli.net.mx
Message-ID: <7c0o08$3uu$1@nnrp1.dejanews.com>
Source record: 114721

Hi:

I have a problem with my TS-140S, it's working fine and then suddenly the display goes crazy, nothing is displayed or the wrong digits are displayed or it shows all characters at a time and stops responding to the front panel controls, I just turn the radio off and on and the readio works fine again for a while, can be minutes can be hours, any ideas?

Please respond to my email address: jramirez@inteli.net.mx or jramirezcemex.com

Best regards and thanks for your help

73

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3477. ADMS Programming Cable

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-08 00:00:00 UTC
From: Dave <belcom@excite.com>
Message-ID: <7c0n0f$99i$1@Ouimet.tbaytel.net>
Source record: 114722

I recently purchase (used) a ADMS-1B programming cable to use with my FT-50R.
The problem is that I constantly get CERR on the display. I do have the proper software for the FT-50 and can get it to work with a homemade programming cable.
The question is, is there a physical difference in the cable made by RT systems between the ADMS-1B and ADMS-1C or D?

Thanks...Dave VE3UY

3478. FS.Yaesu FT101ZD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Albert Ewe <twewe@pc.jaring.my>
Message-ID: <7c13o4$o2$1@news5.jaring.my>
Source record: 114531

One unit Yaesu 101 ZD for sale with manual and
service manual. Pse e-mail offer. You ship.
De 9m2nq Albert , Ipoh , W.Malaysia.

3479. FA - UHF RADIOS -MIDLAND/MAXON

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <k6_E2.26$TL.354@sapphire.mtt.net>
Source record: 114532

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=75386655

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=75391968

3480. Re: FS: TR-9130 All Mode +++

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Zack Miller <kb3cji@home.com>
Message-ID: <36E3CCD7.BD0B719A@home.com>
Source record: 114533
Cross-posted to: rec.radio.swap,rec.radio.amateur.swap,rec.radio.amateur.equipment

I am interested in the radio. Can you ship COD?
Also if we have a deal i would like to talk by phone i have been
ripped off.
Thanks

Zack
kb3cji

Tom Repstad wrote:
>
> Kenwood TR-9130 2M All mode w/mobile bracket (no manual)... cosmetic
> condition an "8" (some scratches on case but front panel very good.),
> but works great. Have brand new Communications Specialist CTCSS tone
> encoder unit to go with it but have not installed it yet. Also has
> Kenwood Touch-Tone keypad mic. $235.00 for
> both! (Just the 9130 $200, just the tone encoder $45).
>
> --Tom
> KB1CGA

3481. Re: Motorola Speaker/Mic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: "Paul, KC2DLA" <kpaul@usa.net>
Message-ID: <01be69cd$114fb0c0$cd7baccf@bert.poss.com>
Source record: 114534

Jeff Johns <jeffj@scott.net> wrote in article
<42949565982845841115NEWS2LX@news.scott.net>...
> I have a Motorola speaker/microphone with a part number of NMN6156B. I'm
not
> sure which Motorola HT it fits, it has a funny looking connector with 6
> brass connectors on it.

Jeff,
This sounds like it would fit any Motorola Jedi radio
(MT-1000/HT-600/P-200). If it has a plastic hook on the end of the
connector, then this is probably it. That hook goes around the antenna to
secure the connection.

73, Paul KC2DLA

3482. VX-5R Battery Usage

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: DeShawn Smith <deshawn1@earthlink.net>
Message-ID: <01be69c0$89d00020$130415ac@deshawn.dentrix.com>
Source record: 114535

Has anyone with the VX-5R figured out how to reset the battery usage meter yet? When following the manual's instructions, I end up setting a memory instead of resetting the usage meter.

I'm not sure what all of the gripes are about the VX-5R. This is the only real problem that I have encountered yet. And I'm using mine a LOT - PL tones and all!

73,

DeShawn
KC7MVF

3483. Re: ICOM 746 vs 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Seth Miller <seth.miller@NOSPAMworldnet.att.net>
Message-ID: <36E48408.DA45C51A@NOSPAMworldnet.att.net>
Source record: 114536

The PBT still works when using the band sweep feature, you just don't
see the graphical display. Why care? You can tell how the PBT tuning is
set just by looking at the control.

- Seth

Rob Kling wrote:
>
> Is it "real time"? I know that you can listen while the scope is running
> but I thought it was more like a sweep. Of course, if it sweeps fast
> enough then it is as good as "real time":) I bought the 746 because it
> swept fast enough for me and I generally do not want to listen and
> search for another frequency at the same time. And at that time, the 746
> and the 756 were almost the same price. Now you can get a 200 dollar
> coupon for the 746. There are some operating features of the 746 that
> bug me, one is the fact that the twin pass band tuning display is paired
> with the scope. If you wanted to see PBT display you would have to turn
> off your scope. I do not think this is true for the 756.
>
> Michael Madden wrote:
> >
> > The receiver's are basically the same. Both Great! The major difference's
> > are the band scope(Real Time) in the 756 and 2m in the 746. If money is the
> > major factor in your analysis, go with the 746.

3484. FT1000D FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Mike Miller <wb4gtm@scott.net>
Message-ID: <jA%E2.2510$Sb4.4647@monger.newsread.com>
Source record: 114537

FT1000D for sale excellent condition 2800 dollars one year old 205 428
6194 phone E mail wb4gtm@scott.net

3485. Need cables and software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: brian858@my-dejanews.com
Message-ID: <7c21ij$9tv$1@nnrp1.dejanews.com>
Source record: 114538

I am looking for software and cables to program a Motorola GP 350 handheld radio on VHF freq.

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3486. SALE: Triplexers/Duplexer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: bgwatson@earthlink.net
Message-ID: <36e5645a.141610851@news.earthlink.net>
Source record: 114539
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have TWO Austin Antenna 2M/220/440 triplexers with N connectors on all ports. I also have ONE Comet 6M/10M duplexer with UHF connectors (PL-259/SO-239). They are all working and in excellent condition. I would like to sell them as a package for $100. If you would like them, please send me an email. Thanks very much for your interest!

--
Brad Watson
MailTo:bgwatson@earthlink.net
WWW: http://home.earthlink.net/~bgwatson/
ICQ: 174987 Pager: http://wwp.mirabilis.com/174987
CCRA: http://home.earthlink.net/~bgwatson/ccra/

3487. SALE: 433 MHz. 9600 Baud Packet Station

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: bgwatson@earthlink.net
Message-ID: <36e57dea.148152013@news.earthlink.net>
Source record: 114540
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have the following equipment for sale:

Motorola Maxar 80 UHF radio
MFJ 1270B TNC
Paccom 9600 baud modem installed

The radio is crystalled and tuned for 433.15 MHz, and puts out
approximately 15 watts. The equipment was taken out of service
working, a part of the network here in northern CA.

Power cables for the radio and TNC are included. A manual for the TNC
is also included.

I am asking $150, but I am open to other offers.

Thanks for reading this message, and please send me an email if you're
interested.

--
Brad Watson
MailTo:bgwatson@earthlink.net
WWW: http://home.earthlink.net/~bgwatson/
ICQ: 174987 Pager: http://wwp.mirabilis.com/174987
CCRA: http://home.earthlink.net/~bgwatson/ccra/

3488. Re: Motorola Speaker/Mic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Jeff Johns <jeffj@scott.net>
Message-ID: <317842845860615NEWS2LX@news.scott.net>
Source record: 114541

On 9 Mar 1999 01:39:50 GMT, "Paul, KC2DLA" <kpaul@usa.net> wrote:

> This sounds like it would fit any Motorola Jedi radio
> (MT-1000/HT-600/P-200). If it has a plastic hook on the end of the
> connector, then this is probably it. That hook goes around the antenna to
> secure the connection.

That's exactly it Paul. I got it at a hamfest for a fellow deputy. For some reason I thought it would fit his STX, but it didn't <grin>. I carry a GTX, which is a nifty Motorola HT, but our department still has a lot of STX's in use and many deputies don't have a shoulder speaker/mike.

Does anyone want to trade the speaker mike that I have for one that will fit a STX? It will go to a good home!

73 Jeff W4JEF

--------- Jeff Johns W4JEF - AMSAT# 32615 - QRP-L# 1857 ----------
jeffj@scott.net w4jef@amsat.org	Reserve Patrol Captain
Satellite: Mir R0MIR-1, AO-27	Jefferson County Sheriff's Dept
200LX+BayPac+FT50=Portable Packet	QTH Birmingham, AL USA

3489. Re: Mod for HTX-212

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: stevem14@aol.com
Message-ID: <19990308221908.13524.00007995@ng-ch1.aol.com>
Source record: 114542
Body handling: HTML body converted to readable text

<>

maybe if you describe the mod you had in mind, someone can respond.

73
Steve (N0ZY)

3490. Re: QSYer For The TS440S?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: stevem14@aol.com
Message-ID: <19990308222038.13524.00007998@ng-ch1.aol.com>
Source record: 114543

<<Yes, a QSYer was made for the Kenwoods>>

what is a QSYer???

tnx,
Steve (N0ZY)

3491. FS: Ten Tec Omni VI+

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: "Dale R. Parfitt" <parinc@bellsouth.net>
Message-ID: <36E49270.4FC5C25A@bellsouth.net>
Source record: 114544
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For Sale. Omni VI+ with matching power supply and loaded with filters. Has the T-T approved transverter mod installed. I can leave this in or remove it. The only addition is one additional RCA socket on rear panel for low level TX to the transverter. Radio is perfect and comes with the matching power supply, boxes, docs. This is an original + not a factory update. $2100 firm + shipping/insurance.

Dale W4OP

3492. WTB: Icom ic551 FM module (ic-ex106)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: wa2ise@netcom.com
Message-ID: <wa2iseF8B842.I42@netcom.com>
Source record: 114545
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

have an Icom IC551 6M rig, and would like to get the FM unit for it, Icom part number IC-EX106. Anyone have one they'd like to sell me? In working condition, please :-)

3493. HM-103 Mic SOLD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990309012851.21574.00000272@ng125.aol.com>
Source record: 114546

HM-103 Mic SOLD

3494. FL-103 SSB Filter SOLD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990309012923.21574.00000273@ng125.aol.com>
Source record: 114547

FL-103 SSB Filter SOLD

3495. Tell Me... What is this Band Scope sweep device????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990309014736.24226.00000331@ng126.aol.com>
Source record: 114548

Hello,

I have an ICOM 706MKII which has something called a "Band Scope." What does this allow the operator to do or see? What is its use? I have read the lame owners manual that comes with the 706MKII and it really doesn't say much as to what it's usefulness is...

Thanks

Jason S. Hulet
KC8FXE

3496. DW1000 RF Power meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Anselmo Stiffan <anselmos@worldcom.ch>
Message-ID: <36E4C859.E4336B0F@worldcom.ch>
Source record: 114549

Looking for the diagram. Does anybody know where I can get a copy?
Please reply to anselmos@worldcom.ch.
Thanks in advance,
73 Anselmo HB9ICK-IZ3BGJ

3497. Re: VX-5R Battery Usage

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Larry Benko <benko@aztek-eng.com>
Message-ID: <36E4D651.8608708@aztek-eng.com>
Source record: 114550

DeShawn,

1.) Press the 6(RP)ONT button long enough for the display to show the
operate RX/TX time.
2.) Press the F/W key long enough for the flashing number (the next memory
channel) to show. Approx. 1 sec. Pressing for too short of a time
will take you to the repeater split screen when pressing the
6(RP)ONT button.
3.) Then before this screen times out and goes back to the operate TX/RX
time, press the 6(RP)ONT button briefly.
4.) The time will now show R00:00T00:00 as desired.

Larry Benko, AC0B

DeShawn Smith wrote:
>
> Has anyone with the VX-5R figured out how to reset the battery usage meter
> yet? When following the manual's instructions, I end up setting a memory
> instead of resetting the usage meter.
>
> I'm not sure what all of the gripes are about the VX-5R. This is the only
> real problem that I have encountered yet. And I'm using mine a LOT - PL
> tones and all!
>
> 73,
>
> DeShawn
> KC7MVF

3498. Re: QSYer For The TS440S?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <7c2o70$t9g$1@nnrp1.dejanews.com>
Source record: 114551

It is an external keypad for direct frequency entry.

Bill K9KZ

stevem14@aol.com (SteveM14) wrote:
> <<Yes, a QSYer was made for the Kenwoods>>
>
> what is a QSYer???
>
> tnx,
> Steve (N0ZY)
>

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3499. Understanding Basic Electronics book

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: jagon@poboxes.com
Message-ID: <7c2r45vhm1@nnrp1.dejanews.com>
Source record: 114552

Hi!

I would like to buy the ARRL's book Understanding Basic Electronics, looking for comments in the net I have found the message attached bellow, I am not sure about the quality of this book and I would like you to advice me (if possible, please, send you comments both to the News and via e-mail due to my ISP use to filter the news).

Thanks for your help and best regards de EA2BSN

From: raiar@inlink.com.nospam (Gary V. Deutschmann, Sr.)
Subject: Re: J-Pole Feed QuestionDate: 05 Aug 1997 00:00:00 GMT
Message-ID: <33e6c2f9.10689840@news.inlink.com>
References: <33db9524.10762403@netnews.worldnet.att.net>
<19970728033601.XAA19436@ladder02.news.aol.com>
<5rl90k$64a$1@nadine.teleport.com> <33DE3B9F.1201@ccm.ch.intel.com>

Organization: InlinkNewsgroups: rec.radio.amateur.antenna

Cecil Moore <cecil_a_moore@ccm.ch.intel.com> verbositized:
>Hi Roy, in my 15th edition of the ARRL Antenna Book, Fig 33 on page 2-35
>shows the radiation patterns for 90 degree (1/4WL) and 180 degree (1/2WL)
>verticals over perfect ground. The graph shows the 1/4WL has more high
>angle radiation than the 1/2WL. Is this what the argument is about?
Just because it's in an ARRL publication don't make it right!
In fact, I have several ARRL books here that have grave mathematicalerrors.
One of their books that SHOULD NOT have any errors is their
"Understanding BASIC Electronics", yet it is inundated with serious
unforgivable errors. Eg. Page 2-9 Fig. 1, Page 2-9 Fig. 2, Page 12-8
Fig. 4, Page 13-1 Fig. 1 This one is really bad, if I=E/R how on earth
did they come up with their answer. Continuing, Page 13-10 Equ. 4,
Page 14-5 Fig. 2 Equ. 5, Page 23-23 Equ. 2, Page 26-10 they show 120
times 2.8 to equal 327.6
If they can't even get simple BASIC Electronics down pat, how can you
possibly believe them on something more complicated?
Another reason why I am NOT a member of the ARRL!!!!!TTULGary

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3500. Ham dealers in Salt Lake City?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: paolo.sassoli@italtel.IT
Message-ID: <36E4F27A.F2A16A0C@italtel.it>
Source record: 114553

```
This is a multi-part message in MIME format.
--------------9AB27ABAA7AD0E5656440264
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Hi to all.

As I'm planning my first trip in the USA (wow! can't still believe it)
in May/June, I'll try to find some time to spend (and maybe not only
time!!)
for the hobby.

I'll be in Salt Lake City, Utah, so I wonder if someone would send me
anything of interesting a ham radio can see and do in that city.

As I'm here, does anyone know if I can bring with me and use my
HT in the USA? It's a TH79 european version and it's wide band open
(cellular band also but, hey, they sell it already modified).

I don't want break any law!!

Thanks in advance.

73 de Paolo IK2LNH

--------------9AB27ABAA7AD0E5656440264
Content-Type: text/x-vcard; charset=us-ascii; name="vcard.vcf"
Content-Description: Card for Paolo Sassoli
Content-Disposition: attachment; filename="vcard.vcf"
Content-Transfer-Encoding: 7bit

begin: vcard
fn: Paolo Sassoli
n: Sassoli;Paolo
org: Italtel S.p.A.
adr: Via A.Brocchi ;;;Settimo Milanese;Milano;20019;Italy
email;internet: paolo.sassoli@italtel.it
title: RF Design eng.
tel;work: +39.2.4388.8779
tel;fax: +39.2.4388.3967
x-mozilla-cpt: ;0
x-mozilla-html: FALSE
version: 2.1
end: vcard

--------------9AB27ABAA7AD0E5656440264--
```

3501. Icom IC-706MK2

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: "Wayne K. Irwin, W1KI" <w1ki@arrl.org>
Message-ID: <36E521B2.C1E4CA1@arrl.org>
Source record: 114554

A few weeks ago - maybe it was just a couple - I saw a post regarding the ICOM IC-706MK2 noise blanker. Specifically, the post said to disable the noise blanker feature in the AM mode. After doing that, the internal noise blanker adjustment could be increased to improve the NB action on SSB. I believe the internal adjustment was a small pot and this is where the problem lies; I don't remember which pot or where it is located. Does anyone have a copy of that message they can forward to me ? I lost my printout copy and don't remember where I originally saw the post.

Thanks in advance...

Wayne K. Irwin, W1KI

E-mail to either of the following:

w1ki@arrl.org
the-irwins@home.com

3502. Re: Tell Me... What is this Band Scope sweep device????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: gfiber@news.cmc.net
Message-ID: <36e529c0.3246358@news.cmc.net>
Source record: 114555

On 9 Mar 1999 06:47:36 GMT, jhulet@aol.com (JHulet) wrotf:

>Hello,
>
>I have an ICOM 706MKII which has something called a "Band Scope." What does
>this allow the operator to do or see? What is its use? I have read the lame
>owners manual that comes with the 706MKII and it really doesn't say much as to
>what it's usefulness is...
>
>Thanks
>
>Jason S. Hulet
>KC8FXE
Lets you see if there are other signals on the air below and above
the frequency you are tuned to. the little " spot " that travels
across the bottom of the screen is the frequency scan marker and each
pixel represents the tuning step you have on the left side of the
sweep. So if you have it set for 5 kHz each little pixel is 5 kHz
wide.
Gary Fiber
Copyright 1999
Washington State Resident

3503. Re: Ham dealers in Salt Lake City?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Dan <n7wpd@xxmission.com>
Message-ID: <7c3a5a$de8$1@news.xmission.com>
Source record: 114556

Paolo,

Do you like to ski? There's more skiing within 20minutes of Salt Lake City
than you've ever seen before.

I highly recommend that you visit Temple Square, and the church history
museum. There's a wealth of information about Utah's early settlers and the
LDS church.

Visit the Capital Building, and if it's open...visit Kennecott Utah Copper's
Bingham Canyon mine. There you'll find the world's largest open pit copper
mine. It's nearly 2.5 miles across!

And last but not least, we do have but one little ham shop.
www.comm-pute.com

I'd sudjest that you tune to 146.620 - w/ a negative offset to get local
information. You can contact me on 447.900 - pl off 114.8

Enjoy your visit!

73 Dan / N7WPD
www.xmission.com/~n7wpd

Paolo Sassoli <paolo.sassoli@italtel.IT> wrote in message
news:36E4F27A.F2A16A0C@italtel.it...
>This is a multi-part message in MIME format.
>--------------9AB27ABAA7AD0E5656440264
>Content-Type: text/plain; charset=us-ascii
>Content-Transfer-Encoding: 7bit
>
>Hi to all.
>
>As I'm planning my first trip in the USA (wow! can't still believe it)
>in May/June, I'll try to find some time to spend (and maybe not only
>time!!)
>for the hobby.
>
>I'll be in Salt Lake City, Utah, so I wonder if someone would send me
>anything of interesting a ham radio can see and do in that city.
>
>As I'm here, does anyone know if I can bring with me and use my
>HT in the USA? It's a TH79 european version and it's wide band open
>(cellular band also but, hey, they sell it already modified).
>
>I don't want break any law!!
>

>Thanks in advance.
>
>73 de Paolo IK2LNH
>
>--------------9AB27ABAA7AD0E5656440264
>Content-Type: text/x-vcard; charset=us-ascii; name="vcard.vcf"
>Content-Description: Card for Paolo Sassoli
>Content-Disposition: attachment; filename="vcard.vcf"
>Content-Transfer-Encoding: 7bit
>
>begin: vcard
>fn: Paolo Sassoli
>n: Sassoli;Paolo
>org: Italtel S.p.A.
>adr: Via A.Brocchi ;;;Settimo Milanese;Milano;20019;Italy
>email;internet: paolo.sassoli@italtel.it
>title: RF Design eng.
>tel;work: +39.2.4388.8779
>tel;fax: +39.2.4388.3967
>x-mozilla-cpt: ;0
>x-mozilla-html: FALSE
>version: 2.1
>end: vcard
>
>
>--------------9AB27ABAA7AD0E5656440264--
>

3504. Re: Galaxy VFO Schematic needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: k5dh@rtis.ray.com
Message-ID: <7c3b0p$of5@news.rsc.raytheon.com>
Source record: 114557
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

As I recall, having recently sold my Galaxy V, the VFO runs in the
5.0 - 5.5 MHz range. That means it would have to be modified to
either 3.5 - 4.0 MHz or 7.0 - 7.5 MHz to work with a DX-60. Not
a real good idea, unless you're experienced at building VFO's.
I'd offer it up for sale (it shouldn't take long to sell a rare
item like that!) then buy a Heath HG-10B VFO (designed to work
with the DX-60 series transmitters).

73,
Dean / K5DH

In article <36E4B55C.1AF6DC07@iland.net>, jmul@iland.net says...
>
>Thanks for reading. I am in need of specs and a schematic for a Galaxy
>VFO, the one that works with a Galaxy III or V. What I want to do is
>use it with a Heath DX60B if it has the right output frequency range,
>and uses similar voltages to the Heath VFO. Anyone use this combo
>together, and can advise me what to do to connect them together? Any
>help will be greatly appreciated.

3505. Priced Reduced Heil HM-10

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Ian McCloy <ian_mccloy@bc.symaptico.ca>
Message-ID: <JpbF2.14$HZ1.170315@news.bctel.net>
Source record: 114558

Heil HM-10 with original case,paperwork desktop stand and currently wired
for a Kenwood.

$90.00US shipped

3506. FORSALE - Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7c3fml$gbg@nntpa.cb.lucent.com>
Source record: 114559
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanc

I have a Lambda model LXS-E-15R regulated power supply. It's rated
19A continuous, 15V +/- 5%. Turned all the way down, it puts out
14.0 V and is perfect for powering Amateur gear (ie, 13.8V requirements) which
is what I've used it for. It also has remote sense terminals so that it
can regulate the voltage at the load, not at the source like most supples.
No fan -- LARGE heat sink for totally convective cooling. Also no on/off
switch; just plug it in and forget about it (which is exactly how I've been
using it for over a year).

Only reason I'm selling it is because I need a more portable unit, like a
light weight Astron switching supply.

$90 + shipping from Monmouth County NJ, or will consider trade.

Joe Levantino
KB2FSH
(732) 949-0664

3507. 2m HT Kenwood

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Tom <tdirose@stny.lrun.com>
Message-ID: <7rbF2.6693$ZF1.13716@newsr2.twcny.rr.com>
Source record: 114560

Hi,
I Have a 2m TH-22AT kenwood 136.000MHz.-173.999MHz.
In box w/manual. 130.00 obo. If I ship, extra or/ pick-up ? 18 Mo.old.
Tom

3508. FS:Meters Yaesu YS-500 & YS-60

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Tom <tdirose@stny.lrun.com>
Message-ID: <2CbF2.6697$ZF1.13700@newsr2.twcny.rr.com>
Source record: 114561

Hi,
I have 4-Sale , a Yaesu YS-500 SWR Power Meter 140-525 MHz.
in Box used twice. 85.00 obo.

YS-60 SWR/Power Meter covers 1.6 to 60MHz. 90.00 obo.

If I ship, extra or pick up in N.Y. Make me a offer !

Tom

3509. FORSALE - MINT Kenwood TS-520S w/CW filter, mic, MFJ tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7c3h6e$gju@nntpa.cb.lucent.com>
Source record: 114562
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,nj.forsale,rec.radio.amateur.boatanchors

I have a mint Kenwood TS-520S that I would like to sell.
In my opinion, the 520 and 520S are
some of the best rigs around and would make a
fantastic beginner station or a great backup rig.

For any novices not familiar with this radio, it is all solid state
(discrete components, so its very easy to repair if ever needed)
except for a tube driver and a pair of very
robust 6146 tubes as the finals. It has a builit in power supply,
but can also run off of 12VDC with an optional DS-1A
DC-DC convertor (not included). It also has connections for the
Kenwood DG-5 digital display.
It covers 160,80,40,20,15, and 10 meters in CW and SSB (upper and lower) modes.
The receiver section is excellent and I always get excellent audio quality
reports. Many folks say that these older Kenwoods are some of the best
sounding rigs on the air.

This rig also has the optional 500Hz CW filter
installed (genuine Kenwood option). Also included
is the Kenwood hand mic.

The price is $300 firm + shipping. You might find one for a few $ less,
but NOT is this great condition.

Joe Levantino
KB2FSH

(732) 949-0664

3510. Re: IC-W32A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: MindSpring User <dcwilkin@mindspring.com>
Message-ID: <7c3i64pfi1@camel18.mindspring.com>
Source record: 114563
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc

I have a IC-W3a also I really like it but the yaesue FT-50rd in my opinion is a better radio. It has most of the same functions and capabilities but it has a better a wide band receiver with W-FM N-FM and AM receive, you can receive TV stations and whatever else all the way up to 1 gig I think (maybe higher)

Dave Wilkin
KF4WVB

3511. Re: Ham dealers in Salt Lake City?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: "James L. Griffith" <griffithj@ricks.edu>
Message-ID: <36E54699.3D884B4D@ricks.edu>
Source record: 114564

Yes Paolo, there is, or was. He advertises in QST. I think it is called COMPUTE, or something like that. I live 250 miles away in Idaho. Never been there, but I did order a rig from him about 5 years ago. Look in QST he is usually there. There is a large ham population in SLC also. Don't forget to see the LDS Temple grounds and visitors center.
Jim, WA7NDD

Paolo Sassoli wrote:

> This is a multi-part message in MIME format.
> --------------9AB27ABAA7AD0E5656440264
> Content-Type: text/plain; charset=us-ascii
> Content-Transfer-Encoding: 7bit
>
> Hi to all.
>
> As I'm planning my first trip in the USA (wow! can't still believe it)
> in May/June, I'll try to find some time to spend (and maybe not only
> time!!)
> for the hobby.
>
> I'll be in Salt Lake City, Utah, so I wonder if someone would send me
> anything of interesting a ham radio can see and do in that city.
>
> As I'm here, does anyone know if I can bring with me and use my
> HT in the USA? It's a TH79 european version and it's wide band open
> (cellular band also but, hey, they sell it already modified).
>
> I don't want break any law!!
>
> Thanks in advance.
>
> 73 de Paolo IK2LNH
>
> --------------9AB27ABAA7AD0E5656440264
> Content-Type: text/x-vcard; charset=us-ascii; name="vcard.vcf"
> Content-Description: Card for Paolo Sassoli
> Content-Disposition: attachment; filename="vcard.vcf"
> Content-Transfer-Encoding: 7bit
>
> begin: vcard
> fn: Paolo Sassoli
> n: Sassoli;Paolo
> org: Italtel S.p.A.
> adr: Via A.Brocchi ;;;Settimo Milanese;Milano;20019;Italy

> email;internet: paolo.sassoli@italtel.it
> title: RF Design eng.
> tel;work: +39.2.4388.8779
> tel;fax: +39.2.4388.3967
> x-mozilla-cpt: ;0
> x-mozilla-html: FALSE
> version: 2.1
> end: vcard
>
> --------------9AB27ABAA7AD0E5656440264--

3512. Belt clip for VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Vito Villamor <vovillamor@yahoo.com>
Message-ID: <36E54E1E.70B136F8@yahoo.com>
Source record: 114565

TO: Yaesu VX-5R Mailing List at OneList
CC: rec.radio.amateur.equipment newsgroup
yaesu@postoffice.worldnet.att.net

Hi All,

I'm a long time subscriber, and a new VX-5 owner. Following this list better prepared me for finally owning this radio. Thanks to all.

The first thing I did with my radio was the software mod with EVE software. It worked the very first time. This is in direct contrast to the difficulties I had in software modifying my VX-1. And I my FT-50, I couldn't even get the software mods to work, so I ended up hardware-modifying the FT-50. Thanks for the great EVE software. You don't think that RT Systems is delaying their release of their software so that they have time to incorporate some of the great features that we already enjoy with EVE. Let's face it...RT Systems is up against some stiff competition, or at least high expectations from people who have been using EVE.

The second thing that I did with my VX-5R was attach a belt clip designed by Bob Dashoff (see a picture of the clip attached to a VX-1R at http://www.icongrp.com/~sllewd/beltclp.htm). This clip uses the factory mounting point and original hardware to attach the clip. The bottom of the clip rests against the battery, but does not interfere with removal of the battery.

Bob Dashoff's clip is securely attached to the radio with the same screw that the Yaesu clip is attached with, so it won'tcome off, but since there is only one mount point, the clip has a tendancy to spin around the screw. Mr Dashoff's original design uses high strength two-sided tape to keep the clip from spinning. On my VX-1R, I took the radio apart and drilled a hole through the rear case, and then added a second screw to secure the clip's mount plate. This gives the clip two mounting points on the VX-1R.

Now here's the question: Has anyone taken the VX-5R apart?? I need to get to the back of the rear case.

I can go in detail as to how far I got, but let me just say where I got hung up: There are three lock rings at the top of the radio that secure the volume knob, dial knob, and antenna. I can get the lock rings off of the volume and dial knobs be gently tapping on the with a small screwdriver, but I can't seem to get the antenna's lock ring of as easily. Does anybody have any comments on how to remove this lock ring, at any suggestions on tools to use to remove it?? I searched most of the hardware stores for something small enough fit the two notches of the the lock ring, and none had a good enough grip on the notches.

Thanks in advance for any responses,

---Vito

3513. Re: Programming software DR-140T ?????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Igor Dobrokhotov <icho@softhome.net>
Message-ID: <7c3k21$og4$2@mail.nursat.net>
Source record: 114566

Leo Bosard wrote >36e42b9e.0@news2.uswest.net> ...
>I'm wondering if anyone out there has had any luck developing a
program of
>their own or using a program for a different radio to program the
DR-140.
>I'm also wondering if this lack of fulfillment of advertised
gimmicks to get
>people to buy this radio has happened on other products of theirs,
or was it
>unique to the DR-140. I'm happy with the radio, just not with the
company!

If you really need software for about all Alinco radios, you can get
this as freeware!
Visit http://www.alinco.ru/support.htm and you'll find all you
need. Yep, it's
website of Russian company, but more than simple to find download
of software. Enjoy of freeware and be happy!
Igor UN7GM

3514. Re: FS: Yaesu FT-840 in the box, low hours

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: bcny@aol.com
Message-ID: <19990309124111.05933.00000112@ng27.aol.com>
Source record: 114567

>Yaesu FT-840 in the box with mike, manual and packing material
>included. Very low hours, cosmetically fine and working well.
>No extra filters. Mike still in original box.

Is that a desk mic or that's the stock mic is in it's box inside the other box... Just curious, I am looking for the Yaesu DeskMic MD-1-C8 or MD-100 A8X

3515. Re: USPS lost my radio!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Shanon Lee Herron KA8SPW <sherron@takeout.visteon.com>
Message-ID: <36E5524C.EE5E0673@takeout.visteon.com>
Source record: 114568

Who is this dealer? We should ALL stay away from this kind of
"service". 73 Shanon KA8SPW

DLR18SH wrote:
>
> i had similar experience with UPS. I have always had bed luck with UPS and use
> FED EX for business. This time I ordered two items forma dealer accross
> country. One made it 3 days late and I am still waiting fot eh last one. I did
> a trace and the tracling shows the package being picked up etc but nothing else
> so it is now 15 days late. I sopeed payment on mastercard till the Dealer sends
> me another one. The Dealer said he mailed it and to take it up with UPS. My
> credit card company said if I didn't get it then the Dealer soesn't get paid
> and I don't get charged.
> Tim

3516. My 2100H works fine!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: bcny@aol.com
Message-ID: <19990309130842.05933.00000120@ng27.aol.com>
Source record: 114569

I have read all the complaints that people have been having with the Icom 2100H...
Sorry to hear of your problems. I have owned 1 since they first were forsale and just recently purchased a 2nd 2100H for the mobile. I have had no problems what so ever with either unit. I have ragchewed for hours on high pwr. & yes the radio does get hot but it's normal - show me a radio that doesn't get hot on high power. And these other problems with the Tone Squelch? What problems??? Don't know about any of these problems either... I guess I should say, that my 2100H is really the defective radio since it does not have all these similiar problems that all of you are having... I wish you all good luck... As for my opinion on the Icom 2100H -----
The best 2 meter mobile FM Transcevier I have owned in a while since my Yaesu FT-2500M

73, Rich in NY

3517. WTD: MD-1-C8 desk mic or maybe MD-100-A8X desk mic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: bcny@aol.com
Message-ID: <19990309131515.05933.00000123@ng27.aol.com>
Source record: 114570

Hello, I am looking for the Yaesu MD-1-C8 Desk Mic, but maybe will take
MD-100-A8X in place if the price is right.

Send reply to... Rich
BCNY@AOL.COM

3518. FS: ICOM T8A +

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: mjgilbert@wcom.net
Message-ID: <36e54f8c.8456209@news.compuserve.com>
Source record: 114571
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.scanner

ICOM T8A (box, manuals, charger)
BP-200 high-cap batteries (for a total of 2)
BP-197 AA battery pack
HM-75A remote control spk/mic
DOS programming software

Unit is like new with very little use, no mods.
$400 takes it all, shipping included (48states).

Please email
mjgilbert@wcom.net

Matt
K8KDR

3519. Antique Radio Page

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: "Daniel Hicks, Jr." <w8mmq@voyager.net>
Message-ID: <7c3q8d$qnb@news.voyager.net>
Source record: 114572

Check out the W8MMQ Antique Radio Page
http://my.voyager.net/w8mmq/oldradio/

3520. Re: Galaxy VFO Schematic needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: JM <jmul@iland.net>
Message-ID: <36E57E13.F5E8C593@iland.net>
Source record: 114573
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Thanks for the numerous replies, I have found that this VFO is not usable with my DX60B xmtr. Anyone have a Heath VFO they are willing to trade for this VFO? Prefer a matching one, but will entertain other offers. Any offers to buy?
Thanks, John N0EE

3521. WTB: Power supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: KenB <kenbNOSPAM@tyler.net>
Message-ID: <7c3up1$k4g$1@remarQ.com>
Source record: 114574

I need a 13.8DC power supply for new ham rig, minimum 20-amp continous.
Looking for bargain.

kenb@tyler.net

3522. Icom T7A Mods?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: William Thornhill <box@flash.net>
Message-ID: <36E58018.B2044791@flash.net>
Source record: 114575

Anyone have mods for this radio?

3523. Re: Galaxy VFO Schematic needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: exray@caribe.net
Message-ID: <7c40q4tb1@nnrp1.dejanews.com>
Source record: 114576
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Ive got a Galaxy 5 and the VFO seems to be a 5.0 to 5.5 version so you wouldn't be able to use it with a DX-60 which uses a fundamental freq and/or its harmonic for the ham bands.

-Bill M

In article <36E4B55C.1AF6DC07@iland.net>,
J Mullis <jmul@iland.net> wrote:
> Thanks for reading. I am in need of specs and a schematic for a Galaxy
> VFO, the one that works with a Galaxy III or V. What I want to do is
> use it with a Heath DX60B if it has the right output frequency range,
> and uses similar voltages to the Heath VFO. Anyone use this combo
> together, and can advise me what to do to connect them together? Any
> help will be greatly appreciated.
>
>

-exray
WX4A
Vieques Island, PR

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3524. Anyone have a schematic for a Kenwood TM-741A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: kc7zyf@nospam.qsl.net
Message-ID: <36e5863d.11943814@nntp.iea.com>
Source record: 114577

Hi,

I am posting this message for a friend who has a Kenwood TM-741A mobile radio that locks in transmit mode when the mike is keyed up and will not release until it is powered down. We swapped mic's with another Kenwood unit and had the same results. Has anyone out there had this same condition (and how did you resolve it)? A schematic for this unit would help us find the cause of the problem (perhaps a bad relay on the PTT circuit). Thanks for your help.

Please email response directly to paul@999khouse.org (remove the 999 in the email address when responding, please)

73 paul kc7zyf

3525. REGENCY BAH-100?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: "d. mcg3" <mcg3@csionline.net>
Message-ID: <36E58DEA.1E32E4CE@csionline.net>
Source record: 114578

ANYONE KNOW WHAT TYPE OF AMPLIFIER THIS IS
ANY HELP APPRECIATED
M3

3526. Re: FS:Meters Yaesu YS-500 & YS-60

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Mike Farmwald <mike@farmwald.com>
Message-ID: <36E58E7C.5AB2210C@farmwald.com>
Source record: 114579

I'll take the YS-500 if you split shipping.

Mike Farmwald
190 Golden Oak Drive
Portola Valley, CA 94028

650-851-9316

Thanks.

Mike

Tom wrote:

> Hi,
> I have 4-Sale , a Yaesu YS-500 SWR Power Meter 140-525 MHz.
> in Box used twice. 85.00 obo.
>
> YS-60 SWR/Power Meter covers 1.6 to 60MHz. 90.00 obo.
>
> If I ship, extra or pick up in N.Y. Make me a offer !
>
> Tom

3527. FT-470 convertion to 9600bps packet?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Daniel Lavoie <LavoieDNOSPAM@iSTAR.CA>
Message-ID: <zCgF2.68$pb.380212@NewsRead.Toronto.iSTAR.net>
Source record: 114580
Cross-posted to: alt.ham-radio.packet,rec.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.packet,rec.radio.amateur.space

Anyone has any information on converting a Yeasu FT-470 dual band HT to
9600bps packet?

Thanks

Daniel
VE3DCL

--

<< Take out NOSPAM to reply by e-mail >>

3528. Re: IC-W32A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: "Joseph D. Mowery" <jmowery@crosslink.net>
Message-ID: <36E5995A.E7C10AA7@crosslink.net>
Source record: 114581
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc

I bought the W32A for a ham radio, I don't even have mine set to wide receive.
That's why I have a scanner.

MindSpring User wrote:

> I have a IC-W3a also I really like it but the yaesue FT-50rd in my opinion
> is a better radio. It has most of the same functions and capabilities but it
> has a better a wide band receiver with W-FM N-FM and AM receive, you can
> receive TV stations and whatever else all the way up to 1 gig I think
> (maybe higher)
>
> Dave Wilkin
> KF4WVB

3529. Re: ICOM 746 vs 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: ignacy@num.ads.uga.edu
Message-ID: <36e5a98a2vtanpl$mr2ice@news.uga.edu>
Source record: 114582

>The PBT still works when using the band sweep feature, you just don't see
>the graphical display. Why care? You can tell how the PBT tuning is set
>just by looking at the control.

What is important is that in neither case PBT works spectacular. Just a
function of cheap filters.

Ignacy, NO9E

3530. Swan 270B

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Charles Singleton <w5cds@ktc.com>
Message-ID: <36E59BBB.24F23B1B@ktc.com>
Source record: 114583

I'm 40kc low on the VFO on 10m, okay elsewhere. How do I adjust that band w/o fouling the others?

Charles
W5CDS

3531. THE BEST DX RIG OUT THERE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: andrewvictor@geocities.com
Message-ID: <7c4ahs$9vl$1@nnrp1.dejanews.com>
Source record: 114584

What do you think the best dx rig out for under 2000 dollars and over 2000 dollars???? And why??
Thanks and 73's
Andrew

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3532. fs: 2m/70cm dualband ht

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: wardseward@yahoo.com
Message-ID: <7c476e$6tl$1@nnrp1.dejanews.com>
Source record: 114585

FS: ADI AT-600HP dualband HT w/...,battery, wall charger, rubber ducky, manual and box, speaker/mic, leather case, and car lighter adapter.

This rig is in great shape and hasn't seen much use. I'm selling it because I am looking to get a smaller ht. If you have any questions send me an email. I'm asking $250 plus S&H.

-\/\/ard--KB9TFF
wardseward@yahoo.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3533. 3CX3000A7 +

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990309172821.23922.00000208@ng-ce1.aol.com>
Source record: 114586

I have a 3CX3000A7 tube, Socket, Fillament transformer,
Plate transformer 2.7 Amps @
5,000 Volts DC
HV Caps, Cabinet to build a large amplifier.
Blower, Meters, other parts
I will sale all parts for $2,000.00 plus shipping.
e-mail kb5mer@aol.com

3534. TUBE TESTER (Please Give Your Opinion)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990309172959.06030.00000375@ng-cg1.aol.com>
Source record: 114587

TUBE TESTER (Please Give Your Opinion)

Hello, I'm On The Hunt For A Used Tuber Tester..
Which One Is Considered The The Best Of The Bunch.
Thx, Walter

3535. Amp and Tuner for sale.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: kenny <ksmksm@midlink.com>
Message-ID: <36E5A03A.27BB@midlink.com>
Source record: 114588

I have a MFJ Versa tuner model MFJ 962c and a Henry Radio 3KD classic
amp for sale, asking 600.00 for both.
e-mail me if interested a ksmksm@midlink.com

kenny

3536. NEED - KENWOOD DSP-100 SCHEMATIC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <7xhF2.50$oZ3.838@sapphire.mtt.net>
Source record: 114589
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Will pay copy and shipping fees. Email details
Thanks de VE1DAV dave

3537. ANTENNA & MOBILE MOUNT WANTED

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: n2ion@aol.com
Message-ID: <19990309180143.27915.00000181@ng13.aol.com>
Source record: 114590

I NEED A DIAMOND K400 MOUNT AND A 6 METER MOBILE ANTENNA.
I ALSO NEED A 2M/440/1.2 TRIPLEXER.

HELP IF YOU CAN.

THANKS

3538. VX 5R ctcss decode problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Solarpower1watt@Juno.com
Message-ID: <XNhF2.335$i12.3689@newsfeed.slurp.net>
Source record: 114591

I just received my new VX 5R today. It appears to have the famous ctcss decode delay problem. It is serial number prefix: 8N02... . When monitoring a channel in ctcss decode, (I'm not talking about scanning), it takes anywhere from 1/3 to a good full second before the speaker opens up, depending on signal strength.

Has this been corrected on any later models? My vendor says Yaesu Japan is currently working on the problem. Whether or not they will have any recall fix available in the future is unknown at this time.

My question is whether to hold out for a possible fix by the factory, or to take my mail-order vendor up on his offer to replace the unit with one of the latest units he has received.

I'd appreciate any comments and opinions on this. Thanks.

Ed

REPLY INFO:
==========
Return address modified to prevent automatic SPAM response.
TO REPLY: remove the "watt" from my return address.
==========

3539. Re: REGENCY BAH-100?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: csnichol <csnichol@netusa1.net>
Message-ID: <36E5CFFB.207A@netusa1.net>
Source record: 114592

VHF high band 100w. Takes about 25w in.

Chris

d. mcg3 wrote:
>
> ANYONE KNOW WHAT TYPE OF AMPLIFIER THIS IS
> ANY HELP APPRECIATED
> M3

3540. teletype and parts for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: les mitchell <cmitch@adams.net>
Message-ID: <7c49i3fh1@golden.adams.net>
Source record: 114593

I have teletypes and miscellaneous parts for sale. this includes paper .

3541. FS Precision RF Generator, Motorola T1601 Desk Remote

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Steve Lenaghan VE4LR <swtel@prairie.ca>
Message-ID: <36E5AB6B.2994C344@prairie.ca>
Source record: 114594
Cross-posted to: alt.ham-radio.fm,alt.ham-radio.hf,alt.ham-radio.marketplace,alt.ham-radio.ssb,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap

Marconi 2018 Generator (520 MHz)
Bidding starts at: $500.00
Auction ends on: 03/13/99 10:27:52 PST
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=74745882

75225524: Motorola DC Remote Control T1601
Bidding starts at: $25.00
Auction ends on: 03/14/99 11:45:28 PST
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=75225524

Steve VE4LR

3542. teletype and parts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: les mitchell <cmitch@adams.net>
Message-ID: <7c4a1m$k7s$1@golden.adams.net>
Source record: 114595

cmitch@adams.net or 217-829-4451
les

3543. KWD TR7400 MARS mod

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Crow <crow@summit.net>
Message-ID: <7c4cjn$4m7@news.summit.net>
Source record: 114596

I have searched most of the official sources and have found nothing yet. Can the TR7400 be modified to cover MARS freqs (148-150 Mhz)? Evan
KE4BWD/NNN0SYM

3544. Looking for Mint KDK 2016A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: erlpnk4yz@aol.com
Message-ID: <19990309184715.26138.00000239@ng-ft1.aol.com>
Source record: 114597

Would like to replace base rig but can't afford price of a new rig. I live near Chattanooga. Would prefer to see rig first. Will dirve within 150 miles to see.

Thanks

Steve, K4YZ

3545. Re: IC-W32A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: "Curt M. Breneman" <brenec@rpi.edu>
Message-ID: <36E5B5EB.5981@rpi.edu>
Source record: 114598
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc

Steve Ahrendt wrote:
>
> "Joseph P. Humberger" wrote:
> >
> > Hello,
> >
> > My name is Joe Humberger KB9TFH, I am going to be purchacing an Icom
> > W32a in a couple weeks. The reason for posting this message is that i was
> > woundering if there are some things i should know about this radio, The
> > Pro's and the Con's. A friend recomended this radio so i know very little
> > about it. I would appreaciate any info given. And if you have this radio,
> > Please tell me what u like and don't like about this radio.
> >
> > Thanks,
> > Joe Humberger KB9TFH
>
> I bought one last month and am very happy with it. The PL scan function
> was a nice bonus since I travel a lot and don't always have my repeater
> directory with me.
> I'm thinking about getting the HM-75A microphone since I have trouble
> hearing. Can anyone comment on the audio quality/level of this mic?
>
> Steve KD5FID

The Radio Shack speaker mic works fine with this radio. I think that
it's cheaper than the ICOM version.

Curt Breneman
KC2EBP

3546. Re: Icom 2100-H #@!%*!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: "Jim S." <jimsx@xdeamon.co.uk>
Message-ID: <Os9e9moa#GA.261@upnetnews03>
Source record: 114599

So! You've owned three 2100H radios and they all had to be sent back to HRO. May I ask for what reason? Did they brake? Or perhaps you didn't know how to use them? Could you please elaborate on your claim and back it up with some facts. If you can't/won't do that, go to the following URL for the explanation of your radio problems:

http://www.amishrakefight.org/gfy/

Jim

JIm Irons wrote in message <7bbghd$dkr4$1@newssvr04-int.news.prodigy.com>...
>I have owned 3 new 2100-H radios in the last month !!! They all have been
>sent back to HRO. The best one lasted only 2 weeks These are the worst
>radios I have ever seen. Needless to say I will never own another. BUYER
>BEWARE
>KG4BJG Jim
>
>

3547. Re: THE BEST DX RIG OUT THERE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: "J. Kincade" <w5kp@swbell.net>
Message-ID: <36E5BDCB.8FE18888@swbell.net>
Source record: 114600

Andrew, this one is easy. For an AM/CW/RTTY receiver under $2000 (or over $2000) it's a Chuck Rippel-overhauled R-390A/URR (about $700 + 8 month wait if you provide the R-390A, but he sometimes has one ready to go that he will sell outright). Absolutely, positively no question about it. How does real, measured, .07 - .08 microvolt sensitivity @4kc b/w with standard AM detection sound? Not to mention direct digital (mechanical) readout, 1 mc per band coverage to 32 mc, and real-thing Collins mechanical filters... Over $2000? What for? Nothing (available to the public, that is) on this planet built in the last 30 years can touch a properly tweaked R-390A on AM/CW, unless you just want to throw money around and order the chassis gold-plated or something. Ask the Army, Navy, Air Force, Marines, CIA, NSG, FCC, ad infinitum... The only real question here is are the legs on your operating table stout enough to take this puppy!

73, Jerry W5KP

andrewvictor@geocities.com wrote:

> What do you think the best dx rig out for under 2000 dollars and over 2000
> dollars???? And why??
> Thanks and 73's
> Andrew

--
1945 National RCP #113
1952 Hammarlund SP-600-JX-14 #1370
1963 Imperial R-390A #2273
1967 EAC R-390A #636

3548. QSYer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Bill Clarke <W2BLC599@bigfoot.com>
Message-ID: <7c4eu4$8pg$1@paxfeed.eni.net>
Source record: 114601

Anyone have knowledge of the name of the Stone Mountain, GA ham that once built and sold the QSYer?

--
Bill Clarke W2BLC
W2BLC@bigfoot.com

3549. Re: Icom 2100-H #@!%*!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: JIm Irons <jirons@prodigy.net>
Message-ID: <7c4fki$81ik$1@newssvr04-int.news.prodigy.com>
Source record: 114602

Jim S. <jimsx@xdeamon.co.uk> wrote in message
news:Os9e9moa#GA.261@upnetnews03...
>So! You've owned three 2100H radios and they all had to be sent back to
HRO.
>May I ask for what reason? Did they brake? Or perhaps you didn't know how
to
>use them? Could you please elaborate on your claim and back it up with some
>facts. If you can't/won't do that, go to the following URL for the
>explanation of your radio problems:
>
>http://www.amishrakefight.org/gfy/
>
>Jim
>
>JIm Irons wrote in message
<7bbghd$dkr4$1@newssvr04-int.news.prodigy.com>...
>>I have owned 3 new 2100-H radios in the last month !!! They all have been
>>sent back to HRO. The best one lasted only 2 weeks These are the worst
>>radios I have ever seen. Needless to say I will never own another. BUYER
>>BEWARE
>>KG4BJG Jim
>>
>>I already explained three times thats enough!!! Do not for any reason buy
a ICOM 2100h or you will be sorry,Trust me!!!!!!!! KG4BJG.
>
>

3550. Re: THE BEST DX RIG OUT THERE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Wayne Faris <wfaris@binary.net>
Message-ID: <36E5CD99.B6DDF26@binary.net>
Source record: 114603

You called that one right. A properly tweaked R390A is the best receiver ever (or ever will be, IMHO) built!

Wayne Faris, KEï¿½BZ, ex NSG morse intercept operator

"J. Kincade" wrote:

> Andrew, this one is easy. For an AM/CW/RTTY receiver under $2000 (or over
> $2000) it's a Chuck Rippel-overhauled R-390A/URR (about $700 + 8 month wait if
> you provide the R-390A, but he sometimes has one ready to go that he will sell
> outright).
> 1945 National RCP #113
> 1952 Hammarlund SP-600-JX-14 #1370
> 1963 Imperial R-390A #2273
> 1967 EAC R-390A #636

3551. Re: QSYer For The TS440S?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Butch Magee <butchkay@netdoor.com>
Message-ID: <36E5CF6B.CB29A33C@netdoor.com>
Source record: 114604

Yes, what is a QSY'er? A knob that really don't change frequencies or whut? Kindalike the "PANIC" buttons you could stick on the PC keyboards, you know, it'd give you something totwiddle with while your 8077, with too many TSRs, is booting up. God I love America! We got everything.

Butch KF5DE

SteveM14 wrote:

> <<Yes, a QSYer was made for the Kenwoods>>
>
> what is a QSYer???
>
> tnx,
> Steve (N0ZY)

3552. Re: QSYer For The TS440S?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Butch Magee <butchkay@netdoor.com>
Message-ID: <36E5D01D.21473862@netdoor.com>
Source record: 114605

Whoaa, cool! They make one for a TS-950SDX cheaper than that block of gold called external keypad by Knwd?

k9kz@indy.net wrote:

> It is an external keypad for direct frequency entry.
>
> Bill K9KZ
>
> stevem14@aol.com (SteveM14) wrote:
> > <<Yes, a QSYer was made for the Kenwoods>>
> >
> > what is a QSYer???
> >
> > tnx,
> > Steve (N0ZY)
> >
>
> ------------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3553. Wanted: Yaesu FV-102DM

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: "Phillip G. Johnson" <phillij1@bellsouth.net>
Message-ID: <36E57AF7.AB4EF7BA@bellsouth.net>
Source record: 114606

I am looking for A Yaesu FV-102DM Digital VFO for the FT-102. If anyone has one that would like to part with it. Pleae e-mail me at phillij1@bellsouth.net

Thanks.

Phillip Johnson K4FFA
Fairview, TN

3554. Re: Icom 2100-H #@!%*!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Sam Moore <2smoore@nemontel.net>
Message-ID: <x_kF2.157$2f2.683@news12.ispnews.com>
Source record: 114607

Well I never -

Won one at a hamfest last year, only problem I've had with mine is it gets dust on it and I have to clean it from time to time - other than that it works just fine, and it just works, and works, and works, and works.

Any chance that there may be some operator error involved.

Sam

3555. Kenwood TM-251a 2-meter Mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: JJ <joynt@bigfoot.com>
Message-ID: <36E5E54E.9862A704@bigfoot.com>
Source record: 114608

For Sale Kenwood Kenwood TM-251a 2-meter Mobile with UHF receive.
Possible cold solder joint as display is blank on occasion but radio is
still operating. Otherwise works excellent. Manual included but no
box. $160.00 includes shipping.
Reply to joynt@bigfoot.com
Thanks,
Jeff KD6YQK

3556. FS: Heil HM-10

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Ian McCloy <ian_mccloy@bc.symaptico.ca>
Message-ID: <VgmF2.222$HZ1.492940@news.bctel.net>
Source record: 114609

Heil HM-10 with case, paper work and Heil Desk Stand. This is the Dual
cartridge model.
$80.00US and you pay the shipping.

Ian VE7IRA

3557. FS: Mirage 10W In, 150W Out 6M Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: "Joe Giacobello, K2XX" <k2xx@concentric.net>
Message-ID: <36E61EDC.EE971F35@concentric.net>
Source record: 114610

I have a Mirage A1015 six meter amp for sale. 10 watts in gives 150 watts out. It also has built-in preamp. Mint condition. $200.

Call Joe at 908-756-3825.

73, Joe

3558. Wanted FL-101 for IC-725

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Ford Peterson <ford@cmgate.com>
Message-ID: <7c4ti6$8ni$1@ink.msen.com>
Source record: 114611

I am looking for the CW filters for an ICOM IC-725 HF rig.

There are two -- the FL101 and the FL100

ford@cmgate.com

3559. Re: THE BEST DX RIG OUT THERE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Alfred Carlson <wa7uhr@gte.net>
Message-ID: <7c51re$db5$1@news-1.news.gte.net>
Source record: 114612

Re the R390A the best?? I don't think so. I used them extensively in
the navy ship/shore cw circuits, I think the SRR series had the R390A
BEAT when it came to selectivity. I have owned a few R390A's since
becoming a ham and have sold them off a soon as I could. The radio
is very cumbersome to operate, difficult to get parts for and a general bear
to move around. I would rather have one of those top of the line Icom
R 9000's or even an old Kenwood R5000 with the filters for an all around
performer. But, to each his own!! 73 de Fred.

Wayne Faris wrote:

> You called that one right. A properly tweaked R390A is the best receiver ever (or
> ever will be, IMHO) built!
>
> Wayne Faris, KEï¿½BZ, ex NSG morse intercept operator
>
> "J. Kincade" wrote:
>
> > Andrew, this one is easy. For an AM/CW/RTTY receiver under $2000 (or over
> > $2000) it's a Chuck Rippel-overhauled R-390A/URR (about $700 + 8 month wait if
> > you provide the R-390A, but he sometimes has one ready to go that he will sell
> > outright).
> > 1945 National RCP #113
> > 1952 Hammarlund SP-600-JX-14 #1370
> > 1963 Imperial R-390A #2273
> > 1967 EAC R-390A #636

3560. Help: Kenwood TS 940S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Jonathan Winter <jwinter@pacificrim.net>
Message-ID: <36E60E19.8DF2F01@pacificrim.net>
Source record: 114613

I have just purchased a 940S and all appears to work well with the exception of AM. When I use the AM mode, I receive nothing on the standard broadcast frequencies or for that matter any other frequency. The radio has no optional filters, only the standard YK88S1 filter. I may be overlooking something but I doubt it.... any help out there would be greatly appreciated. (I have no trouble listening to AM using SSB... plenty of gain etc... but when I switch to AM mode.... I can just barely tell when I cross a strong station, but I cannot hear the transmission....

Please reply to jwinter@pacificrim.net

Thanks all.

Jonathan Winter
Bellingham Antique Radio Museum

3561. Re: Wiring of Kenwood TM-V7A programming cable?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Rick Pemble <pemble@earthlink.net>
Message-ID: <7c4ltmhke1@oak.prod.itd.earthlink.net>
Source record: 114614

This topic is a regular on this newsgroup. To date, nobody has been able to reproduce the schematic of the level converter that is inside the RS-232 DB-25 connector. I gave up and bought one, took it apart determined to reverse engineer it, and gave up. Small parts, unnumbered, etc. The connector at the radio is for a packet TNC which expects audio signals in/out. The cable has a level converter to convert DC RS232 signals for that interface.

cheers

Rick W4RP

Mike G. wrote in message <36e54e0c.68850671@cnn.exu.ericsson.se>...
>Hi there,
>
>Does anyone happen to know the wiring configuration of the serial
>cable to hook a TM-V7A to a PC? Kenwood sells it as a PG-4S cable.
>The radio uses a PS/2 style connector and the PC can take either
>a DB9 or DB25. I made a guess at it, but apparently guessed wrong.
>
>Any help would be appreciated.
>
>Mike

3562. FS: Henry VHF FM Amp 20-40W in for 130W out

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36E61C45.53EE@ix.netcom.com>
Source record: 114615
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale... Henry C130A30 commercial power amps..

Nominal 30W input for 130W output at 13.8VDC.

Supplied tuned to your specific frequencies, 144 - 174 Mhz.

$85 each + shipping.

Steve-WA6GSD

3563. FS: VHF FM Power Amps 20W in for 80W out.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36E61CD3.700C@ix.netcom.com>
Source record: 114616
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale...

Trilectric 2080H VHF FM power amps..

20W in gives 80W output.. Units currently on 153 Mhz,
work ok down to about 146 Mhz in ham band..

$45 each + shipping.

Trades considered.

Steve-WA6GSD

3564. FS: GE MVS UHF (450-512Mhz) Mobile radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36E61D99.F7F@ix.netcom.com>
Source record: 114617
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale...

GE MVS UHF radios, combination NPU30..Front mount.

Radios are 16 channel synthesized, 25W output.

Radios do PL and DPL, and scan.

Excellent condition. Supplied with microphone, mounting
bracket, power plug shell and pins to make your own power
cable. Antenna output is TNC.

Programmed and tuned to your specified 16 channels/PLs.

$95 each + shipping.

Steve-WA6GSD

3565. FS: EF Johnson mobile radio extension speakers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36E61E57.791@ix.netcom.com>
Source record: 114618
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale ...

EF Johnson LTR mobile radio extension speakers..
Model 250-0051-005. Black in color.

Units are new in box, currently $43 from Johnson.

$20 each + Shipping.

Steve-WA6GSD

3566. Need schematic/service manual for Alinco DR510

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36E61DCE.2F76@ix.netcom.com>
Source record: 114619
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Anyone provide a copy of service manual and/or schematic
for Alinco Dr-510?

Thanks

Steve-WA6GSD

3567. Re: Antenna height

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: Don W6JL <W6JL@ixpres.com>
Message-ID: <7c40gdbru1@ocean.cup.hp.com>
Source record: 114620
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

BD,

A waste of money. Put the effort into learning the code, so you can get
on HF.

73,
Don, W6JL

BD wrote in message <7bt8gj$q2t$1@newnews.startext.net>...
>I know this's been discussed here.. But.. :)
>Will an additional 5ft added to an already 5ft mast make much difference
>with a 2meter/440 antenna? It'll only cost me an additional $30 or so for
>extra guy-wire, mast, etc.. when I replace the temporary thing I put up
>there, but..... Just a little more labor than simply replacing the
mast.
>
>I live right in the middle of the dfw metroplex, and can already reach
>repeaters on the outter limits of a 100mile radius.. And quite a few
>further off than that.
>
>(which hardly feels like HAM RADIO, but I'm still stuck on those danged
>multiple dots....)
>
>
>

3568. Needed: Tube Data for a GE #5736 Transmitting Tube

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-09 00:00:00 UTC
From: John Lovallo <jlovallo@ticon.net>
Message-ID: <36E5727E.3B2DD532@ticon.net>
Source record: 114621

Hi, I am seeking a data sheet for a GE #5736 Transmitting Tube. I have
two brand new units that I would like to use to build an amplifier. This
is a pretty heavy duty tube with external anode rated at 2500 watts.
Will
pay any reasonable copying cost of course.

John
W9GC

3569. Kenwood TK-701s Information

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: counsil@clciris.chem.umr.edu
Message-ID: <counsil-1003992025250001@dialup-pkr-12-28.network.umr.edu>
Source record: 114374

Hello,

I have an opportunity to pick up a Kenwood TK-701s land mobile VHF radio.
I know nothing about it, and found no reference to that model on the
Kenwood web pages.

1. Does anyone have a pointer to information or can give me a summary of
technical features of this radio?

2. Is there any potential amateur use for this radio?

Thanks for your comments. Please send copies of your replies to me at:

counsil@clciris.chem.umr.edu

as I do not always get a chance to carefully read this newsgroup.

73s
-Joe-
KB0FPD

3570. National NC-109 f.s.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Ron Ostman <w0nyq@minntaccdp.com>
Message-ID: <7c7c3u$r8t$1@news.ispn.net>
Source record: 114375
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap

For Sale:

National NC-109 receiver. No manual and missing one of the small knobs.
$130.00 plus shipping.

Ron, W0NYQ
Mt. Iron, MN

3571. Simpson 260-8xpi f.s. (NEW)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Ron Ostman <w0nyq@minntaccdp.com>
Message-ID: <7c7chg$r9f$1@news.ispn.net>
Source record: 114376
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.swap

For Sale:

Simpson 260-8xpi VOM. New in original box - even has the original
(un-used/never installed) batteries.
Includes leads, manual, warranty card, etc.

$130 plus $5.50 USPS Priority Mail stateside.

3572. Re: Simpson 260-8xpi f.s. (NEW)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Ron Ostman <w0nyq@minntaccdp.com>
Message-ID: <7c7cmj$r9p$1@news.ispn.net>
Source record: 114377
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.swap

. . . forgot my name/location:

Ron Ostman, W0NYQ
Mt. Iron, MN

Thanks!

3573. FS Icom SM-2 mic, Comet CX-224 mobile vhf antenna

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: matrugen <krysbs@esslink.com>
Message-ID: <sRGF2.50$k83.142@news15.ispnews.com>
Source record: 114378

For Sale - Icom u-2 and 4 AT accessories - AD-11 battery adapter for above fits Icom BP-2,3,4,5,8 to u-2; and AD-10 adapter for using BC-35 or 36 to u-2 Also have old battery packs - rebuildable BP-24, BP-23 all $20 or make offer. Also, Icom SM-2 desk mic $40 and Comet CX-224 mobile antenna 144, 220, 440 mhz w/PL-259 mount $45; wanted Hustler or Ham sticks mobile HF antennas;
e-mail -krysbs@esslink.com KC1RW

3574. Emperor TS-3010

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Michael Willey <photog101@ameritech.net>
Message-ID: <36E73F28.98491657@ameritech.net>
Source record: 114379

I am looking at an Emperor TS-3010 which has one modification in it at this time (The Tone switch changes the bands). I see that although the frequencies have a 6 digit display, this radio tunes in 10 kc jumps. Is there a modification to shift to either 1kc or .1kc jumps. I would like to do this without unlocking the clarifier.
What other mods can be made to this radio? Is there a good service manual available for this radio?
Thanks in advance to the group:
M:)
A VET HELPING VETS
http://www.ameritech.net/users/photog101/mike-and-wolfe.html
photog101@ameritech.net

3575. RE: DO YOU NEED MODS???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: "MIKE (707)" <cobra2@gisco.net>
Message-ID: <36e73f7e.0@news.gisco.net>
Source record: 114380

Oops...I gave the WRONG address!! The correct one is
http://home1.inet.tele.dk/ehh/mods/radio.htm

3576. FS: Yaesu desk mics

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36E6DD92.E92C4B21@ix.netcom.com>
Source record: 114381
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Yaesu MD-100Ax8 and Yaesu MD-1. Both have selectable tone and impedance switch. Good condition. $80 each.

****
Duke -NA1A- Direct Line: (310) 649-2226
E-mail: na1a@qsl.net or mailto:na1a@ix.netcom.com
Ham Radio Website: http://www.qsl.net/na1a
****

3577. FS: Yaesu FT-1000MP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36E6DCDB.869CBFB5@ix.netcom.com>
Source record: 114382
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Yaesu FT-1000MP, AC model (has built-in auto-tuner and power supply),
mic, manual. Flawless condition.
Has InRad hi-performance sensitivity improvement done. Non-smoker
owner. Price: $2300. For specs and picture of rig, click on URL below:

http://www.yaesu.com/ft1000mp.html

****
Duke -NA1A- Direct Line: (310) 649-2226
E-mail: na1a@qsl.net or mailto:na1a@ix.netcom.com
Ham Radio Website: http://www.qsl.net/na1a
****

3578. Re: KENWOOD TM-241A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Jason Reina <jreina@lcc.net>
Message-ID: <36E74EEB.9DCC0D3C@lcc.net>
Source record: 114383

> Problem 1 is that the connection between the display and the circut
> board inside will eventualy corrode and the display will go crazy.
>
> Problem 2 is that it cannot recieve 800 meg.

I have had mine for about 6 years, and I haven't had either of the
problems.
And how does it receive 800 mHz?? =)

KD5CEK

3579. Re: THE BEST DX RIG OUT THERE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Bob Richardson <bobr@cmc.net>
Message-ID: <7c7n2n$kl6$1@news.cmc.net>
Source record: 114384

andrewvictor@geocities.com wrote in message
<7c4ahs$9vl$1@nnrp1.dejanews.com>...
>What do you think the best dx rig out for under 2000 dollars and over 2000
>dollars???? And why??
> Thanks and 73's
> Andrew
>
Andrew-

Well, since you refer to "rig" I am going to rashly assume that you want
to both transmit and receive messages rather than just find a great
receiver. So first, let me say that if you mean you have 2K for the entire
station, remember the Three Big A's of DX: Antenna, Antenna, and......
Antenna.

If I had 2K for a shack, I'd buy a basic XCVR and put the rest into a
truely great antenna setup.

If you are looking for a tranceiver in that range, I'd check out the
Yaesu FT-920. Really cool receiver with 33Mips DSP, selectable rf preamps
(MOSFET and J-FET), IPO, different attenuation levels, a menu system
that customizes everything about the radio, built in antenna tuner, keyer,
digital voice recorder, etc, etc, etc.
Decent rig for 1449 now from various sources, Then buy the filters.

Just one ham's opinion. Doubtless I'll be corrected soon. BTW, this rig
also does 6 meters, and was originally
a $2300 radio.

73's
Bob
KQ6ZA

3580. FS: Yaesu FT-1000MP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36E6F7FF.C9B7A10D@ix.netcom.com>
Source record: 114385
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Yaesu FT-1000MP HF transceiver, AC model, has built-in antenna tuner,
receiver sensitivity hi performance mod done by InRad. Cherry
condition. Mic, manual. Non-smoker owner. $2300.
To check out specs, click on URL below:
http://www.yaesu.com/1000mp.html
73,
Duke

****
Duke -NA1A- Direct Line: (310) 649-2226
E-mail: na1a@qsl.net or mailto:na1a@ix.netcom.com
Ham Radio Website: http://www.qsl.net/na1a
****

3581. Re: Anyone have out of band tx mod for Yaesu FT-8500?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Bob Richardson <bobr@cmc.net>
Message-ID: <7c7qf9lgh1@news.cmc.net>
Source record: 114386
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Gary Coffman wrote in message
<37a0236c.1758685426@news.atl.bellsouth.net>...
>On Sun, 7 Mar 1999 06:23:23 -0600, "Jarrod Boehme" <jboehme@pdq.net> wrote:
>>We Hams don't always modify our radios to transmit illegally. Perhaps I
am
>>a member of a volunteer emergency service who uses vhf and uhf frequencies
>>for radio communications. Seems silly to have 2 ht's and 2 mobiles if you
>>can use 1 ht and 1 mobile. Also, reprogramming commercial is expensive,
>>tuning an amateur is painless...
>
>But still illegal to use on public service or commercial frequencies
because
>ham gear isn't Type Accepted for that use.
>

Ahh, but that is not really necessarily so. While it may (or may not) be
true that a particular
radio is not type accepted for a certain frequency (for example, Linears
CANNOT be type accepted
for operation above 24MHz and below 35MHz) (see G1C09 in the General Class
question pool)
that it cannot be legally modified and operated by a ham. This is a common
misconception but
one disproved daily by lots of civic minded volunteers....

But then I know that you already knew this, so....
73's
Bob
KQ6ZA

3582. FS: Motorola HT's Up DATE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: "ST1A55@msn.com" <ST1A55@email.msn.com>
Message-ID: <e7uWDG5a#GA.278@upnetnews05>
Source record: 114387
Cross-posted to:
rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

2 GP-350 16ch UHF With Scan Both Comes
With Battery Antenna & Surveillance Adapter $250.00ea Like New

1 GP-300 16ch UHF With Scan Comes With Battery & Antenna $200.00 Used
But In Good Shape

Will Consider Reasonable Offers.
If Interested E-mail Me At ST1A55@msn.com

3583. NEW RADIO SHACK HAM HT's

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: fishbags@aol.com
Message-ID: <19990309193519.06983.00000284@ng28.aol.com>
Source record: 114424

HTX-200 (cat # 19-1102) & HTX-400 (19-1104) 2W on external power 300mW on
2 "aa" batteries. small approx 3.5x2.5x1.5. Available in 1-4 months.
Big Deal. but I know there are people who faint waiting to hear
about new R/S crap so here is some info.

3584. Re: QSYer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: kk4tl@aol.com
Message-ID: <19990309201512.25383.00000315@ng-fw1.aol.com>
Source record: 114425

Bill

The company was Stone Mountain Engineering, wasn't it?

3585. FS: Yaesu FT-51R 2m/440 handheld

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: klausner@frijoles.nospam.net
Message-ID: <36e5c7ac.30862748@news.earthlink.net>
Source record: 114426

For Sale: Yeasu FT-51R dual band handheld radio. Excellent condition.
Radio includes two FNB-38 batteries, manual, antenna, and wall charger.
$275.

~~~~~~

Ben Klausner, N5DJL | To find what no one has ever found,
Austin, TX | Look where no one has ever looked.
~~~~~~

3586. Re: ICOM 746 vs 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Seth Miller <seth.miller@NOSPAMworldnet.att.net>
Message-ID: <36E5D5F5.5A89A3AE@NOSPAMworldnet.att.net>
Source record: 114427

Ah, sad but true. The PBT on the stock radio works OK, not spectacular,
but with the addition of some decent filters (just plug 'em in) you end
of with a very capable radio for the price.

- Seth N6BMB

ignacy@num.ads.uga.edu wrote:
>
> >The PBT still works when using the band sweep feature, you just don't see
> >the graphical display. Why care? You can tell how the PBT tuning is set
> >just by looking at the control.
>
> What is important is that in neither case PBT works spectacular. Just a
> function of cheap filters.
>
> Ignacy, NO9E

3587. Re: VX-5R question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: gbabin73@aol.com
Message-ID: <19990309212014.29938.00000342@ng21.aol.com>
Source record: 114428

>Anyone know if the Yaesu VX-5R will cross band repeat in both one and
>two way? I'm sure it will at least cross band. Just need to know if it
>will repeat. Thankyou in advance.
> Paul
>

To the best of my knowledge, it will not. The only ones that will crossband repeat are the duel displays like an Icom W-32, Yaesu FT-51, etc.
73! DE N5MCJ (Jerry)

3588. For Sale or Trade: Ten-Tec Model 544 and 262G power supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: "Phillip G. Johnson" <phillij1@bellsouth.net>
Message-ID: <36E582C8.1590BC44@bellsouth.net>
Source record: 114429

I have a Ten-Tec Model 544 HF Transceiver (10-80 meters, CW & SSB), original mic and Manual for the rig and power supply. $350 plus shipping and insurance. Excellent condition.

I looking for a Yaesu FV-102DM Digital VFO for a FT-102 or Kenwood Dual band 2 meter-440 mobile radio newer model.

or anything else.

Also I have a Yaesu FT-910 DM for sale. Great Parts radio. With/ without Brand new 6146B's. UPS Dropped shipped for me. Yes, dropped shipped. They refused to honor insurance because shipper did not box correctly. Receives great, no transmit.

e-mail at phillij1@bellsouth.net
Thanks,

Phillip Johnson K4FFA

3589. Re: Yaesu VX5 Japan Version Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: gbabin73@aol.com
Message-ID: <19990309212819.29938.00000348@ng21.aol.com>
Source record: 114430

>
>Anyone have any experience modifying the Japanese version to cover US
>freqs and repeat modes? Japanese version covers 144-146 only for
>transmit and has no repeat function on 2 meters and 440 band is
>430-440 in Japan. Thanks for any help on this. Tony N2SS
>
>

The Japanese are tighter on TX out of band than the US is on cell phone. If the CPU has a diamond with a J in the middle of it, hang it up, it is unmodifiable, short of replacing the CPU.
73! DE N5MCJ (Jerry)

3590. Re: My 2100H works fine!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: kd7ctr@aol.com
Message-ID: <19990309213944.27495.00000331@ng-cd1.aol.com>
Source record: 114431

I agree with you. I have 2 IC-2100H mobiles and have NO troubles with either units. I am sorry that people are having trouble with the units, but I have more people that have positive comments than negative!!!

3591. WTB: AT-450 and DSP-100 for KENWOOD TS-690/450

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: wb4ktf@pipeline.com
Message-ID: <7c4mpo$944$2@camel21.mindspring.com>
Source record: 114432

I am looking to buy an internal antenna tuner (AT-450) and External
DSP-100 for my Kenwood TS-690S (same as for the TS-450S).
Anyone interested in parting with their working accessories? The
units must be in perfect working order.
WB4KTF/5
Glen Jenkins
Houston, Texas
March 9, 1999

3592. Re: NEED - KENWOOD DSP-100 SCHEMATIC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: wb4ktf@pipeline.com
Message-ID: <7c4n88$944$3@camel21.mindspring.com>
Source record: 114433
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have aTS690S and wonder if it is worth buying a DSP-100 to help
reduce received local QRN. Do you like your DSP unit and does it work
well both in transmit and receive?
WB4KTF/5
Glen
e-mail to me at: wb4ktf@pipeline.com
Mar 9, 1999

schertzer@ns.sympatico.ca (David M Schertzer) wrote:

>Will pay copy and shipping fees. Email details
>Thanks de VE1DAV dave

3593. Heathkit Crystals for SB-310 or SB-102 ? Free (WB4KTF)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: wb4ktf@pipeline.com
Message-ID: <7c4nuincm1@camel18.mindspring.com>
Source record: 114434

I have two crystals from my old Heathkit receiver SB-310 or my old SB-102, I do not remember from which they came, available free for someone who needs them. The crystals are marked 35.79500MHz and 30.19500 MHz.
If you need them drop me an email at: wb4ktf@pipeline.com

3594. Re: ICOM 746 vs 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Rob Kling <rkling@home.com>
Message-ID: <36E5EF88.91ACB555@home.com>
Source record: 114435

I am curious about the filters for the 746. I just bought the FL100 for
the 746 and it seems to work fine. This filter is for the 9MHz IF. I had
the choice of buying a 455kHz filter but I opted for the cheaper one!
What is the difference other than the IF and cost? Also, I would like
other filters, I would like one for SSB and one for RTTY. I want to
which to buy and in what combination(9MHz or 455KHz). I am asking for
opinions based on some experience.

Thank in advance

Rob Kling
N8YBV

Seth Miller wrote:
>
> Ah, sad but true. The PBT on the stock radio works OK, not spectacular,
> but with the addition of some decent filters (just plug 'em in) you end
> of with a very capable radio for the price.
>
> - Seth N6BMB
>
> ignacy@num.ads.uga.edu wrote:
> >
> > >The PBT still works when using the band sweep feature, you just don't see
> > >the graphical display. Why care? You can tell how the PBT tuning is set
> > >just by looking at the control.
> >
> > What is important is that in neither case PBT works spectacular. Just a
> > function of cheap filters.
> >
> > Ignacy, NO9E

3595. Re: VX 5R ctcss decode problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: jerry r <jerryrc@pobox.com>
Message-ID: <36E5F87C.2E7F1188@pobox.com>
Source record: 114436

I returned mine, that problem is known by Yaesu, they are only fixing the scan problem regarding a CTCSS tone.

3596. Help SB 104

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Oris <oris@dirtball.com>
Message-ID: <36E5FDF3.7B37@dirtball.com>
Source record: 114437

Does anyone know anything about modifying the final output of a SB 104?
I think that 149 bucs fora match set of finals for this rig. MRF 454s
are supposed to be 30 bucs for 2. Anyway I was interested. I will also
consider trading the rig for something else. Its in good shape
73 from
Oris
http://www.dirtball.com

3597. FT-1000D interference on 14 MHZ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Jari Ojala <jari.ojala@the.fi>
Message-ID: <36E600F5.CA0397FF@the.fi>
Source record: 114438

Hi!

I have problem with receiver. I can heard BC stations from 7 MHz on 14 MHz (BC freq*2). I have test RF-unit filters there are attenuation over 60 dB between 14 MHZ and 7 MHz.

Same problem is also on SUB receiver when using MAIN receivers RF-units.

Are somebody solve this problem???

Jari OH8LQ

3598. Re: WTB: Power supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: alurk50@aol.com
Message-ID: <19990310004304.29660.00000403@ng-fx1.aol.com>
Source record: 114439

Ken....

Hard to find a "bargain"! I used a home brew P.S....it was built by an old timer...it was heavey...and could handle 25 amps no problem....BUT...the problem was that it had an RF problem...as I loaded my new rig with it....the RF began leaking back into the rig and caused all kinds of problems when I got up to 100 watts....RF was getting into the power lines!! After trying various fixes...such as a good ground...and adding an RF cap to the output...I gave up and bought a Kenwood power supply for $200...and all worked fine after that! Good thing I didn't damage my rig with that damn Home Brew Supply!!

Al, KB1LI

3599. Re: FORSALE - MINT Kenwood TS-520S w/CW filter, mic, MFJ tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: alurk50@aol.com
Message-ID: <19990310004616.29660.00000406@ng-fx1.aol.com>
Source record: 114440

>Joe Levantino
>KB2FSH

Where are you located Joe?

I'm in CT...I just bought a TS 430...which works great...but was considering another rig for "back-up"

Al KB1LI

3600. Re: When Did They Stop Making The Kenwood TS440S?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: alurk50@aol.com
Message-ID: <19990310004932.29660.00000411@ng-fx1.aol.com>
Source record: 114441

>
>I would like to know when they stopped making the Kenwood Ts440S and what the
>last serial numbers were. Tnx!
>
>Bill K9KZ
>

Hi Bill.....

I just got a used TS 430 and it seems to be working great.....I wondered what
the difference was between the 430 and the 440....and I was wondering what the
production years of the 430 was?
It would be nice to see some old ads on the 430

Al KB1LI

3601. Re: wtb: Kenwood TS-130S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: alurk50@aol.com
Message-ID: <19990310005031.29660.00000413@ng-fx1.aol.com>
Source record: 114442

>WTB: Kenwood TS-130S hf xcvr in good to mint condition.

Have you tried eBay.com?

Al KB1LI

3602. Re: Problem with Kenwood 830 - HELP!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: alurk50@aol.com
Message-ID: <19990310005904.29660.00000418@ng-fx1.aol.com>
Source record: 114443

>Looks like
>a power supply is being loaded down or just not putting out the correct
>voltage

Yeah...that's what I was thinking! Is it in the transmit mode?

It shouldn't be too hard to troubleshoot the power supply. You probably can
run it on receive from an external 12 volt supply or battery....just to see if
it is the power supply.

I just bought a used TS 430...and I had a problem on transmit with RF getting
into my rig...I ended having to buy the Kenwood external Power supply...works
good now!
I bought it from a ham store...so at least they gave me a 30 day guarentee!
Plus...they are a Kenwood dealer so they can fix these things!

Al KB1LI

3603. Re: wtb: folded dipole

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: alurk50@aol.com
Message-ID: <19990310010016.29660.00000420@ng-fx1.aol.com>
Source record: 114444

>I would like to purchase a folded dipole with ability to operate on 10-80
>meter
>range without a tuner. I have seen some of these in catalogues... Anybody
>have
>one that they would like to sell? Please email me ...
>
>bill
>
>
>
>
>
>

I think you'll find you'll need a tuner Bill!

Otherwise you'll get TVI and RF problems

Al KB1LI

3604. Tripp-Lite Power Supply.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Keith Braithwaite <kbraithwaite@mail.gcnet.net>
Message-ID: <36E60A15.7885@mail.gcnet.net>
Source record: 114445

Anyone have a circuit diagram for a Tripp-Lite PR-40 Power Supply?

Thanks

3605. Re: Yaesu FT101B Tranceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: alurk50@aol.com
Message-ID: <19990310010216.29660.00000421@ng-fx1.aol.com>
Source record: 114446

>Yaesu FT101-B Transceiver
>
>Best Offer

Where are you located?
How's the condition?
How much were you looking for?

Al KB1LI

3606. KENWOOD TM-241A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: wesley jeffries <geezer@netusa1.net>
Message-ID: <7c52oq$m03$1@news.netusa1.net>
Source record: 114447

I NEED SOME INFO ON THIS RADIO
LIKE HOW TO GET 800MHZ RX

3607. Re: danged machine-noises...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Unclaimed Mysteries <k4doh@unclaimedmysteries.net>
Message-ID: <36E5C218.319C9638@unclaimedmysteries.net>
Source record: 114448
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc

BD wrote in part:
>
> I tend to set it to scan everything just to
> see who I can 'hook up with'.. BUT.. I spend a lot of time 'manually
> skipping past all that buz-squeek-ZZZZ stuff.........

<BOOMHAUER MODE>
Yeah man I tellywhat that dang 'ol packet radio stuff is just buzz and beep and click-click-click and you got your internet stuff and all and it's just no good if it's not dang ol' straight key cw or spoken unaccented english.
</BOOMHAUER MODE>

But seriously, Check your ICOM to see if you can program known FM voice repeaters (and offsets, tones, etc.) into memory, then scan the memory channels. You may also be able to skip some channels during scan. Keep in mind that a few hams are using mic-encoders, which imprint a short burst of data at the end of some voice transmissions. Right now I find it annoying, but that's probably because I don't have one.
The 1998-99 ARRL repeater directory should have the voice repeaters listed for your area. I think I remember reading that they have excluded digipeaters from the listings. Dang 'ol yellow book.

73, Corry
--
It Came from Unclaimed Mysteries
C. L. "I read it on alt.conspiracy.black-helicopters" Smith, Maximum Director
K4DOH
http://www.unclaimedmysteries.net/

3608. DO YOU NEED MODS???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: "MIKE (707)" <cobra2@gisco.net>
Message-ID: <36e61230.0@news.gisco.net>
Source record: 114449

If you need ham radio mods, check-out
http://www.home1.inet.tele.dk/ehh/mods/radio.htm

3609. SAM'S PHOTOFACTS???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: "MIKE (707)" <cobra2@gisco.net>
Message-ID: <36e61303.0@news.gisco.net>
Source record: 114450

For Sam's Photofacts, check-out http://www.hwsams.com

3610. Re: DO YOU NEED MODS???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Jarrod Boehme <jboehme@pdq.net>
Message-ID: <zYoF2.259$2f2.1359@news12.ispnews.com>
Source record: 114451

check your link, server doesn't connect.

MIKE (707) wrote in message <36e61230.0@news.gisco.net>...
>If you need ham radio mods, check-out
>http://www.home1.inet.tele.dk/ehh/mods/radio.htm
>
>

3611. Used Police Radar Guns Wanted !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: hartmans@inlink.com
Message-ID: <7c5a5l$46n$2@news1.inlink.com>
Source record: 114452
Cross-posted to: sci.electronics.misc,rec.sport.snowmobiles,sci.electronics.components,sci.electronics.equipment,sci.electronics.repair,memphis.wanted,rec.radio.amateur.equipment,alt.marketplace

I would like to purchase surplus Police Radar Guns. Handheld or Two Piece, any band. Please reply with model
number and condition. Thanks!

3612. Mobile antenna mounts for truck bed rails

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Jarrod Boehme <jboehme@pdq.net>
Message-ID: <%gqF2.315$eT6.1580@news13.ispnews.com>
Source record: 114453

I have seen in the past a manufacturer of mobile antenna mounts that fit in the bed rail receptacles of many trucks. However, I have lost / forgotten any info on manufacturers names or dealer sources. If anyone can help me out I would appreciate it. I get tired of tipping my mobile antenna every time I garage my truck and would prefer to keep a decent antenna in a permanent position. Thanks.

Jarrod
N5JBB

3613. Re: Wiring of Kenwood TM-V7A programming cable?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36E6348C.387C60A4@t-online.de>
Source record: 114454

Rick Pemble schrieb:
>
> This topic is a regular on this newsgroup. To date, nobody has been able to
> reproduce the schematic of the level converter that is inside the RS-232
> DB-25 connector. I gave up and bought one, took it apart determined to
> reverse engineer it, and gave up. Small parts, unnumbered, etc. The
> connector at the radio is for a packet TNC which expects audio signals
> in/out. The cable has a level converter to convert DC RS232 signals for
> that interface.
>
> cheers
>
> Rick W4RP

The original cable is not available in Europe, you can buy
the MAKInterface worldwide, it is working great with my
TM-V7 and TH-G71, with the original Kenwood Software.

Besides that with my VX1R,FT50,IC-Q7,IC-T8, ...

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

3614. Re: THE BEST DX RIG OUT THERE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: ejune@intuitive-data.com
Message-ID: <09990209192643.OUI34.ejune@intuitive-data.com>
Source record: 114455

The $2k radio question has been asked and answered at:

http://www.qth.com/ka9fox/two_grand_radio.txt

If money is no limitation, you can't beat a FT-1000D

--
Regards,

Eric June
KU6J

3615. Re: FS: GE MVS UHF (450-512Mhz) Mobile radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: reedhmb@aol.com
Message-ID: <19990310051623.08262.00000344@ngol02.aol.com>
Source record: 114456

I just received one and they are very clean. Highly recommend Steve.

Mark

>For sale...
>
>GE MVS UHF radios, combination NPU30..Front mount.
>
>Radios are 16 channel synthesized, 25W output.
>
>Radios do PL and DPL, and scan.
>
>Excellent condition. Supplied with microphone, mounting
>bracket, power plug shell and pins to make your own power
>cable. Antenna output is TNC.
>
>Programmed and tuned to your specified 16 channels/PLs.
>
>$95 each + shipping.
>
>Steve-WA6GSD
>

Mark Reed
HALF MOON BAY, CA
REEDHMB@AOL.COM

3616. Re: Icom 2100-H #@!%*!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: JIm Irons <jirons@prodigy.net>
Message-ID: <7c5j10$ella$1@newssvr04-int.news.prodigy.com>
Source record: 114457

Sam Moore <2smoore@nemontel.net> wrote in message
news:x_kF2.157$2f2.683@news12.ispnews.com...
>Well I never -
>
>Won one at a hamfest last year, only problem I've had with mine is it gets
>dust on it and I have to clean it from time to time - other than that it
>works just fine, and it just works, and works, and works, and works.
>
>Any chance that there may be some operator error involved.
>
>Sam
>
>There have been 4 in this area all have lasted less than a month. Perhaps
if you have one several months old they might be OK the new ones have well
documented problems my friend, glad yours still works.

JIM

3617. Infromation Wanted On ONWA K-6201 2M HT.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Richard <43z280@one.net.au>
Message-ID: <36e65de1.0@pink.one.net.au>
Source record: 114458
Cross-posted to: rec.radio.amateur.equipment,aus.radio.amateur.misc

Chasing information on the ONWA K-6201 2M HT, If anyone has a manual, I would be interested in getting a copy, all costs will be covered.

Thanks in advance.

Richard.

E-Mail 43z280@one.net.au

3618. Re: Icom T7A Mods?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Scott <diverscott@my-dejanews.com>
Message-ID: <7c5q2q$hi3$1@nnrp1.dejanews.com>
Source record: 114459

In article <36E58018.B2044791@flash.net>,
William Thornhill <box@flash.net> wrote:
> Anyone have mods for this radio?
>
>
try alt.ham-radio.mods

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3619. Re: VX 5R ctcss decode problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: firebuff66@aol.com
Message-ID: <19990310070916.28110.00000437@ng151.aol.com>
Source record: 114460

Send it back...Get a FT-50RD

3620. WANTED-SPEAKERS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: n2ion@aol.com
Message-ID: <19990310074553.09901.00000418@ng-fa1.aol.com>
Source record: 114461

HI
I NEED 4 RADIO SHACK SPEAKERS FOR MY MOBILE.

IF YOU HAVE ANY THAT WORK, AND ARE WILLING TO PART WITH THEM, E-MAIL ME WITH
THE PRICE.

THANKS IN ADVANCE,
JEFF

3621. WTB: Two Motorola BDN6676 B Connectors.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: JESPER BRAMM <bramm@get2net.dk>
Message-ID: <SWtF2.175$Ds2.127@news.get2net.dk>
Source record: 114462

Hi there !

Have you got two of these connectors just lying around, taking up tablespace
?
If yes, would you sell them to me at $ 20 a piece ?
Yes again ? Please mail me at ; doktormand@hotmail.com

Thanks

Jesper

3622. FT101 stock mike and desk mike

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: dakota206@aol.com
Message-ID: <19990310080151.10562.00000718@ng-ch1.aol.com>
Source record: 114463

Wanted Ft101 stock mike and desk mike. If you have any of these items let me know condition and price. Tnx 73 Bob

3623. Help with unknown TNC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: leigh@media.media.keele.ac.uk
Message-ID: <7c5qaopct3@cfs2.kis.keele.ac.uk>
Source record: 114464

Hello,

I have been given a TNC but have no idea of its model, make or wiring back to the PC.

The only info I have is what is on the board - the name "J & P Electronics Ltd". The board is the 8-bit type that could also be slotted into a PC, whereas my model has been housed in a box.

I am trying to find the following critical info:

How to wire the board to a 9-pin D-type (the info written on it doesnt work or match up to any conventional serial wiring),
How to connect 3 LEDs that show power on, TX and RX.
Anything else relevant to it - compatability, etc....

All or any help appreciated - I'd rather try and get it going that bin it.

Many thanks. Please reply to address in signature only.

Leigh....

--

Leigh M. Preece, Media and Communications Centre, Keele Univ. Staffs. UK

WARNING: My ONLY reply address is: leigh@media.keele.ac.uk

3624. HEATH SA2060 TUNER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: cslc82@email.mot.com
Message-ID: <36e67180.29829472@netnews.worldnet.att.net>
Source record: 114465

HEATH SA2060 TUNER

Heath SA2060 antenna tuner:

Continuous tuning (roller inductor)
1.8-30 MHz @ 2KW
Includes 4:1 balun
3 coaxial outputs including bypass
Wire antenna outputs (wire & balanced)
Dual meters (FWD hi/lo, REF hi/lo/SWR)
With manual

$250 + freight.

Unit works fine and looks good. Digital pix available.

Dan
K0DAN

3625. YAESU FT-990AC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: cslc82@email.mot.com
Message-ID: <36e871cb.29905041@netnews.worldnet.att.net>
Source record: 114466

YAESU FT-990AC FOR SALE

Yaesu FT-990AC, includes

AC power supply
automatic tuner
optional 2.0 khz SSB filter
operator's manual
original service manual (notebook)

Looks and works great.

$1200 + freight from Kansas City area.

Digital pix available on request.

Dan
K0DAN

3626. hp 141 spectrum anal

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: herman pfeiffer <KR6HP@worldnet.att.net>
Message-ID: <7c5ssq$o8i@bgtnsc02.worldnet.att.net>
Source record: 114467

anyone need 141 contact commengrs@juno.com

--
- Reply to commengrs@juno.com -

3627. sola transformer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: herman pfeiffer <KR6HP@worldnet.att.net>
Message-ID: <7c5svk$ogm@bgtnsc02.worldnet.att.net>
Source record: 114468

need a sola reg xfmr at least 200 va any help
commengrs@juno.com

--
- Reply to commengrs@juno.com -

3628. midland uhf mobiles

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: herman pfeiffer <KR6HP@worldnet.att.net>
Message-ID: <7c5t6e$p5j@bgtnsc02.worldnet.att.net>
Source record: 114469

need programming program and cable for 526bxl
have other programs for sale any help
commengrs@juno.com

--
- Reply to commengrs@juno.com -

3629. FA TR4CW tranceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: "Tom&#65533;s J. Borges" <volcan@arrakis.es>
Message-ID: <36E677AA.DE1206C7@arrakis.es>
Source record: 114470

Looking to buy Drake TR4CW, RV4, PS4.& mic. please state price and condition

Tnx

ea8jf@arrakis.es

3630. Re: QSYer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Bill Clarke <W2BLC599@bigfoot.com>
Message-ID: <7c5u6s$bi8$1@paxfeed.eni.net>
Source record: 114471

That is correct, Stone Mountain Engineering. What I would like to know is the name of the ham that actually designed and built these things.

--
Bill Clarke W2BLC
W2BLC@bigfoot.com

3631. Re: When Did They Stop Making The Kenwood TS440S?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Oris <oris@dirtball.com>
Message-ID: <36E67B50.3CDA@dirtball.com>
Source record: 114472

Alurk50 wrote:
>
> >
> >I would like to know when they stopped making the Kenwood Ts440S and what the
> >last serial numbers were. Tnx!
> >
> >Bill K9KZ
> >
>
> Hi Bill.....
>
> I just got a used TS 430 and it seems to be working great.....I wondered what
> the difference was between the 430 and the 440....and I was wondering what the
> production years of the 430 was?
> It would be nice to see some old ads on the 430
>
> Al KB1LI
one of the differances is the 440 had a built in antenna tunner. There
where some circuit differances. I will say this I have had both rigs and
I think the 430 is more reliable, and cost less then the 440. So over
all I think the 430 is a better rig. Thats justy my opinion I could be
wrong.
73 from Oris

3632. Re: Help: Kenwood TS 940S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Oris <oris@dirtball.com>
Message-ID: <36E67CBC.2D6B@dirtball.com>
Source record: 114473

Jonathan Winter wrote:
>
> I have just purchased a 940S and all appears to work well with the
> exception of AM. When I use the AM mode, I receive nothing on the
> standard broadcast frequencies or for that matter any other frequency.
> The radio has no optional filters, only the standard YK88S1 filter. I
> may be overlooking something but I doubt it.... any help out there would
> be greatly appreciated. (I have no trouble listening to AM using SSB...
> plenty of gain etc... but when I switch to AM mode.... I can just barely
> tell when I cross a strong station, but I cannot hear the
> transmission....
>
> Please reply to jwinter@pacificrim.net
>
> Thanks all.
>
> Jonathan Winter
> Bellingham Antique Radio Museum
Hello
Look at where the AM filter is sposed to be. Is there a board there
with a tunable coil? If there is it might have a cold connection. If
there isn't a board with a tunable coil that plugs into that crystal
filter slot, that is your problem. I hope I was able to help you.
73 from Oris

3633. Omni VI+ SSB performance?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: BarryG <bgnospam@albany.net>
Message-ID: <7c5vc6$5e5$1@news.monmouth.com>
Source record: 114474

I would appreciate comments from those who have really put the Omni VI+ through its paces on SSB - how is its audio quality, selectivity, etc. I have heard that its SSB performance isn't quite up to par. I'm about 50/50 SSB/CW and looking hard at the Omni VI+, and perhaps the FT-1000MP as well. I know the VI+ is stellar on CW and TenTec is a great outfit to deal with, but how about the SSB performance?

Thanks for any info,
Barry N1EU
email: bg@albany.net

3634. Re: Mobile antenna mounts for truck bed rails

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Dan K Nelson <kf6knb@usa.net>
Message-ID: <7c5uvomnb1@news-2.news.gte.net>
Source record: 114475

Jarrod Boehme wrote in message
>I have seen in the past a manufacturer of mobile antenna mounts that fit in
>the bed rail receptacles of many trucks. However, I have lost / forgotten
>any info on manufacturers names or dealer sources. If anyone can help me
>out I would appreciate it. I get tired of tipping my mobile antenna every
>time I garage my truck and would prefer to keep a decent antenna in a
>permanent position. Thanks.
>
>Jarrod
>N5JBB
>

Give HRO a call. I saw them at their Anaheim store over the weekend, but I
don't recall the name of the manufacturer.

73 de KF6KNB

3635. Re: DO YOU NEED MODS???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: "Robert G. Schaffrath, N2JTX" <rschaffrath@acm.org>
Message-ID: <36E68415.E57@acm.org>
Source record: 114476

Maybe it needs MODS? ;-)

Jarrod Boehme wrote:
>
> check your link, server doesn't connect.
>
> MIKE (707) wrote in message <36e61230.0@news.gisco.net>...
> >If you need ham radio mods, check-out
> >http://www.home1.inet.tele.dk/ehh/mods/radio.htm
> >
> >

--
Robert G. Schaffrath, N2JTX (RGS71)
+1.516.759.4313
mailto:rschaffrath@acm.org
http://tonto.netsurftech.com/rgs

3636. WTB: Electric Winch for Mast

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: john@datasafe.demon.co.uk
Message-ID: <36e684e9.4408311@news.demon.co.uk>
Source record: 114477

I've got a 60mast and it seldom get elevated 'cos I'm lazy!!

So, I want to purchase an electric motor to do the job for me.

Anyone help

Regards

John

3637. Re: Omni VI+ SSB performance?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: turner@rome.ics.uci.edu
Message-ID: <7c6174$l58@rome.ics.uci.edu>
Source record: 114478

You really ought to sit down with one to find out. There is
just no way to communicate the details objectively (in my
subjective view :-) . I us the OMNI VI (upgraded) on
SSB a whole lot, and have worked with INRAD to get some
better filters for SSB (and they now make them for the
OMNI VI) at 2.8 KHz bandwidth, and that helps. The stock
2.4 filters are OK, but not what I considered good for
SSB. They are not very symmetrical in performance but
the INRAD replacements are.

The NR function in the newer OMNI VI is very nice indeed.

You may miss "slope" type tuning from two sides of the
SSB signal, for the OMNI has only one PBT control. However,
the OMNI has a lot of extra filter slots and you can really
do fine by adding filters to get the cut you like.

Audio quality of the SSB transmitted signal has been reported
as very good consistently, with the old 2.4 filters and with
the new INRAD 2.8's. I use a D-104 mike with mine.

Anyway, best advice, try one of each radio you are thinking
about, at least in someone's shack. The FT 1000MP is no
slouch, but not as fine for CW either. But it has many,
many bells and whistles you can't get elsewhere!

Clark
WA3JPG

3638. Re: KENWOOD TM-241A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Steve <wswr@erols.com>
Message-ID: <7c61cq$l50$1@winter.news.rcn.net>
Source record: 114479

Of course and it also can receive 160 meters.

Steve

wesley jeffries wrote in message <7c52oq$m03$1@news.netusa1.net>...
>I NEED SOME INFO ON THIS RADIO
>LIKE HOW TO GET 800MHZ RX
>
>

3639. Re: ICOM 746 vs 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: ignacy@num.ads.uga.edu
Message-ID: <36e69a1d3vtanpl$mr2ice@news.uga.edu>
Source record: 114480

I>I am curious about the filters for the 746. I just bought the FL100 for
>the 746 and it seems to work fine. This filter is for the 9MHz IF. I had
>the choice of buying a 455kHz filter but I opted for the cheaper one!
>What is the difference other than the IF and cost? Also, I would like
>other filters, I would like one for SSB and one for RTTY. I want to which
>to buy and in what combination(9MHz or 455KHz). I am asking for
>opinions based on some experience.

There are a few differences.
1. Filters at 455 KHz are sharper and the filter noise (hiss) coming from 3rd IF 2. Filters at 9 MHz provide selectivity where it needs to be, i.e. in front of the receiver resulting in better dynamic range. Generally they have worse shape, and noise at the end of the IF strips isn't filtered, often resulting in hiss.

For general CW work, 9 MHz filters are a better deal but they are a clear compromise. For sharp skirts and low noise, 455 KHz filters are a real pleasure. I use a 500 HZ filter at 9 MHz and 250 Hz filter at 455KHz. First for general work, second for tough situations.

Ignacy, NO9E

3640. Re: Help: Kenwood TS 940S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Clif Holland <avvid@onramp.net>
Message-ID: <36E68547.6A7D@onramp.net>
Source record: 114481

Jonathan Winter wrote:
>
> I have just purchased a 940S and all appears to work well with the
> exception of AM. When I use the AM mode, I receive nothing on the
> standard broadcast frequencies or for that matter any other frequency.
> The radio has no optional filters, only the standard YK88S1 filter. I
> may be overlooking something but I doubt it.... any help out there would
> be greatly appreciated. (I have no trouble listening to AM using SSB...
> plenty of gain etc... but when I switch to AM mode.... I can just barely
> tell when I cross a strong station, but I cannot hear the
> transmission....
>
> Please reply to jwinter@pacificrim.net
>
> Thanks all.
>
> Jonathan Winter
> Bellingham Antique Radio Museum

Look closely at the slot for the AM filter. There should be a wire
standing up and the board will show to cut it. If the wire has been cut
and no filter is installed it will not rx in AM. If the jumper is cut it
needs to be resoldered. Check your owners manual, it should show the
wire in question..
--
Clif Holland, KA5IPF
Owner of AVVid, an Authorized Kenwood and Icom Service Center
For more info click on the following
http://rampages.onramp.net/~avvid
or call 1-800-214-5779

3641. Re: KWD TR7400 MARS mod

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Clif Holland <avvid@onramp.net>
Message-ID: <36E6862C.4AFA@onramp.net>
Source record: 114482

Crow wrote:
>
> I have searched most of the official sources and have found nothing yet. Can
> the TR7400 be modified to cover MARS freqs (148-150 Mhz)? Evan
> KE4BWD/NNN0SYM

The 7400 is a WYSIWYG radio. It covers from 144-147.995.
--
Clif Holland, KA5IPF
Owner of AVVid, an Authorized Kenwood and Icom Service Center
For more info click on the following
http://rampages.onramp.net/~avvid
or call 1-800-214-5779

3642. WANTED:MANUAL FOR COLLINS KWT-6-5

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: kb6lue@postoffice.pacbell.net
Message-ID: <36E73089.8372D6FD@postoffice.pacbell.net>
Source record: 114483
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Loking for manual Collins KWT-6-5 HF TRX.

3643. WTB; Module for Kenwood SWR/PWR meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: KC5ALC <kc5alc@mindspring.com>
Message-ID: <7c63ffcka1@camel19.mindspring.com>
Source record: 114484
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

I'm looking for an SWC-1 remote module for the Kenwood SW-200 SWR/Power meter. Must be in good working order and physically in good shape.
Contact kc5alc@mindspring.com

3644. Re: Used Police Radar Guns Wanted !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: seanfahey <sf@black-hole.com>
Message-ID: <36E691FE.BE49D1A5@black-hole.com>
Source record: 114485
Cross-posted to: sci.electronics.misc,rec.sport.snowmobiles,sci.electronics.components,sci.electronics.equipment,sci.electronics.repair,memphis.wanted,rec.radio.amateur.equipment,alt.marketplace

Mark,

Try here.They have refurb guns.

http://radarsales.com/

Sean F

3645. Re: VX 5R ctcss decode problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7c68jf$v66$1@nnrp1.dejanews.com>
Source record: 114486

In article <XNhF2.335$i12.3689@newsfeed.slurp.net>,
Solarpower1watt@Juno.com (Ed) wrote:
>
> I just received my new VX 5R today. It appears to have the famous ctcss
> decode delay problem.

According to tech support at Yaesu, they recognize the problem, and are awaiting a "cure" from Japan techs. They will gladly fix any unit with this problem. Watch this newsgroup for the latest announcements - or keep in touch with your dealer.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3646. FS!- Pair (2) Eimac 304TL FULL output pulls.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Pinky & The Brain <odin@webspan.net>
Message-ID: <7c66co$3tg$1@remarQ.com>
Source record: 114487
Cross-posted to: alt.ham-radio.hf,alt.ham-radio.marketplace,rec.audio.tubes,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

One pair (2) Eimac 304TL triodes. These are low hour pulls, FULL OUTPUT & PERFECT and getting quite scarce. $100.00 for the pair plus shipping.

TNX for reading!

Steve

3647. FS: Yaesu FT-1000 HF Rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36E62BDA.120765DC@ix.netcom.com>
Source record: 114488
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale a Yasu FT-1000 (not D, not MP) in cherry condition. Have manual and mic. Non smoker owner. Currently being used and can be heard over the air. $1950. Click on URL below to view picture.

http://www.qsl.net/na1a/FT1000.jpg

73,
Duke
--

****
Duke -NA1A- Direct Line: (310) 649-2226
E-mail: na1a@qsl.net or mailto:na1a@ix.netcom.com
Ham Radio Website: http://www.qsl.net/na1a
****

3648. FS!- Pair (2) Eimac 304TL FULL output pulls.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Pinky & The Brain <odin@webspan.net>
Message-ID: <7c674k$nc8$1@remarQ.com>
Source record: 114489
Cross-posted to: alt.ham-radio.hf,alt.ham-radio.marketplace,rec.audio.tubes,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

One pair (2) Eimac 304TL triodes. These are low hour pulls, FULL OUTPUT & PERFECT and getting quite scarce. $100.00 for the pair plus shipping.

TNX for reading!

Steve

3649. Re: WTB: Electric Winch for Mast

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <7c6784$a5r@sjx-ixn8.ix.netcom.com>
Source record: 114490

In <36e684e9.4408311@news.demon.co.uk> john@datasafe.demon.co.uk (John Cooper) writes:
>
>I've got a 60mast and it seldom get elevated 'cos I'm lazy!!
>
>So, I want to purchase an electric motor to do the job for me.
>
>Anyone help
>
>Regards
>
>John
>
Go see a dealer for ATVs those little four wheel things for lazy hunters. They have a number of winches made for ATVs which are in size and power range you need for a reasonably sized tower. Most hunting and/or outdoor catalogs also have a page of these type of accessories.

3650. WTB Yaesu FRG9600

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: swanjohn2956@my-dejanews.com
Message-ID: <7c6adn$129$1@nnrp1.dejanews.com>
Source record: 114491

Hi,

Looking to buy a Yaesu FRG9600 receiver, must be in perfect working order,
and in good cosmetic condition. No Junk!
Good price paid for same. Mail me with price and lets talk business.
Location is Ireland.

Thanks,

John

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3651. Re: FORSALE - MINT Kenwood TS-520S w/CW filter, mic, MFJ tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: earld87659@aol.com
Message-ID: <19990310121121.28112.00000455@ng151.aol.com>
Source record: 114492

Al,

I also have a TS-520 with cw filter, mic, SP-230 and external VFO for sale if your interested.

Earl
WA1MPB

3652. Re: FS: Yaesu FT-1000 HF Rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Terry Gaiser <w6ru@lightspeed.net>
Message-ID: <36E6A8BE.C445148A@lightspeed.net>
Source record: 114493
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Duke,
Would you be interested in a AL-1200 amplifier and some cash for the
FT-1000 ?
Thanks,
Terry W6RU

DUKE wrote:
>
> For sale a Yasu FT-1000 (not D, not MP) in cherry condition. Have
> manual and mic. Non smoker owner. Currently being used and can be
> heard over the air. $1950. Click on URL below to view picture.
>
> http://www.qsl.net/na1a/FT1000.jpg
>
> 73,
> Duke
> --
>
> **********
> Duke -NA1A- Direct Line: (310) 649-2226
> E-mail: na1a@qsl.net or mailto:na1a@ix.netcom.com
> Ham Radio Website: http://www.qsl.net/na1a
> **********

3653. Re: FS:Icom 737A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: IGAB <igab@optonline.net>
Message-ID: <30E95BCC.62BE3299@optonline.net>
Source record: 114494

IC-737A still available ??

K2JY wrote:

> Have for sale an Icom 737A with auto in PERFECT condition.With shipping the
> price is 650.oo.Includes mic,manual and original box.Thanks
>
> K2JY@aol.com

3654. FS: Alinco DJ-580 HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: hodgesmn@email.uc.edu
Message-ID: <7c6cal$6p5$1@news.ececs.uc.edu>
Source record: 114495

Looking to sell the above item. I recently installed a new keypad on it.
The radio is in good condition and comes with:

- Two, 5W, 12V, 1300Ma, Ni-MH battery packs
- MFJ microphone
- Drop in trickle charger (14 hrs to charge)

If interested, make an offer.

3655. Dual band mobile suggestions (2M/440)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: alf3@pipeline.com
Message-ID: <7c6cq1$3d1$1@nnrp1.dejanews.com>
Source record: 114496

Greetings, Looking for suggestions for a dual band (2M/440) mobile rig for my 1996 Dodge Ram pickup. I do not need all kinds of bells and whisltes. I want a radio that will monitor both bands at the same time or even 2 different frequencies in the same band. Cross band repeating??? Not necessary. Removable faceplate??? Nice but not required. Something easy to use and reliable. I am not on for extended periods, but would like it while I travel. Thanks in advance, Mike

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3656. Re: Best Price on a VX5 ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: 106255.1565@compuserve.com
Message-ID: <36e6b874.82584671@news.compuserve.com>
Source record: 114497

dennischiu@my-dejanews.com wrote:

>I saw 13 new VX-5R in HRO San Diego. Their serial number start with 9C...,
>newer than 8N...

I just received mine in uk. It is a 9C and just arrived in country
this week.
Richard

3657. Re: KENWOOD TM-241A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <36E6C20C.37841B6D@flash.net>
Source record: 114498

The Kenwood TM-241A up till now has had only one problem, now it evidently has two problems

Problem 1 is that the connection between the display and the circut board inside will eventualy corrode and the display will go crazy.

Problem 2 is that it cannot recieve 800 meg.

:-)
K5JOE
Joe in Little Rock, AR

wesley jeffries wrote:
>
> I NEED SOME INFO ON THIS RADIO
> LIKE HOW TO GET 800MHZ RX

3658. Re: Dual band mobile suggestions (2M/440)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <36E6C32C.C2AF794A@flash.net>
Source record: 114499

The Kenwood 733, Yaesu 8000, Yaesu 8100, Yaesu 8500, all can recieve
vhf/uhf or vhf/vhf or uhf/uhf at the same time, crossband repeat, and
the 733, and Yaesu 8100 have detachable faceplates for remote mounting
of the radio.
The Yaesu FT-8000 and 8100 can also recieve 800-999 meg.
Hope that helped
K5JOE
Joe in Little Rock, Ar

alf3@pipeline.com wrote:
>
> Greetings, Looking for suggestions for a dual band (2M/440) mobile rig for my
> 1996 Dodge Ram pickup. I do not need all kinds of bells and whisltes. I want
> a radio that will monitor both bands at the same time or even 2 different
> frequencies in the same band. Cross band repeating??? Not necessary.
> Removable faceplate??? Nice but not required. Something easy to use and
> reliable. I am not on for extended periods, but would like it while I travel.
> Thanks in advance, Mike
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3659. FS***TRAM D201A w/stock D104 & manual***

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <18763-36E6C096-1@newsd-143.iap.bryant.webtv.net>
Source record: 114500
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment

Have a very nice Tram D201A for sale.It is about a 7+ or 8 on a 1-10 scale. Has new walnut ends from Maycom.Has LOW & HI power,fan kit,and freq.mod.Works perfect.Comes with "stock" unamplified D104 with the grip to talk and push to talk bars,and a repro manual from "Tram Tech".Price is $575.00 + shipping.If you need more info you can email me at KF6IKC@webtv.net or call me at (530)241-0843.

Take care,
Stan

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

3660. Re: QSYer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: cc732@freenet.buffalo.edu
Message-ID: <F8E65w.DH8@freenet.buffalo.edu>
Source record: 114501

Don't have full name or callsign, but his first name was Mike,
and my invoice has a phone number of: (404) 879-5756. Hope that
helps some. They are very nice units!

3661. Kenwood TR-9130 2 Meter All Mode Comments?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: treynolds@my-dejanews.com
Message-ID: <7c6l37$b9p$1@nnrp1.dejanews.com>
Source record: 114502

I have found a Kenwood TR-9130 all mode 2 meter transciever that a local ham is selling for what I think is a good price ($175). It includes a PL board and cosmetically is a 7 of 10. My interest in this is mainly for use with the sattelites (F0-20, FO-29, and RS12/13) in CW / SSB mode.

Does anyone have any good or bad experience with this rig that they would like to share with me? I did a Deja News search but only found people selling the rig, no comments on how well it works. I tried checking the ARRL web page for a product review when it was new but apparantly they didn't review it.

Please post any replies or email directly to me (treynolds@email.exide.com). Please to not use the Email address above.

Thanks in advance and 73s
Tom

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3662. Houston Area TailGate

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: biekertno@swbell.net
Message-ID: <j_zF2.798$y_2.8022@typhoon01.swbell.net>
Source record: 114503

The Clear Lake ARC in SE Houston (NASA area) will be holding a tailgate on Sunday March 28th 11am to 2pm at 409 W Green Street in Webster Texas.

Contact Glenn WB5IGX for more info wb5igx1@juno.com

73

3663. FS***SUPER SCANNER BASE CB ANT.***

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <18761-36E6C27F-14@newsd-143.iap.bryant.webtv.net>
Source record: 114504
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment

Super Scanner base CB ant.In good shape but could use new nuts and screws (they are rusty).Comes complete with control box,relay box,and original manual.Price is $100.00 + shipping.

If you need more info you can email me at KF6IKC@webtv.net orcall me (530)241-0843

Take care,
Stan

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

3664. FS***GALAXY SATURN BASE $400.00***

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <18760-36E6C145-47@newsd-143.iap.bryant.webtv.net>
Source record: 114505
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment

New Galaxy Saturn.Only out of box for mods.Email me at KF6IKC@webtv.net
or call me (530)241-0843 for more info.

Take care,
Stan

"Since the key to victory can often be found in that instant when the
Warrior commits himself,it is important to be neither early nor late.The
Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the
Warrior

3665. Re: New wide-band antenna!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: g@i-2000.com
Message-ID: <36e70459.4063730@news.i-2000.com>
Source record: 114506
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner

IS it supposed to better than the diamond discone?On Fri, 05 Mar 1999 06:53:45 -0500, "Rich Wells, N2MCA" <n2mca@strongsignals.net> wrote:

>Al-Varus :-{ wrote:
>> If is possible can you give me, more details about Diamond RH77CA wide-band
>> antenna, please??
>
>See http://www.rfparts.com/diamond/hand.html
>
>Strong Signals,
>Rich Wells N2MCA
>http://www.strongsignals.net/

3666. WBT FT-101 MICS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: dakota206@aol.com
Message-ID: <19990310154633.10572.00000940@ng-ch1.aol.com>
Source record: 114507

Wanted To Buy stock mic and desk mic for FT-101. If you have any, please email me at bobn2evv@msn.com

3667. VX-5R links

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: 106255.1565@compuserve.com
Message-ID: <36e6d70c.6860093@news.compuserve.com>
Source record: 114508

I have just received my European VX-5R. The links are (with four pots
to left), 0=off 1=on
01111000
I believe the US version is
00111000
and MARS
00011000
Is this correct. What are the other options (all off is wide
evrything I think) and how do they relate to EVE soft links?
I suspect that repeater shift is governed by the second link and that
switches European/American shifts. Come on, who has worked out all
256 combinations without lifting the copper pads (and without a
microscope)???
Richard G4BBH just being inquisitive

3668. FORSALE - MINT Kenwood TS-520S w/CW filter and mic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7c6nt2$h8@nntpb.cb.lucent.com>
Source record: 114509
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,nj.forsale,rec.radio.amateur.boatanchors

I have a mint Kenwood TS-520S that I would like to sell.
In my opinion, the 520 and 520S are
some of the best rigs around and would make a
fantastic beginner station or a great backup rig.

For any novices not familiar with this radio, it is all solid state
(discrete components, so its very easy to repair if ever needed)
except for a tube driver and a pair of very
robust 6146 tubes as the finals. It has a builit in power supply,
but can also run off of 12VDC with an optional DS-1A
DC-DC convertor (not included). It also has connections for the
Kenwood DG-5 digital display.
It covers 160,80,40,20,15, and 10 meters in CW and SSB (upper and lower) modes.
The receiver section is excellent and I always get excellent audio quality
reports. Many folks say that these older Kenwoods are some of the best
sounding rigs on the air.

This rig also has the optional 500Hz CW filter
installed (genuine Kenwood option). Also included
is the Kenwood hand mic.

The price is $300 firm + shipping. You might find one for a few $ less,
but NOT is this great condition.

Joe Levantino
KB2FSH

(732) 949-0664

3669. FS Kenwood TH-G71A ht mint.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Michel Morin <morinm@csdgs.qc.ca>
Message-ID: <hFBF2.3398$_n2.87456@carnaval.risq.qc.ca>
Source record: 114510

Mint condition TH-G71A (new), still on warranty. Comes with a SMC-33 microphone, PG-3J filtered cigarette lighter adapter, PB-39 high power battery and BC-17 charger. Includes manual, warranty card and original bill of sale, also original boxes. AES sells this bundle for $382.85 plus taxes.

I will let you have it for $300. U.S. including shipping and insurance. Reason for sale is that I need a mobile rig. Inquire by email if interested.

73 de VE2CJW
Michel Morin
Quebec, Canada.

3670. FORSALE - Mint Icom-735/cw filter/mic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7c6o2p$ie@nntpb.cb.lucent.com>
Source record: 114511
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,nj.forsale

---

FORSALE - MINT Icom 735 HF rig.

I have an absolutely mint condidtion Icom 735 HF rig that
I'd like to sell. The rig includes the optional 500-Hz
CW filter, original hand mike with up/down controls, original
manual, and all original packing. I am a non-smoker.

It even still has the protective plastic covering the
switch area under the plastic door!

Rig is located in Monmouth County, NJ.
$650 plus shipping.

Joe Levantino
KB2FSH
(732) 949-0664.

3671. Re: FORSALE - MINT Kenwood TS-520S w/CW filter and mic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Zack Miller <kb3cji@home.com>
Message-ID: <36E63FF8.7A1B487C@home.com>
Source record: 114512
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,nj.forsale,rec.radio.amateur.boatanchors

Hello.
I am interester in this radio. Where are you located? prefer pickup, if
not i would prefer cod.
Thanks
Zack
kb3cji

"J.P. Levantino" wrote:
>
> I have a mint Kenwood TS-520S that I would like to sell.
> In my opinion, the 520 and 520S are
> some of the best rigs around and would make a
> fantastic beginner station or a great backup rig.
>
> For any novices not familiar with this radio, it is all solid state
> (discrete components, so its very easy to repair if ever needed)
> except for a tube driver and a pair of very
> robust 6146 tubes as the finals. It has a builit in power supply,
> but can also run off of 12VDC with an optional DS-1A
> DC-DC convertor (not included). It also has connections for the
> Kenwood DG-5 digital display.
> It covers 160,80,40,20,15, and 10 meters in CW and SSB (upper and lower) modes.
> The receiver section is excellent and I always get excellent audio quality
> reports. Many folks say that these older Kenwoods are some of the best
> sounding rigs on the air.
>
> This rig also has the optional 500Hz CW filter
> installed (genuine Kenwood option). Also included
> is the Kenwood hand mic.
>
> The price is $300 firm + shipping. You might find one for a few $ less,
> but NOT is this great condition.
>
> Joe Levantino
> KB2FSH
>
> (732) 949-0664

3672. FS: KENWOOD 450SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Won Pai <hl1fm@pacbell.net>
Message-ID: <gFBF2.4467$TD3.43309@typhoon-sf.pbi.net>
Source record: 114513

Excellent condition
Mic, DC cable, Manual. 770$
I have two CW filter 500Hz (1st IF) 500Hz (2nd IF).: org 290$
If want buy all : 900$
John

3673. FS: Motorola HT's

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: "ST1A55@msn.com" <ST1A55@email.msn.com>
Message-ID: <OjKPcK0a#GA.246@upnetnews02.moswest.msn.net>
Source record: 114514
Cross-posted to:
rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

2 GP-350 16ch UHF Both Comes
With Battery Antenna & Surveillance Adapter $250.00ea Like New

1 GP-300 16ch UHF Comes With Battery & Antenna $200.00 Used
But In Good Shape

Will Consider Reasonable Offers.
If Interested E-mail Me At ST1A55@msn.com

3674. Eddystone 1650/6 Info. needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: dappleing@aol.com
Message-ID: <19990310171622.18283.00000739@ng101.aol.com>
Source record: 114515

I am trying to find data/data sources on the Eddystone 1650/6 reciever unit.
In
particular, operators handbooks, technical manuals and circuit diagrams.

Any suggestions?

Please reply to DAppleing@aol.com, Thanks. Dave.

3675. Re: SAM'S PHOTOFACTS???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Oris <oris@dirtball.com>
Message-ID: <36E6F107.317A@dirtball.com>
Source record: 114516

MIKE (707) wrote:
>
> For Sam's Photofacts, check-out http://www.hwsams.com
Check out http://www.dirtball.com/sale.html
a whole set of sams photofacts for sale.
73 from Oris

3676. WTB: Kenwood SWC-1 module

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: KC5ALC <kc5alc@mindspring.com>
Message-ID: <7c6s1s$np1$1@camel19.mindspring.com>
Source record: 114517
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I'm looking for an SWC-1 remote module for the Kenwood SW-200 SWR/Power meter. Must be in good working order and physically in good shape.
Contact kc5alc@mindspring.com

3677. FT-847 on HF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: andrewvictor@geocities.com
Message-ID: <7c703blir1@nnrp1.dejanews.com>
Source record: 114518

Is the FT-847 as good on HF as it's copeditors like the Icom IC-746 and 756 or the kenwood TS -890??
Thanks 73
Andrew

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3678. Fa on Ebay, HTX202, item # 76529504

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Marco Ciocca <marco@pa.uky.edu>
Message-ID: <36E6F8D6.8BFAEF67@pa.uky.edu>
Source record: 114519
Cross-posted to: rec.radio.amateur.swap,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec-ham-radio.swap

I have a Radio Shack HTX 202 ht for auction on Ebay. Comes with the
standard NiCad
pack, the Alkaline pack, manual, wall charger and optional speaker
microphone. It is in good conditions. The reserve price is $85.
Thanks for the bandwidth

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=76529504
--
Marco Ciocca KF4URS

3679. Re: fed...UPS....Lets SUE EM..CLASS ACTION ANYONE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: WN1S@webtv.net
Message-ID: <21880-36E6F741-20@newsd-294.iap.bryant.webtv.net>
Source record: 114520

To demonstrate my personal dissatisfaction with ups I decided to pay on a $136.47 COD order WITH PENNIES..... I got a good laugh at the bank where I do my banking but was told by Kim in customer relations that the driver would have to accept this currency...that is UPS customer relations.
I know first hand the correct way to pack especially heavy items like boatanchors approaching 100lbs or so.
It has been my personal experience that packages weighing in excess of 37lbs will be mishandled even by their own standards.
Try settling on a claim on merchandise you packed yourself....regardless of how well you packed it.
I have chosen personally to not ship any heavy items through any service since pick up only items like boatanchors get more expensive with time, I feel time is on my side if I'm forced to wait.....
I was very unhappy when they survived the strike,however. Its TEXTBOOK APATHY man.

Not a Gamblin man,
Vin Wn1S

3680. FT-847 SSB Filters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: mrauchle@aol.com
Message-ID: <19990310181827.05934.00000702@ng27.aol.com>
Source record: 114521

I have an 847 and wondering if anyone has installed the 2.5 SSB filters for TX and RX and if so what is the result? Is it worthwhile?

Thanks

Mike KA7THA

3681. Re: Mobile antenna mounts for truck bed rails

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: Jim Heath <jimheath@foothill.net>
Message-ID: <7c6v9u$49v$1@ns2.foothill.net>
Source record: 114522

We have them in stainless steel.

hsantennas.com

73, Jim KB6SX

Dan K Nelson wrote in message <7c5uvomnb1@news-2.news.gte.net>...
>Jarrod Boehme wrote in message
>>I have seen in the past a manufacturer of mobile antenna mounts that fit
in
>>the bed rail receptacles of many trucks. However, I have lost / forgotten
>>any info on manufacturers names or dealer sources. If anyone can help me
>>out I would appreciate it. I get tired of tipping my mobile antenna every
>>time I garage my truck and would prefer to keep a decent antenna in a
>>permanent position. Thanks.
>>
>>Jarrod
>>N5JBB
>>
>
>
>Give HRO a call. I saw them at their Anaheim store over the weekend, but I
>don't recall the name of the manufacturer.
>
>73 de KF6KNB
>
>
>

3682. FA: Real NICE Collins S Line,,

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36eeff7d.20718105@207.217.77.140>
Source record: 114523

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=75813344

3683. VX-1R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-10 00:00:00 UTC
From: cbarbb@aol.com
Message-ID: <19990309192212.26197.00000265@ng05.aol.com>
Source record: 114622

VX-1R for sale,like new in box $150.Nothing wrong,works fine,wish to by a new rig

Email W8COP@AOL.COM

73 de Chris W8COP

3684. Help Heathkit SB 104

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Oris <oris@dirtball.com>
Message-ID: <36E7DAD1.4B3A@dirtball.com>
Source record: 114274

Hello
Has anyone replaced the 2N6456 finals in the Heathkit SB104 with the MRF455A's. They come in the same case style. After looking at the MRF455A they have the same characteristics. The differance between MRF455 and the MRF455A (NTE334 and NTE333) is the case style. The price is the only other differance, and that is a big differance. Does anyone have a diagram of the MRF455 in push pull. I was looking at the Palomar 255 amp and it has two MRF455 what appears to be in push pull but the amp comes with no diagram. I would of bought the thing for the diagram. I would like to know what the base resistor to ground would be with the 455's in push pull,and what the resistor going accross the two push pull circuits would be. The base resistors going to ground with the 2N6456 are 10 ohms and the resistor connecting the two push pull curcuits is 100 ohms.
Thank you for reading
73 from
Oris
http://www.dirtball.com

3685. Re: VX-5 Euro version cell block?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: 106255.1565@compuserve.com
Message-ID: <36e7d9ac.934516@news.compuserve.com>
Source record: 114275

eric_fre@hotmail.com wrote:

>Well what does it receive?
>Is it cell blocked?
My Euro version is receiving 870 /880 MHz area ok but have not tested
all frequencies.
Richard

3686. WTB : RIB and Cable for MT 2100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: JESPER BRAMM <bramm@get2net.dk>
Message-ID: <ScRF2.211$Yr.104@news.get2net.dk>
Source record: 114276

Anyone got a Motorola RIB for sale outthere ?

RLN4008 Radio Interface Box (RIB)
RKN4035A RIB to Radio Programming Cable, for Portables
MT2100 series

3687. Re: FS***TRAM D201A w/stock D104 $475.00***

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <7183-36E7D8C8-15@newsd-144.iap.bryant.webtv.net>
Source record: 114277
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment

Oops...price should have read $475.00 + shipping NOT $575.00 +
shipping.Hit the wrong key.

Take care,
Stan (530)241-0843 KF6IKC@webtv.net

"Since the key to victory can often be found in that instant when the
Warrior commits himself,it is important to be neither early nor late.The
Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the
Warrior

3688. Re: FT-847 on HF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: mrauchle@aol.com
Message-ID: <19990311103902.09229.00000931@ng41.aol.com>
Source record: 114278

I have no complaints. I have been running an 847 with TL-922A on HF for a while now and it works well. ALC is very sensitive. I have found that if you adjust it so that it just barely shows any indication on the ALC meter display it will work just fine. Any higher and you will get distorted audio. I wish the rig had VOX!

3689. Bounty for MOT info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <36E7E5F6.1436EF3A@erols.com>
Source record: 114279
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

My CAP wing has acquired an entire lot of MOT power transistors from a closing DOD repair facility and we need to identify them as to rating. They all look like similar packages to the MOT MRF-line, but these have only a MOT p/n, not the generic. We have about only 7 different style cases, but about 20 different part numbers. If someone can identify these for us (either MRF equivalent or power in/out, freq., and voltage), I'll personally pay that person a fee on behalf of CAP. What we do know is that they operated radios off 12 volts, were primarily on VHF and we believe that they were used on MOTRAC, MICOR, SYNTOR, etc. type radios. I'll give an example below of the kind of p/n's we have:

These look to be MRF316 or MRF (same case ID) The "M" numbers may be the clue:
M9741 947 8527 210
M9739 458-941 CS077
M1104 185 8612
M1107 185 8218
M9738 458 952 CN875
M1108 458 216 AQ558
M9850 458 017 AO330

This group all look the same:

M9636 185 719
M9689 526 170 500
M9622 185 8609

We've got about 5-6 more "groups, too! Any help???

3690. Re: Belt clip for VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <37b1e494.1974164251@news.atl.bellsouth.net>
Source record: 114280

On Tue, 9 Mar 1999 16:36:46 GMT, Vito Villamor <vovillamor@yahoo.com> wrote:
>Now here's the question: Has anyone taken the VX-5R
>apart?? I need to get to the back of the rear case.
>I can go in detail as to how far I got, but let me
>just say where I got hung up: There are three lock
>rings at the top of the radio that secure the volume
>knob, dial knob, and antenna. I can get the lock
>rings off of the volume and dial knobs be gently
>tapping on the with a small screwdriver, but I can't
>seem to get the antenna's lock ring of as easily.
>Does anybody have any comments on how to remove this
>lock ring, at any suggestions on tools to use to
>remove it?? I searched most of the hardware stores
>for something small enough fit the two notches of the
>the lock ring, and none had a good enough grip on the
>notches.

The tool you need is called an adjustable beam spanner.
The best place to find one is a tool house which caters to
the optical trade (cameras, telescopes, etc). Edmund
Scientific may have one. They are expensive. You might
try taking the radio to a local camera repair shop and let
them take off the ring with their spanner. That should be
lots cheaper than buying one.

You might be able to use a trammel compass as a makeshift
beam spanner. Trammels are available at machine shop
supply stores (J&L, MSC, Travers, etc). That should be
cheaper if you buy an import (Pakistan, India, China, etc).

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

3691. Re: FT-847 SSB Filters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <37b2e83a.1975098818@news.atl.bellsouth.net>
Source record: 114281

On 10 Mar 1999 23:18:27 GMT, mrauchle@aol.com (MRauchle) wrote:
>I have an 847 and wondering if anyone has installed the 2.5 SSB filters for TX
>and RX and if so what is the result? Is it worthwhile?

I installed the Rx filter. It is worthwhile. In fact it makes a big difference
because the skirts are so much sharper. I don't think the Tx filter is
worthwhile. The stock filter is fine on transmit.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

3692. Re: Measuring 75 ohm cable with 50 ohm FDR

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Reg Edwards <G4fgq.Regp@btinternet.com>
Message-ID: <01be6c0e$b6025260$LocalHost@default>
Source record: 114282
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

The frequencies at which line input impedance, Z, R or X, pass through maxima and minima depend entirely on distance from the point of reflection, propagation velocity and the type of discontinuity.

The distance to the reflection is determined from the DIFFERENCES in frequency between successive maximam or minima. For accuracy the frequency intervals should be obtained by averaging over a number of maxima or minima. Anything which tends to shift all apparent frequencies up or down, such as the measurement method or even type of reflection, is of little consequence.

For greatest precision the fact that at LF, velocity tends to increase with frequency should be taken into account.
--
Reg, G4FGQ

3693. Used Police Radar Guns Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: hartmans@inlink.com
Message-ID: <7c8pb9$l4m$1@news1.inlink.com>
Source record: 114283

I am looking for used police radar guns. Two piece or handheld. Please reply with model number and condition. Thanks

3694. Re: FT-847 on HF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <37b3e8b8.1975224095@news.atl.bellsouth.net>
Source record: 114284

On Wed, 10 Mar 1999 23:43:41 GMT, andrewvictor@geocities.com wrote:

>Is the FT-847 as good on HF as it's copeditors like the Icom IC-746 and 756 or
>the kenwood TS -890??
>Thanks 73
>Andrew

No. It is more on a par with the IC-706 or TS-50 or DX70TH
with respect to HF. Where it shines is at VHF/UHF. It is a good
satellite and terrestrial weak signal rig, and a satisfactory FM rig,
which happens to also cover HF. If you're looking primarily for
a HF rig, then this probably isn't the radio for you.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

3695. FS: Frequency Counter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: "Joseph R. Erlewein" <jrerlewe@mtu.edu>
Message-ID: <7c8oo5lin1@campus1.mtu.edu>
Source record: 114285

Hello all,

I decided to sell my frequency counter. I like it but need cash. :P
bummer. Ah well, that happens. Anyways:

It's a DSI instruments Model 5600A. I believe it came from a high-school
electronics lab downstate. It's in pretty good shape. It's 50Hz to 512MHz
in range, has a 9-digit LED display, Two inputs, and three resolution
settings. It can run off of an internal battery (don't have it, but you
can either get one or make one) or a 9-15Vdc source. I use 12v. It's a
desktop meter, about the size of a Telcom cable modem box if you're
familiar with the size of those. Hey, who isn't. :) Anyway, it's smaller
than the average VCR if you're lost on the cable modem comparisson. 3.5"
high, 8.5" wide, 9.5" deep.

Taking best offer, I'd like to start the bidding at $80.00

Thanks,
Joe.

--
Joseph

http://www.qsl.net/n8ouz

3696. WTT:RME 6900 and 6901 SPKR for TL-922A(working)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: "David W. Fleming" <davefleming@novagate.com>
Message-ID: <7c8qftimm0@205.138.138.3>
Source record: 114286

Hello,
I wish to trade a very nice, clean RME 6900 and RME 6901 matching speaker for working, and clean Kenwood TL-922A linear amplifier.
I am putting together Kenwood display, and require the TL-922A in the line up.
Thanks for reading!
davefleming@novagate.com

3697. Re: IC 751A vs. TS850S ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Don Rasmussen <73642.1571@CompuServe.COM>
Message-ID: <Oobmdn9a#GA.309@nih2naae.prod2.compuserve.com>
Source record: 114287

Jeff,

I have owned both, kept the 751a because of the analog S meter
and because I like Icom service. Performance wise, take your pick
- these two are the best of the best. CW, SSB, AM it's all just
as sweet on either of these radios.

de WB8YQJ/6

3698. Re: DO YOU NEED MODS???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Greg Castiglione <GregCa@DIM.com>
Message-ID: <36E7F1DF.147F@DIM.com>
Source record: 114288

MIKE (707) wrote:
>
> Oops...I gave the WRONG address!! The correct one is
> http://home1.inet.tele.dk/ehh/mods/radio.htm

Good site!! --Greg--

3699. Power supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: K4SWB@worldnet.att.net
Message-ID: <MPG.1151bf1172800183989a2b@netnews.worldnet.att.net>
Source record: 114289
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb
Body handling: HTML body converted to readable text

I need the name, location, and phone number of a dealer in
New Orleans, that sells good power supplies, ie, Astron,
Alinco, MFJ, etc.
I have a friend on a merchant ship, that has lost her power
supply, and will be docking in New Orleans within a week or so.
She needs to get another one.
Any help will be appreciated.
--
Charles
K4SWB
<>

3700. WTB Kenwood R599 receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: ku7s@aol.com
Message-ID: <19990311115052.01836.00000993@ng133.aol.com>
Source record: 114290

Want to buy Kenwood R599 in collector quality mint nice clean original condition. Will pay top dollar for one. Lynn KU7S

3701. HTX-202

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Shawn Upton <supton@eece.maine.edu>
Message-ID: <36E7FC0E.41C6@eece.maine.edu>
Source record: 114291

I just bought a used HTX-202 the other day, I've noticed that it hates
being near computers--apparently, it is really senstive to computer
noise. Has anyone else noticed this? What is it from?
--
****
Shawn Upton
Electrical Engineering Student
University of Maine at Orono
webpage: http://www.eece.maine.edu/~supton/
mail: supton@eece.maine.edu
KB1CKT Tech Plus
****

3702. Re: Help: Kenwood TS 940S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Butch Magee <butchkay@netdoor.com>
Message-ID: <36E7FCA3.A1BE4941@netdoor.com>
Source record: 114292

Does it work on the shortwave stations?

Jonathan Winter wrote:

> I have just purchased a 940S and all appears to work well with the
> exception of AM. When I use the AM mode, I receive nothing on the
> standard broadcast frequencies or for that matter any other frequency.
> The radio has no optional filters, only the standard YK88S1 filter. I
> may be overlooking something but I doubt it.... any help out there would
> be greatly appreciated. (I have no trouble listening to AM using SSB...
> plenty of gain etc... but when I switch to AM mode.... I can just barely
> tell when I cross a strong station, but I cannot hear the
> transmission....
>
> Please reply to jwinter@pacificrim.net
>
> Thanks all.
>
> Jonathan Winter
> Bellingham Antique Radio Museum

3703. FA: 2MTR VHF AMP...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36ebfb58.10264242@207.217.77.140>
Source record: 114293

Mirage Amp. VHF
Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=75793226

3704. Alinco DR140 Rx problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: farkle <transcom@access.mountain.net>
Message-ID: <36E8076A.9274D298@access.mountain.net>
Source record: 114294

I have 2 DR140 Alinco's that have identical receive sensitivity
problems, I have the service manual & have replaced the rf amp on the
rcvr but can't seem to find where the
signal is being lost in the circuit, has anyone had similiar problems &
has anyone got a
tech bulletin on this problem? Any help
appreciated...Thanks.....Fred/N8CQQ

3705. Re: Standard Radio? Are they gone???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Scott Manthe <scam@siu.edu>
Message-ID: <110319991225162187%scam@siu.edu>
Source record: 114295

[[This message was both posted and mailed: see
the "To," "Cc," and "Newsgroups" headers for details.]]

In article <5LzA2.464$YF1.2086598@news.inreach.com>, Greg Ottria
<Gottria@inreach.com> wrote:

> Whats up with Standard radio? I know parts of them are being bought out by
> Yaesy and now their website is not up anymore. WWW.stdradio.com
>

The web site should still be up, although I think they were having some
problems with the server. Roger was not available because he was in
Japan. Here's the straight dope:

Marantz, who manufactured Standard communication products has decided
to get out of the two way radio business. They have sold the Standard
division to Yaesu, which amounts to nothing more than the name in
Japan, since they'll be keeping most of the engineering staff and
manufacturing facilities to make stereos, etc.

Yaesu will probably market some Standard amateur rigs in Japan under
that name, but they can't do it here as the tradmarks are owned by
Roger. The new company has contracted to make spare/replacement parts
for 7 years and Roger has plenty of Marantz-Standard inventory, so
don't look for them to disappear any time soon. Obviously, don't look
for much new in the product line.

It's too bad that the amateur market is so flat that Marantz felt they
needed to do this, as they made fine gear. The Japanese market, is
supposedly in terrible shape. Even though we won't see them here in the
States, a Yeasu-Standard will not be the same quality-wise, in my mind.
I have two Standard rigs and they beat every other amateur grade
product hands down in quality and performance. I guess I'll just have
to hang on to my trusty C568A and it's companion until I can't get
parts for them anymore.

I'll be interested in talking to Roger at Dayton, maybe he'll have some
more to add. For the time being, Standard is still alive, though I'm
not sure what effect this will have on the Land/Moblie division.

Hopefully, this has been helpful.

Scott Manthe, N9AAT
scam@siu.edu

3706. Re: FS: Yaesu FT-1000D

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: rmay442@aol.com
Message-ID: <19990311133059.23033.00000996@ng138.aol.com>
Source record: 114296

Please send pic and list of options

3707. Re: FS: Yaesu FT-1000 HF Rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: rmay442@aol.com
Message-ID: <19990311133627.23033.00000998@ng138.aol.com>
Source record: 114297

What differences from this radio and the D model you have for sale?

3708. FS: Like Brand New Kenwood TS440SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <7c962o$im2$1@nnrp1.dejanews.com>
Source record: 114298
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Must sell. Everything looks untouched, 20 million serial #. Mic, power cord, box. This rig sold new in 1991. I think they stopped making them in 1991. I have checked the rig out and everything seems to works perfect. I bought it from the original non ham owner who never got his license. I have the original shipping sticker from Texas RF Distributors, Plano, TX, shipped to the person from whom I bought the rig. $760 + shipping.

Bill K9KZ

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3709. WTB: Need Manual - Kenwood TH-215A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: John Nance <john@reno.quik.com>
Message-ID: <TIUF2.118$7q6.504811@newsfeed.intelenet.net>
Source record: 114299

Looking for manual or copy of for the Kenwood TH-215A, also need BC-7 or BC-8 charger for the same.

email: john@reno.quik.com

Thanks, John

3710. Re: Mod for HTX-212

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: VKHD16A@prodigy.com
Message-ID: <7c95es$er2c$1@newssvr04-int.news.prodigy.com>
Source record: 114300

I have the HTX-242. It is one of the best with respect to cross mod. I have been using it for 2 years mobile in a high rf area.
As for the mod, I saw it in this newsgroup. Opening my rig, I could not find the parts described in the mod, so I conclude it is false.

Steve

3711. Re: Anyone have a source for small quantities of toko coils besides digi-key?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: tvrepairs@yahoo.com
Message-ID: <7c9a9cmiv1@nnrp1.dejanews.com>
Source record: 114301
Cross-posted to: rec.radio.amateur.equipment,sci.electronics.design

Try Electronix at http://www.electronix.com I buy most of my parts from them.

Good luck,
Daren

In article <36E7DA06.102AD132@technologist.com>,
nicholas charles caruso <caruson@certco.com> wrote:
> I need a 3.9mH shielded coil (specifically, a toko 10RB series).
> Digi-key carries these, but they just stopped
> (perversely, to my mind) stocking the 3.9mH value.
>
> Anyone know a place where I might be able to buy small quantities (4 or
> so) of this part?
>
> I've already tried: newark, electronix express, jameco, mouser, Dan's
> Small Parts and RF Parts.
> No dice.
>
> I'm willing to buy a pot core form and wind this myself if it's feasible
> to do by hand, but I'd rather buy the toko part if possible.
>
> --ncc
>
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3712. TS-700SP 2M all mode 4 sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Jim Hale <kj5tf@madisoncounty.net>
Message-ID: <66997E8B0A78370D.09ACE3E2A31DEF98.FF882A0A69E98A2F@library-proxy.airnews.net>
Source record: 114302

I'm selling my Kenwood TS-700SP 2M FM-SSB-CW-AM transceiver.

Its in good condx, has original box, manual, never been mobile.

We're non-smokers so it even smells good - hi

Its working fine on all modes - I get good reports on repeaters.

I'd like $300. or best offer - Thanks 73's de Jim

3713. Robot 1200 or 450C info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Tom Robinson <iga@ezaccess.net>
Message-ID: <ADE9B42E180AEF6E.DFE7094B43DE2FB6.ADBCEAF99C181F6A@library-proxy.airnews.net>
Source record: 114303

Need manual and/or schematic information for Robot 1200 and Robot 450C.
Reply to WB2YGA@juno.com

3714. Bafoofnik's Ham Radio Search Engine

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Spencer Lazar <slazar19@sgi.net>
Message-ID: <36E89822.5EFC@sgi.net>
Source record: 114304

You are invited to visit Bafoofnik's Ham Radio Search Engine.

http://www.qth.com/stamper/search/bafoofnik.htm

A search engine to find everything thats anything in ham radio.

73, Spike W9XR

3715. FS & FA Electronic trainers (breadboards)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: h89user@my-dejanews.com
Message-ID: <7c9cjl$oq0$1@nnrp1.dejanews.com>
Source record: 114305

I have a DeVry Inc. (Bell & Howell) Electronic Trainer w/case up for auction on eBay. . It was likely used in DeVry's technical electronic school classes.You can identify it as Item #75848077. Presently the high bid is only $5.00. There are 4 more days before the auction closes.

The trainer has multiple supply voltages AC at 12.6 volts and 6.3 volts, DC at 5.0 regulated and an adjustable power supply with separate controls for 0 to 17 volts and 0 to -17 volts. It's function generator can provide square, sine and saw-tooth waves. Both frequency and amplitude are adjustable. There are separate coarse and fine frequency adjustments. The workarea has two Velcro strips to hold the circuit being worked on. Two project boards with Velcro strips are included.

It is in great condition and has a hard plastic case with a handle. The case is 5.5 inches high when closed. This allows the case to be closed and put away with the components in place. The unit sits loosely in the hard plastic case that allows the power cord to be stored within the case when it is closed. Some of the dimensions (measured in inches) are given below:

Total top surface 9.75 x 9.5
Total area available for project boards 7.5 x 6.5
Comes with 2 project boards 6.5 x 2.5 and 5.5 by 2

This is the first of five trainers that I plan to sell. None of these other units have been listed on eBay. The other four include 2 Heathkit units somewhat similar to the above except that there is no case and the project boards are not removable.

The remaining 2 units are probably from the 1960's. The voltages available suggest that they are from the tube era (filament voltage). For these old units I also have a box full of the connectors used to construct the circuit. I thought that these units might be interesting to someone experimenting with motor control and robotics circuits

If anyone has any question on the trainer I have on eBay, or any of the others, my email address is h89user@aol.com.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3716. **FS-KENWOOD TS-440sat and Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: k8fox@arrl.net
Message-ID: <36ea2973.519510706@news.cwru.edu>
Source record: 114306

```
-Kenwood TS-440sat HF Receiver
-Very Clean, Works great, Used by non-smoker, never moble
-Includes TU-8 Tone Board, Hand Mic and Instruction manual

-Kenwood SP-430 Speaker

-Kenwood Desk Mic MC-60

-Vinyl Dust Cover (for 440)

Price $650 OBO (SHIPPING EXTRA!)

-Mike
```

3717. Headsets other than Heil?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: BarryG <bgnospam@albany.net>
Message-ID: <7c99v7$54g$1@news.monmouth.com>
Source record: 114307

Would appreciate recommendations for headset with comfortable headphones
that have less treble accentuation than the Heils.

Tnx & 73,
Barry N1EU

email: bg@albany.net

3718. Re: FT-847 on HF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Marv Luse <mwluse@dimensional.com>
Message-ID: <36E82D74.2CEDDB3F@dimensional.com>
Source record: 114308

Gary Coffman wrote:

> On Wed, 10 Mar 1999 23:43:41 GMT, andrewvictor@geocities.com wrote:
>
> >Is the FT-847 as good on HF as it's copeditors like the Icom IC-746
> and 756 or
> >the kenwood TS -890??
> >Thanks 73
> >Andrew
>
> No. It is more on a par with the IC-706 or TS-50 or DX70TH
> with respect to HF. Where it shines is at VHF/UHF. It is a good
> satellite and terrestrial weak signal rig, and a satisfactory FM rig,
> which happens to also cover HF. If you're looking primarily for
> a HF rig, then this probably isn't the radio for you.
>
> Gary
> Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
> 534 Shannon Way | We break it |
> Lawrenceville, GA | Guaranteed |

So what do you consider a good HF rig in the price range of the FT-847,
if any?

Marv
KC0EGB

3719. WTB; SWC-1 module for Kenwood

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: KC5ALC <kc5alc@mindspring.com>
Message-ID: <7c9aik$96r$1@camel15.mindspring.com>
Source record: 114309
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I'm looking for an SWC-1 remote module for the Kenwood SW-200 SWR/Power meter. Must be in good working order and physically in good shape.
Contact kc5alc@mindspring.com

3720. FS: RCA 811A Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Andrej Deticek <andrej.deticek@siol.net>
Message-ID: <36E836B3.78E40B91@siol.net>
Source record: 114310

Four new RCA 811A in original boxes for $ 100.00, including airmail
shipping anywhere.

Andrej Deticek
Ljubljana, Slovenia

3721. Re: Headsets other than Heil?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <36E8398C.EFCF5640@erols.com>
Source record: 114311

Well, tell you what I did. I made a 10 minute cassette tape from a very clear SSB QSO on 20, then took it to Circuit City and tested some headsets while listening to the tape. They thought it was strange, but I was going to buy a headset..so, they went along with it. Its probably not a 100% perfect transfer of spectrum, but at least I got to test a number of headsets for clarity and comfort.

BarryG wrote:

> Would appreciate recommendations for headset with comfortable headphones
> that have less treble accentuation than the Heils.
>
> Tnx & 73,
> Barry N1EU
>
> email: bg@albany.net

3722. Re: UHF SYSTEM SABER 3

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36E824BC.3C4FD317@postoffice.pacbell.net>
Source record: 114312
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

440 to 470 mhz

3723. Need Icom IC-3210A Manual/Schematic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Mike Lafferty <lafferty@bluemoon.net>
Message-ID: <36E8397E.3C13B00A@bluemoon.net>
Source record: 114313

Can you help?
Need asap.
Thanks, es 73.

Mike Lafferty
Buffalo, NY
WA2ECA

3724. FS-KENWOOD TS-440sat and accessories...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: k8fox@arrl.net
Message-ID: <36ec3a3f.523811310@news.cwru.edu>
Source record: 114314

Kenwood TS-440sat

Package includes:
-TU-8 Tone Board
-manual
-hand mic
-Kenwood Desk Mic MC-60
-Speaker SP-430
-Vinyl Dust cover (for 440)

All in very nice condition. Used by non-smoker and never moble.

Price for all the above $650 OBO (PLUS SHIPPING!)

e-mail to k8fox@arrl.net

3725. FS: HX-10 Marauder by Heathkit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Brian Pinsent <pinsentb@nb.sympatico.ca>
Message-ID: <36E83A21.4F9A@nb.sympatico.ca>
Source record: 114315

FS HX-10 Marauder, SSB Transmitter, Heathkit, in excellent physical condition, Has not been powered up in a number of years. $100 US. +shipping. Unit is heavy and located in Eastern Canada. Email pinsentb@nb.sympatico.ca.

3726. Re: VX-5 Euro version cell block?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Wim Cuijpers <skyhigh@xs4all.nl>
Message-ID: <7c9gsnrnf1@news2.xs4all.nl>
Source record: 114316

I tried your jumpersetting but no result on blocking.
I had to set radio whith EVE software (great stuff!) again. It was in a
rather strange mode TX and RX only on the 3 ham bands no wide RX.
Cell blocking in US version = +_ 824-849Mhz
Wim
Richard C. Ferryman <106255.1565@compuserve.com> heeft geschreven in bericht
<36e7d9ac.934516@news.compuserve.com>...
>eric_fre@hotmail.com wrote:
>
>>Well what does it receive?
>>Is it cell blocked?
>My Euro version is receiving 870 /880 MHz area ok but have not tested
>all frequencies.
>Richard

3727. FS/FT: Yaesu FT-50R w/acc DFW area only

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Jerry Decker <jerry_decker@msn.com>
Message-ID: <uQsSgEBb#GA.278@upnetnews05>
Source record: 114317
Cross-posted to: dfw.forsale,rec.radio.amateur.equipment,rec.radio.swap

For Sale or Trade: DFW area only

$225.00

Yaesu FT-50R VHF/UHF Portable Transceiver (2m/70cm Amateur)
w/ FTT-12 Pad (additional features over standard Touch-Tone pad)
Yeasu NC-50 Rapid Charger and 2 sleeves for FT-50R
FNB-45 6vdc 600mah NiCad Battery

This is a good rig and has had no mods applied. I am parting with it because
I do not have a use for it anymore.

If interested, email me at jerry_decker@msn.com

Tnx es 73 de Jerry N5RV

3728. Re: VX-5 Euro version cell block?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: 106255.1565@compuserve.com
Message-ID: <36e84523.632456@news.compuserve.com>
Source record: 114318

eric_fre@hotmail.com wrote:

>Well what does it receive?
>Is it cell blocked?
I have now tested further and there is NO blocking anywhere above 48 mHz including cellphones on this European VX-1R (in uk). I tested every 10MHz from 48 MHz to 998 MHz and think that was sufficient.
Richard

3729. Re: FT-847 SSB Filters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Bob or Chris Balonis <rmborcmb@penn.com>
Message-ID: <36E84EA0.71E4@penn.com>
Source record: 114319

International Radio (on the web) has both Collins Mechanical filters
which are form, fit, and function equivalent to the Yaesu filters @ $120
bucks each. If you want even better shape factors & bandwidths (2.1 kHz
SSB, 250 or 400 Hz CW) they also have crystal filters (@150 each), but
they must be wired to a supplied board (that plugs into the filter slot)
via a coax and placed near the front of the unit). I've put the the
crystal ones (recieve only) & they work great.

Bob

Gary Coffman wrote:
>
> On 10 Mar 1999 23:18:27 GMT, mrauchle@aol.com (MRauchle) wrote:
> >I have an 847 and wondering if anyone has installed the 2.5 SSB filters for TX
> >and RX and if so what is the result? Is it worthwhile?
>
> I installed the Rx filter. It is worthwhile. In fact it makes a big difference
> because the skirts are so much sharper. I don't think the Tx filter is
> worthwhile. The stock filter is fine on transmit.
>
> Gary
> Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
> 534 Shannon Way | We break it |
> Lawrenceville, GA | Guaranteed |

3730. Hallicrafters SX-96 & R-47 at Auction

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: DA Honeycutt <k3458@leo.infi.net>
Message-ID: <36E8284C.6CE27B0B@leo.infi.net>
Source record: 114320
Cross-posted to:
rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Hello Everyone,

I've got a great old Hallicrafters SX-96 Receiver and R-47 speaker
listed at eBay Auction. Both are in excellent collectable condition.
Please take a look:

Follow this link to the Listing

Thank you,
David Honeycutt

3731. Re: IC 751A vs. TS850S ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Will Rogers <w4wlr@flinet.com>
Message-ID: <7c9m9n$o22$1@news.flinet.com>
Source record: 114321

Hi Don!

Have had my IC-756 for 18 months or so. Using an SM8 mike left over from my old 735 that was struck by lightning. (One side of the SM 8 is inoperative, but the other side works well.) Played around with the bass and treble settings and get excellent reports of the audio. Guess they are well-matched.

Hope this helps and 73 de

Will W4WLR
Don Rasmussen <73642.1571@CompuServe.COM> wrote in message ...
>Jeff,
>
>I have owned both, kept the 751a because of the analog S meter
>and because I like Icom service. Performance wise, take your pick
>- these two are the best of the best. CW, SSB, AM it's all just
>as sweet on either of these radios.
>
>de WB8YQJ/6

3732. Re: THE BEST DX RIG OUT THERE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Jim Stone <af4at@coastalnet.com>
Message-ID: <vxYF2.151$Lv5.719@news15.ispnews.com>
Source record: 114322

Depends on who is behind the mike or paddle
Bob Richardson wrote in message <7c7n2n$kl6$1@news.cmc.net>...
>
>andrewvictor@geocities.com wrote in message
><7c4ahs$9vl$1@nnrp1.dejanews.com>...
>>What do you think the best dx rig out for under 2000 dollars and over 2000
>>dollars???? And why??
>> Thanks and 73's
>> Andrew
>>
>Andrew-
>
> Well, since you refer to "rig" I am going to rashly assume that you
want
>to both transmit and receive messages rather than just find a great
>receiver. So first, let me say that if you mean you have 2K for the entire
>station, remember the Three Big A's of DX: Antenna, Antenna, and......
>Antenna.
>
> If I had 2K for a shack, I'd buy a basic XCVR and put the rest into a
>truely great antenna setup.
>
> If you are looking for a tranceiver in that range, I'd check out the
>Yaesu FT-920. Really cool receiver with 33Mips DSP, selectable rf preamps
>(MOSFET and J-FET), IPO, different attenuation levels, a menu system
>that customizes everything about the radio, built in antenna tuner, keyer,
>digital voice recorder, etc, etc, etc.
>Decent rig for 1449 now from various sources, Then buy the filters.
>
>Just one ham's opinion. Doubtless I'll be corrected soon. BTW, this rig
>also does 6 meters, and was originally
>a $2300 radio.
>
>73's
>Bob
>KQ6ZA
>
>
>
>
>

3733. FS Kenwood TH-G71A mint.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Michel Morin <morinm@csdgs.qc.ca>
Message-ID: <hJYF2.4012$_n2.94066@carnaval.risq.qc.ca>
Source record: 114323

Mint condition TH-G71A (almost new), still on warranty. Comes with a SMC-33 microphone, PG-3J filtered cigarette lighter adapter, PB-39 high power battery and BC-17 charger. Includes manual, warranty card and original bill of sale, also original boxes. AES sells this bundle for $382.85 plus taxes.

I will let you have it for $300. U.S. including shipping and insurance. Reason for sale is that I need a mobile rig. Inquire by email if interested.

73 de VE2CJW
Michel Morin
Quebec, Canada.

3734. Denver, NC - Help find Him!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Dan Vaught <afarmer@roanoke.infi.net>
Message-ID: <36E858AF.C556D70D@roanoke.infi.net>
Source record: 114324

Hard Drive crash
Need help finding gentleman in Denver, NC about our 19"rack deal!
Dan

3735. Re: Standard Radio? Are they gone???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Timmins <timmins@penn.com>
Message-ID: <7AZF2.108$il2.3692@newsfeed.slurp.net>
Source record: 114325

At least I got my C508......finest stealth HT ever......
Scott Manthe wrote in message <110319991225162187%scam@siu.edu>...
>[[This message was both posted and mailed: see
> the "To," "Cc," and "Newsgroups" headers for details.]]
>
>In article <5LzA2.464$YF1.2086598@news.inreach.com>, Greg Ottria
><Gottria@inreach.com> wrote:
>
>> Whats up with Standard radio? I know parts of them are being bought out
by
>> Yaesy and now their website is not up anymore. WWW.stdradio.com
>>
>
>The web site should still be up, although I think they were having some
>problems with the server. Roger was not available because he was in
>Japan. Here's the straight dope:
>
>Marantz, who manufactured Standard communication products has decided
>to get out of the two way radio business. They have sold the Standard
>division to Yaesu, which amounts to nothing more than the name in
>Japan, since they'll be keeping most of the engineering staff and
>manufacturing facilities to make stereos, etc.
>
>Yaesu will probably market some Standard amateur rigs in Japan under
>that name, but they can't do it here as the tradmarks are owned by
>Roger. The new company has contracted to make spare/replacement parts
>for 7 years and Roger has plenty of Marantz-Standard inventory, so
>don't look for them to disappear any time soon. Obviously, don't look
>for much new in the product line.
>
>It's too bad that the amateur market is so flat that Marantz felt they
>needed to do this, as they made fine gear. The Japanese market, is
>supposedly in terrible shape. Even though we won't see them here in the
>States, a Yeasu-Standard will not be the same quality-wise, in my mind.
>I have two Standard rigs and they beat every other amateur grade
>product hands down in quality and performance. I guess I'll just have
>to hang on to my trusty C568A and it's companion until I can't get
>parts for them anymore.
>
>I'll be interested in talking to Roger at Dayton, maybe he'll have some
>more to add. For the time being, Standard is still alive, though I'm
>not sure what effect this will have on the Land/Moblie division.
>
>Hopefully, this has been helpful.

>
>Scott Manthe, N9AAT
>scam@siu.edu

3736. Linux

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Bill Clarke <W2BLC599@bigfoot.com>
Message-ID: <7c9pjc$l3i$1@paxfeed.eni.net>
Source record: 114326

Is anyone using LINUX as their operating system? Any ham related software
for it around? Is there a newsgroup specific to LINUX and ham radio?

Thanks,
--
Bill Clarke W2BLC
W2BLC@bigfoot.com

3737. FT-1000, FT-1000D, MD-100A8X -SOLD-

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36E8005B.5B69A200@ix.netcom.com>
Source record: 114327
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Yeasu FT-1000, FT-1000D and MD-100A8X desk mic are sold. Thanks to all
inquiries. MD-1 desk mic is still available. $80.
73,
Duke

****
Duke -NA1A- Direct Line: (310) 649-2226
E-mail: na1a@qsl.net or mailto:na1a@ix.netcom.com
Ham Radio Website: http://www.qsl.net/na1a
****

3738. Re: THE BEST DX RIG OUT THERE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36E8725A.67007E1@cfu.net>
Source record: 114328

Amen. the best dx rig is the one with the best operator. 5BWAZ has been made as often by peoiple runing rigs constructed from old TV parts (in eastern Europe) as people who paid $5000 for their radios (in US). Equipment doesn't make DX; people do.

Jim Stone wrote:

> Depends on who is behind the mike or paddle
> Bob Richardson wrote in message <7c7n2n$kl6$1@news.cmc.net>...
> >
> >andrewvictor@geocities.com wrote in message
> ><7c4ahs$9vl$1@nnrp1.dejanews.com>...
> >>What do you think the best dx rig out for under 2000 dollars and over 2000
> >>dollars???? And why??
> >> Thanks and 73's
> >> Andrew
> >>
> >Andrew-
> >
> > Well, since you refer to "rig" I am going to rashly assume that you
> want
> >to both transmit and receive messages rather than just find a great
> >receiver. So first, let me say that if you mean you have 2K for the entire
> >station, remember the Three Big A's of DX: Antenna, Antenna, and......
> >Antenna.
> >
> > If I had 2K for a shack, I'd buy a basic XCVR and put the rest into a
> >truely great antenna setup.
> >
> > If you are looking for a tranceiver in that range, I'd check out the
> >Yaesu FT-920. Really cool receiver with 33Mips DSP, selectable rf preamps
> >(MOSFET and J-FET), IPO, different attenuation levels, a menu system
> >that customizes everything about the radio, built in antenna tuner, keyer,
> >digital voice recorder, etc, etc, etc.
> >Decent rig for 1449 now from various sources, Then buy the filters.
> >
> >Just one ham's opinion. Doubtless I'll be corrected soon. BTW, this rig
> >also does 6 meters, and was originally
> >a $2300 radio.
> >
> >73's
> >Bob
> >KQ6ZA
> >
> >

> >
> >
> >

3739. Re: Linux

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: msb <msbSPAMMAPS@newpony.com>
Message-ID: <7c9slr$9nq@sjx-ixn6.ix.netcom.com>
Source record: 114329

hi bill,

ive a ham friend who is a linux heavy. he's been running it
for years. if you are interested you might checkout
www.redhat.com . the software is there for many platform,
intel, alpha, etc.
also there is a linux (at least one) newsgrp.

here's a recent msg from the digital newsgrp.

{start paste}
A free (GPL) host mode terminal program for the Kantronics Kam Plus is
on my web site
http://www.cvine.freeserve.co.uk

I run it on linux but it should compile on any Unix system (I would be
interested in reports from *BSD users).

Reports from users would be welcome.

Chris.

{end paste}

reagrds,
msb
Bill Clarke wrote in message <7c9pjc$l3i$1@paxfeed.eni.net>...
>Is anyone using LINUX as their operating system? Any ham related software
>for it around? Is there a newsgroup specific to LINUX and ham radio?
>
>Thanks,
>--
>Bill Clarke W2BLC
>W2BLC@bigfoot.com
>
>
>

3740. FS Motorola System Saber 3

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36E85355.297087@postoffice.pacbell.net>
Source record: 114330
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Radio is in excellent condition,is on the 440 to 470 mhz split.It is secure capable and has a DES-XL module installed.Has full keypad and alpha display with 255 channels.Includes radio, antenna and good high capacity battery. $700 or possible trade
Al

3741. Re: IC-W32A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: KJ <kjessup@SPAMSTOP_nconnect.net>
Message-ID: <36e75eee.0@tornado.tcccom.net>
Source record: 114331
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc

MindSpring User wrote in message <7c3i64pfi1@camel18.mindspring.com>...
>I have a IC-W3a also I really like it but the yaesue FT-50rd in my opinion
>is a better radio. It has most of the same functions and capabilities but
it
>has a better a wide band receiver with W-FM N-FM and AM receive, you can
>receive TV stations and whatever else all the way up to 1 gig I think
>(maybe higher)
>
>Dave Wilkin
>KF4WVB

Too each his own, I guess. I love my IC-W32A.
At least ICOM got ONE of their radios right! ;->

Yes...my IC2100H 2-meter mobile sucks too.

3742. FT-100 received

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Bruce <bt10ant@ptconnect.infi.net>
Message-ID: <36E89F0F.12B9@ptconnect.infi.net>
Source record: 114332

Thursday, March 11, 1999:

Received my FT100 today from HRO. Looks and feels great. Haven't much gotten into it yet, but have to at least report they are OUT!!!

Bruce/Long Beach CA

3743. VX-5r low audio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: "Glenn E. Frasier" <kd5dmg@digitex.net>
Message-ID: <uzVnNnEb#GA.285@upnetnews02.moswest.msn.net>
Source record: 114333

Anyone else notice low audio reports from others when useing the built in mic. On an external mike people say i sound alright. is there a fix for this?

--

Glenn E Frasier jr. Kd5dmg
kd5dmg@msn.com
home page http://members.tripod.com/kd5dmg/

3744. [HELP] Compatible tuner AMERICA and EUROPE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Laurent KETTELA <laurent.kettela@cea.fr>
Message-ID: <36E8813A.56B32FFC@cea.fr>
Source record: 114334
Cross-posted to: rec.radio.amateur.equipment,rec.antiques.radio+phono

Hello,

I will buy a video-audio receiver, It is the tuner compatible with
european band ?

Thanks

Laurent

3745. Re: Best Price on a VX5 ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: eric_fre@hotmail.com
Message-ID: <7c75omqpq1@nnrp1.dejanews.com>
Source record: 114388

In article <36e6b874.82584671@news.compuserve.com>,
106255.1565@compuserve.com (Richard C. Ferryman) wrote:
> dennischiu@my-dejanews.com wrote:
> I just received mine in uk. It is a 9C and just arrived in country
> this week.
> Richard
>
Did you order this from the US or has the Euro version arrived? If it is the
euro version what RX does it have what is blocked and how does the ctcss work?
cheers
Eric.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3746. DJ-580 cross banding

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: k4jdh@my-dejanews.com
Message-ID: <7c75scqqs1@nnrp1.dejanews.com>
Source record: 114389

I have a Alinco DJ-580 that is used for cross banding. My problem is with tone squelched 2M repeaters. The radio works fine direct but does not seem to generate a CTCSS tone when in cross band. Any suggestions would be appreciated.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3747. VX-5 Euro version cell block?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: eric_fre@hotmail.com
Message-ID: <7c75veqrm1@nnrp1.dejanews.com>
Source record: 114390

Well what does it receive?
Is it cell blocked?

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3748. Just Received New TS440S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <7c770jrss1@nnrp1.dejanews.com>
Source record: 114391

I just bought a Kenwood TS440SAT that was never used by the non ham owner. He didn't get his license. He bought it new in 1991 from Texas RF Distributors in Plano, TX. The radio was unused until today when I turned it on. The radio is a 20 million serial #. Does anyone know what the last serial #s were for the TS440S? Has anyone had a later serial # than this?

Bill K9KZ

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3749. Re: WTB ALPHA HF AMPLIFIER or HENRY 3K

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: nimski1@aol.com
Message-ID: <19990310200559.23033.00000687@ng138.aol.com>
Source record: 114392

HI JOE: IF INTERESTED , I HAVE A VERY CLEAN HENRY 2K CLASSIC X. RUNS TWO 3-500Z TUBES WITH 42OO VOLTS ON THE PLATES. I AM CURRENTLY NOT INVOLVED IN AMATUER RADIO. PRICE $1500 STEVE WISN

3750. ==>PROGRAMMING INFORMATION NEEDED ON RITRON<==

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: msisco9939@aol.com
Message-ID: <19990310212344.20444.00000664@ng108.aol.com>
Source record: 114393

Yep:

Believe it or not, I am in need of some information concerning the Programming Requirements for Ritron Mobiles...Seem to be about 2-3 years old, Orange Display...Looks like it gets programmed through the Mike Jack like the Motorola Maxtracs....

Any Information would be helpfull, and will ty and return same...

What are the Requirements?

programming cable? (Y/N)

Interface box? (Y/N)

Software? (Y/N)

Distributor? (Where?)

3751. forsale: dualband ht

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: wardseward@yahoo.com
Message-ID: <7c7f8r$2st$1@nnrp1.dejanews.com>
Source record: 114394

FS: ADI AT-600HP dualband HT w/battery, wall charger, rubber ducky, manual and box, speaker/mic, leather case, and car lighter adapter.

This rig is in great shape and hasn't seen much use. If you have any questions send me an email. I'm asking $250 plus S&H.

-\/\/ard--KB9TFF
wardseward@yahoo.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3752. fs- Kenwood TR-751A 2mtr all-mode!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990310231403.25383.00000879@ng-fw1.aol.com>
Source record: 114395

Hi Guys;
FOR SALE:
KENWOOD TR-751A 2 meter all-mode with Bracket, manual the the Tone board!
Excellent condx, Price is $450ppd Conus!
Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

3753. FS:MIB Yeasu FT900/CAT w/CW filter & remote kit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: radiofreq0@aol.com
Message-ID: <19990310234500.06026.00001279@ng-cg1.aol.com>
Source record: 114396

I have a Yeasu FT900/CAT new in the box. I bought this rig about a year ago,
set it on my desk, listened to it and oput it away believing I going to use it
as my mobile rig. Well, it just never happened.
I must let this gem go, I'll never install it.
In its own box, w/ al the documention it came with.
$950.00 plus shipping and well worth it..
tnx,
Jeff

3754. IC 751A vs. TS850S ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: s55648@aol.com
Message-ID: <19990310234909.06038.00001388@ng-cg1.aol.com>
Source record: 114397

Please advise, which is the better of the two radios? Leaving the 'bells and whistles out of it, I am speaking purely of sensitivity, selectivity, etc "picking out the weak ones'
RSVP
Jeff

3755. FS on eBay: Kenwood TH-28a HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: millerpe@spot.Colorado.EDU
Message-ID: <millerpe.921128870@spot.Colorado.EDU>
Source record: 114398

Here is the link to the auction:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=76439740

Thanks!

3756. WTB: 6550's For My CE100V

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: wabate@erols.com
Message-ID: <36eb536c.15901185@news.erols.com>
Source record: 114399

Wanted to Buy:

Two 6550's tubes for my Central Electronics Transmitter. Do not have to be a matched pair. Please don't waste your time and mine with $100 prices. If you want to trade, let me know what you are looking for.

Thanks,

Bill Abate, K3PGB
wabate@erols.com

3757. Alinco Pair: (1) DJS-41 uhf & (1) DJS-11 / Brand New / Modified

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: radioman@localnet.com
Message-ID: <IHIF2.36$Ah3.225@news14.ispnews.com>
Source record: 114400

One Of Each / Will not split up the two. They are one month old, barely used and mint. Each has 340mw power with the (not supplied) 3AA Alkaline batts. If you use an optional (not included) power adapter for the car or power supply, it jumps to 450mw. I am able to hit several local repeaters from my suburban living room with each in the western NY area. Both weremodifed at East Coast Amateur for whatever the available extended frequencies are for each at extra cost during the time of purchase. The were a present from my wife for our anniversary. I have a lot of UHF and 70 cm radios and have just gotten a 10 meter rig that i hope will give me the incentive to upgrade. I'd like to use the money from these Alinco units to go towards the 10 meter unit. The radios are both the same size: 3.94"High X 2.17"Wide X 1.10"Deep and weigh in at just 6.53 oz with batteries. They have the original packaging, instructions and blank warranty cards for you to fill out. One was bought late January and one was bought early February. I am asking $200.00 firm on these which is what I have into them minus the $70.00 modification charge we paid because we wanted it done right. On that end, I never really asked what the extended freqs are, I just like to have radios modified to their full capability whenever possible. I will ship only within the continental United States, NO international transactions. Payment will be by certified check or money order only. Thanks for reading and have a nice day.
Ray Miller N2NJK

3758. Re: (No subject)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: k4jdh@my-dejanews.com
Message-ID: <7c7ueg$g0r$1@nnrp1.dejanews.com>
Source record: 114401
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Check at Hamfests. I have seen these cables with the 'T' connector for about
$8.00.

In article <OnJet0TDpclF-pn2-bgk6g0TVIgxz@user-38ld9ej.dialup.mindspring.com>,
kb2ehj@mindspring.com wrote:
> Anybody have any idea on were to find or have the p/n for the power
> plugs found on most mobile rigs these days? I'm talking the connector
> that looks like a 'T'. Both my Kenwood TM-V7A and Yeasu FT-8100 have
> the same connector. I also know that the Icom 2000H had this
> connector (used to one one before the above two radios were
> purchased).
>
> I would rather not buy one from either of the above companies since
> they get way to much money for them.
>
> Tnx Mark
> KB2EHJ
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3759. GS35g

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: vairo@rai.it
Message-ID: <36e776e5.1217650@193.76.127.2>
Source record: 114402

i want tube GS35b
73 de iw1arb

3760. Seek IC260A manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Harry lythall <a@sm0vpo.8m.com.spam>
Message-ID: <36E796BD.2FAADC50@sm0vpo.8m.com.spam>
Source record: 114403

Hi all,

Many thanks for taking the time and trouble reading this. My old IC260A is sick and in need of some form of attention. Unfortunately I have not got a manual for it. I will willingly re-emburse all expenses for a copy.

regards Harry - SM0VPO

QTHR
(remove ".spam" from address

3761. Any HAMs from India ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Anandyes <anand_s@nospam.mailcity.com>
Message-ID: <vQOF2.17923$po.7166@c01read02.service.talkway.com>
Source record: 114404

Hello All,
I am VU3FDC, I am very new to this Amateur Radio world .Trying to
setup my own rig . I am in search of HAMs nearer to me in India .
I live in Bangalore in the state of Karnataka.I wuld like to make more
HAM friends .

72s
bye
--
Posted via Talkway - http://www.talkway.com
Surf Usenet at home, on the road, and by email -- always at Talkway.

3762. forsale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: JGeiger@mcrest.EDU
Message-ID: <41AC2A9AC384D211B8BE0008C7B121C7043D69@MIU_NT1>
Source record: 114405

I have the following items for sale:

1. MFJ artificial ground $45
2. Autek QF-1A audio filter $40
3. Heathkit AM-1 SWR meter $20
4. Trac keyer-negative keying only (Good for tube rigs, or build simple converter)-$15
5. Clegg FM-DX 45 watt 2 meter rig w/mic, needs new LED readout-$20
6. Ten meter FM rig-5 watt converted CB to 29.600, tunable with dip switch, w/mic, manual-$15
7. 4 amp power supply-$15

3763. forsale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: JGeiger@mcrest.EDU
Message-ID: <41AC2A9AC384D211B8BE0008C7B121C7043D6A@MIU_NT1>
Source record: 114406

> I have the following items for sale:
>
> 1. MFJ artificial ground $45
> 2. Autek QF-1A audio filter $40
> 3. Heathkit AM-1 SWR meter $20
> 4. Trac keyer-negative keying only (Good for tube rigs, or build simple
> converter)-$15
> 5. Clegg FM-DX 45 watt 2 meter rig w/mic, needs new LED readout-$20
> 6. Ten meter FM rig-5 watt converted CB to 29.600, tunable with dip
> switch,
> w/mic, manual-$15
> 7. 4 amp power supply-$15
>
73s John NE0P
jgeiger@mcrest.edu

3764. Heath HW-5400 Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: marijimc@axs.net
Message-ID: <7c8hp9$v8a$1@nnrp1.dejanews.com>
Source record: 114407

Need parts for the Heath HW-5400. Do you have one ready to be classified as 'for parts value'? If so, send me mail with your price. marijimc@axs.net
Thanks, Jim

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3765. 7094 tubes needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: el34guy@aol.com
Message-ID: <19990311082358.09031.00000908@ng103.aol.com>
Source record: 114408

Hi,

Still need a few 7094 tubes for an HT-41 amplifier. Let me know, thanks

Mark

3766. Re: UHF SYSTEM SABER 3

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Gary <mjscommunicationNOSPAM@erols.com>
Message-ID: <7c8g76$13p$1@winter.news.rcn.net>
Source record: 114409
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Whats the split?

AL wrote in message <36E2BFBD.FEACD86B@postoffice.pacbell.net>...
>Radio is in nice condition and has the DES-XL module
>installed.Radio,antenna,belt clip and high capacity battery. $700 or
>interesting trade.
>Al
>

3767. Measuring 75 ohm cable with 50 ohm FDR

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: john.ackermann@daytonOH.ncr.com
Message-ID: <uFauiG8a#GA.146@rpc1284.daytonoh.ncr.com>
Source record: 114410
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

I have access to an HP8920 service monitor with accessories and software that allow it to do nifty things like swept return loss and cable fault detection. It uses frequency domain reflectometry to do the cable fault test stuff -- it apparently frequency sweeps and then runs the return loss variations through an FFT to generate distance-to-fault. As you might guess, the system is designed to work with 50 ohm impedances.

My question is what will happen when I try to check out some of our 75 ohm CATV hardline runs. I understand the impact of 75 ohm line on return loss/VSWR measurements, but I've never worked with an FDR system before, so don't know if the line impedance mismatch will screw up the calculations. My guess is that the overall return loss will be reduced from what it would be in a 50 ohm system, but that irregularities in the line will still show up, and the cable distance measurements will still be accurate. Is that correct?

Thanks,

John N8UR
jra@febo.com

3768. CB Lingo vs Ham Lingo I lost the site Help please

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: jhr2061@aol.com
Message-ID: <19990311082817.12337.00000849@ng113.aol.com>
Source record: 114411

Last week while surfing I came up with what I believe was a homepage of someone kind of a joke about what not to say on ham radio vs what is said on the 11 meter bands It was funny as hell for instance say 73 not 73's I had alot of laughs and want to share this website with my wife but cant seem to recall where it was Can someone help me with this if you know the site i am talking about it would be most appreciated,
Thank you

3769. IC-756 / Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: kknickelson@mmm.com
Message-ID: <36E7BEBD.164F3563@mmm.com>
Source record: 114412

I would like to hear from owners of the IC-756, and what they are using
for microphones. The hand mike sounds much better than my Heil HM-10.
Thanks for the responses.

Kevin W0KKN

Opinions expressed herein are my own and may not represent those of my employer.

3770. Re: IC-756 / Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: "Edward L. Dowdy" <eldowdy@net66.com>
Message-ID: <1OPF2.10$Mr4.179@news12.ispnews.com>
Source record: 114413

I use an SM6 and get good reports.
73, Ed

3M wrote in message <36E7BEBD.164F3563@mmm.com>...
>I would like to hear from owners of the IC-756, and what they are using
>for microphones. The hand mike sounds much better than my Heil HM-10.
>Thanks for the responses.
>
>Kevin W0KKN
>
>
>
>Opinions expressed herein are my own and may not represent those of my
employer.
>

3771. Re: Measuring 75 ohm cable with 50 ohm FDR

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: n7ws@arrl.net
Message-ID: <36e7c908.944710@news.azstarnet.com>
Source record: 114414
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

On Thu, 11 Mar 1999 13:17:06 GMT,
john.ackermann@daytonOH.ncr.com (John Ackermann)
wrote:

>I have access to an HP8920 service monitor with accessories and software that
>allow it to do nifty things like swept return loss and cable fault detection.
>It uses frequency domain reflectometry to do the cable fault test stuff
>-- it apparently frequency sweeps and then runs the return loss variations
>through an FFT to generate distance-to-fault. As you might guess, the system
>is designed to work with 50 ohm impedances.

>My question is what will happen when I try to check out some of our 75 ohm
>CATV hardline runs. I understand the impact of 75 ohm line on return
>loss/VSWR measurements, but I've never worked with an FDR system before, so
>don't know if the line impedance mismatch will screw up the calculations. My
>guess is that the overall return loss will be reduced from what it would
>be in a 50 ohm system, but that irregularities in the line will still show up,
>and the cable distance measurements will still be accurate. Is that correct?

I'm not familiar with this HP instrument, however,
I do use an HP 8510C with the same FFT TDR
capability. There is one fundamental flaw in the
technique; for good resolution, it requires wide
frequency sweeps. So if you are trying to measure
a narrowband device, you're in trouble.

That said, you should still be able to detect
faults and their location. In the "low pass mode"
the 75-ohm system impedance will just look like a
discontinuity (rho=0.2) starting at the
measurement port. With no further
discontinuities, you should see a flat line
extending to infinite distance.

The neat thing about TDR is you can see where the
discontinuities are and their individual mismatch
magnitudes. With frequency domain swept
measurements all you see is the ripple pattern due
to the beats between multiple mismatches. You
know you have more than one mismatch, you just
can't tell where they are.

Have fun

Wes N7WS

>
>Thanks,
>
>John N8UR
>jra@febo.com

3772. WANTED BATTERYS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: firecomm@aol.com
Message-ID: <19990311090446.08036.00000963@ng25.aol.com>
Source record: 114415

HI

LOOKING FOR BATTERYS FOR MY 2 STANDARD HX 241 RADIOS.

THANKS FIRECOMM

3773. FS-Kenwood 440sat and more..

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: k8fox@arrl.net
Message-ID: <36e8d179.496988982@news.cwru.edu>
Source record: 114416

-Kenwood TS-440sat HF Receiver
(Includes TU-8 Tone Board, Hand Mic and Instruction manual)

-Kenwood SP-430 Speaker

-Kenwood Desk Mic MC-60

Price $650 (SHIPPING EXTRA!)

-Mike

3774. Clegg

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7c8jut$e4h@dfw-ixnews3.ix.netcom.com>
Source record: 114417

Hi:
Would like to buy the Clegg. does it work otherwise?? Frank

3775. WTB; Kenwood SWC-1 module

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: KC5ALC <kc5alc@mindspring.com>
Message-ID: <7c8kj6rki1@samsara0.mindspring.com>
Source record: 114418
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

I'm looking for an SWC-1 remote module for the Kenwood SW-200 SWR/Power meter. Must be in good working order and physically in good shape.
Contact kc5alc@mindspring.com

3776. Re: FS:MIB Yeasu FT900/CAT w/CW filter & remote kit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: radiofreq0@aol.com
Message-ID: <19990311093855.10569.00001524@ng-ch1.aol.com>
Source record: 114419

Appears to be spoken for locally
Jeff

3777. FS: Icom 735 loaded + options

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: radiofreq0@aol.com
Message-ID: <19990311094029.10564.00001433@ng-ch1.aol.com>
Source record: 114420

I have an Icom 735 w/ the keyer, 500 Hz CW filter, and two FoxTangos! This rig
is awesome!
It looks as if new.
I am the second owner. The original owner was an electrical engineer, and he
really new what he was doing.
There just cannot be better performing 735.
It is blemishes as well.
I have the original box and packaging, manual mic.
Further,
I have an IC-SP3 speaker, a PS55 Powersupply for it
I have an SM20 as new
I must get 650.00 for the 735
135.00 PS55
175.00 SM20
50.00 SP3
= $1010.00
or $900.00 for it all + shipping!

Jeff

3778. Need Sams manual: President Grant 40 ch. SSB

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: k5dh@raytheon.com
Message-ID: <7c8jic$54p@news.rsc.raytheon.com>
Source record: 114421
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.cb

I need the Sams manual for a President Grant 40 channel SSB CB.
I have access to a large commercial copier, so what I'd like to
do is borrow your original manual and copy it myself. I promise
to treat it with utmost care, return it to you promptly, and pay
the postage both ways. Our local library doesn't have any Sams
manuals, and I don't have the time to to the Dallas or Fort Worth
libraries, plus I'm not a member of either. Can someone help me
out here? I'd like to get this radio working properly so I can
convert it to 10 meters.

73,
Dean / K5DH

3779. Anyone have a source for small quantities of toko coils besides digi-key?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: nicholas charles caruso <caruson@certco.com>
Message-ID: <36E7DA06.102AD132@technologist.com>
Source record: 114422
Cross-posted to: rec.radio.amateur.equipment,sci.electronics.design

I need a 3.9mH shielded coil (specifically, a toko 10RB series).
Digi-key carries these, but they just stopped
(perversely, to my mind) stocking the 3.9mH value.

Anyone know a place where I might be able to buy small quantities (4 or so) of this part?

I've already tried: newark, electronix express, jameco, mouser, Dan's Small Parts and RF Parts.
No dice.

I'm willing to buy a pot core form and wind this myself if it's feasible to do by hand, but I'd rather buy the toko part if possible.

--ncc

3780. FS: Yaesu FT-1000D

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-11 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36E76B34.509BDAD9@ix.netcom.com>
Source record: 114423
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For sale a top notch condition FT-1000D, 91 vintage but has been upgrade
at Yaesu to the latest version. Loaded. Mic, manual. $2450.
Can demonstrate on the air... Picture available upon request.
73,
Duke

****
Duke -NA1A- Direct Line: (310) 649-2226
E-mail: na1a@qsl.net or mailto:na1a@ix.netcom.com
Ham Radio Website: http://www.qsl.net/na1a
****

3781. Re: Anyone have out of band tx mod for Yaesu FT-8500?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Bob Richardson <bobr@cmc.net>
Message-ID: <7ccnjv$66g$1@news.cmc.net>
Source record: 114176
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Michael Ruther wrote in message <36E9817E.EB55036E@alliedsignal.com>...
>
>
>Bob Richardson wrote:
>
>> Gary Coffman wrote in message
>> <37a0236c.1758685426@news.atl.bellsouth.net>...
>> >On Sun, 7 Mar 1999 06:23:23 -0600, "Jarrod Boehme" <jboehme@pdq.net>
wrote:
>> >>We Hams don't always modify our radios to transmit illegally. Perhaps
I
>> am
>> >>a member of a volunteer emergency service who uses vhf and uhf
frequencies
>> >>for radio communications. Seems silly to have 2 ht's and 2 mobiles if
you
>> >>can use 1 ht and 1 mobile. Also, reprogramming commercial is
expensive,
>> >>tuning an amateur is painless...
>> >
>> >But still illegal to use on public service or commercial frequencies
>> because
>> >ham gear isn't Type Accepted for that use.
>> >
>>
>> Ahh, but that is not really necessarily so. While it may (or may not) be
>> true that a particular
>> radio is not type accepted for a certain frequency (for example, Linears
>> CANNOT be type accepted
>> for operation above 24MHz and below 35MHz) (see G1C09 in the General
Class
>> question pool)
>> that it cannot be legally modified and operated by a ham. This is a
common
>> misconception but
>> one disproved daily by lots of civic minded volunteers....
>>
>> But then I know that you already knew this, so....
>> 73's
>> Bob
>> KQ6ZA
>
> on hf marine bands ham gear is illegal. period . to mod the legal marine

gear
>to do double duty is ok.
>the reason is the surious emissions for marine gear is tighter than the ham
>stuff.
>Mike AA7QA
>

Not true Mike...
What is ill-eagle is producing too many spurious emmisions. I am a MARS member and am in the process of setting up a shore station for USCGA... have some friends in the auxilary and intend to sign up.

The point is that "ham gear" per se is not illegal. Unlicensed operation, harmful interference, etc is.

On the other hand, a marine license does not cover modifying gear. Anyway, the clear point here (at least my point) is that licensed operation that does not cause otherwise illegal side effects which uses ham gear is legal as long as the construction or modification was also legally done.

To cite my own situation: Yaesu FT920 and a MARS license from the DOD. I got the OOB mod right from the factory in exchange for a fax of my MARS license. If I sold it, I might have a legal problem, but for me to mod it and use it is legal. Which was, I think, my only point. As a matter of fact, I can build or modify a Linear which operates outside the limits for type acceptance AND outside the amateur bands, and it's just dandy with the government.

As you correctly point out, it is NOT legal for me to exceed FCC standards with the radio. However, even if I built it from nothing it is legal for me to operate until it becomes a problem for some other reason.

As an aside, all recent Canadian handhelds that I have dealt with are all marine capable, but you lose the automatic repeater split feature.

The UNIDEN I use on the boat is identical to several other UNIDENS for different applications, and as a ham I could if I chose build one from scratch as long as it caused no harmful interference, etc.

Hope you see what I'm getting at here... type acceptance is required for sale, not use. Compliance and a license is required for use.

Best 73's
Bob
KQ6ZA

3782. Re: Wanted: Squires Sanders SS-1R receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <36E9E5A6.2B185C18@wenet.net>
Source record: 114177
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Hi,
I am also interested in the SS-1R and /or SS-1BS receiver. I only have
manuals.
de K6hm
Young

Chuck O'Neal wrote:

> Anyone have one of these willing to sell? Should be in
> excellent condition.
>
> Will pay top dollar for the right one!
>
> regards,
> Chuck...K1KW

3783. Re: Are these Motorola rigs FM? MH10, Mocom10?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Tom KA4RKT <badger@telalink.net>
Message-ID: <CIIG2.583$LX2.719@news1.atl>
Source record: 114178

Yep, Robert. Both are FM, and both are more than likely more than
20+ years old at this point. As Donald said, don't pay much...

73

Tom KA4RKT

Donald E. Smith <desmith@innercite.com> wrote in message
> Hi Robert Both are FM. Most likely Single Channel, and VHF. Don't pay
much for
> them. They are not of much value anymore. Don
>
> Robert Casey wrote:
>
> > Would like to know if these rigs are FM. Motorola MH10 and Motorola
Mocom10.
> > I do know they are crystal bound rigs. One's a handheld, other a mobile
rig.
> > Have opportunity to buy, but haven't seen 'em yet.
> >
> > TIA Bob
>

3784. Re: IC 751A vs. TS850S ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: David Rich <kg0usREMOVE@swbell.net>
Message-ID: <36E9EC61.D5032AA2@swbell.net>
Source record: 114179

I also own a TS850 but please bear in mind that the ARRL lab tests on this radio were performed using a 250 Hz second IF filter where 500 Hz is normal. The 250 Hz filter makes the performance specifications look better than if 500 Hz filters were used
in both IFs. The ARRL did the FT1000D a big favor by using 250 Hz filters in both IFs.

My TS850 perform great on CW with the 500 Hz filter in the first IF and 250 Hz filter in the
second IF. However, the 250 Hz filters does ring quite a bit. The radio is not so good on SSB
during contesting. I have the 1.8 KHz filter for the first IF but there is no slot available for the
second IF since I have the 250 Hz filter in there. I just turn on the AIP, add attenuators when
necessary, and play with the slope tuning to try to eliminate neighboring signals pounding away
during a contest.

Bruce Walker wrote:

> Here is a summary of the receiver specs from the ARRL lab tests. Both
> rigs
> apparently have excellent sensitivity and blocking dynamic range. The
> 850
> handles IMD better. Either radio should be great at pulling out weak
> ones
> on normal/quiet bands with good filtering, but the 850 should hold up
> better
> under with lots of strong signals in the band (e.g., contesting).
>
> I recently purchased an excellent used 850 after looking through lots of
> performance data.
>
> Rig RECV MDS RECV BDR IMD DR IMD 3rd-ord INT
> 80m/20m dbm 80m/20m db 80m/20m db 80m/20m dbm
>
> IC-751 -142/-138 nl/nl 91/93 +5.5/5.5
> TS-850S -143/-141 141/148 100/99 +15.5/17.5
>
> --bruce WT1M
>
> --
>
> S55648 wrote:

> >
> > Please advise, which is the better of the two radios? Leaving the 'bells and
> > whistles out of it, I am speaking purely of sensitivity, selectivity, etc
> > "picking out the weak ones'
> > RSVP
> > Jeff
>
> -

3785. Re: AO-27 with VX-5R or T8A ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-1203992345480001@192.168.1.4>
Source record: 114180

In article
<F667DEC76EB61DFC.CD43194F15427542.DCD29E743B4C31CB@library-proxy.airnews.net>,
"Jim Hale" <kj5tf@madisoncounty.net> wrote:

> I was thinking about one of these 3 band HT's.
>
> Do they have the ability to work AO-27?
>
> Naturally a beam/more power helps - but are these HT's setup for working
> AO-27 ?
>
> Thanks, Jim

the vx-5 does vfo split so you can receive on 440 and tx on 144... :)

alex

3786. Re: Recommendations for 2M HTs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-1203992348510001@192.168.1.4>
Source record: 114181

I have the VX-5 and its a great little radio, i can use it to monitor some channels for 10 to 20 hours depending on the activity on a fully charged Li-ion battery...havent had the luch to test how much transmit uses the battery though, anyone know?

In article <7ccd4lqah1@brokaw.wa.com>, "Mark S. Jennings" <markjenn@halcyon.com> wrote:

> I'm returning to ham radio after ten-years of inactivity and need a new 2M
> (+ maybe 440 and 6M) handheld. Things have gotten complicated in my
> absence.
>
> My immediate interest is a very small and light HT that I can use for an
> upcoming motorcycle trip for bike-to-bike comm. I want it to be as small as
> possible so I can just put it in the pocket of riding suit (smaller rubber
> duckie a plus also here), 5W or great output for decent range between bikes
> w/o repeaters, easily accessable speaker/mic connections so I can patch in
> custom helmet-mounted mic/speaker, and all-day battery life with maybe
> 30-minutes of transmitting time in a 10-hour day.
>
> After the trip, I'm just looking for a good all-around HT. It can be
> single-band (2M), but it doesn't seem like dual- or tri-band stuff is that
> much more expensive, so I'm tending to think I'll get a dual or tri-band
> model. I can spent $300-$500.
>
> I've been reading/looking at the Yaesu VX5R, FT-50RD, Kenwood TH-G71A,
> TH-D7A (packet stuff sounds interesting), and the Icom IC-T8A. I'm tending
> to the VX5R for small size, lithuim battery, and acceptable performance but
> some have reported a bunch of little problems. When I was active, I had
> Yaesu and Kenwood equipment and I always thought the Kenwood stuff was more
> solid. Any suggestions about where to buy appreciated also - I assume HRO
> and AES are the big web/mail vendors.
>
> Thanks for any suggestions,
>
> - Mark (N9AFL)

3787. Down East Microwave Trasverters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Rick <rickmuddNS@teleport.com>
Message-ID: <n8oG2.2705$A6.1470420@news1.teleport.com>
Source record: 114182

If anyone has connected an Icom 706 Mk 2 to a 220 and/or 1.2 ghz or higher module, I'd love to hear from you. The info sent by them isn't clear enough for me to completely determine if the devices will connect readily.

Thanks for your help

Rick
KC7WGS

3788. 10 to 6m with a RCI 2950??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Mike <va3hie@eagle.ca>
Message-ID: <36E92365.631AF883@eagle.ca>
Source record: 114183

I was wondering if anyone has ever tried to modify a 2950 to operate in the 6 meter band with out a transverter. If it has been done how? If it can't be done why not?

3789. 10 to 6m with a RCI2950

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Mike <va3hie@eagle.ca>
Message-ID: <36E938C4.6127C7CD@eagle.ca>
Source record: 114184

Can anyone tell me if it is possible to modify a RCI2950 to 6m without the help of a transverter? If so how would it be done and if not why? I don't mind if the mods. are permanent. Please e-mail me at va3hie@eagle.ca
Thanks and 73
Mike

3790. ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: QESK41A@prodigy.com
Message-ID: <7cbj49$d1ru$1@newssvr04-int.news.prodigy.com>
Source record: 114226

My notebook and my ADMS software for the FT-50 were destroyed (crushed). I still have the programming cable, and really don't want to dish out the $$ for the software/cable again (Just spent too much replacing the notebook).

I was wondering if anyone might have a suggestion as to where I can find the software only.

Thanks in advance.

Ed Burke
KB1CTN

3791. Is The FL-44 SSB Filter Worth All The $$??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: no@spam.here
Message-ID: <36ea4e47.11703760@news.olg.com>
Source record: 114227

I was checking out different SSB filters for my Icom R70 receiver &
noticed the FL-44 costs well over $200usd.How come?Is it 'cause Icom's the
only seller or is it really worth the big bucks?Is there a "generic"
SSB/Data filter available with specs close to the FL-44?

Thanks for any info.

Al

al dudley ... al at olg dot com
wash dc metro area , usa
code3g,m1200v2,m900v2 decoders
535d,r-70,frg-7

3792. GD-6Y

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: mike <mikeandjoy@i-link-2.net>
Message-ID: <36E94FE6.B33613C7@i-link-2.net>
Source record: 114228

I am looking for information on Grand Systems, the maker of the GD-6Y
Digital Display.
I have one the needs repair, are they still in business ?
Please reply to My email address.
Thanks,
Mike

3793. f.s. yaesu 767gx

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: wl7pi5064@my-dejanews.com
Message-ID: <7cbjscmum1@nnrp1.dejanews.com>
Source record: 114229

fs. yaesu 767gx fully loaded 1400 will consider trades for stand alone hf.
stand alone 2 and 6 meter rigs note: 2-6 meter rigs must be all mode.
rig is very clean, near mint. has manuals. original box.
i can be reached at 1-616-742-0202 7am.-1pm. cst. or e-mail
wl7pi@usxchange.net

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3794. Re: mod needed for vx5

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-1203991314460001@192.168.1.4>
Source record: 114230

In article <19990312045411.24785.00001245@ng18.aol.com>, kc8ewq@aol.com (Kc8ewq) wrote:

> I need the mod for the extended transmit.
> thanks Tony

www.geol.net/vx5

3795. Re: mod needed for vx5

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-1203991315050001@192.168.1.4>
Source record: 114231

In article <19990312045411.24785.00001245@ng18.aol.com>, kc8ewq@aol.com (Kc8ewq) wrote:

> I need the mod for the extended transmit.
> thanks Tony

www.geol.com/vx5 not .net :)...(software mod)

3796. Re: FT-100 received

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Bruce Wilke <bwilke@netins.net>
Message-ID: <36E970AE.2484@netins.net>
Source record: 114232

Be sure to give us a report after using it for a while.

Bruce, N0XL

3797. Re: Mod for HTX-212

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: falken1@my-dejanews.com
Message-ID: <7cc0ol$305$1@nnrp1.dejanews.com>
Source record: 114233

In article <7c95es$er2c$1@newssvr04-int.news.prodigy.com>,
VKHD16A@prodigy.com (Stephen Mandich) wrote:
> I have the HTX-242. It is one of the best with respect to cross mod. I
> have been using it for 2 years mobile in a high rf area.
> As for the mod, I saw it in this newsgroup. Opening my rig, I could not
> find the parts described in the mod, so I conclude it is false.
>
> Steve
>
>

IT IS NOT FALSE, JUST BECAUSE YOUR TO IGNORANT TO FIND THE PARTS. GOD PEOPLE
http://www.qrz.com/mods look for the picture if your not competent.

Figures from a prodigy account.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3798. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Gary <gary_seven@earthling.net>
Message-ID: <7cbrps$o22$1@remarQ.com>
Source record: 114234

Try http://www.icongrp.com/~sllewd/vx5rmain.html and download the two EVE files. Supposedly this is better than the ADMS software, I believe it will work with the FT-50 using your current cable.
Gary
Edmund Burke jr wrote in message
<7cbj49$d1ru$1@newssvr04-int.news.prodigy.com>...
>My notebook and my ADMS software for the FT-50 were destroyed (crushed).
>I still have the programming cable, and really don't want to dish out the
>$$ for the software/cable again (Just spent too much replacing the
>notebook).
>
>I was wondering if anyone might have a suggestion as to where I can find
>the software only.
>
>Thanks in advance.
>
>Ed Burke
>KB1CTN
>

3799. WTB: Kenwood YK-88SN

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36E979CE.A725613B@cfu.net>
Source record: 114235

This is the 1.8 khz filter for TS-440S/R-5000. Jan N0JR

3800. Re: FT-100 received

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <36E97E9E.F178C01@flash.net>
Source record: 114236

I have an order in for one at $ 1299.00 shipped. Let us know how people
say it sounds on the output audio....
Thanks
K5JOE

Bruce wrote:
>
> Thursday, March 11, 1999:
>
> Received my FT100 today from HRO. Looks and feels great. Haven't much
> gotten into it yet, but have to at least report they are OUT!!!
>
> Bruce/Long Beach CA

3801. *** FS: HTX-202 ***

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: cordell77@mindspring.com
Message-ID: <36ed8022.7221278@news.mindspring.com>
Source record: 114237

I have for sale a Radio Shack HTX-202 two-meter handheld transceiver.
I am the original owner of the rig. The transceiver is in excellent
condition, and has received little use.

The HTX-202 is complete with everything that came with the rig,
including the manual, inserts, battery, akaline case, charger, etc. I
did *not* keep the original box, however.

Also included is the matching Radio Shack cigarette adapter cable.

Price: $95, plus shipping.

Thanks!

---Steve Gray
NR3B
cordell77@mindspring.com
(717) 787-3138

3802. ** FS: Yaesu VX-1R **

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: cordell77@mindspring.com
Message-ID: <36eb7f29.6972072@news.mindspring.com>
Source record: 114238

I have for sale a Yaesu VX-1R VHF/UHF ultra-compact dual-band transceiver. I am the original owner of the rig. The transceiver is in excellent condition.

The VX-1R is complete with everything that came with the rig, including the manual, inserts, warranty card, antenna, battery, charger, etc. The original box is also included.

Also included is the matching Cigarette adapter cable, the EDC-15.

The firmware version is A105.

Price: $185, plus shipping.

Thanks!

---Steve Gray
NR3B
cordell77@mindspring.com
(717) 787-3138

3803. NEED INFO on AMP. (MARS SK1000)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: K6ME <k6me@thegrid.net>
Message-ID: <drfG2.2344$PM2.21509@alfalfa.thegrid.net>
Source record: 114239

I bought an old amplifier at an estate sale. Its an MARS brand, not military. Model SK1000 Serial #123. With 4- 811A's as finals, great shape internal & external.

It came with no papers or manual so I would be interested in any info on this amp. I'AM an experienced amateur but do not wish to play with something that I could easily damage by loading up improperly, so please drop me a line if you have any info.

Thanks: K6ME >k6me@arrl.net<

3804. Re: Anyone have out of band tx mod for Yaesu FT-8500?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Michael Ruther <michael.ruther@alliedsignal.com>
Message-ID: <36E9817E.EB55036E@alliedsignal.com>
Source record: 114240
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Bob Richardson wrote:

> Gary Coffman wrote in message
> <37a0236c.1758685426@news.atl.bellsouth.net>...
> >On Sun, 7 Mar 1999 06:23:23 -0600, "Jarrod Boehme" <jboehme@pdq.net> wrote:
> >>We Hams don't always modify our radios to transmit illegally. Perhaps I
> am
> >>a member of a volunteer emergency service who uses vhf and uhf frequencies
> >>for radio communications. Seems silly to have 2 ht's and 2 mobiles if you
> >>can use 1 ht and 1 mobile. Also, reprogramming commercial is expensive,
> >>tuning an amateur is painless...
> >
> >But still illegal to use on public service or commercial frequencies
> because
> >ham gear isn't Type Accepted for that use.
> >
>
> Ahh, but that is not really necessarily so. While it may (or may not) be
> true that a particular
> radio is not type accepted for a certain frequency (for example, Linears
> CANNOT be type accepted
> for operation above 24MHz and below 35MHz) (see G1C09 in the General Class
> question pool)
> that it cannot be legally modified and operated by a ham. This is a common
> misconception but
> one disproved daily by lots of civic minded volunteers....
>
> But then I know that you already knew this, so....
> 73's
> Bob
> KQ6ZA

on hf marine bands ham gear is illegal. period . to mod the legal marine gear
to do double duty is ok.
the reason is the surious emissions for marine gear is tighter than the ham
stuff.
Mike AA7QA

3805. Re: FT-1000D interference on 14 MHZ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: WN1S@webtv.net
Message-ID: <110-36E9804C-20@newsd-291.iap.bryant.webtv.net>
Source record: 114241

I have heard many stories of how broadband antennas such as log periodic antennas can have this very common effect on radios such as yours. If you're experiencing this phenomena wih a dedicated monoband or similar discriminating antenna, then signal mixing and overload by excessively strong or local signals will be other avenues to explore...

good luck
Vin

3806. Re: FT-100 received

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990312163459.25709.00000162@ng-fv1.aol.com>
Source record: 114242

PLEASE post a review on the radio as soon as possible! You are the first guy on
the block to get one
TIM
Oh yeah, tell us about the DSP etc.

3807. WANTED

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Miro <mcindric@bbm.hr>
Message-ID: <7cc2avgfq1@as102.tel.hr>
Source record: 114243

PLEASE if somebody know or have cable RG 142 long 2 m. emergency emergency
mcindric@bbm.hr
73 de 9A6IMC

3808. Re: Best price for FT-847 - where ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: "Mark S. Jennings" <markjenn@halcyon.com>
Message-ID: <7cc3u7$l7b$1@brokaw.wa.com>
Source record: 114244

>This has gone on for 2 months and I think he will give up
>soon and I will have the radio for free !!!

Don't get to cocky about the leverage you have with your credit card company. They issue an immediate credit while the disputed amount is being investigated, but if they determine that the charge was legit, then the monkey is right back on your back. And the time/effort it may take to back up your case can be onerous.

Dealing with overseas people you don't know much about can save some money but it definitely increases risk. Your credit card is only of limited protection.

- Mark

3809. Re: FS: Frequency Counter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: "Joseph R. Erlewein" <jrerlewe@mtu.edu>
Message-ID: <7cc5di$6pp$1@campus1.mtu.edu>
Source record: 114245

No offers yet, Best offer takes it.

Joseph R. Erlewein <jrerlewe@mtu.edu> wrote:
: Hello all,

: I decided to sell my frequency counter. I like it but need cash. :P
: bummer. Ah well, that happens. Anyways:

: It's a DSI instruments Model 5600A. I believe it came from a high-school
: electronics lab downstate. It's in pretty good shape. It's 50Hz to 512MHz
: in range, has a 9-digit LED display, Two inputs, and three resolution
: settings. It can run off of an internal battery (don't have it, but you
: can either get one or make one) or a 9-15Vdc source. I use 12v. It's a
: desktop meter, about the size of a Telcom cable modem box if you're
: familiar with the size of those. Hey, who isn't. :) Anyway, it's smaller
: than the average VCR if you're lost on the cable modem comparisson. 3.5"
: high, 8.5" wide, 9.5" deep.

: Taking best offer, I'd like to start the bidding at $80.00

: Thanks,
: Joe.

: --
: Joseph

: http://www.qsl.net/n8ouz

--
Joseph

http://www.qsl.net/n8ouz

3810. FS: Kenwood TR-2400 HT (broke)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: "Joseph R. Erlewein" <jrerlewe@mtu.edu>
Message-ID: <7cc5jt$6pp$2@campus1.mtu.edu>
Source record: 114246

I have a pseudo-working Kenwood HT. It's TR-2400. Has leather case, charge stand, external mic, and car adaptor.

Weird: the radio only works on EXACTLY 9.6vdc. Anything else will make the display freak out and it will not work properly. The radio only works on certain frequencies; ie: if you try to dial it to a certain freq. the radio resets everything to factory default. Might make a packet rig, I've no interest in it.

I'd like to get at least $10 for the radio plus shipping charges, highest bidder takes it.

Very cosmetically clean, if you have a beat-up radio, this one is pretty clean.

--
Joseph

http://www.qsl.net/n8ouz

3811. FS: JRC-245 HF, JRL2000F HF amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Mark C <mchaous@nwlink.com>
Message-ID: <36E9A3E9.3500@nwlink.com>
Source record: 114247

Forsale only no trades!

1. Forsale, JRC JST-245 HF thru 6 meter Transceiver. Radio is a Quadruple Superheterodyne receiver and 150 watt transmitter, with autotuner for HF bands. The power amplifier uses MOSFET SEPP technology. Internal switching AC power supply. Three antenna connections comes with 1.8 ssb, 500 CW 455khz IF as well as the 1.8 ssb, 500 CW 9.455 filters. The optional monitor board. Origianl box and manual and Yaseu hand mic. Radio is in perfect condition. $1,600.00 plus shipping Firm!

2. Forsale, JRC JRL-2000F HF 48 MOSFET Solid state 1KW Amplifier. Amplifier has a fully automatic antenna tuner 2000 memories. Four antenna connections, auto AC voltage sensor for 85 to 264 VAC 50/60 hz. Just plug it in and it knows what the voltage is! Completely Auto select for band,tuner,antenna with radios that have amplifier exciter output. Also comes with remote control. "Just like a TV remote" This unit is one piece table top model. Perfect condition. Shipping box and manual included. $2,600.00 plus shipping Firm!

Because the JRC-245 is computerized to work with the JRL-2000F. Will sell as a package, Both pieces for $3,700.00 plus shipping firm!

KB7OID, Mark
Tacoma, WA
253 581-9907
mchaous@nwlink.com

Reason for selling "Downsizing"

3812. FS: Low Loss Relay Switch

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: MindSpring User <blyall@mindspring.com>
Message-ID: <7ccacvbpa1@camel21.mindspring.com>
Source record: 114248

For Sale:HP 8761B SPDT RF Switch. This is a low-loss relay switch,
requiring 24 to 30 VDC to function. SMA connectors. $45 plus shipping.
Reply to bob@rftest.com

3813. Wanted: Sommerkamp TS788DX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Chris Wood <g0kmx@netcomuk.co.uk>
Message-ID: <7ccal2$5pm$1@taliesin.netcom.net.uk>
Source record: 114249

Hi all.....

Thanks for reading this, Has anybody out there got this 10m 100w multimode mobile rig for sale? if so have cash waiting for the right rig or exchange FT480R 2m 12w mobile multimode?

Please contact:

Chris G0KMX

g0kmx@netcomuk.co.uk

3814. Re: IC 751A vs. TS850S ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Bruce Walker <bruce.walker@Corp.Sun.COM>
Message-ID: <36E9A942.202294FD@Corp.Sun.COM>
Source record: 114250
Body handling: Binary attachment payload not displayed: bruce.walker.vcf

Here is a summary of the receiver specs from the ARRL lab tests. Both
rigs
apparently have excellent sensitivity and blocking dynamic range. The
850
handles IMD better. Either radio should be great at pulling out weak
ones
on normal/quiet bands with good filtering, but the 850 should hold up
better
under with lots of strong signals in the band (e.g., contesting).

I recently purchased an excellent used 850 after looking through lots of
performance data.

Rig RECV MDS RECV BDR IMD DR IMD 3rd-ord INT
80m/20m dbm 80m/20m db 80m/20m db 80m/20m dbm

IC-751 -142/-138 nl/nl 91/93 +5.5/5.5
TS-850S -143/-141 141/148 100/99 +15.5/17.5

--bruce WT1M

--

S55648 wrote:
>
> Please advise, which is the better of the two radios? Leaving the 'bells and
> whistles out of it, I am speaking purely of sensitivity, selectivity, etc
> "picking out the weak ones'
> RSVP
> Jeff

-

[One or more binary attachments are retained only in the source text.]

3815. Re: turn 6 dollars in to a thousand dollars

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Wayne Faris <wfaris@binary.net>
Message-ID: <36E9AF9B.4B0C4586@binary.net>
Source record: 114251

Great way to get kicked off your ISP too!

3816. 10meters into 6meters = ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Mike <va3hie@eagle.ca>
Message-ID: <36E9B318.31688385@eagle.ca>
Source record: 114252

Can anyone tell me if a RCI2950 can be modified for 6m without the aid of a transverter? If so how and if not why? Please e-mail me at va3hie@eagle.ca
Thanks Mike

3817. Re: turn 6 dollars in to a thousand dollars

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Marv Luse <mwluse@dimensional.com>
Message-ID: <36E9B4BC.810E8C55@dimensional.com>
Source record: 114253

Wayne,

I forwarded his post on to abuse@ his ISP... Hope he gets an appropriate response.

Marv
KC0EGB

Wayne Faris wrote:

> Great way to get kicked off your ISP too!

3818. FT-1000 with Exteral Speaker & Phonepatch FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Scott Leaf - VE7VDX <ve7vdx@rac.ca>
Message-ID: <36e9b474@news.vphos.net>
Source record: 114254

FT-1000 in excellent condition
with matching Yaesu External Speaker (with internal Phonepatch)
250hz, 500hz and 2.4Khz Filters
in box with all manuals and documentation.

(being sold by a senior ham who is moving into a residence where he can not
use radio)

$3000 US shipped anywhere in North America (overseas negotiable)

please email ve7vdx@rac.ca Web site: http:///www.qsl.net/ve7vdx

3819. Wanted: Squires Sanders SS-1R receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <OIiG2.4188$fM1.7357611@brnws01.ne.mediaone.net>
Source record: 114255
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Anyone have one of these willing to sell? Should be in
excellent condition.

Will pay top dollar for the right one!

regards,
Chuck...K1KW

3820. Recommendations for 2M HTs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: "Mark S. Jennings" <markjenn@halcyon.com>
Message-ID: <7ccd4lqah1@brokaw.wa.com>
Source record: 114256

I'm returning to ham radio after ten-years of inactivity and need a new 2M (+ maybe 440 and 6M) handheld. Things have gotten complicated in my absence.

My immediate interest is a very small and light HT that I can use for an upcoming motorcycle trip for bike-to-bike comm. I want it to be as small as possible so I can just put it in the pocket of riding suit (smaller rubber duckie a plus also here), 5W or great output for decent range between bikes w/o repeaters, easily accessable speaker/mic connections so I can patch in custom helmet-mounted mic/speaker, and all-day battery life with maybe 30-minutes of transmitting time in a 10-hour day.

After the trip, I'm just looking for a good all-around HT. It can be single-band (2M), but it doesn't seem like dual- or tri-band stuff is that much more expensive, so I'm tending to think I'll get a dual or tri-band model. I can spent $300-$500.

I've been reading/looking at the Yaesu VX5R, FT-50RD, Kenwood TH-G71A, TH-D7A (packet stuff sounds interesting), and the Icom IC-T8A. I'm tending to the VX5R for small size, lithuim battery, and acceptable performance but some have reported a bunch of little problems. When I was active, I had Yaesu and Kenwood equipment and I always thought the Kenwood stuff was more solid. Any suggestions about where to buy appreciated also - I assume HRO and AES are the big web/mail vendors.

Thanks for any suggestions,

- Mark (N9AFL)

3821. Re: FT-847 on HF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: N9IVO <steam@megsinet.net>
Message-ID: <I2jG2.370$mN.743004@news.megsinet.net>
Source record: 114257

>
>So what do you consider a good HF rig in the price range of the FT-847,
>if any?

The Yaesu 920 or
the Icom 746, which also has I.F. dsp and 2 meter all mode.
>
_/_/_/

3822. ft-100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Tracy Rankin <ve9dwf@nbnet.nb.ca>
Message-ID: <7cce5o$3ec$1@garnet.nbnet.nb.ca>
Source record: 114258

Now that the ft-100 from yeasu is out, anyone want to offer comments on its performance ?

3823. Re: KENWOOD TM-241A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: N9IVO <steam@megsinet.net>
Message-ID: <3ajG2.372$mN.747551@news.megsinet.net>
Source record: 114259

I've had mine on packet now for maybe 7 or 8 years. Use it on the packet cluster. I'll bet it has millions of t/r cycles by now.

Never had a glitch with the radio, not one.

--
_/_/_/

3824. Re: NOS Tubes (Many Sweeps)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: K and S Molles <molles@jps.net>
Message-ID: <36ea3673.0@news1.jps.net>
Source record: 114260

K and S Molles wrote in message ...
>Hello,
>
>Here is a list of tubes I have for sale. All are in original boxes and
have
>never been used. I have tested all of these and quarantee them good on
>delivery. If you would like a photo sent of the tubes you are interested,
>then I will do so (digital camera). I have references I can supply as
well.
>
>2) 31LQ6 $ 6.00 ea.
>2) 35LQ6 $ 8.00 ea.
>4) 40KD6 $12.00 ea.
>4) 6LR6 $22.00 ea.
>5) 6LB6 $18.00 ea.
>4) 6DQ6B $ 4.00 ea.
>2) 6KD6 $24.00 ea.
>2) 6JM6A $ 3.00 ea.
>3) 6HF5 $ 7.00 ea.
>2) 6JG6A $25.00 ea.
>2) 31JS6C $ 7.00 ea.
>1) 24LQ6 $10.00 ea.
>1) 21JS6 $ 7.00 ea.
>1) 40KG6A $ 7.00 ea.
>4) 6JB6A $18.00 ea.
>2) 17JB6A $ 5.00 ea.
>2) 26LW6 $10.00 ea.
>1) 6JT6A $19.00 ea.
>4) 13J10 $ 4.00 ea.
>10) 6GF7A $ 3.00 ea.
>7) 6HV5A $ 4.00 ea.
>2) 21HB5 $ 6.00 ea.
>2) 12DQ6 $ 4.00 ea.
>2) 22KV6A $ 3.00 ea.
>2) 38HE7 $ 4.00 ea.
>1) 6GW6 $ 3.00 ea.
>3) 6GE5 $ 3.00 ea.
>2) 5BC3 $ 1.00 ea.
>1) 6GV5 $ 3.00 ea.
>2) 6KY8A $ 4.00 ea.
>1) 29KQ6 $ 5.00 ea.
>1) 6GB5 $ 3.00 ea.
>1) 22KM6 $ 4.00 ea.
>1) 22JF6 $ 4.00 ea.

>1) 17JF6 $ 3.00 ea.
>3) 33GY7A $ 4.00 ea.
>1) 6GJ5 $ 4.00 ea.
>2) 6HS5 $ 4.00 ea.
>2) 6MF8 $ 4.00 ea.
>2) 6BG6 G $ 3.00 ea.
>3) 211/VT-4 $100.00 ea.
>
>Shipping will be actual postage fees. Please e-mail direct if interested.
>
>Thank you,
>
>Kelly Molles
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>

3825. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Vito Villamor <vovillamor@earthlink.net>
Message-ID: <36E99AC3.AECFF27B@earthlink.net>
Source record: 114261

Right now, EVE software works primarily on the Yaesu VX-5R, not on the FT-50R.

And yes, it is alot better than ADMS software if you're trying to program a VX-5R
because there IS no ADMS software available for the VX-5R yet. Thanks to a few
hardworking programmers and hams, VX-5R owners may never have to buy software
to program their radio.

They will, however, need to at least have an interface cable, and you just can't buy the cable
without buying the software. On the flip side, your can't get the software without getting
a cable with it. To Ed Burke (who has the cable and is looking for replacement software),
if you registered your ADMS softwarewith RT Systems, maybe you can get a replacement from
them. If you're not registered, I bet they're going to try to sell you an updated copy at
full price. [Not to add insult to injury, Ed, but what happened to making a backup, or was your
software copy-protected in some way? The first thing I did when I got my ADMS was make
a backup disk, and made sure that it worked.]

---Vito

Gary wrote:

> Try http://www.icongrp.com/~sllewd/vx5rmain.html and download the two EVE
> files. Supposedly this is better than the ADMS software, I believe it will
> work with the FT-50 using your current cable.
>
> >I was wondering if anyone might have a suggestion as to where I can find
> >the software only.
> >
> >Thanks in advance.
> >
> >Ed Burke
> >KB1CTN
> >

3826. ICOM PS-55 13.8V 20A Power Supply on eBay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Jason Reina <jreina@lcc.net>
Message-ID: <36E9C6DC.F012E6B@lcc.net>
Source record: 114262

I have an Icom PS-55 13.8V 20A power supply for sale on eBay. Bids starting at $50. In MINT condidtion!

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=76309690

Jason Reina
KD5CEK

3827. Re: Are these Motorola rigs FM? MH10, Mocom10?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: "Donald E. Smith" <desmith@innercite.com>
Message-ID: <36EA02FD.4B082AAC@innercite.com>
Source record: 114263

Hi Robert Both are FM. Most likely Single Channel, and VHF. Don't pay much for them. They are not of much value anymore. Don

Robert Casey wrote:

> Would like to know if these rigs are FM. Motorola MH10 and Motorola Mocom10.
> I do know they are crystal bound rigs. One's a handheld, other a mobile rig.
> Have opportunity to buy, but haven't seen 'em yet.
>
> TIA Bob

3828. Re: JRC NRD-525 versus NRD-535 and JST-245 RX?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: msb <msbSPAMMAPS@newpony.com>
Message-ID: <7ccjrs$rfg@dfw-ixnews5.ix.netcom.com>
Source record: 114264
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

Thanks for sharing that url, Ben. I had some of the
same questions.

msb

Benjamin A. Wallace wrote in message
<01be6cfc$3272df20$3506a3cd@bwallace.cts.com>...
>A good place to compare receiver specs is:
>
>http://sherweng.com/table.html
>
>NRD 515, 525 and 535 are listed.
>
>Ben -- WB8HUR
>San Diego
>
>

3829. FS:HQ-180/SPKR

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: wayne <kj4gy@icx.net>
Message-ID: <36E98C01.1394@icx.net>
Source record: 114265

Go to Ebay and do a search for hammarlund to find it.
Thanks

3830. WTB: Kenwood IC-10 chip

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36E9D800.25032BD8@cfu.net>
Source record: 114266

This is the computer-control kit for the TS-440S. jan N0JR

3831. TS-940S/AT Kenwood

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Bill <jobes@bellatlantic.net>
Message-ID: <36E9D746.5D74@bellatlantic.net>
Source record: 114267

This is a nearly mint, 10 million serial number, last-year-of-production
rig. A collector will want this radio.
Includes SP-940 and a nearly new MC-60a mike, as well as 500hz cw
filter.
Includes all manuals and factory boxes.
Asking $1,250 plus shipping.
Located in southeastern PA.
Bill Jobes
W3WJ

3832. AO-27 with VX-5R or T8A ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Jim Hale <kj5tf@madisoncounty.net>
Message-ID: <F667DEC76EB61DFC.CD43194F15427542.DCD29E743B4C31CB@library-proxy.airnews.net>
Source record: 114268

I was thinking about one of these 3 band HT's.

Do they have the ability to work AO-27?

Naturally a beam/more power helps - but are these HT's setup for working
AO-27 ?

Thanks, Jim

3833. Re: ABSOLUTELY FREE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: "MIKE (707)" <cobra2@gisco.net>
Message-ID: <36e9dce1.0@news.gisco.net>
Source record: 114269
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

No thanks... I've already seen my radio naked with the cover off!
chakazulu@axu.net wrote in message <7c4bmn$a2f$119@nslave1.tin.it>...
>
>100% ANONYMOUS, NO CREDIT CARD, NO SUBSCRIPTION, NO PASSWORD, NO CENSURING
>
>Italian
>www.thirdsex.com
>
>English
>www.xxx1on1.com
>

3834. SHOULD I WAIT ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: "MIKE (707)" <cobra2@gisco.net>
Message-ID: <36e9dc1f.0@news.gisco.net>
Source record: 114270

Should I get my Ham "ticket" now, or wait to see what the Fed's are going to do with the current band plans? And no, I don't know code anymore.

3835. FS***Super Scanner CB base ant. $80.00***

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <26935-36E9DAA9-49@newsd-141.iap.bryant.webtv.net>
Source record: 114271
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment

Super Scanner base CB ant. Complete with control and relay box.In good shape but could use new screws and nuts (they are rusty).Comes with the original manual. $80.00 + shipping.

Take care, Stan KF6IKC@webtv.net (530)241-0843

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

3836. FS******TRAM D201A w/D104 ******

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <26935-36E9D99C-48@newsd-141.iap.bryant.webtv.net>
Source record: 114272
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment

Very nice Tram D201A.About a 7+ or 8.Has the hi-low power mod,fan kit,new walnut ends from Maycom and extra freq. mod.Works great! Comes with stock D104 and reproduction manual from "Tram Tech". Price is $475.00 + shipping.

Take care,
Stan KF6IKC@webtv.net (530)241-0843

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

3837. Re: VX-5r low audio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Duane Park <dspark@ix.netcom.com>
Message-ID: <36E978A7.4EA1F9F@ix.netcom.com>
Source record: 114273

Check this web site, he has a good review with pictures
http://www.ticon.net/~davez/vx5r.html
Duane

Glenn E. Frasier wrote:

> Anyone else notice low audio reports from others when useing the built in
> mic. On an external mike people say i sound alright. is there a fix for
> this?
>
> --
>
> Glenn E Frasier jr. Kd5dmg
> kd5dmg@msn.com
> home page http://members.tripod.com/kd5dmg/
>
> ----------

3838. Re: VX-5 Euro version cell block?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: eric_fre@hotmail.com
Message-ID: <7c9mvo$2a4$1@nnrp1.dejanews.com>
Source record: 114335

In article <36e7d9ac.934516@news.compuserve.com>,
106255.1565@compuserve.com (Richard C. Ferryman) wrote:
> eric_fre@hotmail.com wrote:
>
> >Well what does it receive?
> >Is it cell blocked?
> My Euro version is receiving 870 /880 MHz area ok but have not tested
> all frequencies.
> Richard
Thought that would be the case!
Ok can sombody recomend a supplier that does Mail order in Europe?

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3839. Re: VX-5 Euro version cell block?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: eric_fre@hotmail.com
Message-ID: <7c9tg3$7s2$1@nnrp1.dejanews.com>
Source record: 114336

In article <7c9gsnrnf1@news2.xs4all.nl>,
"Wim Cuijpers" <skyhigh@xs4all.nl> wrote:
> I tried your jumpersetting but no result on blocking.
> I had to set radio whith EVE software (great stuff!) again. It was in a
> rather strange mode TX and RX only on the 3 ham bands no wide RX.
> Cell blocking in US version = +_ 824-849Mhz
> Wim

As I have mentionned before the reason I was waiting for the euro version is because the US/can version will have different firmware. Imposible to cell mod. Its a requirement of FCC part 15 which actually states that radios can not be easily modified (by removal of diodes or jumpers) to receive cell.

Cheers Eric. And its dam good to hear the euro version is out. can any body tell me how much and help me get one please.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3840. FT-847 vs FT-920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: andrewvictor@geocities.com
Message-ID: <7c9uvv$986$1@nnrp1.dejanews.com>
Source record: 114337

I have decided that I should get a FT-847 or a FT-920.
I a fairly new ham and have only talked on HF and 2m/70cm
on an HT. I would like to know about satillite
operating(I might like to get into that later) but also
want a rig that can DX on HF. I only can have one
radio. Which do you recommend??
Thanks for your time, 73,
Andrew

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3841. ## Help: what is the synthesizer chip in the Uniden BC-3000XLT?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: tinkerman97@usa.net
Message-ID: <F8GKp6.D40@news2.new-york.net>
Source record: 114338
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.scanner,rec.radio.amateur.equipment

Hello Netfriends,

I'm trying to identify the chip used in the Uniden BC-3000XLT as the
RF receive frequency synthesizer. According to my schematic, it's
labeled "M640866P", but I can't seem to find any info about it.
Does anyone have complete info about this chip or at least a
manufacturer name? A data sheet would be probably too much to ask
for...:-)
In addition, I'd like to get a full partlist of this scanner.

Thanks and best regards,
T-man

Note: when Replying, please email me directly in addition
to posting here, so I don't miss any responses. Don't forget to
remove the "97" from my email address inserted as an anti-spam
counter measure...:-)

3842. Ads,Catalogs on ebay-Ham gear, `37 Zenith, tube audio, Sylvania Halolight TV

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: vintel@aol.com
Message-ID: <19990311214845.06382.00001283@ng-fz1.aol.com>
Source record: 114339
Body handling: HTML body converted to readable text

The following advertising brochures & catalogs are currently being offerred on ebay
auction. If you are interested just go to the address listed for that item.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=76189559

Zenith Radio 1937 advertising folder. Approx 15" x 18", pictures on both sides. Folds to pocket size. Features the full 1937 product line including the 25 tube "Stratosphere" , 16A63, 12U158, "Zephyr" models , chairsides, etc. Pictures at least 45 radios. Also features Ebony, Bone White & Maple cabinets as well as the "Wincharger", Zenith auto radio. optional "Privacy Plug-in" headphones & a lot of interesting information. Piece is in very good to excellent except that some of the fold lines have worn through. "The Outlet, Radio Dept, Home of WJAR" is stamped in blue on what would be the back if you folded it up

****
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=77074933

Allied Radio Catalog-1949 ham, tube audio, radio & television kits, microphones.
Catalog #117. 176 pages. Nice pictures of the Hallicrafters T54 & 505 Televisions & National TV-7. HAM GEAR- Features Hammarlund, National, RME, Hallicrafters, Stancor, Harvey-Wells, Telver, Sonar & McMurdo-Silver transmitters & receivers, Knight kits, wire recorders, test equipment, parts, etc.
High-Fidelity tuner & amp manufacturers include Knight, Meisner, Collins, Radio Craftsmen, Pilot, Howard, Altec-Lansing, Goodell & Brook plus speakers, drivers,
turntables, etc.
Other interesting items, TV kits, microphones, RCA AM-FM demonstrator which is an operating 6 tube superhet for demonstration of radio theory. Condition is very good overall, the spine is intact except for about 1/2" tear at
top. Cover & first 16 pages a little dog-eared on the lower corner. No writing in it,
both covers still firmly attached. Even has an order form & envelope still inside.
****
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=77066338

1956 Sylvania Halolight Television Brochure. Pictures of 14 21 and 24 inch TV sets, with model numbers, in a 12 x 23 inch fold-up brochure. Flip side

explains why you need Halolight and other interesting information.
Condition is very good except it is heavily creased on the fold lines, there are 7 small holes where the lines intersect and a total of about 4 inches where the fold is worn through. There is a little writing (a little pen, mostly pencil) near a few of the models and an old yellowed piece of cellophane tape about 2 inches long
****
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=77000371
Heathkit Fall 1979 Catalog. All kinds of neat stuff, a digital weather station, Pro
series Hi-Fi, even some 4 channel equipment, Ham gear (SB104A looks sharp with it's digital readout), Computers like you wouldn't believe (The H8 uses a blazing fast 8080A processor & you can add an amazing 16K of RAM to it for only $395.00. You even have the option of adding floppy drives to it. Computers will never get any better than this stuff), organs, hand held calculators, boating
equipment, radio controls for model planes, automotive troubleshooting tools and
on and on. It even has color TV kits (I built the GR2050 many years ago). This book is just full of memories. Condition is excellent. 104 pages 8 x 9.5 inches.
****
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=76764327

1955 Sylvania Halolight Television Brochure. Pictures of 13 21 inch TV sets in a 12.5 x 19 inch fold-up brochure. Flip side explains how Halolight brings Eye Fidelity to TV. Condition is very good except it is heavily creased on the fold lines, there are 5 small holes where the lines intersect & there is a little writing (some pen, other pencil) near a few of the models
****
RCA late 50's Radio, TV, Phonograph booklet. Twenty pages 6 x 6 inches covering Stereo-Orthophonic High Fidelity victrolas, modular units including TV's, tape recorders, table radios (including one with a built-in cigarette lighter), clock radios, 45 record players, transistor radios and auxiliary speaker/charger for transistors. Some pages in color. Pictures of at least 50 products. Nice color pix of the Strato-World III transistor portable. Condition is very good. The booklet folds in half to fit in a shirt pocket so it is creased in the middle but no tears, cover and all pages intact.
****
Thanks for taking a look.
John

3843. Info: How do I mod a Motorola Radius M208 Low Band for 6 Meters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: rrfasi@castles.com
Message-ID: <36e86f8c.769005@enews.newsguy.com>
Source record: 114340

I have one of these radios and can program 52.525. RX sensitivity very poor. Tx works on high power but cust down to half power after a 1/2 second.

Any Ideas? Has anyone had success with this mod???

Pse EMAIL.

KM6PA

3844. Re: IC-756 / Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: don@breazile.com
Message-ID: <36e88226.8645706@news.earthlink.net>
Source record: 114341

I use the SM-8
good reports

On Thu, 11 Mar 1999 07:01:50 -0600, kknickelson@mmm.com (3M) wrote:

>I would like to hear from owners of the IC-756, and what they are using
>for microphones. The hand mike sounds much better than my Heil HM-10.
>Thanks for the responses.
>
>Kevin W0KKN
>
>
>
>Opinions expressed herein are my own and may not represent those of my employer.

3845. Re: Omni VI+ SSB performance?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Bob Brehm <callbob@home.com>
Message-ID: <Va0G2.9684$5e5.3603@news.rdc1.sdca.home.com>
Source record: 114342

There is no monitor option on OMNI VI - you can't hear yourself! But is a great cw rig.

Bob, AK6R

BarryG wrote in message <7c5vc6$5e5$1@news.monmouth.com>...
>I would appreciate comments from those who have really put the Omni VI+
>through its paces on SSB - how is its audio quality, selectivity, etc. I
>have heard that its SSB performance isn't quite up to par. I'm about 50/50
>SSB/CW and looking hard at the Omni VI+, and perhaps the FT-1000MP as well.
>I know the VI+ is stellar on CW and TenTec is a great outfit to deal with,
>but how about the SSB performance?
>
>Thanks for any info,
>Barry N1EU
>email: bg@albany.net
>
>

3846. Re: Antenna height

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Joe Schlatter <w4hh@3wave.com>
Message-ID: <7e1G2.413$HY5.283@news20.ispnews.com>
Source record: 114343
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

While there are mathematical and formulaic answers to your question, the
real answer lies in practicality.

Practically, yes, another 5 feet will probably help at those freqs. If you
are going to spend the extra 30 bucks and go to the trouble just for 5 more
feet, forget it. But, if you are going to work on the antennas anyway, go
ahead and do it.

--
Regards,
Joe Schlatter
joe@schlatter.org
http://www.schlatter.org/
http://www.miafacts.org/
http://www.asphome.org/
Amateur radio callsign W4HH

BD wrote in message <7bt8gj$q2t$1@newnews.startext.net>...
>I know this's been discussed here.. But.. :)
>Will an additional 5ft added to an already 5ft mast make much difference
>with a 2meter/440 antenna? It'll only cost me an additional $30 or so for
>extra guy-wire, mast, etc.. when I replace the temporary thing I put up
>there, but..... Just a little more labor than simply replacing the
mast.
>
>I live right in the middle of the dfw metroplex, and can already reach
>repeaters on the outter limits of a 100mile radius.. And quite a few
>further off than that.
>
>(which hardly feels like HAM RADIO, but I'm still stuck on those danged
>multiple dots....)
>
>
>

3847. FS Ten-Tec filters 216...218

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Tim Randa <randas@mindspring.com>
Message-ID: <7ca7pt$45v$1@camel18.mindspring.com>
Source record: 114344

I have for sale the model 216 1st IF RTTY filter...also a model 218 1st IF 1.8kc SSB filter. Price is $63 shipped a piece..or both shipped for $118

email if intrested

de Tim K0FL

3848. Re: Linux

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-1203990113560001@192.168.1.4>
Source record: 114345

Of course there are linux users out there! =)

take a look at those site: (biggest one i have)

http://www.casema.net/~aba/
http://www.ife.ee.ethz.ch/~sailer/ham/ham.html
ftp://ftp.funet.fi/pub/ham/unix/Linux/packet/ax25/
http://www.qth.net/archive/ham-linux/ham-linux.html
http://hes.iki.fi/archive/

its alive! :)

alex

3849. Re: VX-5 Euro version cell block?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: firewave@REMOVE.videotron.ca
Message-ID: <firewave-1203990116560001@192.168.1.4>
Source record: 114346

> As I have mentionned before the reason I was waiting for the euro version is
> because the US/can version will have different firmware. Imposible to cell
> mod. Its a requirement of FCC part 15 which actually states that radios can
> not be easily modified (by removal of diodes or jumpers) to receive cell.
>
> Cheers Eric. And its dam good to hear the euro version is out. can any body
> tell me how much and help me get one please.

the problem i think, is that euro version cant transmit on a large band
like we can in north america, they just have 440-450 and 142-144? or am i
wrong?

alex

3850. Re: Motorola HT's Up DATE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: "ST1A55@msn.com" <ST1A55@email.msn.com>
Message-ID: <OeSSN#Fb#GA.308@upnetnews05>
Source record: 114347
Cross-posted to:
rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

All Radios Have Ben Sold. Thanks!! To All That Replied..

ST1A55@msn.com

3851. Wanted 800 mhz scanner handheld

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36ebd198.1595355@netnews.worldnet.att.net>
Source record: 114348

looking for a simple 800 mhz scanner handheld
email me with what you have thanks

3852. mod needed for vx5

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: kc8ewq@aol.com
Message-ID: <19990312045411.24785.00001245@ng18.aol.com>
Source record: 114349

I need the mod for the extended transmit.
thanks Tony

3853. FA -UHF 8CH MOBILE -LOW RESERVE-

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <C56G2.82$g37.2826@sapphire.mtt.net>
Source record: 114350

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=75386655

3854. FS: Yaesu FT-840, In Box, Near New

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <36E90161.55F56562@ix.netcom.com>
Source record: 114351
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.misc

Yaesu FT-840. Very low hours. In original box with original packing,
microphone and manual. Stock filters only.
Checked and working fine.
Only mark I can find is a very faint one
about an inch long on the bottom cover. Will probably rub out.
Otherwise looks brand new.

$575 (firm) plus shipping from 78728

Prepayment or COD requested, positive references available on request.

--
73 DE Dave Stinson AB5S
arc5@ix.netcom.com

3855. WANTED: 2m Mobile, MARS capable, Chicago area

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: richard@nospam.com
Message-ID: <36e900c1.37466852@172.16.1.166>
Source record: 114352

WANTED: 2m Mobile, MARS modified or capable, Chicago area, auto repeater offset, remote control mic, excellent condition.

3856. Re: Standard Radio? Are they gone???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: ritzman@aol.comspambloc
Message-ID: <19990312072052.10226.00000013@ng-fi1.aol.com>
Source record: 114353

>I'll just have
>to hang on to my trusty C568A and it's companion until I can't get
>parts for them anymore.

Good Morning Scott:
I too have a 568A and agree with you 100%, what a great HT. I have used mine as HT, home base (connceted to a 4 element yagi) and mobile with 12v adapter. It does a great job in all respects. Glad to know there are other satisfied owner/users out there.

73,
Steve
****
Steve Ritzi - W1SDR
Portland, Maine
ritzman@aol.com
delete "spambloc" to reply
****

3857. Re: ## Help: what is the synthesizer chip in the Uniden BC-3000XLT?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <36e90f93@news1.us.ibm.net>
Source record: 114354
Cross-posted to: alt.radio.scanner,alt.radio.scanner.uk,rec.radio.scanner,rec.radio.amateur.equipment

I wonder if that is a (intentional) misprint? Try MC40866P, which is, I think, a legitimate Motorola uP number. Try to get a look at the top of the chip itself. Good luck

--
Crazy George

3858. Re: FS: Yaesu FT-840, In Box, Near New

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: "JOSE V. GAVILA (EB5AGV/EC5AAU)" <eb5agv@ctv.es>
Message-ID: <36E91208.F6D9112B@ctv.es>
Source record: 114355
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.misc

Hello!

...
> Prepayment or COD requested, positive references available on request.
>
> 73 DE Dave Stinson AB5S
> arc5@ix.netcom.com

I want to inform all of you that Dave is a very trusty man and all my
dealings with him have exceeded my expectations.

Just my 0.02 Euros worth :-)

Keep on the good work, Dave!

Best regards.

JOSE

---
73 EB5AGV / EC5AAU
JOSE V. GAVILA
Ausias March 46, 15
46910 Benetusser - VALENCIA
SPAIN

** VISIT MY VINTAGE RADIO SITE - updated 8-March-1999 ***
http://www.geocities.com/SiliconValley/6992/
mailto:eb5agv@ctv.es
mailto:eb5agv@amsat.org

3859. SOLD:FS/FT: Yaesu FT-50R w/acc DFW area only

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Jerry Decker <jerry_decker@msn.com>
Message-ID: <#$D9T1Ib#GA.273@upnetnews02.moswest.msn.net>
Source record: 114356
Cross-posted to: dfw.forsale,rec.radio.amateur.equipment,rec.radio.swap

SOLDSOLDSOLDSOLDSOLDSOLDSOLDSOLDSOLDSOLDSOLDSOLDSOLDSOLDSOLDSOLD

For Sale or Trade: DFW area only

$225.00

Yaesu FT-50R VHF/UHF Portable Transceiver (2m/70cm Amateur)
w/ FTT-12 Pad (additional features over standard Touch-Tone pad)
Yeasu NC-50 Rapid Charger and 2 sleeves for FT-50R
FNB-45 6vdc 600mah NiCad Battery

This is a good rig and has had no mods applied. I am parting with it because
I do not have a use for it anymore.

If interested, email me at jerry_decker@msn.com

Tnx es 73 de Jerry N5RV

3860. Re: FS: Yaesu FT-840, In Box, Near New

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <36E91DFC.DE535B56@ix.netcom.com>
Source record: 114357
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.misc

Gosh.. Thanks Jose'!

Let me return the favor--

I've done many transactions with Jose' and he's always been
a man of his word. It takes a little time to get mail all
the way from Spain, but you can count on it to be there.
Trade with confidence.

--
73 DE David Stinson AB5S
arc5@ix.netcom.com

3861. FS:Signal One MS 1030CI

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: kb6lue@postoffice.pacbell.net
Message-ID: <36E9CB6A.65737F06@postoffice.pacbell.net>
Source record: 114358
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi all
I have a for sale Signal One MS-1030CI. Good working condition. Price
is $3500 plus shipping. I can E Mail photos on request.
Thanks
Jin KB6LUE

3862. WTB: Need manuals for Collins 651S1

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: chris@pooh.cc.ucf.edu
Message-ID: <7cb93lfai1@news.cc.ucf.edu>
Source record: 114359
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

I am looking for the service and owners manuals for a Collins 651S1
receiver. Will pay duplicating costs, if necessary.

Please reply by email.

Thanks

Chris

--
==
Chris Maukonen "Change is not merely necessary
Sr. Systems Programmer to life - IT IS LIFE"
Univeristy of Central Florida Alvin Toffler
chris@.ucf.edu (407) 823 5460

3863. WTB: Kenwood SWC-1 module

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: KC5ALC <kc5alc@mindspring.com>
Message-ID: <7cba40bop1@camel19.mindspring.com>
Source record: 114360
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

I'm looking for an SWC-1 remote module for the Kenwood SW-200 SWR/Power meter. Must be in good working order and physically in good shape.
Contact kc5alc@mindspring.com

3864. WTB; SWC-1 Module for Kenwood

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: KC5ALC <kc5alc@mindspring.com>
Message-ID: <7cbaa3ovj1@camel19.mindspring.com>
Source record: 114361
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I'm looking for an SWC-1 remote module for the Kenwood SW-200 SWR/Power meter. Must be in good working order and physically in good shape.
Contact kc5alc@mindspring.com

3865. GS35b

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: vairo@rai.it
Message-ID: <36e9285b.25617105@193.76.127.2>
Source record: 114362

i want GS35b tube
73 de iw1arb Paolo

3866. Re: VX-5r low audio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Larry Benko <benko@aztek-eng.com>
Message-ID: <36E93447.16DAF646@aztek-eng.com>
Source record: 114363

Glenn,

Below is an excerpt of previous e-mails concerning the VX-5R

Great web page about the VX-5R.

http://www.icongrp.com/~sllewd/vx5rmain.html
http://www.ticon.net/~davez/vx5r.html

I own one from the second lot. I don't notice the excessive
delay on tone squelch as others have noticed but I don't use
that feature extensively. However I do have the weak audio you
mentioned. Side by side comparisons with an Icom W32A, Alinco
DJ-191, and the VX-5R produced uniform comments about
the VX-5R having the weakest audio. For what it is
worth the stock settings for my HT were as follows:
6m pot. = 55% of clockwise rotation
2m pot. = 45% of clockwise rotation
70cm pot. = 30% of clockwise rotation

I adjusted the 2m pot. to about 55% of rotation, the 70cm pot.
to about 50%, and the 6m pot to about 70% and now the audio on
all 3 HTs appears to be similar.

I too have a VX-5R, S/N 8N02--- and side by side tone squelch
comparisons with my W32A (1 HT held to each ear) show that the
VX-5R opens the squelch later than the W32A but just by a fraction
of a second, no where near the 1-3 sec. that some experience.
General scanning seems to indicate that the VX-5R does stop at
repeaters with a subaudible tone (and the VX-5R set to tone squelch).
However if it sometimes did not stop, I'm not sure that I would
know. I mainly bought the VX-5R to use for foxhunts and the
all metal case works well when close in. Also being able to tune
to the other side of the 1st IF (e.g. 146MHz + 2*47.5MHz) with
about 30 db. of signal attn. again works well. All in all, I like
the VX-5R but I too wish the tone decoding was a little faster. By
the way when I got the VX-5R I received several comments about weak
audio. However after turning up the audio pots. (for all 3 bands)
this comment has gone away. The pots. are located under the
sticky label in the battery compartment that covers the temp./
barometric pressure unit.

Larry Benko, AC0B

"Glenn E. Frasier" wrote:
>
> Anyone else notice low audio reports from others when useing the built in

> mic. On an external mike people say i sound alright. is there a fix for
> this?
>
> --
>
> Glenn E Frasier jr. Kd5dmg
> kd5dmg@msn.com
> home page http://members.tripod.com/kd5dmg/
>
> ----------

3867. FS: *MFJ-9406X & Tuner - Mint*

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: lstolz@gcfn.org
Message-ID: <7cbc8b$q52@login.freenet.columbus.oh.us>
Source record: 114364
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

MFJ-9406X SIX Meter SSB travel radio with mic, manual, MFJ-903 tuner, and 416 CW adapter installed. This is like new, used only a couple of times. I can't find any 6M SSB stations around here. Paid $349+ for it all, will ship to your door CONUS in original boxes for $200.00.

--
Lynn Stolz N8AJ --lstolz@gcfn.org

3868. Adjusting PK-232 LED display...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Rick Mintz <Rmintz@Frontiernet.net>
Message-ID: <7cbdjpqfg3@node17.cwnet.frontiernet.net>
Source record: 114365

Adjusting PK-232 LED display...

Hi.

I am looking for the method of adjusting the LED display on my PK-232.

For contesting I will be using a HAL P38, just installed, (gives much better performance). But..... The onscreen tuning bars are much more difficult to align quickly than the PK-232 LED display. So I am feeding audio to the PK for tuning purposes only.

The PK-232 display shows the 'on frequency' position about 20-25 hz higher than the HAL P38. Want to adjust the PK display to match. Any gurus out there that can tell me how to move the PK display frequency center?

Thanks.

--

Rick Mintz, W1TY
Rochester (NY) DX Association
Rmintz@Frontiernet.net or W1TY@arrl.net

3869. Re: NEW RADIO SHACK HAM HT's

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: jordan@santanet.com
Message-ID: <7cbhk6$kt3$1@nnrp1.dejanews.com>
Source record: 114366

In article <19990309193519.06983.00000284@ng28.aol.com>,
fishbags@aol.com (Fishbags) wrote:
> HTX-200 (cat # 19-1102) & HTX-400 (19-1104) 2W on external power 300mW
on
> 2 "aa" batteries. small approx 3.5x2.5x1.5. Available in 1-4 months.
> Big Deal. but I know there are people who faint waiting to hear
> about new R/S crap so here is some info.
>

You know, I'd like to know what exactly is wrong with Radio Shack radios?? I own 4 R/S Ham rigs and they all perform excellent. The prices are always decent and the availability is always there.

I guess some people just don't like buying from the Wal-Mart of radio stores and would rather shop at the Saks 5th avenue stores.... Well, whenever one of my radios goes down, there are a lot more Radio Shack stores that I can find and take it to than there are the big Yaesu or Kenwood or other big name retailers.

Some say the Radio Shack employees are not up to speed on Ham gear. Well, two things... How many ham radios are sold thru them each year versus walkmans, tv's vcr's.. If you were a salesman, would you specialize in a lesser selling product or the most popular selling one?? And as for customer service... I can personally relate that as a newly minted No-Code Tech, I went into an Atlanta HRO a couple of years back and once I told them I was a no-coder, they pretty much didn't wnat anything to do with me. Guess they couldn't make thier super commission off a 2 meter ht. You go into Radio Shack and never get asked what class license you are.

Radio Shack offers a large service to our hobby and I think they should be given a little more credit than getting bashed on the head by someone who spent too much money on a radio and now wants to justify his overspending in any way possible.

Well, that's my story and I'm stickin to it.

Sorry for taking up so of your time.

Paul Jordan
kl0an
Fairbanks, AK

In article <19990309193519.06983.00000284@ng28.aol.com>,
fishbags@aol.com (Fishbags) wrote:
> HTX-200 (cat # 19-1102) & HTX-400 (19-1104) 2W on external power 300mW
on
> 2 "aa" batteries. small approx 3.5x2.5x1.5. Available in 1-4 months.

> Big Deal. but I know there are people who faint waiting to hear
> about new R/S crap so here is some info.
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3870. Spectornics DD-1T

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Jim Allen <jim_allen@hp.com>
Message-ID: <36E9317E.72C6@hp.com>
Source record: 114367

Does anyone know what tranceivers the Spectronics DD-1T digital
display goes with?

Thanks,

Jim

NU6AM

3871. List #1 = 3CX3000A7 +

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990312112002.08839.00000090@ng115.aol.com>
Source record: 114368

List #1= 3CX3000A7 tube,
Socket, Filament transformer 7.5 volts @ 51 Amps
Plate Transformer 2.7 Amps @ 5000 volts
HV Caps, Blower, Meters, Tank Coils
Cabinet to build a large amplifier.
I will sale all parts for $2,000.00 plus shipping.

3872. fs: dualbander ht

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: wardseward@yahoo.com
Message-ID: <7cbiq6$m0u$1@nnrp1.dejanews.com>
Source record: 114369

ForSale: ADI AT-600HP dualband (2m/70cm) HT w/battery, wall charger, rubber ducky, manual and box, speaker/mic, leather case, and car lighter adapter.

This rig is in great shape and hasn't seen much use.

I'm asking $250 plus S&H.

-\/\/ard--KB9TFF
wardseward@yahoo.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3873. WANTED: TS940 SERVICE MANUAL!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Leon Snider <leons@worldnet.att.net>
Message-ID: <7cbfs1$d7l@bgtnsc02.worldnet.att.net>
Source record: 114370

HELP! PLEASE!

3874. Re: FS:MIB Yeasu FT900/CAT w/CW filter & remote kit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: WN1S@webtv.net
Message-ID: <110-36E940CF-8@newsd-291.iap.bryant.webtv.net>
Source record: 114371

Its a great radio Jeff...I used mine at a base installation, however,
and with exceptional results.
Vin

3875. Got Heath?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: marijimc@axs.net
Message-ID: <7cbk5mnat1@nnrp1.dejanews.com>
Source record: 114372

Looking for Heath equipment - HW-5400 for parts and SS-9000 complete. Got one? Wanna' sell? Or trade? Thanks, Jim

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3876. WTB: Cushcraft R-7000 vertical

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-12 00:00:00 UTC
From: Bill Jobes <jobes@bellatlantic.net>
Message-ID: <36E948F2.5B88A3F0@bellatlantic.net>
Source record: 114373

```
Interested in buying an R-7000 vertical.
Please reply via email.
Bill Jobes
```

3877. FS: Yaesu FT-1000 with Ext Speaker and Phone Patch

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Scott Leaf - VE7VDX <ve7vdx@rac.ca>
Message-ID: <36eb5fff@news.vphos.net>
Source record: 114026

FT-1000 in excellent condition
with matching Yaesu External Speaker (with internal Phonepatch)
250hz, 500hz and 2.4Khz Filters
in box with all manuals and documentation.

(being sold by a senior ham who is moving into a residence where he can not use radio)

$3000 US shipped anywhere in North America (overseas negotiable)

please email ve7vdx@rac.ca Web site: http:///www.qsl.net/ve7vdx

3878. PROGRAMER FOR Standard HX340U(AS)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: ka4oww@earthlink.net
Message-ID: <36eaa632.14496159@news.earthlink.net>
Source record: 114027

hELLO I AM LOOK FOR THE SOFTWARE FOR REPROGRAMING MY HT .
i BELIVE THAT I CAN USR A RS232 LEVEL CONVERTER FOR THE INTERFACE IS
THIS CORRECT AND WERE CAN I FIND THE FOFTWARE/
ka4oww@earthlink.net

3879. Programmer needed for Standard HX340U(as)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: ka4oww@earthlink.net
Message-ID: <36eaae12.16511895@news.earthlink.net>
Source record: 114028

Hello:
I am looking for the programming software for my Standard HX340 .
Also I need the interface , or is it possible to use a RS232 level
convertor?
thank you
ka4oww

3880. FS: Kenwood TS450SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Eric Ludes <eludes@earthlink.net>
Message-ID: <36EAF8AE.1F443EF5@earthlink.net>
Source record: 114029
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale:

Kenwood TS450SAT (with the auto tuner) HF transceiver with all original manuals, hand mic, power cable and box. This rig is in excellent condition. No mods or add-in filters...as it came from the factory. I am the original owner. Non-smoker, rig never mobile.

$725.00, picture emailed upon request.

73 and thanks for reading.

Eric - KG0JN

3881. Re: VX-5 Antenna Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Eric Ellington <attnspan@earthlink.net>
Message-ID: <36EB29E3.6F4FD922@earthlink.net>
Source record: 114030

I had just assumed it would be required because the Icom tribander has a "permanent extender", and they don't advertise sub-50 MHz reception (except AM broadcast).

Chalk it up to another typo in the manual?

Either way, it doesn't seem to affect 2m/70cm, but I've never actually done any a/b comparisons. Might be worth an experiment.

Eric KC0FBS

Mark wrote:

> According to the manual the antenna extender element is for use when
> receiving below 50 MHz but I've found it's needed when your trying to work 6
> meters. Anyone else have this same experience? Also, wonder how much that
> would effect 2 and 440 operation?
>
> Mark KU4MP

3882. FS: Kenwood TS450SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Eric Ludes <eludes@earthlink.net>
Message-ID: <36EB2CAD.1D0447DE@earthlink.net>
Source record: 114031

For sale:

Kenwood TS450SAT (with the auto tuner) HF transceiver with all original manuals, hand mic, power cable and box. This rig is in excellent condition. No mods or add-in filters...as it came from the factory. I am the original owner. Non-smoker, never mobile.

$725.00, picture emailed upon request.

73 and thanks for reading.

Eric - KG0JN

3883. Another VX-5 antenna question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Eric Ellington <attnspan@earthlink.net>
Message-ID: <36EB2D55.22E13833@earthlink.net>
Source record: 114032

My apologies if this has already been covered, but my news server doesn't appear to retain many messages.

Anyone tried to use another antenna (such as a mobile dual-bander or a handheld 1/4 wave whip) with the VX-5?

Well, I did (both a mobile and whip), and the performance was interesting, at least on 2m. They definitely pulled in the signals, but they also seemed to pull in images from other frequencies. For instance, right around 145.275, I picked up a local Wx broadcast (full quieting, pegged the "meter"). I also received a couple of much weaker images of the same signal 30 KHz or so above and below 145.275. Then, somewhere up around 147.500 I picked up a local TV station (couldn't identify which one, so I have no idea what its frequency is).

Replacing the Yaesu supplied antenna completely removed the images. There wasn't even a change in tone around these frequencies to suggest that it was the difference in antenna gain that made the difference.

So, is the supplied antenna an integral part of the receiver? Or do I have a bad unit?

Thanks.
Eric KC0FBS

3884. HAM-link's

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Ivan.Cindric@g-box.fido.hr
Message-ID: <d58_9903141630@g-box.fido.hr>
Source record: 114033

```
* Crossposted from: HamRadio.38 (CroatiaNet)

Hi,
If you have home page send me address and I will be
write links from my home page on you page.
my address is 9a6gpp@qsl.net
73 de 9A6GPP (ivan.cindric@g-box.fido.hr)
(9a6gpp@qsl.net)
(http://www.qsl.net/9a6gpp/)
--
---------------------------------------------------------------------
- Fidonet: Ivan Cindric 2:381/102 -
- Standard disclaimer: The views of this user are strictly his own. -
- G-Box, Samobor, Croatia +385 1 78-38-66 -
---------------------------------------------------------------------
```

3885. FS: Motorola RIB and cable...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: JESPER BRAMM <bramm@get2net.dk>
Message-ID: <AUvG2.198$TY3.322@news.get2net.dk>
Source record: 114126

Hello all.

Up for sale is a RIB and cable for MTS 2000/MT/GP/HT and Jedi series. Prices
is $ 150+ shipping.

Email direct to bramm@get2net.dk

Thanks

3886. FS: Motorola RIB and cable...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: JESPER BRAMM <bramm@get2net.dk>
Message-ID: <BUvG2.199$TY3.322@news.get2net.dk>
Source record: 114127

Hello all.

Up for sale is a RIB and cable for MTS 2000/MT/GP/HT and Jedi series. Prices
is $ 150+ shipping.

Email direct to bramm@get2net.dk

Thanks

3887. Re: FT-847 vs FT-920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Rob Kling <rkling@home.com>
Message-ID: <36EA8FD8.80675B5F@home.com>
Source record: 114128

I would recommend the FT-847. Although I do not own one, I do own a 736R which is great radio that the FT-847 has replaced. I was a lot like you when I purchased the 736R. I would have bought the FT847 if it were available at the time. The FT847 is a great radio! Also I understand that it can receieve to 512MHz, so you can use it like a scanner. If your primary concern is HF then buy an HF radio. The really good HF radios do not come with 144/440. They also do not come cheap! Looking at the total package the FT847 is one radio, one power supply, one device to connect to you TNC and computer etc.

I hope this helps

Rob Kling

andrewvictor@geocities.com wrote:
>
> I have decided that I should get a FT-847 or a FT-920.
> I a fairly new ham and have only talked on HF and 2m/70cm
> on an HT. I would like to know about satillite
> operating(I might like to get into that later) but also
> want a rig that can DX on HF. I only can have one
> radio. Which do you recommend??
> Thanks for your time, 73,
> Andrew
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3888. Re: SHOULD I WAIT ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Marv Luse <mwluse@dimensional.com>
Message-ID: <36EA987A.2370958A@dimensional.com>
Source record: 114129

MIKE (707) wrote:

> Should I get my Ham "ticket" now, or wait to see what the Fed's are going to
> do with the current band plans? And no, I don't know code anymore.

Get your code speed up to about 25 WPM, then get your ticket.

73,

Marv
KC0EGB

3889. wtb ten tec model 405 amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: cmb <cmb@owc.net>
Message-ID: <FcxG2.504$mN.1158143@news.megsinet.net>
Source record: 114130

lookin for a ten tec model 405 amp
thanks jack n9iif

3890. Re: FS: Older Manuals, Callbooks

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: kvanderlin@aol.com
Message-ID: <19990313124037.04803.00000160@ng122.aol.com>
Source record: 114131

>Winter 1963/64 US Callbook. Excellent Condition. Cover, pages, binding all
>excellent.

SOLD!!

>Winter 1968/69 US Callbook. Excellent Condition. Cover, pages, binding all
>excellent.

Still Available.

>Kenwood TS-940 Service Manual, Copy. $13 shipped.

SOLD!!

>Alpha 91B Users Manual, New. $18 shipped.
>

Still Available.

Van

3891. Re: Old Boat Anchor advise

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: WN1S@webtv.net
Message-ID: <27015-36EA9CFC-19@newsd-293.iap.bryant.webtv.net>
Source record: 114132

Having owned this transceiver and used it.,
I came to the conclusion that the transmitter with its pair of 6HF5s
boasts a coupe hundred watts easily ++ with suitable ssb audio. I
found the receiver to be a bit knarly by todays standards, however. It
also lacked the sensitvity on the higher bands making typical operating
on ten meters a bit of a hassle at times.
As a lowband, ssb unit where you don't move around much, it had more
value.
Its a bit of hodge podge mix of tube and early solid state technology.
At the typical price usually asked for one of these nearly collectible
items, I found the ts-520
a far far greater value in the ham shack in every dept.

Vin

3892. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36EAAF58.17066BFE@t-online.de>
Source record: 114133

Edmund Burke jr schrieb:
>
> My notebook and my ADMS software for the FT-50 were destroyed (crushed).
> I still have the programming cable, and really don't want to dish out the
> $$ for the software/cable again (Just spent too much replacing the
> notebook).
>
> I was wondering if anyone might have a suggestion as to where I can find
> the software only.

Goto my page, there you will find free Software for the FT50,
it can do everything as the ADMS + a couple of extras more,
like Software mods, ...

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

3893. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36EAB122.80E8AB92@t-online.de>
Source record: 114134

clintbrad4d@earthlink.net schrieb:
>
> In article <7cbj49$d1ru$1@newssvr04-int.news.prodigy.com>,
> QESK41A@prodigy.com (Edmund Burke jr) wrote:
> > My notebook and my ADMS software for the FT-50 were destroyed (crushed).
> > I still have the programming cable, and really don't want to dish out the
> > $$ for the software/cable again (Just spent too much replacing the
> > notebook).
>
> Well, RT Systems is coming out with a new, updated version that addresses the
> VX-5R. You might want to upgrade right now anyway...for a measley twenty
> bucks.

:))

Clint, he says:

> and really don't want to dish out the $$ for the software/cable again

come on Clint, stop this, it's starting to be funny, 90%
of your messages are "Get the ADMS Software, great company"

I know they are a great company, fair to theire customers,
and you like supporting nice companys. But please !!!!!!

If someone is searching for ADMS on dejanews he will only
see your name on the messages.

Please Clint,

Regards, Goran Vlaski

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

3894. FS: VHF FM Mobile Power Amps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36EAB146.3B8A@ix.netcom.com>
Source record: 114135
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have for sale the following VHF FM power amps.

Item 1
Trilectric A2080H... Units are currently on 153 Mhz and do not have tunable caps to retune.. Can be used on commercial band, or if you are handy could install variable of fixed mica caps to retune for your needs.. Currently work down to bout 146 Mhz in the ham band..

20W in gives 80W out at 13.5VDC. WIll work down to 10W input which gives 40W output.

$45 each + Shipping.

Item 2
Henry C130A30 commercial rated power amps.. Units provide 130W output at nominal 30W input.. Are tunable 136- 174Mhz.. Will tune per your requirements.

This is the commercial amp, with better than 70DB below carrier harmonic filter in the output.. Units are 50% duty cycle as is, and 100% with fan cooling.

$85 + shipping each.

Thanks for reading..

Steve-WA6GSD

3895. FS: GE MVS "T" Band mobiles (470-512 Mhz)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36EAB1BE.2F2D@ix.netcom.com>
Source record: 114136
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale... GE MVS radios model NPU30.. Radios are 16 channel/scan version and do PL as well as DPL..

Complete with bracket, microphone and shell/pins to make your power cord.

Programmed and tuned to your requirements.

$95 each + shipping.

Thanks for reading.

Steve-WA6GSD

3896. FS: HP-8616A Service Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: larryc@northwest.com
Message-ID: <36EAB693.2F28@northwest.com>
Source record: 114137
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

First $7.50 + shipping gets it.

3897. FS: Sweep Generator, HP-8690B

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: larryc@northwest.com
Message-ID: <36EAB60B.4DE8@northwest.com>
Source record: 114138
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Works, sweeps 0.1-4gHz. Two manuals included (HP690A and HP690B series service manuals)

Asking $275 + shipping from 97124 (portland, or)

========

3898. FS: Mallory electrolytic caps 2600uF @ 300V

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: larryc@northwest.com
Message-ID: <36EAB748.4675@northwest.com>
Source record: 114139
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I have eight (8) pcs, with those mounting ring brackets.

$40 for everything + shipping.

3899. Manual Alinco DR-130t

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: bill <wjtbaxter@hotmail.com>
Message-ID: <36EABA5D.AEA0DF93@hotmail.com>
Source record: 114140

I need a operating manual for the Alinco DR-130t and the mod for this radio also.

3900. Re: Down East Microwave Trasverters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Mark Brown <kb0pyo@rconnect.com>
Message-ID: <36EABB69.7780BB1C@rconnect.com>
Source record: 114141

Hi Rick
The 706 doesn't have the proper outputs for a transverter.
Downeast makes a 25 watt attenuator that you can put inline
that will lower the signals to the correct level. Call DEM &
ask for Steve, he will be happy to get you setup with the
right parts.
Mark

Rick wrote:
>
> If anyone has connected an Icom 706 Mk 2 to a 220 and/or 1.2 ghz or higher
> module, I'd love to hear from you. The info sent by them isn't clear enough
> for me to completely determine if the devices will connect readily.
>
> Thanks for your help
>
> Rick
> KC7WGS

3901. FS: New Motorola SLK280 Family Radios - Pair

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: John Hoffman <jhoffman@usinternet.com>
Message-ID: <36eac61c@news1.usinternet.com>
Source record: 114142

Check out my eBay ad:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=77684988

3902. FS Kenwood TH-G71A mint.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Michel Morin <morinm@csdgs.qc.ca>
Message-ID: <q2AG2.4625$_n2.102015@carnaval.risq.qc.ca>
Source record: 114143

Mint condition TH-G71A (almost new), still on warranty. Comes with a SMC-33 microphone, PG-3J filtered cigarette lighter adapter, PB-39 high power battery and BC-17 charger. Includes manual, warranty card and original bill of sale, also original boxes. AES sells this bundle for $382.85 plus taxes.

I will let you have it for $300. U.S. including shipping and insurance. Reason for sale is that I need a mobile rig. Inquire by email if interested.

73 de VE2CJW
Michel Morin
Quebec, Canada.

3903. FS:Kantronics KamPlus

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: k2jy@aol.com
Message-ID: <19990313155759.16600.00000275@ng111.aol.com>
Source record: 114144

Have for sale a Kantronics Kamplus with software.All in excellent condition.With shipping 225.oo

K2JY@aol.com

3904. Re: Kenwood IC-10 chip

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Clif Holland <avvid@onramp.net>
Message-ID: <7cejc1$hu3$1@news.onramp.net>
Source record: 114145

Jameco has both chips for less than $10.

--
Clif Holland, KA5IPF
Owner of AVVid, an Authorized Kenwood and Icom Service Center
For more info click on the following
http://rampages.onramp.net/~avvid
or call 1-800-214-5779
The SwanMan, Jan Robbins N0JR wrote in message
<36E9D800.25032BD8@cfu.net>...
>This is the computer-control kit for the TS-440S. jan N0JR
>

3905. Help! Kenwood TK-830 question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Tony Szablowski <a2112szablowski@worldnet.att.net>
Message-ID: <7cekof$2a1@bgtnsc03.worldnet.att.net>
Source record: 114146
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

I've got a UHF TK-830H mobile that suddenly went dead upon powerup.
Now, I turn the unit on and get the self-test beep but I get no
display, no audio other than the powerup test beep, and it doesn't
respond to controls on the KCH-3 remote head. I've opened it up but
didn't see anything burnt out, though there might not be any
indicators.
Any help/directions is _GREATLY_ appreciated folks, since I've no $
to take this beast to a repair shop. Thanks.
--
Regards,
Tony
a2112szablowski@worldnet.att.net (remove 2112 to e-mail)

3906. Re: Help! Kenwood TK-830 question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Tony Szablowski <a2112szablowski@worldnet.att.net>
Message-ID: <7ceku8$364@bgtnsc03.worldnet.att.net>
Source record: 114147
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Tony Szablowski wrote in message
<7cekof$2a1@bgtnsc03.worldnet.att.net>...

One last item: it does not Tx either.

Summation: the KCH-3 control head doesn't seem to work at all except the power button, the unit does appear to turn on because of the power-up test beep. I hear no audio and the radio doesn't Tx. Thanks again.
--
Regards,
Tony
a2112szablowski@worldnet.att.net (remove 2112 to e-mail)

3907. WANTED: Information

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Steve <wswr@erols.com>
Message-ID: <7cemg9otu1@winter.news.rcn.net>
Source record: 114148

Does anyone know the model number of a Yaesu 440 mono band
mobile radio. Not an HT.

Steve

3908. FS: Collins 75A-4 Amateur Radio Receiver on eBay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: bigjoe@spamsux.bright.net
Message-ID: <7cemfd$8gl$1@cletus.bright.net>
Source record: 114149
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=77736556

3909. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7cemm7$859$1@nnrp1.dejanews.com>
Source record: 114150

In article <36EAB122.80E8AB92@t-online.de>,
Ingra-Beton@t-online.de (Vlaski Goran) wrote:

>> Well, RT Systems is coming out with a new, updated version that addresses
>> the VX-5R. You might want to upgrade right now anyway...for a measley twenty
>> bucks.

> come on Clint, stop this, it's starting to be funny, 90%
> of your messages are "Get the ADMS Software, great company"
> I know they are a great company, fair to theire customers,
> and you like supporting nice companys. But please !!!!!!

So...you completely agree with me that RT Systems has good products and
treats its customers fairly...but you don't want it mentioned here?

The original poster said he didn't want to spend the bucks for new software
and cable. He DOESN'T have to buy a whole new package.

> If someone is searching for ADMS on dejanews he will only
> see your name on the messages.

Hey - it could be a lot worse...people with unfair, unjustified grudges and
chips on their shoulders could dominate. But, thank goodness, they usually
fall by the wayside and find another group to abuse.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3910. Re: Yaesu FT-ONE display

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: dj2001@isd.net
Message-ID: <dj2001-ya02408000R1303991608460001@news.isd.net>
Source record: 114151

In article <36ea87cf.385926757@news.mindspring.com>,
ssacntrl@mindspring.com wrote:

>The display on my FT-ONE reads 300 Hz higher than the actual frequency
>it is on. I also need a source for wheat lamps for the meters.
>Thanks.
>

Try Radio shack for the bulbs. As for the freq readout, the FT1 does not
have a freq counter so it will not read the actual freq. You will have to
adjust the osc which have a bad habit of being a mile off. Most likly the
54 mhz osc is the culprit due to aging of the crystal and low quality
trimmer caps. You can order a new crystal from Yaesu and consult
Communications Quarterly article by Cornell, WB3JZO regarding the trimmers.
The FT1 is a good radio, but like all it has its little qurks. Good luck.
dj

>Kenny Young

3911. Re: FS Kenwood TH-G71A mint.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: fireman622@webtv.net
Message-ID: <2334-36EADC8D-1@newsd-153.iap.bryant.webtv.net>
Source record: 114152

if interested i have a tm 261 kenwood 2 meter rig in near perfect
condition,
maybe we can make a trade of some sort.
email at fireman622@webtv.net

3912. DRAKE R8A FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: jer <jerr1919@tampabay.rr.com>
Message-ID: <36EAE64F.2708@tampabay.rr.com>
Source record: 114153

I have a Drake R8A with the VHF option installed which adds 35-55mhz
and 108-174mhz to the coverage of 100-30,000khz. This radio is in like
new condition I am a nonsmoker and purchased it from Univeral Radio last
year. I have the matching speaker and manuel and original box, all are
included in the price of $895 shipped prepaid moneyorder. The reason I
am selling is that I am not useing it to its full potential, I also
have a SW8 that I recently purchased so it is excess to my needs.

Regards..jerr1919@tampabay.rr.net
formerly jerr1919@gte.net

3913. **********HAM STUFF FOR SALE**********

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: n2ion@aol.com
Message-ID: <19990313175435.03613.00000296@ng-fp1.aol.com>
Source record: 114154

I HAVE THE FOLLOWING ITEMS FOR SALE OR TRADE

2-KLM 2M 22C VHF SATELLITE YAGIS(GREAT CONDITION)
2-KLM 435 40CX UHF SATELLITE YAGIS(GREAT CONDITION)
1-AVANTI ASTRO BEAM(11M) NEEDS 1/2 HOOP(OTHERWISE EXCELLENT CONDITION
4-TONNA F9FT 1.2 GHz YAGIS

ALL ITEMS PRICED FAIRLY

SERIOUS INQUIRIES ONLY

EMAIL FOR DETAILS

3914. FA- LAST DAY - UHF MOBILE 8CH

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <4vCG2.166$g37.5505@sapphire.mtt.net>
Source record: 114155

This wud be nice at the local Vol. F/D $100 RESERVE only

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=75386655

3915. WTB: MFJ Memory Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: noel@discovernet.net
Message-ID: <36eaf560.3072354@news.discovernet.net>
Source record: 114156

Hi;

I'm looking for a MFJ Memory Keyer preferable the MFJ-493 (Super Memory Driven Keyer) but will consider others. The only requirement is that it be in excellent/mint shape.....Thanks and 73

Noel Anderson W1XB
noel@discovernet.net
Canaan, CT

3916. KT-2 KEYER, Manual Rqst for

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: msb <msbSPAMMAPS@newpony.com>
Message-ID: <7cf0q6$sth@dfw-ixnews12.ix.netcom.com>
Source record: 114157

Would like instructions for AEA KT-2 keyer.

tnx -- msb

3917. Re: Yaesu FT-ONE display

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Clif Holland <avvid@onramp.net>
Message-ID: <7cf1gembu1@news.onramp.net>
Source record: 114158

I have a couple of Service Manuals for the FT-1 if anyone is interested...

--
Clif Holland, KA5IPF
Owner of AVVid, an Authorized Kenwood and Icom Service Center
For more info click on the following
http://rampages.onramp.net/~avvid
or call 1-800-214-5779
dj2001@isd.net wrote in message ...
>In article <36ea87cf.385926757@news.mindspring.com>,
>ssacntrl@mindspring.com wrote:
>
>>The display on my FT-ONE reads 300 Hz higher than the actual frequency
>>it is on. I also need a source for wheat lamps for the meters.
>>Thanks.
>>
>
>
>Try Radio shack for the bulbs. As for the freq readout, the FT1 does not
>have a freq counter so it will not read the actual freq. You will have to
>adjust the osc which have a bad habit of being a mile off. Most likly the
>54 mhz osc is the culprit due to aging of the crystal and low quality
>trimmer caps. You can order a new crystal from Yaesu and consult
>Communications Quarterly article by Cornell, WB3JZO regarding the trimmers.
>The FT1 is a good radio, but like all it has its little qurks. Good luck.
>dj
>
>>Kenny Young

3918. FS: Kenwood TM-641A tribander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36EA9BDE.60907ED4@ix.netcom.com>
Source record: 114159
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood TM-641A tribander, has 2m, 220 Mhz and 28 Mhz band installed.
Very nice condition. $625. If interested, contact via address below.

****
Duke -NA1A- Direct Line: (310) 649-2226
E-mail: na1a@qsl.net or mailto:na1a@ix.netcom.com
Ham Radio Website: http://www.qsl.net/na1a
****

3919. FS: 2/220 duplexer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36EA9C58.7EF41F78@ix.netcom.com>
Source record: 114160
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

NGC 2/220 duplexer. $25 shipped.

****
Duke -NA1A- Direct Line: (310) 649-2226
E-mail: na1a@qsl.net or mailto:na1a@ix.netcom.com
Ham Radio Website: http://www.qsl.net/na1a
****

3920. FS: Kenwood DFK-4 Remote cable kit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36EA9DB8.BCF81355@ix.netcom.com>
Source record: 114161
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Kenwood DFK-4 remote cable kit for Kenwood TM-741,742,641,642,942 etc...
series. Includes a Comet external speaker with filter. $40 for the
package.

****
Duke -NA1A- Direct Line: (310) 649-2226
E-mail: na1a@qsl.net or mailto:na1a@ix.netcom.com
Ham Radio Website: http://www.qsl.net/na1a
****

3921. FS: Comet trunklid mount

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36EAA9AA.6D7C20C6@ix.netcom.com>
Source record: 114162
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Comet trunk lid mount with 360 degree swivel mechanism, coax, UHF
fitting for antenna. $30.

****
Duke -NA1A- Direct Line: (310) 649-2226
E-mail: na1a@qsl.net or mailto:na1a@ix.netcom.com
Ham Radio Website: http://www.qsl.net/na1a
****

3922. WTB: RF Concepts "Dual Band" 2/440 amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
Message-ID: <36EB1D9F.ABA66C4F@cfu.net>
Source record: 114163

Want RF Concepts "Dual Band"
amp with 200 out on 2, 125 out on 440. Jan N0JR

3923. Re: Recommendations for 2M HTs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: msb <msbSPAMMAPS@newpony.com>
Message-ID: <7cf8sc$40c@dfw-ixnews12.ix.netcom.com>
Source record: 114164

Mark,

I've had a VX-1 and FT-50. The 50 is a nice rig but there are smaller
ones for the pocket. Also the On-Off button is too easy to hit and
pwr up by accident and run the batt down. The VX-1 is of course
smaller, less pwr -- but the Li-Ion battery is great. My recommendation is
to get the VX-5. I can live w/ the CTCSS bug.
I think it is a good way to go.

msb.

Mark S. Jennings wrote in message <7ccd4lqah1@brokaw.wa.com>...
>I'm returning to ham radio after ten-years of inactivity and need a new 2M
>(+ maybe 440 and 6M) handheld. Things have gotten complicated in my
>absence.
>
>My immediate interest is a very small and light HT that I can use for an
>upcoming motorcycle trip for bike-to-bike comm. I want it to be as small
as

.... clip...

>Thanks for any suggestions,
>
>- Mark (N9AFL)
>
>
>
>
>
>
>

3924. Re Wrong wid Rad Shak?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: "Tom B." <ab7tu@parg.org>
Message-ID: <36EB1D01.7A61@parg.org>
Source record: 114165

I have noticed the OP's with the CB background seem to be pretty hostile towards RadioShack. Isn't it nice to have choices.

3925. Re: SHOULD I WAIT ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: "Tom B." <ab7tu@parg.org>
Message-ID: <36EB20A3.69B7@parg.org>
Source record: 114166

I hear about a lot of people who are going to "wait" and see what
happens (like maybe the code requirement will vanish). These are the
same folks who will still be waiting for something to happen in the
murkey future. Study now or later, it's your choice. I'm sure you will
enjoy the pride and sense on accomplishment you will feel once you have
that ticket on your wall. Good Luck

MIKE (707) wrote:
>
> Should I get my Ham "ticket" now, or wait to see what the Fed's are going to
> do with the current band plans? And no, I don't know code anymore.

3926. Re: VX 5R ctcss decode problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <36EB3787.99FF90C@mindspring.com>
Source record: 114167

No surprise. New mode of support is to note the problems and fix them
(but introduce new ones) into the next model released.

Very sad, but seemingly true.

Phil

jerry r wrote:
>
> I returned mine, that problem is known by Yaesu, they are only fixing
> the scan problem regarding a CTCSS tone.

3927. Re: VX 5R ctcss decode problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <36EB37C6.E66B6ABC@mindspring.com>
Source record: 114168

Yeah, not as classy, but all seems to work.

Phil

FireBuff66 wrote:
>
> Send it back...Get a FT-50RD

3928. FS:Compaq Laptop Computer $135.00

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Morris <morris@SPAMsssnet.com>
Message-ID: <7cfd6s$em0$1@remarQ.com>
Source record: 114169
Cross-posted to: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.swap

Compaq LTE 386s/20 with modem, 60 MB Hard drive, 3 1/2" floppy, 3 MB ram, printer port, serial port, nylon case, Series 2802 AC Adapter, Two (2) Series 2801 batteries, and dual battery holder for charging from the 2802. I was told it has a sound card output jack, but I didn't see one on the setup.

Known problem:
Small plastic cap cover hinge screw is missing.
Hinge on battery door is broken, piece of tape hold well.

Both batteries require service, was told by a battery reconditioner that it would cost $20.00 a piece to recondition batteries.

I purchased a group of laptops from a lease surplus house. I think it will make nice field day computer even without the batteries if you had a inverter or generator (35 watts)

Price is $135.00 plus shipping and Insurance - USPS Priority with signature card - two boxes. Funds in US Dollars. Western Union or USPS money order only.

While the unit is in excellent working order, except for batteries, it is being sold as is with no warrantee.

Thank you
Morris
morris@sssnet.com

3929. 4Sale TS-940, SP-940, SM-220, IF-232c w/Digital Images

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Jim Linden <jrlinden@hotmail.com>
Message-ID: <i_GG2.129$vc2.831@news2.voicenet.com>
Source record: 114170

For Sale:
Kenwood TS-940S/AT s/n 709xxxx - individual price - $1150
Kenwood Matching Speaker SP-940 - individual price - $55.00
Kenwood SM-220 Station Monitor w/BS-8 Panadapter Option Installed - No burned in trace marks on the scope - individual price - $275
Kenwood IF232c Computer Interface - individual price - $60

Clean & Very Little Use - $1400 firm
Buyer pays all shipping & insurance
Digital Images of this equipment can be seen at:
http://members.xoom.com/domelater/ts940/

Location for pickup is approx. 1 mile from Lansdale Exit (Exit 31) of the PA turnpike, also known as Route 9, also known as 476, also known as PA Northeast Extension depending of the age of your map.

Please send all email to jrlinden@hotmail.com

3930. Ham Trader Yellow Sheets

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: "MIKE (707)" <cobra2@gisco.net>
Message-ID: <36eb3dc4.0@news.gisco.net>
Source record: 114171

Ham Trader Yellow Sheets is no longer publishing their paper after March 9,1999. They are getting out of the business, and are being absorbed into the Amateur Radio Trader. All current subscriptions to H.T.Y.S. will be "rolled-over" to A.R.T. They are calling it quits after 38 years!

3931. Source for 8 pin mic plugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Marty Duplissey <mduplissey@lsbs.com>
Message-ID: <4sHG2.276$Ds4.728@news13.ispnews.com>
Source record: 114172

Does anybody know of a source for the 8 pin plugs used by Kenwood, Icom and Yeasu?
I need both male and female ends. Building and adapter to use an Icom 6 on a Kenwood 440

N5KBP

--
Marty Duplissey
Lone Star Business Systems
Specializing in development for the credit report retrieval industry
Desktop, Networks, Intranets and Internet Delivery
http://www.lsbs.com

3932. Re: RE- Do not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Louis Bybee <louisb@datacomm.com>
Message-ID: <36EB4AFA.7489CCA6@datacomm.com>
Source record: 114173
Cross-posted to:
rec.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

The original poster wasn't very specific, but I expect his complaint is
that the offending individual REFUSED the COD, thus the charges bounced
back to the sender.

Louis

BD wrote:
>
> Doesn't the PO require payment before dropping off a COD?
> If you mean that you simply mailed it on 'blind-trust', but...
> Once bitten, hmm.. I don't remember the rest, but.. You get the idea? ;)
>
> axel <dstump1@gte.net> wrote in message
> news:7cck47$324$1@news-2.news.gte.net...
> Do not ship Glen Hobie COD I sent him two boxes radio Equipment he would not
> pay for them or will he answer my E-Mail. But boy when he wanted the radio
> equipment he had no trouble of E-mailing me Dave.

3933. Icom R8500 For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Henderson Holman <hholman@wfeca.net>
Message-ID: <921390850.414915@nntpcache2.nortel.net>
Source record: 114174

Icom R8500 radio for sale. Full coverage scanner radio, computer controlled
via onboard RS-232.
Like new with factory box, manual, schematics, and power cord.
This radio is full coverage with no frequency gaps.(Goverment Model)
Asking $899 or will consider trades on other radio or computer equipment.
Email replies, questions and offers to hholman@wfeca.net

3934. WTB:735 manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: "G.Singer" <deltacom@bwn.net>
Message-ID: <36EB537F.A337AAEB@bwn.net>
Source record: 114175

I need a copy of a 735 operators manual, either the original or a copy
is fine. I'll cover copy costs and mailing costs.
Thanks,
Gerry
--

Gerry Singer KC0CAT
Loc:40 09 38N 103 12 50W Grid Square DN80jd N/E Colorado
Pro 2042 W/Optocom 535 MX7000 Pro67 Pro2004 DX390 W/MFJ 784
R5000 W/MFJ VersaTunerII Azden PCS2000 HTX-242 Alinco DJ191
Icom H16 and U16 HyGain VIII TRC 499
.....and lots of antennas!
Scanner,Weather and Ham Radio web site
http://www.geocities.com/CapeCanaveral/Lab/5137

3935. Hamfest in York PA Sunday March 14

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: bradk58@aol.com
Message-ID: <19990312201530.26954.00000159@ng-fc1.aol.com>
Source record: 114185

Attention mid-atlantic hams. The 14th annual York Springfest takes place this Sunday, March 14 8-2 at the York County Vo-Tech School just off exit 6 of I-83 in York PA. Visit our website at http://members.aol.com/yorkfest

Join us and break out of those winter ham doldrums.

3936. JRC NRD-525 versus NRD-535 and JST-245 RX?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <01be68a2$8e19d1c0$0a8592d0@Bit-Net.bit-net.com>
Source record: 114186
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

I am seeing some JRC NRD-525 receivers for sale. Can someone
explain the differences between the receive qualities of that
receiver to the receive section of the JST-245, please?

I may consider a discrete RX-TX pair if the JRC NRD-525 receiver is
equal or superior to the JST-245 RX section (I have my doubts since
the RX section of the JST-245 has tracking front-end tuning rather
than a broadband front end, and it has a wonderful filter system ...
but thought I'd seek the opinion of the JRC experts here!).

Also, please, the following specific questions ...

1. Is there a significant difference in the internally generated noise
of these different models?

2. Is there a significant difference in the sensitivity of these different
models?

3. Is there a significant difference in the stability (non-drift) of these
different models?

4. Is there a significant difference in the audio quality of these
different models?

5. Is there a significant difference in the selectivity of these different
models?

Thanks for your time and your informed feedback, users are the most
valuable source of information!

73, DavidC K1YP

--

Thanks! & 73,
~~~

\ ~ / .... DavidC K1YP@qsl.net or 603-894-1174
~~~

3937. If no more Alinco, who will repair?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: macw2389@my-dejanews.com
Message-ID: <7ccfl7$g21$1@nnrp1.dejanews.com>
Source record: 114187

I was surprised to hear about Alinco's net loss $50 mil for Mar98 - Mar99, with the sales of $150 mil. The situation is not in their favor, and I was just wondering whether my new Alinco radio can be repaired by someone else IF something happens to the manufacturer. (knowing that warranty would no longer be effective) marc

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3938. FA: Astron 35 Amp. PS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36fcbcd5.284373804@news.earthlink.net>
Source record: 114188

Last day
Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=75809362

3939. TH-27A Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: rushzhang@188.NET
Message-ID: <199903130222.SAA29500@mailbox2.ucsd.edu>
Source record: 114189

I need some mods of TH-27A to RX above 200Mhz
Yours Sincerely 73!
Jing Zhang
BG4AGR
Shanghai, China

E-mail: jzhang@online.sh.cn , rushzhang@990.net
HomePage: http://www.nease.net/~jzhang
http://www.qsl.net/bg4agr

3940. Re: JRC NRD-525 versus NRD-535 and JST-245 RX?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: "Benjamin A. Wallace" <bwallace@sd.cts.com>
Message-ID: <01be6cfc$3272df20$3506a3cd@bwallace.cts.com>
Source record: 114190
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

A good place to compare receiver specs is:

http://sherweng.com/table.html

NRD 515, 525 and 535 are listed.

Ben -- WB8HUR
San Diego

DavidC <davidc@bit-net.com> wrote in article
<01be68a2$8e19d1c0$0a8592d0@Bit-Net.bit-net.com>...
> I am seeing some JRC NRD-525 receivers for sale. Can someone
> explain the differences between the receive qualities of that
> receiver to the receive section of the JST-245, please?
>
> I may consider a discrete RX-TX pair if the JRC NRD-525 receiver is
> equal or superior to the JST-245 RX section (I have my doubts since
> the RX section of the JST-245 has tracking front-end tuning rather
> than a broadband front end, and it has a wonderful filter system ...
> but thought I'd seek the opinion of the JRC experts here!).
>
> Also, please, the following specific questions ...
>
> 1. Is there a significant difference in the internally generated noise
> of these different models?
>
> 2. Is there a significant difference in the sensitivity of these
different
> models?
>
> 3. Is there a significant difference in the stability (non-drift) of
these
> different models?
>
> 4. Is there a significant difference in the audio quality of these
> different models?
>
> 5. Is there a significant difference in the selectivity of these
different
> models?
>
> Thanks for your time and your informed feedback, users are the most
> valuable source of information!
>

> 73, DavidC K1YP
>
> --
>
> Thanks! & 73,
> ~~~
> ���
> \ ~ / .... DavidC K1YP@qsl.net or 603-894-1174
>
>

3941. Re: 10meters into 6meters = ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: dr.dongle@juno.com
Message-ID: <7ccn8k$m6u$1@nnrp1.dejanews.com>
Source record: 114191

In article <36E9B318.31688385@eagle.ca>,
Mike <va3hie@eagle.ca> wrote:
> Can anyone tell me if a RCI2950 can be modified for 6m without the aid
> of a transverter? If so how and if not why? Please e-mail me at
> va3hie@eagle.ca
> Thanks Mike
>
>
Check with Ten-Tec
dr.d
Kiss Technologys
The more complicated the plumbing
the easer it is to stop up the pipes M. Scott

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3942. FS Kenwood YG-455S-1 filter.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Michel Morin <morinm@csdgs.qc.ca>
Message-ID: <%_IG2.4454$_n2.100125@carnaval.risq.qc.ca>
Source record: 114192

This is a high quality crystal filter which you install in the 455 khz if section of many Kenwood HF rigs including the TS-850 , TS-450 and TS-950. It is a 2.4 hhz SSB filter. I would let you have it for $75. U.S. including shipping and insurance.Inquire by email if interested.

73 de VE2CJW
Michel Morin

3943. FS Kenwood TH-G71A mint.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Michel Morin <morinm@csdgs.qc.ca>
Message-ID: <I2mG2.4457$_n2.99271@carnaval.risq.qc.ca>
Source record: 114193

Mint condition TH-G71A (almost new), still on warranty. Comes with a SMC-33 microphone, PG-3J filtered cigarette lighter adapter, PB-39 high power battery and BC-17 charger. Includes manual, warranty card and original bill of sale, also original boxes. AES sells this bundle for $382.85 plus taxes.

I will let you have it for $300. U.S. including shipping and insurance. Reason for sale is that I need a mobile rig. Inquire by email if interested.

73 de VE2CJW
Michel Morin
Quebec, Canada.

3944. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7ccu9e$rl0$1@nnrp1.dejanews.com>
Source record: 114194

In article <7cbj49$d1ru$1@newssvr04-int.news.prodigy.com>,
QESK41A@prodigy.com (Edmund Burke jr) wrote:
> My notebook and my ADMS software for the FT-50 were destroyed (crushed).
> I still have the programming cable, and really don't want to dish out the
> $$ for the software/cable again (Just spent too much replacing the
> notebook).

Well, RT Systems is coming out with a new, updated version that addresses the VX-5R. You might want to upgrade right now anyway...for a measley twenty bucks.

http://www.rtsars.com

...is their Web site. You can place your order with them via a toll-free telephone number that's listed on their site.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3945. WTB 10 Meter Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: William Thornhill <box@flash.net>
Message-ID: <36E9F23C.AA94B08A@flash.net>
Source record: 114195

Looking for an amp for my 10 meter mobile. Prefer 150-200 Watts.

de n5mxm
mailto:box@flash.net

3946. Re: SHOULD I WAIT ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Karl Klingman <karl@mindspring.com>
Message-ID: <36EA0025.DC4935C@mindspring.com>
Source record: 114196

Do it now.

Karl AF4IX

"MIKE (707)" wrote:

> Should I get my Ham "ticket" now, or wait to see what the Fed's are going to
> do with the current band plans? And no, I don't know code anymore.

3947. Re: FT-847 on HF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <37cc2998.2110845381@news.atl.bellsouth.net>
Source record: 114197

On Thu, 11 Mar 1999 13:54:12 -0700, Marv Luse <mwluse@dimensional.com> wrote:
>Gary Coffman wrote:
>
>> On Wed, 10 Mar 1999 23:43:41 GMT, andrewvictor@geocities.com wrote:
>>
>> >Is the FT-847 as good on HF as it's copeditors like the Icom IC-746
>> and 756 or
>> >the kenwood TS -890??
>> >Thanks 73
>> >Andrew
>>
>> No. It is more on a par with the IC-706 or TS-50 or DX70TH
>> with respect to HF. Where it shines is at VHF/UHF. It is a good
>> satellite and terrestrial weak signal rig, and a satisfactory FM rig,
>> which happens to also cover HF. If you're looking primarily for
>> a HF rig, then this probably isn't the radio for you.
>
>So what do you consider a good HF rig in the price range of the FT-847,
>if any?

It costs a few hundred more, but I'd suggest the IC-746.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

3948. Re: VX-5 Euro version cell block?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <37cd2a1d.2110978561@news.atl.bellsouth.net>
Source record: 114198

On Fri, 12 Mar 1999 01:16:56 -0500, firewave@REMOVE.videotron.ca (Alex) wrote:
>the problem i think, is that euro version cant transmit on a large band
>like we can in north america, they just have 440-450 and 142-144? or am i
>wrong?

430-440 and 144-146

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

3949. Re: AO-27 with VX-5R or T8A ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <37ce2d5a.2111807773@news.atl.bellsouth.net>
Source record: 114199

On Fri, 12 Mar 1999 21:20:28 -0600, "Jim Hale" <kj5tf@madisoncounty.net> wrote:
>I was thinking about one of these 3 band HT's.
>
>Do they have the ability to work AO-27?
>
>Naturally a beam/more power helps - but are these HT's setup for working
>AO-27 ?

You can, but you'd be better off with the FT51R. That can do full duplex
so you can hear your own downlink. That's very helpful for satellite
work.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

3950. Re: SHOULD I WAIT ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <37cf2dda.2111935885@news.atl.bellsouth.net>
Source record: 114200

On Fri, 12 Mar 1999 22:32:10 -0500, "MIKE (707)" <cobra2@gisco.net> wrote:
>Should I get my Ham "ticket" now, or wait to see what the Fed's are going to
>do with the current band plans? And no, I don't know code anymore.

At least go for Tech. You don't need code for that now.
When the feds drop the other shoe, then you can decide
where to go from there.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

3951. Re: WANTED: 2m Mobile, MARS capable, Chicago area

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Morris <morris@SPAMsssnet.com>
Message-ID: <7cdaum$g99$1@remarQ.com>
Source record: 114201

You may want to look at the yaesu FT2500M - They are selling for less than $200 and one snip of one wire you got your MARS - the radio is built to military spec.
<richard@nospam.com> wrote in message news:36e900c1.37466852@172.16.1.166...
>WANTED: 2m Mobile, MARS modified or capable, Chicago area, auto
>repeater offset, remote control mic, excellent condition.

3952. Need info on HA-202A Heath kit for alignment.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Morris <morris@SPAMsssnet.com>
Message-ID: <7cdcmq$b5f$1@remarQ.com>
Source record: 114202

Need info in regarding to adjust the Finals of a HA-202 A Heath Kit 2 meter mobile linear. Schematic would be nice too.

Thank you.

morris@sssnet.com

3953. Re: WTB 10 Meter Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: bujiaj8@aol.com
Message-ID: <19990313054512.14922.00000042@ng116.aol.com>
Source record: 114203

I have an amp that is a 150/250. The pre amp is out in it, but other than that it seems to work ok. I would let u have it for exactly what I have in it. I have ran it for 2 or 3 years. I now run a 2950 qrp station and don't need it. You can have it for $75 shipped.

Bill

3954. Yeasu FT736R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: News <jt_male@hotmail.com>
Message-ID: <36ea465e.0@commerce>
Source record: 114204
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,nl.radio.amateur,aus.radio.amateur.misc

Hello all,
I have a FT736R only a couple of months old and would like to
swap it for some HF antennas. I am after a HF2V butternut and a log yagi
from 28 to 14 so if you are looking for a all mode base for 2 and 70 and
have some antennas lying around drop me a line.
tara@flatrate.net.au

3955. Re: Need info on HA-202A Heath kit for alignment.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <36EA5052.6D283FFF@erols.com>
Source record: 114205

Tune the input for max power out, tune the output for "good" output AND low VSWR. Its best to use 2 wattmeters (Bird, et al) and view VSWR and power out simultaneously.

Morris wrote:

> Need info in regarding to adjust the Finals of a HA-202 A Heath Kit 2
> meter mobile linear. Schematic would be nice too.
>
> Thank you.
>
> morris@sssnet.com

3956. Re: Need info on HA-202A Heath kit for alignment.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <36EA5097.CA82B459@erols.com>
Source record: 114206

Tune the input for max power out, tune the output for "good" output AND low VSWR. Its best to use 2 wattmeters (Bird, et al) and view VSWR and power out simultaneously.

Morris wrote:

> Need info in regarding to adjust the Finals of a HA-202 A Heath Kit 2
> meter mobile linear. Schematic would be nice too.
>
> Thank you.
>
> morris@sssnet.com

3957. Re: WTB: Kenwood IC-10 chip

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: captal123@aol.com
Message-ID: <19990313074525.05427.00000044@ng28.aol.com>
Source record: 114207

>Subject: WTB: Kenwood IC-10 chip
>From: "The SwanMan, Jan Robbins N0JR" <swanman@cfu.net>
>Date: 3/12/99 10:14 PM EST
>Message-id: <36E9D800.25032BD8@cfu.net>
>
>This is the computer-control kit for the TS-440S. jan N0JR

Call Burghardt Amateur Ctr at 800 927-4261 $35.00

73 AL.....K2DYH

3958. relay tube needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: el34guy@aol.com
Message-ID: <19990313080504.24110.00000078@ng143.aol.com>
Source record: 114208

Hello...

I need a relay tube for an NCL-2000 linear amplifier. The number on it is 12N075T. Anyone have such an animal? Thanks

3959. WTB- SBT-100 information

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: canfield@scci.NET
Message-ID: <199903131311.IAA01786@gdi4.gdi.net>
Source record: 114209

Hello:

In need of a manual, service or any operational information for a
Hallicrafter SBT-100.
Its a para-military rig from the 70's. Works 10-80 meters. Want to try and
get it on the
air again. Its in very good condition.

Thanks for reading.

Bill
canfield@scci.net

3960. Re: Need info on HA-202A Heath kit for alignment.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Morris <morris@SPAMsssnet.com>
Message-ID: <7cdotcqtg1@remarQ.com>
Source record: 114210

The problem I having is balancing the transistors. The ways I have done in the past with other multi transistor final is same as D.S.Platt stated, but with a VTVM across the emitter and adjust the transistors equally. This unit is give me hard time. I though may be they are taking a voltage somewhere else?

D. S. Platt <jeepp@erols.com> wrote in message news:36EA5097.CA82B459@erols.com...
>Tune the input for max power out, tune the output for "good" output AND low
>VSWR. Its best to use 2 wattmeters (Bird, et al) and view VSWR and power
>out simultaneously.
>
>Morris wrote:
>
>> Need info in regarding to adjust the Finals of a HA-202 A Heath Kit 2
>> meter mobile linear. Schematic would be nice too.
>>
>> Thank you.
>>
>> morris@sssnet.com
>

3961. Re: SHOULD I WAIT ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <36EA6C0F.4BEB0A01@asu.uswest.net>
Source record: 114211

Yes, do it now. You don't know how long it will be before the change is made and it trickles down to applicants. At least six months, maybe two years.

Karl Klingman wrote:

> Do it now.
>
> Karl AF4IX
>
> "MIKE (707)" wrote:
>
> > Should I get my Ham "ticket" now, or wait to see what the Fed's are going to
> > do with the current band plans? And no, I don't know code anymore.

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

3962. Re: SHOULD I WAIT ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: tiuk@aol.com
Message-ID: <19990313090329.10966.00000058@ng-fu1.aol.com>
Source record: 114212

>Should I get my Ham "ticket" now, or wait to see what the Fed's are going to
>>do with the current band plans?

Get your ham ticket now. Why wait & miss out on all the fun.

Roman, N2CDD

3963. WTB: Original Manual for Drake 1-A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990313090358.27352.00000057@ng-cb1.aol.com>
Source record: 114213

Looking for an original manual.

73

Evan

3964. Need manual for TR-7800

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: luecknik@world-net.net
Message-ID: <36ea6e95.7491458@news.world-net.net>
Source record: 114214

Just bought this old 2 meter unit off the web. Can someone scan the
op. manual and/or schematic and email it to me? Been a ham since the
50s, but always on the DC (HF) bands. 20 year old rig, but new to me.
Thanks and 73s. James.Lueck
W5LWU 7435 Lancewood San Antonio, TX 78227

3965. Re: If no more Alinco, who will repair?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: fishbags@aol.com
Message-ID: <19990313090900.09070.00000049@ng123.aol.com>
Source record: 114215

Alico is fine & will be showing new radios at Dayton. Japan's economy has caued many of their companies to show a loss over the last year.

3966. FA: Kachina 505DSP Transceiver w/ Accys

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: PCB <paulc@ccse.net>
Message-ID: <KkuG2.3848$5n6.20675491@news2.jacksonville.net>
Source record: 114216

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=77603099

3967. Jel ima ovde YU amatera?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: kirfa@eunet.yu
Message-ID: <36ea6867.1584716@news.eunet.yu>
Source record: 114217

Jel ima ovde nasih?
Ako ima interesuje me uglavnom rad FM-u i tako neke sitnice.

3968. Yaesu FT-ONE display

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: ssacntrl@mindspring.com
Message-ID: <36ea87cf.385926757@news.mindspring.com>
Source record: 114218

The display on my FT-ONE reads 300 Hz higher than the actual frequency
it is on. I also need a source for wheat lamps for the meters.
Thanks.

Kenny Young

3969. FS: Older Manuals, Callbooks

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: kvanderlin@aol.com
Message-ID: <19990313095355.29609.00000068@ng-fq1.aol.com>
Source record: 114219

Winter 1963/64 US Callbook. Excellent Condition. Cover, pages, binding all excellent.

Winter 1968/69 US Callbook. Excellent Condition. Cover, pages, binding all excellent.

If you were licensed in these years and would like to have a Callbook of that time, will ship for $20 each.

Kenwood TS-940 Service Manual, Copy. $13 shipped.

Alpha 91B Users Manual, New. $18 shipped.

Van

3970. FA Q Multiplier

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <36EA7CC7.53BC@sympatico.ca>
Source record: 114220
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment,rec.ham-radio.swap

For Auction on Ebay - Heathkit Q multipler, and an assortment of manuals
- one day left on the Q mulitplier. - have a look.

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=75303483>

3971. Re: Kenwood IC-10 chip

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7cduijffb1@ostrich.cybercomm.net>
Source record: 114221

I got the chips from Mouser..about ten bucks.
Works great!
...Dave
The SwanMan, Jan Robbins N0JR wrote in message
<36E9D800.25032BD8@cfu.net>...
>This is the computer-control kit for the TS-440S. jan N0JR
>

3972. Re: Jel ima ovde YU amatera?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7cdug9fdi1@ostrich.cybercomm.net>
Source record: 114222

But rarely on Thursdays...

Cvele wrote in message <36ea6867.1584716@news.eunet.yu>...
>
> Jel ima ovde nasih?
>Ako ima interesuje me uglavnom rad FM-u i tako neke sitnice.

3973. FS Yaesu 6 M Multimode

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: David Struebel <wb2ftx@nac.net>
Message-ID: <36EA890E.AA41A873@nac.net>
Source record: 114223

Yaseu FT-690R Mk II six meter multimode- 10 watts out w/ manual
$350.00

Dave WB2FTX wb2ftx@nac.net
(973)838-9093

3974. Yaesu 2M Multimode

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: David Struebel <wb2ftx@nac.net>
Message-ID: <36EA897E.22ED7256@nac.net>
Source record: 114224

Yaesu FT-290R MkII multimode, Tone board installed, with manual
$350.00

Dave WB2FTX wb2ftx@nac.net
(973)838-9093

3975. FS 430-450 Mhz Multi mode

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-13 00:00:00 UTC
From: David Struebel <wb2ftx@nac.net>
Message-ID: <36EA89E6.E24B0FD0@nac.net>
Source record: 114225

Yaseu FT-790R Mk II 430-450 multimode with tone board
$350.00

DAve WB2FTX wb2ftx@nac.net
(973) 838 9093

3976. Re: IC-W32A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: "Richard O. Kinkead" <richard-kinkead@worldnet.att.net>
Message-ID: <7chaeo$pu2@bgtnsc03.worldnet.att.net>
Source record: 113976
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc

Joseph P. Humberger wrote in message <7bum89pje1@ffx2nh5.news.uu.net>...
>Hello,
>
> My name is Joe Humberger KB9TFH, I am going to be purchacing an
Icom
>W32a in a couple weeks. The reason for posting this message is that i was
>woundering if there are some things i should know about this radio, The
>Pro's and the Con's. A friend recomended this radio so i know very little
>about it. I would appreaciate any info given. And if you have this radio,
>Please tell me what u like and don't like about this radio.
>
I have a w32A and it is very good. One thing you need to know is that you should avoid using an external power supply as much as possible because the repetitive movement of the plug in the socket on the radio does damage to the socket. This is general for all radios, but it seems to be compounded in w32a because the jack is on top and is more susceptible to pulling from the chord which typically runs over the back of the radio. The thing is, when the damage happens, it causes a short which forces the radio to deploy its voltage protection and not turn on. This is just something which I picked up from this NG about a year ago. In essence, it is ok to charge the battery by the jack on the radio (drop in charger is still better). It is undesirable to use the radio with a chord plugged in tugging on the jack.

Richard

3977. Re: Best price for FT-847 - where ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990314164509.21653.00000562@ng-ce1.aol.com>
Source record: 113977

the Dealer finally made good after he realized he wouldn't be paid and be out
the used radio he sent me. He actually sent me a NEW one (should have in the
first place) and I sent back the old one at his expense COD. He said he will
refise it and I said fine as it is now going to be MINE TO KEEP. He said Ok and
I did send it COD and he accepted it.
I have to agree that you have the most leverage if you buy in person and then
if it is in the same country you are buying from.
I think most places are legit but I ran into a
crook who though he would beat me out of $.
My guess is he willnot change.
TIM

3978. FS: VHF GE MVS MOBILE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36EC2DEB.F38A93A0@postoffice.pacbell.net>
Source record: 113978
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Radio is in good shape,has 16channels,scan,35 watts and PA capabilities.
Includes radio
,power cord,mobile mount and mike.$150
Al

3979. Re: Icom IC-756 vs. FT-920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: goldenpack@aol.com
Message-ID: <19990314165158.08579.00000724@ng-fy1.aol.com>
Source record: 113979

With the 920 you will have the "Joy" of working with Yaesu Service..oops, I meant "getting worked over" by Yaesu Service!

3980. WTB: Kenwood KCH-4 head for TK-830H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Tony Szablowski <a2112szablowski@worldnet.att.net>
Message-ID: <7chbi5$6ha@bgtnsc03.worldnet.att.net>
Source record: 113980
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Looking for the full-feature KCH-4 control unit for a UHF Kenwood
TK-830H(that's the high-powered UHF version) mobile. Has to be in
good to excellent condition. Please reply via private email. Thanks.
--
Regards,
Tony
a2112szablowski@worldnet.att.net (remove 2112 to e-mail)

3981. Re: FS: Collins 75A-4 Amateur Radio receiver on ebay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: BB Wolf <bigbadwolf1@earthlink.net>
Message-ID: <36EC2D4B.7E15FE0B@earthlink.net>
Source record: 113981
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Joe,

That wouldn't happen to be the 75A4 your friend was selling for $200 is it ???

-ERIC

JoeKB8QLR wrote:

> This message is for those of you that stay off of ebay...too bad, there's
> great stuff on there. Here's the description of the 75A-4 I put there.
>
> Collins 75A-4 Amateur Radio Receiver with matching speaker. Works great!
> Using just a simple wire antenna, it pulls in distant stations with crystal
> clarity. Tube set from the late 1950's. Proceeds from sale go to Seneca Radio
> Club W8ID Field Day Tent Fund.
>
> After the description are plenty of great photos. Please go and see them.
>
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=77736556
>
> Happy bidding.
> 73
> Joe
>
> P.S. If you want to reply to me via e-mail..take spamsux out of address
> first.

3982. WTB: Kenwood YK-88SN SSB Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: N4DEN <rdpinner@email.msn.com>
Message-ID: <eNJznjkb#GA.236@upnetnews03>
Source record: 113982

If U have 1 of these you don't need/want anymore and works.
Let me know.....

Thanx,

Dennis N4DEN

3983. Used C-phone $35

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: USENET <al.link@worldnet.att.net>
Message-ID: <7chde6$2j4$1@mtinsc02.worldnet.att.net>
Source record: 113983
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Used ATT&T Model 3710 in good working condition. Ready to be initiated by your cellular
provider. Save the high cost of buying a new one. $35.00 plus shipping to your location.

Thanks,

AL

KL7QH
al.link@worldcom.att.net
3223 San Pedro St.
Clearwater FL 33759
(727) 797-4046

--

AL
al.link@worldcom.att.net
3223 San Pedro St.
Clearwater FL 33759
(727) 797-4046

3984. 1st HF Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Nedwek <nedwek@teleport.com>
Message-ID: <rJWG2.3796$A6.2365591@news1.teleport.com>
Source record: 113984

Hello,
Well, I'm taking my Tech Plus test April 3rd, and I'm all ready. What I'm thinking about now is a radio. What I will probably be doing is CW down to 40m and SSB on 10m. I was looking at the Kenwood 570D/S, or for what looks like a more advanced transceiver, the Yeasu FT-920. I'd love opinions on either of these radios, but what I want to know more is what used gear you'd suggest, based on my experience(none) and price range up to about $1500 for transceiver. Any info is appreciated. Also, what kind of antenna would anyone recommend? Simple dipole(s)?

Brandon Nedwek

3985. NIR-10 DSP to spiff up your receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: USENET <al.link@worldnet.att.net>
Message-ID: <7chdj7$2p4$1@mtinsc02.worldnet.att.net>
Source record: 113985
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Good condition, late revs, reasonably priced: NIR-10 DSP with power supply
and cables. $95 plus shipping to your CONUS location.

Thanks,

AL
al.link@worldcom.att.net
3223 San Pedro St.
Clearwater FL 33759
(727) 797-4046

3986. FAQ: Plectron and Motorola Alert Monitor Receivers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: parnass@bell-labs.com
Message-ID: <7chen7$m8j@ssbunews.ih.lucent.com>
Source record: 113986
Cross-posted to: rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.info

Last changed: February 17, 1999

Lines changed since the previous issue are marked with a |
character in the right margin.

Add a Plectron or Motorola Alert
Desktop Monitor Receiver
to Your Scanner Collection

by Bob Parnass, AJ9S

[NOTE: This article may not be reproduced in whole or in
part on CDROMS, in bulletin boards, networks, or
publications which charge for service without permission of
the author. It is posted twice monthly on the USENET
groups rec.radio.scanner, alt.radio.scanner, and
rec.radio.info. It is also available electronically from
the rec.radio.scanner ftp archive on the official USENET
FAQ library ftp://rtfm.mit.edu/pub/usenet-by-
group/rec.radio.scanner.]

In the 1960s and 1970s, thousands of firemen and ambulance
squad members came to rely on their crystal controlled,
transistor Plectron and Motorola desktop monitor receivers.
They have now been replaced by battery operated portable
pagers, and the desktop models are often available at
hamfests in the $5 - $25 range. Since many are in rough
condition and need repair, a hamfest special is better
suited for hobbyists who like to fix their own radios.

Plectron and Motorola crystal controlled receivers are
excellent for dedicated monitoring of local frequencies --
a task for which you wouldn't want to tie up your 400
channel programmable scanner. They are desktop models
which can be powered from 117VAC or 12VDC with the proper
mobile cord. The audio quality of a Plectron P1, Plectron
700 series, and Motorola Alert Monitor is far better than
any consumer grade scanner and the sensitivity, image
rejection, and intermod immunity is outstanding when
aligned properly.

Models and Frequency Coverage

The Plectron and Motorola Alert monitors are single band
receivers: VHF-low, VHF-high, or UHF. No single Plectron
or Motorola Alert monitor can cover the entire 30-50 MHz

band, so there were versions optimized for each portion of the VHF-low band. There were different versions to cover low and high "splits" in the VHF-high band, too. For example, low band R8000s come in 30 - 35, 35 - 39, 39 - 49, and 49 - 54 MHz versions. There are two VHF high band versions of the 700 and R8000: 148 - 158 and 158 - 175 MHz.

VHF-low band Motorola Alert monitors come in two splits: 30 - 42 and 42 - 54 MHz.

Although UHF versions of the 700 series were made, they are somewhat rare and coverage is limited to 470 MHz and below.

Plectron made several models with dozens of different options. Both the original P1 and later 700 series are suitable for restoration, although I prefer the newer 700 models. The 8000 series were even newer and very desireable, but they are difficult to find at hamfests. The Plectron 500 "economy" series is less desirable.

The P1 series have black cabinets with a blue-green and silver color scheme used on the front panel. They were made in the Chief (tone decoder & carrier squelch), Patrol (carrier squelch only), and Sentry (tone only) models. The Sentry models lack a carrier squelch and therefore are of little use to hobbyists except for scavenging parts. Model number and frequency information appears on a gummed label on the rear panel:

Band (MHz) Chief Patrol Sentry

_____
25-54 R19 R15 R17
148-174 R20 R16 R18
450-470 R23 R21 R22

Table 1. Plectron P1 models

The R700 series have black cabinets with brown front panels and are slightly smaller than the P1 receivers. R700s were made in the Chief (tone decoder & carrier squelch) and Patrol (carrier squelch only) models:

Band (MHz) Chief Patrol

_____
25-54 R719 R715
148-174 R720 R716
450-470 R723 R721

Table 2. Plectron 700 models

The R8000 series are much smaller than the P1 and R700 and are housed in metal cabinets of various colors. The R8000s use the same MC3357 IF/detector/squelch IC used in crystal

scanners, but their crystals are not interchangeable with ordinary scanners. R8000s were made in the Chief (tone decoder & carrier squelch) and Patrol (carrier squelch only) models:

Band (MHz) Chief Patrol

30-54 R8190 R8150
148-174 R8200 R8160

Table 3. Plectron 8000 models

The Plectron FM Receiver/Recorder is a collector's item. It is essentially a 700 series Chief receiver with a built in cassette tape recorder. The recorder is carrier activated and can tape transmissions while the receiver is unattended. A connector on the rear panel allows for all kinds of remote control possibilities.

The tape recorder inside the Receiver/Recorder employs two rubber belts. The Projector Recorder Belt Company makes replacement belts which work fine, though they may not be the original equipment:

1. PRB SCA8.6 (218 mm)
2. PRB SCQ 2.5 (64 mm)

I use two Plectron P1s and four R700s in my living room, seven R700s down the basement, and several Plectrons and Alert Monitors stored in reserve. The basement Plectrons are turned on automatically when someone walks downstairs. Power to them is controlled by a modified Radio Shack Safe House infrared motion detector, originally sold as an intrusion alarm.

When a rescue squad member from Missouri advertised a number of Plectrons on USENET, I bought them -- all 20+ of them. I cleaned, fixed, and restored each one. After recrystalling them on local frequencies, I distributed them to members of my scanner club who were glad to get them.

Crystals

Both brands of receiver require special crystals. I sometimes use Radio Shack's generic 3rd overtone scanner crystals in the Plectrons but they oscillate on frequencies far away from their marked frequencies. That's because the Plectron oscillator is designed to be used with a crystal which oscillates on its fundamental, not overtone, frequency.

The best source for crystals is:

International Crystal Mfg Co.
11 N. Lee Ave
Oklahoma City, OK 73102
tel. 405-236-3741, 800-725-1426

You need not bother with calculating the crystal fundamental frequency. Merely supply International with the exact receiver model number, printed on the rear label, and the frequency you want to monitor. They will perform the necessary calculations.

Crystals for Plectrons

The Plectron P1 series contain two crystals. The second local oscillator crystal is 11.155 MHz regardless of band. On VHF high band (148 - 175 MHz), the P1 series employ this formula for the first local oscillator crystal:

Crystal frequency (MHz)
= (station freq (MHz) + 10.7) / 4

or

Crystal frequency (MHz)
= (station freq (MHz) - 10.7) / 4

On VHF low band (25 - 54 MHz), the P1 series employ this formula for the first local oscillator crystal:

Crystal frequency (MHz) = (station freq (MHz) + 10.7)

or

Crystal frequency (MHz) = (station freq (MHz) - 10.7)

There are two crystals (Y1, Y2) used in the Plectron R700 series, one for each local oscillator. The crystal formulas are:

RF Range (MHz) Y1 (MHz) Y2 (MHz)
_____
25-29 (f+10.7)/3 11.155
29-32.6 (f+10.7)/3 11.155
32.5-35 (f-10.7)/2 10.245
35-41 (f-10.7)/2 11.155
41-47 (f-10.7)/2 11.155 (use 10.245 MHz
for Y2 on 44.62 MHz)
47-54 (f-10.7)/3 11.155
148-158 (f-10.7)/9 11.155
158-175 (f-10.7)/9 10.245
450-470 (f-10.7)/18 11.155

The economy Plectron 500 series use this scheme for the first local oscillator crystal:

RF Range (MHz) Crystal (MHz)

---

25 - 35 (f+10.7)
35 - 54 (f-10.7)
148 - 174 (f-10.7)/4

Most Plectron 500s use an 11.155 MHz second local oscillator crystal. However, a 10.245 MHz crystal is used instead for receivers in these ranges: 33.4 - 33.78, 44.62, and 158.78 - 158.82 MHz.

Power Cords

AC power cords for both types of receivers use unique connectors and are scarce. I published the pinout for both Plectron and Motorola Alert Monitor receivers in June 1998 Monitoring Times magazine.

You can buy the proper replacement power cords but it's much cheaper to drill a hole on the rear panel and solder on a permanent a power cord. Make sure you use a grommet in the hole to prevent the metal chassis from chafing the line cord.

Many Plectrons and Alert Monitors were equipped with an internal NiCd battery pack, intended to power the receiver if the AC power fails. It's unusual to find a used monitor receiver with the NiCd pack still capable of holding a charge. More often, the batteries have died and the series charging resistor has overheated and burned. Be sure to remove the dead batteries as they often leak.

Squelch and Minimum Volume Setting

If you find the squelch on your Plectron 700 series receiver has too much hysteresis, replace R96, a 180K resistor, with a 560K resistor. On the P1, the resistor is designated R81.

Both Plectron and Motorola Alert monitor receivers are designed purposely to have a minimum volume setting which is still audible. The intent was to prevent firemen from turning the volume down completely, forgetting it was down, then missing an important call.

This "feature" was usually implemented by having a fixed value resistor in series between one end of the volume control and ground. In the R15X5, R14X5, R15X5, and R16X5, a 47 ohm resistor, designated R624, was inserted in series with the violet wire leading from the volume control.

You could decrease the lowest volume setting by decreasing the value of this fixed resistor. Alternatively, you could replace the resistor with a jumper wire to completely

silence the receiver at minimum setting of the volume control.

Tone Alert Feature

I have not used the Plectron tone alerting features so I cannot address that except to say that the special coils and capacitors for the dual tone decoders vary depending on the tone frequencies and are somewhat difficult to obtain.

Repair and Replacement Parts

Repair service and replacement parts for the Plectron P1 and R700 models is offered by:

Weber Electronics
PO Box 212
5138 Laurel Ln.
Broad Run, VA 20137
telephone (540) 347-7760
email: weber@citizen.infi.net

You can also obtain Plectron repairs and parts from:

Northeast Communications
4 Oak Ridge Rd
Newfoundland NJ 07435
201-697-8804

Alert Monitor parts are available from Motorola. Phone (800)972-3226.

Plectron SM-series Scanning Receivers

Plectron also sold an SM series of scanners, manufactured in Japan by the same folks who made Craig (division of Pioneer) scanners. The SM series are consumer-grade models and are included in this article for the sake of completeness. They are crystal controlled radios and feature priority scan and a separate trimmer capacitor for each channel to net the crystals on frequency.

Band Frequency Limits

VHF-low 30 - 50
VHF-high 150 - 174
UHF 450 - 470 MHz

Table 4. Plectron SM Model Band Limits

Model UHF VHF-high VHF-low

SM-301 X X X
SM-302 X X

SM-303 X X
SM-304 X X

Table 5. Plectron SM Models

The crystals used in the SM series are quite different from
the crystals used in the conventional single channel
Plectron monitors. Here are the crystal formulas:

VHF low band:
crystal 3rd overtone freq = receive freq + 10.7 MHz

VHF high band:
crystal 3rd overtone freq = (receive freq - 10.7 MHz)/3

UHF band:
crystal 3rd overtone freq = (receive freq - 10.7 MHz) /
10

Other crystal specifications for the SM series are:

CR 25/U holder
3rd overtone
20 pF load capacitance
parallel resonant
max series resistance 40 ohm
max drive 2 mW

Plectron Alternatives

Too bad Plectron is out of business. If you wish to
purchase a new receiver with "Plectron-like" signaling
capabilities, contact Reach Electronics:

Reach Electronics
1311 West Pacific
Lexington, NE 68850
(308) 324-6661
(800) 445-0007
FAX: (308) 324-4985

Reach sells tone & voice pagers, Alert monitors, and
ENCODERS. They also do contract manufacturing.

I currently have no Plectrons or Motorola Alert Monitors
for sale. I'm hoarding them. :-)

--
==========
Copyright 1999, Bob Parnass, AJ9S parnass@bell-labs.com

Locate & identify transmitters in your area with a color RadioMap(tm)

3987. Re: relay tube needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <36ec435f@news1.us.ibm.net>
Source record: 113987

Well, it's an Amperite 12V, normally open 75 second delay. You could use a longer delay, like 90 or 120 if a 75 second one doesn't show.

--
Crazy George

3988. Re: Mast Top Static Dissipators

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <36ec44af@news1.us.ibm.net>
Source record: 113988

1. They don't work.
2. Lightning Elimination Associates, (who will claim otherwise),
somewhere in Florida. Check for a WWW presence

--
Crazy George

3989. Re: Need Price Help -:- Kenwood TS-450SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <36EC4370.DA825B4A@flash.net>
Source record: 113989
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment

That rig with powersupply should bring $ 750.00-$850.00 in my humble
opinion.
It is a good rig but the tuner does not work on 160 meters....
I have had several and they seem to be good rigs.
Some will say its worth $ 600.00 because they want to buy it and some
will say its worth $ 950.00 cause they have one for sale..:-)
It all depends how bad you need to get rid of it... It would be a quick
sale at $700.00 but if you could hold out a while it would probly bring
$ 850.00 or so...
K5JOE
Just my opinion...

K5JOE

The Impeccably Jinxed, Krakon wrote:
>
> I have a Kenwood TS-450SAT that has never been
> used. I purchased it from HRO in Atlanta 3 1/2
> years ago.
>
> I had just gotten my Ham ticket and I guess I got
> "buck fever" (or whatever the Ham equivalent is)
> because when I saw the magazine advertisement that
> said this radio had "all Amateur bands" I bought
> it and an Astron RS-35A power supply.
>
> It was only AFTER the radio arrived a few days
> later that I saw the specs... No Amateur band that
> I could use with a Tech-NoCode ticket! "Well, (I
> thought), I'll get my code down and..." It never
> happened.
>
> Fast forward to the present. I have someone
> interested in buying this setup. My problem? I
> have no idea what it is worth and I'm a little
> afraid to sell it without an "Elmer" looking it
> over and verifying that it will, in fact, operate
> and is "new" and unused.
>
> My question is, what are this rig and PS worth?
>
> Any serious advice will be appreciated.
>
> Thank you.

>
> Steve Stanley
>
> krakon@mindspring.com
> formerly, KF4EWD

3990. CUSHMAM CE-50A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: landaircom@aol.com
Message-ID: <19990314182718.08235.00000590@ng-fy1.aol.com>
Source record: 113990

Good operating monitor with operating instructions This monitor goes to 1. GHZ $2500.00 FOB NY

3991. VX-5R European models and EVE what soft links? (corrected repost)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: 106255.1565@compuserve.com
Message-ID: <36ec4344.1685256@news.compuserve.com>
Source record: 113991
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Has anyone used EVE to set a Euopean VX-5R? If so what soft links are safe to use? There is nothing with EVE to say which codes do what. I want to retain the European repeater shifts but get W/B transmit. Yes it is illegal but at low power into a 50 ohm resistor it is useful as a signal source.
Richard

3992. Re: Icom 765 problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Rick Mintz <Rmintz@Frontiernet.net>
Message-ID: <7chhv7$1fb2$1@node17.cwnet.frontiernet.net>
Source record: 113992

Hi Ted.

The IC-765 is one of the finest radios ever built. Anyone
that disagrees is a idiot! Grab one!

The Icom home page lists various mods and such. You might
check it out.

--

Rick Mintz, W1TY
Rochester (NY) DX Association
Rmintz@Frontiernet.net or W1TY@arrl.net
Ted Minchin wrote in message
<7ch85e$173t3$1@titan.xtra.co.nz>...
|Hi,
|Thinking of purchasing a used ICOM-765. It seems to go
really well but I was
|wondering if there were any bugs or vices these radios are
susceptible to?
|Many thanks
|Ted ZL1MT
|
|
|tedm@xtra.co.nz
|
|
|

3993. Re: Another VX-5 antenna question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Eric Ellington <attnspan@earthlink.net>
Message-ID: <36EC48D3.FA1454F6@earthlink.net>
Source record: 113993

Could be, but wouldn't the interference change in strength as I moved around? The Wx image was equally strong in several different areas which were miles apart.

Also, if it's cable interference, how would the Yaesu-supplied antenna block it so completely without blocking real signals? The Wx image was very strong with the other antennas and non-existent on the Yaesu-supplied one, while signals off nearby repeaters differed only by a few points on the signal strength indicator between the aftermarket antennas and the original.

Thanks.
Eric KC0FBS

Ed wrote:

> >
> >Well, I did (both a mobile and whip), and the performance was
> >interesting, at least on 2m. They definitely pulled in the signals, but
> >they also seemed to pull in images from other frequencies. For instance,
> >right around 145.275, I picked up a local Wx broadcast (full quieting,
> >pegged the "meter"). I also received a couple of much weaker images of
> >the same signal 30 KHz or so above and below 145.275. Then, somewhere up
> >around 147.500 I picked up a local TV station (couldn't identify which
> >one, so I have no idea what its frequency is).
> >
>
> Could be you were picking up signal leakage from your local cable TV
> company.
>
> Ed
>
> REPLY INFO:
> ==========
> Return address modified to prevent automatic SPAM response.
> TO REPLY: remove the "watt" from my return address.
> ==========

3994. FS:UHF MCX1000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36EC2F69.633FAE72@postoffice.pacbell.net>
Source record: 113994
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Radio is in good shape,it is on the 403 to 430 split and puts out 30
watts.It is secure equipped.It includes radio,remote alpha head and
cable between control head and radio.
$200
Al

3995. Re: WTB GM300 VHF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: "John D. Adamson" <josttech@mediaone.net>
Message-ID: <36EC5B8C.E19833F3@mediaone.net>
Source record: 113995

I have a 16 channel, 136-174Mhz in good shape and ready to go.

I have not checked the power output but other wise it is a 9 out of 10
and you can have it for $270.00 which includes shipping + ins.

Let me know.

John

RFDepot wrote:

> 8 or 16 channel model. 146-174Mhz 45 Watt
>
> reply to rfdepot@aol.com
> RFDepot
> RFDepot@aol.com

3996. Re: FS: AL811 amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: "John D. Adamson" <josttech@mediaone.net>
Message-ID: <36EC5CD1.4088A61@mediaone.net>
Source record: 113996

Dennis,

What are you looking for for the the amp?

Do you have the boxes and would you like
to do some trading for the amp?

Thanks for your time.

John
w1hzh

DHickey389 wrote:

> Low hours, excellent condition, 600 watts output , best offer.
>
> Dennis Hickey
> WD9ALX

3997. FS: Icom IC-740 and accessories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Rick Todd <rtodd@cyberramp.net>
Message-ID: <DA40FDB03F79E38F.6FDB4FA589BB9ED7.E5F35EE49519E917@library-proxy.airnews.net>
Source record: 113997

IC-740, hand mic, internal cw keyer, fm unit, and marker unit
PS-15 Power Supply
SP-3 Speaker

Works great. Non smoking environment.

$600 plus shipping OBO

Rick
N8CWX

3998. Re: FS: Collins 75A-4 Amateur Radio receiver on ebay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7choqmrvh1@user2.teleport.com>
Source record: 113998
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

In article <36EC2D4B.7E15FE0B@earthlink.net>,
BB Wolf <bigbadwolf1@earthlink.net> wrote:
> That wouldn't happen to be the 75A4 your friend was selling for $200 is it ???
>-ERIC
>
>JoeKB8QLR wrote:
>
>> This message is for those of you that stay off of ebay...too bad, there's
>> great stuff on there. Here's the description of the 75A-4 I put there.
>> Collins 75A-4 Amateur Radio Receiver with matching speaker. Works great!
>> Using just a simple wire antenna, it pulls in distant stations with crystal
>> clarity. Tube set from the late 1950's. Proceeds from sale go to Seneca Radio
>> Club W8ID Field Day Tent Fund.
>> After the description are plenty of great photos. Please go and see them.
>>
>> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=77736556
>> Happy bidding. 73 Joe

I have a 75A-4 (no speaker) that I plan to put on ebay, too, one of these
days when I get a digital camera to take a picture of it. No, I didn't pay
$200 for mine, but it did come from an estate sale, along with a 75S-1/32S-1
station that will also be sold.
LJ
larryj@teleport.com

3999. FS: Test Eq manuals - Boonton Q meters, ect.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <Wi_G2.5249$fM1.8735521@brnws01.ne.mediaone.net>
Source record: 113999
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

I have the following manuals for Boonton:

Original manual for UHF Q Meter 280-A
Original manual for Sweep Generator 240-A
Manual copy for Boonton Q Meter 260-A
Manual copy for Boonton Q Meters 100-A, 160-A, 170-A

Copies are very good, originals also very good condition.

All are $10 each shipped CONUS

regards,
Chuck...

4000. FS: Drake R-4 manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <yp_G2.5250$fM1.8738429@brnws01.ne.mediaone.net>
Source record: 114000
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

```
Excellent original manual
$15 shipped CONUS

regards,
Chuck...K1KW
```

4001. Re: Kenwood YK-88SN SSB Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: N4DEN <rdpinner@email.msn.com>
Message-ID: <uwtUczob#GA.307@upnetnews05>
Source record: 114001

Sorry for the Worm file just found and deleted from this PC, one of my kids downloaded the file a ran it.

What a pain :-(

R. D. Pinner

4002. Monitor scope for FT 1000D?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: James Olson <w4jo@mindspring.com>
Message-ID: <36EC74F6.736714AF@mindspring.com>
Source record: 114002
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.dx

Has anyone used a monitor scope, such as a Kenwood SM 220, with a Yaesu FT 1000D? I would like to set up a panadaptor view to use while receiving.

Any suggestions?

Jim, W4JO
Powder Springs, GA

w4jo@mindspring.com

4003. Older rigs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Mark Hufnagle <emile41@onslowonline.net>
Message-ID: <36EC75C6.F0EB93F2@onslowonline.net>
Source record: 114003

Does anyone know of a web site that has info on specifications of recently (last 5 years) discontinued radios. I see a lot of used radios for sale, but the descriptions leave something to be desired.

Thanks
Mark KD4TOQ

4004. F.S. HY-GAIN TAILTWISTER ROTOR

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: KEVIN DUPLANTIS <kevind@communique.net>
Message-ID: <36EC76C7.2B0EB4BB@communique.net>
Source record: 114004

I have a tailtwister rotor w/slow speed controll for sale. I can't use
it anymore because my new tower is too small for this rotor. Asking
$225.00 Plus Shipping.
I can be reached at 504-841-6168 or E-mail.

4005. Re: IC-W32A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: "J.R. Smullen" <rsmullen@radix.net>
Message-ID: <7ci0hflbk1@remarQ.com>
Source record: 114005
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc

So what's wrong with the IC-2100H? I have one and think it's a pretty good radio. Actually, it's a great radio when you consider the price. I also have the IC-W32A and think it's the best dual band HT going. Back to the 2100H, I also have an IC-2710 and think the 2100 challenges it in performance, especially considering the price...

If you haven't figured out that I like ICOM products, note that I also have an IC-756 for a little HF work.

Cheers,
KB3BYZ

KJ wrote in message <36e75eee.0@tornado.tcccom.net>...
>
>MindSpring User wrote in message <7c3i64pfi1@camel18.mindspring.com>...
>>I have a IC-W3a also I really like it but the yaesue FT-50rd in my opinion
>>is a better radio. It has most of the same functions and capabilities but
>it
>>has a better a wide band receiver with W-FM N-FM and AM receive, you can
>>receive TV stations and whatever else all the way up to 1 gig I think
>>(maybe higher)
>>
>>Dave Wilkin
>>KF4WVB
>
>
>Too each his own, I guess. I love my IC-W32A.
>At least ICOM got ONE of their radios right! ;->
>
>Yes...my IC2100H 2-meter mobile sucks too.
>
>
>
>

4006. +++TONS of radio stuff for sale!++

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Jim Rizos <jrizos@nac.net>
Message-ID: <36EC82FA.E43E225F@nac.net>
Source record: 114006

Hello-

I have numerous items for sale- Trying to clean out the shack! Here goes:

1 Motorola HT-440 4 channel VHF handheld radio with 3 batteries and drop in slow charger (Doesn't burn up the batteries!). In great shape! On the 150 split and has crystals for 154.430, 154.174, and 155.820 installed. Batteries are used but seem to hold a charge decently. $75 or best reasonable offer.

2 Motorola "Moxy" UHF mobile radios. 1 Channel models with one set of private repeater elements installed in the 460 band. I think the output is around 30 watts. One has a base microphone and the other has been modified for a removable mic that attaches to the side of the unit. Both work fine and would make fine 440 packet machines with some tuning or GMRS mobiles. In used condition, but not abused. Decent looking units. $70 for the pair OBRO

1 Motorola "Flip Phone" Has the center pin mod so you can tune it to cell phone calls or cover the pin or push it down and use it as a regular cell phone. Comes with 1 NiMh battery that holds a charge, two NiCds that seem to, and two dead NiCds. Rapid discharger/charger that has a small heat sink added to allow discharging of NiMhs without overheating. Phone shows some use but functions just fine. $ 50 for the setup

1 Mitsubishi cell phone with 1 standard battery, one high capacity battery, and a plug in wall charger. Phone has no antenna and is currently in locked mode. I believe it can be unlocked by a dealer. Phone is very slim and compact. Works, just locked
$25

1 Sonar 10/11 meter 60 watt amplifier. Just tuned for full 60 watt output. Don't Use this on the cb band though, that is illegal. Has two small tubes but they are in fine shape and the amp works perfectly. Looks cool too!
$80

1 Box of 17 GE Mastr portable Radios. None work. All will be DOA. No Batteries. Most are missing boards and front and back but you could probably make a decent mountain top repeater if you salvage the right parts.
$ 30 for the box

1 Box of roughly 65 boxes of GE mobile radio parts. Nearly all are NOS parts for mobile radios, all in the original 1 by 2 inch blue boxes.

Everything from relays to potentiometers. There may be a few used parts in there but not too many.
$30 for this box

OR: $50 takes all the GE stuff as one lot.

Will Definitely talk about the prices, This stuff just takes a lot of room up in my tiny shack, Plus, I am saving up for a Ft-50 from Yaesu. Please do not hesitate to make an offer- jrizos at nac dot net is the email. Thanks A Lot!!

Greg Rizos KC2EJB

4007. Want IC725 CW filter FL100 & FL101

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Ford Peterson <ford@cmgate.com>
Message-ID: <7ci52p$sj1$1@ink.msen.com>
Source record: 114007

Anybody got an IC725 CW filter they want to ditch?

FL100 & FL101 will work

Ford@cmgate.com

4008. HAL ST-6000 Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Ford Peterson <ford@cmgate.com>
Message-ID: <7ci5dgskr1@ink.msen.com>
Source record: 114008

Anybody got an idea about software to run the
old HAL ST-6000 RTTY demod?

ford@cmgate.com

4009. FS: Radio Shack Pro-90 TrunkTracker Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: "ST1A55@msn.com" <ST1A55@email.msn.com>
Message-ID: <uhLXjSqb#GA.299@upnetnews02.moswest.msn.net>
Source record: 114009
Cross-posted to:
rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

Radio Shack Pro-90 TrunkTracker Scanner

Comes With Original Box Manual AC Charger/Adapter
Like New Condition Asking $150.00 + Shipping OBO

To See A Current Picture Of This Unit Visit:
http://www.channel21.com/Radio/tech55/

Or email Me At ST1A55@msn.com

4010. FS: Motorola HT-600 UHF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: "ST1A55@msn.com" <ST1A55@email.msn.com>
Message-ID: <e8pySzqb#GA.242@upnetnews02.moswest.msn.net>
Source record: 114010
Cross-posted to:
rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

For Sale HT-600 UHF 438-470 6 Channel
With ANI AutoDial keypad Antenna Rapid Charger & Battery
Asking $300.00 Or Best Offer

For More Information And A Picture Of This Visit:
http://www.channel21.com/Radio/tech55/

Or email Me At : ST1A55@msn.com

4011. Re: >>>Deviation on FT-8500???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Dan K Nelson <kf6knb@usa.net>
Message-ID: <7ci8rtbnh1@news-2.news.gte.net>
Source record: 114011

Jeff McDowell ~ N0WCF wrote in message <36EC2583.7E3A@ix.netcom.com>...
>Hello to all,
>Does anyone know how to adjust the deviation on the Yeasu FT-8500? I
>would appreciate it if you would please drop me a note on how to do it.
>My transmit audio is way too low.
>Thanks much & 73,
>Jeff McDowell, N0WCF

The deviation on the FT-8500 is adjusted separately for the VHF and UHF bands. It is done through the firmware in the rig and the FS-10 mike controls while in the calibration mode. To properly adjust the deviation, you inject a 50mv signal @1000 hz from an AF generator into the mike jack and while transmitting you use the mike joystick to adjust for 4.5 kHz +/- 100 Hz deviation.

This info is in the factory service manual, as well as many other useful details about this rig. Since so much of the alignment and calibration is done via firmware, it would be a good idea to obtain a copy of the service manual if you plan on working on this rig yourself.

73 de KF6KNB

4012. Re: Icom IC-756 vs. FT-920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Andrew Rubin <slash830@earthlink.net>
Message-ID: <36ECA6A7.84018ED0@earthlink.net>
Source record: 114012

The 920 blows the doors off the 756. Better reciever, MUCH better DSP, much better radio.

Goldenpack wrote:

> With the 920 you will have the "Joy" of working with Yaesu Service..oops, I
> meant "getting worked over" by Yaesu Service!

4013. Re: Ham Trader Yellow Sheets

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: donrm@sr.hp.com
Message-ID: <7ch9af$cci@canyon.sr.hp.com>
Source record: 114013

MIKE (707) (cobra2@gisco.net) wrote:
> Ham Trader Yellow Sheets is no longer publishing their paper after March
> 9,1999. They are getting out of the business, and are being absorbed into
> the Amateur Radio Trader. All current subscriptions to H.T.Y.S. will be
> "rolled-over" to A.R.T. They are calling it quits after 38 years!

Sorry to see it, but the internet has taken HTYS's place...I was wondering how long it'd take. My gripe with the Yellow Sheets was the east coast guys seemed to get their issues before us out here on the west coast and by then all the bargains were gone.

73 Don K6LTS
donrm@sr.hp.com

4014. Kenwood D7A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: hyilma@hotmail.com
Message-ID: <7cf3okilq1@nnrp1.dejanews.com>
Source record: 114034

I have the Kenwood D7A. The Ht is neet but I am having problems with it! I cant get packet to work, I think I connected the cable the right way. Is there anyone who uses this radio give me a hand. Also can you do packet with this radio without the computer?

Please reply to sandersen99@yahoo.com

thanks and 73 Scott/K3SRA

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4015. Re: National NC-109 f.s.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: kf8od@aol.com
Message-ID: <19990313194349.10048.00000323@ng-fd1.aol.com>
Source record: 114035

Ron,
Does it cover 160m?

Mike

4016. wtb yaesu 2500m w/mh-27 mic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: kt4gh@bellsouth.net
Message-ID: <36EB098B.99C64E81@bellsouth.net>
Source record: 114036

hi folks, looking for a mint cndx. yaesu 2500m with the original style mic.(the mh-27). let me know if you have one you'd like to sell. tnx.
alan
WA2AR.

4017. FS Heathkit VF1 /1410 Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <36EB11BC.134A@sympatico.ca>
Source record: 114037
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.ham-radio.swap

Heathkit VF1 VFO, 8/10 condition, $45.00 plus shipping.

Heathkit HD1410 Keyer - good shape, except 12 volt connector removed
(easy to repair) $ 40.00 plus shipping.

4018. FS - Ameritron

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: kk4tl@aol.com
Message-ID: <19990313204342.14411.00000339@ng115.aol.com>
Source record: 114038

Ameritron ALS-500M amplifier for sale. Very good to excellent condition. A few minor scratches. Works 100%. I have the box but no manual. $475.00 shipped. Details and specs at:
http://ameritron.com/products/ssamps/als500.html
Email if interested. KK4TL@AOL.COM

4019. Re: If no more Alinco, who will repair?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: macw2389@my-dejanews.com
Message-ID: <7cf70d$l6v$1@nnrp1.dejanews.com>
Source record: 114039

I appreciate Fishbags and K4SQR's encouragement. But my question is not about Alinco's health (personally the answer is obvious from info I was told re JA economic journal 3/13/99. Their show up at hamfests wouldn't change my opinion).
Back to my point: Anyone knows an alternative service point "just in case"?

In article <19990313090900.09070.00000049@ng123.aol.com>,
fishbags@aol.com (Fishbags) wrote:
> Alico is fine & will be showing new radios at Dayton. Japan's economy has
> caued many of their companies to show a loss over the last year.
>

>>I was surprised to hear about Alinco's net loss $50 mil
>>for Mar98 - Mar99,with the sale of $150 mil.
>> The situation is not in their favor, and I was just wondering
>> whether my new Alinco radio can be repaired by someone else
>>IF something happens to the manufacturer. (knowing that
>>warranty would no longer be effective) marc

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4020. Alinco DX-77T Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: kd7ctr@aol.com
Message-ID: <19990313210632.20878.00000346@ng135.aol.com>
Source record: 114040

I have to ask: TechAmerica has the Alinco DX-77T for $649. The auto antenna tuner is $299. The rig is a full 100 watts on CW/SSB/FM. What is wrong with the unit that it is so darn inexpensive? I am in the market for a affordable HF rig and tuner. I may be comparing a Lincoln to a pinto, but I have been looking at the Icom 746 and almost sold on it until I saw the Alinco for hundreds less. I have a 2/440, 6 meter in the house so I am not worried about those bands. All opinions are welcome.
73s de KD7CTR

4021. KANTRONICS KAM ALLMODE TNC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Jerry <gvibert@optonline.net>
Message-ID: <36EB1A7F.363303FF@optonline.net>
Source record: 114041

I have a Kantronics Kam Allmode in excellent condition
it has the upgrade to Kam Plus installed
does all the modes including Pactor and Gtor

Price: $180.00 shipped lower 48 states
Phone: (516)-785-7313

thanks for reading
Jerry / K2GV

4022. Icom IC-756 vs. FT-920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: andrewvictor@geocities.com
Message-ID: <7cf8v4$mr5$1@nnrp1.dejanews.com>
Source record: 114042

Which is better for hf and DXing?? which is the better overall radio??
Thanks,73,
Andrew

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4023. Re: FT-847 SSB Filters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: chris ayres <cjayres@ozemail.com.au>
Message-ID: <36EAE9F1.7A4F@ozemail.com.au>
Source record: 114043

MRauchle wrote:
>
> I have an 847 and wondering if anyone has installed the 2.5 SSB filters for TX
> and RX and if so what is the result? Is it worthwhile?
>
> Thanks
>
> Mike KA7THA

The Collins mechanical filter DOES help the transmit audio, and having
heard the result, would recommend it. However, if you've decided to only
buy one filter, I agree that the Rx side would be the better place to
put it.

Chris,
VK2YUS.

4024. More nixies

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: wa9vrh <wa9vrh@ocslink.com>
Message-ID: <01be6dc2$3a121860$057b9ece@larry>
Source record: 114044
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

HI since I have had sucj\h an interest in the last set of nixies I found another set of Burroughs tubes. I have a set of 6 Burroughs B-5750 nixies. These have also been in my parts bin for years so the same warrenty is in effect. you have 30 days to return to me for a refund. I am accepting offers on this set also. I will again NOT accept offers over $100.00 for the set. Thanks Larry WA9VRH

4025. Need Info: Yaesu FT-73R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: "Carl J. Reitz" <wa3vpd@ix.netcom.com>
Message-ID: <7cf7um$7eu@dfw-ixnews7.ix.netcom.com>
Source record: 114045

Need info on FT-73R portable.
Is this Commercial or Amateur?

Any info appreciated. Specs if possible would be helpful.

Thanks!

4026. Manual needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: rod7rg@aol.com
Message-ID: <19990313222533.16095.00000562@ng-ch1.aol.com>
Source record: 114046

Hi
I recently purchased a Precision Apparatus E410C Sweep Generator and need the manual for it. I have looked on several webpages of those who provide copies of manuals without any luck. Of course will pay copying and mailing costs. Thanks.

Rod Mayward
rod7rg@aol.com

4027. Webster Bandspanner Jr. info wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: rayford@REMOVETHISsilverlink.net
Message-ID: <36eb2ae8.857210740@news.silverlink.net>
Source record: 114047

Hi,

Anyone have the original specs/instructions for the
Webster Bandspanner Jr.mobile antenna that could offer a copy?

Or anyone using one regularly with any advice or tips?

Thanks in advance,

Ray KV4K Port Orchard, WA

4028. FS: Like Brand New Kenwood TS440SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <7cfftk$s0e$1@nnrp1.dejanews.com>
Source record: 114048
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Must sell. Everything looks untouched, 20 million serial #. Mic, power cord, box. This rig sold new in 1991. I think they stopped making them in 1991. I have checked the rig out and everything seems to works perfect. I bought it from the original non ham owner who never got his license. I have the original shipping sticker from Texas RF Distributors, Plano, TX, shipped to the person from whom I bought the rig. $760 firm + shipping. No Trades. Tnx.

Bill K9KZ

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4029. Re: Need Info: Yaesu FT-73R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: gmattie@bwn.net
Message-ID: <36eb3977.17934768@news.bewellnet.com>
Source record: 114049

I own an FT-73R. It is a UHF (70 cm) amateur band only handheld.
Nice radio.. fairly rugged build quality, should last me forever.

Regards,

Gary - KG5NM

P.S. - Specs? - I will send them to you, but WHY in the world do you
need specs - do you own the thing or not? If you do own it, why
aren't you asking for a copy of the manual?

>Need info on FT-73R portable.
>Is this Commercial or Amateur?
>
>Any info appreciated. Specs if possible would be helpful.
>
>Thanks!

4030. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36EB4030.7FE158DB@t-online.de>
Source record: 114050

clintbrad4d@earthlink.net schrieb:
> So...you completely agree with me that RT Systems has good products and
> treats its customers fairly...but you don't want it mentioned here?

:)))))))))))))) Clint, not again PLEASE :))))))))))))))

Clint, I have the ADMS 1D and am very happy with it, I did not
have any problems with RT Systems support ever.

Clint I do not want to argue with you as the other people do.

But it is to obvious that you like RT Systems unusual TO MUCH.

I know you will say again: "Great Software, Great Company", yes
yes ok, but there are a lot of Great Companys with great Software
but you are menshioning only ADMS and RT Systems again and again,
and only: Buy, Upgrade, only 20$, Free Support line, even when
people are asking something else.

Clint, it is VERY funny, and 99% of the people I am talking
are CONVINCED you are working for RT Systems or are Rod's
best friend.

It is funny that RT Systems makes advertisements that way.

Please do NOT try to convince me any further that they are
the best company and have the best Software and the best
support and you are not working for them, nobody belives
you any more, you have gone to far :))))))

PLEASE !!!!!!!!!!!!!!!!!!!!!!!!!!!!

Clint, it IS VERY FUNNY, i don't understand how you can't
see it :)))))))))))))))))))))))))

Greetings Clint, and please do not answer this EMail.

Regards,

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4031. Re: ADMS Programming Cable

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: sadewerth@aol.com
Message-ID: <19990314001105.08708.00000586@ng121.aol.com>
Source record: 114051

Dave,

I don't know this for sure, but the cable I have for my FT-50R and ADMS-1D is a serial cable, and I believe the other cable for the ADMS-2B/C is a parrallel cable.

73 Scot KB4NWT

4032. NEED diagram for Wilson Tetra Tower.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: foxbrigade@usa.net
Message-ID: <36eb4a07.11774137@news.sccoast.net>
Source record: 114052

I would like to find a diagram, plans, instructions, or manual for
Wilson Tetra Tower. I need the spec's for a heavy transportable tower
for project.

4033. Re: Ham Trader Yellow Sheets

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: headhamster <headhamster@erols.com>
Message-ID: <36EB557C.15A1C2E4@erols.com>
Source record: 114053

Sadly, HTYS is a victim of newsgroups like this one. They filled a niche in the days before the internet evolved into a household utility. They were THE source of used equipment listings back in the "old" days. Someday hams of our vintage will be able to tell our grandchildren that before the turn of the century they used to mail out sheets of paper with ads printed on them for used ham radio equipment. Unfortunately, they'll probably ask what was ham radio?

4034. Converting Public Service Radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Russ Freeman <jrf9949@garnet.acns.fsu.edu>
Message-ID: <36EB550C.76CB10B@garnet.acns.fsu.edu>
Source record: 114054

I want to convert a surplus public service radio for use on the amateur bands. I know that there is information on the web about the Motorola Syntor X and the GE Master II, but what else is there and more importantly, what should I avoid?
Russ, KF4ZFS

4035. Re: Wanted: Squires Sanders SS-1R receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: W4ABC <w4abc@gte.net>
Message-ID: <7cfkvo$e77$1@news-2.news.gte.net>
Source record: 114055
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Chuck O'Neal wrote in message ...
>Anyone have one of these willing to sell? Should be in
>excellent condition.
>
>Will pay top dollar for the right one!
>
>regards,
>Chuck...K1KW
>

Wow, does that bring back memories. I was 16 years old, and working part time at a grocery store when I ran into a fellow that owned the TX, RX and Band Scope. He was getting ready to move out of state, and was willing to sell. I was working diligently to purchase said same, when that fateful day came and someone else bought it out from under me. Such is life...

For those of you who have never seen this setup, it was the greatest looking groupings of equipment. Loved that electric QSY'er. One button instant dial spin.

Good luck guys.

Jon Pearl
W4ABC

>

4036. WANTED KENWOOD 520s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Steven Baker <pacman@bcl.net>
Message-ID: <36EB0A8A.264595C4@bcl.net>
Source record: 114056

Hello All,
I'm wanting to get back on the HF bands. I do not have alot of funds to spend right
now. So I am looking for a old Kenwood 520s or maybe some other old hf radio you are will to get out of the shack. Please e-mail me with what you have condition
and price. Thanks for takeing the time to read this and maybe catch you on the bands soon.

Steve KB9HGI
pacman@bcl.net

4037. SWAP BOARD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Steven Baker <pacman@bcl.net>
Message-ID: <36EB129C.880B5E62@bcl.net>
Source record: 114057

Come check out my message swap board. radio items wanted trade sale post yours. Just click on link below.
KB9HGI'S Swap Board

4038. Re: Source for 8 pin mic plugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: ThomasS <stop@spam.com>
Message-ID: <36EB6A80.5286@spam.com>
Source record: 114058

Marty Duplissey wrote:
>
> Does anybody know of a source for the 8 pin plugs used by Kenwood, Icom and
> Yeasu?

Have you ever been to a HamFest? They're plenty of providers to buy
from if you are able to get there.
Here in the midwest, there is a company called Coax-Connections, and
they sell tons of that type of stuff, might be worth checking into at
your local Fests...Also check out Truck Stop CB repair shacksa dn of
coarse, Radio Shack has the male part!

4039. Re: Source for 8 pin mic plugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: ThomasS <stop@spam.com>
Message-ID: <36EB6AA3.74@spam.com>
Source record: 114059

Marty Duplissey wrote:
>
> Does anybody know of a source for the 8 pin plugs used by Kenwood, Icom and
> Yeasu?

Have you ever been to a HamFest? They're plenty of providers to buy
from if you are able to get there.
Here in the midwest, there is a company called Coax-Connections, and
they sell tons of that type of stuff, might be worth checking into at
your local Fests...Also check out Truck Stop CB repair shacksa dn of
coarse, Radio Shack has the male part!

How about the manufacturers parts dept.?

4040. Re: Source for 8 pin mic plugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Butch Magee <butchkay@netdoor.com>
Message-ID: <36EB6CBC.FB77FF44@netdoor.com>
Source record: 114060

Rat shack.
Butch KF5DE

Marty Duplissey wrote:

> Does anybody know of a source for the 8 pin plugs used by Kenwood, Icom and
> Yeasu?
> I need both male and female ends. Building and adapter to use an Icom 6 on a
> Kenwood 440
>
> N5KBP
>
> --
> Marty Duplissey
> Lone Star Business Systems
> Specializing in development for the credit report retrieval industry
> Desktop, Networks, Intranets and Internet Delivery
> http://www.lsbs.com

4041. Re: FT-847 vs FT-920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Blooming Prairie <bppd@ll.net>
Message-ID: <UwKG2.1609$Bd3.23936@newsfeed.slurp.net>
Source record: 114061

I elected to go with the FT-920 and I love it. My feeling was that I like
to listen to, say hf digital and two meters at the same time. If you have
the FT 847, you can only listen to one or the other. That is why I bought
the FT-920.
andrewvictor@geocities.com wrote in message
<7c9uvv$986$1@nnrp1.dejanews.com>...
>I have decided that I should get a FT-847 or a FT-920.
>I a fairly new ham and have only talked on HF and 2m/70cm
>on an HT. I would like to know about satillite
>operating(I might like to get into that later) but also
>want a rig that can DX on HF. I only can have one
>radio. Which do you recommend??
> Thanks for your time, 73,
> Andrew
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4042. HP202H circuit/manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: J.W.HERBERT@XTRA.CO.NZ
Message-ID: <7cft98$6v2$1@nnrp1.dejanews.com>
Source record: 114062

HELP for HP202H sig. gen - need manual or photocopy of manual or at least of the main circuit schematic to breath life into my HP202H signal generator - $$$ no problem > John Herbert ZL2BDB

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4043. Re: Alinco DX-77T Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Mark <binfordv@worldnet.att.net>
Message-ID: <7cftq9$2cm@bgtnsc03.worldnet.att.net>
Source record: 114063

The only fault I've found with mine is when I use it mobile. The noise filter isn't very aggressive. Works great in the shack. Lot's of features and doesn't take up much room.

Mark KU4MP

4044. @@@JRC MW/SW 1KW TRANSMITTER FOR SALE CHEAP@@@

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: radio_man@usa.net
Message-ID: <MPG.11559af37cd91ed898970e@news.xs4all.nl>
Source record: 114064
Cross-posted to: nl.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,sci.electronics.basics,sci.electronics.components,sci.electronics.design,sci.electronics.misc

405-535 kHz
4-23 MHz
Synhesized
Power reduction
Complete with extensive manual
Consists of Bandpass Filters unit, final amp, driver unit, rectifiers
Removed from ship in working condition
FIXED PRICE NLG 950 COLLECT OR USD 475
See also http://www/xs4all.nl/~barendh

4045. VX-1R and EVE with Europan models

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: 106255.1565@compuserve.com
Message-ID: <36eb8310.83062062@news.compuserve.com>
Source record: 114065
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Has anyone used EVE to set a Euopean VX-1R? If so what soft links are
safe to use? There is nothing with EVE to say which codes do what.
Richard

4046. Capabilities of Kenwood SM-220/BS-8

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Mark Hall <markeh@erols.com>
Message-ID: <36EB96B4.EFB04E35@erols.com>
Source record: 114066

Hello Group:

I'm looking to buy a SM-220 with the BS-8 Bandscope adapter for contest/DX work on CW. Wondering if it's possible to find CW signals over a reasonable bandwidth (say 50KHz) using such a setup. Relative to this application is the achievable sweep rate, scan bandwidth, and scan resolution. Any information would be greatly appreciated..

thanks '73 KI4Z

markeh@erols.com

4047. Re: THE BEST DX RIG OUT THERE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Mark Hall <markeh@erols.com>
Message-ID: <36EBA2C1.BE4B101F@erols.com>
Source record: 114067

Many good responses but here's my take:

First Things First:

1) Get a transceiver with a Great Receiver section. Get Every filter Option in both IFs. It's got to have IF Shift, Passband Tuning and Notch. All are sensitive enough, it's the dynamic range and birdies that nail you. You have to hear them first. Transmitter section doesn't matter as long as it's clean enough and doesn't bother the neighbors when followed by an amplifier. Budget $1K on the used market

2) Get a Beam at a reasonable height of 40'+. At least 3 element Yagi or even better, a Quad. Helps greatly on receive too.. that's why this is #2. Higher the better, but the cost goes up quick. Budget $400 on the used market.

Now that you can hear them.. crack the pileup:
3) Get some Hiking boots.. Budget $500 on the used market for a Heath SB220 or similar twin 3-500 amp. Not great but will do the job.

That should get you known on the band.. maybe a tad over the $2K budget.

Start your own country on a Mountain island in the Indian Ocean and you'll own the band. This is worth >20 dB of signal.. make them listen for you.. let them spend their money.

For the rest of us:

Mortgage the house, get a second job, unload the wife and kids, add about 40 feet, three more elements, some hard line, go to Charm School, Add some spikes to those boots, move to a shack on a iron ore rich mountain top.....

4048. WTB: Kenwood TS-520 accessories - particularly DG-5 display

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Mike Swift <mswift@dial.pipex.com>
Message-ID: <7cg4q1$t7a$1@plug.news.pipex.net>
Source record: 114068

Hi

I'm looking for any and all accessories designed specifically for the TS-520 series radios - in particular I'm after a DG-5 digital display, external VFO, external speaker unit, W.H.Y.

Will pay your price + carriage to UK for good-to-excellent condition units.

Thanks in advance :-)

Mike Swift
Walton-on-Thames, Surrey, UK

4049. Re: FT-1000D interference on 14 MHZ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Per <petidema@online.no>
Message-ID: <3NMG2.48$ek6.217@news1.online.no>
Source record: 114069

Jari Ojala <jari.ojala@the.fi> wrote in message
news:36E600F5.CA0397FF@the.fi...
>Hi!
>
>I have problem with receiver. I can heard BC stations from 7 MHz on 14
>MHz (BC freq*2). I have test RF-unit filters there are attenuation over
>60 dB between 14 MHZ and 7 MHz.
>
>Same problem is also on SUB receiver when using MAIN receivers RF-units.
>
>Are somebody solve this problem???
>
>Jari OH8LQ
>

Hello!
Yes I have same problem. Please tell me Your serial nr.
LA9EX

4050. Re: WANTED: 2m Mobile, MARS capable, Chicago area

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: richard@nospam.com
Message-ID: <36eba577.159411768@172.16.1.166>
Source record: 114070

I did look at it, but there is/was no mention of MARS in any of their literature. Do you have one?

Richard

On Sat, 13 Mar 1999 04:25:39 -0500, "Morris" <morris@SPAMsssnet.com (remove SPAM from address)remove SPAM from address)> wrote:

>You may want to look at the yaesu FT2500M - They are selling for less than
>$200 and one snip of one wire you got your MARS - the radio is built to
>military spec.
><richard@nospam.com> wrote in message news:36e900c1.37466852@172.16.1.166...
>>WANTED: 2m Mobile, MARS modified or capable, Chicago area, auto
>>repeater offset, remote control mic, excellent condition.
>
>

4051. Product Review: FT-100 or IC-706MK2G?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: ddufault - ve2bap <ddufault@dsuper.net>
Message-ID: <7cgdrd$j01$1@nnrp1.dejanews.com>
Source record: 114071

Is there any product review published (from QST on any other ham magazine) about the new Yaesu FT-100 or Icom IC-706 MK2G HF radios? I'm just waiting some opinions (as many others!) before decide which one I will choose... Thanks. Daniel VE2BAP, Montreal, Canada

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4052. WRTH Auction

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: "Ralph W. Perry" <theperrys@kwom.com>
Message-ID: <CoOG2.9$h55.40@news20.ispnews.com>
Source record: 114072
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap

Putting the last of my WRTHs onto ebay for auction. Beautiful condition books, so click here and scroll through my ebay auction list to locate the WRTH lots. Have 80, 84, 85, 86, 88, 90, 91, 92 with bargain minimum bid required.

Click on this:
http://cgi2.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=rwperry

4053. Re: WTB: Need manuals for Collins 651S1

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: chris@pooh.cc.ucf.edu
Message-ID: <7cgdfo$g1$1@news.cc.ucf.edu>
Source record: 114073
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

I
To all who sen me email on my request. Thanks muchley.

I found out just how big the manual is and how unreansonable my
request was.

I did locate one at SSN, so I orderd it from them.

Thanks

Chris

--
==========
Chris Maukonen "Change is not merely necessary
Sr. Systems Programmer to life - IT IS LIFE"
Univeristy of Central Florida Alvin Toffler
chris@.ucf.edu (407) 823 5460

4054. Wanted: QST Product reviews

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: ddufault - ve2bap <ddufault@dsuper.net>
Message-ID: <7cggiv$l55$1@nnrp1.dejanews.com>
Source record: 114074

I need a copy of the QST product reviews for the following radios:

ICOM IC-726 (IC-725 would be ok)
IC-706 MK 2

They have been published in the following issues of QST:

ICOM; IC-725 MF/HF Transceiver; Mar 90; Kleinschmidt, Kirk NT0Z
ICOM; IC-706MkII MF/HF/VHF Transceiver; Jan 98; Lindquist, Rick N1RL

A copy of these articles would be appreciated. Daniel VE2BAP

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4055. Re: FS - Ameritron

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: mikeholman@aol.com
Message-ID: <19990314084525.15609.00000788@ng-ch1.aol.com>
Source record: 114075

Im a missionary in Kazakhstan and am interested in your amplifier. IS there any crucial info in the manual that you remember or is it basically plug in an us. How critical is the swr on the antenna?? I guess a tuner would solve that.

Im currently in Redlands CA for Mission Aviation Fellowship training and will be in Dallas on Mar 26th to Mar 31. If we can agree then I could send you a check or you could COD to my Rowlett address.

What is the least you would consider taking for the amplifier. Im pretty strapped on funds and hoped to find something for about $400.

My call is K5KWG since 1961 but have been
ZA1MH for the last 5 years and am currently
UN7/K5KWG.

Please let me know if you would consider $400 for the amp and we can arrange shipping if that is possible.

Thanks for your consideration

Mike Holman
meholman@maf.org

4056. Re: FS - Ameritron

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: mikeholman@aol.com
Message-ID: <19990314084737.15609.00000789@ng-ch1.aol.com>
Source record: 114076

this is Mike again. One question I forgot
How do you switch the amp. I have a ICOM 706 and it is limited to 20ma
switching current.
Any suggestions as to how to switch the amp
using the Icom 706???

THanks,
Mike

4057. Re: FREE MONEY! 1454 [1/2]

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Ray Lazarus Bruno <raysun@qns.quik.com>
Message-ID: <%gPG2.613$7q6.2003866@newsfeed.intelenet.net>
Source record: 114077
Cross-posted to: rec.radio.amateur.equipment,japan.idol.male,bit.listserv.wx-chase,alt.support.food-allergies

yvolvu@fakeaddressforyourlist.com wrote in message ...
>CHECK OTHER POSTING FOR MESSAGE!
>gqqbxnlourbsrimupjkcvoeutsbppdnchmgyfuruiqptkukcuvsxyiorxxlfebumsmqqjnsxjgm
ehwrlxscxvcfdrowbiojdqd
>

4058. WTB: FT-890

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Tim Cook <timcook@erinet.com>
Message-ID: <7cgflk$9sh$1@news.erinet.com>
Source record: 114078

Looking to buy a Yaesu FT-890, with or without optional filters (would like a CW filter) Please email direct if you have one for sale..
Thanks
Tim
NZ8J

4059. Re: VX-1R and EVE with Europan models

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36EBC2C7.4618B568@t-online.de>
Source record: 114079
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Richard C. Ferryman schrieb:
>
> Has anyone used EVE to set a Euopean VX-1R? If so what soft links are
> safe to use? There is nothing with EVE to say which codes do what.
> Richard

Goto my page, there you will find a VX1R configuration utility.

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4060. FS:Manual & Callbook

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: kvanderlin@aol.com
Message-ID: <19990314093559.20841.00000493@ng127.aol.com>
Source record: 114080

Winter 1968/69 US Callbook. Excellent condition. $20 Shipped Conus.

Users Manual for Alpha 91B Amplifier. NEW. $18 Shipped Conus.

Van

4061. FS: Icom IC-T8A Tri-Band HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Tom Repstad <kb1cga@starc.org>
Message-ID: <36EBCC09.24122F4B@starc.org>
Source record: 114081
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.swap

I have the following for sale:

Icom IC-T8A Tri-Band HT 6M/2M/70cm in excellent condition, Includes Icom BP-200 battery, Maha MH-BP-200M battery, and Spkr/Mic. Original box, manuals, etc. $300.00. E-mail direct if interested.

--Tom
KB1CGA

4062. Re: WTB: FT-890

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990314095012.28841.00000361@ng-fq1.aol.com>
Source record: 114082

Mint FT-890AT with 500Hz CW filter

MatchingFP-800 Power supply/speaker by Yaesu

Stone Mountain Engineering QSYer direct frequency entry keypad

hand mic

boxes/ manuals

Perfect operation with excellent looks...
...I bought a FT-1000D
$1100 firm and you ship!

Brian.....n3xbu@aol.com

4063. Re: Icom IC-756 vs. FT-920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990314095203.28841.00000362@ng-fq1.aol.com>
Source record: 114083

I like the 920. For a detailed comparison contact: n3dyz@webtv.net

...he has had both

Brian

4064. FS: Boonton Model 44a Microwatt Meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: rfsay@att.net
Message-ID: <rfsay-1403990955520001@154.newark-01-02rs.nj.dial-access.att.net>
Source record: 114084

Forsale 1 Boonton Electronics Model 44A Microwatt meter. This unit is a tube unit. I have no probes and no manual. Also one tube is missing , I think it is the rectifier tube like a 6x4 or 12x4, good unit to restore. make offer by email. 73's

Thanks in advance,
Bob S.

4065. Re: Info: How do I mod a Motorola Radius M208 Low Band for 6 Meters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: w8ak@aol.com
Message-ID: <19990314095728.22832.00000713@ng-cd1.aol.com>
Source record: 114085

Hi. I have converted many. Simple mod to rx and tx for good power and sensitivity. You may want to call me on the phone for details (937-667-4030) or I will email if you prefer. Glenn

4066. hallicrafters,Transoceanic,DX-440,Yaesu

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990314100755.28841.00000364@ng-fq1.aol.com>
Source record: 114086

For AUCTION:

Zenith Transoceanic R-7000 near mint
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=76492239

DX-440 Receiver near mint
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78000515

Hallicrafters SX-101 MK3 excellent
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78000515

ALSO FOR SALE:

Near mint
Yaesu FT 890AT with 500Hz CW filter
FP-800 Power Supply
Stone Mountain QSYer Direct Freq. Keypad
Hand Mic
Boxes/Manuals

$1100 firm plus shipping in mainland US

email Brian direct at: n3xbu@aol.com

4067. FA: RARE HEATHKIT ,EV, KENWOOD and MORE!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Jordan Arndt <jordana@nucleus.com>
Message-ID: <36EBDF33.5E19@nucleus.com>
Source record: 114087

Hi I have many items for bid right now...
a RARE HEATHKIT AD-1308 Audio Spectrum Analyzer, Electrovoice Desk Mics
and Stands NIB, a NICE HEATH HW-8 STATION... A Kenwood TS-520S , and a
Nice PACKET Laptop Computer... and more items... if you would like to
see goto:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=jordana@nucleus.com&sort=3
&since=-1

thanks for your time and interest... 73 de Jordan...

4068. Re: Source for 8 pin mic plugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: John Siegel <JohnASiegel@worldnet.att.net>
Message-ID: <36EBD081.2685B6F@worldnet.att.net>
Source record: 114088

AES carries them.
John K4BNC

Marty Duplissey wrote:
>
> Does anybody know of a source for the 8 pin plugs used by Kenwood, Icom and
> Yeasu?
> I need both male and female ends. Building and adapter to use an Icom 6 on a
> Kenwood 440
>
> N5KBP
>
> --
> Marty Duplissey
> Lone Star Business Systems
> Specializing in development for the credit report retrieval industry
> Desktop, Networks, Intranets and Internet Delivery
> http://www.lsbs.com

4069. Re: Telrex Antenna's ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: rammarks@aol.com
Message-ID: <19990314105620.26822.00000511@ng-cb1.aol.com>
Source record: 114089

i had their TB-7E back in the very early 60s; and i got it second-hand.
wa9bfs

4070. Re: Recommendations for 2M HTs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Rudi Wiedemann <wiedemann@home.com>
Message-ID: <c3RG2.17993$FZ5.4408@news.rdc1.sfba.home.com>
Source record: 114090

If you want the "dual power" option and an HT with a GREAT reputation, check out the Icom W32A dual bander. Has a VOX earphone accessory. Very rugged and very versatile.

73s - Rudi - KF6RLQ

Mark S. Jennings wrote in message <7ccd4lqah1@brokaw.wa.com>...
>I'm returning to ham radio after ten-years of inactivity and need a new 2M
>(+ maybe 440 and 6M) handheld. Things have gotten complicated in my
>absence.
>
>My immediate interest is a very small and light HT that I can use for an
>upcoming motorcycle trip for bike-to-bike comm. I want it to be as small
as
>possible so I can just put it in the pocket of riding suit (smaller rubber
>duckie a plus also here), 5W or great output for decent range between bikes
>w/o repeaters, easily accessable speaker/mic connections so I can patch in
>custom helmet-mounted mic/speaker, and all-day battery life with maybe
>30-minutes of transmitting time in a 10-hour day.
>
>After the trip, I'm just looking for a good all-around HT. It can be
>single-band (2M), but it doesn't seem like dual- or tri-band stuff is that
>much more expensive, so I'm tending to think I'll get a dual or tri-band
>model. I can spent $300-$500.
>
>I've been reading/looking at the Yaesu VX5R, FT-50RD, Kenwood TH-G71A,
>TH-D7A (packet stuff sounds interesting), and the Icom IC-T8A. I'm tending
>to the VX5R for small size, lithuim battery, and acceptable performance but
>some have reported a bunch of little problems. When I was active, I had
>Yaesu and Kenwood equipment and I always thought the Kenwood stuff was more
>solid. Any suggestions about where to buy appreciated also - I assume HRO
>and AES are the big web/mail vendors.
>
>Thanks for any suggestions,
>
>- Mark (N9AFL)
>
>
>
>
>
>
>
>

4071. WANTED-IF-232C Computer Interface Adapter for Kenwood

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: lizzy_lmit@my-dejanews.com
Message-ID: <7cgpc4$s32$1@nnrp1.dejanews.com>
Source record: 114091

Does anyone have a Kenwood Computer Interface (IF-232C)
they would like to sell ?

If so please email me with your price:

llisenbe@netzero.net

Thanks, L~

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4072. Re: VX-1R and EVE with Europan models

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: 106255.1565@compuserve.com
Message-ID: <36ebde97.4236048@news.compuserve.com>
Source record: 114092

Should have said VX-5R not VX-1R in original posting - sorry.
Richard

4073. Need part for Heathkit scope

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: "Charles M. McKinley" <baroque@visi.net>
Message-ID: <36EBE61D.7B0A18A@visi.net>
Source record: 114093

Hi folks,
I need a part for a Heathkit IO-10 dc scope, specifically the
5 Kohm pot that's piggybacked on the back of the vertical gain
switch/control (part # 63-201 for those of you crazy enough,
like me, to still have the construction manual.) If you're familiar
with this scope, you know there's absolutely no space left
anywhere to mount an outboard pot, so I don't have much choice
but to find an original equipment replacement. Does anyone know
whether Heath still has any sort of parts repair service? Or, does
anyone have one in a junkbox for cannibalization?

Thanks in advance,

Chuck McKinley
Newport News, VA

PS If there's a better newsgoup for this, I would appreciate a pointer.

4074. Subject: WTB: ## STANDARD HX500 CHARGER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <nFRG2.190$g37.6659@sapphire.mtt.net>
Source record: 114094

Ref - Portable Model # HX500U (AA) series
Need (1) charger for now to test the radios,
and if they work need (2) more. Email price.
Standard or Rapid rate sytle. Thank

4075. Re: FT-847 vs FT-920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Dan K Nelson <kf6knb@usa.net>
Message-ID: <7cgpggpfk1@news-2.news.gte.net>
Source record: 114095

Blooming Prairie wrote in message ...

>I elected to go with the FT-920 and I love it. My feeling was that I like
>to listen to, say hf digital and two meters at the same time. If you have
>the FT 847, you can only listen to one or the other. That is why I bought
>the FT-920.

Are you sure you have an FT-920? The 920 does not do 2 meters. Also, it is not a dual receive, you cannot listen to two different frequencies at the same time. It is HF plus 6 meters only, (and it has a dual watch function which will switch from one frequency to another and back at a programmed interval).

73 de KF6KNB

4076. Re: FT-1000D interference on 14 MHZ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Tom Swift <tswift2@home.com>
Message-ID: <M6SG2.2081$1P.770@news.rdc1.nj.home.com>
Source record: 114096

Well, not quite the same problem, but I have experienced BC stations severely overloading the front end of my Icom R9000. This problem was solved by a Industrial Communications Engineers model model 402X broadcast band filter. Broadcast stations that were >60dB over S9 on direct frequencies dropped to S8, and harmonics disappeared.

I have never noticed the problem with my 1000MP, by the way.

Tom W2BD

Per wrote in message <3NMG2.48$ek6.217@news1.online.no>...
>
>Jari Ojala <jari.ojala@the.fi> wrote in message
>news:36E600F5.CA0397FF@the.fi...
>>Hi!
>>
>>I have problem with receiver. I can heard BC stations from 7 MHz on 14
>>MHz (BC freq*2). I have test RF-unit filters there are attenuation over
>>60 dB between 14 MHZ and 7 MHz.
>>
>>Same problem is also on SUB receiver when using MAIN receivers RF-units.
>>
>>Are somebody solve this problem???
>>
>>Jari OH8LQ
>>
>
>
>Hello!
>Yes I have same problem. Please tell me Your serial nr.
>LA9EX
>
>
>

4077. Re: Info: How do I mod a Motorola Radius M208 Low Band for 6 Meters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Tony Szablowski <a2112szablowski@worldnet.att.net>
Message-ID: <7cgr6i$2p4@bgtnsc02.worldnet.att.net>
Source record: 114097

PA wrote in message <36e86f8c.769005@enews.newsguy.com>...
>I have one of these radios and can program 52.525. RX sensitivity
very
>poor. Tx works on high power but cust down to half power after a 1/2
>second.
>Any Ideas? Has anyone had success with this mod???

Check out www.batlabs.com for tons of Motorola related info. The
guy's got everything and it's free. Good luck.
--
Regards,
Tony
a2112szablowski@worldnet.att.net (remove 2112 to e-mail)

4078. WTB MONOBANDERS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: joe Palmer <joe46@erinet.com>
Message-ID: <36EBF24D.34A1D1D1@erinet.com>
Source record: 114098

Looking for NIB or EXCELLENT condition 20/15 beams.....
Tnx es 73.....Joe.....KS8M

4079. Re: Source for 8 pin mic plugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Tony Szablowski <a2112szablowski@worldnet.att.net>
Message-ID: <7cgrfj$3qm@bgtnsc02.worldnet.att.net>
Source record: 114099

Marty Duplissey wrote in message
<4sHG2.276$Ds4.728@news13.ispnews.com>...
>Does anybody know of a source for the 8 pin plugs used by Kenwood,
>Icom and Yeasu? I need both male and female ends. Building and
adapter >to use an Icom 6 on a Kenwood 440

If Shat Shack doesn't carry them, www.Mouser.com or www.Digikey.com
'll definitely have them.
--
Regards,
Tony
a2112szablowski@worldnet.att.net (remove 2112 to e-mail)

4080. Re: Alinco DX-77T Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Michael Madden <mmadden@suffolk.lib.ny.us>
Message-ID: <7cgqrmshd1@news01.li.net>
Source record: 114100

There is nothing wrong with the radio. My personal opinion though.... the receiver on the 746 is going to offer much much better results.

4081. Mod for FT 8100 R on SAR of 155.805 ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: binder@teleport.com
Message-ID: <36ebf260.7412118@news.teleport.com>
Source record: 114101

Howdy,

Posting for a friend. Is there a mod to expand the FT 8100 R to
recieve and transmit on the Search and Rescue frequency of 155.805>

Thanks,

Max, KK7HI

4082. FS: Russian 6C4C (=6B4G)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: arnoldg@sf.telia.no
Message-ID: <36ebf910.2248464@news1.telia.com>
Source record: 114102
Cross-posted to: rec.antiques.radio+phono,rec.audio.tubes,rec.ham-radio,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap,rec.radio.amateur.equipment

I have found some of these excellent 6B4G valves. 6C4C in Russia is
equivalent to 6B4G and it looks identical to the old Sylvania 6B4G
with double anode stapped together by a metal plate, not the type with
two separate anodes. The 6C4C valves is very well built and give you
an impression of high quality. It is unlike the new Sovtek 6B4G which
looks like a scaled down Sovtek 300B with a single anode.
E-mail me if you are interested.

Best regards,

Arnold Goksoyr

DEMOSTENES A. Goksoyr
N5850 Balestrand
NORWAY
Phone +47 5769 1340
Fax +47 5769 1267
e-mail arnoldg@sf.telia.no

More than 1800 different valves in stock. Plus: sockets,
transformers, caps, resistors and books about valves and
valve equipment. Many rare European valve types.
You will find it at my homepage: http://demostenes.vestdata.no

4083. Re: Source for 8 pin mic plugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Jerry Franks <w4rf@worldnet.att.net>
Message-ID: <7cgtd7$8de@bgtnsc03.worldnet.att.net>
Source record: 114103

Try Hosfelt Electronics in Steubenville, OH, they have male and female both chassis mount and inline. The inline style is really useful for building adapters. Their prices are hard to beat, too!
Marty Duplissey wrote in message <4sHG2.276$Ds4.728@news13.ispnews.com>...
>Does anybody know of a source for the 8 pin plugs used by Kenwood, Icom and
>Yeasu?
>I need both male and female ends. Building and adapter to use an Icom 6 on
a
>Kenwood 440
>
>N5KBP
>
>
>--
>Marty Duplissey
>Lone Star Business Systems
>Specializing in development for the credit report retrieval industry
>Desktop, Networks, Intranets and Internet Delivery
>http://www.lsbs.com
>
>

4084. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7cgu01$2t$1@nnrp1.dejanews.com>
Source record: 114104

In article <36EB4030.7FE158DB@t-online.de>,
Ingra-Beton@t-online.de (Vlaski Goran) wrote:

> Clint, it is VERY funny, and 99% of the people I am talking
> are CONVINCED you are working for RT Systems or are Rod's
> best friend.

Yes, ignorance runs rampant on the Internet. Folks continue to prove in their posts that it takes no IQ test to access the Internet.

Tell ya what - you go ahead and promote YOUR products on your site. Leave those with first-hand experiences and straight-from-the-source information alone. As you have written, there's a lot of misinformation being spread around by folks with questionable motives....

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4085. Re: Another VX-5 antenna question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Solarpower1watt@Juno.com
Message-ID: <u7TG2.2202$Bd3.34338@newsfeed.slurp.net>
Source record: 114105

>
>Well, I did (both a mobile and whip), and the performance was
>interesting, at least on 2m. They definitely pulled in the signals, but
>they also seemed to pull in images from other frequencies. For instance,
>right around 145.275, I picked up a local Wx broadcast (full quieting,
>pegged the "meter"). I also received a couple of much weaker images of
>the same signal 30 KHz or so above and below 145.275. Then, somewhere up
>around 147.500 I picked up a local TV station (couldn't identify which
>one, so I have no idea what its frequency is).
>

Could be you were picking up signal leakage from your local cable TV
company.

Ed

REPLY INFO:
==
Return address modified to prevent automatic SPAM response.
TO REPLY: remove the "watt" from my return address.
==

4086. PL on TM-321a

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: radiobufff@aol.com.rfi.tvi
Message-ID: <19990314134628.09331.00000023@ng13.aol.com>
Source record: 114106

Just picked one up (TM321a), How do I set the PL tones? Thanks, Mar

Radio in the Bufff
Co-Ed Naked Radio
Support your local Oscillator

Please remove<.rfi.tvi>

http://members.aol.com/radiobufff/index.html

4087. Re: Help! Kenwood TK-830 question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: emtgreen@aol.com
Message-ID: <19990314135325.13917.00000670@ng-fr1.aol.com>
Source record: 114107

Tony,
Sounds like you might have blown out your prom chip. You can find a parts radio and try the swap but you'll probably end up sending it back to Kenwood if your local shop doesn't want to help. I had a similar problem but luckily my local shop had a good tech and a parts radio to swap from.
Derek

4088. FS:Signal One MS 1030CI

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: kb6lue@postoffice.pacbell.net
Message-ID: <36ECAE68.E28C41A1@postoffice.pacbell.net>
Source record: 114108
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi all
I have a for sale Signal One MS-1030CI. Good working condition.Price is $3500 plus shipping. I can E-Mail photos on request.Thanks
Jin KB6LUE

4089. Idaho HAMFEST

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: wa4vrv@srv.net
Message-ID: <36ed0a45.31270282@news.srv.net>
Source record: 114109

The Eastern Idaho UHF Society will be hosting a hamfest/computer swapmeet in Idaho Falls, Idaho, at the Elks Lodge on April 17th. This is an ARRL sanctioned hamfest with full license testing, swap tables, commercial, and a talk on the FCC licensing and ARRL, DXpeditions and the internet and ham radio.

We have a web page - http://www.srv.net/~wa4vrv/hamfest.htm

Hope to see you there!

de Jay, WA4VRV

Jay C. Greenberg
WA4VRV
email: wa4vrv@srv.net
Phone: (208)524-1388 Evenings/Weekends
(208)526-7033 Weekdays

4090. FS: Ts-450SAT w/ssb filter $650.00

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Rich <n7hmb@spiretech.com>
Message-ID: <36EC0CAF.9B4D9B41@spiretech.com>
Source record: 114110
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment

Hi -
I have for sale a Kenwood TS-450SAT (W/Autotuner). This includes: the YK-88-SN-1 optional SSB filter. Mic, Manual, DC cable and the Orig. box.

Orig. owner, never mobile, non-smoker. Name and call engraved on bottom case. in really good cond. I will ship it for $650.00 (Money Order or Cashiers Check) to the lower 48.
See photo:
http://www.WANfear.com/~rich/450.jpg
Sorry for the glare on the display.
Reply here for more info or questions.
73

4091. FS: ICOM 706, Outbacker

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Greg Cutshaw <gcutshaw@erie.net>
Message-ID: <J5UG2.169$BK4.456@news12.ispnews.com>
Source record: 114111

ICOM 706 with CR502, MB62, OPC 581, FL-223. Outbacker JR TS-10 antenna, Diamond K400-3/8 with 20 feet of RG-316. All in mint condition, $820 takes all. I will pay shipping. (814) 663-0754, KE3PD.

Regards, Frank.

4092. ICOM R2 YAESU VX5 YAESU FT100 YAESU VX1

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: james coburn <confused@primenet.com>
Message-ID: <7ch3f0$6i3$1@nnrp02.primenet.com>
Source record: 114112
Cross-posted to: alt.ham-radio.mods,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.scanner

http://www.onelist.com/subscribe/YAESUVX5
Has over 273 users so far. Come join us if you are interested in the VX5.
A super cool little radio!!!

http://www.onelist.com/subscribe/YaesuVX1
.Has about 73 users If you have a VX1 this is the place to be!!

http://www.onelist.com/subscribe/icomr2
Is the nerve center of everything that has to do with the ICOM R2.
If you have a R2 Come on and join us we need you !!! This is a great radio
with a great following of over 130 users on this mail list!!

http://www.onelist.com/subscribe/FT100

So Far we only have 33 users! Not to bad for a radio that is not even
available!! If you are even thinking about one of these units come join us
we may all learn somthing!!!

73 de James

4093. Re: FS: Collins 75A-4 Amateur Radio receiver on ebay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: bigjoe@spamsux.bright.net
Message-ID: <7cgjl3$np6$1@cletus.bright.net>
Source record: 114113
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

This message is for those of you that stay off of ebay...too bad, there's great stuff on there. Here's the description of the 75A-4 I put there.

Collins 75A-4 Amateur Radio Receiver with matching speaker. Works great! Using just a simple wire antenna, it pulls in distant stations with crystal clarity. Tube set from the late 1950's. Proceeds from sale go to Seneca Radio Club W8ID Field Day Tent Fund.

After the description are plenty of great photos. Please go and see them.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=77736556

Happy bidding.
73
Joe

P.S. If you want to reply to me via e-mail..take spamsux out of address first.

4094. Re: Icom IC-756 vs. FT-920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: dan@dcopeland.com
Message-ID: <36ec11f5.28520343@news.alltel.net>
Source record: 114114

I have used both. The 756 is a real good radio.
The 920 is a toy built for the no-code tech!

On Sun, 14 Mar 1999 03:04:08 GMT, andrewvictor@geocities.com wrote:

>Which is better for hf and DXing?? which is the better overall radio??
>Thanks,73,
>Andrew
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4095. Re: Product Review: FT-100 or IC-706MK2G?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: k4sqr@aol.com
Message-ID: <19990314145839.18131.00000669@ng110.aol.com>
Source record: 114115

The FT-100 on display at the Charlotte, NC Hamfest this weekend leaves a lot to be desired for $1450. + - range. The two antenna Pigtails are about 10 inches long with c-r-i-m-p- type connectors!
The detachable front panel had an intermittent when the xcvr was slightly moved. No dealers at the show had any to sell; most in Customs per Yaesu personnel.
I believe the 706MKIIG has chassis type SO-239 connectors.

Based on comments, the Icom will have the lead for a while until the FT-100 is out for a period of time.
Probably 6 mos. before a Review of both are conducted.
Good Luck

4096. FA: Alinco DJ-G5 Dual Band HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: W2MSK <w2msk@bellatlantic.net>
Message-ID: <36EC184B.A0CE63A9@bellatlantic.net>
Source record: 114116

For Auction on Ebay: Alinco DJ-G5 Dual Bander HT. Complete with all original accessories, manual, box, plus 5W NiMH, 5W NiCAD, charger stand and AA Battery Case.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78045787

4097. FS: KENWOOD TS-940S/AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Jim Bolin <kb8nn@erinet.com>
Message-ID: <7ch5r3$q78$1@news.erinet.com>
Source record: 114117
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

For sale Kenwood TS-940S/AT Late..Absolutely Like New, In original Boxes.
Works perfect. No optional filters.$1100 + shipping. Contact Jim here or
937-845-0943.
Visit webpage at: http://www.angelfire.com/oh/kb8nnhomepage

4098. FS: STANDARD PORTABLES - CLOSEOUT SALE!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: rgold1161@aol.com
Message-ID: <19990314152330.28399.00000647@ng-ft1.aol.com>
Source record: 114118

Offered as a package deal only.

Have (10) Standard UHF (438-470 MHz) portables.
Model number is HX241U. They are 12 channel with
a numeric disply, scan, lighted display and more.
These radios are in excellent condition and recently
serviced. I've sold a bunch from this lot already. I need
to move them out for more inventory. They come complete
with:

- (10) antennas
- (2) six-unit chargers
- (10) speaker mics.
- (7) belt clips

There are no batteries with the radios. I do have sources
for the batteries, but I don't sell them. I'm offering everything
for $ 650.00 plus shipping.

Thanks!
Rich
RF Technologies

4099. Re: Are these Motorola rigs FM? MH10, Mocom10?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: treynolds@my-dejanews.com
Message-ID: <7ch6a7$74u$1@nnrp1.dejanews.com>
Source record: 114119

In article <36EA02FD.4B082AAC@innercite.com>,
desmith@innercite.com wrote:
> Hi Robert Both are FM. Most likely Single Channel, and VHF. Don't pay much for
> them. They are not of much value anymore. Don
>
> Robert Casey wrote:
>
> > Would like to know if these rigs are FM. Motorola MH10 and Motorola Mocom10.
> > I do know they are crystal bound rigs. One's a handheld, other a mobile rig.
> > Have opportunity to buy, but haven't seen 'em yet.
> >
> > TIA Bob
>

I have an MH10. It is the size of a brick, it is FM at 33 MHz, single
channel, split tx / rx. It can be modified to 10M FM. Its not worth much
more than $20.

73s
Tom
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4100. Mast Top Static Dissipators

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Keith Hester <ks9c@chorus.net>
Message-ID: <36EC1C92.BB44ECBF@chorus.net>
Source record: 114120

Can anyone comment on the efficacy of installing a static dissipator
cone at the top of the antenna mast?

Can anyone cite a source for such devices?

Thanks,
Keith (KS9C)

4101. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36EC2288.A140F3A3@t-online.de>
Source record: 114121

clintbrad4d@earthlink.net schrieb:
> Tell ya what - you go ahead and promote YOUR products on your site.

:))))))))))))))))))))))

Clint, I am a Civil Engeneer and I build Houses in Germany, I work
in a 5000 employees company, I am promoteing my products on a
diffenent way, not over the Internet :)))))))))))))))))))))

We build VERY big houses Clint, a part from the Frankfurt airport
(the largest in Europe), the BFG Bank (45 floors), ...

I am good payed as the Director of the German Headquarters
from our company, and I do not need to make more money :)))))

I write Software for FUN and for MY OWN, as a nice citysen
on planet earth, I am shearing my Software with anyone that
likes it, not only for HAM radio.

It is NOT even shareware, not even CARDWARE it is FREEWARE.

And I answer to EVRY EMAIL sended to me, and belive me I get a LOT.

Not everything is about money and products, some things are
done for fun only, and the HAM's are HAM's for fun, and
not to make money with there Hobby.

> Leave those with first-hand experiences and straight-from-the-source
> information alone. As you have written, there's a lot of misinformation
> being spread around by folks with questionable motives....

:))))))))))))))))))))

Tell me more about the "straight-from-the-source" :))))))
if it is so, then the RT Systems folks are very bad programmers,
I have no sources from Yaesu or Icom, but please take a look at
some Software I have written, the IC-Q7 programmer from
RT Systems have implemented only 50% the stuff I have in
my IC-Q7 Software.

It's good then HAM's have started to play with the PC also.
Just take a look around, Freeware Software for the
VX1R,FT50R,VX5R,IC-Q7,IC-R2,IC-R10,... the list is growing.

And these Softwares have not such limitations as the
RT Systems Software has, for example the cellular frequences
entering, I live in Europe and we can listen to EVERYTHING
here, that 800MHz Frequency disable is nerving me all the

time.

In the meantime a lot of circuit shematics for a simple
Half-Duplex RS232-TTL converter can be found on the net.
For just 2-3 USD you can build one, that will work
with VX1R,VX5R,FT5x,FT4x,FT1x,FT8xxx,FT3xxx,IC-xxx,

An some other thing, I could never Understand why RT Systems
is selling 2 packages, ADMS1D and ADMS 2D, it is absolute the
same Hardware, you need just a extra adapter.

Well, if RT Systems want to sell there Products, they will
have to make things better, yes yes, thats competition :)))

And you know Clint, I have leave RT Systems alone.

But I thing your bahaivor is not fair, so to avoid misleading:
I have copyed a Shematic Diagram for a 3 USD Half-Duplex
Interface in my Clipboard. On every advertising you made,
I will answer with the Shematic of the 3 USD interface
and links where to download FREEWARE Software.

And Clint, I do NOT belive RT Systems VX5R Software
will be better the EVE.

> - Clint Bradford

Greetings Clint :)))

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4102. >>>Deviation on FT-8500???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: Jeff McDowell ~ N0WCF <jeff77@ix.netcom.com>
Message-ID: <36EC2583.7E3A@ix.netcom.com>
Source record: 114122

Hello to all,
Does anyone know how to adjust the deviation on the Yeasu FT-8500? I
would appreciate it if you would please drop me a note on how to do it.
My transmit audio is way too low.
Thanks much & 73,
Jeff McDowell, N0WCF

4103. Re: Battery needed (Alinco DJ120 2m ht)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: lrmstella@aol.com
Message-ID: <19990314161408.18467.00000677@ng97.aol.com>
Source record: 114123

Yes, there is probably a pack that will take AA's for most HT's. I have had good luck cutting open the dead battery pack and replacing the batteries. Some rewiring and soldering and epoxy to glue the case back together. Most use common batteries available with soldering tabs at electronic and similar type stores. I am currently rebuilding one for an old Apple laptop computer. Doesn't matter too much about the battery type, just high capacity and correct voltage.

Lyn

The Woodrat. . . . . .Daycare? You should've bought a dog.
Cats? Coyote fodder. . . . . .Responsibility before Rights.
Real Friends Don't Let Friends Drink.

4104. Collins Radio Galore FA

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990314162747.19377.00000859@ng128.aol.com>
Source record: 114124

You owe it to yourself to check it out.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78189386

4105. FS:Icom 281H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-14 00:00:00 UTC
From: k2jy@aol.com
Message-ID: <19990314163130.24162.00000856@ng143.aol.com>
Source record: 114125

Have for sale an Icom 281h in excellent condition,with mic,mobile mounting bracket,manual and original box,with shipping 200.oo.

K2JY@aol.com

4106. Kenwood TS-450S vs Icom IC-706MKII

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: cwdxer@my-dejanews.com
Message-ID: <7cjr9afpk1@nnrp1.dejanews.com>
Source record: 113876
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.dx

I currently own a TS-450S with 1.8 kHz and 500 Hz filters and was pondering replacing it with a Icom IC-706MKII. I know it will add DSP, 6 and 2 meters but any opinions on whether this would be an improvement on HF for the low budget DXer ? 73 and Thank you

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4107. Want Bird Model 74 coax switch

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: sandy@sandy.com
Message-ID: <7cjs4b$15i$3@news.ncal.verio.com>
Source record: 113877

Want to Buy:

Bird Model 74 Coaxial Selector Switches.
This is their six-position rotary coax switch.

Please state condition and price.
Thank you.

73 --sandy
KW6KW
sandy@sandy.com
408-257-2800

4108. Want: Tailtwister or Ham-IV antenna rotor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: sandy@sandy.com
Message-ID: <7cjs5i$15i$4@news.ncal.verio.com>
Source record: 113878

Want to Buy:

Antenna rotor - medium/heavy duty.

Would prefer Tailtwister or Ham-IV.
Must be in excellent physical and
operating condition.

Please state condition and price.
Thank you.

73 --sandy
KW6KW
sandy@sandy.com
408-257-2800

4109. WTB: Digital Modes Decoder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: malloy@earth.execpc.com
Message-ID: <7cjss6$l2n@newsops.execpc.com>
Source record: 113879
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner

Organization: Exec-PC Internet
Summary:
Keywords:

I am interested in a decoder for HF digital modes. Please email with what
you have and asking price.

4110. Re: ADMS Programming Cable

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: ggs@my-dejanews.com
Message-ID: <7ck1i4lrm1@nnrp1.dejanews.com>
Source record: 113880

In article <7c0n0f$99i$1@Ouimet.tbaytel.net>,
"Dave" <belcom@excite.com> wrote:
> I recently purchase (used) a ADMS-1B programming cable to use with my
> FT-50R.
> The problem is that I constantly get CERR on the display. I do have the
> proper software for the FT-50 and can get it to work with a homemade
> programming cable.
> The question is, is there a physical difference in the cable made by RT
> systems between the ADMS-1B and ADMS-1C or D?
>
> Thanks...Dave VE3UY
>
>

Hi Dave,

The older adapter cable has a 3.5mm stereo plug identified but a
base, a ring, and a tip connector. The FT-50 VX-1 VX-5s all need
an adapter from the 3 connector to a 4 connector identified by a
base, 2 rings and a tip. The 3 connector plugs into a shot cable
with this connector on the end. Since RT Systems has a policy of
only selling their upgrades with the adapter and since many folks
already have the adapter you might be able to buy one from one
of these folks.

A most interesting place the internet.
For a few dolars you can make as much
of an ass of yourself as you want.
Some folks seen to get a lot for the money.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4111. Re: SHOULD I WAIT ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: adamf13@aol.com
Message-ID: <19990315163704.25964.00000855@ng-cf1.aol.com>
Source record: 113881

No time like the present!!!!

Adam

>MIKE (707) writes

>Should I get my Ham "ticket" now, or wait to see what the Fed's are going to
>do with the current band plans? And no, I don't know code anymore.

4112. IC-706 MK II G PRICE $1399

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990315171006.28235.00001110@ng31.aol.com>
Source record: 113882

While browsing the HRO webpage I see the ICOM 706 G model price is $1399 and the Yaesu FT-100 is $1349. I'm sure prices will vary a bit but this is to give you an idea the Icom will be $50 more. It makes sense as the ICOM has more experience in the 706 type of radios but who knows. I just wanted to let you guys know.
73's TIM

4113. Re: Product Review: FT-100 or IC-706MK2G?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990315171336.28235.00001113@ng31.aol.com>
Source record: 113883

On the HRO WEBPAGE they have the price for the Yaesu FT-100 at $1399 and the Icom 706 MK II"G" model at $1349. Basically, you pay $50 for the ICOM at least for now.
I som has more experience with this type of radio after 2 models and ##### of units. Yaesu will have to be reviewed in QST for me to leap .
TIM

4114. Re: ft-100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990315171550.28235.00001115@ng31.aol.com>
Source record: 113884

I would like to see QST do a side by side comparison of both models. They seen to be an objective source fo a review.
73's TIM

4115. FS ICOM IC-761

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Howard Groveman <groveman@home.com>
Message-ID: <36ED908D.73E3F75F@home.com>
Source record: 113885
Cross-posted to: rec.radio.swap,rec.radio.amateur.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment

I have an IC-761 like new in original box. Very few hours use. Also have SM-10 equalizer/compressor desk mic with equalizer and up/down tuning. Best offer over $700 for both. Located in San Diego. Send your offer by e-mail, please. I will accept best offer this week. Howard

4116. Re: Need Info: Yaesu FT-73R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: n7hmf@ucares.org
Message-ID: <7ck6sk$qj0$1@nnrp1.dejanews.com>
Source record: 113886

This is an amateur 70cm handheld. One of the first "small" handhelds. It has
10 channels and covers (I believe) 440-450Mhz. The commercial version is the
FTH-7005.

In article <7cf7um$7eu@dfw-ixnews7.ix.netcom.com>,
Carl J. Reitz <wa3vpd@ix.netcom.com> wrote:
> Need info on FT-73R portable.
> Is this Commercial or Amateur?
>
> Any info appreciated. Specs if possible would be helpful.
>
> Thanks!
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4117. Re: IC 751A vs. TS850S ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Bruce Walker <bruce.walker@Corp.Sun.COM>
Message-ID: <36ED95D0.F5903DE6@Corp.Sun.COM>
Source record: 113887
Body handling: Binary attachment payload not displayed: bruce.walker.vcf

David Rich wrote:
>
> I also own a TS850 but please bear in mind that the ARRL lab tests on this radio
> were performed using a 250 Hz second IF filter where 500 Hz is normal. The 250 Hz
> filter makes the performance specifications look better than if 500 Hz filters were
> used
> in both IFs. The ARRL did the FT1000D a big favor by using 250 Hz filters in both
> IFs.

Yes, but for the comparison that the original poster requested, both the
IC-751 and the TS-850 were reviewed with the same 500/250 filter
combination, so the numbers were apples-to-apples in that sense.

--bruce WT1M

[One or more binary attachments are retained only in the source text.]

4118. 2 Meter Repeaters - Any Recommendations?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Will Shinn II <wshinn@terraworld.net>
Message-ID: <7ck5nk$779$1@opal.southwind.net>
Source record: 113888

Greetings fellow amateur radio enthusiasts! We have a small club, minimal resources, and an aging repeater that is long overdue for replacement. We are very interested in suggestions for replacing our old boat anchor. Any suggestions as to make, model, costs, features, etc. would be very appreciated. Regards!

ARS N0WS

4119. 2 Meter Repeater Needed - Any Suggestions?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Will Shinn II <wshinn@terraworld.net>
Message-ID: <7ck5tg$7m0$1@opal.southwind.net>
Source record: 113889
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

Greetings fellow amateur radio enthusiasts! We have a small club, minimal resources, and an aging repeater that is long overdue for replacement. We are very interested in suggestions for replacing our old boat anchor. Any suggestions as to make, model, costs, features, hardline, antennas, etc. would be very
appreciated. Thanks in advance!

ARS N0WS

4120. For Sale / Tubes & Sockets

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990315184318.28089.00001214@ng-ft1.aol.com>
Source record: 113890

813 Tubes / Graphite Plate $18.00 each
813 sockets $12.00 with tube / $18.00 with out
Johnson sockets 123-211-200 $20.00 each
450 Tube old stock / No Guarantee $55.00
250 Tube old stock / No Guarantee $40.00
RK 65 in box old stock / No Guarantee $45.00
RK 65 No Box / No Guarantee $25.00
All prices plus shipping

4121. FS: Shortwave Receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Nelson Sievers <nsievers@radiolink.net>
Message-ID: <7ck638$35t$1@remarQ.com>
Source record: 113891

For Sale: Panasonic Model RF-2200. Analog tuner for AM, FM, & shortwave reception. Shortwave mode features BFO for SSB & CW reception. Also has built-in crystal marker for dial calibration. Runs on AC or four "D" cells. Other features include wide & narrow band filter switch, S meter, slow & fast mode for tuner knob, external swivel ferrite core AM antenna, & adjustable gain control for AM & SW reception. Good condition. No user manual, but you get the complete service manual. $45 -email or vmail (848-2707)

4122. ts-820S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: mike <general@evcom.net>
Message-ID: <01be6f3f$4a1ba0e0$2bd98fd0@general.evcom.net>
Source record: 113892

I have a Kenwood TS-820S. I keep losing the led readout for the frequency counter. It will work for a week ok and all of a sudden it will not show other frequencies and lose numbers from the led. any suggestions?. I have disconnect the fed line from the led to see if it would come back. No luck. Appreciate any help. Thank you. Mike.

4123. FS: Digital Microwave Power Meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: yulius@welsh.ecn.purdue.edu
Message-ID: <7ck6ki$5ge$1@mozo.cc.purdue.edu>
Source record: 113893

Hello,

I have a Boonton 4200-S/21 microwave power meter forsale. It is in excellent working condition. The specifications are -70 to +30dBm, 100KHz-110GHz(sensors dependent). This unit has digital display and rear panel recorder output connector. Included with this unit, a power sensor 4200-6E(100KHz-18GHz, -40 to +30 dBm), power cord, and complete manual. I am asking for $500 + UPS Shipping. Picture of the power meter:

http://expert.cc.purdue.edu/~yulius/boonton.html

If you are interested, please send an email to: yulius@ecn.purdue.edu

Best regards,

Aristo
--
****
* Aristo Yulius | Purdue University *
* Internet: yulius@ecn.purdue.edu | West Lafayette, IN 47907, USA *
****

4124. Re: Kenwood TS-450S vs Icom IC-706MKII

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Jeff Kilgore <kilgore@dev.tivoli.com>
Message-ID: <36ED98C4.634EE230@dev.tivoli.com>
Source record: 113894
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.dx

In terms of basic performance at least, I think the 706 would be a step down for DXing use. I'm not knocking the 706 per se, in fact I have one and like it very much, but as a DXing rig there are many better choices.

73,
Jeff, KC1MK

cwdxer@my-dejanews.com wrote:

> I currently own a TS-450S with 1.8 kHz and 500 Hz filters and was pondering
> replacing it with a Icom IC-706MKII. I know it will add DSP, 6 and 2 meters
> but any opinions on whether this would be an improvement on HF for the low
> budget DXer ? 73 and Thank you
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4125. FS : Kenwood TS450S/AT John

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Won Pai <hl1fm@pacbell.net>
Message-ID: <6dhH2.9820$TD3.95066@typhoon-sf.pbi.net>
Source record: 113895

Like a new. Mic, cable, manual.
Never use mobile and non smoker. 750$

dxnet@yahoo.com John

4126. FS***TRAM D201A w/D104 $450.00***

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <16233-36EDB16C-42@newsd-144.iap.bryant.webtv.net>
Source record: 113896
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment

Very good cond.Tram D201A 40ch.base tube CB.It is about a 7+ or 8.Has new walnut ends from Maycom.Freq.mod and HI-LOW power mod.Also has fan kit.Works great with LOUD audio! Comes with stock D104 mic and "Tram Tech" repro manual. Price is $450.00 + shipping.If you need more info you can email me or call me at (530)241-0843.

Take care,
Stan KF6IKC@webtv.net

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

4127. What is Fair Price for 940S???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: tom <tsokol@injersey.com>
Message-ID: <7ckdbc$u07$1@nw001t.infi.net>
Source record: 113897

I have an oppty to buy a 940S from a silent key estate sale sponsored by my local AR club. It was recently aligned and serviced and in ex. working condition. It does *not* have the auto tuner (a minus) but I there is a station monitor scope I might be able to deal for (a plus). I can get the radio itself for $800. What is the collective opinion? is this a fair price? Of course, it
would be sweeter if I could get the SM for a few $ extra. Could someone here familiar with vintage Kenwood give me
an honest appraisal? Is $800 fair for the
radio alone (especially since the radio is 13 years old and many "entrance level" rigs can be purchased new for slightly more that $1,000 (and they would have the built-in AT)??
Thanks for your opinion.
Tom, N2LDE

4128. Re: Another VX-5 antenna question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: rave_bob@REMOVE.videotron.ca
Message-ID: <rave_bob-1503992057070001@192.168.1.2>
Source record: 113898

In article <36EC48D3.FA1454F6@earthlink.net>, Eric Ellington
<attnspan@earthlink.net> wrote:

> Could be, but wouldn't the interference change in strength as I moved around?
> The Wx image was equally strong in several different areas which were miles
> apart.
>
> Also, if it's cable interference, how would the Yaesu-supplied antenna block
> it so completely without blocking real signals? The Wx image was very strong
> with the other antennas and non-existent on the Yaesu-supplied one, while
> signals off nearby repeaters differed only by a few points on the signal
> strength indicator between the aftermarket antennas and the original.
>
> Thanks.
> Eric KC0FBS

i have the same problem with that tv station!

alex

4129. Help! TS440AT Problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Asylum <asylum@wcc.net>
Message-ID: <36edba8c.0@news.wcc.net>
Source record: 113899

My frequencies on my 440 are not steady. I put it on one freq and it moves.
Not the numbers themselves, but the voice. Does anyone have any solutions?

please email directly to asylum@wcc.net

tx
bob

4130. Re: 1st HF Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: tom <tsokol@injersey.com>
Message-ID: <7ckdn8$e5r$1@nw001t.infi.net>
Source record: 113900

Brandon,
I would agree with both Bruce and Rudi. The "latest" rigs are not always the "greatest". I looked at the TS570D/S and there is one dial that controls about 25 different things depending on the menu settings! That could get real confusing. IMHO the new radios have gone overboard with memories, menus, etc.
The 520S is a good choice and you can get one for about $300, but it does have tube finals (in many ways a plus) but it does have to be tuned (and re-tuned). The 440s or 450s would be an excellent choice...solid state, no tuning, some memory functions (useful) without going overboard.
Tom, N2LDE

Nedwek wrote in message ...
>Hello,
> Well, I'm taking my Tech Plus test April 3rd, and I'm all ready. What
>I'm thinking about now is a radio. What I will probably be doing is CW down
>to 40m and SSB on 10m. I was looking at the Kenwood 570D/S, or for what
>looks like a more advanced transceiver, the Yeasu FT-920. I'd love opinions
>on either of these radios, but what I want to know more is what used gear
>you'd suggest, based on my experience(none) and price range up to about
>$1500 for transceiver. Any info is appreciated. Also, what kind of antenna
>would anyone recommend? Simple dipole(s)?
>
>Brandon Nedwek
>
>

4131. FS: Kenwood TS-940SAT, VS-1, and MC60

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Larry W9MDX <net1@netohio.com>
Message-ID: <J_iH2.2050$AM3.673421@news2.randori.com>
Source record: 113901
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have a Kenwood TS-940SAT with a VS-1 voice synthesizer and an MC-60 microphone for sale. The 940 has serial number 6050542. The radio is an 8.5 to 9.0. It is in real nice condition and works great! I can furnish online pictures for those who are interested. I am asking $850 for the radio, $40 for the VS-1, and $60 for the MC-60 or if you want it all ..... $900 plus shipping. I can accept VISA or MC as payment.

Larry W9MDX
w9mdx@netohio.com
419 433-2930

4132. Re: Icom W32A Help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: "Richard O. Kinkead" <richard-kinkead@worldnet.att.net>
Message-ID: <7ckeip$r7r$1@mtinsc02.worldnet.att.net>
Source record: 113902

Joseph P. Humberger wrote in message <7bv2qs$7g3$1@ffx2nh5.news.uu.net>...
>Hello,
>
> My name is Joe Humberger KB9TFH, I am going to be purchacing an
Icom
>W32a in a couple weeks. The reason for posting this message is that i was
>woundering if there are some things i should know about this radio, The
>Pro's and the Con's. A friend recomended this radio so i know very little
>about it. I would appreaciate any info given. And if you have this radio,
>Please tell me what u like and don't like about this radio.
>
> Thanks,
> Joe Humberger KB9TFH

I have a w32A and it is very good. One thing you need to know is that you should avoid using an external power supply as much as possible because the repetitive movement of the plug in the socket on the radio does damage to the socket. This is general for all radios, but it seems to be compounded in w32a because the jack is on top and is more susceptible to pulling from the chord which typically runs over the back of the radio. The thing is, when the damage happens, it causes a short which forces the radio to deploy its voltage protection and not turn on. This is just something which I picked up from this NG about a year ago. In essence, it is ok to charge the battery by the jack on the radio (drop in charger is still better). It is undesirable to use the radio with a chord plugged in tugging on the jack.

Richard

4133. FS: Drake C-Line SN 25K+ Super Condx

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Larry W9MDX <net1@netohio.com>
Message-ID: <nfjH2.2053$AM3.682563@news2.randori.com>
Source record: 113903
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have for sale a Drake C-Line. R4C serial # 25606. T4XC serial # 27119. There are 5 extra crystals covering 10 meters and somthing else(??). They are in excellent .. excellent ++ condition. Included is an AC-4 power supply and an MS-4 speaker. I am asking $525 + shipping. I can accept VISA or MC as payment.

Larry W9MDX
w9mdx@netohio.com
419 433-2930

4134. FS: R4C

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Larry W9MDX <net1@netohio.com>
Message-ID: <GljH2.2057$AM3.686507@news2.randori.com>
Source record: 113904
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have an R4C for sale. It is serial #18653. It has the 5 position filter switch as does all of the late R4C's. It is in real nice shape an easy 9 of 10 and works great! I am asking $225 plus shipping. I can accept VISA and MC as payment.

Larry W9MDX
w9mdx@netohio.com
419 433-2930

4135. Icom (IC-706) Tuner Control Socket - HELP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Teresa e Paulo Campos <campos@mail.ua.pt>
Message-ID: <36ED8EC2.3A780B91@mail.ua.pt>
Source record: 113905
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Hi all,

I am looking for technical reference/information on the Icom (IC706...
/MK2/G) Tuner Control Socket (the socket that connects to AH-4 antenna
tuner).

I appreciate any info you can give!

Thanks.

73,

Paulo, CT1EFS
email: campos@mail.ua.pt

4136. Re: FS ICOM IC-761

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Tom Stack <wq5j@airmail.net>
Message-ID: <30E2D01198493143.5458909B8C96A7CE.B80715CD02135728@library-proxy.airnews.net>
Source record: 113906
Cross-posted to: rec.radio.swap,rec.radio.amateur.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment

Howard....would like to know if the 761 has the emblem with the dot over the
'i' or the square and circle on the [i] also I would like to have it and
would offer $825 for the package.....let me know ....please....need one for
a keeper...thanks...tom
Howard Groveman wrote in message <36ED908D.73E3F75F@home.com>...
>I have an IC-761 like new in original box. Very few hours use. Also
>have SM-10 equalizer/compressor desk mic with equalizer and up/down
>tuning. Best offer over $700 for both. Located in San Diego. Send your
>offer by e-mail, please. I will accept best offer this week. Howard

4137. Grounding

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Chris Thiel <cct@ktb.net>
Message-ID: <cct-150319992005279142@pm01-37.ktb.net>
Source record: 113907

Is 10 gauge wire enough to groud an attenna tuner, or do i need to use
a copper braid or copper strip?

--

4138. WTT: Pentium laptop for HF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Dan <n7wpd@xxmission.com>
Message-ID: <7cklr1$bg0$1@news.xmission.com>
Source record: 113908
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Looking to trade my Compaq LTE5100 laptop for late model HF radio like TS450 or similar.
Laptop is a P-90 with 810mb HD and 24mb ram. Has 2 PCMCIA slots and built soundcard and speakers. laptop has a 10.4" color active display.
Includes ac adapter, car adapter and battery.

Looks and works great! Let's trade!

73 Dan / N7WPD

n7wpdATxmissionDOT.com

4139. HELP: ICOM MB-65 mobile mount question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: peaster <peaster@connors.cc.ok.us>
Message-ID: <7ckoag$fj7$1@sunhub-tulsa.onenet.net>
Source record: 113909
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Hello,
I am considering the purchase of a IC-2710 with the MB-65 and MB-58 options. How tall of a mount is the MB-65? Is it comparible to a standard cell-phone cradle mount? I'm wondering if it's tall enough to be easily viewed when mounted on the center hump of my dodge pickup. Any information / suggestions will be greatly appreciated. Please respond directly to peaster@connors.cc.ok.us.

Thanks & 73's
Mike Peaster
KC5BNC

4140. old teletype's and parts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: les mitchell <cmitch@adams.net>
Message-ID: <7ckq8s$738$1@golden.adams.net>
Source record: 113910

i have some old teletype's parts and components,some unused.
like rolls of paper(standard and tape),unused spendals and special
bolts,screws springs,etc.,etc.
ialso have a couple of old boudit teletyperwriters.

4141. WTB: Motorola VHF VISAR

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: fialkokj@iscg.com
Message-ID: <36EDDFD4.32C6@iscg.com>
Source record: 113911

Anyone wanting to sell a VHF Visar radio please contact me with an offer at :

SparkyFireBall@hotmail.com

4142. Re: WTB: Motorola VHF VISAR

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: fialkokj@iscg.com
Message-ID: <36EDE3A3.480E@iscg.com>
Source record: 113912

THIS LINK HAS CORRECT EMAIL ADDRESS FOR AUTO REPLY

4143. Re: Better Dual-Band Duck with SMA connector?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: davem@groucho.cs.ubc.ca
Message-ID: <7ckubp$1h4@groucho.cs.ubc.ca>
Source record: 113913
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

"paul wise" <n3ngo@prodigy.net> writes:
>check out the diamond srh519. a dual band wide receive antenna with sma
>connector. i use on on my ft-50r and it works miracles above the stock
>antenna.
>it is a thin spaghetti type antenna and very flexible.

Other alternatives:

Comet SMA-503 is a thin whip like the SRH519 above, but the matching
network at the base of the antenna is fatter and shorter - even less
chance of damaging the connector on the radio.

Comet SMA-3 is a thicker antenna, but still a bit thinner and a lot
more flexible than the Yaesu stock antenna. However, the matching
network at the bottom won't bend, and it's about 3 inches long,
so if it gets caught on something it has more leverage to damage
the radio's SMA connector. It works really well, though.

Dave

4144. Re: ADMS Programming Cable

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: davem@groucho.cs.ubc.ca
Message-ID: <7ckutc$1i8@groucho.cs.ubc.ca>
Source record: 113914

"Dave" <belcom@excite.com> writes:
>I recently purchase (used) a ADMS-1B programming cable to use with my
>FT-50R.
>The problem is that I constantly get CERR on the display. I do have the
>proper software for the FT-50 and can get it to work with a homemade
>programming cable.
>The question is, is there a physical difference in the cable made by RT
>systems between the ADMS-1B and ADMS-1C or D?

Yes and no.

ADMS-1B (and 1A for all I know) comes with a cable containing the
necessary level converters, and ends in a 3-circuit plug. This is used
for programming the FT-50 via the phone jack.

The FT-51 has a 4-conductor combined mic/phone jack that is incompatible
with the FT-50, and ADMS-1C comes with an adapter that has a 4-circuit
plug on one end and 3-circuit jack on the other. To program the FT-50,
you plug the adapter into the FT-50 and the cable into the adapter.
To program the FT-51, you remove the adapter and use the cable, as
before.

So, you're missing the little adapter, but if you can find one the
cable you already have should work with it.

Dave

4145. FS: HEIL HM-10 {DUAL} MIC AND EXTRAS.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Steve <sbynum@earthlink.net>
Message-ID: <7ckqoi$748$1@fir.prod.itd.earthlink.net>
Source record: 113915
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have the HM10 {dual element} with Kenwood cord and handswitch and
stand. It has only been used a couple of times ..worked great with my TS 850
but prefer the hand mic for rag chew {more convenient}
$125 shipped {lower 48 states}. Or trade for ham gear

--

Steve N6SMR

4146. Re: Kenwood TS-450S vs Icom IC-706MKII

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: "Tom B." <ab7tu@parg.org>
Message-ID: <36EE027C.38C7@parg.org>
Source record: 113916
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.dx

any opinions on whether this would be an improvement on HF

It would not be an improvement on HF, unless you wanted the built in keyer. QSK is good on the 450, not so good on the 706. Get the 706 and see how you like it. If you get a good deal on a nice used one the experiment shouldn't cost a thing if you change your mind.

4147. Re: 1st HF Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: donrm@sr.hp.com
Message-ID: <7chou2$h0j@canyon.sr.hp.com>
Source record: 113917

Nedwek (nedwek@teleport.com) wrote:
> Hello,
> Well, I'm taking my Tech Plus test April 3rd, and I'm all ready. What
> I'm thinking about now is a radio. What I will probably be doing is CW down
> to 40m and SSB on 10m. I was looking at the Kenwood 570D/S, or for what
> looks like a more advanced transceiver, the Yeasu FT-920. I'd love opinions
> on either of these radios, but what I want to know more is what used gear
> you'd suggest, based on my experience(none) and price range up to about
> $1500 for transceiver. Any info is appreciated. Also, what kind of antenna
> would anyone recommend? Simple dipole(s)?

> Brandon Nedwek

Might I suggest a used Kenwood TS-130S? WARC bands, runs off 12 VDC, small/lightweight, and as far as I know, has never had a factory service bulletin issued on it. See if you can get one with the 1/2 KHz CW filter if you're planning any serious CW. These usually go for less than $350 and you can put the remainder of your money into a serious antenna system. If you get into SSB DXing, you can buy an external VFO to split T/R frequencies. You'll also need a 12 VDC supply capable of delivering 20-25 amps or use a storage battery with trickle charger.

73 Don K6LTS
donrm@sr.hp.com

4148. Icom T81, T2800 and T8 Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Joe.Bloggs@whitehouse.com
Message-ID: <7chvt9$e7j$1@otis.netspace.net.au>
Source record: 113926

Any mods for the above???

regards

Shane Hean de VK7YAK

reply to shane_hean@hotmail.com

4149. Need schematic or manual for a Century21D receiver.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: turbo22367@aol.com
Message-ID: <19990314230945.22934.00000935@ng20.aol.com>
Source record: 113927

I am looking for either a schematic or a manual for this seemingly rare Century 21D .5 to 30 Mhz receiver. This is not the Tentec Century 21D Cw unit. Any infomation about this receiver would be greatly appreciated.
Thanx, Steve reply or email turbo22367@aol.com

4150. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Watch Dog <watcher@ispyonu.net>
Message-ID: <01be6e9a$393bec80$5ac6b8cd@MyComputer.nowhere.net>
Source record: 113928

Goran,

Please allow me to thank you for all your efforts in providing
software
for Hams. This Bradford fellow who is being so unpleasant to you is
apparently a failure in business as well as being living proof
that there is no life guard for the gene pool.

Consider Mr. Bradford as an anomaly most American amateurs are
more hospitable. Since I live near by Mr. Bradford perhaps I will
drop by
and take some pictures of the shack he inhabits. If he lives in a
nice
house then I expect I will have the opportunity to meet he parents.

Vlaski Goran <Ingra-Beton@t-online.de> wrote in article
<36EC5E56.FBE535DB@t-online.de>...
> clintbrad4d@earthlink.net schrieb:
> >
> > Looks like there are assholes even in Germany...
> >
> >> I have copyed a Shematic Diagram for a 3 USD Half-Duplex
> >> Interface in my Clipboard. On every advertising you made,
> >> I will answer with the Shematic of the 3 USD interface
> >> and links where to download FREEWARE Software.
>
>
> Clint, please do NOT send me such EMails on my private EMail
> I have filtered you out, respond to the newsgroup only please.
>
> I do not understand why you don't like my freeware Software,
> everyone else likes it, please try it, I thing you will find
> it very usefull.
>
>
> clintbrad: "Looks like there are assholes even in Germany..."
>
> And it is not polite to insult people, even if you are a
> american.
>
> I am not ripping of anybody, I just share my knowledge
> with others and try to help people to find the informations
> they are looking for, no matter what they are or where they
> live, besides that, I am a Macedonian.
>

>
> Regards, Goran Vlaski.
>
> --
> --
> Goran Vlaski (Ingra-Beton@t-online.de)
> http://vlaski.virtualave.net/
> http://www2.crosswinds.net/frankfurt/~vlaski/
> --
>

4151. FS or Trade: Motorola Speaker Mic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Jeff Johns <jeffj@scott.net>
Message-ID: <404042660369613NEWS2LX@news.scott.net>
Source record: 113929

I have a Motorola speaker mic (Part# NMN6156B) which supposedly works with the MT-100 series HT along with a couple of other Motorola HT's. If interested make me an offer or I would happily trade it for a STX speaker mic. Please feel free to email me.

73 Jeff W4JEF

--------- Jeff Johns W4JEF - AMSAT# 32615 - QRP-L# 1857 ----------
jeffj@scott.net w4jef@amsat.org	Reserve Patrol Captain
Satellite: Mir R0MIR-1, AO-27	Jefferson County Sheriff's Dept
200LX+BayPac+FT50=Portable Packet	QTH Birmingham, AL USA

4152. FS: 800MHz to 400MHz GRE Super Converter II

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Jeff Johns <jeffj@scott.net>
Message-ID: <279312660382205NEWS2LX@news.scott.net>
Source record: 113930

I have a GRE Super Converter II that converts 810MHz to 912MHz down to the 450MHz range (yes it allows older scanners to do cellular if you are so inlined, even though it's illegal). It has a female BNC on one end and male BNC on the other so it happily connects to tthe top of a handheld scanner. It is powered by an internal 9 volt battery or can be powered through a DC jack that is built into the unit. I have used the little unit for years, but since I now have a 800MHz scanner I no longer need it. It functions FB, but some of the paint is chipped off of it, but functionally it's in 100% working condition. The unit measures 2-5/8" tall X 1-1/2" wide X 1-3/8" thick and sits on top of a handheld scanner FB. If interested email me an offer.

73 Jeff W4JEF

```
*--------- Jeff Johns W4JEF - AMSAT# 32615 - QRP-L# 1857 ----------*
|jeffj@scott.net w4jef@amsat.org | Reserve Patrol Captain |
| Satellite: Mir R0MIR-1, AO-27 | Jefferson County Sheriff's Dept|
|200LX+BayPac+FT50=Portable Packet| QTH Birmingham, AL USA |
*-----------------------------------------------------------------*
```

4153. Re: Yeasu FT100 experience

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: "G.van Boxtel" <don.queblo@goldmine.nl>
Message-ID: <01be6ea6$6660d0c0$254c53d4@g.boxtel.goldmine.nl>
Source record: 113931
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,nl.radio.amateur,aus.radio.amateur.misc

asshole how dir u use jy1's call that o.m is dead
u are very taste less

jy1@diplomats.com schreef in artikel <7bqrb3fmk1@nnrp1.dejanews.com>...
> Hi there,
>
> Some of my friends are interested in buying an FT100, but
> I'm not sure if I can recommend such a small rig? My
> main concern is the large signal behaviour, especially
> in the military 30-70 MHz frequency range (RX).
> Does anybody have any experience with this? Please report.
>
> Greetings,
> JY1
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

>

4154. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: kb0vof@my-dejanews.com
Message-ID: <7ci9uq$3ul$1@nnrp1.dejanews.com>
Source record: 113932

My unsolicited 2 cents: I think US$20 for a mere upgrade, 50% of the original cost of the complete set of software and cable, is too much. If one had purchased the ADMS 1C, then upgraded to 1D, and now to 1E, they will have paid $80, or twice the (probable) cost of 1E when it shows up. That says to me that RT is not as loyal to long- time users as it apparently expects us to be. They make a good product, but the price is too high for me, especially for just one radio. I'm happy with the available freeware, and thanks, Goran, for your help in that area. I also have a Q7 and love your software for it. As you say, competition makes a better product!

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4155. low power RF transceivers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Peter Grey <martech@ozemail.com.au>
Message-ID: <7cidsg$2fd$1@reader1.reader.news.ozemail.net>
Source record: 113933

Try http://www.ozemail.com.au/~martech/indigo.htm

4156. WANTED - INFO on a K.W. E-ZEE Match ATU

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: G0JLX <G0JLX@ASEL.nospam.co.uk>
Message-ID: <HFBzIEA$9N72EwIO@ASEL.co.uk>
Source record: 113934

Dear All,

I have just bought a second-hand ATU of the above type. It does not output any power at all as far as I can tell for about 10 watts RF in.

Does ANYBODY have a wiring diagram and a configuration layout diagram they could lend me, fax me or copy for me ?

Even scan it in and send me via email perhaps ?

Thanks in advance....

73's

Andy Digby, G0 JLX
FISTS 358

Tel: 01489 894900
Fax: 01489 894918
Mobile: 0468 282880

email: G0JLX@ASEL.NOSPAM.co.uk

ps: loose the no spam for an address....

4157. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36ECE8EB.BFA0A4B6@t-online.de>
Source record: 113935

Watch Dog schrieb:
> Consider Mr. Bradford as an anomaly most American amateurs are
> more hospitable. Since I live near by Mr. Bradford perhaps I will

I have a lot american friends that have helped me VERY VERY VERY
much, sorry if I have insult you in any way, that was not my
intention, I was only answering personaly to Clint.

Thanks for the support,

Greetings,

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4158. Re: JRC NRD-525 versus NRD-535 and JST-245 RX?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: dpnewkirk@home.com
Message-ID: <36ed0a9c.3693843@news>
Source record: 113936
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

On 13 Mar 1999 01:12:18 GMT, "DavidC" <davidc@bit-net.com> wrote:

>I may consider a discrete RX-TX pair if the JRC NRD-525 receiver is
>equal or superior to the JST-245 RX section (I have my doubts since
>the RX section of the JST-245 has tracking front-end tuning rather
>than a broadband front end, and it has a wonderful filter system ...
>but thought I'd seek the opinion of the JRC experts here!).

If you have the funds to be able to choose between a 145/245 and the NRD-525, avoid the NRD-525 (which, by the way, also has a tracking front end). It's an equipment generation or two earlier than the 145/245 and shows it in a number of areas that are quite critical if you're going to listen to a radio with headphones for hours and hours. (I reviewed the NRD-525 for QST and participated in QST's JST-245 review.) In particular, the NRD-525's AGC dynamics and gain-distribution engineering were poor, resulting in AGC pops and distortion on strong signals in SSB and CW. (Read its operating manual carefully, and you'll see that users were encouraged to end-run this poor engineering by turning down the radio's RF gain control in the presence of strong signals--something that should not be necessary with proper AGC/gain design.) The JST-145/245 has steller audio (made possible by just about perfect AGC dynamics and a hiss-free output chain), more selectivity options (and better selectivity is achievable overall as a result of the availability of channel-width filtering at two IFs [9 MHz and 455 kHz]) a smoother synthesizer and much better ergonomics.

73,

Dave Newkirk, W9VES
w9ves@arrl.net

4159. Collins,Zenith,Hallicrafters, ETC.FA

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990315084036.17269.00000933@ng106.aol.com>
Source record: 113937

http://cgi2.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=brian1000d

Just cut and paste the address into your browser and click on the item you are interested in!

4160. Re: 1st HF Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Bruce Muscolino <w6toy@erols.com>
Message-ID: <36ED0F19.6A5@erols.com>
Source record: 113938

Richard,

Why don't you save yourself some money and buy a clean used rig? For a lot less than you are paying for NEW equipment you could buy a TS520, for example, doesn't cover the WARC bamds but you didn't include them in your list. Puts out a FB 100+ watt signal CW and SSB and you can sell it later, if you want, for nearly as much as you have in it!

73

4161. small battery for Relm HT?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: laird@fairway.ecn.purdue.edu
Message-ID: <7cj2vglnb1@mozo.cc.purdue.edu>
Source record: 113939

I have a couple of Relm HTs with the 700mAh (BP007) batteries. I'd love to find a much smaller battery, but I've had no luck.

It seems that with all of the new battery technologies (NiMH, Li, ...) there should be a way to get 10.8V from a much smaller package. (My little notebook has lithium batteries that are much smaller with the same capacity.) I wouldn't even mind losing a bunch of capacity to get the size down.

Are any aftermarket batteries available for the Relm? I'm even considering trying to make my own.

Thanks.

--kyler

4162. Re: IC-756 Problems??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Sean Baxter <XXXsbaxter@gte.net>
Message-ID: <7cj394kjk1@news-2.news.gte.net>
Source record: 113940

Andrew:

I own a 756, nice radio. The radio has a excellent receiver. The dual passband tuning is very good. I use a 500hz CW filter with the dual PBT, very good. The first radios had some IMD problems but were fixed starting at serial number 1900 and above. The audio on receive and transmit are excellent as well. And of course the band scope is a nice addition to any radio, you will tune around the bands differently because of the scope. The gripes are as follows:
1) LCD screen could have better contrast.
2) Preamp & attenuator do not track per band
3) DSP & DPB tuning functions do not work on AM

There is a rumor (aggressively denied by Icom) that a 756 Pro with a color LCD screen & 2 meters (with other additions) is on the way...maybe introduced in Dayton in May. Designed to compete with the 1000MP (performance & price).

Sean - K3XT

andrewvictor@geocities.com wrote in message <7chv32$r73$1@nnrp1.dejanews.com>...
>would anyone tell me if ther are any problems with the IC-756? It's good on
>hf isn't it? It is good for Dxing isn't it? thanks,73, Andrew
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4163. FS Yaesu FT1000 with Ext Speaker and Phone patch

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Scott Leaf - VE7VDX <ve7vdx@rac.ca>
Message-ID: <36ed17cb@news.vphos.net>
Source record: 113941

FT-1000 in excellent condition
with matching Yaesu External Speaker (with internal Phonepatch)
250hz, 500hz and 2.4Khz Filters
in box with all manuals and documentation.

(being sold by a senior ham who is moving into a residence where he can not use radio)

$2900 US shipped anywhere in North America (overseas negotiable)

please email ve7vdx@rac.ca Web site: http:///www.qsl.net/ve7vdx

4164. Re: JRC NRD-525 versus NRD-535 and JST-245 RX?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <01be6eee$6fc66f60$9b8492d0@Bit-Net.bit-net.com>
Source record: 113942
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave

> If you have the funds to be able to choose between a 145/245 and the
> NRD-525, avoid the NRD-525 (which, by the way, also has a tracking
> front end). It's an equipment generation or two earlier than the
> 145/245 and shows it. Dave Newkirk, W9VES

Dave,

Your assessment has been echoed by several other users who have
done quite extensive comparisons in their own shacks as well.

It sounds to me as though the best price-performance option is for me
to forget 6m (included with the JST-245) and go for a used JST-145 (but
with the autotuner option).

I am hearing that I can get a JST-145 for about $1100.- $1250. whereas
a used JST-245 runs $1600.- $1750. (depending on filters and other
options).

My most critical application is for emergency and missionary
communications,
often under less-than-optimal conditions, especially at the other end.

My greatest concern about the JST-145/245 is that 115vac is required
rather
than 12vdc (13.8v), thus adding a noisy and inefficient inverter to my
backup power
system during portable and/or commercial-power-loss conditions.

It is the 115vac versus 12vdc power source issue that will cause me to
hesitate
and to consider discrete rx/tx units that are 12vdc powered. Relocating to
Florida
and concerns about lightning protection are driving me to think-simple (the
fewer
cables the better) and that means transceiver rather than tx/rx ... Hmmm.

Thanks for your information and recommendations!

73, DavidC K1YP

4165. ??? General Radiotelephone Company model VS-2 CB ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: k5dh@raytheon.com
Message-ID: <7cj4t1$rn@news.rsc.raytheon.com>
Source record: 113943
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb

I picked up a General Radiotelephone Company model VS-2 CB radio at a surplus shop the other day. It's a tube-type, crystal-controlled, 5-channel, base/mobile transceiver with a built-in power supply (with transistorized multivibrator for mobile use), and a Nuvistor front end. It's very small, about 4-1/2" tall, 6-1/2" wide, and 12" deep. No frills, just volume, squelch, channel selector, and a power-on neon bulb. The transmitter works, but the receiver doesn't yet (several bad tubes, replacements on their way).

Does anyone have any information on this set? Was it made by the same company that now goes by GenRad? Was there ever a Sams CB Photofacts manual on it? When was it made? So many unanswered questions...

The surplus shop had two other General Radiotelephone models there, same size and shape but with a "local/distant" switch and a "CB/bullhorn" switch on the front panel. I may go back and grab them also, if I can get this one percolating right! They might be interesting 10m a-m transceivers, eh?

Thanks in advance for any help you can provide!

73,
Dean / K5DH

4166. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7cj8j8$tl4$1@nnrp1.dejanews.com>
Source record: 113944

In article <36EC2288.A140F3A3@t-online.de>,
Ingra-Beton@t-online.de (Vlaski Goran) wrote:

> Clint, I am a Civil Engeneer and I build Houses in Germany, I work
> in a 5000 employees company, I am promoteing my products on a
> diffenent way, not over the Internet :))))))))))))))))))))

Nonsense. You pointed an inquiry directly to your site just a few messages ago
in regards to Yaesu-compatible software.

> I have copyed a Shematic Diagram for a 3 USD Half-Duplex
> Interface in my Clipboard. On every advertising you made,
> I will answer with the Shematic of the 3 USD interface
> and links where to download FREEWARE Software.

Now THERE'S a mature tactic!

> And Clint, I do NOT belive RT Systems VX5R Software
> will be better the EVE.

That's a great thread subject - a head-to-head comparison between the new RT
Systems ADMS release for the VX-5R (and other HTs) and the .EVE program.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4167. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7cj8ontos1@nnrp1.dejanews.com>
Source record: 113945

In article <7ci9uq$3ul$1@nnrp1.dejanews.com>,
kb0vof@my-dejanews.com wrote:
> My unsolicited 2 cents: I think US$20 for a mere upgrade, 50% of the original
> cost of the complete set of software and cable, is too much.

Well, what we really need, IMHO, is a head-to-head comparison of the two programs!

Personally, I do not mind spending twenty bucks for an Upgrade that covers entirely new ground, as the new ADMS does with the VX-5R...

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4168. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7cj8s3tqc1@nnrp1.dejanews.com>
Source record: 113946

In article <36EC5E56.FBE535DB@t-online.de>,
Ingra-Beton@t-online.de (Vlaski Goran) wrote:

> I do not understand why you don't like my freeware Software,
> everyone else likes it, please try it, I thing you will find
> it very usefull.

I have never posted anything AGAINST your software...I am not familiar with
it.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4169. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7cj904$tr9$1@nnrp1.dejanews.com>
Source record: 113947

In article <01be6e9a$393bec80$5ac6b8cd@MyComputer.nowhere.net>,
"Watch Dog" <watcher@ispyonu.net> wrote:
> Goran,
>
> Please allow me to thank you for all your efforts in providing
> software
> for Hams. This Bradford fellow who is being so unpleasant to you is
> apparently a failure in business as well as being living proof
> that there is no life guard for the gene pool.

Cute line.

Let's review the thread for a moment, though.

Goran states that he will intentionally spam the group with his clipboard full
o' schematics every time I post a message here.

And you pick ME out to be the "unpleasant" one.

Oh, well...the beauty of the Internet...

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4170. German WW2 equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: "Ralph R. Thadeus" <slhapur1@inlink.com>
Message-ID: <7cj6fp$97n$1@news1.inlink.com>
Source record: 113948

Are there any hams out there that are familiar with the type of equipment use by German WW2 intercept stations. I have a copy of a 1995 German newspaper article about the German Lauf Intercept Site showing two receivers which I am trying to identify. Lacking that, was German equipment, as produced, limited to small band widths unlike our Hammerlund's that covered all bands.

4171. Re: Need Price Help -:- Kenwood TS-450SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Rudi Wiedemann <wiedemann@home.com>
Message-ID: <GP9H2.18216$FZ5.4765@news.rdc1.sfba.home.com>
Source record: 113949
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment

Steve:

I think you may be jumping the gun! The TS450S/AT is a GREAT rig for the money.

If you are AT ALL thinking about working HF (great fun, talking around the planet), then consider keeping the rig and working on your "Tech Plus" ticket. You'll thank yourself for the foresight of having a rig "ready" for you as the reward.

Trust me, 5WPM is about 1 weekend of concerted effort, and the theory is very similar level to the Tech stuff. Not really a big deal.

GO FOR IT!

Rudi - KF6RLQ

The Impeccably Jinxed, Krakon wrote in message
<36ed3b15.1474800@news.mindspring.com>...
>I have a Kenwood TS-450SAT that has never been
>used. I purchased it from HRO in Atlanta 3 1/2
>years ago.
>
>I had just gotten my Ham ticket and I guess I got
>"buck fever" (or whatever the Ham equivalent is)
>because when I saw the magazine advertisement that
>said this radio had "all Amateur bands" I bought
>it and an Astron RS-35A power supply.
>
>It was only AFTER the radio arrived a few days
>later that I saw the specs... No Amateur band that
>I could use with a Tech-NoCode ticket! "Well, (I
>thought), I'll get my code down and..." It never
>happened.
>
>Fast forward to the present. I have someone
>interested in buying this setup. My problem? I
>have no idea what it is worth and I'm a little
>afraid to sell it without an "Elmer" looking it
>over and verifying that it will, in fact, operate
>and is "new" and unused.
>
>My question is, what are this rig and PS worth?
>
>Any serious advice will be appreciated.

>
>Thank you.
>
>Steve Stanley
>
>krakon@mindspring.com
>formerly, KF4EWD

4172. FS: TM-641A Kenwood

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36ECB8E4.17BE1083@ix.netcom.com>
Source record: 113950
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Kenwood TM-641A tri-bander, cover 2/220. Has third band option
available and is remotable. User friendly. Very nice condition. $525.
If interested, contact via address below...

****
Duke -NA1A- Direct Line: (310) 649-2226
E-mail: na1a@qsl.net or mailto:na1a@ix.netcom.com
Ham Radio Website: http://www.qsl.net/na1a
****

4173. Re: 1st HF Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Rudi Wiedemann <wiedemann@home.com>
Message-ID: <dT9H2.18217$FZ5.4761@news.rdc1.sfba.home.com>
Source record: 113951

2 good "bang for buck" choices for me are the Kenwood TS450S/AT ($700-$800 used) or the TS50 mobile ($650 used).

If purchased in great shape and taken care of, they will depreciate very little. Then you can "trade up" later to something fancier once you know more about what you want and have more familiarity with rigs and options.

Rudi - KF6RLQ

Nedwek wrote in message ...
>Hello,
> Well, I'm taking my Tech Plus test April 3rd, and I'm all ready. What
>I'm thinking about now is a radio. What I will probably be doing is CW down
>to 40m and SSB on 10m. I was looking at the Kenwood 570D/S, or for what
>looks like a more advanced transceiver, the Yeasu FT-920. I'd love opinions
>on either of these radios, but what I want to know more is what used gear
>you'd suggest, based on my experience(none) and price range up to about
>$1500 for transceiver. Any info is appreciated. Also, what kind of antenna
>would anyone recommend? Simple dipole(s)?
>
>Brandon Nedwek
>
>

4174. WTB: UHF Maxtrac

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: "J. Banks" <psgtech@ix.netcom.com>
Message-ID: <7cjale$dc3@dfw-ixnews5.ix.netcom.com>
Source record: 113952
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Looking for a UHF Maxtrac to cover 460 Mhz. Must be 16 or 32 channel radio.

Jim

714.478.4039

4175. WTB: MT1000 UHF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: "J. Banks" <psgtech@ix.netcom.com>
Message-ID: <7cjalg$dc3@dfw-ixnews5.ix.netcom.com>
Source record: 113953
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Looking for one MT1000 UHF 16 channel. Need to cover 460 mhz.

Jim

714.478.4039

4176. F.A. Last Day Drake 7000E Terminal and Drake 7030 Monitor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: "Dale R. Parfitt" <parinc@bellsouth.net>
Message-ID: <36ED2DA2.E34E6010@bellsouth.net>
Source record: 113954
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Excellent condition with pictures, no reserve at:

7000E Terminal:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=75879895

7030 Monitor:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=75889754

4177. WANTED***Old Synthesizers, etc**********

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: rolandman1@aol.com
Message-ID: <7cje29$2vs$1@nnrp1.dejanews.com>
Source record: 113955
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.swap,alt.music-lover.audiophile.hardware

Hi folks :) I'm an electronic musician *seriously* looking for the following musical equipment, in any condition, even broken:

-OLD SYNTHESIZERS (from the 60's-80's)
-OLD KEYBOARDS (w/ knobs or sliders)
-OLD DRUM MACHINES
-OLD SEQUENCERs (w/ knobs for each step)
-OLD VOCODERs ("robot-voice" sound)
-MODULAR PATCHABLE SYNTHESIZERs
-RACK SYNTHS
-INTERESTING EFFECTS and anything related to the above.

http://members.aol.com/rolandman1/index2.html

-Moog, ARP, Korg, Roland, Sequential Circuits, Oberheim, Yamaha, EML, Electrocomp, EMS, Synthi, Putney (VCS3), RSF, Buchla, Serge, Polyfusion, Ionic, Paia, SMS, Wavemaker, E-mu, Steiner-Parker, Chroma, Aries, etc.

-Roland TB-303 Bassline
-Roland TR-909 Drum Machine
-Roland TR-808 Drum Machine

-Simmons SDS-7 + SDS-5 + SDS-6 Drum Brains and Sequencer
-Pearl SY-1 Syncussion
-E-mu SP-1200 Sampler Drum Machine
-Sequential Prophet VS rack
-Oberheim Xpander
-ARP 2600

If you have any of the above OR SIMILAR for sale or know someone who might, please email me at rolandman1@aol.com and include phone number as well if you'd like.

Thanks in advance and apologies if this post annoys anyone.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4178. WANTED***Old Electronic Musical Equipment*****

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: rolandman1@aol.com
Message-ID: <7cje4n$30t$1@nnrp1.dejanews.com>
Source record: 113956
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.swap,alt.music-lover.audiophile.hardware

Hi folks :) I'm an electronic musician *seriously* looking for the following musical equipment, in any condition, even broken:

-OLD SYNTHESIZERS (from the 60's-80's)
-OLD KEYBOARDS (w/ knobs or sliders)
-OLD DRUM MACHINES
-OLD SEQUENCERs (w/ knobs for each step)
-OLD VOCODERs ("robot-voice" sound)
-MODULAR PATCHABLE SYNTHESIZERs
-RACK SYNTHS
-INTERESTING EFFECTS and anything related to the above.

http://members.aol.com/rolandman1/index2.html

-Moog, ARP, Korg, Roland, Sequential Circuits, Oberheim, Yamaha, EML, Electrocomp, EMS, Synthi, Putney (VCS3), RSF, Buchla, Serge, Polyfusion, Ionic, Paia, SMS, Wavemaker, E-mu, Steiner-Parker, Chroma, Aries, etc.

-Roland TB-303 Bassline
-Roland TR-909 Drum Machine
-Roland TR-808 Drum Machine

-Simmons SDS-7 + SDS-5 + SDS-6 Drum Brains and Sequencer
-Pearl SY-1 Syncussion
-E-mu SP-1200 Sampler Drum Machine
-Sequential Prophet VS rack
-Oberheim Xpander
-ARP model 2600 (Tonus)
-Korg model ms-20 model ms-50

If you have any of the above OR SIMILAR for sale or know someone who might, please email me at rolandman1@aol.com and include phone number as well if you'd like.

Thanks in advance and apologies if this post annoys anyone.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4179. F.A. Drake TR-7/PS-7 Last Day

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: "Dale R. Parfitt" <parinc@bellsouth.net>
Message-ID: <36ED2E69.46A81CC2@bellsouth.net>
Source record: 113957
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Very Clean TR-7 and power supply. Excellent condition w/ original manuals, NB, DR-7, 2.3 KHz filter. No reserve

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=75902994

4180. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36ED31E2.E2476B2C@t-online.de>
Source record: 113958

clintbrad4d@earthlink.net schrieb:
> > Please allow me to thank you for all your efforts in providing
> > software
> > for Hams. This Bradford fellow who is being so unpleasant to you is
> > apparently a failure in business as well as being living proof
> > that there is no life guard for the gene pool.
>
> Cute line.
>
> Let's review the thread for a moment, though.
>
> Goran states that he will intentionally spam the group with his clipboard full
> o' schematics every time I post a message here.
>
> And you pick ME out to be the "unpleasant" one.

No Clint, you are turning things around, you are spamming
the newsgroup all the time, everyone can take a look at dejanews
and see the evidense, companys are not allowed to spam,
so you are doing that for them, consider my statement
as antispamming, I have tried with beeing nice, but if
you want it this way, no problem, just continue ...

And if you claim, a information how to save 40$ is
spamming, you are wrong.

And Clint please answer me a question, as a RT Systems insider:

You claim:
> Tell ya what - you go ahead and promote YOUR products on your site.
> Leave those with first-hand experiences and straight-from-the-source
> information alone. As you have written, there's a lot of misinformation
> being spread around by folks with questionable motives....

Tell us Clint, how come that.

1. IC-Q7 programmer was released before RT Systems even know
that is clonable.
2. IC-R2 programmer was released months ago, and RT Systems
still with: "comming soon"
3. EVE for the VX5R was released months ago, and RT Systems
NOT EVEN with "comming soon"

That does not seem like first-hand experiences and
straight-from-the-source.

If RT Systems has first-hand experiences and straight-from-the-source,
then they are so bad programmers that they can not write the Software
on time, even with first-hand experiences and straight-from-the-source
information's, they are always a step behind the reality.

And we all do NOT have "first-hand experiences and straight-from-the-
source informations"

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4181. FS Nye Master Morse code keys

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Mike Kulyk <mkulyk@worldnet.att.net>
Message-ID: <01be4c3b$98c54880$56ed4f0c@preinstalledcom>
Source record: 113959
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have 2 Nye master keys, one with 1/4 phone plug and the other with a mini plug.. $60 each plus shipping
Both for $105 plus shipping

Mike WB2GLW

4182. FS Andrews WR 75 Waveguide bend & Termination

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Mike Kulyk <mkulyk@worldnet.att.net>
Message-ID: <01be4c3c$39061040$56ed4f0c@preinstalledcom>
Source record: 113960
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have a 90 degree WR75 bend its about 3-4 inches long $45.00 And a WR 75 waveguide termination unknown manufacture $15

Plus shipping

Mike WB2GLW

4183. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36ED3C83.6EF11C69@t-online.de>
Source record: 113961

clintbrad4d@earthlink.net schrieb:
> > Clint, I am a Civil Engeneer and I build Houses in Germany, I work
> > in a 5000 employees company, I am promoteing my products on a
> > diffenent way, not over the Internet :))))))))))))))))))))
>
> Certainly all Germans aren't illiterate:

(Quote from a direct EMail from Clint to me)

Well Clint, I am very sorry for my spelling Errors, but what
should I do, thats me 5th language, I wonder if you speek
Macedonian, German, French and Bulgarian the way I speek
english.

> Nonsense. You pointed an inquiry directly to your site just a few messages ago
> in regards to Yaesu-compatible software.

That is not my Product, it is my contribution to the digital
comunity, i am not selling it, it is a gift, if you treat
that like a commercial product :)))))))

> > I have copyed a Shematic Diagram for a 3 USD Half-Duplex
> > Interface in my Clipboard. On every advertising you made,
> > I will answer with the Shematic of the 3 USD interface
> > and links where to download FREEWARE Software.
>
> Now THERE'S a mature tactic!

You don't understand the newsgroup, it is not for advertising,
it is to help people to find informations, 15 jears ago when
I have started programming as a little kid, there was no
way to get informations, it was a hard time. I am very happy
things have gone this way, more then 50% of the informations
I get are from the Internet.

And what happens now, I offer help to someone, to make a
cheap interface, I write Freeware Software to thank people
that have written similar software that I am using, and you
acuse me with "a mature tactic"

Clint, I am very sorry, but I thing you don't belong here,
ADMS and RT Systems can be found via Yahoo and Altavista,
I have sarched dejanews a little, I have not not seen
anything from you besides: ADMS buy, upgrade, just 20$.
(and some stuff about JFK)

So you are no help to anyone in this newsgroup.
If you want to help RT Systems, then stop this
and i will not make any antispam measures.

Dipl.-Ing. Goran Vlaski

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4184. Re: ??? General Radiotelephone Company model VS-2 CB ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Hillbilly_1943 <daves@oztech.com>
Message-ID: <7cjf23$2ct$1@news1.alltel.net>
Source record: 113962
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb

its nick name was the 5 star general. its in sams vol. 1 or 2. ... was a
hell of radio in its day.....right up there with the white face johnson.

dave
KG5XR
http://www.geocities.com/TheTropics/Island/4371/index.html

Mustang Maniac! wrote in message <7cj4t1$rn@news.rsc.raytheon.com>...
>I picked up a General Radiotelephone Company model VS-2 CB
>radio at a surplus shop the other day. It's a tube-type,
>crystal-controlled, 5-channel, base/mobile transceiver with
>a built-in power supply (with transistorized multivibrator
>for mobile use), and a Nuvistor front end. It's very small,
>about 4-1/2" tall, 6-1/2" wide, and 12" deep. No frills,
>just volume, squelch, channel selector, and a power-on neon
>bulb. The transmitter works, but the receiver doesn't yet
>(several bad tubes, replacements on their way).
>
>Does anyone have any information on this set? Was it made
>by the same company that now goes by GenRad? Was there ever
>a Sams CB Photofacts manual on it? When was it made? So
>many unanswered questions...
>
>The surplus shop had two other General Radiotelephone models
>there, same size and shape but with a "local/distant" switch
>and a "CB/bullhorn" switch on the front panel. I may go back
>and grab them also, if I can get this one percolating right!
>They might be interesting 10m a-m transceivers, eh?
>
>Thanks in advance for any help you can provide!
>
>73,
> Dean / K5DH
>

4185. ANTENNA WANTED

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: n2ion@aol.com
Message-ID: <19990315121742.15558.00001023@ng04.aol.com>
Source record: 113963

I NEED A 6M VERTICAL FOR MY MOBILE
IF YOU CAN HELP ME OUT, PLEASE E-MAIL

4186. Kenwood 79A and extras for sale!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: framix@aol.com
Message-ID: <19990315122533.12084.00001338@ng-cg1.aol.com>
Source record: 113964

I have for sale my Kenwood 79A 2m/70cm DualBand HT
with many accesories.....

Here is what I am selling......

Kenwood 79A (Original Model) in original box with all
that came with it. Rubber Duck, Wall Wort transformer,
user manual. It comes in the original box and it is in
really great condition. This radio is a solid 8.5 or 9
condition. The radio is used, but shows no signs of
major wear etc, it is in super condition. You will
really be a proud owner with this rig.

I am also including the Kenwood KSC-14 dual bay rapid
charger for the batteries that go into the 79A (and some
other Kenwood HTs) It is in #9 condition also and comes
with users manual in original box.

Kenwood Handmike for 79A and similar radios.
This is the handmike with program buttons on it.
This unit is nice, I would say a solid #8 condition.

AA battery case for 79A in great shape BT-9

Swivel Belt Mount for 79A model # BH-6 in #9 condition.

Comet SH-55 DualBand 2m/70cm Foot long rubber duck higain antenna
in fine shape. This is a BNC mount and fits the 79A

ANLI AL-800 Telescopic 2m/70cm DualBand HiGain antenna in
great shape also, and yes it fits the 79A also.

All of this gear is in great shape without known defect.
The only item that is not original is the battery pack that
will be in the 79A, it is an original pack PB-33 but I had
it redone by the NiCad lady into a NiMH 6 volt 1500Mah unit.
That actually makes it better, however I have not used the KSC-14
to charge this battery, I have used another MAHA charger more suited
for NiMH charging. I believe the KSC-14 is more for original NiCad
type batteries.

I am selling this entire package as a set and will not break out
any of the items for sale by themselves.

Some of the features of the 79A HT are as follows......

Dual receive on 2 bands
DotMatrix LCD display

7 character alpha numeric display
82 memory channels
DTMF memory for autopatch
Wireless cloning to a similar radio
PL encode/decode
Remote control of 742 type radios.

Ok, now the price.....
I am asking $280.00 for the entire package (plus reasonable shipping costs from Los Angeles)

Please let me know if you are interested via email

73 for now.....

4187. low band motorola radius

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: msteremt <msteremt@bestweb.net>
Message-ID: <O0cH2.483$F97.1212@monger.newsread.com>
Source record: 113965

Hello all,

I am looking to buy a lowband motorola radius mobile radio
with signalling ie m208 m218 radio if anyone knows where i can find such a
unit i'd be happy to buy it c.o.d or if ur a dealer credit card no prepay
mo. thanks e-mail me @ msteremt@bestweb.net

4188. FS: Tektronix DC-505A Counter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Marv_E_Ads@Juno.com
Message-ID: <7cjli2aeg1@nnrp1.dejanews.com>
Source record: 113966

Tektronix DC-505A 225 MHz Multifunciton counter module for TM500 frame
-- a couple of dots are out in the LED's but, since there are
5 dots per segment, it is still quite readable $200

Tektronix P-6042 DC-50MHz current probe & amplifier, $300

P6016 current probe w/ 131 amplifier $100.

P6019 current probe only, $50 (similar to a P6021)

Hewlett Packard 461A, 1 KHz - 150 MHz Amplifier,
50 ohm in/out, switchable 20 & 40 dB gain. $120

DataPulse (Systron Donner) Model 101, 10 MHz Pulse Generator, $125
10 Hz TO 10 MHz IN 6 Ranges, 8.5 x 4 x 11 deep, weighs: 7.00 lbs.

Shure M68 Microphone Mixer, 4 mike inputs plus auxiliary. $110

All of the above plus shipping if necessary, naturally! :-)

Contact Marv, WC6W, 310 649 3111 (reasonable hours Pacific
Time please) or via: Marv_E_Ads@Juno.com

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4189. Re: Yeasu FT100 experience

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: pa3flu@dds.nl
Message-ID: <7cjm1uaut1@nnrp1.dejanews.com>
Source record: 113967
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,nl.radio.amateur,aus.radio.amateur.misc

In article <01be6ea6$6660d0c0$254c53d4@g.boxtel.goldmine.nl>,
"G.van Boxtel" <don.queblo@goldmine.nl> wrote:
> asshole how dir u use jy1's call that o.m is dead
> u are very taste less

How dare you to talk like a woman, Gerhard ?
Even your english is very bad.
Could you say hello to your nurse...?

Bob Ronselaar
PA3FLU, Amateur radio VERON Region Eindhoven - The Netherlands

.

.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4190. Better Dual-Band Duck with SMA connector?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: dgravatt@falcon.cc.ukans.edu
Message-ID: <7cjmkmbgb1@nnrp1.dejanews.com>
Source record: 113968
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

Our RACES group recently purchased some Yaesu FT-50RD radios, which are nice little units. The stock duck leaves something to be desired, though. In looking through my AES catalog for a better model, I couldn't find anything longer than the stock 8" duck. I realize the little SMA connector can't take the abuse a BNC can, so the antennas are bound to be a bit smaller and lighter. Does anyone know of a longer SMA dualband duck antenna with better gain than the stock duck? SMA-to-BNC adapters probably aren't a good idea, since we use the radios in the woods where there are lots of branches to catch the antenna.

Thanks in advance for all help; email replies to dgravatt@falcon.cc.ukans.edu

- Dan, N2PRC

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4191. items for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: JGeiger@mcrest.EDU
Message-ID: <41AC2A9AC384D211B8BE0008C7B121C7043D85@MIU_NT1>
Source record: 113969

I have the following items for sale:

1. MFJ artificial ground $45
2. Autek QF-1A audio filter $40
3. Heathkit AM-1 SWR meter $20

73s John NE0P
jgeiger@mcrest.edu

4192. FS; 272 Vacuum Tubes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Mr.Crowley@zoso
Message-ID: <36ed5b8d.15917445@news.mcia.com>
Source record: 113970

Please check out ebay for more info, pic, list
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=76901992

4193. <<WTB Royce 1-641 for parts>>

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Rick Hinkle <n3hia@pop.erols.com>
Message-ID: <36ED6074.3232@pop.erols.com>
Source record: 113971

Hello and thanks for reading. I am presently working on a 1-641 and am in need of a parts (donor) rig to bring this one back to life. If you have a Royce 1-641 in parts condition, I might be interested in buying it. (I only need a reasonable price).

Thanks

Rick
n3hia@erols.com

4194. WTB: R-390A Parts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: wabate@erols.com
Message-ID: <36ee60e5.17069358@news.erols.com>
Source record: 113972

I need some parts for my R-390A. I'm looking for a 17 MHZ crystal and
2 MHZ and 8 MHZ mechanical filters. Anybody have a parts radio or
these parts they want sell or trade for?

Thanks,

Bill Abate, K3PGB
wabate@erols.com

4195. Re: Better Dual-Band Duck with SMA connector?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: paul wise <n3ngo@prodigy.net>
Message-ID: <7cjpa7$2n8o$1@newssvr03-int.news.prodigy.com>
Source record: 113973
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

check out the diamond srh519. a dual band wide receive antenna with sma
connector. i use on on my ft-50r and it works miracles above the stock
antenna.
it is a thin spaghetti type antenna and very flexible.
about $30
dgravatt@falcon.cc.ukans.edu wrote in message
<7cjmkmbgb1@nnrp1.dejanews.com>...
>Our RACES group recently purchased some Yaesu FT-50RD radios, which are
nice
>little units. The stock duck leaves something to be desired, though. In
>looking through my AES catalog for a better model, I couldn't find anything
>longer than the stock 8" duck. I realize the little SMA connector can't
take
>the abuse a BNC can, so the antennas are bound to be a bit smaller and
>lighter. Does anyone know of a longer SMA dualband duck antenna with better
>gain than the stock duck? SMA-to-BNC adapters probably aren't a good idea,
>since we use the radios in the woods where there are lots of branches to
>catch the antenna.
>
>Thanks in advance for all help; email replies to
dgravatt@falcon.cc.ukans.edu
>
>- Dan, N2PRC
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4196. WTB: Icom IC-RP4020

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36ED6960.F418E8F9@postoffice.pacbell.net>
Source record: 113974
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

If you have one for sale please advise on price and condition.
Thanks Al

4197. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: QESK41A@prodigy.com
Message-ID: <7cjra3$egoc$1@newssvr04-int.news.prodigy.com>
Source record: 113975

Clint,

I will admit that I should have made a backup, but hey, the entire notebook case (disks, hardware, computer, external modem, etc) got crushed, so I guess that wouldn't have made a difference.

The fact is that I was looking for a cheap solution to my problem, $20 isn't bad, and I think you pushed RT a little bit too much, however FREE beats $20 in my book any day.

Ed Burke
KB1CTN

Let the thread die, please.

4198. Icom 765 problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Ted Minchin <tedm@xtra.co.nz>
Message-ID: <7ch85e$173t3$1@titan.xtra.co.nz>
Source record: 114014

Hi,
Thinking of purchasing a used ICOM-765. It seems to go really well but I was wondering if there were any bugs or vices these radios are susceptible to?
Many thanks
Ted ZL1MT

tedm@xtra.co.nz

4199. WTB, TS 850S service manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: ctwla@juno.com
Message-ID: <7chkdd$in8$1@nnrp1.dejanews.com>
Source record: 114015

If you have a complete service manual send personal
TNX
CT

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4200. FS:Kenwood TH-G71A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: gelocofan@my-dejanews.com
Message-ID: <7chmpmkjn1@nnrp1.dejanews.com>
Source record: 114016
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have forsale a Kenwood dualband handheld TH-G71A transceiver. ITs
about 5 months old. I am selling with it a speaker mic, softcase,comet
sma-3 antenna and extra battery. Asking $250.00
.
thanks

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4201. FS Kenwood TH-G71A mint.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Michel Morin <morinm@csdgs.qc.ca>
Message-ID: <o3ZG2.5064$_n2.105020@carnaval.risq.qc.ca>
Source record: 114017

Mint condition TH-G71A (almost new), still on warranty. Comes with a SMC-33 microphone, PG-3J filtered cigarette lighter adapter, PB-39 high power battery and BC-17 charger. Includes manual, warranty card and original bill of sale, also original boxes. AES sells this bundle for $382.85 plus taxes.

I will let you have it for $300. U.S. including shipping and insurance. Reason for sale is that I need a mobile rig. Inquire by email if interested.

morinm@csdgs.qc.ca

73 de VE2CJW
Michel Morin
Quebec, Canada.

4202. FS Kenwood YG-455S-1 SSB filter.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Michel Morin <morinm@csdgs.qc.ca>
Message-ID: <V7ZG2.5066$_n2.105094@carnaval.risq.qc.ca>
Source record: 114018

This is a high quality crystal filter which you install in the 455 khz if section of many Kenwood HF rigs including the TS-850 , TS-450 and TS-950. It is a 2.4 hhz SSB filter. I would let you have it for $75. U.S. including shipping and insurance.Inquire by email if interested. morinm@csdgs.qc.ca

73 de VE2CJW
Michel Morin

4203. FS:Kenwood TH-G71A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: gelocofan@my-dejanews.com
Message-ID: <7chmugkkd1@nnrp1.dejanews.com>
Source record: 114019
Cross-posted to: rec.radio.amateur.equipment,red.radio.swap

I have forsale a Kenwood dualband handheld TH-G71A transceiver. ITs
about 6 months old. I amselling with it a speaker mic, softcase,comet
sma-3 antenna and extra battery. Asking $250.00
.
thanks

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4204. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36EC5E56.FBE535DB@t-online.de>
Source record: 114020

clintbrad4d@earthlink.net schrieb:
>
> Looks like there are assholes even in Germany...
>
>> I have copyed a Shematic Diagram for a 3 USD Half-Duplex
>> Interface in my Clipboard. On every advertising you made,
>> I will answer with the Shematic of the 3 USD interface
>> and links where to download FREEWARE Software.

Clint, please do NOT send me such EMails on my private EMail
I have filtered you out, respond to the newsgroup only please.

I do not understand why you don't like my freeware Software,
everyone else likes it, please try it, I thing you will find
it very usefull.

clintbrad: "Looks like there are assholes even in Germany..."

And it is not polite to insult people, even if you are a
american.

I am not ripping of anybody, I just share my knowledge
with others and try to help people to find the informations
they are looking for, no matter what they are or where they
live, besides that, I am a Macedonian.

Regards, Goran Vlaski.

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4205. FS: Kenwood TS50 - 6 meter module

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: cstampf@worldnet.att.net
Message-ID: <MPG.11562a1be372e596989689@netnews.worldnet.att.net>
Source record: 114021

Kenwood 6 meter module for 721/741 tri-bander radios. Model TS50. It's in pristene condition. $250.00.

Please reply via e-mail
Charlie, N2CJ
cstampf@ibm.net

4206. FA WW2 Aircraft Transmitter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <36EC6AD4.65BD@sympatico.ca>
Source record: 114022
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.swap,rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.antiques.marketplace

WW2 Aircraft tranmitter for sale on EBay - have a look.

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78380949>

4207. Re: FS: Like Brand New Kenwood TS440SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <7chtkd$q34$1@nnrp1.dejanews.com>
Source record: 114023
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Here is the ad from Ebay where I bought the TS440SAT:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=67765769
Bill K9KZ

k9kz@indy.net wrote:
> Must sell. Everything looks untouched, 20 million serial #. Mic, power cord,
> box. This rig sold new in 1991. I think they stopped making them in 1991. I
> have checked the rig out and everything seems to works perfect. I bought it
> from the original non ham owner who never got his license. I have the original
> shipping sticker from Texas RF Distributors, Plano, TX, shipped to the person
> from whom I bought the rig. $760 firm + shipping. No Trades. Tnx.
>
> Bill K9KZ
>
> ------------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4208. 8500 mic audio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: Dennis <No_Spam_n1kcl@worldnet.att.net>
Message-ID: <7chqj3$lrf@bgtnsc03.worldnet.att.net>
Source record: 114024

This is for the person that had a deviation problem with the FT 8500. I don't know where the pot is or if there is one in the 8500, but if your using an FS-10 mic you can increase the audio output by drilling a 1/8" hole just to the right of the audio input holes. Once you remove the face of the mic, you'll see why very little audio from the original holes makes it's way to the mic.

Hope this helps
Dennis
No_Spam_n1kcl@worldnet.att.net
http://home.att.net/~n1kcl

4209. IC-756 Problems??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-15 00:00:00 UTC
From: andrewvictor@geocities.com
Message-ID: <7chv32$r73$1@nnrp1.dejanews.com>
Source record: 114025

would anyone tell me if ther are any problems with the IC-756? It's good on hf isn't it? It is good for Dxing isn't it? thanks,73, Andrew

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4210. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7ckb3hubr1@nnrp1.dejanews.com>
Source record: 113776

In article <7cjra3$egoc$1@newssvr04-int.news.prodigy.com>,
QESK41A@prodigy.com (Edmund Burke jr) wrote:

> I will admit that I should have made a backup, but hey, the entire
> notebook case (disks, hardware, computer, external modem, etc) got
> crushed, so I guess that wouldn't have made a difference.

Try writing a letter (or email) to the "powers-that-be" at RT Systems. I would hope they would see yours as a real bizarre, unfortunate circumstance.

BTW - is a VX-5R in your future, by any chance?

> The fact is that I was looking for a cheap solution to my problem, $20
> isn't bad, and I think you pushed RT a little bit too much, however FREE
> beats $20 in my book any day.

The .EXE program that is being used by several in the VX-5R mailgroup is getting more and more excellent raves every day. Since you already have the cable (I think you said you did), you might want to give it a try.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4211. 8560-AS Eimac tubes F.S.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990315201932.09211.00001268@ng-fd1.aol.com>
Source record: 113777

Hello, I have SIX new 8560 AS Eimacs for sale, made a few years ago, never used. 3 are in the original boxes, 3 had lost theirs , but are definitely unused, and come with a copy of the original documentation.
60.00 for the boxed ones, 50.00 ea. for the others,
INCLUDES ALL INSURED SHIPPING, in the Continental USA.
Thank you,
Joe Pratt, Tubecntral@aol.com

4212. Re: Icom IC-756 vs. FT-920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: kvanderlin@aol.com
Message-ID: <19990315202305.25322.00001170@ng105.aol.com>
Source record: 113778

slash830@earthlink.net wrote:>

>The 920 blows the doors off the 756. Better reciever, MUCH better DSP, much
>better radio.
>

I had them both. The 920 is a toy compared to the Icom 756. If you're just shopping for price, buy the 920. If you want quality and performance, get the Icom 756. It wins hands down.

Van

4213. FS - Icom 735

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: kk4tl@aol.com
Message-ID: <19990315204015.26688.00001200@ng-fw1.aol.com>
Source record: 113779

Near mint Icom 735 for sale. Serial no. 12937. Box, manual, FL-63a CW filter (250 Hz.) and mobile bracket. No mic. $525.00 shipped CONUS. Email if interested. KK4TL@AOL.COM

4214. Re: NEW RADIO SHACK HAM HT's

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990315204131.11891.00001459@ng-fb1.aol.com>
Source record: 113780

I agree. If you buy a new radio at some of the BIG HAM DEALERS and try to return it they give you a hassle and charge you a 15 % restocking fee. They often tell you to ship the radio to Kenwood/ICOm Yaesu for service even if the radio broke in ten days. At Radio Shack you get 30 days NO QUESTIONS ASKED. One of the selections on the computer for the Radio Shack Salesman is "
DOES NOT SUITE CUSTOMER NEEDS"
73's TIM

4215. Re: Kenwood TS-450S vs Icom IC-706MKII

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: jdouglas@timewave.com
Message-ID: <7ckde5cse1@news.minn.net>
Source record: 113781
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.dx

In article <7cjr9afpk1@nnrp1.dejanews.com>, cwdxer@my-dejanews.com wrote:
>I currently own a TS-450S with 1.8 kHz and 500 Hz filters and was pondering
>replacing it with a Icom IC-706MKII. I know it will add DSP, 6 and 2 meters
>but any opinions on whether this would be an improvement on HF for the low
>budget DXer ? 73 and Thank you
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

Given you are after HF performance, and from your email address "cwdxer" place a lot of weight on CW I would stay with the TS-450. You can add excellent CW and DSP performance by adding a Timewave DSP-599zx to the station.

73

John Douglas
N0ISL/UA4LIS/UB5WJD
Timewave Technology

4216. FT-470 mod for 9600bps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Daniel Lavoie <LavoiedNOSPAM@iSTAR.ca>
Message-ID: <iYiH2.83$wn3.575967@NewsRead.Toronto.iSTAR.net>
Source record: 113782
Cross-posted to: alt.ham-radio.packet,aus.radio.amateur.misc,rec.radio.amateur,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.packet,rec.radio.amateur.space,uk.radio.amateur

Does anyone know how to modify the Yaesu FT-470 HT for 9600bps?

73 de VE3DCL

4217. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36EDBAA4.6A5B10ED@t-online.de>
Source record: 113783

clintbrad4d@earthlink.net schrieb:
> I will continue to offer advice and recommend products that I am familiar
> with...no matter what you state - privately or publicly.

Me too Clint, me too.

Tell your advice, I will tell my.

It is always good to have a second opinion, so we will be
a nice team, you with the advice were to buy, I with the
advice how to build.

Let the user decide what he/she will do.

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4218. Re: WTB: Digital Modes Decoder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: jdouglas@timewave.com
Message-ID: <7cke78cti1@news.minn.net>
Source record: 113784
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner

In article <7cjss6$l2n@newsops.execpc.com>, malloy@earth.execpc.com (Michael Malloy) wrote:
>Organization: Exec-PC Internet
>Summary:
>Keywords:
>
>
>I am interested in a decoder for HF digital modes. Please email with what
>you have and asking price.

Hello Michael:

There are several choices in the field today. I would opt for a DSP based decoder. You can buy a used PK-232MBX and upgrade it to a DSP front end. The PK-232 has a signal Identification mode that is very handy for "breaking" non-ham digital communications.

If you are patient, The PK-232/DSP will be available new before Dayton, Check http://www.timewave.com for more data.

Check out http://www.megalink.net/~n1rct/dxcc/vp9story.html for a description of DSP in action.

73

John Douglas
N0ISL/UA4LIS/UB5WJD
Timewave Technology

Try out PkTERM'99 for

4219. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36EDC268.4E237B59@t-online.de>
Source record: 113785

clintbrad4d@earthlink.net schrieb:
>

Yes Clint you are always turning the things around.

you are telling me:
> Yes, ignorance runs rampant on the Internet. Folks continue to prove in their
> posts that it takes no IQ test to access the Internet.

you are telling me:
> Certainly all Germans aren't illiterate:

you are telling me:
> Looks like there are assholes even in Germany...

and now you are telling me:
> You think WAY too much of yourself, Goran.

What a SHAME.

Clint, a lot of people have tried to talk to you, and they
have all give up after several days of conversation with
you, and not because you were right.

Well Clint, I will NOT back off, you can insult me every
day if you want. But I will answer every EMail from you,
and if it takes the next 50 jears.

Just continue helping people the way you know, I will
do the same, every day if it is nessecary, you have
your answers in your clipboard, I have mine.

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4220. Re: VX 5R ctcss decode problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: summitrt@aol.com
Message-ID: <19990315214922.17026.00000411@ng52.aol.com>
Source record: 113786

I just bought a VX5R directly from Yeasu. I received it on 3/12. The ctcss decode problem does not seem to be a problem except for really weak stations.
Great radio
Bob

4221. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36EDC6E4.BFEBC01B@t-online.de>
Source record: 113787

clintbrad4d@earthlink.net schrieb:
> > If RT Systems has first-hand experiences and straight-from-the-source,
> > then they are so bad programmers that they can not write the Software
> > on time...
>
> What would be an appropriate time frame for software releases, Goran? Six
> months before the supported product hits the streets?

What are you talking about ???, do you want to say that we have
got our VX5R and IC-Q7 and IC-R2 from the stores
"Six months before the supported product hits the streets"
hahahahahahahahahaaaa

IC-Q7 was more then 6 months on the street, and nobody new
it is clonable, thanks to www.hamradio.cz RT Systems find out,
yes Clint, THEY have EMailed to RT Systems that it is possible.
That is your "first-hand experiences and straight-from-the-source"

And Edward T. Grant and Jose.R. Camara have got the VX5R at least
the same time as RT Systems, or even later.

> There IS a difference between "hobby-ware" and commercial products. Commercial
> products - in this instance - require a lot more forethought and "permissions"

Oh, please explane me more about the 'forethought and "permissions"'

> than does "freeware" and "hobby-ware." You cannot intelligently compare the
> production timelines of commercial products and hobbyist wares.

Why not Clint ?

> And, again, your facts are skewed - the software has been written, according
> to RT Systems. The present delay - according to RT - is coming from Yaesu -
> NOT software programmers.

And what about the IC-Q7 and IC-R2 Software, is ICOM also
backing them off :)))))))

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4222. WANTED: Regency MX5000 manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: KD4VRZ@arrl.net
Message-ID: <36edd127.17461200@netnews.att.net>
Source record: 113788

Thanks for reading this.

I am looking for the instruction manual for the Regency MX5000. I
would be willing to pay for a Xerox copy and postage.

Thanks,
Gary

4223. Kenwood TH-G71A loaded $250.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Michel Morin <morinm@csdgs.qc.ca>
Message-ID: <gpkH2.5427$_n2.110589@carnaval.risq.qc.ca>
Source record: 113789

Mint condition TH-G71A (almost new), still on warranty. Comes with a SMC-33 microphone, PG-3J filtered cigarette lighter adapter, PB-39 high power battery SMA to UHF antenna adapter and BC-17 charger. Includes manual, warranty card and original bill of sale, also original boxes. AES sells this bundle for $382.85 plus taxes.

I will let you have it for $250. U.S. including shipping and insurance. Inquire by email if interested at morinm@csdgs.qc.ca

73 de VE2CJW

4224. Re: Source for 8 pin mic plugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Bob Sull <w8imo@kellnet.com>
Message-ID: <36ED2CE3.5C333768@kellnet.com>
Source record: 113790

Marty Duplissey wrote:

> Does anybody know of a source for the 8 pin plugs used by Kenwood, Icom and
> Yeasu?
> I need both male and female ends. Building and adapter to use an Icom 6 on a
> Kenwood 440
>
> N5KBP
>
> --
> Marty Duplissey
> Lone Star Business Systems
> Specializing in development for the credit report retrieval industry
> Desktop, Networks, Intranets and Internet Delivery
> http://www.lsbs.com

I see them for sale by parts dealers at just about all the big hamfests.

Bob W8IMO

--

////////
(o o)
---73, Bob---oooO---O---Oooo---w8imo@kellnet.com--------------
What is the speed of dark?

4225. FS: 2m Copper J-Pole Antennas

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: martyt@pobox.com
Message-ID: <36edcf61.343094001@news.supernews.net>
Source record: 113791
Cross-posted to: rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateur.equipment

FOR SALE: 2m J-Pole Antennas

These are the classic J-Pole antennas used by countless amateur operators for 2m work; they are inexpensive and rugged. Designed for fixed-station use either outdoors or in an attic. Assembled height is just over 6 ft.

Made from 1/2" rigid copper tubing with an SO-239 Coax connector at the feedpoint. Two-piece design for easy transport - breaks down to less than 40" height. Pre-tuned using an MFJ Antenna Analyzer for center frequency of 146.00 MHz and SWR < 1.5:1 at the band edges. Assembles in under 2 minutes with no special tools (other than a screwdriver). Just assemble, erect the antenna on your support, attach your coax and you're on the air!

Price: $22 each plus $5 shipping/handling (UPS Ground). Payment in advance by money order (preferred) or personal check (must clear bank before shipping).

I am making these antennas to fill a gap in the antenna market for those on a limited budget and for those who don't have the tools or desire to make the J-pole themselves (construction plans are easily found on the internet for those wishing to build their own.)

For more information or to place an order, reply via e-mail. A 6m version is also available; e-mail for details.

73,

-Marty KI0LO
martyt@pobox.com

4226. Re: VX 5R ctcss decode problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: jerry r <jerryrc@pobox.com>
Message-ID: <36EDE087.21D5A228@pobox.com>
Source record: 113792

Would you say the PL decode takes less that 750 msec?

The quick test is transmit from another radio, listen on the Yaesu VX5,
have the other person key and immediately say hello. Did you hear it?,
or just the carrier dropping?

4227. Re: Help! TS440AT Problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: stuartlandau@my-dejanews.com
Message-ID: <7ckqm8bpb1@nnrp1.dejanews.com>
Source record: 113793

Hi Bob, The TS440's are having a lot of problems with the Phase Lock Loops. The solder is deteriating (dispite what Kenwood says about glue problems). If you have the test equipment, good soldering equipment and soldering skills as well as the service manual, it can be repaired in an hour or two. I used to work for Kenwood, and now do it on my own. If you want more specific suggestions, send me an e-mail at stuartL73@aol.com. Stuart Landau K6YAZ

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4228. FT-470 mod for 9600bps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Daniel Lavoie <LavoiedNOSPAM@iSTAR.ca>
Message-ID: <qvlH2.104$wn3.668387@NewsRead.Toronto.iSTAR.net>
Source record: 113794
Cross-posted to: alt.ham-radio.packet,aus.radio.amateur.misc,rec.radio.amateur,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.packet,rec.radio.amateur.space,uk.radio.amateur

Does anyone know how to modify the Yaesu FT-470 HT for 9600bps?

73 de VE3DCL

4229. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7cktnv$e5a$1@nnrp1.dejanews.com>
Source record: 113795

In article <36EDBAA4.6A5B10ED@t-online.de>,
Ingra-Beton@t-online.de (Vlaski Goran) wrote:
> clintbrad4d@earthlink.net schrieb:
> > I will continue to offer advice and recommend products that I am familiar
> > with...no matter what you state - privately or publicly.
>
> Me too Clint, me too.

Actually, I just downloaded Goran's VX-1R and FT-50 software programs. Very nicely laid out...I didn;t get to download/program my HTs yet (time problem on my end), but both of these programs appear to be well-designed and easy to use.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4230. ICOM PCR-1000 for HF?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Michael Young <nobody@all.org>
Message-ID: <7ckv66lfi1@remarQ.com>
Source record: 113796

I don't know if this is the right place to ask this; it looks like a swap meet.

I'm shopping for a SWL HF receiver, and considering Ten-Tec's RX320 and ICOM's PCR-1000. The PCR has a nice side-benefit of also covering VHF and UHF, while Ten-Tec's is limited to 30MC. Does the Ten-Tec perform well enough in the longer bands to offset the limitation? How well does the PCR perform in this same area? I don't think I've seen any reviews that address this.

Thanks.

Michael.

4231. xtv 432

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: vairo@rai.it
Message-ID: <36ee0e4c.574295@193.76.127.2>
Source record: 113797

I want transverter 28 - 432 ..
73 de iw1arb

4232. FS: Motorola Radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: "ST1A55@msn.com" <ST1A55@email.msn.com>
Message-ID: <e5NPNe4b#GA.74@upnetnews02.moswest.msn.net>
Source record: 113798
Cross-posted to:
rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap

Ht600
STX800
TrunkTrack Scanner

Visit http://www.channel21.com/Radio/tech55/

4233. FT847: How to obtain bonus ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Sils <sils@polbox.com>
Message-ID: <gqpH2.1153$J52.257552@news.tpnet.pl>
Source record: 113799

Hi,
I just received my new FT847.
But I can't find any coupon or info about factory rebate.
I would like to order FC-20 from yaesu...
But how ?

Many thanks & 73
Sils

4234. radio's

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: N4XCV@RFCI.NET
Message-ID: <001301be6f69$74f64b60$fad619ce@andyrupp>
Source record: 113800

I have the following for sale:

Cobra 142 gtl cb base radio $130
2 Cobra 25 gtl mobile's $50 each
Cbora 19 plus $50
Sharp 40 Radio mobile $40
SB-72 23 ch base $35
Eico black face radio 5 ch $20
Realistic Pro Niner base $30

4235. Re: Icom IC-756 vs. FT-920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Jim <jnance2@ibm.net>
Message-ID: <36ee2f54@news1.us.ibm.net>
Source record: 113801

```
756, hands down. 73 de KE4WY Jim

Kvanderlin wrote in message <19990315202305.25322.00001170@ng105.aol.com>...
>slash830@earthlink.net wrote:>
>
>
>
>>The 920 blows the doors off the 756. Better reciever, MUCH better DSP,
much
>>better radio.
>>
>
>I had them both. The 920 is a toy compared to the Icom 756. If you're
just
>shopping for price, buy the 920. If you want quality and performance, get
the
>Icom 756. It wins hands down.
>
>Van
```

4236. FS/FT IC-451A 432MHz, FT-736R 6M Module, R599A, TS680S, TE 6M Brick

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: f117ab@ameritech.net
Message-ID: <36EE4112.EFDD3EB1@ameritech.net>
Source record: 113802
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Want to trade my FT-736R 6M module for a 220MHz or 1296MHz module. Look at it, sitting there in your '736. Do you really use it? 6M is getting hotter. . . .

R599A classic Kenwood receiver, excellent condition and function - $185

TS680S - Multi mode, 160M-6M transceiver, 8 of 10 condition and 10/10 function - $575

TE 1050G 6M PA + GaAsFET rx amplifier 10W in for >100W out - $200

IC-451A in 9 of 10 condition and 10/10 function. Thinking about satellite work, or getting a transverter for 432MHz? For less money you can get the IF and transverter in a single package. - $375

I am interested in trading mostly. The TS680S might be an excellent trade for a '736 1296MHz module. . .
All prices FOB 60195.

Art k9xf f117ab@ameritech.net

4237. Re: 2 Meter Repeater Needed - Any Suggestions?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Brad Kellison <KA8TOK@four-way.net>
Message-ID: <36EE4963.5252EFC4@four-way.net>
Source record: 113803
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

GE Master Exec II $99.00
Duplexers $150-350.00
HardLine depends on Size
Antenna about $100 - 200 bucks
Power supply about $135.00
controller for GE Master Exec II (Plugs right in) $155 to 185 dollars.. if you need sources i can get you the links and e-mail address to the right people.

Brad KA8TOK
442.875 + PL 100.0
Findlay, Ohio

Will Shinn II wrote:

> Greetings fellow amateur radio enthusiasts! We have a small club, minimal
> resources, and an aging repeater that is long overdue for replacement. We
> are very interested in suggestions for replacing our old boat anchor. Any
> suggestions as to make, model, costs, features, hardline, antennas, etc.
> would be very
> appreciated. Thanks in advance!
>
> ARS N0WS

4238. Convert mobile amp to repeater amp?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: raydioluv@aol.com
Message-ID: <19990316072318.13193.00000006@ng-cg1.aol.com>
Source record: 113804

Hi, Does anyone know a way to convert a Mirage 100 watt mobile amp for repeater duty? It is for 430-450 Mhz and I would like to retune it for 462 Mhz. Any thoughts appreciated. Thanks, Kurt

4239. Icom 736

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: bigbubba@raex.com
Message-ID: <36ee5232.7597241@news.raex.com>
Source record: 113805

does anyone have the mods to get this rig to general coverage.. I am a
Liscensed amateur radio op. just want my rig to run general coverage.
Thanks
Dan N8LSU

4240. Alinco DX-70-$550

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7clkjq$6lr@sjx-ixn9.ix.netcom.com>
Source record: 113806

I have two of these. Both look great. I would like to sell one of them.
Frank KG9H 630-924-1600 work or 630-653-9090 home

4241. Ten Tec 1220 2 meter $150

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7clkp1$6sf@sjx-ixn9.ix.netcom.com>
Source record: 113807

I have the new Ten Tec 1220, tuned up at a local two way shop. Works well, meets specs. New $195. Yours shipped - $150
Frank

4242. Info About A Frederick Demodulator,Model 1635A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: no@spam.here
Message-ID: <36f159df.4487403@news.olg.com>
Source record: 113808
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Can ANYONE please advise where I can get connect cables for this unit?

Thanks for reading.

Al ... al@olg.com

4243. Re: Icom IC-756 vs. FT-920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Marv Luse <mwluse@dimensional.com>
Message-ID: <36EE699E.33818867@dimensional.com>
Source record: 113809

Could you provide some specific comparisons? Thanks.

73,

Marv, KC0EGB

Kvanderlin wrote:

> slash830@earthlink.net wrote:>
>
> >The 920 blows the doors off the 756. Better reciever, MUCH better DSP, much
> >better radio.
> >
>
> I had them both. The 920 is a toy compared to the Icom 756. If you're just
> shopping for price, buy the 920. If you want quality and performance, get the
> Icom 756. It wins hands down.
>
> Van

4244. FA: RARE HEATH EV items and MORE!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Jordan Arndt <jordana@nucleus.com>
Message-ID: <36EE793A.767B@nucleus.com>
Source record: 113810

Hi I have many items for bid right now...
a RARE HEATHKIT AD-1308 Audio Spectrum Analyzer, Electrovoice Desk Mics
and Stands NIB, a NICE HEATH HW-8 STATION... A Kenwood TS-520S , and a
Nice PACKET Laptop Computer... and more items... if you would like to
see goto:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=jordana@nucleus.com&sort=3
&since=-1

thanks for your time and interest... 73 de Jordan...

4245. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Watch Dog <watcher@ispyonu.net>
Message-ID: <01be6fba$dd42df20$8ec6b8cd@MyComputer.nowhere.net>
Source record: 113811

clintbrad4d@earthlink.net wrote in article
<7ckau5$u7s$1@nnrp1.dejanews.com>...
> In article <36ED3C83.6EF11C69@t-online.de>,
> Ingra-Beton@t-online.de (Vlaski Goran) wrote:
>
> > So you are no help to anyone in this newsgroup.
> > If you want to help RT Systems, then stop this
> > and i will not make any antispam measures.
>
> You think WAY too much of yourself, Goran.
>
> I will continue to offer advice and recommend products that I am
familiar
> with...no matter what you state - privately or publicly.
>
> - Clint Bradford, ATTENTION to Details
> http://www.pe.net/~atd

Bradford what have you EVER done for amateur radio? This fellow you
are so fond of abusing has written a very nice piece of freeware and
you
give him crap for it. So what contribution have you made? Parking
your
fat ass on a chair to do the talk-in for the SW Convention doesn't
count.

Why you are so hostile to Goran is a mystery to me. Perhaps you are,
as some who know you have suggested, mentally ill. Just as a
suggestion,
why not seek a little professional help, perhaps you could be
treated.
>
> -----------== Posted via Deja News, The Discussion Network
==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your
Own
>

4246. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Watch Dog <watcher@ispyonu.net>
Message-ID: <01be6fbc$0d665e60$8ec6b8cd@MyComputer.nowhere.net>
Source record: 113812

clintbrad4d@earthlink.net wrote in article
<7cj8ontos1@nnrp1.dejanews.com>...
> In article <7ci9uq$3ul$1@nnrp1.dejanews.com>,
> kb0vof@my-dejanews.com wrote:
> > My unsolicited 2 cents: I think US$20 for a mere upgrade, 50% of
the original
> > cost of the complete set of software and cable, is too much.
>
> Well, what we really need, IMHO, is a head-to-head comparison of
the two
> programs!
>
> Personally, I do not mind spending twenty bucks for an Upgrade that
covers
> entirely new ground, as the new ADMS does with the VX-5R...

It doesn't "cover new ground" the radio address is different and
perhaps
a few fields in the data, this is not rocket science. Your talking
about
a few hours of code. The reason Ripoff Technology Systems screws
people on the upgrades is because they can. They have an exclusive
with Yaesu for access to the command set so they can charge what
ever they want. What the guy in Germany has done is just as good
and free to boot. Take your medication and remember you DON'T
work for Ripoff Technology Systems Walter.
>
> - Clint Bradford
>
> -----------== Posted via Deja News, The Discussion Network
==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your
Own
>

4247. Re: Icom IC-756 vs. FT-920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: kb6luc@aol.com
Message-ID: <19990316095816.17344.00000018@ng64.aol.com>
Source record: 113813

>slash830@earthlink.net wrote:>
>
>
>
>>The 920 blows the doors off the 756. Better reciever, MUCH better DSP, much
>>better radio.
>>
>
>I had them both. The 920 is a toy compared to the Icom 756. If you're just
>shopping for price, buy the 920. If you want quality and performance, get the
>Icom 756. It wins hands down.
>
>Van
>

I agree with Van...Having used both radios in casual and contest operation, the FT-920 has got to be the worst radio I have ever used in a contest environment, with the possible exception of the TS-570. The FT-920 was even horrible on 6 meters during the June VHF contest. The FT-920's dual conversion receiver just cannot handle strong adjacent signals at all...Strong adjacent signals blow through the IF like water through a sieve. No DSP cant help this problem. This problem is a flaw in the fundamental receiver design. Let me tell you about the noise blanker. When you turn it on, you start hearing signals about 10 KHz away and they sound like a bee in a tuna can. Turn the NB off and those signals go away. Also, I was alarmed when I first turned the 920 on...There was this" whoosh...POP!" in the speaker any time I turned it on. Sounded just like a cheap stereo receiver. These are not opinions...they are observational facts.

Tom

4248. BT-173 for icom w32A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: jccamara9763@my-dejanews.com
Message-ID: <7cm0ks$c4c$1@nnrp1.dejanews.com>
Source record: 113814

I am looking for a dead battery pack BP-173. Does anybody know how and where
I can get one?

Julio Camara
julioc@bigplanet.net

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4249. FS: Yaesu FT-8500 dual bander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36EE148F.AB2F60@ix.netcom.com>
Source record: 113815
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Yaesu FT-8500 2/440 dual- bander. Pristine condition. Has alpha numberic display, multiple function, computer programmable. Great rig for mobile or base. Remotable, Omni-Glow display, true dual band receive, built-in CTCSS tone encoder. $295.
For more detail information, visit website:
http://www.yaesu.com/ft8500.html

****
Duke -NA1A- Direct Line: (310) 649-2226
E-mail: na1a@qsl.net or mailto:na1a@ix.netcom.com
Ham Radio Website: http://www.qsl.net/na1a
****

4250. TS820s, aux receive mod???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: comm68@aol.com
Message-ID: <19990316112611.13360.00000134@ng-cg1.aol.com>
Source record: 113816

Im looking for info about the Aux receive mod for the TS 820s??? Id love to talk to anyone that has performed the mod. I have some info but not sure about a parts list, its a little veague.
you can email me at comm68@aol.com

4251. Re: Better Dual-Band Duck with SMA connector?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Paul <pgs@northnet.org>
Message-ID: <36EE87F8.AFDDA0EA@northnet.org>
Source record: 113817
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

I've had 4 different antennas on my ft50 and the one that worked best for me is the Pryme RD-98sma. It was about 1-2 s-bars better for 2 meter, 440 was about the same to a slight improvement and if you like to scan above 440, the stock antenna was the best but the RD-98 still worked in that range ok. I liked the antenna enough to outfit the rest of my ht's with the RD-98's. They are made for both sma and bnc connections. Check it out here
http://www.adi-radio.com/antennas/index.html
Paul

dgravatt@falcon.cc.ukans.edu wrote:

> Our RACES group recently purchased some Yaesu FT-50RD radios, which are nice
> little units. The stock duck leaves something to be desired, though. In
> looking through my AES catalog for a better model, I couldn't find anything
> longer than the stock 8" duck. I realize the little SMA connector can't take
> the abuse a BNC can, so the antennas are bound to be a bit smaller and
> lighter. Does anyone know of a longer SMA dualband duck antenna with better
> gain than the stock duck? SMA-to-BNC adapters probably aren't a good idea,
> since we use the radios in the woods where there are lots of branches to
> catch the antenna.
>
> Thanks in advance for all help; email replies to dgravatt@falcon.cc.ukans.edu
>
> - Dan, N2PRC
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4252. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7cm4fi$g4q$1@nnrp1.dejanews.com>
Source record: 113818

In article <36EDC6E4.BFEBC01B@t-online.de>,
Ingra-Beton@t-online.de (Vlaski Goran) wrote:

Did you use different "port scanning" routines in your FT-50 and
VX-1R programs? The FT-50 program needed me to change my COM
port...but the VX-1R package "automatically" seemed to find my VX-1R.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4253. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7cm4qlgim1@nnrp1.dejanews.com>
Source record: 113819

In article <01be6fba$dd42df20$8ec6b8cd@MyComputer.nowhere.net>,
"Watch Dog" <watcher@ispyonu.net> wrote:

> Why you are so hostile to Goran is a mystery to me.

Do yourself a favor, and look at the entire thread again. Just for the heck of it. The original inquiry came in, and I replied to it, recommending a program that I am familiar with. Pure and simple. I believe I even cited the Web site and/or a tele number, too.

Then watch how the thread deteriorated - and by whom.

No big deal. I doubt you'll re-read the thread to see how it materialized. But I just did, and have no problems with what I have publicly written or recommended.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4254. Kenwood SSTV

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: n7hmf@ucares.org
Message-ID: <7cm1t5dlo1@nnrp1.dejanews.com>
Source record: 113820

Our ARES group wants to use SSTV to complement our existing ATV equipment. Has anyone used the little Kenwood SSTV unit? I have some questions regarding it:

What modes does it support? Can it accept an external camera input? How well does the attached camera work? How easy is it to interface to non-kenwood equipment? (other mobiles, HTs etc.) Does the display show what the camera sees while preparing to "grab" a picture?

Related questions:

What other equipment is available that might fit the bill for a field deployable SSTV solution? We have played with the PC/Soundcard solutions and found them to be great for base station and EOC use, but for use as a remote in- the-field transmitter, they are too cumbersome and expensive to deploy.

Any suggestions?

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4255. QSLs On The Web Contest

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Fred Doob <fdoob@solder-it.com>
Message-ID: <36EE8BC7.9691C4B@solder-it.com>
Source record: 113821
Cross-posted to: rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment

For those of you who have submitted cards for our contest, the new submissions are now up for voting at http://www.solder-it.com. The current winner is Al Caplan who gets a Deluxe Micro-Jet Torch.

Everyone is welcome to send QSL card or other interesting pix to:

QSLs On The Web
Solder-It Co.
Box 20100
Cleveland, OH 44120-0100

Inculude your permission to post the card.

73,

Fred, K8PP

PS You do not need to visit our web site to take part in our contest.

4256. Re: FS Tek Scope

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: gldill@my-dejanews.com
Message-ID: <7cm4sv$gj8$1@nnrp1.dejanews.com>
Source record: 113822
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Is this still for sale and ?$ shipping to Los Angeles?

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4257. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7cm586$gq3$1@nnrp1.dejanews.com>
Source record: 113823

In article <01be6fba$dd42df20$8ec6b8cd@MyComputer.nowhere.net>,
"Watch Dog" <watcher@ispyonu.net> wrote:

>This fellow you are so fond of abusing...

Again, take a look at the thread again...then tell us all who demeans whom.
And who posts portions of private email in public.

>>...has written a very nice piece of freeware and you give him crap for it.

Cite for me, please, one instance of ANY comment I made regarding his
offerings of Freeware programs for Yaesu products. Just one instance.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4258. WTB:SM-10

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: bwolford@magicnet.net
Message-ID: <36ee93e1.1583762@news.magicnet.net>
Source record: 113824

I'm looking to buy a Icom SM-10 mic. Please send me your best price
and a phone # where I can reach you.

4259. FS: RFC Concepts 2/70 High Power Amp.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36ee8813.188762@207.217.77.140>
Source record: 113825
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Have RF Cocepts 2/70 dual band amp. Output is 200 watts on 2 and 125
watts on 440. This is a FM amp only. In-put range is from 20 to 50
watts
to drive. The amp is in excellent condition. Has build in RF/SWR
indicators. Complete with power cables, manual and original box. This
is a very duty amp. Not for 100% duty cycle for repeater operation.
Works and looks GREAT!!!
Non Smoker.
Price: 360.00 Plus Shipping.
Reply Email.Rich.

4260. FA: Icom Dualband HT..

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36f3887f.296577@207.217.77.140>
Source record: 113826
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Icom W21AT dualband HT with acc.
Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78285467

4261. FA: Mirage Preamp Plus two Mics.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36f588ce.375317@207.217.77.140>
Source record: 113827
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

VHF Mirage Preamp.
Also two mics with the deal.
One is a turner and other is cobra power mic.
No Reserve
Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78297589

4262. FA: Bird 43 With Slugs.,,

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36f488a8.337758@207.217.77.140>
Source record: 113828
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Real nice!!
Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78288225

4263. FA: Kenwood 742 10 Meter Module,

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36f88902.427568@207.217.77.140>
Source record: 113829
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78314530

4264. FA: 10Amp. Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36f98910.441733@207.217.77.140>
Source record: 113830
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78312673

4265. FA: Motorola Touch Tone Mic &Plain One,

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36f688e3.396707@207.217.77.140>
Source record: 113831
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78300403

4266. FA: Triplexers & Duplexers ,

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36f788f5.413979@207.217.77.140>
Source record: 113832
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

I have a bunch of Triplexers and duplexers for your mobiles
All for one price. No reserve.
Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78306393

4267. FA: Collins Log Book

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <37008f23.1996192@207.217.77.140>
Source record: 113833
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78293260

4268. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36EE98C0.A46B7D2@t-online.de>
Source record: 113834

clintbrad4d@earthlink.net schrieb:
> Did you use different "port scanning" routines in your FT-50 and
> VX-1R programs? The FT-50 program needed me to change my COM
> port...but the VX-1R package "automatically" seemed to find my VX-1R.

There are no port scanning routines, you have enter the
com port manually, just the same as in the ADMS.

YAESU HT's ofer no possibility to scan them, or to
detect the presence of them, ICOM's HT's can that.

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4269. WTB: GE PE/MPE G4 Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: John <jdaley@c2i2.com>
Message-ID: <36EE9A1F.4D63E505@c2i2.com>
Source record: 113835

I am looking for two GOOD GE G4 batterys for the PE/MPE series.
John/WA1RVI

4270. FA: two keyers/paddels

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <370291db.2692522@207.217.77.140>
Source record: 113836
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

```
One of them is a Brown Bros Keyer
Real Sharp and clean looking.
The other has no brand name on it.
Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78291236
```

4271. Re: FA: Icom Dualband HT..

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Roy Lewallen <w7el@teleport.com>
Message-ID: <36EE9C5B.DFAB46DC@teleport.com>
Source record: 113837
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

Why are you posting items like this on rec.radio.amateur.homebrew and rec.radio.amateurs.boatanchors? For the same reason that telephone solicitors call thousands of people, interrupting whatever they're doing, to make one sale?

Roy Lewallen, W7EL

richcom wrote:
>
> Icom W21AT dualband HT with acc.
> Go to:
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78285467

4272. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36EE9CC7.D2D0078@t-online.de>
Source record: 113838

Watch Dog schrieb:
> It doesn't "cover new ground" the radio address is different and
> perhaps
> a few fields in the data, this is not rocket science. Your talking
> about
> a few hours of code. The reason Ripoff Technology Systems screws

Correct, this type of Software is just a database application,
nothing to compare with deacent Software like, Spectrum
analysers, SmartCard programming or you should take a look
at some civil engeneering Software for Dynamic nonlinear
analysis, with more then 5 MB source code, no shell or
something like that,just extreme high mathematics, that
type of Software can not write everyone, that is science.
(I thing of:Nastran, Adina, Cosmos, Ansys,...)
I can send anyone that wants to take a look a part
of some source code, it's fu.... sh..

This little programms for memory managment can write every 15
jears old kid with any programming language, I have written
them in VisualBasic. It is a MOST SIMPLE DATABASE aplication,
that can be written in 48 hours, I calculate here 24 hours for
the datastructure analyse, everyone that has a little
knowledge of programming knows that this is kids stuff.

My Software for the IC-Q7,IC-R2,FT50,... are less then
15 Kbytes, yes, my picture takes 100 :)))))))))) , damn,
I must compress it in the next releases :))))

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4273. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36EE9DEB.A8DD2E02@t-online.de>
Source record: 113839

clintbrad4d@earthlink.net schrieb:
> >This fellow you are so fond of abusing...
>
> Again, take a look at the thread again...then tell us all who
> demeans whom. And who posts portions of private email in public.

Come on Clint, if I have send you a private EMail please
make it public, I am not shameing myself for anything, I
am posting everything in public.

And your private EMails to me are not very nice, and
here in the newsgroup you are not using the same style.

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4274. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36EE9F5C.F1899719@t-online.de>
Source record: 113840

clintbrad4d@earthlink.net schrieb:
> Do yourself a favor, and look at the entire thread again. Just for the heck of
> it. The original inquiry came in, and I replied to it, recommending a program
> that I am familiar with. Pure and simple. I believe I even cited the Web site
> and/or a tele number, too.
>
> Then watch how the thread deteriorated - and by whom.

Clint, in the past years you had at lest 20 conversations
with people asking you to stop advertise RT Systems in
such a way, it is NOT just this message.

You are spamming Clint, all the time, and this has to stop.

Just take a look at dejanews, in case you have vorgotten,
it is all there.

> No big deal. I doubt you'll re-read the thread to see how it materialized.
> But I just did, and have no problems with what I have publicly written or
> recommended.

Read the past threads also, if you want i can send them to you.

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4275. FS Yaesu FT-707 HF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: wb4una@aol.com
Message-ID: <19990316131912.07923.00000092@ng120.aol.com>
Source record: 113841

Have for sale a ft-707 10-80 meters with warc bands. i also have the digitial vfo that goes with it. itis in good condition with a couple of scratches . i just had a tech go thru it and it is in great condition recieve and transmit. 100 watts out on all bands.
i will sell it for 450.00 shipped to you..

thanks for reading ,
randy wb4una
WB4UNA
Randy Chavis
247 Goff Court
West Columbia,SC 29172
803-796-4222
Ham since 1970
Grid Square EM-93
HF-6-2-432 SSB,CW

4276. Value of old Hallicrafters manual?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Neil Gould <neilgould@raytheon.com>
Message-ID: <36EE9F7D.5255EA3@raytheon.com>
Source record: 113842

Is there any collector value to an original Hallicrafters manual
titled:

"Installation & Operating Instructions for model S-38 radio receiver"

It is dated 'August 1946' 94-162-A

--
****
* Neil Gould NE5IL
* Email: neilgould@raytheon.com
****

4277. Re: Info About A Frederick Demodulator,Model 1635A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <36EEA379.7B22F90C@erols.com>
Source record: 113843

I bought a dozen of these (plus the receivers) back in 1973, for the NWS site on Swan Island. Frederick has been out of business for a number of years, it appears. I'm trying to recall if the plugs were Molex (confusing it with the Scientific Radio stuff we also had) or something else. I've given away the books years ago, so I can't look there. As I recall, they weren't too uncommon. Jog my memory and maybe I can help.
de Jeep, K3HVG/HR6SWA (Swan Is.)

al wrote:

> Can ANYONE please advise where I can get connect cables for this unit?
>
> Thanks for reading.
>
> Al ... al@olg.com

4278. FS or Trade:Kenwood UT-28S module

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36EE347B.E2AC3DB1@ix.netcom.com>
Source record: 113844
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale or trade a Kenwood UT-28S 10 meter module for UT-440S 440 Mhz
module.
Contact me via address below.
Duke

****
Duke -NA1A- Direct Line: (310) 649-2226
E-mail: na1a@qsl.net or mailto:na1a@ix.netcom.com
Ham Radio Website: http://www.qsl.net/na1a
****

4279. WTD: Macintosh software -KAMPlus

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: protect@bright.net
Message-ID: <protect-ya023180001603991332130001@news.bright.net>
Source record: 113845

Does anyone have a copy of the Kantronics issued Macintosh software for the KAMPlus. Kantronics no longer supplies this and I need a copy. Thanks.
Charles, KB8WSG

4280. WTB: HF Rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36ee9921.4554894@207.217.77.140>
Source record: 113846
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

```
Wanted: HF Rig
Old or new.
Reply E-Mail with price and condition.
Either Base or Mobile.
Rich
```

4281. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: 106255.1565@compuserve.com
Message-ID: <36eea87e.985907@news.compuserve.com>
Source record: 113847

clintbrad4d@earthlink.net wrote:

>
>The .EXE program that is being used by several in the VX-5R mailgroup is
>getting more and more excellent raves every day. Since you already have the
>cable (I think you said you did), you might want to give it a try.

EVE seems to be a superb program. I doubt that the commercial
sofdtware could match it! It would have to have a lot going for it to
make me buy it when EVE is available free.
Richard

4282. Re: Grounding

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <37e4aed7.2338203395@news.atl.bellsouth.net>
Source record: 113848

On Mon, 15 Mar 1999 20:05:27 -0800, Chris Thiel <cct@ktb.net> wrote:
>Is 10 gauge wire enough to groud an attenna tuner, or do i need to use
>a copper braid or copper strip?

What type of antenna? A balanced antenna, IE dipole, doesn't require
a RF ground at the tuner. An end fed random wire requires a very good
RF ground at the tuner. What power level? Higher power often requires
a better ground. What frequency, and what length will the ground run be?
These factors also affect the sort of ground you may need.

Now if what you really need here is a *safety* ground, the National
Electrical Code says #10 will do. But it isn't a good idea to let lightning
into the station in order to find a ground. Much better is to use ground
window technique and supply a ground (and suppressor) before the
feedline enters the shack. This helps keep lightning outdoors.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

4283. Re: Convert mobile amp to repeater amp?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <37e5b05d.2338594208@news.atl.bellsouth.net>
Source record: 113849

On 16 Mar 1999 12:23:18 GMT, raydioluv@aol.com (RaydioLuv) wrote:
>Hi, Does anyone know a way to convert a Mirage 100 watt mobile amp for repeater
>duty? It is for 430-450 Mhz and I would like to retune it for 462 Mhz. Any
>thoughts appreciated. Thanks, Kurt

First determine if the amplifier is Type Accepted for operation at 462 MHz.
(I strongly suspect it isn't, therefore you can't use it there.) But if it is, then
you need to derate the amp about 50% (reduce drive to it so it only runs
50 watts) and add a fan in order to make it survive the heavy duty cycle
of repeater service. No retuning should be necessary since the circuits
are broadbanded. Don't forget to use a circulator on its output to avoid
reradiating spurious mixing products on other nearby repeater channels.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

4284. Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <36EEB58F.F320C0CD@ix.netcom.com>
Source record: 113850
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

http://www.law.harvard.edu/News/Charlton_Heston_speech.html

Yes, I know I'm probably "spamming."
But I can't think of a better way to pass this to
all the people I've come to like and respect.

And it's just a -little- message, anyways.

Forgive.

4285. Icom IC-725 and tuners Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: hacker@catherwood.downcity.net
Message-ID: <7cmgq8$s33$1@nnrp1.dejanews.com>
Source record: 113851

Picked up an Icom IC-725 at an estate sale. The wife
couldn't find the manuals for it. What I'm interested
in is what Icom automatic antenna tuners were/are
available for this HF rig?

I did a search on the web and it appears that the
AT-150, AT-160, and AT-500 are compatible with it
as well as the the AH-2 and AH-3 mobile tuners.

Can I use the current AT-180 tuner with the IC-725?

Thanks. kf6aek

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4286. HELP! Anyone who's used AEA Hamlink!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Gary and Laura Holland <garyh@camalott.com>
Message-ID: <01be6fe5$d6acdf00$e5606fd8@garyh.camalott.com>
Source record: 113852

I would like info from anyone who has used the AEA Hamlink or Radiolink transceiver remote control unit, as to rigs used, etc. I'm having a hard time making mine work with my Kenwood TS-440S (with IC-10 chip installed).

Any help at all would be very much appreciated. Leave a message here, or E-mail me at garyh@camalott.com.

73,
Gary - W5QG
Abilene, TX

4287. ** Standard C510 Mods ?? **

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Colin Lowe <colinlowe@jet.es>
Message-ID: <7cmj7aqib1@lola.ctv.es>
Source record: 113853
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

I am looking mods to allow the Standard C510 dual band handheld to TX out of band.
My radio only TX's from 144 to 145.999 on VHF and I need 144 to 147.999 for use in the USA.
The radio is a "E" version and is meant for the European market.

Please send me an e-mail if you have these mods, I have searched the net but failed to find any.
73 de Colin

Take a look at my homepage for Radio mods for the FT847, Motorola GP300 and GM300 also the Kenwood TM732 and the Kenwood TH48 etc..etc.

The URL is:

http://web.jet.es/colinlowe/index.htm

4288. INFO NEEDED: ICOM RADIO

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: rgold1161@aol.com
Message-ID: <19990316164228.01046.00000160@ng-fs1.aol.com>
Source record: 113854

If anyone can provide me with info. on the ICOM
model # ICF420-10 radio it would be appreciated.
I'm a commericial guy and don't know much about
ICOM radios. Need to know power, channels, band
etc. Any info would be helpful. Thanks in advance!!

Rich

4289. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7cmljvjm1@nnrp1.dejanews.com>
Source record: 113855

In article <36EE98C0.A46B7D2@t-online.de>,
Ingra-Beton@t-online.de (Vlaski Goran) wrote:
> clintbrad4d@earthlink.net schrieb:
> > Did you use different "port scanning" routines in your FT-50 and
> > VX-1R programs? The FT-50 program needed me to change my COM
> > port...but the VX-1R package "automatically" seemed to find my VX-1R.
>
> There are no port scanning routines, you have enter the
> com port manually, just the same as in the ADMS.

Well, then - that's weird. My original post was actually backwards - the FT-50 defaulted for me to COM 1, and the VX-1R defaulted to COM 2. But you make user config simple and painless.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4290. Icom IC-T2H & Everest expedition

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Jacek Maselko <Jacek.Maselko@noaa.gov>
Message-ID: <7cmmna$dv6$1@lore.eur.sprynet.com>
Source record: 113856

What are your guys' thoughts on the Icom IC-T2H HTs? We are going to
Everest in a couple of weeks and I need to get a couple more HTs. We
already have 6 Kenwood TH-22ATs so a comparison to those would be great, but
the icoms are quite a bit cheaper.
Also will it be better to get a mobile radio (50watts) to set up in
basecamp, or a booster (like Maha) to be used with one of the HTs?

Thanks a lot,

Jacek, KL0RW

4291. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: "John Dilks, K2TQN" <oldradio@worldnet.att.net>
Message-ID: <36EEE180.53FF@worldnet.att.net>
Source record: 113857
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

David Stinson wrote:
>
> http://www.law.harvard.edu/News/Charlton_Heston_speech.html
---

David,

Thank you. We need patriots very much today.

--
73' John Dilks, K2TQN

Please visit my OldRadio Museum
http://www.eht.com/oldradio/museum

Webmaster for the Antique Wireless Association
http://www.ggw.org/awa Click on "Page 2"
-=and=-
for the New Jersey Antique Radio Club
http://www.eht.com/oldradio
-

4292. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: "Mike B. Feher" <n4fs@monmouth.com>
Message-ID: <7cmo0b$4v1$1@news.monmouth.com>
Source record: 113858
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Hate to say it Dave, but this is the best thing I have seen you post, HI. As it applies to every part of our lives it has a place here as well. Thanks for sharing it. 73 - Mike

Mike B. Feher, N4FS
89 Arnold Blvd.
Howell, NJ, 07731
732-901-9193

David Stinson wrote in message <36EEB58F.F320C0CD@ix.netcom.com>...
>
>http://www.law.harvard.edu/News/Charlton_Heston_speech.html
>
>Yes, I know I'm probably "spamming."
>But I can't think of a better way to pass this to
>all the people I've come to like and respect.
>
>And it's just a -little- message, anyways.
>
>Forgive.

4293. ICOM IC-T81

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: diale.nospam@mindspring.com
Message-ID: <36eeea73.11746451@news.mindspring.com>
Source record: 113859

Yet another pass....has anyone seen the mods for the ICOM IC-T81 portable? This is the successor to the IC-T8 which has the addition of the 23cm band at .5 watts.

I bought the Australian version and the 70cm band stops transmitting at 430Mhz. Small problem when operating in the US.

Thanks in advance

4294. Re: TM-V7A Advice

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: diale.nospam@mindspring.com
Message-ID: <36efebaa.12058044@news.mindspring.com>
Source record: 113860

The radio is an excellent unit. The only complaint I have is its
susceptibility to intermod. Stay away from paging towers!

On 7 Mar 1999 02:52:29 GMT, kd7ctr@aol.com (KD7CTR) wrote:

>I am looking to buy a Kenwood TM-V7A mobile and wanted to get feedback from
>current owners. The discouraging thing is paying $99 for the remote face
>mounting cables. Also what does the VS-3 do for the unit? I have a TH-79A-HP
>and would like to use the mobile to cross-band.
> 73s de KD7CTR

4295. send me your URL

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: Ivan.Cindric@g-box.fido.hr
Message-ID: <f34_9903180420@g-box.fido.hr>
Source record: 113861

```
* Crossposted from: HamRadio.38 (CroatiaNet)

Hi,
I will update new my home page soon,
If you have home page send me address.
I will your URL update on my home page.
9a6gpp@qsl.net

73 de 9A6GPP
--
---------------------------------------------------------------------
- Fidonet: Ivan Cindric 2:381/102 -
- Standard disclaimer: The views of this user are strictly his own. -
- G-Box, Samobor, Croatia +385 1 78-38-66 -
---------------------------------------------------------------------
```

4296. FS: Complete Station (FT847,FT920,FL7000, more)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-1603991339430001@pom1.mbl.edu>
Source record: 113862
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have forsale the following:
Yaesu FT847 comes with:
FC20 Autotuner
2-Collins Mech. SSB Filters ---This is a 10 out of 10
$1400.00 plus shipping

Yaesu FT920 comes with:
FM1 FM Unit
AM Filter
TCXO-7 Crystal Stability uniy----This is also a 10 of 10
$1300.00 plus shipping

Yaesu FL7000 Amp/tuner combo with:
Cable for 1000,990,920.
FAS1-4-R Remote coax switch (NIB) this is a 9.5 of 10 cosmetically, 10/10 elect.
$1400.00 plus shipping

Standard C5718 2M/440 mobil. All controls in mic (including display) comes
with remote mounting cable this is a 9.5 out of 10
$400.00 shipped

2-Yaesu SP8 Speakers--- both 10 out of 10
100.00 ea. plus shipping

1-Yaesu MD100a8X Desk mic---10 of 10
$90.00 plus shipping

2- Bird 43P Wattmeters, 1 a couple of weeks old $300.00
The other in unopened box---$325.00
Needless to say both are 10/10 prices include shipping

Bird slugs---50H,100H,1000H $60.00 ea plus shipping
250A,250C,250D $50.00 " " "

2-Mirage MP2 Wattmeters 10 of 10 $100.00 ea. plus shipping
1- " MP3 " " " " $100.00 " "

Kenwood SW200 wattmeter with 2 couplers 9 of 10
$110.00 plus shipping

Hygain DCU-1 Rotor Control 10 of 10
$300.00 plus shipping

Those of you that have dealt with me know the condition I state is so. All
have original boxes/manuals except FL7000. Closing down station for other
interests.

73, Barry K1SWR

4297. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: "Joe D. Bucher" <JoeB@viaduct.custom.net>
Message-ID: <36EF221C.40F8@viaduct.custom.net>
Source record: 113863
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

David Stinson wrote:
>
> http://www.law.harvard.edu/News/Charlton_Heston_speech.html
>
> Yes, I know I'm probably "spamming."
> But I can't think of a better way to pass this to
> all the people I've come to like and respect.
>
> And it's just a -little- message, anyways.
>
> Forgive.

Great post Dave. ...MR. HESTON FOR PRESIDENT!!

Joe, KF9EU

4298. Re: VX-5 Euro version cell block?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: eric_fre@hotmail.com
Message-ID: <7ck8r4$sg5$1@nnrp1.dejanews.com>
Source record: 113918

In article <37cd2a1d.2110978561@news.atl.bellsouth.net>,
ke4zv@bellsouth.net (Gary Coffman) wrote:
> On Fri, 12 Mar 1999 01:16:56 -0500, firewave@REMOVE.videotron.ca (Alex) wrote:
> >the problem i think, is that euro version cant transmit on a large band
> >like we can in north america, they just have 440-450 and 142-144? or am i
> >wrong?
>
> 430-440 and 144-146
Does it really matter when you open out the TX?
Who sells them in the UK?

Cheers
Eric.

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4299. FS: Tektronix 575 Curve Tracer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: yulius@welsh.ecn.purdue.edu
Message-ID: <7ck78b$5n8$1@mozo.cc.purdue.edu>
Source record: 113919

Hello,

I have a Tektronix 575 Curve Tracer forsale. It is in excellent working condition. This curve tracer used vacuum tubes as parts. It is good for measuring the transistor characteristics. This unit also comes with manual. I am asking for $200 + UPS Shipping.

If you are in near West Lafayette, IN area you can pick it up. The curve tracer is very heavy.

If you are interested, please send an email to: yulius@ecn.purdue.edu

Best regards,

Aristo
--
****
* Aristo Yulius | Purdue University *
* Internet: yulius@ecn.purdue.edu | West Lafayette, IN 47907, USA *
****

4300. Re: FT-1000, FT-1000D, MD-100A8X -SOLD-

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: bcny@aol.com
Message-ID: <19990315192744.25179.00001341@ng-fa1.aol.com>
Source record: 113920

```
> MD-1 desk mic is still available. $80.
>73,
>Duke

Hello Duke, is the MD-1-c8 mic still avail

73, Rich in NY
```

4301. FS: Tube Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: yulius@welsh.ecn.purdue.edu
Message-ID: <7ck7p7$5tc$1@mozo.cc.purdue.edu>
Source record: 113921

Hello,

I have a high voltage tube power supply forsale. This tube power supply uses the UTC S42 power transformer. The 1962 Allied catalog lists it as their highest price power transformer, with the following specs at 115V, 50-60 Hz: 1200/1050@300 ma VCT; Rect. Fil. 5V, 6A; Fil. 1 = 7.5V tapped 6.3V, 3A; Fil. 2 = 6.3V, 3A. Large choke (unknown manufacturer), Gudeman 10 uF/600V oil cap. All on black metal chassis with ceramic tube sockets, umbilical cords, power switch. Picture of the power supply:

http://expert.cc.purdue.edu/~yulius/utc.html

Transformers is guaranteed. Two 5R4G rectifier tubes are tested strong. Otherwise, it is sold as is due to its age. I am asking for $65 + UPS shipping.

If you are interested, please send email to yulius@ecn.purdue.edu.

Best regards,

Aristo Yulius
--
****
* Aristo Yulius | Purdue University *
* Internet: yulius@ecn.purdue.edu | West Lafayette, IN 47907, USA *
****

4302. WTD: Yaesu MD-1-c8 Desk Mic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: bcny@aol.com
Message-ID: <19990315193225.25179.00001344@ng-fa1.aol.com>
Source record: 113922

Hello, I am looking for the Yaesu MD-1-c8 Desk Mic - in good to excellant condition ONLY need apply... Send reply to BCNY@AOL.COM

4303. FS: Ten-Tec Titan Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: n4dh@juno.COM
Message-ID: <19990315.194539.4318.0.n4dh@juno.com>
Source record: 113923

Have nice Ten-Tec Titan. Has full legal limit
output +. Can ship in orginal cartons, with
manual. $1900.00. QTH is Charlotte, NC.
Ph. (704) 545-9368.

de Bill, N4DH

You don't need to buy Internet access to use free Internet e-mail.
Get completely free e-mail from Juno at http://www.juno.com/getjuno.html
or call Juno at (800) 654-JUNO [654-5866]

4304. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7ckaos$u6a$1@nnrp1.dejanews.com>
Source record: 113924

In article <36ED31E2.E2476B2C@t-online.de>,
Ingra-Beton@t-online.de (Vlaski Goran) wrote:

> If RT Systems has first-hand experiences and straight-from-the-source,
> then they are so bad programmers that they can not write the Software
> on time...

What would be an appropriate time frame for software releases, Goran? Six months before the supported product hits the streets?

There IS a difference between "hobby-ware" and commercial products. Commercial products - in this instance - require a lot more forethought and "permissions" than does "freeware" and "hobby-ware." You cannot intelligently compare the production timelines of commercial products and hobbyist wares.

And, again, your facts are skewed - the software has been written, according to RT Systems. The present delay - according to RT - is coming from Yaesu - NOT software programmers.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4305. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-16 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7ckau5$u7s$1@nnrp1.dejanews.com>
Source record: 113925

In article <36ED3C83.6EF11C69@t-online.de>,
Ingra-Beton@t-online.de (Vlaski Goran) wrote:

> So you are no help to anyone in this newsgroup.
> If you want to help RT Systems, then stop this
> and i will not make any antispam measures.

You think WAY too much of yourself, Goran.

I will continue to offer advice and recommend products that I am familiar with...no matter what you state - privately or publicly.

- Clint Bradford, ATTENTION to Details
http://www.pe.net/~atd

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4306. FS: Standard C5718DA 2/440

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-1703991359070001@pom1.mbl.edu>
Source record: 113676
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

This is the radio that has everything in the mic (including display) makes for a neat mobil installation. comes w/remote mounting cable and memory expansion module. has mars/cap mod done. 400.00 shipped

4307. BK Precision 1801 Frequency Counter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Darrel Scott <dgsc@hotmail.com>
Message-ID: <7cp12ugft1@news.powerisp.com>
Source record: 113726
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.shortwave,rec.radio.swap

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78292080

4308. FA: Alinco DJ-G5 Dual Band HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: W2MSK <w2msk@bellatlantic.net>
Message-ID: <36F007EC.6A8FF2C9@bellatlantic.net>
Source record: 113727

For Auction on Ebay: Alinco DJ-G5 Dual Bander HT. Complete with all original accessories, manual, box, plus 5W NiMH, 5W NiCAD, charger stand and AA Battery Case.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78045787

4309. FS: VHF MSF5000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36F00778.187C84D6@postoffice.pacbell.net>
Source record: 113728
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Radio is in excellent shape and is the 125 watt continous duty
version.It is fully RSS programmable.Has DES-XL capability and can be
used as transparent or encode decode
mode.Has tone remote capability and includes the digital remote metering
panel.Do not have the outer cabinet,unit is presently mounted in the
inner rails that can be put in the cabinet.Radio can be programmed for
base station or repeater use,no duplexer.
$2700 plus shipping.Will accept a uhf astro saber 3 as part trade.
Al

4310. Yaesu Tech Support

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: DeShawn Smith <deshawn1@earthlink.net>
Message-ID: <01be70af$71ae7940$130415ac@deshawn.dentrix.com>
Source record: 113729

I emailed Yaesu tech support more than a week ago without a response. Is there anyone who has had success in contacting Yaesu via email that can give me a better email address than the one posted on their web site?

I don't need any flaming condemnations about Yeasu tech support (or the lack thereof). I only have a question, not a problem, so it's not really pressing.

Thanks,

DeShawn
kc7mvf

4311. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: John Donnelly <jpd2@uswest.net>
Message-ID: <36F00B33.E91342EE@uswest.net>
Source record: 113730
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Maybe if you had read the article you would understand what's going on. While it is partially about America, it is more about the politicians and other scumbags trying to take away our rights. And that includes Amateur Radio!! You have to stand up and speak your mind sometimes instead of just following like a bunch of sheep. Don't take it for granted that what you are doing today, be it radios, guns or whatever, is always going to be there.There are to many instances in history where peoples rights have been taken away, and many times it was because they didn't have enough guts to stand up for what they believe in. So first, get a clue and read something before you get indignant, and start spouting off a bunch of nonsense that you don't even know what you're talking about.

Michael Black wrote:

> I'm not going to go looking at a link that someone can't even bother to
> paraphrase, especially when the guy posts it to a bunch of newsgroups not
> because they are appropriate but because he thinks it's important. It's
> not really a surprise from a guy who posts ads where they aren't really
> appropriate.
>
> But more to the point, we don't all live in America. Whether the article
> is about being true to your country patriotism or some USA-centric
> Patriotims I'll never know because I'm not checking the linkk, but bumping
> into all the "me too's" I sure get the impression that it's about America.
>
> We don't all live in America.
>
> And this off-topic post just maybe one of the problems with the US. Just
> as the post gets posted to a bunch of newsgroups where it apparently has
> no real place, the US suffers when it thinks that it is the whole world.
>
> Michael VE2BVW
>
> On Tue, 16 Mar 1999, David Stinson wrote:
>
> >
> > http://www.law.harvard.edu/News/Charlton_Heston_speech.html
> >
> > Yes, I know I'm probably "spamming."
> > But I can't think of a better way to pass this to
> > all the people I've come to like and respect.
> >
> > And it's just a -little- message, anyways.

> >
> > Forgive.
> >
> >

4312. Re: What do you think of the FT-2500M?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: "Edward L. Dowdy" <eldowdy@net66.com>
Message-ID: <XaUH2.70$BG6.170@news12.ispnews.com>
Source record: 113731

I have had 4 2500Ms. I don't think any of them were made in Japan (Don't know for sure). The 2 I currently own were made in Taiwan. Only complaint I have, the MH-36c mic is used now instead of the MH-27. It doesn't seem to be as heavy duty a mic. They are nearly intermod immune. No more than they cost you can't get hurt. I sold one recently. Regretted it so much, I bought another one new.

73, Ed KA9EES

msb wrote in message <7cotb1$lkq@dfw-ixnews5.ix.netcom.com>...
>Well, this is my opinion...
>
>I looked at one off and on for a few months and liked it
>more each time.
>I was going to use it for portable packet and a standby 2m
>rig. I liked its simplicity, the feel of knobs, and milspec shock
>rating. Although I expected the little door on the front to
>be the first casuality.
>
>I went to buy one but they are no longer made in
>Japan. Otherwise, I would have one. I've been a Yaesu fan
>for a long time but I don't care for most of their new stuff --
>way too complex, read bells/whistles/software, and I question their
>quality/reliability.
>
>As far as MARS -- It wasn't my direction but I think you're on
>the right track by using the web/newsgrps.
>
>Good luck,
>msb
>
>richard@nospam.com wrote in message <36efe91b.1738813@172.16.1.166>...
>>What do you think of the FT-2500M?
>>
>>I am about to buy one and mod it for MARS. I read that it is very
>>easy, although I do not know any one who has done it lately.
>>
>>Any info is apprecited.
>>
>>Richard
>
>

4313. FS- R-7 VERTICAL ANTENNA

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: ied@iname.com
Message-ID: <ied-1703991231450001@sandiego5-39.sandiego.access1.net>
Source record: 113732

R-7 VERTICAL ANTENNA, COMPLETE AND IN GREAT CONDITION- PICK UP IN SAN DIEGO AREA- CALL ED AT 619-224-6295

4314. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Charlie <no@spam.net>
Message-ID: <0LUH2.6099$fM1.10660882@brnws01.ne.mediaone.net>
Source record: 113733
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Left-wingers have a remarkable capacity to find absolute evil in a conservative who talks about morality, decency and the self-sacrifice that's necessary to stand up for what is right.

Just remember, many of these same left wingers rose to the defense of our "president", who:

- Smoked pot, but didn't inhale.
- Didn't dodge the draft.
- Never got any loan from the Whitewater deal (although the canceled check turned up later)
- Didn't have sex with Jennifer Flowers.
- Has no idea how NINE HUNDRED FBI files got in to the White House.
- Didn't lie under oath in the Paula Jones lawsuit.
- Received (through Al Gore) political donations from the Bhuddist nuns, in sequentially numbered checks, all made out for exactly $5000. All completely legal, of course.
- Didn't respond to those donations by personally overriding the objections of the Pentagon and State department, allowing Loral to sell previously restricted missile guidance systems to the COMMUNIST CHINESE.
- Didn't have a sexual relationship with "that woman, Miss Lewinski" (wagging his finger in righteous indignation).
- Said, with a straight face, "it depends on what the definition of "is" is".
- Didn't rape Juanita Broderick - at least we assume he didn't. He simply won't respond to the allegations.

It was the liberals who in the past stood up against the war in Vietnam, racial oppression and corruption in political office. It's interesting - and very sad - how they've abandoned their principals and redefined hypocrisy. The fact that someone could read Charlton Heston's speech and interpret it as a call to "inciting others to join their madness" tells you just how twisted their reasoning can be.

It's 1984 already.

With regrets,
Charlie, KS1C

Asbestos Underwear On.

4315. WTD: Cushcraft R7 antenna

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: agburris@ix.NETcom.COM
Message-ID: <4.1.19990317132043.009ae870@popd.ix.netcom.com>
Source record: 113734

I'm interested in purchasing a Cushcraft R7 that is in good condition. I don't mind if it's been used. If possible, give an accurate description of it in the initial response.
Thanks,
Grant, N6XRR

Grant ..... agburris@ix.netcom.com

4316. CORRECTION: ICOM IC02AT For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: tt_bird@bellsouth.net
Message-ID: <36f020cc.6504919@news1.lig.bellsouth.net>
Source record: 113735

GREAT DEAL

Icom IC02AT 2M HT

BATTERY 12V
CHARGER
MANUAL
HAND MIC
RUBBER DUCK ANTENNA
WHIP ANTENNA

EXCELLENT CONDITION

$125

TT_BIRD@BELLSOUTH.NET

4317. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <36EFF57E.54846636@ix.netcom.com>
Source record: 113736
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

I know this is off topic.
I know-- I'm a baaaad boy.
It's also important.

I wasn't going to say anything else, but Mr. Young's statements
need an answer. They are protected speech-- he has harmed
no one by his opinion, and they are understandable given
modern conditioning. So please don't flame him!
But free opinions are not always correct opinions.

Let us allow Mr. Heston's own words to answer Mr. Young's charges:

Michael Young wrote:
> Chuckie is advocating mob action, not independent thought or counsel.
> Not once does he admonish you to get the facts and weigh their meaning.
Heston: "I want to...re-connect you with your own
sense of liberty ... your own freedom of thought ...
your own compass for what is right... Who will guard
the raw material of unfettered ideas, if not you?
Democracy is dialogue!"
To any person not pre-conditioned to a certain attitude,
this is a clear call to honor your independent thought
and to debate that thought. Moreover, he presents some of the facts
through example and metaphor throughout the speech. The need
to weigh them is implicit in their presentation within the
context of the above quote.

> You only need to feel morally outraged, and to express it loudly
> everywhere and to everyone. If they won't listen,
>do everything you can to hinder them.
Explicitly untrue statement.
Heston: "But what can you do? How can anyone prevail against
such pervasive social subjugation?...
You simply ... disobey.
Peaceably, yes. Respectfully, of course.
Nonviolently, absolutely."
Clearly, Mr. Heston has not advocated doing
"everything you can to hinder them."
I submit that this response is typical of conditioned responses
brought about by the tyranny of thought that
masquerades as "liberalism" today.
Tyranny doesn't always wear a swastika.
Sometimes it wears sheep's clothing and calls itself "liberal"

while ruthlessly attacking those who's opinions differ.

(Personal and unsupported attack against Mr. Heston deleted.)

>I went there looking for something of substance;
>whatever it was you saw, I missed it entirely.
Attitude conditioning from television and
modern academia prevents actually seeing what is clearly written
and generates a conditioned, knee-jerk negative response.
The quote about "hindering" above is a good example.
This doesn't mean the person making the charge is "bad."
It means they are unfortunately influenced by these decades
of conditioning. They are intelligent.
They will come around in time.

Kind regards,
David Stinson
Austin, Texas
arc5@ix.netcom.com

4318. Re: TM-V7A Advice

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: kb2ehj@mindspring.com
Message-ID: <OnJet0TDpclF-pn2-OYdSvZ3MG55J@user-2ivf2ih.dialup.mindspring.com>
Source record: 113737

>> Also what does the VS-3 do for the unit? I have a TH-79A-HP
> >and would like to use the mobile to cross-band.
> > 73s de KD7CTR
>

Nothing! (per say) It reads back only the common items from the radio when you are sitting their looking at the thing. It won't do read back over the air so it is of no help in cross band repeat.

Save your money and don't even wast the money on this option.

If you would like I can either mail you a photo copy of the page in the instruction manual that tells what the option can do or I can scan it and email it to you as a jpg or bmp file.

73's

Mark KB2EHJ
KB2EHJ@MINDSPRING.COM

4319. WTB: Bottom cap for IC-3SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: dunham@removethis.earthlink.net
Message-ID: <MPG.1159cd946f5e05b698968b@news.earthlink.net>
Source record: 113738

Hello!

I just bought an Icom IC-3SAT, and I'm quite happy with the radio;
however, I really would like to be able to cover the top and bottom
(especially the bottom). I'm looking for the bottom cap and what they
call the "Rainproof Cap" for this radio.
--
James

For non-commercial reply, delete "removethis" from my address.

4320. Re: Where can I find pics of HF rigs online?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Jonesy <jonz@rmi.nospam.net>
Message-ID: <7cpbbf$s2m$1@news1.rmi.net>
Source record: 113739

MOstrowski <M_OstrowskiXXX@yahoo.com> wrote:
: I'm looking for any site where I can view pictures of HF rigs,
: especially those that have been built since the late 70's.
: I'd appreciate pointers to any web address where you've
: seen quite a few, even sites which specialize in a particular
: brand.

hurmphf...
Just go surfin' thru the junque listed on ebay.
The scenery changes everyday.

Jonesy W3DHJ

--
Marvin L. Jones jonz<AT>rmi.net
Gunnison, Colorado
289 days to go until the Year 2000 -- So what!
655 days to go until the 3rd Millennium of the C.E.

4321. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: "Bill J, Edinburgh" <maestro@cix.co.uk>
Message-ID: <7cpetvktp1@plutonium.compulink.co.uk>
Source record: 113740
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Seems highly relevant to the UK, to me.

Naturally one expects some opposition.

Stood on any rusty balconies lately?

Bill J., Edinburgh
Michael Black wrote in message ...
>I'm not going to go looking at a link that someone can't even bother to
>paraphrase, especially when the guy posts it to a bunch of newsgroups not
>because they are appropriate but because he thinks it's important. It's
>not really a surprise from a guy who posts ads where they aren't really
>appropriate.
>
>But more to the point, we don't all live in America. Whether the article
>is about being true to your country patriotism or some USA-centric
>Patriotims I'll never know because I'm not checking the linkk, but bumping
>into all the "me too's" I sure get the impression that it's about America.
>
>We don't all live in America.
>
>And this off-topic post just maybe one of the problems with the US. Just
>as the post gets posted to a bunch of newsgroups where it apparently has
>no real place, the US suffers when it thinks that it is the whole world.
>
> Michael VE2BVW
>
>
>On Tue, 16 Mar 1999, David Stinson wrote:
>
>>
>> http://www.law.harvard.edu/News/Charlton_Heston_speech.html
>>
>> Yes, I know I'm probably "spamming."
>> But I can't think of a better way to pass this to
>> all the people I've come to like and respect.
>>
>> And it's just a -little- message, anyways.
>>
>> Forgive.
>>
>>
>

4322. FS. Icom 900a Multiband Mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: JimJDoyle <kd4hur@ij.net>
Message-ID: <36F04076.B15443F6@ij.net>
Source record: 113741

icom 900a mobile in excelllent condition with dual speakers,
microphone w/up & down, Control head
10 meter module
6 meter module
2 meter module extended rec.
220 module
440 module
best offer over $500.00 modules alone are worth 200 each
jim kd4hur
813.677.0740 aft 5pm est.

4323. Please register your favorite VHF/UHF+ simplex nets with our database!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: "John L. White" <jwhite@materials.com>
Message-ID: <36F04A8E.E3ED20EF@materials.com>
Source record: 113742

Please visit: http://www.materials.com/N4IFC.htm and follow the link to our Simplex Net Coordination Page. We have taken on the task of cataloging all of the Simplex VHF/UHF Nets around the country. Once this

database grows enough to be of general interest it will be made available to the public via the above link. The purpose of this effort is to increase the usage of our VHF+ bands for simplex and/or weak signal purposes. In most areas the 6 meter, 2 meter and plus all mode simplex frequencies are seemingly "dead" except during contests. But, this is an illusion. All you have to know is where to listen and when. There are literally thousands of nets in operation at all times of every

day. Please help us catalog these by submitting all such nets that you can provide accurate information about! It will only take a few minutes of your time and the collective reward will be tremendous for our hobby!

Please "Tell a Friend" and publicize this effort over local nets and at club meetings. To be successful we need to grow our database enough to be of general interest!

Thanks!

N4IFC
John

4324. MINT Kenwood TS-940S/AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Bill <jobes@bellatlantic.net>
Message-ID: <36F04E48.5FC0@bellatlantic.net>
Source record: 113743

I am selling my collector's condition TS-940S/AT, SP-940, and a brand
new MC-60a microphone. Includes 500 hz cw filter.
This rig is outstanding. It's a rarely seen on the market 10 million
serial number rig.
Includes all manuals and factory boxes.
Asking $1,250, but make me an offer. My new rig's on the way.
Bill W3WJ

4325. Re: FS: Kenwood TS-940SAT, VS-1, and MC60

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Al Patrick <arp@inet4u.com>
Message-ID: <36F0519C.F9B1567E@inet4u.com>
Source record: 113744
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Larry,

I talked with you last night (?) about this unit and offered $925
delivered, but it would be after April 2 before I could send you
the money order. Let me know if you decide to do that and I can
send you a deposit on it.

Thanks,

Al Patrick

==========

Larry W9MDX wrote:
>
> I have a Kenwood TS-940SAT with a VS-1 voice synthesizer and an MC-60
> microphone for sale. The 940 has serial number 6050542. The radio is an 8.5
> to 9.0. It is in real nice condition and works great! I can furnish online
> pictures for those who are interested. I am asking $850 for the radio, $40
> for the VS-1, and $60 for the MC-60 or if you want it all .... $900 plus
> shipping. I can accept VISA or MC as payment.
>
> Larry W9MDX
> w9mdx@netohio.com
> 419 433-2930

--
==========

From here down is "taglines" in case you don't care to read them!

Amerikan Leadership: Over 250,000,000 Americans are being led by
a man who doesn't know the meaning of "is", "sex", or "alone"!

Amerikan Progress: In just over 200 years we went from a
president who could not tell a lie to one who can not tell the
truth!

Amerikan Strength: The "most powerful man in the world" doesn't
have the strength to keep his zipper up!

Amerikan Justice: Burn the Branch Davidians for their
non-politically correct theology and acquit Bill Clinton of
perjury and obstruction of justice!

Amerikan Headquarters: There are only two characters difference
in whORe house and whITe house. Guess which two characters we

need to get out of the whore house to turn it back into the White House!

4326. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Neil Jendon <njendon@rouppgroup.com>
Message-ID: <36F03A9A.8E73E773@rouppgroup.com>
Source record: 113745
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Probably the most surprising aspect of Heston's speech, personally, is that isn't quite the mad ramble I was expecting. I might not necessarily agree with him, but he's not out of line. He makes good points, although I can't reconcile the NRA with anything I personally believe in.

I have to agree with Charlie. The Left has really dropped the ball. It's tragic. However, we've been rather quick to forget the travesties committed by the two previous, republican presidents. A similar litany to Charlie's of Bush's and Reagan's careers would be quite impressive.

To all readers outside the USA, I hope you at least find all of this amusing. If not, I apologize. As for me, I'm fascinated by politics, and I'd love to read similar rants regading politics in other nations.

Speaking of other countries, is Canada hiring?

Sincerely,

Neil

4327. Re: Yaesu Tech Support

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Bill Clarke <W2BLC599@bigfoot.com>
Message-ID: <7cpjra$72h$1@paxfeed.eni.net>
Source record: 113746

A couple of days ago I had a question for ICOM. Got a full page answer today.

Some read and answer their email - and others do not. Some care about customers and some do not.

Radios, cars, whatever - its all the same:

Mind over matter - some manufacturers don't mind and their customers don't matter!

--
Bill Clarke W2BLC
W2BLC@bigfoot.com

4328. Re: Where can I find pics of HF rigs online?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: tom <tsokol@injersey.com>
Message-ID: <7cpjg6cfh1@nw001t.infi.net>
Source record: 113747

If you are an ARRL member you can go to their web site and reference product reviews going back that far. Most of the product reviews have pictures of the rigs.
Tom, N2LDE

MOstrowski wrote in message <7cov15rjq1@ink.msen.com>...
>I'm looking for any site where I can view pictures of HF rigs,
>especially those that have been built since the late 70's.
>I'd appreciate pointers to any web address where you've
>seen quite a few, even sites which specialize in a particular
>brand.
>
>Thanks,
>Michael Ostrowski - KC8GBM
>Saline, MI
>
>M_OstrowskiXXX@yahoo.com
>(remove XXX when replying directly)
>
>

4329. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: W4ABC <w4abc@gte.net>
Message-ID: <7cpjn5$88m$1@news-1.news.gte.net>
Source record: 113748
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Michael Black wrote in message ...
>I'm not going to go looking at a link that someone can't even bother to
>paraphrase, especially when the guy posts it to a bunch of newsgroups not
>because they are appropriate but because he thinks it's important. It's
>not really a surprise from a guy who posts ads where they aren't really
>appropriate.

Would you have really clicked on it if he had paraphrazed it anyhow?

>
>But more to the point, we don't all live in America.

Stop!
Stop!
Stop!
If you don't live in AMERICA then it's no sweat off of your back, is it?

Whether the article
>is about being true to your country patriotism or some USA-centric
>Patriotims I'll never know because I'm not checking the linkk,

Let me ask you something... If you were to get up on your soapbox and
speak to some issue that you feel fairly motivated by, like - oh I don't
know... Nationalistic Pride - Patriotism - Love of God and Country, the
fervent desire to allow others, (who through no fault of their own, are in
such position that, the worst of what 'WE' have is not even attainable) to
make their dreams a reality - would you think me wise to call you...

Canada-centric???

but bumping
>into all the "me too's" I sure get the impression that it's about America.

It may well be... Which brings me to the question...

So what's your 'uniformed' point?

>
>We don't all live in America.

Seven of red
Six of white
Fifty on a field of blue... I'm sure we wouldn't turn you away...

>
>And this off-topic post just maybe one of the problems with the US. Just

>as the post gets posted to a bunch of newsgroups where it apparently has
>no real place, the US suffers when it thinks that it is the whole world.
>
> Michael VE2BVW
>
>

Oh... now I see... now it all makes sense... your "point" I mean.

Jon Pearl
W4ABC

"The people will not understand the importance of the Second Amendment
until it is too late." -- Thomas Jefferson

>On Tue, 16 Mar 1999, David Stinson wrote:
>
>>
>> http://www.law.harvard.edu/News/Charlton_Heston_speech.html
>>
>> Yes, I know I'm probably "spamming."
>> But I can't think of a better way to pass this to
>> all the people I've come to like and respect.
>>
>> And it's just a -little- message, anyways.
>>
>> Forgive.
>>
>>
>

4330. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Michael Young <nobody@all.org>
Message-ID: <7cpl6gnmi1@remarQ.com>
Source record: 113749
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

I thank you for your thoughtful reply. Further follow-ups can go to me
at myoung@interaccess.com.

David Stinson <arc5@ix.netcom.com> wrote in message
> > You only need to feel morally outraged, and to express it loudly
> > everywhere and to everyone. If they won't listen,
> >do everything you can to hinder them.
> Explicitly untrue statement.
> Heston: "But what can you do? How can anyone prevail against
> such pervasive social subjugation?...
> You simply ... disobey.
> Peaceably, yes. Respectfully, of course.
> Nonviolently, absolutely."
> Clearly, Mr. Heston has not advocated doing
> "everything you can to hinder them."

Heston, in his own words:
"When a mugger sues his elderly victim for defending herself... jam the
switchboard of the district attorney's office.

"When your university is pressured to lower standards until 80% of the
students graduate with honors . . . choke the halls of the board of
regents.

"When an 8-year-old boy pecks a girl's cheek on the playground and gets
hauled into court for sexual harassment . . . march on that school and
block its doorways. When someone you elected is seduced by political
power and betrays you . . . petition them, oust them, banish them. When
Time magazine's cover portrays millennium nuts as deranged, crazy
Christians holding a cross as it did last month . . . boycott their
magazine and the products it advertises."

These imply judgements in haste from factoids presented in mass media.
Certainly there are public acts that cannot be misinterpreted. It is
quite something else to call on you to act on the scant knowledge
filtered through the evening news.

By themselves, this quote and Heston's "moral compass" snippet are
relatively harmless. However, they say very different things. The first
calls on you to express your liberty; the second directs you to act
against the targets selected for you. Combined, they implore you to
accept the judgements presented by the press, and act harshly and
decisively. Perhaps to a cognizant majority, the unspoken step of
evaluating what you *don't* know versus what we are told is clear, if

implicit. However, I lack the faith that the majority habitually exercises independent thought or judgement. Your words, and the mere fact that you were moved to respond, say you share at least this much of my cynicism.

> I submit that this response is typical of conditioned responses
> brought about by the tyranny of thought that
> masquerades as "liberalism" today.
> Tyranny doesn't always wear a swastika.
> Sometimes it wears sheep's clothing and calls itself "liberal"
> while ruthlessly attacking those who's opinions differ.

You've obviously mistaken me for something I am not. This is easily forgiven, as you know me only from the few words I wrote. I find it ironic that your rush to judgement here is precisely the example I sought above.

> (Personal and unsupported attack against Mr. Heston deleted.)

Heston: "Underneath, the nation is roiling. Americans know something without a name is undermining the country, turning the mind mushy when it comes to separating truth from falsehood and right from wrong. And they don't like it."

Heston: "So that this nation may long endure, I urge you to follow in the hallowed footsteps of the great disobediences of history that freed exiles, founded religions, defeated tyrants, and yes, in the hands of an aroused rabble in arms and a f ew great men, by God's grace, built this country.

I stand with my likening of Mr. Heston to a "loose cannon". It was not a personal attack. A loose cannon on the rolling decks of a frigate at sea is a danger to everyone. A call to arms -- I interpret his speech as thus -- with no clear target, in the name of liberty and democracy, is likewise dangerous. To counterpose, I asked only that we take the time to evaluate before acting.

Maybe he is right, and I am wrong. Maybe action, any action, is better than the paralysis of uncertainty. In a colorful world often portrayed in black and white, there is a large area of un-black and un-white, and TRUTH lies there, not in these fringes. He urges you to pick a cause, any fair and just cause, and act. I urge you to consider the undue harm you may cause in your zeal, and temper this need to act.

Michael.

4331. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Charlie <no@spam.net>
Message-ID: <WpZH2.6128$fM1.10816495@brnws01.ne.mediaone.net>
Source record: 113750
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

>Heston, in his own words:
>"When a mugger sues his elderly victim for defending herself... jam the
>switchboard of the district attorney's office.

The left wing advocates what? Feeling the muggers pain?

>"When your university is pressured to lower standards until 80% of the
>students graduate with honors . . . choke the halls of the board of
>regents.

The left wing, which finds a comforting home - if not its very roots - in the hallowed halls of education, tells us that lowering standards rather than demanding excellence is justified. After all, it gives the student "high self-esteem". The fact that we routinely pass students along to the next grade, with serious gaps in their skill-set, doesn't indicate a problem in the school system. It simply means we have to spend more money on it.

>"When an 8-year-old boy pecks a girl's cheek on the playground and gets
>hauled into court for sexual harassment . . . march on that school and
>block its doorways.

Yes. No doubt he's just learning how to oppress women. After all, according to the radical left, that's every man's calling.

When someone you elected is seduced by political
>power and betrays you . . . petition them, oust them, banish them.

The left wing suggests you just re-elect them. After all, a Democrat - ANY Democrat is better than ANY Republican, regardless of their conduct.

>These imply judgements in haste from factoids presented in mass media.
>Certainly there are public acts that cannot be misinterpreted. It is
>quite something else to call on you to act on the scant knowledge
>filtered through the evening news.

The left wing, typical of liberals, doesn't have the faith in your ability to understand the politics of the day. Rather than believe that you would actually have some idea of what you are protesting, before you risk your reputation or even arrest, they will believe that you must be a robot, marching on orders from the secret headquarers of the Vast Right Wing Conspiracy.

Of course, this is in keeping with the Big Daddy Government philosophy that the left wing promotes. WE need to take care of YOU, because you're not smart enough to do it yourself. More government regulation will do the

trick.

>By themselves, this quote and Heston's "moral compass" snippet are
>relatively harmless. However, they say very different things. The first
>calls on you to express your liberty; the second directs you to act

>against the targets selected for you.

A paranoid interpretation at best. A deliberate misrepresentation at worst. He simply suggests that you no longer passively tolerate the outrages that the left wing has heaped upon our society over the last few decades. Political Correctness is just the latest of many.

Recall if you will, the period of our American Revolution. A battle incited by men of position and wealth - men who had EVERYTHING to lose. One of those men, Benjamin Franklin had a remarkably insightful quote on this topic. He said "He who gives up a little liberty in order to gain a little safety, deserves neither". We're well advised to stomp out this disease of "political correctness", that threatens to stifle the free exchange of ideas - and to do it while we still can, hopefully (with apologies to George Orwell) sometime before 1984.

And yes, it's off topic, particularly to those outside the USA. My apologies.

Charlie, KS1C

Two layers of asbestos underwear on.

4332. Re: ICOM R75 receiver ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Bryant <bryantm1@us.ibm.com>
Message-ID: <7cpns8$5vu$1@rtpnews.raleigh.ibm.com>
Source record: 113751

I saw ads for it in the March issue of ShortWave Magazine (a very good British publication). Not much info but a good pic and basic specs in the advert.

Looks like it will be a couple of months before it hits.

Bryant

Bury/Saliceti wrote in message <36EFC700.1543484D@wanadoo.fr>...
>It seems Icom is going to sell a new HF receiver with DSP an
>synchron-AM...
>
>Any information or Web-site to visit ???
>

4333. Help! Wondering Frequency.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Asylum <asylum@wcc.net>
Message-ID: <36f06707.0@news.wcc.net>
Source record: 113752

My Kenwood TS440 AT has a wondering freq. Not just one, but all of them.
Does anyone have any clues?
bob

email directly asylum@wcc.net

4334. Re: ICOM R75 receiver ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: mariner <Mariner@TheHelm.nospam.com>
Message-ID: <36F06655.83700B06@mediaone.net>
Source record: 113753

Grove has a picture and a brief description of it, but states it's still pending FCC approval, so the price is $0.00.

http://www.grove.net/grove/
Bryant wrote:

> I saw ads for it in the March issue of ShortWave Magazine (a very good
> British publication). Not much info but a good pic and basic specs in the
> advert.
>
> Looks like it will be a couple of months before it hits.
>
> Bryant
>
> Bury/Saliceti wrote in message <36EFC700.1543484D@wanadoo.fr>...
> >It seems Icom is going to sell a new HF receiver with DSP an
> >synchron-AM...
> >
> >Any information or Web-site to visit ???
> >

4335. HELP President HR 2510

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Gary Williams <williamsjg@erols.com>
Message-ID: <36F06BA1.245E04D6@erols.com>
Source record: 113754

Just picked this rig up for a great price (free). Powered it up and all
i have is noise, no receive, no frequency display and it seems that the
rig will not key? Any ideas?
Gary AA3NP

4336. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: "Russell C. Nixon" <rc9nixon@mindspring.com>
Message-ID: <36F069E9.A68354AE@mindspring.com>
Source record: 113755
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Neil,

Nicely done reply. It isn't often we see dissent done in such a
well-mannered and intellectually sound fashion. My compliments.

Russ Nixon - KF4WXD

Neil Jendon wrote:
>
> Probably the most surprising aspect of Heston's
> speech, personally, is that isn't quite the mad
> ramble I was expecting. I might not necessarily
> agree with him, but he's not out of line. He makes
> good points, although I can't reconcile the NRA
> with anything I personally believe in.
>
> I have to agree with Charlie. The Left has really
> dropped the ball. It's tragic. However, we've been
> rather quick to forget the travesties committed by
> the two previous, republican presidents. A similar
> litany to Charlie's of Bush's and Reagan's careers
> would be quite impressive.
>
> To all readers outside the USA, I hope you at least
> find all of this amusing. If not, I apologize. As
> for me, I'm fascinated by politics, and I'd love to
> read similar rants regading politics in other nations.
>
> Speaking of other countries, is Canada hiring?
>
> Sincerely,
>
> Neil

4337. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <7cppcpjdl1@news-1.news.gte.net>
Source record: 113756
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Neil Jendon wrote in message <36F03A9A.8E73E773@rouppgroup.com>...
>Probably the most surprising aspect of Heston's
>speech, personally, is that isn't quite the mad
>ramble I was expecting. I might not necessarily
>agree with him, but he's not out of line. He makes
>good points, although I can't reconcile the NRA
>with anything I personally believe in.

What a SHAME that critics of the NRA so EAGERLY assume that all it's about is nasty GUNS! Fact IS, the NRA is about individual freedoms and the rights of ALL, combined with access to the tools, to most properly maintain it - as outlined and established in our country's Bill of Rights - the rights of INDIVIDUALS! The NRA, and its members basically feel that without the "enforcement" capability provided by the second amendment, all the rest are uninforceable when push comes to shove... Sort of what would happen in civil law enforcement if we only had police, but no judges or prisons to actually ENFORCE controls upon those who disregard our laws.

>
>I have to agree with Charlie. The Left has really
>dropped the ball. It's tragic. However, we've been
>rather quick to forget the travesties committed by
>the two previous, republican presidents. A similar
>litany to Charlie's of Bush's and Reagan's careers
>would be quite impressive.

Not sure WHERE this non-sequiter came from - Heston's comments were aimed at opposing philosphies of our society, not individual Presidents - did you perhaps feel a twinge of discomfort due to your political affiliation?

>Speaking of other countries, is Canada hiring?
>

UMMmm - well, I would suppose that if you are deeply inclined to seek out and become a part of a country/society more involved in the idealogy that all you have, are or ever hope to be, MUST be provided and controlled by a government "caretaker", Canada WOULD be a good place to start...

>Sincerely,
>
>Neil

Gary - KJ6Q

4338. VISIT KB9HGI'S Swap Board

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Steven Baker <pacman@bcl.net>
Message-ID: <36F0190E.DEDC962@bcl.net>
Source record: 113757

Visit KB9HGI'S Swap and message board. Post your radio items for free
check it click on link below.

KB9HGI'S Swap Board

4339. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: "Russell C. Nixon" <rc9nixon@mindspring.com>
Message-ID: <36F06B6F.16FBA95A@mindspring.com>
Source record: 113758
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Wammes,

I understand and respect your opinions, but Mr. Heston's speech had far
less to do with the NRA and far more to do with moral and intellectual
honesty. There are other rights that we enjoy and should jealously
protect. Our rights to think and speak as we please are among them.
Try not to let your opinions about something cloud your judgement and
ability to reason clearly about others.

Russ Nixon - KF4WXD

Wammes Witkop wrote:
>
> I *do* realize that in some countries other then my own, an interest in
> green - millitary - radios goes hand in hand with other hobbies I do not
> approve off. Frankly, I'm Dutch. We do not like guns in the hands of
> citizens. We have strict laws against it - and as a result, we have less
> violent crime then some countries where guns are easier to get..
> The NRA is *not* my cup of tea at all - if I'd be an American I'd oppose
> them. But as it is, this is not my patch. So please stop advocating the
> NRA, it's chairman or applauding to one who does. This is an
> international newsgroup after all. Please take this thread to a place
> where it's not a spam - 'cause that what it is here! The amount of
> definitly off-topic messages is getting rather large, would'nt you
> agree?
>
> Kind Regards, Wammes Witkop
>
> David Stinson wrote:
>
> > http://www.law.harvard.edu/News/Charlton_Heston_speech.html
> >
> > Yes, I know I'm probably "spamming."
> > But I can't think of a better way to pass this to
> > all the people I've come to like and respect.
> >
> > And it's just a -little- message, anyways.
> >
> > Forgive.

4340. Re: Yaesu Tech Support

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: David Wells <davew@cruzio.com>
Message-ID: <7cpo8o$2stt@enews1.newsguy.com>
Source record: 113759

Did you re-send it? Part of my job is e-mail tech support and when our server crashes there goes the e-mail. I usually resend a message if I don't get a reply after a couple days. I personally respond immediatley and if I don't have the answer I at least acknowledge that I received their message. It is not a perfect world and yes I use a spell checker at work :-)

--
Dave KD6TO
DeShawn Smith wrote in message
<01be70af$71ae7940$130415ac@deshawn.dentrix.com>...
>I emailed Yaesu tech support more than a week ago without a response. Is
>there anyone who has had success in contacting Yaesu via email that can
>give me a better email address than the one posted on their web site?
>
>I don't need any flaming condemnations about Yeasu tech support (or the
>lack thereof). I only have a question, not a problem, so it's not really
>pressing.
>
>Thanks,
>
>DeShawn
>kc7mvf
>

4341. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: W4ABC <w4abc@gte.net>
Message-ID: <7cptau$8gt$1@news-1.news.gte.net>
Source record: 113760
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Wammes Witkop wrote in message <36F05DE4.39009A48@cable.a2000.nl>...
>I *do* realize that in some countries other then my own, an interest in
>green - millitary - radios goes hand in hand with other hobbies I do not
>approve off.

Frankly, I'm Dutch. We do not like guns in the hands of
>citizens. We have strict laws against it - and as a result, we have less
>violent crime then some countries where guns are easier to get..

Jon Pearl Replies...

Handgun crime is on the decline here in the United States. We have vast numbers of guns.

Home invasions in the U.S. are on the decline. Burglars know that their fate is in the homeowner's hands.

Handgun crime is on the decline in the United Kingdom also. In fact their citizens no longer have the ability to maintain ownership of guns.

Home invasions in the U.K. are soaring! Burglars invade, day or night with impunity!

The weapons of choice in the U.K. have now become, fists, blunt objects, sharp objects, etc.

Violent crime in the U.K. is on the rise. Citizens no longer have the 'tools' to protect themselves.

Your country is beautiful and it's people are a testament to modern society and civility.

You might also be interested in noting that there is a government issued semi-automatic rifle in the homes of most Swiss citizens. Switzerland's crime rate is very low.

>The NRA is *not* my cup of tea at all - if I'd be an American I'd oppose
>them. But as it is, this is not my patch. So please stop advocating the
>NRA, it's chairman or applauding to one who does. This is an
>international newsgroup after all. Please take this thread to a place
>where it's not a spam - 'cause that what it is here! The amount of
>definitly off-topic messages is getting rather large, would'nt you
>agree?

And you my friend helped to enrich it's size!

Wouldn't you agree?

Here's a link, that need not be clicked on to understand why it exists.

'Jews for the Preservation of Firearms Ownership'
http://www.jpfo.org/

If you look at my first name, you will see that I am of Dutch ancestry, yet
I have no Nazi footprints on my soil.

Not to offend, but rather to enlighten Wammes.

73 Jon Pearl
W4ABC
I am a citizen, not a subject.

_____
"The people will not understand the importance of the Second Amendment
until it is too late." -- Thomas Jefferson

>
>Kind Regards, Wammes Witkop
>
>David Stinson wrote:
>
>> http://www.law.harvard.edu/News/Charlton_Heston_speech.html
>>
>> Yes, I know I'm probably "spamming."
>> But I can't think of a better way to pass this to
>> all the people I've come to like and respect.
>>
>> And it's just a -little- message, anyways.
>>
>> Forgive.
>
>
>

4342. Re: Value of Motorola Moxy ??? Go on 450 Ham band???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: W4ABC Jon Pearl <w4abc@gte.net>
Message-ID: <7cpuou$c7a$1@news-1.news.gte.net>
Source record: 113761
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

wa6gsd@ix.netcom.com wrote in message <36EF36B3.3436@ix.netcom.com>...
>I have two UHF Motorola Moxys...They are currently crystalled
>on 466 Mhz..
>
>Two questions....Will this tune to the 450 ham band, and if I
>decide to sell them, what is a fair price..
>
>Thanks
>
>Steve-WA6GSD

I just bought 4 UHF's at a 'fest for $40. One had no tone board - two had Motorolover tone boards, and one had an aftermarket tone board.

All will be used for linking purposes.

73 Jon Pearl
W4ABC

"The people will not understand the importance of the Second Amendment until it is too late." -- Thomas Jefferson

4343. Any and All info on Kenwood TS-520

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Nedwek <nedwek@teleport.com>
Message-ID: <jZ%H2.7981$A6.4472335@news1.teleport.com>
Source record: 113762

Hello,
It's been recommended that I look into this as my first HF radio. I'm interested in anything anyone knows about this radio. Is the receiver general coverage? How's the sensitivity? Is maintenance a big hassle? Any experiences, good or bad, are welcome and requested. Thank you.

Brandon Nedwek

4344. FS/T: Kenwood TH79A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Rick Riverman <rbriver@cybcon.com>
Message-ID: <7cq3tkanj1@remarQ.com>
Source record: 113763

I have the following dual band HT for sale or trade:

* Kenwood TH-79A Dual Band HT
* PB-32 6v 900mAh NiCd Battery
* New PB-34 9.6V 900mAh NiMh Battery (for 5W output)
* Cigarette Lighter Adapter Pack
* BT-9 Alkaline Cell Pack
* BC-17 Charger
* Manual
* Original Box

$275.00
Or trade for 2 meter multimode tranceiver.

Let me know if you are interested.

Thanks,
Rick Riverman
W7RBR

4345. Re: Kenwood 830 finals, Only GE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <36F0A0F6.53924597@wenet.net>
Source record: 113764

Hi,
No problem with any 6146B or even regular Non B. But you need to
readjust neutralization capacitor on 10 meter band. Follow the service
manual for this adjustment. Original tubes are Matsushita (Panasonic)
S2001.
Good luck.
de K6hm

Clark Savage Turner wrote:

> I have heard some common wisdom that says to use only
> GE 6146B tubes in the older Kenwood TS 830S. I have a
> fellow offering me some Amperex 6146B's. Is there a
> real concern, or am I being overly cautious?
>
> Clark
> WA3JPG

4346. Re: Yaesu Tech Support

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: "Mark S. Jennings" <markjenn@halcyon.com>
Message-ID: <7cq912$k74$1@brokaw.wa.com>
Source record: 113765

>I emailed Yaesu tech support more than a week ago without a response. Is
>there anyone who has had success in contacting Yaesu via email that can
>give me a better email address than the one posted on their web site?
>
>I don't need any flaming condemnations about Yeasu tech support (or the
>lack thereof). I only have a question, not a problem, so it's not really
>pressing.

I've had some dealings in tech support from the "other side" and firms do "triage" email and calls. If your question is something like "I was wondering what brand of solder you used in your radios" you may stay on the bottom of the pile for quite a while. (I'm not trying to trivialize your question - just an example.)

You might attach some urgency to your question even if you have to bend the truth. And keep sending it, it increases your odds and stuff gets lost. I think alot of people get so bent out of shape that they aren't getting answered that they stop trying. These big companies are just clumsy, its nothing personal.

I agree that every firm should answer every piece of mail, even if it is to say "we received it".

- Mark

4347. Heath SB220 at 110v ok?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Steve <sbynum@earthlink.net>
Message-ID: <7cq0es$87o$1@ash.prod.itd.earthlink.net>
Source record: 113766

Any input would be great

--

Steve

4348. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: David Ragsdale <dragsdal@calpoly.edu>
Message-ID: <36EFD63F.EB6B7D35@calpoly.edu>
Source record: 113767
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Timmins wrote:

> God Bless the America that once was.....maybe we can get it back.
>
I'm afraid we won't GET it back unless we TAKE it back. We have to do this every day, in conversations with friends and acquaintances, but most importantly, by getting out and working on the campaigns of individuals who will stand for returning what is rightfully ours - our freedoms.

Dave

--
David Ragsdale
San Luis Obispo, CA 93407

4349. Re: Kenwood 830 finals, Only GE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: David Wells <davew@cruzio.com>
Message-ID: <7cpnve$2spd@enews1.newsguy.com>
Source record: 113768

Clark,
I don't think so. Matched pairs are best. You will want to check and adjust the bias and nuetralization. I rewired mine to use RCA 6883B's and never had any problems.

--
Dave KD6TO

Clark Savage Turner wrote in message
<9903170937.aa06129@paris.ics.uci.edu>...
>I have heard some common wisdom that says to use only
>GE 6146B tubes in the older Kenwood TS 830S. I have a
>fellow offering me some Amperex 6146B's. Is there a
>real concern, or am I being overly cautious?
>
>Clark
>WA3JPG

4350. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: "Joe D. Bucher" <JoeB@viaduct.custom.net>
Message-ID: <36F084A2.21AA@viaduct.custom.net>
Source record: 113769
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Wammes Witkop wrote:
>
> I *do* realize that in some countries other then my own, an interest in
> green - millitary - radios goes hand in hand with other hobbies I do not
> approve off. Frankly, I'm Dutch. We do not like guns in the hands of
> citizens. We have strict laws against it - and as a result, we have less
> violent crime then some countries where guns are easier to get..
> The NRA is *not* my cup of tea at all - if I'd be an American I'd oppose
> them. But as it is, this is not my patch. So please stop advocating the
> NRA, it's chairman or applauding to one who does. This is an
> international newsgroup after all. Please take this thread to a place
> where it's not a spam - 'cause that what it is here! The amount of
> definitly off-topic messages is getting rather large, would'nt you
> agree?
>
> Kind Regards, Wammes Witkop
>
> David Stinson wrote:
>
> > http://www.law.harvard.edu/News/Charlton_Heston_speech.html
> >
> > Yes, I know I'm probably "spamming."
> > But I can't think of a better way to pass this to
> > all the people I've come to like and respect.
> >
> > And it's just a -little- message, anyways.
> >
> > Forgive.
Wammes, I admire your courage to wade into this off topic discussion and
appreciate a view from across the pond. Your comments are well taken and
I don't mean any disrespect at all. However, I, as an armed US citizen,
can tell my government to go to hell if they insist on making me do
something that is unconstitutional. You can't do that in your country!

4351. FS: Yaesu FL7000 Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-1703991346260001@pom1.mbl.edu>
Source record: 113770
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

This is a 9.5 out of ten cosmetics, 10/10 electrically. It comes with the cable for newer Yaesu's and FAS1-4-R Remote coax switch, which is NIB. 1400.00 plus any shipping.

4352. FS: Yaesu FT920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-1703991348240001@pom1.mbl.edu>
Source record: 113771
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

This radio is mint, comes with FM unit, AM Filter and TXCO-7 high stability osc.Original boxes/manual. $1300.00 shipped

4353. FS: Mirage MP2's and 3 wattmeters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-1703991354220001@pom1.mbl.edu>
Source record: 113772
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have 2 MP2 for 100.00 ea. 1 MP3 also for 100.00, these are mint.

4354. FS: Yaesu MD100a8X Desk Mic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-1703991356450001@pom1.mbl.edu>
Source record: 113773
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Mic is mint, 90.00

4355. FS: Kenwood SW200 Meter w/2 couplers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-1703991355420001@pom1.mbl.edu>
Source record: 113774
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

```
This meter is in exc. cond $110.00
```

4356. FS: Bird 43P's and elements

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-1703991352380001@pom1.mbl.edu>
Source record: 113775
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have 2 43p's, one has been used about 3 weeks and is mint. the other is still in the unopened box. $300. and 325. respectively shipped. I also have the EC-1 element case in unopened box 25.00 shipped. I have the following elements all new:

50H,100H and 1000H 60.00 ea.
250A,250C and 250D 50.00 ea

4357. Re: FA: 10Amp. Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Charley Harp <charley_harp@my-dejanews.com>
Message-ID: <7cmrr0$6ca$1@nnrp1.dejanews.com>
Source record: 113864
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

In article <36f98910.441733@207.217.77.140>,
richcom@earthlink.net (richcom) wrote:

> Go to:
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78312673

Rich, you are obviously aware that rec.radio.swap exists for the purpose of selling radio equipment. You should also be aware that cross-posting to the other four groups is not appropriate.

For those not familiar with eBay, it encourages the leaving of feedback. Six people with whom Rich has participated in auctions have left negative feedback, cut and paste below. Rich bent the rules to argue his side a couple of times by improperly giving himself positive feedback. These are included.

Rich, anyone can have one or two disagreements customers, but your record demonstrates that you have a problem.

Cut and paste from eBay:

User: 1rich (richcom@earthlink.com) (34) Date: 12/20/98
14:50:51 PST
Praise: risd below,made complaint,but blue52 won bid
#42357582 He uses two Id's. Why???
User: risd (risd@flash.net) (11) Date: 12/20/98
13:07:40 PST
Complaint: I paid Rich $325 for a DOA radio and he
leaves negative feedback on me. ??
User: 1rich (richcom@earthlink.com) (34) Date: 12/20/98
07:17:39 PST
Praise: risd claimed radio didn't work and tried to fix
it, No warranty when played with
User: risd (risd@flash.net) (11) Date: 12/19/98
14:51:05 PST
Complaint: Bought 2 radios from Rich. One OK. Other DOA
Rich accused me damaging radio.
User: 1rich (richcom@earthlink.com) (34) Date: 12/10/98
08:55:50 PST
Praise: It gets frustrating when some people with
0feedback win bid,don't buy and lie.
User: 1rich (richcom@earthlink.com) (34) Date: 12/09/98
16:57:03 PST
Praise: Radio4U won#39315430 and never bought, my

discription on it was 100 percent
User: radio4u (firenote@aol.com) (2) Date: 12/08/98
23:06:28 PST
Complaint: Told him not happy with description of item,
left bad feedback on me, bad apple
User: 1rich (richcom@earthlink.com) (34) Date: 12/05/98
15:32:02 PST
Praise: Won bid41447444 awhile ago,never bought now
falsifies stories TROUBLEMAKER!!
change.User: scottbj (sskdr@softcom.net) (4) Date:
12/05/98 14:57:15 PST
Complaint: This person will use Aliases to reduce your
rating, Ebay is investigating him.
User: 1rich (richcom@earthlink.com) (34) Date: 12/04/98
14:57:52 PST
Praise: Scottbj won bid 41447444 and same day said he
found a better deal. Bad Apple!!
User: scottbj (sskdr@softcom.net) (4) Date: 12/04/98
12:59:45 PST
Complaint: He Mis-Represented the product. Make sure you
do your homework before dealing.
User: 1rich (richcom@earthlink.com) (34) Date: 11/22/98
06:05:07 PST
Praise: Waited 6weeks for paid item from uyc@juno.com
and then she says I'm impatient.
User: uyc@juno.com (725) Date: 11/21/98 17:03:52 PST
Complaint: VERY IMPATIENT. Told him I sent, doesn't
believe me. He wants his items NOW.
User: phillij1 (phillij1@bellsouth.net) (0) Date:
10/19/98 19:52:44 PDT
Complaint: Once you make a deal, you stick with it, you
don't sell for more
User: phillij1 (phillij1@bellsouth.net) (0) Date:
10/19/98 18:47:37 PDT
Complaint: Once you agree to buy something from him, he
sells to others. Unprofessional!
User: 1rich (richcom@earthlink.com) (34) Date: 10/19/98
14:33:33 PDT
Praise: This user phillij1 left a complaint on me, He
didn't meet my reserve,sore head.
User: phillij1 (phillij1@bellsouth.net) (0) Date:
10/19/98 14:02:03 PDT
Complaint: (Item #35221037)
User: cw-man (tje@usol.com) (293) Date: 06/24/98
03:25:13 PDT
Complaint: Made winning bid, auction ended, emailed me &
said his brother bid on wrong item

As Ebay says, "caveat emptor."

Charley charley_harp@my-dejanews.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4358. Tubes for Sale or Trade

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: mikrounit@hughes.net
Message-ID: <7cnk1t$q7j$1@nnrp1.dejanews.com>
Source record: 113865

Hello All,

I have the following tubes for sale:

OA2------- 3 of them
IT4------- 1
IU5------- 1
IR5------- 1
3GK5------ 1
3V4------- 1
5654------ 1
6AH6------ 1
6AQ5------ 3
6AU8------ 1
6BH6------ 5
6CL6------ 1
6EA8------ 5
6T8A------ 1
12BE6----- 3
12BY7----- 1
12AU7----- 5
12AT7----- 7
12AX7----- 2
UNKNOWNS-- 2

Total of tubes=46
Last time they were checked by a tube
tester, they were good.
Sell as PACKAGE ONLY, for $50 + $10 UPS
CONUS Shipping.
Thanks & 73,

Mike Green KQ6MU
mikrounit@hughes.net
http://kq6mu.8m.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4359. FT-3000 mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: barryo@fastlink.com.au
Message-ID: <7coksg$l7a$1@nnrp1.dejanews.com>
Source record: 113866

Does anybody know if it is possible to extend the tx range and or
remove cell blocking from the Yaesu FT3000? It would be especially
nice if it could be done via the ADMS 2c software.

Barry
==========
Please send me an email copy if you reply to this post
as my news server is missing a lot of articles.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4360. FT-3000 mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: barryo@fastlink.com.au
Message-ID: <7colt6$m02$1@nnrp1.dejanews.com>
Source record: 113867

Does anybody know if it is possible to extend the tx range and or
remove cell blocking from the Yaesu FT3000? It would be especially
nice if it could be done via the ADMS 2c software.

Barry
==========
Please send me an email copy if you reply to this post
as my news server is missing a lot of articles.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4361. Flash your FT-3000!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: barryo@fastlink.com.au
Message-ID: <7com1k$m9l$1@nnrp1.dejanews.com>
Source record: 113868

The Yaesu FT3000 transceiver allows upper case alpha lables to be
programmed. The ADMS-2c software does allow lower case to be typed
into the lable field with the result of flashing characters on
the FT3000 display. Lower case e through to lower case n gives
flashing 0 through to 9 while lower case o though to lower case
z gives flashing upper case A throught to upper case L.

Barry
==========
Please send me an email copy if you reply to this post
as my news server is missing a lot of articles.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4362. FT-50 mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: barryo@fastlink.com.au
Message-ID: <7comdfmes1@nnrp1.dejanews.com>
Source record: 113869

marc_k@walrus.com (marc_k) wrote:

:Actually, the '50 gets CMT images 90.2 Mhz above the real freq.
:The RX quality of the images is nearly as good as the results acheived
:with a mod'ed unit.
:BTW, as the 440 ham band covers 420-450, and a stock '50 only covers part
:of that range, there is a perfectly legitimate reason to OOB TX the unit.
:Also, the BAND-FREE mod allows RX on 2 TV channels that it will not
:otherwise operate on, which can be useful,
:and of course totally LEGAL.
:So the poster who ASSUMED illegal intent to mods should not make
:assumptions regarding the above.

I suppose most of you are aware that it is possible to switch the FT-50
into freeband mode by hex editing one byte of the .rdf file. What I
would like to know is if there is a similar zap for the FT-3000.

Barry
==========
Please send me an email copy if you reply to this post
as my news server is missing a lot of articles.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4363. Re: What do you think of the FT-2500M?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: msb <msbSPAMMAPS@newpony.com>
Message-ID: <7cotb1$lkq@dfw-ixnews5.ix.netcom.com>
Source record: 113870

Well, this is my opinion...

I looked at one off and on for a few months and liked it
more each time.
I was going to use it for portable packet and a standby 2m
rig. I liked its simplicity, the feel of knobs, and milspec shock
rating. Although I expected the little door on the front to
be the first casuality.

I went to buy one but they are no longer made in
Japan. Otherwise, I would have one. I've been a Yaesu fan
for a long time but I don't care for most of their new stuff --
way too complex, read bells/whistles/software, and I question their
quality/reliability.

As far as MARS -- It wasn't my direction but I think you're on
the right track by using the web/newsgrps.

Good luck,
msb

richard@nospam.com wrote in message <36efe91b.1738813@172.16.1.166>...
>What do you think of the FT-2500M?
>
>I am about to buy one and mod it for MARS. I read that it is very
>easy, although I do not know any one who has done it lately.
>
>Any info is apprecited.
>
>Richard

4364. Re: Kenwood D7A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Edward S Raybould <n8oif@my-dejanews.com>
Message-ID: <7cp2nn$13s$1@nnrp1.dejanews.com>
Source record: 113871

In article <7cf3okilq1@nnrp1.dejanews.com>,
hyilma@hotmail.com wrote:
> I have the Kenwood D7A. The Ht is neet but I am having problems with it! I
> cant get packet to work, I think I connected the cable the right way. Is
> there anyone who uses this radio give me a hand. Also can you do packet with
> this radio without the computer?
>
> Please reply to sandersen99@yahoo.com
>
> thanks and 73 Scott/K3SRA
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>
I can't specifically help you with connecting the D7A to a computer, but there
is an entire Special Interest Group on the Tucson Amateur Packet Radio (TAPR)
group's home page (http://www.tapr.org). You will want to visit the SIG at
http://www.tapr.org/cgi-bin/lyris.pl?site=tapr&enter=htaprs . Post your
question there, and you should find someone to help you.

I've enjoyed my D7A during the three weeks that I've owned it, but I have yet
to connect it to a computer, and I have yet to use the 9600 bps packet
features.

73's, Ned Raybould, N8OIF

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4365. Reviews of HTs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Oscar Benitez <oscarrben@worldnet.att.net>
Message-ID: <36EFFDC8.8E65FB4D@worldnet.att.net>
Source record: 113872

Is there a website for review of HTs similar to Rich Wells'
StrongSignals page.
I am a newbie Tech (no call sign yet) and need opinions of you
experienced hams re:
ADI-600HP
ICOM W32A (favored by many in this NG)
ICOM T8A-HP (Is it really a tribander?)
KENWOOD models ??

ICOM R2A scanner to complement the above radios as I like listening to
military air.

73 all of you. All opinions welcomed.
Oscar

4366. Where can I find pics of HF rigs online?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: MOstrowski <M_OstrowskiXXX@yahoo.com>
Message-ID: <7cov15rjq1@ink.msen.com>
Source record: 113873

I'm looking for any site where I can view pictures of HF rigs,
especially those that have been built since the late 70's.
I'd appreciate pointers to any web address where you've
seen quite a few, even sites which specialize in a particular
brand.

Thanks,
Michael Ostrowski - KC8GBM
Saline, MI

M_OstrowskiXXX@yahoo.com
(remove XXX when replying directly)

4367. IC706MkII Cooling fan adjust

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: dmodel@channel1.com
Message-ID: <36f01c5f.1550103@news.channel1.com>
Source record: 113874

The cooling fan on my 706MkII comes on every 3-4 minutes for ablut 20 seconds during receive. Does anyone know if there is an adjustment so the fan won't come on in receive mode or at least less often?

Thanx in Advance!!
Dan

4368. HeathKit SB-600 Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-17 00:00:00 UTC
From: Darrel Scott <dgsc@hotmail.com>
Message-ID: <7cp0vm$gf4$1@news.powerisp.com>
Source record: 113875
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.swap

If you would like a clean one click:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78083881

4369. FS:/Trade Kenwood TH-79A DualBand HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Rick Riverman <rbriver@cybcon.com>
Message-ID: <921809087.536.13@news.remarQ.com>
Source record: 113576

* Kenwood TH-79A Dual Band HT
* PB-32 6v 600mAh NiCd Battery
* PB-34 9.6V 900mAh NiMh Battery (for 5W output)
* Cigarette Lighter Adapter Pack
* BT-9 Alkaline Cell Pack
* BC-17 Charger
* Soft Case
* Nylon Cord Wrist Strap
* Manual
* Original Box

$275.00 or
Trade for 2 meter Multimode

Rick Riverman
W7RBR
503-629-5135

4370. Re: Any and All info on Kenwood TS-520

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: reedj@earth.execpc.com
Message-ID: <7csd4m$790@newsops.execpc.com>
Source record: 113577

Nedwek (nedwek@teleport.com) wrote:
: Hello,
: It's been recommended that I look into this as my first HF radio. I'm
: interested in anything anyone knows about this radio. Is the receiver
: general coverage? How's the sensitivity? Is maintenance a big hassle? Any
: experiences, good or bad, are welcome and requested. Thank you.

Speaking from experience, yes the TS-520S is an excellent radio. I owned one for many years and am still kicking myself for selling it 11 years ago.

It has a solid state receiver, with good sensitivity. With the optional CW filter it rocks. There is no general coverage, nor does it cover the WARC bands. But for a 160-10 SSB/CW radio it is hard to beat.

It does have some additinal redeeming features that make it attractive, such as the 50 and 144 MHz converters for it. I owned the 2 meter converter when I still had mine and it was great.

I have read some of the follow up posts, one person wrote that it wasn't a great radio from a maintenace standpoint. I disagree, for one thing it uses simple component technology. No microprocessors or special LSI chips that can't be had any more. Remember, large commercial concerns like Amateur Electronic Supply no longer accept the TS-440 in trade because they can't service the specialized components any longer. With the service manual you should be able to keep the 520 running well into the next century.

They are good radios and play well. 20 years ago I used to run with one mobile in a Ford Fiesta as well as from the home shack. The passengers had to ride in the back seat of the Fiesta as the 520 ate all the room but it played great. Lots of DX.

Regards,
Joe N9JR

4371. **FT 920 Vs. Icom 746**

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: David Kritzberg <dkritz@mindspring.com>
Message-ID: <36F17362.2FA8@mindspring.com>
Source record: 113578

Any & all comments regarding these two rigs are greatfully appreciated.

4372. Callsigns (Re: Wish I Could Broadcast This)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Curtis CCR <curtisccr@netscape.net>
Message-ID: <36F1B89F.DA048FEC@netscape.net>
Source record: 113579
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Charlie wrote:
>
> Wammes Witkop wrote in message <36F06959.889D777B@cable.a2000.nl>...
> >As "Charlie" seems to operate under a cloak of invisibility, I'll post this
> >answer which was ment to be private in the newsgroup. And, could we stop
> this?
> >Now? Please?
> <snip>
> >Wammes Witkop - under his own name and address, unlike yourself...

> I thought my CALLSIGN was identification enough. For crying out loud, you
> can look up my name, street address, e-mail address and birthdate from that
> one piece of information alone.

> Charlie, KS1C - that's the CALLSIGN, which completely identifies me. KS1C.

I realize that many hams are proud of their call signs. I like mine. I
even have on my car's license plates...

But why are we so hung up on "callsigns"? An amateur call sign
identifies the station, not the operator. I have always found this to
be a wierd thing about hams - I was involved in land mobile, marine, and
flying airplanes before I got into amateur radio. Never met anyone in
those services that introduced themself by their licensed call sign. I
identify myself on and off the air with my name. I identify my station
with it's call sign.

And you can't get my street address with my call sign. I don't even
live in the city on my license, let alone at the address. You might be
able to find my birthdate in some old database, but is there a current
database that has those?

But Charlie is right, a ham should be able to get a pretty good idea of
who and where he is by "looking up" the given call sign. But his post
was not over ham radio, it was over a newsgroup. And it wasn't related
to ham radio. To those non-hma that may be here, he is just a guy that
calls himself Charlie.

What if I signed this note with...

73,
Lisa
KD6ELA

What if you heard a female voice on the radio signing clear with KD6ELA?

4373. FS Kenwood TS940SAT $825

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Larry W9MDX <net1@netohio.com>
Message-ID: <efjI2.154$sA2.340935@news2.randori.com>
Source record: 113580
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have a Kenwood TS940SAT for sale. It has a serial number in the 7 mil range. The radio looks great and works great. I have pictures if you are interested. It is priced at $825 and I can accept VISA or MC as payment.

Larry W9MDX
419 433-2930

4374. Re: Callsigns (Re: Wish I Could Broadcast This)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: David <kb9lpk-3@foxvalley.net>
Message-ID: <36F1BF09.8C992630@foxvalley.net>
Source record: 113581
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Curtis CCR wrote:
>
> Charlie wrote:
> >
> > Wammes Witkop wrote in message <36F06959.889D777B@cable.a2000.nl>...
> > >As "Charlie" seems to operate under a cloak of invisibility, I'll post this
> > >answer which was ment to be private in the newsgroup. And, could we stop
> > this?
> > >Now? Please?
> > <snip>
> > >Wammes Witkop - under his own name and address, unlike yourself...
>
> > I thought my CALLSIGN was identification enough. For crying out loud, you
> > can look up my name, street address, e-mail address and birthdate from that
> > one piece of information alone.
>
> > Charlie, KS1C - that's the CALLSIGN, which completely identifies me. KS1C.
>
> I realize that many hams are proud of their call signs. I like mine. I
> even have on my car's license plates...
>
> But why are we so hung up on "callsigns"? An amateur call sign
> identifies the station, not the operator. I have always found this to
> be a wierd thing about hams - I was involved in land mobile, marine, and
> flying airplanes before I got into amateur radio. Never met anyone in
> those services that introduced themself by their licensed call sign. I
> identify myself on and off the air with my name. I identify my station
> with it's call sign.
>
> And you can't get my street address with my call sign. I don't even
> live in the city on my license, let alone at the address. You might be
> able to find my birthdate in some old database, but is there a current
> database that has those?
>
> But Charlie is right, a ham should be able to get a pretty good idea of
> who and where he is by "looking up" the given call sign. But his post
> was not over ham radio, it was over a newsgroup. And it wasn't related
> to ham radio. To those non-hma that may be here, he is just a guy that
> calls himself Charlie.
>
> What if I signed this note with...
>

> 73,
> Lisa
> KD6ELA
>
> What if you heard a female voice on the radio signing clear with KD6ELA?

Just curious Lisa, is your control station licenced at that address?
Just checking hi hi.
--
The Box said" Win95,Win98,NT 4.0 or better"
So I installed Linux ! #;)
73 de David kb9lpk <><

e-mail:kb9lpk-3@foxvalley.net
homepage:http://users.foxvalley.net/~kb9lpk-3

4375. Re: eBay-- gotta wonder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Seth Miller <seth.miller@NOSPAMworldnet.att.net>
Message-ID: <36F1C0AD.F7DBBB1A@NOSPAMworldnet.att.net>
Source record: 113582

The only thing I 'gotta wonder' is exactly how many times can a
non-issue like this can be beat to death...

RJR EMS wrote:
>
> Just a thoght is eBay is so damn hot, how come the fools using
> it are always posting here that they have radios FA. Why not just sell it
> here.
>
> rjr

4376. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: lstolz@gcfn.org
Message-ID: <7csfrn$9j8@login.freenet.columbus.oh.us>
Source record: 113583
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

WORD TO THE WISE:

DO NOT SHIP COD TO ANYBODY *PERIOD* It isn't worth it. I find that the best way to protect both parties is to pre-pay via USPS Money Order and ship the item insured.
--
-
Lynn Stolz N8AJ -- lstolz@gcfn.org
-

4377. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: "Mark S. Jennings" <markjenn@halcyon.com>
Message-ID: <7csh9v$8sh$1@brokaw.wa.com>
Source record: 113584
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

>DO NOT SHIP COD TO ANYBODY *PERIOD* It isn't worth it. I find that the
>best way to protect both parties is to pre-pay via USPS Money Order and
>ship the item insured.

Great for seller, but shifts ALL the risk to the buyer so hardly a solution
to the problem.

- Mark

4378. Re: Callsigns (Re: Wish I Could Broadcast This)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: JM <jmul@iland.net>
Message-ID: <36F1D14E.95F6B0BF@iland.net>
Source record: 113585
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment

Wow, words of wisdom from a no coder.
What does land mobile, marine, and airplanes have to do with amateur radio? Can the FCC contact you at the address they have on file for you? Take a peek at part 97 O Wise One and see what the FCC has to say about that. Do you ever get any Qsl cards? Probably not, seeing as how it's rare to get a card for a repeater contact, especially if the address listed on the database isn't correct. Also, there is a local repeater with a voice ID'er with a woman's voice saying the callsign, but I have never heard a woman with the name of Jeff , which is the name of the control operator. Who really gives a rat's ass anyway, I sure as hell don't. You mentioned marine, I assume you mean boating, sailing,etc? I would sure feel stupid calling left and right port and starboard in daily life, but it is perfectly acceptable in the marine world. So what's the big deal calling yourself by your callsign, it's expected in the amateur radio community.
Signed, N0EE (look it up," Lisa,"(is that your name, or your "handle") if you need more info).

4379. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: "Ralph E. Smith" <wa4puf@mindspring.com>
Message-ID: <36F1D7CB.52EB6D79@mindspring.com>
Source record: 113586
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

Actually when both parties are considered, COD is probably the best way to ship. As the shipper, I hesitate to ask someone to send me several hundred dollars up front. How can they know that I will ship anything. As the shipper the worst I can do is pay cod fees and don't we all take some risk when we deal via the internet? I wouldn't consider any other method as shipper or receiver.

Ralph --- wa4puf

Lynn D Stolz wrote:
>
> WORD TO THE WISE:
>
> DO NOT SHIP COD TO ANYBODY *PERIOD* It isn't worth it. I find that the
> best way to protect both parties is to pre-pay via USPS Money Order and
> ship the item insured.
> --
> -
> Lynn Stolz N8AJ -- lstolz@gcfn.org
> -

4380. Re: Callsigns (Re: Wish I Could Broadcast This)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Brad Kellison <KA8TOK@four-way.net>
Message-ID: <36F1D846.A3101E@four-way.net>
Source record: 113587
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

From what I gathered is the station must be licensed to transmitt in the amateur radio Band and the individual that is running the station transmitting in the amateur radio band must also have a license..That sounds clear to me. BUT, when you ID you station with your station CALL SIGN. aren't you telling people who you are and if you have the privledges to transmitt on that portion of the band? also when someone calls you back using your call doesn't it identify you.. Ex: KD6ELA This is KA8TOK this in turn want you to respond hence you are being Identified by call not name.. Let's face it a Radio is not going to ID itself without some form of voice or code ID set up by a human being and it's true most stations are IDed with a call sign and that call does ID the individual that Has the right to those Frequencies that are assigned to them by there License Class for that call. If it were not so then how do you explain Amateur radio Call books or CD-ROMs?

Curtis CCR wrote:

> Charlie wrote:
> >
> > Wammes Witkop wrote in message <36F06959.889D777B@cable.a2000.nl>...
> > >As "Charlie" seems to operate under a cloak of invisibility, I'll post this
> > >answer which was ment to be private in the newsgroup. And, could we stop
> > this?
> > >Now? Please?
> > <snip>
> > >Wammes Witkop - under his own name and address, unlike yourself...
>
> > I thought my CALLSIGN was identification enough. For crying out loud, you
> > can look up my name, street address, e-mail address and birthdate from that
> > one piece of information alone.
>
> > Charlie, KS1C - that's the CALLSIGN, which completely identifies me. KS1C.
>
> I realize that many hams are proud of their call signs. I like mine. I
> even have on my car's license plates...
>
> But why are we so hung up on "callsigns"? An amateur call sign
> identifies the station, not the operator. I have always found this to
> be a wierd thing about hams - I was involved in land mobile, marine, and
> flying airplanes before I got into amateur radio. Never met anyone in
> those services that introduced themself by their licensed call sign. I
> identify myself on and off the air with my name. I identify my station
> with it's call sign.
>
> And you can't get my street address with my call sign. I don't even

> live in the city on my license, let alone at the address. You might be
> able to find my birthdate in some old database, but is there a current
> database that has those?
>
> But Charlie is right, a ham should be able to get a pretty good idea of
> who and where he is by "looking up" the given call sign. But his post
> was not over ham radio, it was over a newsgroup. And it wasn't related
> to ham radio. To those non-hma that may be here, he is just a guy that
> calls himself Charlie.
>
> What if I signed this note with...
>
> 73,
> Lisa
> KD6ELA
>
> What if you heard a female voice on the radio signing clear with KD6ELA?

4381. Boycot The Pentium III

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: oris <oris@dirtball.com>
Message-ID: <36F1D7E1.E2E@dirtball.com>
Source record: 113588

```
For more info check out
http://www.dirtball.com
Click on the bigbrother link
73 from Oris
```

4382. Re: Heath SB220 at 110v ok?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: oris <oris@dirtball.com>
Message-ID: <36F1D893.7482@dirtball.com>
Source record: 113589

Steve wrote:
>
> Any input would be great
>
> --
>
> Steve
Steve
I hate to pay your electric bill. 110 will work but it isn't very
efficant. Take the time to run 220 in the shack and run the amp off of
that. It will save you money. The amp will run better too.
73 from Oris
http://www.dirtball.com

4383. Re: eBay-- gotta wonder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Bob Headrick <bobh@proaxis.com>
Message-ID: <36F1DFF0.C078E200@proaxis.com>
Source record: 113590

The reason not to sell it here is that rec.radio.amateur.equipment is *not* a sale group, rec.radio.swap is.

Obligatory equipment discussion - does anyone know where I can get the little mounting board that makes a kenwood YK-88S filter the equivilent of a YK-88S-1? I want to take a filter out of my TS-440 and put it in a TS-450, and prefer not to get too kludgey...

- 73 Bob W7OV

> I agree with RJR. Why not sell it here? Most folks would propably sell
> their item faster here.
> I have bid on several items at ebay and I've never won an auction. The bids
> just keep getting higher and higher until the item is no longer a bargain.
> I don't even bother with Ebay anymore. Ebay is a waste of my valuable time.
>
> 73 Dan / N7WPD
>
> RJR EMS wrote in message <19990317071745.21243.00000013@ng07.aol.com>...
> >Just a thoght is eBay is so damn hot, how come the fools using
> >it are always posting here that they have radios FA. Why not just sell it
> >here.
> >
> >rjr
> >

4384. FS: GE MVS Mobiles (470-512 split)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36F1E4FC.3EA2@ix.netcom.com>
Source record: 113591
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale GE MVS radios, Model NPU-30.

Radios are 470-512 split, but I have programmed them down to
450 Mhz with full power and .5uv for 12 Db sensitivity. To
do this, all your channels must fall between 450-470 mhz.

Radios are 25 watt, 16 channels. They scan and do PL and DPL.

Radios are front mount style. Compact size and about 5# weight.

Radios come with a mic, bracket, and shell/pins to make your
power cable.

They are in excellent shape, both electrically and cosmetically.

Supplied programmed and tuned to your specified channels/PL's.

$95 each + Shipping.

Thanks

Steve-WA6GSD

4385. FS: Henry 130W VHF mobile power amps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36F1E615.152@ix.netcom.com>
Source record: 113592
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale...Henry model C130A30 mobile power amps.

Amps are FM only.

Units are 20-40 watts in.. A nominal 30W input drives amp
to it's maximum power of 130W output.

Amps are commercial model, with high harmonic reject filter
on output.

Units are tunable from 136 - 174 Mhz. Once tuned, bandwidth
for full output is 4 Mhz.

Supplied tuned and tested on you specified frequencies.

$85 each + shipping. Trades considered.

Thanks.

Steve- WA6GSD

4386. FS: Trilectric VHF power amps, 80W

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36F1E69E.5FBB@ix.netcom.com>
Source record: 113593
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale, Trilectric VHF power amps.. 20 W in gives 80 W out.

Units are mobile, for 13.8 VDC.

Units are FM only.

Amps are currently on 153 Mhz, and have no provisions for
simple retuning.

Drive well with 10W for 40W output.

$45 each + shipping.

Thanks

Steve

4387. FS: EF Johnson LTR radio mobile speakers.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36F1E768.A02@ix.netcom.com>
Source record: 113594
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale, EF Johnson LTR radio extension mobile speakers.

These are 5" speakers in box with mounting bracket and hardware.

Same speaker style as Motorola, Midland, etc.

Case is black in color.

Cord has standard mini phone plug.

Current dealer net on these is $45 each.

Units are new in shrink wrap and in original sealed boxes.

$20 each + shipping.

Thanks

Steve-WA6GSD

4388. Re: Where can I find pics of HF rigs online?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: neil <neil@aade.com>
Message-ID: <36F1F0DD.575B5119@aade.com>
Source record: 113595

also check out
http:www.aade.com/hampedia/hampedia.htm

--
Neil
http://www.aade.com
mailto:neil@aade.com
Almost All Digital Electronics
1412 Elm St. SE
Auburn, WA 98092
253-351-9316

4389. Re: Where can I find pics of HF rigs online?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: neil <neil@aade.com>
Message-ID: <36F1F286.EA1F892B@aade.com>
Source record: 113596

opps:
http://www.aade.com/hampedia/hampedia.htm

--
Neil
http://www.aade.com
mailto:neil@aade.com
Almost All Digital Electronics
1412 Elm St. SE
Auburn, WA 98092
253-351-9316

4390. Re: FT-101B Prices

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: neil <neil@aade.com>
Message-ID: <36F1F192.A565F6@aade.com>
Source record: 113597

check out
http://www.aade.com/hampedia/prices2.htm

--
Neil
http://www.aade.com
mailto:neil@aade.com
Almost All Digital Electronics
1412 Elm St. SE
Auburn, WA 98092
253-351-9316

4391. Standard Amateur Radio -DIRECT!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Luke Barnes <entel@netcom.co.uk>
Message-ID: <C%7I2.45718$YV6.28674@news2.giganews.com>
Source record: 113626

HOT NEWS!
Entel UK, the official UK distributor for Standard Communications, Japan are now offering equipment for direct sale....

C5900DA 3 Band mobile. 6m, 2m & 70cms. Upto 50 Watta RF output.
Wideband RX. Detachable front head. 1200/9600 packet interface
plus much much more...Just £299.00 inc. VAT. original RRP £799.00

C510E Dual band FM handheld transceiver. 1 WATT RF output.
Wideband receive & AM receive. CTCSS/1750Hz/DTMF/MEMORIES
Just £99.00 inc. VAT original RRP £299.00

CPB510 50 WATT booster for C510E. (50W VHF, 35W UHF) Inc. 2w audio amp &
duplexer. Just £139.00 original RRP £299.00

For detailed information & prices see our web site:-
www.standard-comms.co.uk/c5900da.htm or
www.standard-comms.co.uk/c510e.htm or
telephone direct.. +44 181 236 0032
fax direct.. + 44 181 236 0082

4392. Standard Amateur Radio -DIRECT! (text version)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Luke Barnes <entel@netcom.co.uk>
Message-ID: <_08I2.45719$YV6.28562@news2.giganews.com>
Source record: 113627

HOT NEWS!
Entel UK, the official UK distributor for Standard Communications, Japan are now offering equipment for direct sale....

C5900DA 3 Band mobile. 6m, 2m & 70cms. Upto 50 Watta RF output.
Wideband RX. Detachable front head. 1200/9600 packet
interface
plus much much more...Just £299.00 inc. VAT. original
RRP £799.00

C510E Dual band FM handheld transceiver. 1 WATT RF output.
Wideband receive & AM receive. CTCSS/1750Hz/DTMF/MEMORIES
Just £99.00 inc. VAT original RRP £299.00

CPB510 50 WATT booster for C510E. (50W VHF, 35W UHF) Inc. 2w audio amp & duplexer. Just £139.00 original RRP £299.00

For detailed information & prices see our web site:-
www.standard-comms.co.uk/c5900da.htm or
www.standard-comms.co.uk/c510e.htm or
telephone direct.. +44 181 236 0032
fax direct.. + 44 181 236 0082

4393. GE Mastr II Repeater doc/software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Me <me@indiana.edu>
Message-ID: <36F10E01.2F52F7C4@indiana.edu>
Source record: 113628

Our club had a GE Mastr II repeater donated to us. We would like to make it work for our club's 2M repeater. We took it to a communications company in our area and they retuned it for our frequency but they are having problems programming it. Our repeater has older firmware so their programming software won't work. We can't afford to purchase new firmware ($250-$300). Does anyone know of a place that might have the right software so they can program the controller? The COMB number on the side of the repeater is B3S110DASHA. I have the S/N if that would help also.

Also, we are looking for documentation on this repeater also. Any help would be greatly appreciated.

Thanks
Jay KA9OKT
K9IU Indiana University Student ARC

4394. FS: Drakes,Misc.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: JPD <jdanter@i-america.net>
Message-ID: <36F13CF6.4513@NOSPAMi-america.net>
Source record: 113629
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc
Body handling: HTML body converted to readable text

Prices include Shipping and Insurance to continental US only.

For Sale:

TR4 sn28xxx, orig. manual, light copper corrosion, needs audio section service, $150.00

RV4 sn17xxx, no manual, silver front panel trim, very clean chassis, $125.00

MN4 sn28xx, copy manual, clean, rear panel cap. swt. added (?), $125.00

TV 3300 LP, alum. case, label intact, $30.00

2B Rec/w Q-Multi, sn30xx, orig. manual, light chassis corrosion, $225.00

AC4 sn28xxx, original electronics, $100.00

Central Electronics Multiphase Exciter 20A, 160-10m, original electronics,
clean chassis, orig. manual,
Lakeshore "Bandhopper" VFO, interfaces w/CE 20A, orig. manual,
$200 both/shipped

I also have 300+ NOS tubes from a TV shop, Zenith, Sylvania, and others.
>>>>> NO audio or 6JB6 horiz. sweeps <<<<

4395. Recherche doc alinco dx70

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: uniphy <giraudp@unimeca.univ-mrs.fr>
Message-ID: <7cr5ah$9dn$1@news.univ-aix.fr>
Source record: 113630

```
je recherche le manual d'utilisation pour
: le alinco dx70
merci d'avance
:) philippe
```

4396. TS-930SAT Serial number

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: ac6zp@aol.comNOSPAM
Message-ID: <19990318102303.19609.00000052@ng-ca1.aol.com>
Source record: 113631

I've notced that on various Kenwood HF rigs, people what "Million" serial number they have. What is the significance of this? I have a TS-930SAT with a 4+ Mil serial number. Are there preferred serial numbers, and do I have one?

Please remove the NOSPAM from my email address before replying...Thanks...73...Steve (AC6ZP)

4397. Re: GE Mastr II Repeater doc/software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Jay Sissom <jsissom@indiana.edu>
Message-ID: <36F11C31.C39270F7@indiana.edu>
Source record: 113632

Sorry about that. My email is jsissom@indiana.edu.

Thanks
Jay KA9OKT
K9IU Indiana University Student ARC

Me wrote:

> Our club had a GE Mastr II repeater donated to us. We would like to
> make it work for our club's 2M repeater. We took it to a communications
> company in our area and they retuned it for our frequency but they are
> having problems programming it. Our repeater has older firmware so
> their programming software won't work. We can't afford to purchase new
> firmware ($250-$300). Does anyone know of a place that might have the
> right software so they can program the controller? The COMB number on
> the side of the repeater is B3S110DASHA. I have the S/N if that would
> help also.
>
> Also, we are looking for documentation on this repeater also. Any help
> would be greatly appreciated.
>
> Thanks
> Jay KA9OKT
> K9IU Indiana University Student ARC

4398. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: W4ABC Jon Pearl <w4abc@gte.net>
Message-ID: <7cr4sm$r3a$1@news-2.news.gte.net>
Source record: 113633
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Vince Rhea wrote in message ...
>And absolutely nothing to do with tube audio.

I know it's tough Vince... Your tube comment I mean. Nobody responded to
the last one, so I will now...

>
>--
>Vintage Audio http://www.users.mis.net/~vintage/
>The Victorian Lady http://www.users.mis.net/~victoria/vl/index.htm
>SpermBank http://www.users.mis.net/~victoria/sb/index.htm
>Russell C. Nixon wrote in message <36F06B6F.16FBA95A@mindspring.com>...
>>Wammes,
>>
>> I understand and respect your opinions, but Mr. Heston's speech had far
>>less to do with the NRA and far more to do with moral and intellectual
>>honesty. There are other rights that we enjoy and should jealously
>>protect. Our rights to think and speak as we please are among them.
>>Try not to let your opinions about something cloud your judgement and
>>ability to reason clearly about others.
>>
>>Russ Nixon - KF4WXD
>
>
>

4399. Wanted IF-10C

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: dan@campbellsci.com
Message-ID: <36f1208a.2667976@192.168.2.19>
Source record: 113634

Hi:

I am looking for a IF-10C circuit to go inside of my TS-140S. Anyone
have one for sale?

Dan

4400. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Neil Jendon <njendon@rouppgroup.com>
Message-ID: <36F10D68.5226BA7A@rouppgroup.com>
Source record: 113635
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Gary - KJ6Q wrote: Neil wrote:

> >I have to agree with Charlie. The Left has really
> >dropped the ball. It's tragic. However, we've been
> >rather quick to forget the travesties committed by
> >the two previous, republican presidents. A similar
> >litany to Charlie's of Bush's and Reagan's careers
> >would be quite impressive.
>
> Not sure WHERE this non-sequiter came from - Heston's comments were
> aimed at opposing philosphies of our society, not individual
> Presidents - did you perhaps feel a twinge of discomfort due to your
> political affiliation?

The Charlie I was referring to was the Charlie who wrote the post I was
respondingto. Sorry for the confusion. I am by no means on a first name
basis with Mr. Heston
and certainly wouldn't call him Charlie. If I were being derisive, I
might have called
him Moses, but I was being respectful and complimentary. His speech was a
dignified
expression of opinion.

As far as any twinge of discomfort or political affiliation, I have
little of either.

> >Speaking of other countries, is Canada hiring?
> >
>
> UMMmm - well, I would suppose that if you are deeply inclined to seek
> out and become a part of a country/society more involved in the
> idealogy that all you have, are or ever hope to be, MUST be provided
> and controlled by a government "caretaker", Canada WOULD be a good
> place to start...

"All you"? It's just me we're talking about. I don't represent anything
more. Ideologyis dead thought, and I have no use for it. For someone who
talks about individual
freedoms, you're quick to generalize.

> >Sincerely,
> >
> >Neil

4401. Re: Heath SB220 at 110v ok?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Spencer Ritchie <sfritchie@worldnet.att.net>
Message-ID: <7cr8lervh1@mtinsc01.worldnet.att.net>
Source record: 113636

The SB-220 will run ok at 110v. However make sure that your socket and
wiring to the socket is rated for at least 20 amps. Because that is what it
draws at 110v.
Spencer KC2TX
Steve wrote in message <7cq0es$87o$1@ash.prod.itd.earthlink.net>...
>Any input would be great
>
>--
>
> Steve
>
>
>
>

4402. Help with screw for Vibroplex

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: tgold@microvest.demon.co.uk
Message-ID: <19990318.1609.9901100snz@microvest.demon.co.uk>
Source record: 113637

I just bought a Vibroplex key, it's a New York made DeLuxe, and it's missing just one screw. I'd appreciate any key owner telling me what the thread size of this screw is.

As I live in metric land, getting a US sized screw is not just a trip to a hardware store. There are specialists around who carry UNF and UNC hardware, but I'll probably need to mail order the part.

The missing screw is the one at the far end (from the operator) of the thumb/dot paddle. This paddle is mainly attached by the finger/dash knob, and this missing screw simply anchors the thumb paddle to stop it from rotating. It's even not a fancy chrome plated screw, and also it appears to have the same thread size as the screws that tighten the weights on to the oscillating dot arm.

Regards,
--
Tony - G3SKR / W2TG email: tgold@panix.com

4403. Re: FS: Freq. Counter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: "Joseph R. Erlewein" <jrerlewe@mtu.edu>
Message-ID: <7cr8pelug1@campus1.mtu.edu>
Source record: 113638

No offers yet. I would really like to see $80 for this but will take the
best offer. It works fine BTW.

Joseph R. Erlewein <jrerlewe@mtu.edu> wrote:
: Hello all,

: I decided to sell my frequency counter. I like it but need cash. :P
: bummer. Ah well, that happens. Anyways:

: It's a DSI instruments Model 5600A. I believe it came from a high-school
: electronics lab downstate. It's in pretty good shape. It's 50Hz to 512MHz
: in range, has a 9-digit LED display, Two inputs, and three resolution
: settings. It can run off of an internal battery (don't have it, but you
: can either get one or make one) or a 9-15Vdc source. I use 12v. It's a
: desktop meter, about the size of a Telcom cable modem box if you're
: familiar with the size of those. Hey, who isn't. :) Anyway, it's smaller
: than the average VCR if you're lost on the cable modem comparisson. 3.5"
: high, 8.5" wide, 9.5" deep.

: Taking best offer, I'd like to start the bidding at $80.00

: Thanks,
: Joe.

: --
: Joseph

: http://www.qsl.net/n8ouz

--
Joseph

http://www.qsl.net/n8ouz

4404. MOTOROLA SYNTOR X 6/10 METER 2WAY RADIO

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: MICK ADAMS <AADAMS1@TWCNY.RR.COM>
Message-ID: <3nal2.365$1R1.1174@newsr1.twcny.rr.com>
Source record: 113639

Motorola Syntor X Low Band Radio Model #T71VBJ7004AK Frequency Range 29-54 MHZ, 110 watt, 16 or 32 channel unit. Comes with cables, control head, mic and speaker.mounting brackets Unit .This unit has installed 6 meter-10 meter Frequencies.This unit was Fully operational but will Be SOLD AS_IS .Asking Price $ 250.00Buyer will Pay by Postal Money Order within 7 days of sale. Price will include UPS shipping US only .If interested, Email me for installed frequencies

4405. Yet another HEATH SB200 / SB220 QUESTION

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Steve <sbynum@earthlink.net>
Message-ID: <7crb62jbt1@fir.prod.itd.earthlink.net>
Source record: 113640

Im running a TS 850SAT. Will i need a manual {outboard} relay to activate the SB200 and SB220 {110V}. Ive been told by some yes but have been told by others that the relay in the 850 can handle it. What is your experiences with this scenario?

--

Steve N6SMR

4406. Re: Yet another HEATH SB200 / SB220 QUESTION

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: kb9sikk@aol.com
Message-ID: <19990318121923.28283.00000049@ng10.aol.com>
Source record: 113641

The keying line voltage on the 220 is too high for your 850. Use another relay. Yaesu makes one that is real nice and not too expensive. FRB-757 I think or make your own.

Good luck.

K-K
KB9SI

4407. Re: Yet another HEATH SB200 / SB220 QUESTION

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: "Edward L. Dowdy" <eldowdy@net66.com>
Message-ID: <FFaI2.356$3C3.1149@news3.ispnews.com>
Source record: 113642

Keying voltage on both amps is around -110VDC. Harbach sells a keying mod
for $14.

Steve wrote in message <7crb62jbt1@fir.prod.itd.earthlink.net>...
> Im running a TS 850SAT. Will i need a manual {outboard} relay to activate
>the SB200 and SB220 {110V}. Ive been told by some yes but have been told by
>others that the relay in the 850 can handle it. What is your experiences
>with this scenario?
>
>--
>
>Steve N6SMR
>
>
>
>

4408. Re: Heath SB220 at 110v ok?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: "Mark S. Jennings" <markjenn@halcyon.com>
Message-ID: <7crdtldfp1@brokaw.wa.com>
Source record: 113643

It will work, but everyone in the house will know when you are transmitting.

- Mark

4409. Re: VX-5R or T8A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: "Mark S. Jennings" <markjenn@halcyon.com>
Message-ID: <7crenj$c30$1@brokaw.wa.com>
Source record: 113644

I just got a VX5R from HRO. It is incredibly tiny, works great, and the battery life is outstanding (I've been listening to a FM radio station for nearly a day without recharging). I haven't had any of the issues mentioned by others. The receiver is excellent and transmission quality appears good.

But....the UI is obscure and difficult. The buttons are tiny, the triple function labels on each button are tinier (just about at the limit for unaided viewing with my 45-YO eyes), and the UI depends on button sequences which must be pressed within time limits (which seem very short to me). Doing something like entering a non-std rcv/trx freq into a memory register is really tricky. Just something like having a "Back" button to back out of a botched sequence would do wonders. It is definitely a radio that requires alot of manual study and practice. The manual is barely OK...I've ordered a supplemental pocket ref.

Just as an aside, I recently bought a new cellular phone (a Denso Touchpoint) which also has tons of features but uses a large general purpose display, menus, and a cursor/mouse button for navigation. It was prefectly usable out of the box with no manual study whatsoever. Three buttons (OK, CLR, and the cursor) are all that are required to do virtually everything except enter new phone numbers (separate keypad for that). So I think these radios, now that they are computerized, will migrate to new UIs that will be much better. When this happens, I'll definitely be first in line to get a new one.

Now I admit this is my first VHF handheld, so the others may be just as bad. But they certainly have bigger buttons.

- Mark

4410. Re: IC-W32A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: KC2DFZ <rline@bigfoot.com>
Message-ID: <36F149AA.39B983A0@bigfoot.com>
Source record: 113645
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc

I have the W-32A with the HM-75 mic. I love it! No problems with either one.

Rik!
de KC2DFZ

Steve Ahrendt wrote:

> "Joseph P. Humberger" wrote:
> >
> > Hello,
> >
> > My name is Joe Humberger KB9TFH, I am going to be purchacing an Icom
> > W32a in a couple weeks. The reason for posting this message is that i was
> > woundering if there are some things i should know about this radio, The
> > Pro's and the Con's. A friend recomended this radio so i know very little
> > about it. I would appreaciate any info given. And if you have this radio,
> > Please tell me what u like and don't like about this radio.
> >
> > Thanks,
> > Joe Humberger KB9TFH
>
> I bought one last month and am very happy with it. The PL scan function
> was a nice bonus since I travel a lot and don't always have my repeater
> directory with me.
> I'm thinking about getting the HM-75A microphone since I have trouble
> hearing. Can anyone comment on the audio quality/level of this mic?
>
> Steve KD5FID

4411. Re: WANTED***Old Electronic Musical Equipment*****

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Stan Kennedy <Stan@CSKennedy.com>
Message-ID: <7cricvruq1@fir.prod.itd.earthlink.net>
Source record: 113646
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.swap,alt.music-lover.audiophile.hardware

Hey I sent you an email about a Sequential Prophet I have for sale and NO response. Are you looking or not?

Stan@CSKennedy.com

rolandman1@aol.com wrote in message <7cje4n$30t$1@nnrp1.dejanews.com>...
>Hi folks :) I'm an electronic musician *seriously* looking for the following
>musical equipment, in any condition, even broken:
>
snip

4412. Re: ADMS Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: ab2et@my-dejanews.com
Message-ID: <7crmh9$69g$1@nnrp1.dejanews.com>
Source record: 113647

Clint, What is the point of all of this "make my day" messages... Let the WorldWide Ham Community make up its "Mind" on who has and is providing The "Better" software.. My Vote it is hands down for Gorans "Freeware" software, Personally I am tired Of letting the manufactures BOX us into a Corner with every new radio that they Put out. I guess that Yaesu, ICOM and Kenwood have decided that the so called and "Advertised" "PC Control" feature (He He) CAN NOW become a Profit center by Playing the "Motorola" software game and "lets keep the instruction set a "Secret". Lets be realistic I watched Icom play the GAME with the Software for the IC- 706, then the "Free in Europe" but nada for the States Software for the IC-746. Lets face it when the "official" Control part (software and interface) starts To add up to more then 1% of the cost of the radio its time for that famous Ham Ingenuity to come to the rescue. Long live Ham Ingenuity. Wake up and smell the Coffee, Clint 73's

Steve
AB2ET
Yes a "Frugal" HAM

In article <7cmljvjm1@nnrp1.dejanews.com>,
clintbrad4d@earthlink.net wrote:
> In article <36EE98C0.A46B7D2@t-online.de>,
> Ingra-Beton@t-online.de (Vlaski Goran) wrote:
> > clintbrad4d@earthlink.net schrieb:
> > > Did you use different "port scanning" routines in your FT-50 and
> > > VX-1R programs? The FT-50 program needed me to change my COM
> > > port...but the VX-1R package "automatically" seemed to find my VX-1R.
> >
> > There are no port scanning routines, you have enter the
> > com port manually, just the same as in the ADMS.
>
> Well, then - that's weird. My original post was actually backwards - the FT-
50
> defaulted for me to COM 1, and the VX-1R defaulted to COM 2. But you make
user
> config simple and painless.
>
> - Clint Bradford
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4413. Re: Any and All info on Kenwood TS-520

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: John Dewey <jdewey@tribune.com>
Message-ID: <7crirv$57518@news.tis-in.trb>
Source record: 113648

I bought a 520se in 1979, and sold it about 1993. Tube final and driver. I made several mods to it for Packet / rtty. I sold it (1993) when it was obsolete. You can find them here and at hamfests for $300. I bought a new Alinco DX77T, which you can now get for $700 and it is a current radio that is superior to the 520 in many ways.

Just my opinion
KA9CAR

Nedwek wrote in message ...
>Hello,
> It's been recommended that I look into this as my first HF radio. I'm
>interested in anything anyone knows about this radio. Is the receiver
>general coverage? How's the sensitivity? Is maintenance a big hassle? Any
>experiences, good or bad, are welcome and requested. Thank you.
>
>Brandon Nedwek
>
>

4414. 20 METERS YAGI

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: SIM <mop86994@mail.telepac.pt>
Message-ID: <01be7178$fad48b00$8ab841c2@mop86994>
Source record: 113649

I want make a yagi antenna for 20 meters , 3 elements ....
Please help me !

Thanks 73 GOMES CT2HIX

4415. FS:Motorola System Saber

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36F15B19.A3783124@postoffice.pacbell.net>
Source record: 113650
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Radio is in excellent condition and is the system saber 3 with alpha diaplay and full keypad.Radio is on the 440 to 470 mhz split and is the high power version.Has a DES-XL module installed.Capable of 255 channels.Includes radio,antenna and good high capacity battery.$700
AL

4416. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: rl1856@ix.netcom.com
Message-ID: <7crpmh$8tk$1@nnrp1.dejanews.com>
Source record: 113651
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment

I find the "liberal" reaction to Mr. Heston's speach interesting.

Rather than directly refute the points he makes, "liberals" instead attack th
person, as if he is beneath consideration because of the opinions he holds.

Based upon the "liberal" reaction, only those from the left are worth
listening to.

To amplify what "Charlie" <no@spam.net> posted, the same people that
condemned Clarence Thomas when he was nominated (based upon heresay
accounts), demanded the resignation of Robert Packwood before any cases were
brought to trial, engaged in character assasination of both Paula Jones and
Monica Lewinsky, are the same people who refuse to consider the points Mr.
Heston makes. Why, because Mr. Heston is a conservative.

The crux of the matter is that we have a group of people in this country that
hold very influential postions and feel that they have the right to tell us
what to do and think. These people have the power to control what we see and
hear regarding what happens in our country and the world.

Bottom line is this: "PC" stands for propaganda and censorship.

A generation ago, "liberals" fought for the rights of the disenfranchised and
wanted to engage the country in free speach. Ironicly, it is the
conservatives that are now champions of free speach and are waging the
battles to preserve our individual rights.

There is a lot to consider in Mr. Heston's speach. Now if only people would
leave there preconceptions behind.....

Ross Lipman

rl1856@ix.netcom.com

Oddly enough, there are also parallels in this newsgroup. Take a look at the
A Jute/ M Lefevre wars. One side telling the other to shut up (in effect),
without a proper debate of the facts presented for ALL to see.

Sorry for the ramble.

rl /
In article <0LUH2.6099$fM1.10660882@brnws01.ne.mediaone.net>,
"Charlie" <no@spam.net> wrote:
> Left-wingers have a remarkable capacity to find absolute evil in a
> conservative who talks about morality, decency and the self-sacrifice that's
> necessary to stand up for what is right.
>

> Just remember, many of these same left wingers rose to the defense of our
> "president", who:
>
> - Smoked pot, but didn't inhale.
> - Didn't dodge the draft.
> - Never got any loan from the Whitewater deal (although the canceled check
> turned up later)
> - Didn't have sex with Jennifer Flowers.
> - Has no idea how NINE HUNDRED FBI files got in to the White House.
> - Didn't lie under oath in the Paula Jones lawsuit.
> - Received (through Al Gore) political donations from the Bhuddist nuns, in
> sequentially numbered checks, all made out for exactly $5000. All
> completely legal, of course.
> - Didn't respond to those donations by personally overriding the objections
> of the Pentagon and State department, allowing Loral to sell previously
> restricted missile guidance systems to the COMMUNIST CHINESE.
> - Didn't have a sexual relationship with "that woman, Miss Lewinski"
> (wagging his finger in righteous indignation).
> - Said, with a straight face, "it depends on what the definition of "is"
> is".
> - Didn't rape Juanita Broderick - at least we assume he didn't. He simply
> won't respond to the allegations.
>
> It was the liberals who in the past stood up against the war in Vietnam,
> racial oppression and corruption in political office. It's interesting -
> and very sad - how they've abandoned their principals and redefined
> hypocrisy. The fact that someone could read Charlton Heston's speech and
> interpret it as a call to "inciting others to join their madness" tells you
> just how twisted their reasoning can be.
>
> It's 1984 already.
>
> With regrets,
> Charlie, KS1C
>
> Asbestos Underwear On.
>
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4417. What Radio to Buy??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: andrewvictor@geocities.com
Message-ID: <7crpnj$8u2$1@nnrp1.dejanews.com>
Source record: 113652

I hve narrowed my choice of Radios down to this list: Yeasu FT-920, FT-847, Icom IC-756. I want a radio that can delivdr good DX Contacts on HF and prefroms well in contests. I mainly a SSB Operater but like CW too. Any suggestions on what radio I should pick???? Thanks 73, Andrew

P.S. Anybody know good sites(reviews etc.) about
these radios?

73s good luck with your QSOs

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4418. Re: Mod for HTX-212

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: VKHD16A@prodigy.com
Message-ID: <7crmkn$7q2c$1@newssvr04-int.news.prodigy.com>
Source record: 113653

falken1:
Thanks for the flame. Don't you have the guts to give your name?

FYI: With Prodigy, all four members of my family get individual E-mail accounts for a very low fee, unlimited internet access, consistent high speed access, and none of the problems that everyone complains about with AOL and others.

FYI: Several people I know who have the 242 also could not find the parts described in the mod posted here. This includes an RF engineer with more experience than you have probably been alive. Possibly the mod I have is different than the one you are referring to. I will check out the site you listed.

Don't bother to respond if you don't list your name and call sign.

Steve, KQ6TI

4419. W32A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: rmsjr@cy-net.net
Message-ID: <36f15f2d.864304857@news.cy-net.net>
Source record: 113654

I need to find information on extending the tx and rx ranges for the W32A. If you can point me in the right direction I would appreciate it.

Thanks,
Roland Searcy

4420. Re: Yaesu Tech Support

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: DeShawn Smith <deshawn1@earthlink.net>
Message-ID: <01be7175$3205b620$130415ac@deshawn.dentrix.com>
Source record: 113655

I re-sent my email this afternoon and less than ten minutes later, received a response. It seems that the first email never arrived. But, giving them the benefit of the doubt, this quick of a response is commendable!

DeShawn
KC7MVF

4421. W32A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: rmsjr@cy-net.net
Message-ID: <36f16409.865549357@news.cy-net.net>
Source record: 113656

I am trying to find information for extending the tx and rx range of
the Icom w32a. All information will be appreciated.

thanks,
Roland Searcy

4422. Re: Icom UX14 converter (CI-IV to CI-V)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Steve Dove <dsp@hifidelity.com>
Message-ID: <36F16D93.E60C3591@hifidelity.com>
Source record: 113657

Hi Keith,

This subject popped up a little while back, and like you I'd presumed it was just a 6402 or whatever. Since then I've had a chance to look at the one secreted deep in the bowels (ugh) of my '751 and the news is not good. At a guess it looks like a OTP '31/51 style micro, so they did it all in code in all likelyhood. Actually, when you consider that there's a fair amount of parsing etc. for the mini-network, it makes sense. There are a number of dip-switches also to set baud-rate, CI-IV / CI-V etc. Reverse engineering does not seem promising . . . without spending way too much time than it's worth, anyway.

The convertor for which you remember seeing maps in a rag was probably for the ubiquitous RS-232 / TTL buffer/inverter necessary with CI-V etc. to get the radio to interface with a typical 'puter's serial port. You'll need one of those as well as the UX-14... the Icom part number is CT-17, but if - as it seems - you are of a practical bent just lash up a MAX232 or similar '232 buffer forwards and backwards and that'll work just fine. (Someday I'll put mine in a box. Someday.) More specific details abound elsewhere, I just don't have any references to hand right now.

Two suggestions: advertise here on the newsgroups for one, or call Amateur Electronic Supply (or e-mail them: aesham.com) to see if they either have a new

or a recycled one lying about. When they get gear in in trade, typically they strip out all the options and sell the radio bare-bones and the options separately - obviously a more profitable strategy.

Cheers, and good luck -- Steve W3EEE / G3YDV

Keith Rainbow wrote:

> I need a UX-14 parallel to serial converter in order to computer control my
> Icom IC71.
>
> Since Icom apparently no longer produce this, I shall just have to make one.
> I doubt if it it is much more than a basic UART but I don't really know.
>
> Can anyone point me to a source of the circuit diagram and possibly also
> some rough idea of the original layout? Currently I only have the drawing
> showing how to install it in my IC71 manual.
>
> I've got a vague notion I saw the circuit once in that excellent but now
> defunct U.S. publication "Ham Radio". Can anyone confirm my failing
> memories?
>
> Keith, VK6JT

> rrainbow@cc.curtin.edu.au

4423. Re: Ic-Q7A Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: llefczik@motown.lmco.com
Message-ID: <7crvc9$ea7$1@nnrp1.dejanews.com>
Source record: 113658

In article <7broov$ini@bgtnsc02.worldnet.att.net>,
"Robert John" <RAJohnGM@postoffice.worldnet.att.net> wrote:
> Anyone have mods to allow listening to the standard broadcast band like the
> R2. Are there any other mods for the Q7?
>
> Thanks,
> Bob AA8X
>
>
It can be done by software program. See:
http://vlaski.virtualave.net/

There is also a Q7 reflector:
IC-Q7@onelist.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4424. Re: GE Mastr II Repeater doc/software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Paul Mierop <ke2ls@ibm.net>
Message-ID: <36F173DC.CDF15893@ibm.net>
Source record: 113659

Hi Jay

GE MASTR II does not require programming. It is xtal bound both TX/RX.

If yours requires programming, you do not have a MASTR II.

Paul MIerop
KE2LS
6 MASTR II repeaters on the air

4425. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <7crr2nmok1@news-2.news.gte.net>
Source record: 113660
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Neil Jendon wrote in message <36F10D68.5226BA7A@rouppgroup.com>...
>
>
>Gary - KJ6Q wrote

>> UMMmm - well, I would suppose that if you are deeply inclined to
seek
>> out and become a part of a country/society more involved in the
>> idealogy that all you have, are or ever hope to be, MUST be
provided
>> and controlled by a government "caretaker", Canada WOULD be a good
>> place to start...
>
>"All you"? It's just me we're talking about. I don't represent
anything
>more. Ideologyis dead thought, and I have no use for it. For someone
who
>talks about individual
>freedoms, you're quick to generalize.
>
>> >Sincerely,
>> >
>> >Neil
>

HMMMm - seems a refresher course in reading comprehension would be
helpful - My "all you" SHOULD have been clearly understood to mean
"all THAT *you* have, are, or ever hope to be" It's as SINGULAR as the
OTHER "you" in the sentence before it...

Not that it changes much in the intent of the post...

Gary - KJ6Q

4426. Re: Any and All info on Kenwood TS-520

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: "Mark S. Jennings" <markjenn@halcyon.com>
Message-ID: <7cru2hqop1@brokaw.wa.com>
Source record: 113661

The 520 was Kenwood's second-of-the-line HF radio in 1978 when I first became a ham. It was a great radio then, but it is really getting long-in-the-tooth today. They don't tune the new HF bands w/o modification. I haven't been active on HF for ten years and sold mine last year for around $300.

They are built very ruggedly but are extremely complex. If you have any serious trouble, it will likely be impossible or uneconomical to fix. I'd look into something more current.

- Mark

4427. Re: What Radio to Buy??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: k4sqr@aol.com
Message-ID: <19990318173939.24471.00000163@ng01.aol.com>
Source record: 113662

>I hve narrowed my choice of Radios down to this list: Yeasu FT-920, FT-847,
>Icom IC-756.

Andrew;

Because the first two Yaesu rigs restrict accept ing optional filters, the
only choice is is the 756 !
I played with all rigs, (including FT-100--back to drawing board Yaesu.) this
past Sat. & Sunday at Charlotte, NC Hamfest. I asked all the reps pro & con. No
doubt about it, the 746 & 756 will accept more than just one filter !!

Plan to keep my Ten-Tec Omni VI PLUS wiht f-i-v-e optional filters, but the
756 would be first choice as back up.
Check www.texastowers.com for lower prices also.
73-GL
Jim

4428. Re: TM-V7A Advice

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: e40@execpc.com
Message-ID: <7cs3liimu1@nnrp1.dejanews.com>
Source record: 113663

In article <7budrt$7vg$1@nnrp1.dejanews.com>,
kb0vof@my-dejanews.com wrote:
> Get the cheapest remote face unit and make your own cable for
> the microphone, using cat-5 cable of the length you need and a female-female
> RJ45 adaptor; that'll cost around $10, plus the $35-40 for the face kit, so
> you save around $50 over the price you mention.

That's exactly what I did too - got the cheapest kit.

> I used 6- conductor phone wire and used the extra 2 for the
> remote speaker. Works great, and threading the phone wire before soldering
> made it easier/faster than trying to thread it with those plastic connectors
> attached. 73 Gerry KB0VOF

I ran 2 CAT 5's, one for the mic, the other one carries the 4 for the face,
and the rest for the external speaker..

Ben

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4429. FS: 250TH Lewis and Kaufman, brand new

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: arnoldg@sf.telia.no
Message-ID: <36f182dd.772904@news1.telia.com>
Source record: 113664
Cross-posted to: rec.antiques.radio+phono,rec.audio.tubes,rec.ham-radio,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

I have 6 pcs 250TH Lewis and Kaufman for sale. They are probably made
on license from Eimac. These are brand new, in original super heavy
duty military boxes. Never been used. A very nice valve, indeed.
E-mail me if you are interested.

Best regards,

Arnold Goksoyr

DEMOSTENES A. Goksoyr
N5850 Balestrand
NORWAY
Phone +47 5769 1340
Fax +47 5769 1267
e-mail arnoldg@sf.telia.no

More than 1800 different valves in stock. Plus: sockets,
transformers, caps, resistors and books about valves and
valve equipment. Many rare European valve types.
You will find it at my homepage: http://demostenes.vestdata.no

4430. Re: Any and All info on Kenwood TS-520

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Buggs Bunny <n3wxg@home.com>
Message-ID: <EDfI2.10331$573.4439@news.rdc1.md.home.com>
Source record: 113665

Nedwek wrote in message ...
>Hello,
> It's been recommended that I look into this as my first HF radio. I'm
>interested in anything anyone knows about this radio. Is the receiver
>general coverage? How's the sensitivity? Is maintenance a big hassle? Any
>experiences, good or bad, are welcome and requested. Thank you.
>
>Brandon Nedwek
>
>
The TS 520 sill make you a great 1st HF rig. I had a TS 520SE as my
first rig and wish I had never traded it off. I now have a TS 850SAT. I love
this one also but the 520 is a lot more forgiving to high SWR and other
problems. Get it and enjoy........73

Randy N3WXG

4431. WTD: Yaesu YF-115C CW Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: w1ksz@tiac.net
Message-ID: <36f18636.3111258@news.tiac.net>
Source record: 113666

Anyone have one they will part with ??
Tnx es 73, Dick, W1KSZ

4432. Re: FT-1000D interference on 14 MHZ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: "Ed Hare, W1RFI" <w1rfi@arrl.net>
Message-ID: <36F18FFF.19C6@arrl.net>
Source record: 113667

Tom Swift wrote:

> Well, not quite the same problem, but I have experienced BC stations
> severely overloading the front end of my Icom R9000. This problem was
> solved by a Industrial Communications Engineers model model 402X broadcast
> band filter. Broadcast stations that were >60dB over S9 on direct
> frequencies dropped to S8, and harmonics disappeared.

From our database:

Industrial Communications Engineers (ICE)
PO Box 18495
Indianapolis, IN 46218-0495
USA
Phone: 317-545-5412
800-423-2666
Fax: 317-545-9645

Products/Services: FILTER-COMMON MODE CHOKE, FILTER-HIGH PASS FILTER, FILTER-LOW PASS FILTER, LIGHTNING, FILTER-TELEPHONE EMI FILTER, APPEARS IN ARRL HANDBOOK, ANTENNA-ANTENNA RELAY, ANTENNA-TOWER HARDWARE, COMPONENT-ENCLOSURE, CONDUCTIVE GREASE, FILTER-AC LINE FILTER, FILTER-BANDPASS RECEIVE ONLY FILTER, FILTER-BANDPASS TRANSMIT FILTER, FILTER-BROADCAST BAND FILTER, GROUND, TELEPHONE-TELEPHONE ACCESSORY

Notes: Many amateur radio accessory products.

Date of last change: March 21, 1996

73,
Ed, W1RFI

4433. Looking for SB-644 pwr supply schematic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Michael Jacoby <m.g.jacoby@lmco.com>
Message-ID: <36F18A85.FBDED896@lmco.com>
Source record: 113668

Hello,
I'm looking for a copy of the schematic and parts list for a Heath
SB-644 power
supply for the SB-104A. (I think that's the PS part number)

Will pay copying/postage/aggravation fees.

Thanks, Mike N3MA

4434. 6m transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: kb1dnl@aol.com
Message-ID: <19990318185802.20560.00000113@ng12.aol.com>
Source record: 113669

Does anyone know if there is such a thing available as a 6 meter trans. to be used in combination with a 10 meter radio such as the Ranger 2950? pls email me if you have any info. thanx

KB1DNL

4435. FS: 23 Ch. Base Unit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: "Mr. Snack Man" <wayne@psln.com>
Message-ID: <36F19398.59B8@psln.com>
Source record: 113670
Cross-posted to: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

SBE Trinidad 23 chanel base unit.

Built in SWR
ANL On/Off
SWR Sens
Delta Tune
AC/DC

Works great. Asking $25. You pay shipping. Can accept credit cards.
(530) 284-7016 6am to 8pm.

4436. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: rbales@gte.net
Message-ID: <7cs4i3$g13$1@news-2.news.gte.net>
Source record: 113671
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

On Fri, 19 Mar 1999 01:09:14 +0100, Wammes Witkop
<wwitkop@cable.a2000.nl> wrote:

>> In fact, the
>> Heston speech has been making news all over the country, so it's of some
>> interest here.
>
>Exactly my point. All over the country. What country? Not my country! Again,
>this is an international newsgroup. Not an American one. So *do* try to curb
>yourself, please, even if takes an effort.

If such a discussion is not a part of civic life where you live, you
either reside in the most wonderful utopia imaginable, or the most
damnable hellhole ever.

ROn

4437. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Charlie <no@spam.net>
Message-ID: <AphI2.6210$fM1.11423744@brnws01.ne.mediaone.net>
Source record: 113672
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Excuse me. I must not have seen your Net-Cop badge.

It's people like you, who look for reasons to be offended wherever they can find them, who are at the very crux of this issue. Political Correctness isn't limited to the USA. I travel extensively and have observed the same kind of nonsense in other countries. The new "whining class" proclaims some slight, real or imagined, and demands reparations or some other advantage over those who may - or may not - have been the perpetrators. Whether those reparations involve hiring quotas or suppression of free speech, they're an assault on basic liberty.

The fact that you can find offense in the term "the country" gives an excellent example. It's a pretty reasonable term. Given that this newsgroup is overwhelmingly populated by people from the USA, you might not be surprised to find us talking about things that concern the USA, in the same terms that we would use in common conversation in the USA.

However, you CHOOSE to see that term, and scream and stamp your feet, implying that we are the ugly American imperialists. All over the term "the country". Yes, it's an international newsgroup, to be sure - and somehow, all of the vast numbers of international readers found no offense in my term "the country" - all except Wammes Witkop. Congratulations. You're one in 6 billion.

The reason I used the term "whining" is because it fits precisely. And no, you will NOT tell me where and when I can talk, nor will I take the discussion to e-mail.

People like you are not worth the time or effort to educate.

Welcome to the kill-file.

Charlie, KS1C

4438. FT 8100 (& other) Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Pat Finnerty <finster@nccoast.net>
Message-ID: <36f1a9fa@news.nccoast.net>
Source record: 113673

Look here

http://home1.inet.tele.dk/ehh/mods/index.htm

have fun,
pat

4439. FS: FT-1000 with Ext Speaker and Phonepatch

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Scott Leaf - VE7VDX <ve7vdx@rac.ca>
Message-ID: <36f1a919@news.vphos.net>
Source record: 113674

Yaesu FT-1000 with matching Yaesu External Speaker and internal Phonepatch
excellent condition in box shipped anywhere in North America $2800 US.

Being sold for a Senior who has moved to a place where he can no longer use
Amateur Radio.

Will consider reasonable offers

ve7vdx@rac.ca http://www.qsl.net/ve7vdx

4440. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Marty Duplissey <mduplissey@lsbs.com>
Message-ID: <3ZhI2.542$BG6.1109@news12.ispnews.com>
Source record: 113675
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment

Well said

rl1856@ix.netcom.com wrote in message <7crpmh$8tk$1@nnrp1.dejanews.com>...
>I find the "liberal" reaction to Mr. Heston's speach interesting.
>
>Rather than directly refute the points he makes, "liberals" instead attack
th
>person, as if he is beneath consideration because of the opinions he holds.
>
>Based upon the "liberal" reaction, only those from the left are worth
>listening to.
>
>To amplify what "Charlie" <no@spam.net> posted, the same people that
>condemned Clarence Thomas when he was nominated (based upon heresay
>accounts), demanded the resignation of Robert Packwood before any cases
were
>brought to trial, engaged in character assasination of both Paula Jones and
>Monica Lewinsky, are the same people who refuse to consider the points Mr.
>Heston makes. Why, because Mr. Heston is a conservative.
>
>The crux of the matter is that we have a group of people in this country
that
>hold very influential postions and feel that they have the right to tell us
>what to do and think. These people have the power to control what we see
and
>hear regarding what happens in our country and the world.
>
>Bottom line is this: "PC" stands for propaganda and censorship.
>
>A generation ago, "liberals" fought for the rights of the disenfranchised
and
>wanted to engage the country in free speach. Ironicly, it is the
>conservatives that are now champions of free speach and are waging the
>battles to preserve our individual rights.
>
>There is a lot to consider in Mr. Heston's speach. Now if only people
would
>leave there preconceptions behind.....
>
>Ross Lipman
>
>rl1856@ix.netcom.com
>

>Oddly enough, there are also parallels in this newsgroup. Take a look at
the
>A Jute/ M Lefevre wars. One side telling the other to shut up (in effect),
>without a proper debate of the facts presented for ALL to see.
>
>Sorry for the ramble.
>
>rl /
>In article <0LUH2.6099$fM1.10660882@brnws01.ne.mediaone.net>,
> "Charlie" <no@spam.net> wrote:
>> Left-wingers have a remarkable capacity to find absolute evil in a
>> conservative who talks about morality, decency and the self-sacrifice
that's
>> necessary to stand up for what is right.
>>
>> Just remember, many of these same left wingers rose to the defense of our
>> "president", who:
>>
>> - Smoked pot, but didn't inhale.
>> - Didn't dodge the draft.
>> - Never got any loan from the Whitewater deal (although the canceled
check
>> turned up later)
>> - Didn't have sex with Jennifer Flowers.
>> - Has no idea how NINE HUNDRED FBI files got in to the White House.
>> - Didn't lie under oath in the Paula Jones lawsuit.
>> - Received (through Al Gore) political donations from the Bhuddist nuns,
in
>> sequentially numbered checks, all made out for exactly $5000. All
>> completely legal, of course.
>> - Didn't respond to those donations by personally overriding the
objections
>> of the Pentagon and State department, allowing Loral to sell previously
>> restricted missile guidance systems to the COMMUNIST CHINESE.
>> - Didn't have a sexual relationship with "that woman, Miss Lewinski"
>> (wagging his finger in righteous indignation).
>> - Said, with a straight face, "it depends on what the definition of "is"
>> is".
>> - Didn't rape Juanita Broderick - at least we assume he didn't. He
simply
>> won't respond to the allegations.
>>
>> It was the liberals who in the past stood up against the war in Vietnam,
>> racial oppression and corruption in political office. It's interesting -
>> and very sad - how they've abandoned their principals and redefined
>> hypocrisy. The fact that someone could read Charlton Heston's speech and
>> interpret it as a call to "inciting others to join their madness" tells
you
>> just how twisted their reasoning can be.
>>

>> It's 1984 already.
>>
>> With regrets,
>> Charlie, KS1C
>>
>> Asbestos Underwear On.
>>
>>
>
>------------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4441. Re: What do you think of the FT-2500M?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: fishbags@aol.com
Message-ID: <19990317191624.11371.00000292@ng137.aol.com>
Source record: 113677

Pro's = Very rugged & solid build. Lighted mike is nice, price on par w/ other low cost 2M mobiles, good performance.

cons = Missing a lot of features you get from others in this price range, ctcss(PL) decode is an additional cost add on chip. Aircraft AM rcv. capability not available ect. Unit is larger than all others which could be a factor to some installing it tight places.

4442. Re: Yaesu Tech Support

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: mailfrmpa@aol.com
Message-ID: <19990317192451.06624.00000150@ng-cd1.aol.com>
Source record: 113678

>I emailed Yaesu tech support more than a week ago without a response. Is
>there anyone who has had success in contacting Yaesu via email that can
>give me a better email address than the one posted on their web site?

When I brought home my brand=spankin' new FT-1000MP, I, too, e-mailed Yaesu w/a question about the poor stability of the cw center-tuned bar display . About 3 months ago now, so I wouldn't hold your breath! Like alot of firms w/a web address, they apparently don't have anyone responsible for responding to their e-mail.

KMB

4443. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: "Bill J, Edinburgh" <maestro@cix.co.uk>
Message-ID: <7cpgr9mnt12@plutonium.compulink.co.uk>
Source record: 113679
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

I've read the speech. You don't have to agree with it.

But regarding people who want to suppress it......

Nuff sed.

Bill J., Edinburgh
Gary - KJ6Q wrote in message <7coqu1$p5$1@news-2.news.gte.net>...
>
>Michael Black wrote in message ...
>
>>
>>And this off-topic post just maybe one of the problems with the US.
>Just
>>as the post gets posted to a bunch of newsgroups where it apparently
>has
>>no real place, the US suffers when it thinks that it is the whole
>world.
>>
>> Michael VE2BVW
>
>HMMmm - *I* would think an excellent speech by ANY individual, in ANY
>country, that advocates freedom of individual thoughts and rights
>would be pretty universally accepted... EXCEPT, perhaps, in those
>areas overrun with socialism, communism and dictatorships that are
>more open and blatant forms of human slavery...
>
>Gary - KJ6Q
>

4444. HF antenna mount on Saturn wagon?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: jpardue@jep.com
Message-ID: <36f04a4b.12265326@News.Communique.net>
Source record: 113680

All,

A friend in a local ARC has asked me to solicit help for him concerning installation of a HF antenna on a Saturn wagon. I'm not sure whether he wants to install a Bugcatcher, Screwdriver, Ham Stick, or whip but he is looking for something substantial. If not for the tailgate swing he would install a Class A trailer hitch. Can anyone advise us from their own trials or successes?

Tks es 73,
Joe, K5HLR

K5HLR@jep.com

4445. Re: TM-V7A Advice

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: diale.nospam@mindspring.com
Message-ID: <36f04a2f.58082294@news.mindspring.com>
Source record: 113681

To tell the truth, no. I will try this. Didn't know it was there! (one
of those whom never read the manual)

-Ed

On Wed, 17 Mar 1999 16:14:24 GMT, no.spam@this.address (Mike G.)
wrote:

>Ed,
>
>Just curious, have you tried turning AIP on? It works like city/highway
>switch found on almost all radar detectors. Basically, it a fancy name for
>bypassing the first low-noise stage in the receive circuitry. Great for
>driving around town where repeater signals are usually quite strong anyway.
>I find it reduces about 95% of intermods without any noticeable loss in
>receive strength. (You're right, paging towers ARE the worst offenders
>to overloading one's front-end.)
>
>KD7CTR,

4446. Re: Monitor scope for FT 1000D?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Ernie Stedman <n2ojq@worldnet.att.net>
Message-ID: <7cphvv$f65@bgtnsc03.worldnet.att.net>
Source record: 113682

wrong
MRauchle <mrauchle@aol.com> wrote in message
news:19990316205724.14614.00000280@ng-fr1.aol.com...
>My OM has a SM-220 with pan adapter hooked up to his FT1000 and it workd
just
>fine
>I believe the IF out jack on the 1000 is 100% compatible from what he said
>
>73
>
>Mike

4447. Yaesu FT-890 drift problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Roger Leone <arleone@inreach.com>
Message-ID: <ixYH2.1080$E5.2941628@news.inreach.com>
Source record: 113683

My friend Jake's FT-890 drifts wildly on cold start. Drift is perhaps a bad term, since it does not slowly drift in one direction--it moves up and down very quickly and it is hard to turn the tuning knob fast enough to keep up. The digital display does not change while this is happening.

The radio is only about 4 years old or so, and has been a reliable performer until recently.

I know that there are high stability TCXO's for sale that might be a good replacement for the original, but perhaps some of you have already faced this problem and found a way to make the original XO work the way it is supposed to (if, as I suspect, it is the reference oscillator that is the culprit).

Any info or assistance will be appreciated.

Roger K6XQ

4448. Re: Icom (IC-706) Tuner Control Socket - HELP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: wildbear@bigfoot.com
Message-ID: <370c8d00.15564196@news.easynet.co.uk>
Source record: 113684

On Mon, 15 Mar 1999 22:50:42 +0000, Teresa e Paulo Campos
<campos@mail.ua.pt> wrote:

>I am looking for technical reference/information on the Icom (IC706...
>/MK2/G) Tuner Control Socket (the socket that connects to AH-4 antenna
>tuner).

Hi Paulo

Icom IC-706/mk2 to AH-3(4?) Auto-Antenna Tuner, control connections:

1. TKEY: low if the tuner is not connected,
the <TUNE> button is not functional; high
Rear panel view: if the tuner is connected. On receiving
a TSTR signal, the tuner may assert TKEY
1 2 3 4 low to key the transmitter.
_____ 2. TSTR: normally high; pulses low twice
/ | when the <TUNE> button is pushed and held
< O O O O | for 2 seconds to start the tuner; pulses
_____| low once when the <TUNE> button is pushed
momentarily to stop or bypass the tuner.
3. +13.8V @4A: switched by <POWER> button.
4. 0V: chassis GND.

73
--
Michael Slattery G8PNX
wildbear@bigfoot.com

4449. Re: FS: Motorola Radios / Scanners

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: RadioMan73 <K8OI@nospam.com>
Message-ID: <jJYH2.2916$2G6.1201@c01read02.service.talkway.com>
Source record: 113685

STX ! ?

Use 800TT for all city work here in Toledo.
Type 2 . We do buy used units from time to time.
WHat is available ? Send me a list

73 Stan Head
K8OI
--
Posted via Talkway - http://www.talkway.com
Surf Usenet at home, on the road, and by email -- always at Talkway.

4450. FT-470 mod for 9600bps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Daniel Lavoie <LavoiedNOSPAM@iSTAR.ca>
Message-ID: <_3ZH2.65$nx5.268957@NewsRead.Toronto.iSTAR.net>
Source record: 113686
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.packet

Does anyone know how to modify the Yaesu FT-470 HT for 9600bps?

73 de VE3DCL

4451. Re: Yaesu Tech Support

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Jeff Johns <jeffj@scott.net>
Message-ID: <29282660260380NEWS2LX@news.scott.net>
Source record: 113687

On 17 Mar 1999 19:50:35 GMT, "DeShawn Smith" <deshawn1@earthlink.net> wrote:

> I emailed Yaesu tech support more than a week ago without a response. Is

Hmm... I guess I'm the exception to theother responses. I have had to email
Yaesu a couple of times and both time received a prompt, courteous reply.

73 es gl Jeff W4JEF

--------- Jeff Johns W4JEF - AMSAT# 32615 - QRP-L# 1857 ----------
jeffj@scott.net w4jef@amsat.org	Reserve Patrol Captain
Satellite: Mir R0MIR-1, AO-27	Jefferson County Sheriff's Dept
200LX+BayPac+FT50=Portable Packet	QTH Birmingham, AL USA

4452. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Wammes Witkop <wwitkop@cable.a2000.nl>
Message-ID: <36F05DE4.39009A48@cable.a2000.nl>
Source record: 113688
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

I *do* realize that in some countries other then my own, an interest in green - millitary - radios goes hand in hand with other hobbies I do not approve off. Frankly, I'm Dutch. We do not like guns in the hands of citizens. We have strict laws against it - and as a result, we have less violent crime then some countries where guns are easier to get..
The NRA is *not* my cup of tea at all - if I'd be an American I'd oppose them. But as it is, this is not my patch. So please stop advocating the NRA, it's chairman or applauding to one who does. This is an international newsgroup after all. Please take this thread to a place where it's not a spam - 'cause that what it is here! The amount of definitly off-topic messages is getting rather large, would'nt you agree?

Kind Regards, Wammes Witkop

David Stinson wrote:

> http://www.law.harvard.edu/News/Charlton_Heston_speech.html
>
> Yes, I know I'm probably "spamming."
> But I can't think of a better way to pass this to
> all the people I've come to like and respect.
>
> And it's just a -little- message, anyways.
>
> Forgive.

4453. Re: Yaesu Tech Support

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: John Siegel <JohnASiegel@worldnet.att.net>
Message-ID: <36F06136.9FDC5324@worldnet.att.net>
Source record: 113689

I used the email address on the web for the parts department to ask
about price and availability of a manual. The reply was waiting for me
the next morning.
If anyone cares, the FT-847 Service Manual is $27.50 + $4 S&H
73
John

Bill Clarke wrote:
>
> A couple of days ago I had a question for ICOM. Got a full page answer
> today.
>
> Some read and answer their email - and others do not. Some care about
> customers and some do not.
>
> Radios, cars, whatever - its all the same:
>
> Mind over matter - some manufacturers don't mind and their customers don't
> matter!
>
> --
> Bill Clarke W2BLC
> W2BLC@bigfoot.com

4454. Re: eBay-- gotta wonder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990317213350.02905.00000181@ng30.aol.com>
Source record: 113690

it is great for the sellers. As a buyer the prices that the item goes for are usually to high and no bargain at all so I would not waste my time.
However, if you are a seller you will make more $ there.
73's TIM

4455. Re: Where to put HF antenna on Explorer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Richard Ferguson <raferguson@worldnet.att.net>
Message-ID: <36F0669A.2B06FA78@worldnet.att.net>
Source record: 113691

I vote for an antenna system using the Hustler quick disconnect
fittings, so a quarter turn will allow you to remove all or
part of the antenna. I use a Hustler on the rear bumper, with
a quick-disconnect on the base, so it is fast to take off or
put it on. A motorized antenna is another possibility,
perhaps a screwdriver using a short whip.

Richard Ferguson

Lee Barnett wrote:
>
> I have a Ford Explorer. I am looking into putting an HF rig in but I can't
> find a good place for an HF antenna. I park the Explorer in my garage at
> night and I don't want to beat the antenna to death going in and out. I
> currently have a 144/440 dual band antenna mounted on the front fender
> across from the FM broadcast receive antenna.
>
> Anyone have any suggestions or experiences with an Explorer?
>
> TNX & 73,
>
> Lee, N4GLB
> lbarnett@claimsware.com
>

4456. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Wammes Witkop <wwitkop@cable.a2000.nl>
Message-ID: <36F06959.889D777B@cable.a2000.nl>
Source record: 113692
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

As "Charlie" seems to operate under a cloak of invisibility, I'll post this answer which was ment to be private in the newsgroup. And, could we stop this? Now? Please?

Hi Charlie,

Charlie wrote:

> And yes, it's off topic, particularly to those outside the USA.

Indeed. I'm Dutch.

> My apologies.

Don't apologize. Just don't post this off-topic stuff.

> Two layers of asbestos underwear on.

Then I won't flame you. I'l just ask you nicely to behave yourself.

Kind regards

Wammes Witkop - under his own name and address, unlike yourself...

4457. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: bean_counter@my-dejanews.com
Message-ID: <7cq2c6$rn3$1@nnrp1.dejanews.com>
Source record: 113693
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment

In article <0LUH2.6099$fM1.10660882@brnws01.ne.mediaone.net>,
"Charlie" <no@spam.net> wrote:
> It's interesting -
> and very sad - how they've abandoned their principals and redefined
> hypocrisy. The fact that someone could read Charlton Heston's speech and
> interpret it as a call to "inciting others to join their madness" tells you
> just how twisted their reasoning can be.
>
> It's 1984 already.
>

Trouble is, a Brown Shirt is still a Brown Shirt - it doesn't matter which arm-band is on it if you still goose-step through the square and terrorize the populace. Question the slogans of political correctness, and it's off to the social standing/workplace KZ for you!

Kevin McDonald

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4458. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Wammes Witkop <wwitkop@cable.a2000.nl>
Message-ID: <36F07562.E1D5AEAC@cable.a2000.nl>
Source record: 113694
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Russ,

Whatever this is about - it seems *very* american to me. It does not relate to contempory Dutch issues, to be sure. Issues, that I will not discuss on this newsgroup, as they would not be of interest to the common demoninator here: Boat Anchors. That is the point I am trying to make - let's stick to business. Or, rename this group. To American BoatAnchors and revisionist Opinons. Just kidding...

But honestly, I happen to be a anti-millitarist. Strange, for someone with a hobby in green radios, I concede. Should I be posting treatises to my believes in that aspect here? I do not think so!

Try not to let your opinions on anything but BA's cloud this newsgroup, thats my opinion. The original posting was trespassing, the endless applauding does get on my nerves.

Kind regards, Wammes Witkop

Russell C. Nixon wrote:

> Wammes,
>
> I understand and respect your opinions, but Mr. Heston's speech had far
> less to do with the NRA and far more to do with moral and intellectual
> honesty. There are other rights that we enjoy and should jealously
> protect. Our rights to think and speak as we please are among them.
> Try not to let your opinions about something cloud your judgement and
> ability to reason clearly about others.
>
> Russ Nixon - KF4WXD
>
> Wammes Witkop wrote:
> >
> > I *do* realize that in some countries other then my own, an interest in
> > green - millitary - radios goes hand in hand with other hobbies I do not
> > approve off. Frankly, I'm Dutch. We do not like guns in the hands of
> > citizens. We have strict laws against it - and as a result, we have less
> > violent crime then some countries where guns are easier to get..
> > The NRA is *not* my cup of tea at all - if I'd be an American I'd oppose
> > them. But as it is, this is not my patch. So please stop advocating the
> > NRA, it's chairman or applauding to one who does. This is an
> > international newsgroup after all. Please take this thread to a place
> > where it's not a spam - 'cause that what it is here! The amount of
> > definitly off-topic messages is getting rather large, would'nt you

> > agree?
> >
> > Kind Regards, Wammes Witkop
> >
> > David Stinson wrote:
> >
> > > http://www.law.harvard.edu/News/Charlton_Heston_speech.html
> > >
> > > Yes, I know I'm probably "spamming."
> > > But I can't think of a better way to pass this to
> > > all the people I've come to like and respect.
> > >
> > > And it's just a -little- message, anyways.
> > >
> > > Forgive.

4459. FT-101B Prices

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: kg4bxp@my-dejanews.com
Message-ID: <7cq3o1smf1@nnrp1.dejanews.com>
Source record: 113695

I have a chance to buy a Yaesu FT-101B. I am trying it out now. I think it is a great starter HF rig. I haven't even got my tech+ upgrade yet, but it seems to recieve great. Does anyone know a ballpark price range for it? I have no idea what older (or newer for that matter) HF rigs cost.

I don't monitor this newsgroup so email me @: penny@mail.cafes.net

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4460. Re: What do you think of the FT-2500M?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990318002415.27806.00000435@ng105.aol.com>
Source record: 113696

I've had two FT-2500M. They are great basic 2m rigs. They seem very solid and there are no moving parts like a fan to listen to are have break. The mic I had with mine was the older 27, I had the 36 on my FT-3000M and liked it better, its seemed heavy duty and fit in my hand nicer then the triangle 27 mic. The FT-2500M is very easy to modify to transmit out of the 2m band, only clip of a wire and its done, works great and fool proof. It makes for a nice backup VHF Marine radio at 50 watts. The radio then can also be used for persons with careers that use radio communications. (IE, Law enforcement, Fire & Rescue)

Without a doubt, a fine 2m rig... get and you'll be happy you did and what a steal, $199.99 for a brand new one with the HM-36 mic, you just can't go wrong... =)

Jason S. Hulet
KC8FXE

4461. Re: FT-470 mod for 9600bps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Brad Kellison <KA8TOK@four-way.net>
Message-ID: <36F08E0B.DA64FEA3@four-way.net>
Source record: 113697
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.packet

the HT won't handle the speed.. you need to get a radio that is already
set for it.

Daniel Lavoie wrote:

> Does anyone know how to modify the Yaesu FT-470 HT for 9600bps?
>
> 73 de VE3DCL

4462. Re: IC706MkII Cooling fan adjust

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990318002648.27806.00000436@ng105.aol.com>
Source record: 113698

Hello Dan,

Just to let you know that my ICOM 706MKII does the same thing. It would be nice if it didn't have to come on while in the receive mode. The noise doesn't bother me, but when Marine Mobile I like to save every watt of juice from the marine batteries as possible!

Jason S. Hulet
KC8FXE

4463. Icom UX14 converter (CI-IV to CI-V)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Keith Rainbow <rrainbow@cc.curtin.edu.au>
Message-ID: <7cq4el$dd8$1@ftp.curtin.edu.au>
Source record: 113699

I need a UX-14 parallel to serial converter in order to computer control my Icom IC71.

Since Icom apparently no longer produce this, I shall just have to make one. I doubt if it it is much more than a basic UART but I don't really know.

Can anyone point me to a source of the circuit diagram and possibly also some rough idea of the original layout? Currently I only have the drawing showing how to install it in my IC71 manual.

I've got a vague notion I saw the circuit once in that excellent but now defunct U.S. publication "Ham Radio". Can anyone confirm my failing memories?

Keith, VK6JT
rrainbow@cc.curtin.edu.au

4464. Yaesu FT-847 Extended RX mod.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: MANOS <pelamare@her.forthnet.gr>
Message-ID: <7cq4rq$re8$1@medousa.forthnet.gr>
Source record: 113700

Does anyone have the mods to get this rig to general coverage.
Just want my rig to run general coverage.
I am also looking for technical reference/information on how to connect the
FT-847 and Icom AT-150 automatic Tuner.

I appreciate any info you can give!

Thanks Manos.
SV9ANJ

4465. ethernet

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Fredrik &#65533;berg <fredrik.oberg@telia.com>
Message-ID: <36F0980E.A51B8F51@telia.com>
Source record: 113701

is someone doing eternet (10mbit) on 10ghz ?

4466. Mod Info for FT 8100 need

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: dcp66@aol.com
Message-ID: <19990318014451.18487.00000418@ng118.aol.com>
Source record: 113702

I am trying to identify the right cmos to remove. the diagram I have is poor and dont know if it is correct. with the radio facing forward, fan to rear. front left there is a screw holding the PC board in place. To the right there is a cmos chip just above a ribon cable. is this the chip that needs to be removed? thanks.....

4467. Ham Radio Resources

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: mikrounit@hughes.net
Message-ID: <7cq76kvcd1@nnrp1.dejanews.com>
Source record: 113703

Hello All,

I have a Ham Radio & Electronics page
that has info on Satellites, Satellite Tracking,
Yaesu, FT-847, HF, VHF/UHF, a Ham Radio Resources Page with
tons of USEFUL links, My own HF rig reviews, plus other interesting info.
Please visit me, and drop a message off to my Guest Book.
The URL:

http://kq6mu.8m.com

Thanks & 73,

Mike Green KQ6MU

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4468. Re: Mod for FT 8100 R on SAR of 155.805 ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: dcp66@aol.com
Message-ID: <19990318014628.18487.00000419@ng118.aol.com>
Source record: 113704

did you find the mod info?, if so could you forward the info to me. Thanks

4469. mod info for Yaesu 8100 needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: dcp66@aol.com
Message-ID: <19990318020309.18481.00000367@ng118.aol.com>
Source record: 113705

I need any info on the mod to expand the TX of the 8100.

4470. Re: FT-470 mod for 9600bps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Daniel Lavoie <LavoiedNOSPAM@iSTAR.ca>
Message-ID: <zl2l2.95$nx5.445728@NewsRead.Toronto.iSTAR.net>
Source record: 113706
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.packet

I read an article once where someone had converted his FT-470 for 9600 bps.
I just hope someone else has seen it and he/she can help me. Imagine if it
could be done, I could connect to any of the 2M/440 FM 9600 FSK satellite
with a small portable TNC and a palmpilot or WindowCE as a terminal.

Daniel

Brad Kellison wrote in message <36F08E0B.DA64FEA3@four-way.net>...
>the HT won't handle the speed.. you need to get a radio that is already
>set for it.
>
>Daniel Lavoie wrote:
>
>> Does anyone know how to modify the Yaesu FT-470 HT for 9600bps?
>>
>> 73 de VE3DCL
>

4471. ANYONE HAMMING MARINE MOBILE THIS SUMMER?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990318030007.09495.00000412@ng-fs1.aol.com>
Source record: 113707

Hello,

Just looking for a show of hands of those who sail or motor and work HF while aboard....

Jason S. Hulet
KC8FXE

4472. Re: Help! TS440AT Problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Robert Reed <aspect@wcinet.net>
Message-ID: <36F0B688.9CD@wcinet.net>
Source record: 113708

Asylum wrote:
>
> My frequencies on my 440 are not steady. I put it on one freq and it moves.
> Not the numbers themselves, but the voice. Does anyone have any solutions?
>
> please email directly to asylum@wcc.net
>
> tx
> bob

Try carefully resoldering around the "PLL5" part of the PLL board. That is the one that is used for FM but it must remain stable for all other modes. If it starts going a little squirrely because of bad solder connections, it will warble an SSB signal and if it gets too unstable it will cause the microprocessor to detect a "PLL unlock" condition and will shut down all frequency operations (the display will go black with nothing but decimal points. Mine had a bad solder joint. I have heard of some that had a bad tuneable coil in that PLL. I have also heard of other PLL's on that board that were screwed up with bad solder jobs. Have a close look on the back of that board.

Good Luck.

Bob N6HGG

4473. Re: Any and All info on Kenwood TS-520

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: ejune@intuitive-data.com
Message-ID: <09990218005019.OUI02.ejune@intuitive-data.com>
Source record: 113709

Brandon,

The TS-520 is a great radio! During the late 70's and early 80's, it was probably the most popular radio worldwide. I have a TS-820 (basically a TS-520 with a few more bells and whistles) which I have had since 1977 and it still works fine.

No, the receiver is not general coverage, only 500 kHz on each of the bands. And, you will be limited to the "old" amateur bands (10m, 15m, 20m, 40m, 80m). The WARC bands (12m, 17m, 30m) did not exist when they were manufactured. The receiver is good, although not quite as sensitive as the modern killer radios like the FT-1000D (my current radio).

One advantage of the TS-520/TS-820 and radios of that era is that their tube driver and final amplifier stages will give you a solid 150W instead of the typical 100W in most of the newer solid-state rigs. That extra 50W can make a difference when you are in a pileup with the typical "100W and a dipole" stations. I paid quite a bit more money for my FT-1000D, vs. the FT-1000MP, just to get the extra power (200W vs. 100W) and I am glad that I did.

If you can find one, I would recommend that you get a TS-820 instead of the 520. There is one feature in the TS-820 called "IF shift" which is worth whatever the extra cost might be. When I got my new FT-1000D a few months ago, I played with all the high-tech receiver features and found that the only one that was really effective in knocking out QRM on CW or SSB was the same old IF Shift feature that Kenwood developed for the TS-820 back in the 70's! Also, the 820 will give you 160m which I believe is absent on the 520. Note that the TS-820S and the TS-820 are the same radios except that the S model includes a digital display (not at all needed in my opinion).

So I would say go for it. If your 520/820 does not provide full power when you get it, you may need to replace the driver and/or final tubes (3 total) but they are still readily available and not that expensive.

--
Regards,

Eric June
KU6J

4474. CPU RESET ICOM IC 736

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: james wilks <jwilks@interact.net.au>
Message-ID: <01be7125$698e1380$82b121cb@acc>
Source record: 113710

CAN I PLEASE GET THE DETAILS FOR A CPU RESET FOR A
IC-736

JIM
VK1UAL AUSTRALIA

4475. For Sale Yaesu Service Manual FT 101 Series

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: orbitone@worldnet.att.net
Message-ID: <36f2cbf0.11977973@netnews.worldnet.att.net>
Source record: 113711

selling this good cond manual for best offer email me
thanks and happy Bidding!!

4476. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Vince Rhea <vintage@mis.net>
Message-ID: <wP4I2.15$a_1.77886@news2.randori.com>
Source record: 113712
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

And absolutely nothing to do with tube audio.

--
Vintage Audio http://www.users.mis.net/~vintage/
The Victorian Lady http://www.users.mis.net/~victoria/vl/index.htm
SpermBank http://www.users.mis.net/~victoria/sb/index.htm
Russell C. Nixon wrote in message <36F06B6F.16FBA95A@mindspring.com>...
>Wammes,
>
> I understand and respect your opinions, but Mr. Heston's speech had far
>less to do with the NRA and far more to do with moral and intellectual
>honesty. There are other rights that we enjoy and should jealously
>protect. Our rights to think and speak as we please are among them.
>Try not to let your opinions about something cloud your judgement and
>ability to reason clearly about others.
>
>Russ Nixon - KF4WXD

4477. 455KHz Filter Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Duncan Walters <Duncan@g4dfv.freeserve.co.uk>
Message-ID: <7cqmls$9ij$1@news5.svr.pol.co.uk>
Source record: 113713

Wanted: A Kokusai 455KHz Mechanical Filter
to replace a defective one in a KW 2000E transceiver.
Has anyone out there got one for sale?
Any help will be greatly appreciated.
Please reply soon.

Duncan G4DFV

4478. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Charlie <no@spam.net>
Message-ID: <G95I2.6155$fM1.11037610@brnws01.ne.mediaone.net>
Source record: 113714
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Wammes Witkop wrote in message <36F06959.889D777B@cable.a2000.nl>...
>As "Charlie" seems to operate under a cloak of invisibility, I'll post this
>answer which was ment to be private in the newsgroup. And, could we stop
this?
>Now? Please?
>
<snip>
>
>Wammes Witkop - under his own name and address, unlike yourself...

I thought my CALLSIGN was identification enough. For crying out loud, you can look up my name, street address, e-mail address and birthdate from that one piece of information alone. I don't post a reply-to address because I have no desire to be overwhelmed with spam in my mailbox.

Aside of that, it's an interesting thread. If you can somehow read it and find a way to be offended, it's YOUR problem, not mine. Democracies thrive on a free exchange of ideas. I'd not normally have responded in an off-topic newsgroup, but this is where the thread appeared. In fact, the Heston speech has been making news all over the country, so it's of some interest here.

Interestingly enough, that's one of the features of "political correctness". The new whining class demands that you not talk about something, or use their new PC terms because they find it offensive. You might want to go back and read the Heston speech.

In the mean time, stop your whining, and don't read posts that don't interest you.

This time I won't apologize.

Charlie, KS1C - that's the CALLSIGN, which completely identifies me. KS1C.

4479. FS: Freq. Counter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: "Joseph R. Erlewein" <jrerlewe@mtu.edu>
Message-ID: <7cq3f0$n1o$1@campus1.mtu.edu>
Source record: 113715

Hello all,

I decided to sell my frequency counter. I like it but need cash. :P
bummer. Ah well, that happens. Anyways:

It's a DSI instruments Model 5600A. I believe it came from a high-school
electronics lab downstate. It's in pretty good shape. It's 50Hz to 512MHz
in range, has a 9-digit LED display, Two inputs, and three resolution
settings. It can run off of an internal battery (don't have it, but you
can either get one or make one) or a 9-15Vdc source. I use 12v. It's a
desktop meter, about the size of a Telcom cable modem box if you're
familiar with the size of those. Hey, who isn't. :) Anyway, it's smaller
than the average VCR if you're lost on the cable modem comparisson. 3.5"
high, 8.5" wide, 9.5" deep.

Taking best offer, I'd like to start the bidding at $80.00

Thanks,
Joe.

--
Joseph

http://www.qsl.net/n8ouz

4480. Mod City!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: richard@nospam.com
Message-ID: <36f0e202.47992698@172.16.1.166>
Source record: 113716

http://home1.inet.tele.dk/ehh/mods/index.htm

4481. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Vince Rhea <vintage@mis.net>
Message-ID: <Uw5I2.18$a_1.95253@news2.randori.com>
Source record: 113717
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

If we want to talk or read about Heston or current events we will pick up a
newspaper or a magazine or go to a chat room. We come hear to read and talk
about tubes.

--
Vintage Audio http://www.users.mis.net/~vintage/
The Victorian Lady http://www.users.mis.net/~victoria/vl/index.htm
SpermBank http://www.users.mis.net/~victoria/sb/index.htm
Charlie wrote in message ...
>
>Wammes Witkop wrote in message <36F06959.889D777B@cable.a2000.nl>...
>>As "Charlie" seems to operate under a cloak of invisibility, I'll post
this
>>answer which was ment to be private in the newsgroup. And, could we stop
>this?
>>Now? Please?
>>
><snip>
>>
>>Wammes Witkop - under his own name and address, unlike yourself...
>
>
>I thought my CALLSIGN was identification enough. For crying out loud, you
>can look up my name, street address, e-mail address and birthdate from that
>one piece of information alone. I don't post a reply-to address because I
>have no desire to be overwhelmed with spam in my mailbox.
>
>Aside of that, it's an interesting thread. If you can somehow read it and
>find a way to be offended, it's YOUR problem, not mine. Democracies thrive
>on a free exchange of ideas. I'd not normally have responded in an
>off-topic newsgroup, but this is where the thread appeared. In fact, the
>Heston speech has been making news all over the country, so it's of some
>interest here.
>
>Interestingly enough, that's one of the features of "political
correctness".
>The new whining class demands that you not talk about something, or use
>their new PC terms because they find it offensive. You might want to go
>back and read the Heston speech.
>
>In the mean time, stop your whining, and don't read posts that don't
>interest you.
>

>This time I won't apologize.
>
>Charlie, KS1C - that's the CALLSIGN, which completely identifies me. KS1C.
>
>

4482. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: Christopher Cox <cobox@netexp.net>
Message-ID: <01be7134$45a175c0$a460b6cd@cbx-nt>
Source record: 113718
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

>
> Whatever this is about - it seems *very* american to me.

You have not read it. I can tell. It is not a great speech, but it does
cover human rights quite nicely. It serves to irritate the complacent.

Sorry for the bizzilon crossposts.

Christopher Cox
KC8FRJ

4483. VX-5R or T8A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: roro75@aol.com
Message-ID: <19990318074550.02680.00000017@ng-cg1.aol.com>
Source record: 113719

I am looking to buy a HT tri-bander, and have narrowed it to two HT's-The Yaesu VX-5R or the Icom T8A-" Actually I think these are the ONLY two out there"-- I have heard good and bad about both, mainly with the VX-5R, although I like it better because of the broader receive. Anybody have any comments on their HT's??--I usually buy from HRO, and If I get a BAD one it goes right back to them for a refund, "14 Day return policy???no returning it to Yaesu and waiting 2 or 4 weeks for me. Anyway all coments and tips will be welcome.
Thanks--Stan KC2ADC

4484. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <36F0F869.3DC41B82@ix.netcom.com>
Source record: 113720
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Mr. Young:
Your kind and reasoned response is much appreciated,
and your charge of "rush to judgement" on my part has obvious merit.
I will take this to private mail, as I've aggrievated enough people ;-).

Kind Regards,
Dave Stinson
arc5@ix.netcom.com

4485. son in navy wants to set up station at home

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: h3963@aol.com
Message-ID: <19990318081225.12229.00000010@ng-fd1.aol.com>
Source record: 113721

my son is on ship now but wants to set up a base at home he is in communication and wants to be able to contact home base from sea. about five years in ham , wants me to look for some good used equipment deals, all he does a is spend all his time on the air. I think he wants the 2, 10 ,and 7 meter bands, some thing like a old yausu, or similiar, wayne holloway

4486. FS Millen Grid Dip Meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: gbran81963@aol.com
Message-ID: <19990318081604.02368.00000021@ng-fr1.aol.com>
Source record: 113722

"Mint" solid state in the box Millen G.D.#90652,incl. carrying case,manual and
7 inductors (1.7---300mhz)Price $ 100.00
73'
Gunther, K7GUN

4487. FS Millen G.D. # 90652

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: gbran81963@aol.com
Message-ID: <19990318082250.02368.00000023@ng-fr1.aol.com>
Source record: 113723

"Mint" solid state in the box Millen G.D.carrying case,manual and 7 inductors (
1.7--300 mhz)
$100.00
73'
Gunther, K7GUN
GBRAN81963@aol.com

4488. For sale: Midland 13-513

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: George Lowell <n0eoq@6mt.com>
Message-ID: <7cr10p$5l2$1@news1.alltel.net>
Source record: 113724
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

For sale: Midland 13-513

Midland Synthesized FM transceiver 220-225mhz, 3 stage output power, (1 watt, 10 watt, 25 watt), comes with power cord, microphone and copy of manual, does not have the mobile mounting bracket. On a scale of 1-10 it is a 8.

Asking $175.00 or best offer plus shipping.
If interested email me at ka0nno@6mt.com

Thank you Lisa

4489. Re: HELP President HR 2510

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-18 00:00:00 UTC
From: cowgoose@aol.com
Message-ID: <19990318091955.07835.00000031@ng117.aol.com>
Source record: 113725

Try replaceing the 3 pin voltage regulator

4490. FS: Bird 43P's and elements

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-1903990036240001@pom1.mbl.edu>
Source record: 113426
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have 2 43p's, one has been used about 3 weeks and is mint. the other is still in the unopened box. $275. and 300. respectively shipped. I have the following elements all new:

250A,and 250D 50.00 ea

4491. FS: Kenwood SW200 Meter w/2 couplers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-1903990036420001@pom1.mbl.edu>
Source record: 113427
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

```
This meter is in exc. cond $110.00 shipped
```

4492. Ham Radio Resources

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: mikrounit@hughes.net
Message-ID: <7cucgp$m4i$1@nnrp1.dejanews.com>
Source record: 113476

Hello All,

I have a Ham Radio & Electronics page
that has info on Satellites, Satellite Tracking,
Yaesu, FT-847, HF, VHF/UHF, a Ham Radio Resources Page with
tons of USEFUL links, My own HF rig reviews, plus other interesting info.
Please visit me, and drop a message off to my Guest Book.
The URL:

http://kq6mu.8m.com

Thanks & 73,

Mike Green KQ6MU

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4493. Tarantula Amp Schematic needed!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: ssparky <ssparky2@thegrid.net>
Message-ID: <42yI2.3020$PM2.25805@alfalfa.thegrid.net>
Source record: 113477
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

Please help me find a schematic for a Tarantula linear amp. It uses two 6LQ6 sweep tubes, and has a transistor preamp. A referral to anyone who might have one will be a big help!

Thank you! mark KC 7 LTV
Use this address:

sparky2@thegrid.net

4494. Wanted: Laptop

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: mikrounit@hughes.net
Message-ID: <7cues5ojh1@nnrp1.dejanews.com>
Source record: 113478

Hello All,

I am looking for laptops to use
for logging Contacts for the contests in June.
The type of laptops that we are looking for are
2x86s, 3x86s, and 4x86s. MUST have a harddrive and
floppy!!! We will be needing 3 or 4 of them.
Let me know if you have one to sell/trade.
Thanks & 73,

Mike Green KQ6MU
mikrounit@hughes.net
http://kq6mu.8m.com

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4495. KDK 2033 FM VHF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: nexussix@engrs.unl.edu
Message-ID: <7cu99b$ir9@crcnis3.unl.edu>
Source record: 113479

Can anyone tell me about what I should pay for this radio:

KDK VHF transmitter
FM 2033

Thanks

--
Ben LeDuc
nexussix@engrs.unl.edu

4496. Opinion on Kenwood TM-V7A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: GHOSTRIDR <GHOSTRIDR@prodigy.net>
Message-ID: <01be7241$b4bedac0$fa9efea9@ghostrider>
Source record: 113480

Anyone have any thoughts on this radio. Like to know about performance and
if it is a good radio.
I am in the market for a dual band radio along the lines of 500 dollars so
if you have some other suggestions please let me know.
Thanks for your time. John KG4CKG

4497. ICOM 746/TL922A buffer relay question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: dhallr@aol.com
Message-ID: <19990319144710.29527.00000030@ng-fv1.aol.com>
Source record: 113481

I purchased an Ameritron 702I buffer relay to key my TL922A with the IC746 but come to find out it wont key the amp... TL922A is a neg voltage. Has anyone had any success with the 702I ??? Someone told me the Yaesu FRB757 will key the neg volt... from the TL922A... any help would greatly be appreciated...
tnx & 73
Dave

4498. RX-320 - Free Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: mktg@ix.netcom.com
Message-ID: <3771ac3a.20581022@nntp.ix.netcom.com>
Source record: 113482

March 19, 1999

Dear RX-320 User,

Beta version C of the Flexi-Tuner software for operating
the Ten-Tec RX-320 is now available.

Many thanks to all the beta testers for their excellent
ideas. I have incorporated as many of them as possible
in this version.

The major features of the new beta version are as follows:

1. Operates the RX-320 from virtually any desktop
or laptop computer, including older 386 machines.
2. Works in either DOS or Windows (this is a DOS
program).
3. Implements 34 selectivity filters.
4. All modes: AM, USB, LSB, CW.
5. AGC implemented: Fast, Medium, Slow.
6. Tuning steps down go 1 Hz or up to 1 Mhz.
7. Adjustable squelch (operation improved).
8. Bandpass tuning (offset from center freq.)
9. Scanning using scan files. Adjustable parameters.
New! 10. Built-in scan file editor.
New! 11. S-meter.
12. Almost all parameters adjustable (great for
knob twiddlers like me).
New! 13. Improved interface (more logical).
New! 14. Tighter code for faster operation.
New! 15. Improved receiver initialization.
16. No mouse required (or supported).

I have been running the new beta version for the past
couple of weeks on an old Grid 1750 386 (25 Mhz) machine.
It is really great to put the computer on my lap or
coffee table while I sit in any easy chair and listen
to the RX-320. The program has also been tested on a
486 machine, a Pentium 166, as well as a 400 Mhz Pentium
II. It works equally well on all of them in either
DOS or windows.

I would be happy to supply free of charge this Beta version
to anyone interested who has an RX-320. The software will not
function without an RX-320.

The program is supplied along with several scan files in a single zip file. Installation and removal are simple, as the program does not affect any system settings either in DOS or windows (it does not mess with your registry, DLL's, or other system programs).

The program is easy to use - just press various keys to engage the different functions.

Installation, removal, and operating instructions are included.

If there is enough interest, the Beta version may advance into a final version. In any event, I am not aware of any major bugs in the program.

This has been a very fun project - sort of like homebrewing your own ham equipment used to be in the days of tubes and discrete components!

If you would like to receive the latest beta version, send me an e-mail at mktg@ix.netcom.com and I will send you the zip file by return e-mail.

Regards and 73,

David
W7HTJ

4499. Re: FS: Kenwood TR-2400 HT (broke)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: drmarc@wwa.com
Message-ID: <7ctula$d59$1@hirame.wwa.com>
Source record: 113483

In article <7cc5jt$6pp$2@campus1.mtu.edu>,
Joseph R. Erlewein <jrerlewe@mtu.edu> wrote:
>
>I have a pseudo-working Kenwood HT. It's TR-2400. Has leather case,
>charge stand, external mic, and car adaptor.
>
>Weird: the radio only works on EXACTLY 9.6vdc. Anything else will make the
>display freak out and it will not work properly. The radio only works on
>certain frequencies; ie: if you try to dial it to a certain freq. the
>radio resets everything to factory default. Might make a packet rig, I've
>no interest in it.
>
>I'd like to get at least $10 for the radio plus shipping charges, highest
>bidder takes it.
>
>Very cosmetically clean, if you have a beat-up radio, this one is pretty
>clean.
>
****
Have you checked to see if memory backup battery may be the problem?

Marc Schneider, Psy.D.
e-mail to: <drmarc@wwa.com>
(call sign: W4NVY)

4500. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Michael Young <nobody@all.org>
Message-ID: <7cu8f0nra1@remarQ.com>
Source record: 113484
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Didn't a certain well known movie actor recently remind us of our moral
and constitutional responsibility to do so? And what exactly does
"armed" have to do with this?

Michael.

Joe D. Bucher <JoeB@viaduct.custom.net> wrote in message

> I don't mean any disrespect at all. However, I, as an armed US
citizen,
> can tell my government to go to hell if they insist on making me do
> something that is unconstitutional. You can't do that in your country!
>

4501. Re: AO-27 with VX-5R or T8A ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Robert Lyons <boblyons@umich.edu>
Message-ID: <36F2B615.45F3382B@umich.edu>
Source record: 113485

Jim Hale wrote:
>
> I was thinking about one of these 3 band HT's.
>
> Do they have the ability to work AO-27?
>
> Naturally a beam/more power helps - but are these HT's setup for working
> AO-27 ?
>
> Thanks, Jim

I've used a T8A to work AO-27. It does *not* do cross-band
splits, but I set up adjacent memories for the two required
frequencies, and just switched between them whenever I keyed up.
Yeah, it's a pain - not a way to work a sat routinely, but
I'm not all that interested in that, just wanted to try it
one time. It worked.

73 de Bob, KI8AB

4502. RCI 2950 for parts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: bujiaj8@aol.com
Message-ID: <19990319153626.17994.00000015@ng31.aol.com>
Source record: 113486

I have a RCI 2950 for sale as a parts radio... It may be repairable, I don't know.
I just don't want to mess with it. Make me an offer.

Bill
KD5FXT

4503. Re: Kits

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <9DpfMCAY6p82EwWz@pacsat.demon.co.uk>
Source record: 113487

In article <19990318190518.08183.00000219@ng-fc1.aol.com>, GRaney1882
<graney1882@aol.com> writes
>I am looking for a kit for a HF radio ... QRP is fine but I'd really like one
>that covers SSB ... CW is fine too ... any ideas? Any info is helpful. Thanks
>
>KM5TY Gary

try www.elecraft.com

73 Simon
+--+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+--+

4504. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: "Bill J, Edinburgh" <maestro@cix.co.uk>
Message-ID: <7cucq2jjh2@plutonium.compulink.co.uk>
Source record: 113488
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Didn't someone say "The pen is mightier than the sword"?
Bill J., Edinburgh

Michael Young wrote in message <7cu8f0nra1@remarQ.com>...
>Didn't a certain well known movie actor recently remind us of our moral
>and constitutional responsibility to do so? And what exactly does
>"armed" have to do with this?
>
>Michael.
>
>Joe D. Bucher <JoeB@viaduct.custom.net> wrote in message
>
>> I don't mean any disrespect at all. However, I, as an armed US
>citizen,
>> can tell my government to go to hell if they insist on making me do
>> something that is unconstitutional. You can't do that in your country!
>>
>

4505. Get your very own Callsign Mug.....

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Jaw Jabber <jawjabber@earthlink.net>
Message-ID: <7cue29$7ql$1@birch.prod.itd.earthlink.net>
Source record: 113489
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

What better way is there to start off your morning except by drinking a cup of coffee using your very own CALLSIGN MUG. See at http://home.earthlink.net/~jawjabber

All mugs are made with quality control in mind. They are dishwasher safe and if after you receive your mug you are unsatisfied just send the mug back in its original shipping container and I will refund you the cost of the mug. See at http://home.earthlink.net/~jawjabber

If you what buy your personal callsign mug all you will have to do is send a check or money order for the amount of the mug plus $4.00 for shipping. Remember to send your callsign so I can place it on the mug.(The mug you see on my web sit is just a sample mug. Your callsign will be placed on the mug you order.) Please USA orders only. See at http://home.earthlink.net/~jawjabber

To see a picture of the Callsign Mug and to get the order forms please click on the link below.

http://home.earthlink.net/~jawjabber

4506. Ham Radio Callsign Mugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Jaw Jabber <jawjabber@earthlink.net>
Message-ID: <7cue66$81r$1@birch.prod.itd.earthlink.net>
Source record: 113490
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

What better way is there to start off your morning except by drinking a cup of coffee using your very own CALLSIGN MUG. See at http://home.earthlink.net/~jawjabber

All mugs are made with quality control in mind. They are dishwasher safe and if after you receive your mug you are unsatisfied just send the mug back in its original shipping container and I will refund you the cost of the mug. See at http://home.earthlink.net/~jawjabber

If you what buy your personal callsign mug all you will have to do is send a check or money order for the amount of the mug plus $4.00 for shipping. Remember to send your callsign so I can place it on the mug.(The mug you see on my web sit is just a sample mug. Your callsign will be placed on the mug you order.) Please USA orders only. See at http://home.earthlink.net/~jawjabber

To see a picture of the Callsign Mug and to get the order forms please click on the link below.

http://home.earthlink.net/~jawjabber

4507. Re: New ADMS Shipping (take a look at EVE)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7cujm1uae1@nnrp1.dejanews.com>
Source record: 113491

In article <36F29087.901FE70F@t-online.de>,
Ingra-Beton@t-online.de (Vlaski Goran) wrote:

> The Excellent FREEWARE Software EVE for the VX5R can be
> download at: http://www.geol.com/vx5/

I am working on a head-to-head comparison of the two (actually, three)
available programs for the VX-5R (and FT-50, VX-1R, et al).

- Clint Bradford, ATTENTION to Details
http://www.clintbradford.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4508. Re: Callsigns (Re: Wish I Could Broadcast This)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: brianburke@my-dejanews.com
Message-ID: <7cula9$b1$1@nnrp1.dejanews.com>
Source record: 113492
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment

In article <36F1B89F.DA048FEC@netscape.net>,
Curtis CCR <curtisccr@netscape.net> wrote:
>
>
> Charlie wrote:
> >
> > Wammes Witkop wrote in message <36F06959.889D777B@cable.a2000.nl>...
> > >As "Charlie" seems to operate under a cloak of invisibility, I'll post this
> > >answer which was ment to be private in the newsgroup. And, could we stop
> > this?
> > >Now? Please?
> > <snip>
> > >Wammes Witkop - under his own name and address, unlike yourself...
>
> > I thought my CALLSIGN was identification enough. For crying out loud, you
> > can look up my name, street address, e-mail address and birthdate from that
> > one piece of information alone.
>
> > Charlie, KS1C - that's the CALLSIGN, which completely identifies me. KS1C.
>
> I realize that many hams are proud of their call signs. I like mine. I
> even have on my car's license plates...
>
> But why are we so hung up on "callsigns"? An amateur call sign
> identifies the station, not the operator. I have always found this to
> be a wierd thing about hams - I was involved in land mobile, marine, and
> flying airplanes before I got into amateur radio. Never met anyone in
> those services that introduced themself by their licensed call sign. I
> identify myself on and off the air with my name. I identify my station
> with it's call sign.

Lisa, I guess you are used to a parade of operators using the same call sign.
in the LMR business. Not so in amateyur radio. You, as a guest operator in
another hams shack, should identify with their call stroke your call.

> And you can't get my street address with my call sign. I don't even
> live in the city on my license, let alone at the address. You might be
> able to find my birthdate in some old database, but is there a current
> database that has those?

Then its time you update your license information with the FCC.

> But Charlie is right, a ham should be able to get a pretty good idea of
> who and where he is by "looking up" the given call sign. But his post

> was not over ham radio, it was over a newsgroup. And it wasn't related
> to ham radio. To those non-hma that may be here, he is just a guy that
> calls himself Charlie.
>
> What if I signed this note with...
>
> 73,
> Lisa
> KD6ELA
>
> What if you heard a female voice on the radio signing clear with KD6ELA?
>
I wouldn't care.
73,
Brian/N0iMD

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4509. Re: eBay-- gotta wonder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: f117ab@ameritech.net
Message-ID: <36F2C004.259CFF4F@ameritech.net>
Source record: 113493

You have a good point. Since I sell on both ebay and rec.radio.swap perhaps I can explain. There are different people reading the swap newsgroup than use ebay. I would also venture to say ebay has a wider readership than any one newsgroup. I have sold things on ebay after listing them on the swap newsgroups so there must be different people on each. Of course there is overlap.
The next topic is whether it is good to post on a swap newsgroup that you have something for auction on ebay or elsewhere. My view is if you identify clearly in the heading that something is FA or FA on ebay people can just delete it if they want. It really pisses me off to see "FS neat stuff" in the heading and then open it to find it is an advertisement for "neat stuff on ebay". Even if it is really cool "neat stuff" I will not buy it if I see such crap.
Finally, This topic is a good one for this newsgroup I think because nothing is really being sold and we are discussing the issues. If I wanted to sell something or post a want ad I would use rec.radio.swap. I have learned the hard way that respect for the intent of a newsgroup is important.
Art k9xf

RJR EMS wrote:

> Just a thoght is eBay is so damn hot, how come the fools using
> it are always posting here that they have radios FA. Why not just sell it
> here.
>
> rjr

4510. Protective plastic material?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Butch Magee <butchkay@netdoor.com>
Message-ID: <36F2C5E7.AE3245CE@netdoor.com>
Source record: 113494

Does anyone know where the clear plastic material covering the display of radios and other items to protect it can be purchased? I would like to replace the one's on my rigs.

Butch KF5DE

4511. Re: Ham Radio Callsign Mugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Mark Goad 35 <ka5axv@pdq.net>
Message-ID: <iiAI2.904$BG6.1915@news12.ispnews.com>
Source record: 113495
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

You did not tell us what the price of your mug is. You only stated that it costs $4 to ship it. Are you any relation to Monty Crisco??

Jaw Jabber wrote in message <7cue66$81r$1@birch.prod.itd.earthlink.net>...
>What better way is there to start off your morning except by drinking a cup
>of coffee using your very own CALLSIGN MUG. See at
>http://home.earthlink.net/~jawjabber
>
>All mugs are made with quality control in mind. They are dishwasher safe
and
>if after you receive your mug you are unsatisfied just send the mug back in
>its original shipping container and I will refund you the cost of the mug.
>See at http://home.earthlink.net/~jawjabber
>
>If you what buy your personal callsign mug all you will have to do is send
a
>check or money order for the amount of the mug plus $4.00 for shipping.
>Remember to send your callsign so I can place it on the mug.(The mug you
>see on my web sit is just a sample mug. Your callsign will be placed on the
>mug you order.) Please USA orders only. See at
>http://home.earthlink.net/~jawjabber
>
>To see a picture of the Callsign Mug and to get the order forms please
click
>on the link below.
>
>http://home.earthlink.net/~jawjabber
>
>
>
>
>
>
>

4512. Re: Any and All info on Kenwood TS-520

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Buggs Bunny <n3wxg@home.com>
Message-ID: <D5AI2.10574$573.4655@news.rdc1.md.home.com>
Source record: 113496

Nedwek wrote in message ...
>Hello,
> It's been recommended that I look into this as my first HF radio. I'm
>interested in anything anyone knows about this radio. Is the receiver
>general coverage? How's the sensitivity? Is maintenance a big hassle? Any
>experiences, good or bad, are welcome and requested. Thank you.
>
>Brandon Nedwek
>
>

The Kenwood TS 520SE was my first HF rig and I wish I had never let it
go. I wish I had kept it as a backup rig along with my TS 850SAT.
You would not go wrong and it is very forgiving, a lot moreso than the newer
rigs. 73

Randy N3WXG

4513. Re: 6m transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Jordan Arndt <jordana@nucleus.com>
Message-ID: <36F2DD0A.3D8F@nucleus.com>
Source record: 113497

Shawn Upton wrote:
>
> KB1DNL wrote:
> >
> > Does anyone know if there is such a thing available as a 6 meter trans. to be
> > used in combination with a 10 meter radio such as the Ranger 2950? pls email
> > me if you have any info. thanx
> >
> > KB1DNL
>
> As an additional question, who makes transvertors for 2m to 6m? I have
> a 2m multimode that I would like to use for an IF. I know Ten-Tec makes
> one, who else? Downeast Microwave only makes 'em for 10m IF's. Thanks.
>
> --
> **********
> Shawn Upton
> Electrical Engineering Student
> University of Maine at Orono
> webpage: http://www.eece.maine.edu/~supton/
> mail: supton@eece.maine.edu
> KB1CKT Tech Plus
> **********

HI... I use a MicroWave Modules MMT 50/144 with a 2m IF and My
TS-711A... DEM also makes a 28/144 interface, if you prefer to go that
route... it is preferable to use a GOOD HF rig as an IF, as it allows
for all the functions of the IF Rig to be used on 6m or whichever band
you are working... ie. IF Shift, Auxiliary Filtering,Split operation,(
Mainly for EME), and what have you on the HF rig that some VHF rigs
don't have... you may opt for a rig like the FT-920 or the Newer ICOM
rigs etc, but MOST serious 6 meter ops use a gesignated rig for that
band ... the same should be said for 2 meters also...the thing I miss
with the TS-771A , is a CW filter... I do use external DSP, but it does
not make up for the Narrower BW you get with a 500hz etc CW Filter... 73
de Jordan VE2SWL/VE6...DO-21...

4514. Re: 6m transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Jordan Arndt <jordana@nucleus.com>
Message-ID: <36F2E0F5.3E49@nucleus.com>
Source record: 113498

Shawn Upton wrote:
>
> Frank Krozel wrote:
> >
> > I have the Ten Tec, and am very happy with it. FYI, 29 states from a dipole
> > in the attic. Have used it with a variety of radios. Frank KG9H
> > Shawn Upton wrote in message <36F266C5.794B@eece.maine.edu>...
>
> Thanks for the info. I might just buy that unit in the near future;
> good to hear some people really like that transvertor.
> --
> **********
> Shawn Upton
> Electrical Engineering Student
> University of Maine at Orono
> webpage: http://www.eece.maine.edu/~supton/
> mail: supton@eece.maine.edu
> KB1CKT Tech Plus
> **********

P.S> I originally used the TT 1208 6m /14Mhz xvrtr and was pleased with
it ... it heard much better than an IC-706... if you build or buy one,
perform the following mod...

On the main PCB you will find 2 Coaxial slide connectors that are
tab-soldered to the ground plane... desolder and remove these... using a
SMALL jewellers screwdriver remove the center insulator and connector
from the assembly.

Push the Center conductor out of the insulator , and remove the Base
SHOULDER of the insulator, using a Dremel tool or a Sharp Hobby knife,
so that the outer Shield may be flush mounted to the PCB ground plane.

Position the Shield assembly in it's original postion and place the
center insulator with the center conductor re-installed inside the
shield and verify that the base of the shield can be flush mounted while
the center assembly is also flush mounted to the PCB.
If you got it right the first time,tack solder the shield in place, and
remove the center insulator assembly.

CAREFULLY solder the entire circumference of the shield to the PCB
Ground plane.There are a few places where CAUTION is necessary. Also
solder the tabs on the underside of the board. once this is performed
you might let it cool for a minute , and then re-insert the center
insulator inside the shield and finally solder it in place...

The purpose of this mod , is to avoid leakage of the input and output signals into various stages within the transverter... QST's review of the 1208 mentions this mod, but only on one of the two connectors... I found that doing both connectors really helped to avoid hearing FALSE 20m signals on 6 meters and also helps to keep the 20m output from reaching the 6m antenna connector , and helps clean up the transmitted signal....

Good Luck and see you on 6 ... 73 de Jordan...VE2SWL/VE6....

4515. FT221 mods wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: chris <chris@g0wyf.freeserve.co.uk>
Message-ID: <7cujut$gn1$1@news4.svr.pol.co.uk>
Source record: 113499

hiya..
Altough it is a bit old now, has anyone got details of mods to the rx front end for ssb/cw operation for the FT221r

thanks
chris@g0wyf.freeserve.co.uk

4516. Re: 6m transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Shawn Upton <supton@eece.maine.edu>
Message-ID: <36F2D351.1CFB@eece.maine.edu>
Source record: 113500

>
> HI... I use a MicroWave Modules MMT 50/144 with a 2m IF and My
> TS-711A... DEM also makes a 28/144 interface, if you prefer to go that
> route... it is preferable to use a GOOD HF rig as an IF, as it allows
> for all the functions of the IF Rig to be used on 6m or whichever band
> you are working... ie. IF Shift, Auxiliary Filtering,Split operation,(
> Mainly for EME), and what have you on the HF rig that some VHF rigs
> don't have... you may opt for a rig like the FT-920 or the Newer ICOM
> rigs etc, but MOST serious 6 meter ops use a gesignated rig for that
> band ... the same should be said for 2 meters also...the thing I miss
> with the TS-771A , is a CW filter... I do use external DSP, but it does
> not make up for the Narrower BW you get with a 500hz etc CW Filter... 73
> de Jordan VE2SWL/VE6...DO-21...

At the moment, my HF radio is down. (has been for ~10-20 years, was
given to me a few years ago before I was licensed). I do have a 2m
multimode, so that is the reason for 2m IF. And, the cw filter is the
next thing that I plan on getting (or building), as there is not one for
my current 2m radio; I plan on just doing for the audio stage (just
before the speaker).

--
****
Shawn Upton
Electrical Engineering Student
University of Maine at Orono
webpage: http://www.eece.maine.edu/~supton/
mail: supton@eece.maine.edu
KB1CKT Tech Plus
****

4517. FT-100 IS HERE !!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: w1ksz@tiac.net
Message-ID: <36f2dbcb.3708592@news.tiac.net>
Source record: 113501

Picked up mine today (Friday) at HRO in New Hampshire. It's a real
radio despite what some "experts" say. Tried it on HF, VHF and UHF.
Now programming some of the 300 memories. Way to go Yaesu !!
73, Dick, W1KSZ

4518. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: "Joe D. Bucher" <JoeB@viaduct.custom.net>
Message-ID: <36F2C984.2388@viaduct.custom.net>
Source record: 113502
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Michael Young wrote:
>
> Didn't a certain well known movie actor recently remind us of our moral
> and constitutional responsibility to do so? And what exactly does
> "armed" have to do with this?
>
> Michael.
>
Michael,

I was responding to Mr. Wammes Witkop that said in his post: "Frankly, I'm Dutch. We do not like guns in the hands of citizens." Thats why my post referenced being armed. I believe our founders understood how important it was for the government to fear the people rather than the people fearing their government. Support the NRA!

Joe

4519. W32A-mod/help

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: kb1dnl@aol.com
Message-ID: <19990319185656.28366.00000101@ng103.aol.com>
Source record: 113503

If there is anyone out there who has done the extended transmit/receive mod to the Icom W32A, could you please email me. I have the directions for the mod, but they arent very clear. I need some help. Please, email me only if you have done the mod to your HT. thanks so much.

KB1DNL

4520. Re: packet radio problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Richard Ferguson <raferguson@worldnet.att.net>
Message-ID: <36F2E903.EFB6A065@worldnet.att.net>
Source record: 113504

A good location for info is www.tapr.org.

I am not sure about net access via packet, you would probably need
to ask locally. Remember that packet is slow, 300 baud typical
for HF, 1200 baud typical for VHF and UHF, although there is some
9600 baud activity, which requires a special TNC and a radio that
will support 9600 baud. Except for e-mail, I think that packet
is too slow for the internet, esp. the www.

Richard
KA0DXM

ivo wrote:
>
> need some informations..... where to find infos about packet radio,can I
> access NET via PR,and what is best equipment to use.....
>
> tnx in advance...

4521. Re: Wanted: Laptop

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Richard Ferguson <raferguson@worldnet.att.net>
Message-ID: <36F2E97D.C3ED9C3D@worldnet.att.net>
Source record: 113505

I recently bought a 386 with hardrive and floppy for $99 at
a used computer store, only 1 meg of memory, but adequate
for packet, which is why I bought it.

Richard

mikrounit@hughes.net wrote:
>
> Hello All,
>
> I am looking for laptops to use
> for logging Contacts for the contests in June.
> The type of laptops that we are looking for are
> 2x86s, 3x86s, and 4x86s. MUST have a harddrive and
> floppy!!! We will be needing 3 or 4 of them.
> Let me know if you have one to sell/trade.
> Thanks & 73,
>
> Mike Green KQ6MU
> mikrounit@hughes.net
> http://kq6mu.8m.com
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4522. Re: Boycot The Pentium III

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Harv Shore <af006@lafn.org>
Message-ID: <7cuple$1qp$1@zook.lafn.org>
Source record: 113506

Clicking on this will tie up your computer and result in you either AGREE to this or having to reboot your computer to avoid a YES vote.

Clever these guys
and they complain about Intel

oris wrote in message <36F1D7E1.E2E@dirtball.com>...
>For more info check out
> http://www.dirtball.com
> Click on the bigbrother link
> 73 from Oris

4523. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: oris <oris@dirtball.com>
Message-ID: <36F2EC58.6DDF@dirtball.com>
Source record: 113507
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

-.-. wrote:
>
> The amateur brotherhood was established in 1946 by clandestine members of
> an almost forgotten religious zealot sect from the darkest corner of the
> Ozarks. To become a member of the "brotherhood" one would have to endure
> 72hrs of continuous loop audio tape, with a terse voice shouting
> "CONTEST-CQ-CONTEST" over and over. Once Step 1 was completed, the
> potential member would be led into another chamber where they would be tied
> to a chair, directly underneath a bucket, which - when tipped, would drop
> dit's and dah's on their sweaty forehead, while the "Brotherhood" choir
> would chant: "CODE IS GOOD, CODE IS GOD, CODE IS THE ALL POWERFUL". 48hrs
> later (if he was still willing), he would be led into a large room where
> they would dance naked around a fire, finally slaughtering a herd of pigs
> (thus the moniker- "Ham"), and feast upon the improperly cooked flesh.
> Finally, the new member would swap underwear with member sitting next to
> him, and swear that he would be forever above stealing or lying. And now
> you know......the rest of the story.
>
> Miles Davis <MDD327@aol.com> wrote in article
> <01be71eb30460120a434d4cc@pos-staff>...
> > We who are of the amateur botherhood are supposed to be above all that
> > stealing
> > and stuff. I would expect that from the ranks of CBers. Thats just my
> > opinion I could be wrong.
> >
> > You probably are wrong.
> >
> > Can you tell me if there is an oath or somthing that Amateurs MUST
> qualify
> > themselves against CBers? When I listen to Ham radio I here fighting,
> > profanity, excessive power, jamming, rude and inconsiderate people all
> the
> > time. Oris, do you here them too? I noticed your reply is spread across
> > four Newsgroups. Do you get points for that? A pat on the head? A
> cookie?
> >
> >
> >
> >
> >
Now thats funny
Oris

4524. Re: 6m transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Jordan Arndt <jordana@nucleus.com>
Message-ID: <36F30080.91C@nucleus.com>
Source record: 113508

Shawn Upton wrote:
>
> >
> > HI... I use a MicroWave Modules MMT 50/144 with a 2m IF and My
> > TS-711A... DEM also makes a 28/144 interface, if you prefer to go that
> > route... it is preferable to use a GOOD HF rig as an IF, as it allows
> > for all the functions of the IF Rig to be used on 6m or whichever band
> > you are working... ie. IF Shift, Auxiliary Filtering,Split operation,(
> > Mainly for EME), and what have you on the HF rig that some VHF rigs
> > don't have... you may opt for a rig like the FT-920 or the Newer ICOM
> > rigs etc, but MOST serious 6 meter ops use a gesignated rig for that
> > band ... the same should be said for 2 meters also...the thing I miss
> > with the TS-771A , is a CW filter... I do use external DSP, but it does
> > not make up for the Narrower BW you get with a 500hz etc CW Filter... 73
> > de Jordan VE2SWL/VE6...DO-21...
>
> At the moment, my HF radio is down. (has been for ~10-20 years, was
> given to me a few years ago before I was licensed). I do have a 2m
> multimode, so that is the reason for 2m IF. And, the cw filter is the
> next thing that I plan on getting (or building), as there is not one for
> my current 2m radio; I plan on just doing for the audio stage (just
> before the speaker).
>
> --
> **********
> Shawn Upton
> Electrical Engineering Student
> University of Maine at Orono
> webpage: http://www.eece.maine.edu/~supton/
> mail: supton@eece.maine.edu
> KB1CKT Tech Plus
> **********

Hi Shawn... you might be better off going for an external DSP unit
then... even a Timewave DSP-9+ will allow for narrow CW and also has
Noise Reduction algorithms for improved SSB and CW... also it has an
Auto Notch for Computer hets etc... the advantage of inboard IF Filters
, is their ability to limit broad band AGC response... good luck and 73
de Jordan...

4525. FA:LAST DAY: HEATH,EV, KW And MORE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Jordan Arndt <jordana@nucleus.com>
Message-ID: <36F30308.737C@nucleus.com>
Source record: 113509

Hi I have many items ending in the next 24 hours... Excellent Heathkits
Including an SB-614 Monitor Scope, an Excellent HW-8 with Power Supply
and extras, a RARE HEATHKIT AD-1308 and 1309 Audio Spectrum Analyzer in
Excellent condition with all manuals and the 1309 Pink/White Noise
Generator, An Electrovoice EV 727 Desk Mic and the EV 428 PTT Stand and
EV 502B Impednace transformers among MANY other items... to see goto:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=jordana@nucleus.com&sort=3
&since=-1

Thanks for your time and good luck... 73 de Jordan...

4526. Some Information Please

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Jonathan Winter <jwinter@pacificrim.net>
Message-ID: <36F2F665.643B8B9E@pacificrim.net>
Source record: 113510

What might I expect to pay for a IC 781 in excellent condition. Can somone please give me an idea of the cost of this tranceiver on the secondary market...what range is considered fair and reasonable?

Thanks all,

J. Winter

4527. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <36F2F779.71DB032A@erols.com>
Source record: 113511
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Right on!.....and look what happened to the Low Countries in '38 thru '41.
Some people never learn!!!

W4ABC wrote:

> Wammes Witkop wrote in message <36F05DE4.39009A48@cable.a2000.nl>...
> >I *do* realize that in some countries other then my own, an interest in
> >green - millitary - radios goes hand in hand with other hobbies I do not
> >approve off.
>
> Frankly, I'm Dutch. We do not like guns in the hands of
> >citizens. We have strict laws against it - and as a result, we have less
> >violent crime then some countries where guns are easier to get..
>
> Jon Pearl Replies...
>
> Handgun crime is on the decline here in the United States. We have vast
> numbers of guns.
>
> Home invasions in the U.S. are on the decline. Burglars know that their
> fate is in the homeowner's hands.
>
> Handgun crime is on the decline in the United Kingdom also. In fact their
> citizens no longer have the ability to maintain ownership of guns.
>
> Home invasions in the U.K. are soaring! Burglars invade, day or night with
> impunity!
>
> The weapons of choice in the U.K. have now become, fists, blunt objects,
> sharp objects, etc.
>
> Violent crime in the U.K. is on the rise. Citizens no longer have the
> 'tools' to protect themselves.
>
> Your country is beautiful and it's people are a testament to modern society
> and civility.
>
> You might also be interested in noting that there is a government issued
> semi-automatic rifle in the homes of most Swiss citizens. Switzerland's
> crime rate is very low.
>
> >The NRA is *not* my cup of tea at all - if I'd be an American I'd oppose
> >them. But as it is, this is not my patch. So please stop advocating the

> >NRA, it's chairman or applauding to one who does. This is an
> >international newsgroup after all. Please take this thread to a place
> >where it's not a spam - 'cause that what it is here! The amount of
> >definitly off-topic messages is getting rather large, would'nt you
> >agree?
>
> And you my friend helped to enrich it's size!
>
> Wouldn't you agree?
>
> Here's a link, that need not be clicked on to understand why it exists.
>
> 'Jews for the Preservation of Firearms Ownership'
> http://www.jpfo.org/
>
> If you look at my first name, you will see that I am of Dutch ancestry, yet
> I have no Nazi footprints on my soil.
>
> Not to offend, but rather to enlighten Wammes.
>
> 73 Jon Pearl
> W4ABC
> I am a citizen, not a subject.
>
> --
> "The people will not understand the importance of the Second Amendment
> until it is too late." -- Thomas Jefferson
>
> >
> >Kind Regards, Wammes Witkop
> >
> >David Stinson wrote:
> >
> >> http://www.law.harvard.edu/News/Charlton_Heston_speech.html
> >>
> >> Yes, I know I'm probably "spamming."
> >> But I can't think of a better way to pass this to
> >> all the people I've come to like and respect.
> >>
> >> And it's just a -little- message, anyways.
> >>
> >> Forgive.
> >>
> >>
> >>

4528. FS: Tower, 90' Rohn 55G

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Stan Huntting <stan@sni.net>
Message-ID: <7cv27lifl1@news-2.csn.net>
Source record: 113512
Cross-posted to:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

FS: Tower, 90' Rohn 55G

Nine 10' sections of Rohn 55G, extra heavy duty galvanized steel tower, in perfect condition, no rust or corrosion.
Rohn top plate with 2-1/2" thrust bearing.
Rohn rotator bracket, drilled for HyGain HDR-300 (rotator not included).
Steel mast, 6' x 2-1/2" diameter x 1/4" wall thickness.
2 ea. Rohn guy brackets with shackles.
3 sets upper and lower guy assembles using Philystran 6700 above and 5/16" galvanized steel below, insulators, turnbuckles and load balancers.
Rohn engineering drawings and specifications included.

On the ground, ready for pickup, near Boulder, CO. Install a base, three guy anchors, rotator and antenna and you're in business. Texas Towers' current price for the nine 55G sections alone is more than $2,000. What am I bid?
The complete tower goes to the best offer over $990

Stan

Stan Huntting, KW7KW (ex-KF0IA)
Email: stan@sni.net Fax: 303 444 2314
SA Watch/KaWin/PicturePacket home page: http://www.sni.net/kawin/.

4529. VX-1 Band button problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Tim Landers <timl@mindspring.com>
Message-ID: <36F31508.CFF03BD6@mindspring.com>
Source record: 113513

W8LN (Brian) and I were looking at his VX-1 tonight. The Band button does not function properly as either band switch or as program switch. It behaves as if it is a Down button. We tried to clone a good radio (mine) to it to see if that would help, but no luck. trying to upload the bad radio doesn't work because the Down button doesn't seem to really work either. If you hold Down, the radio won't scan, but the Up button works fine.

All other buttons look ok.

Has v 106 firmware in radio.

Any ideas?
--
Tim Landers
N4HIG
timl@[nospam]mindspring.com
Train Enthusiasts
***Notice: Unsolicited e-mail will result in $200 minimum consulting and archival fees.
***Sending any unsolicited e-mail constitutes acceptance of these terms.

4530. Re: Yaesu FT-847 Extended RX mod.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: ThomasS <stop@spam.com>
Message-ID: <36F318B6.2627@spam.com>
Source record: 113514

MANOS wrote:
>
> Does anyone have the mods to get this rig to general coverage.
> Just want my rig to run general coverage.

http://www.en.com/users/rayd/ft-847/html/mods.html

4531. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <7cv4h4ipi1@news-1.news.gte.net>
Source record: 113515
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Bill J, Edinburgh wrote in message
<7cucq2jjh2@plutonium.compulink.co.uk>...
>Didn't someone say "The pen is mightier than the sword"?
>Bill J., Edinburgh

Well, it MIGHT sound inspiring, but you take the standard pen of your choice, and give me a good sharp broadsword, and I'll take you on, what do you say?

Meanwhile, here at home, my 12 guage and various assorted others give me a warm secure feeling...

Gary - KJ6Q

4532. Alinco DX-70 - $525

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7cv5eo$74q@dfw-ixnews4.ix.netcom.com>
Source record: 113516

I have an extra DX-70, nice and clean for $525. Frank
630-653-9090 home

4533. Re: 6m transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Shawn Upton <supton@eece.maine.edu>
Message-ID: <36F3175F.3F54@eece.maine.edu>
Source record: 113517

Jordan Arndt wrote:
>
>
> P.S> I originally used the TT 1208 6m /14Mhz xvrtr and was pleased with
> it ... it heard much better than an IC-706... if you build or buy one,
> perform the following mod...
>
> On the main PCB you will find 2 Coaxial slide connectors that are
> tab-soldered to the ground plane... desolder and remove these... using

<snip>

Thanks for the mod. If I get this transvertor in the future (a distinct
possibility), I'll keep that in mind.
-
-
****
Shawn Upton
Electrical Engineering Student
University of Maine at Orono
webpage: http://www.eece.maine.edu/~supton/
mail: supton@eece.maine.edu
KB1CKT Tech Plus
****

4534. Yaesu FT-8100R VHF UHF Mobile for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36F316D5.7E49@ix.netcom.com>
Source record: 113518
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

New in box. Bought it tried it and now I'm selling it. This radio has less than 3 hours on it. $395. 208 Channels with detachable face. All hardware is sealed and comes with mic, power cord and mic.
GREAT DEAL!! 73 Chris VE3NGW/W4 Florida

4535. * Beautiful Drake R4C - $175

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Don Rasmussen <73642.1571@CompuServe.COM>
Message-ID: <uCZU3Xoc#GA.225@nih2naad.prod2.compuserve.com>
Source record: 113519
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Drake R4C serial number 21468. In 9.5 of 10 condition
inside and out. Works great. Includes original box,
manual, and wide CW filter. First $175 plus ship.

73,
Don Rasmussen WB8YQJ/6

4536. Re: ANYONE HAMMING MARINE MOBILE THIS SUMMER?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Karl Klingman <karl@mindspring.com>
Message-ID: <36F32767.BE190093@mindspring.com>
Source record: 113520

Will be installing my Yaesu FT900 on my sailboat this spring. Will probably go with a Hustler antenna on the
stern rail.

Karl AF4IX

JHulet wrote:

> Hello,
>
> Just looking for a show of hands of those who sail or motor and work HF while
> aboard....
>
> Jason S. Hulet
> KC8FXE

4537. Your opinion wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Marty Duplissey <mduplissey@lsbs.com>
Message-ID: <B6GI2.1029$Ee4.1764@news15.ispnews.com>
Source record: 113521
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I just had a deal go sour the seller now tells me the unit has been sold before my email that the check will go out. I need your opinion. Do you think I had a deal to buy this yaesu. Sellers info has been deleted to save embarassment for now.

Marty Duplissey wrote:

> Check will go out today.
>
> Marty Duplissey
> 2011 S. Mobberly
> Longview TX 75602
>
> -----Original Message-----
> From: xxxxxxxxxxxxxxxxxx>
> To: Marty Duplissey <Mduplissey@LSBS.COM>
> Date: Thursday, March 18, 1999 11:23 PM
> Subject: Re: FT-101
>
> >tell you what hear is what i can do for you...i will ship you the
> rig,operators
> >manaul and service manual..and the extra tubes for the 150...the rig has
> >10m,11m,15,20m,30m,40,80 and 160 meters...and i should have several extra
> >tubes...both driver and final tubes... let me know... i would cover the
> cost
> >of the shipping...here is the qth
> >
> >XXXXXX Dr.
> >xxxxxxxx
> >xxxxxx
> >
> >let me know
> >xxxx
> >
> >Marty Duplissey wrote:
> >
> >> The most I could offer for the Yaesu is $150 shipped. The transformer
may
> be
> >> bad and if so It's worthless.
> >>
> >> N5KBP
> >>
> >> Marty Duplissey

> >>

--
Marty Duplissey
Lone Star Business Systems
Specializing in development for the credit report retrieval industry
Desktop, Networks, Intranets and Internet Delivery
http://www.lsbs.com

4538. Re: Your opinion wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Cyberhax <cyberhax@thegrid.net>
Message-ID: <aXGI2.3056$PM2.26172@alfalfa.thegrid.net>
Source record: 113522
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I'd say since the seller said "let me know" the deal wasn't firmed up yet?

Just my 2cents worth.

Shawn

Marty Duplissey wrote in message ...
>I just had a deal go sour the seller now tells me the unit has been sold
>before my email that the check will go out. I need your opinion. Do you
>think I had a deal to buy this yaesu. Sellers info has been deleted to save
>embarassment for now.
>
>Marty Duplissey wrote:
>
>> Check will go out today.
>>
>> Marty Duplissey
>> 2011 S. Mobberly
>> Longview TX 75602
>>
>> -----Original Message-----
>> From: xxxxxxxxxxxxxxxxxx>
>> To: Marty Duplissey <Mduplissey@LSBS.COM>
>> Date: Thursday, March 18, 1999 11:23 PM
>> Subject: Re: FT-101
>>
>> >tell you what hear is what i can do for you...i will ship you the
>> rig,operators
>> >manaul and service manual..and the extra tubes for the 150...the rig has
>> >10m,11m,15,20m,30m,40,80 and 160 meters...and i should have several
extra
>> >tubes...both driver and final tubes... let me know... i would cover
the
>> cost
>> >of the shipping...here is the qth
>> >
>> >XXXXXX Dr.
>> >xxxxxxxx
>> >xxxxxx
>> >
>> >let me know
>> >xxxx
>> >
>> >Marty Duplissey wrote:

>> >
>> >> The most I could offer for the Yaesu is $150 shipped. The transformer
>may
>> be
>> >> bad and if so It's worthless.
>> >>
>> >> N5KBP
>> >>
>> >> Marty Duplissey
>> >>
>
>--
>Marty Duplissey
>Lone Star Business Systems
>Specializing in development for the credit report retrieval industry
>Desktop, Networks, Intranets and Internet Delivery
>http://www.lsbs.com
>
>

4539. FS: Yaesu FT920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-1903990034310001@pom1.mbl.edu>
Source record: 113523
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

This radio is mint, comes with FM Unit, AM Filter and TXCO High stability crystal unit. 1200.00 plus any shipping

4540. FS: Mirage MP2's and 3 wattmeters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-1903990035090001@pom1.mbl.edu>
Source record: 113524
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have 2 MP2 for 100.00 ea. 1 MP3 also for 100.00, these are mint.

4541. FS: Standard C5718DA 2/440

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-1903990035190001@pom1.mbl.edu>
Source record: 113525
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

This is the radio that has everything in the mic (including display) makes for a neat mobil installation. comes w/remote mounting cable and memory expansion module. has mars/cap mod done. 400.00 shipped

4542. Re: VX-5R or T8A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Mark <binfordv@worldnet.att.net>
Message-ID: <7ct28thtl1@mtinsc02.worldnet.att.net>
Source record: 113526

I've got the VX-5R and I'm very pleased with it. The only problem I've heard about is the CTCSS decode problem but since I don't use that it's not a bother for me. Haven't even tested it to see if mine has the problem.
If you plan to use it on 6 you'll need to install the antenna extension even though the manual doesn't mention this. As one of the other posters mentioned, the battery on this rig is amazing.
Haven't tired the Kenwood so can't comment about it.

Mark KU4MP

4543. Re: Kits

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: ejune@intuitive-data.com
Message-ID: <09990219004323.OUI84.ejune@intuitive-data.com>
Source record: 113527

Gary,

Here is one that you might like:

http://www.elecraft.com/

--
Regards,

Eric June
KU6J

4544. Re: What Radio to Buy??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: ejune@intuitive-data.com
Message-ID: <09990219004950.OUI32.ejune@intuitive-data.com>
Source record: 113528

Andrew,

A discussion of the relative merits of the FT-920 just came up on the CQ-Contest mail reflector. From what I read, especially the comments by N5IA who took one on DX-pedition, I would eliminate that radio from my selection list.

If you don't subscribe to that reflector, you can read the archives at http://www.contesting.com/_cq-contest/

FYI, I own a FT-1000D so I am not a Yaesu detractor in general.

--
Regards,

Eric June
KU6J

4545. HamIV Rotor for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36F20C9C.265B@ix.netcom.com>
Source record: 113529
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have a late model HamIV and the late model control box. This comes complete with 100' of cable with connectors on both ends. This rotor has ZERO hours on it since new bearings and complete rebuilt done today with receipts. $375. 73 Chris VE3NGW/W4 Florida

4546. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Michael Young <nobody@all.org>
Message-ID: <921834109.274.14@news.remarQ.com>
Source record: 113530
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

How is pre-paying with a USPS money-order fair and protective of the buyer? Are you relying on threat of prosecution under mail fraud? I buy more than I sell; even cash-only COD's are much more convenient for me.

> Lynn D Stolz wrote:
> >
> > WORD TO THE WISE:
> >
> > DO NOT SHIP COD TO ANYBODY *PERIOD* It isn't worth it. I find that the
> > best way to protect both parties is to pre-pay via USPS Money Order and
> > ship the item insured.
> > --
> > -
> > Lynn Stolz N8AJ -- lstolz@gcfn.org
> > -

4547. Yaesu FT-8100R Dual Band Mobile For sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36F20E40.1254@ix.netcom.com>
Source record: 113531
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have a Yaesu FT-8100R new. Tried it and put it back in the box.
This Dual band VHF-UHF has 208 channels and a detachable faceplate.
Comes complete as purchased in the box with undisturbed mounting
hardware, handmic and manual. $425 shipped. 73 Chris VE3NGW/W4 Florida

4548. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Miles Davis <MDD327@aol.com>
Message-ID: <01be71eb30460120a434d4cc@pos-staff>
Source record: 113532
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

We who are of the amateur botherhood are supposed to be above all that stealing
and stuff. I would expect that from the ranks of CBers. Thats just my opinion I could be wrong.

You probably are wrong.

Can you tell me if there is an oath or somthing that Amateurs MUST qualify themselves against CBers? When I listen to Ham radio I here fighting, profanity, excessive power, jamming, rude and inconsiderate people all the time. Oris, do you here them too? I noticed your reply is spread across four Newsgroups. Do you get points for that? A pat on the head? A cookie?

4549. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Miles Davis <MDD327@aol.com>
Message-ID: <01be71ec$870ab900$a434d4cc@pos-staff>
Source record: 113533
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

I have an issue pending with Copper right now. I asked for shipment to be COD will call and they shipped to my house. They now want me to pay them shipping for something I never received. They wasted $10 shipping and I wasted almost 2 weeks running back and forth to UPS. It is a no-win for both of us.

4550. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: J Peitsch <peitsch@concentric.net>
Message-ID: <7ct73g$rjm@chronicle.concentric.net>
Source record: 113534
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

Hams are always honest? Just check who most of the bitchin is about. What prejudice to imply that CB folk are crooks. Next you will say blue eyed lefties are to be shunned.

Butch WA8X

oris wrote in message <36F1DAC1.4EA4@dirtball.com>...
>axel wrote:
>>
>> Watch glen Hobie in newark Ohio do not ship him COD, he also goes by
>> Chad on the News Groups Thanks.
>Well the best way for all of this to stop is to be 100% honest. We who
>are of the amateur botherhood are supposed to be above all that stealing
>and stuff. I would expect that from the ranks of CBers.
> Thats just my opinion I could be wrong.
> 73 from Oris
> http://www.dirtball.com

4551. WTB: Mirage B-34 2m Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990319052533.06616.00000393@ng151.aol.com>
Source record: 113535

WTB: Mirage B-34 2m Amp

Thanks!

Jason S. Hulet
KC8FXE

4552. packet radio problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: ivo <guina2@dallasoffice.com>
Message-ID: <7ct9vv$u31$1@as102.tel.hr>
Source record: 113536

need some informations..... where to find infos about packet radio,can I access NET via PR,and what is best equipment to use.....

tnx in advance...

4553. For sale: Midland 13-513 - $150.00

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: George Lowell <n0eoq@6mt.com>
Message-ID: <7ctcgrgdf1@news1.alltel.net>
Source record: 113537
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

For sale: Midland 13-513

Midland Synthesized FM transceiver 220-225mhz, 3 stage output power, (1 watt, 10 watt, 25 watt), comes with power cord, microphone and copy of manual, does not have the mobile mounting bracket. On a scale of 1-10 it is a 8.

Asking $150.00 firm plus shipping.
If interested email me at ka0nno@6mt.com

Thank you Lisa

4554. Drake F15/U Low Pass Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Gary Johnson <wy0v@cableone.net>
Message-ID: <921846354.144.63@news.remarQ.com>
Source record: 113538

I have a mint Drake F-15/U LOW PASS FILTER.

I have been told that this unit may be quite rare.
Can anyone tell me what it is worth.

Please reply to my personal email address:
wy0v@cableone.net

Thanks,

Gary Johnson

4555. MOTOROLA VISAR FIX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: fialkokj@iscg.com
Message-ID: <36F23F1E.3F3F@iscg.com>
Source record: 113539

Is there any way to open up a hih split VISAR to do more than 16
Channels ?

4556. FS:Kantronics KamPlus

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: k2jy@aol.com
Message-ID: <19990319075646.28283.00000366@ng10.aol.com>
Source record: 113540

Have for sale a Kantronics Kamplus,with hostmaster software and all cables.In excellent condition,with shipping 175.oo

K2JY@aol.com

4557. FS:Yaesu FT530 HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: k2jy@aol.com
Message-ID: <19990319080032.28283.00000371@ng10.aol.com>
Source record: 113541

Have for sale a Yaesu FT530 ht,2m/440,with MH29 remote mic and NC42 quick charger,all in perfect condition.With shipping 375.oo

K2JY@aol.com

4558. Icom IC-756 Mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: kknickelson@mmm.com
Message-ID: <36F24E79.42EA7DCE@mmm.com>
Source record: 113542

Hi Gang,
Just wondering why I've never seen a 756 mod. Are there any?
Thanks,
Kevin W0KKN

Opinions expressed herein are my own and may not represent those of my employer.

4559. Re: GE Mastr II Repeater doc/software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Tony Szablowski <a2112szablowski@worldnet.att.net>
Message-ID: <7ctl33$qem@bgtnsc01.worldnet.att.net>
Source record: 113543

Me wrote in message <36F10E01.2F52F7C4@indiana.edu>...
>Our club had a GE Mastr II repeater donated to us. We would like to
>make it work for our club's 2M repeater. We took it to a
communications
>company in our area and they retuned it for our frequency but they
are
>having problems programming it. Our repeater has older firmware so
>their programming software won't work. We can't afford to purchase
new
>firmware ($250-$300). Does anyone know of a place that might have
the
>right software so they can program the controller? The COMB number
on

I'd post this on the rec.radio.swap NG. There's plenty of good guys
there with solid knowledge that should be able to help you.
--
Regards,
Tony
a2112szablowski@worldnet.att.net (remove 2112 to e-mail)

4560. Re: For sale: Midland 13-513 - $150.00 Maybe $100 tops??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: "Don R." <k9don@my-dejanews.com>
Message-ID: <7ctovvven1@nnrp1.dejanews.com>
Source record: 113544
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

Mr. Lowell, and Lovely Lisa:

First it was $175 now its $150 FIRM for a 20+ year old Midland
13-513 220 Mhz. radio? At $150 Firm, you are going to learn to love
220 Mhz. from the rotten audio quality this radio is known to produce.

F.Y.I. I sold my Mint Midland 13-513 with a T.T.P. Mic and P.L. TONE
Board, at Dayton '98 for $100. I doubt they increased in value
since than.

Good Luck to you;
Donald R. Jr.

> For sale: Midland 13-513
> Asking $150.00 firm plus shipping.
> If interested email me at ka0nno@6mt.com
>
> Thank you Lisa

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4561. GPIB card need'd

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: vtoth <vtoth@yesic.com>
Message-ID: <zttI2.250$sA2.676795@news2.randori.com>
Source record: 113545

Looking for a GPIB card for the ibm pc computers, software also.
VE3UUG. Willing to Talk or swap.

4562. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: charles1@netcom.com
Message-ID: <charles1F8uK56.GJ6@netcom.com>
Source record: 113546
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

In article <921834109.274.14@news.remarQ.com>,
Michael Young <nobody@all.org> wrote:
>>> DO NOT SHIP COD TO ANYBODY *PERIOD* It isn't worth it.
>
>How is pre-paying with a USPS money-order fair and protective of the
>buyer? Are you relying on threat of prosecution under mail fraud? I buy
>more than I sell; even cash-only COD's are much more convenient for me.

If you mail someone money-order with verbal promise to ship product,
mail fraud was not committed. No law about sending money in mail.
No legal proof an agreement was made at all.

By sending COD the mail service becomes a player in the situation.
Said product was promised for X amount. If box turns out to be
full of rocks ... MAIL FRAUD.

I also would not deal with someone who wouldn't agree to COD ... best
for buyer and seller.

4563. MFJ Customer Service

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: kk4bh@aol.comnospam
Message-ID: <19990319100424.14879.00000362@ng-ft1.aol.com>
Source record: 113547

As many of us do, we read the newsgroups just about everyday. At times we see stories about good and bad customer service from amateur radio manufacturers. I'd like to tell you about an experience I had with MFJ.

About 10 months ago I purchased a MFJ-4035MV power supply. In addition to powering my rig, I also use it to apply a charge to a car battery for emergency power. Last December, after rearranging the equipment, I accidentally reversed the polarity to the battery. Well, as to be expected, sparks flew and the supply was wiped-out. I opened the unit and found extensive damage.

I decided to send it back to MFJ around the first of the year with a letter explaining what happened and taking responsibility for the repairs. 10 days later MFJ acknowledged receipt and informed me it would be about 4-6 weeks before they could work on it. After not hearing anything for about 7-8 weeks, I e-mailed them as to its repair status. The next day their customer service e-mailed me back saying they were sorry for the delay and would get on it in the next day or so. A week later UPS delivered a new power supply to me. The documentation with it stated they could not economically repair it and were sending me a new one at no charge. They also paid the shipping.

I still have the "bad taste" left in my mouth from Kenwood after having to pay several hundred dollars to fix their PLL screw-up on a new TS-440 I purchased about 10 years ago. I assure you the radio I replaced the 440 with is not a Kenwood and the odds of my buying another Kenwood are very slim. The way MFJ handled my problem is one way of keeping customers comming back.

Ken Bjorklund
KK4BH
remove "nospam" when replying

4564. Re: GE Mastr II Repeater doc/software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: "Christopher (Chris) W. Boone" <cboone@jacor.com>
Message-ID: <36F2659D.9EAA162E@jacor.com>
Source record: 113548

Yes, there is the MSTR IIe and the later MSTR III
The IIe uses same RF boards as the II.....but has a switcher
power supply and a slimmer control chassis with few switches, etc.
Color of the control shelf is black....

Chris
WB5ITT

WD4JKH wrote:
>
> There was a version of the Mastr II station that had a programmable
> control board. It was the Mastr IIe, I think.
>
> Paul Mierop <ke2ls@ibm.net> wrote:
>
> >Hi Jay
> >
> >GE MASTR II does not require programming. It is xtal bound both TX/RX.
> >
> >If yours requires programming, you do not have a MASTR II.
> >
> >Paul MIerop
> >KE2LS
> >6 MASTR II repeaters on the air

4565. Re: 6m transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Shawn Upton <supton@eece.maine.edu>
Message-ID: <36F266C5.794B@eece.maine.edu>
Source record: 113549

KB1DNL wrote:
>
> Does anyone know if there is such a thing available as a 6 meter trans. to be
> used in combination with a 10 meter radio such as the Ranger 2950? pls email
> me if you have any info. thanx
>
> KB1DNL

As an additional question, who makes transvertors for 2m to 6m? I have
a 2m multimode that I would like to use for an IF. I know Ten-Tec makes
one, who else? Downeast Microwave only makes 'em for 10m IF's. Thanks.

--
****
Shawn Upton
Electrical Engineering Student
University of Maine at Orono
webpage: http://www.eece.maine.edu/~supton/
mail: supton@eece.maine.edu
KB1CKT Tech Plus
****

4566. RACAL SA77 Frequency Comparitor >>HELP PLEASE<< Pictures attached

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Robert Lonn <rlonn@home.com>
Message-ID: <36F26B79.483A4441@home.com>
Source record: 113550

I just discovered that my Panoramic RA66 scope for my RACAL RA17C12 is in fact a SA77 frequency comparitor, and what is that???? I have attached a link to a few pictures of the device. If you are familiar with this unit or have any technical information about it, I would love to hear from you. If it can be interfaced with the RA17 that would be fine, if not was this part of, some "SA" series of RACAL receivers???
Thanks!!
Robert
San Diego, Ca.

http://www.members.home.net/rlonn/net/rf.jpg
http://www.members.home.net/rlonn/net/rf1.jpg
http://www.members.home.net/rlonn/net/rf2.jpg

4567. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: "-.-." <RBrown@juno.com>
Message-ID: <01be7220$83d95190$232271d1@stcw0099>
Source record: 113551
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

The amateur brotherhood was established in 1946 by clandestine members of an almost forgotten religious zealot sect from the darkest corner of the Ozarks. To become a member of the "brotherhood" one would have to endure 72hrs of continuous loop audio tape, with a terse voice shouting "CONTEST-CQ-CONTEST" over and over. Once Step 1 was completed, the potential member would be led into another chamber where they would be tied to a chair, directly underneath a bucket, which - when tipped, would drop dit's and dah's on their sweaty forehead, while the "Brotherhood" choir would chant: "CODE IS GOOD, CODE IS GOD, CODE IS THE ALL POWERFUL". 48hrs later (if he was still willing), he would be led into a large room where they would dance naked around a fire, finally slaughtering a herd of pigs (thus the moniker- "Ham"), and feast upon the improperly cooked flesh. Finally, the new member would swap underwear with member sitting next to him, and swear that he would be forever above stealing or lying. And now you know......the rest of the story.

Miles Davis <MDD327@aol.com> wrote in article
<01be71eb30460120a434d4cc@pos-staff>...
> We who are of the amateur botherhood are supposed to be above all that
> stealing
> and stuff. I would expect that from the ranks of CBers. Thats just my
> opinion I could be wrong.
>
> You probably are wrong.
>
> Can you tell me if there is an oath or somthing that Amateurs MUST
qualify
> themselves against CBers? When I listen to Ham radio I here fighting,
> profanity, excessive power, jamming, rude and inconsiderate people all
the
> time. Oris, do you here them too? I noticed your reply is spread across
> four Newsgroups. Do you get points for that? A pat on the head? A
cookie?
>
>
>
>
>

4568. Re: ham fest sidewalk sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Don Levstik <donl@sh-gpl.ti.com>
Message-ID: <Pine.HPP.3.91.990319095934.11316A-100000@yoda.sh-gpl.ti.com>
Source record: 113552

On 19 Mar 1999, H3963 wrote:

> where in the dallas forth worth area are there a ham used equipment sale or
> trade or supplus store ????? used to be a apple tree years ago in the dallas
> area. any information is greatly appreciated, thanks Wayne / anyone with any
> pamplets can scan and e-mail or fax 24hrs, again thanks deeply,903 645 7746
>
>

The Dallas sidewalk sale is on the first Saturday of every month. It is
located on Ross ave. These days it's mostly computer junk, but you can still
find some ham equipment and test equipment there.

Don Levstik WD5JBC
e-mail: d-levstik@ti.com

4569. FS: Kenwood TH-215A Handheld $100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: ki0lo@my-dejanews.com
Message-ID: <7ctvrs$6qf$1@nnrp1.dejanews.com>
Source record: 113553
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

FOR SALE:

Kenwood TH-215A Handheld 2m Transceiver. Works great, looks very good. Has 10 memories, sub-audible tones, wideband RX, 5W high power and about 2 watts low power. This is a workhorse H/T without a lot of fancy features that you'll never use anyway.

Includes Kenwood speaker/mic, rubber duck antenna, 12 power cord and a copy of the owner's manual. No battery charger - has a standard plug so most any 12v charger should work. Battery pack was rebuilt last summer and is in like-new working order.

$100 shipped to your door via USPS Priority Mail. Payment by money order preferred; checks must clear bank before shipping. No international shipping.

E-mail if interested.

-Marty KI0LO
martyt@pobox.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4570. New ADMS Shipping

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7ctvu9$6sm$1@nnrp1.dejanews.com>
Source record: 113554

The new ADMS software that adds the Yaesu VX-5R to its list of HTs it programs is now shipping from RT Systems. Just FYI.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4571. Re: 6m transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7ctsuo$r06@sjx-ixn5.ix.netcom.com>
Source record: 113555

I have the Ten Tec, and am very happy with it. FYI, 29 states from a dipole
in the attic. Have used it with a variety of radios. Frank KG9H
Shawn Upton wrote in message <36F266C5.794B@eece.maine.edu>...
>KB1DNL wrote:
>>
>> Does anyone know if there is such a thing available as a 6 meter trans.
to be
>> used in combination with a 10 meter radio such as the Ranger 2950? pls
email
>> me if you have any info. thanx
>>
>> KB1DNL
>
>As an additional question, who makes transvertors for 2m to 6m? I have
>a 2m multimode that I would like to use for an IF. I know Ten-Tec makes
>one, who else? Downeast Microwave only makes 'em for 10m IF's. Thanks.
>
>--
>**********
>Shawn Upton
>Electrical Engineering Student
>University of Maine at Orono
>webpage: http://www.eece.maine.edu/~supton/
>mail: supton@eece.maine.edu
>KB1CKT Tech Plus
>**********

4572. Re: W32A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Joseph Mowery <jmowery@nswc.navy.mil>
Message-ID: <36F271FE.58C5497D@nswc.navy.mil>
Source record: 113556

Try

http://qrz.com/files/modfiles/icw32.txt

Joe,
KF4YYA

Roland Searcy wrote:

> I need to find information on extending the tx and rx ranges for the
> W32A. If you can point me in the right direction I would appreciate
> it.
>
> Thanks,
> Roland Searcy

4573. window edge mount antenna questions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: riechert@my-dejanews.com
Message-ID: <7cu1am$8ht$1@nnrp1.dejanews.com>
Source record: 113557

I've got 2 fairly large vehicles (minivan and Land Cruiser) that I'd like to equip with some sort of out side antenna for use with my dual band HT. Since they're kept in a garage, anything very tall would get in the way of going in and out of the garage. So I've been considering a window edge mount that uses the HT's antenna.

Advantages I see:
- Relatively inexpensive.
- Easily moved from one vehicle to the other.
- Stock HT antenna is short so should be able to go in/out of garage
- Easy upgrade to better HT antenna

Disadvantages I see:
- Mounts at Radio Shack and HRO have only 6-7 feet of cable
- Size of mount may prevent window from fully rolling up into the surrounding frame

Any general comments especially relative to the disadvantages I listed? Any other comments? Thanks in advance.

Jerry Riechert, KC7VTR

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4574. FS: Yaesu VX-1R VHF/UHF Mini HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: klausner@frijoles.nospam.net
Message-ID: <36f27319.4417291@news.earthlink.net>
Source record: 113558

YAESU VX-1R Miniature VHF/UHF Dual Band Amateur Handheld. Radio in original box, and in excellent condition. Complete with two lithium batteries, manual, dual band antenna, and wall charger. $175.

~~~~~~

Ben Klausner, N5DJL | To find what no one has ever found,
Austin, TX | Look where no one has ever looked.
~~~~~~

4575. Re: ham fest sidewalk sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: "Christopher (Chris) W. Boone" <cboone@jacor.com>
Message-ID: <36F26CF6.90C13BCF@jacor.com>
Source record: 113559

There is still 1st Saturday sidewalk sale just on the NE side of
downtown Dallas...but mostly PC stuff there now...

There is a 3rd Saturday sale at the Tandy Outlet store in N Ft Worth..
talk in on most Ft Worth rptrs...I will be on 444.15 rptr in the morning
if you need talk in....or check 146.94 rptr. OR call Tandy...they are
listed (the Outlet store, not the main HQ downtown!)

There may be others but Im not aware of any....yet!

Chris
WB5ITT
Chief Engineer KDMX MIX 102.9 and KEGL EAGLE 97.1

H3963 wrote:
>
> where in the dallas forth worth area are there a ham used equipment sale or
> trade or supplus store ????? used to be a apple tree years ago in the dallas
> area. any information is greatly appreciated, thanks Wayne / anyone with any
> pamplets can scan and e-mail or fax 24hrs, again thanks deeply,903 645 7746

4576. Re: Value of Motorola Moxy ??? Go on 450 Ham band???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: "Christopher (Chris) W. Boone" <cboone@jacor.com>
Message-ID: <36F2786A.324D5E38@jacor.com>
Source record: 113560
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

wa6gsd@ix.netcom.com wrote:
>
> I have two UHF Motorola Moxys...They are currently crystalled
> on 466 Mhz..
>
> Two questions....Will this tune to the 450 ham band, and if I

Yes they will tune to 440-450 with no problems...

> decide to sell them, what is a fair price..

$35-50 a piece...depending on power, channels, condition, etc.

Chris
WB5ITT

4577. Re: FS: Drake C-Line SN 25K+ Super Condx

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: "C. Randy Drescher, Jr." <k4hs@bellsouth.net>
Message-ID: <36F280A1.733EE623@bellsouth.net>
Source record: 113561
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Will you sell just the MS-4/AC-4?

Randy K4HS
k4hs@bellsouth.net

4578. Re: FS: Drakes,Misc.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: "C. Randy Drescher, Jr." <k4hs@bellsouth.net>
Message-ID: <36F2826E.3DE97AA6@bellsouth.net>
Source record: 113562
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

Would you take $75.00 for the Drake AC-4 supply. Is it with the MS-4
Speaker?

Randy, K4HS
k4hs@bellsouth.net

4579. FT23R channel steps mod : 12.5kHz to 5 or 10kHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Mark Ayloyy <aylotttm@thmulti.com>
Message-ID: <7cu04m$eb9$1@jaydee.iway.fr>
Source record: 113563

Does anyone have info for moding the FT23R to give 5 or 10kHz channel step
so as to be more US friendly ??

73,
Mk, G7ARM

4580. Stuck core in VFO coil HW-101

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: weiss@tds.net
Message-ID: <7cu0su$8ne@news2.tds.net>
Source record: 113564
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hello,

I'm trying to get my old Heathkit HW-101 operational again after years
of disuse.

After rebuilding my HW-101 VFO numerous times I finally seem to have the
mechanical stresses relieved and hope to have a stable VFO again.

But--I cannot move the slug in the VFO coil with the Radio Shack budget
alignment tools. I even sprayed contact cleaner into the coil hoping
it would loosen up. No good.
The core looks intact--but the hexagonal ID may be a bit worn from failed
attempts with bad tools.

Can anybody offer tips in getting the core free so I can adjust it and align
the VFO? I'd rather not dissasemble it again if I don't have to. :-{

Thanks!

Jeffrey N0IRR

4581. TS 570 D

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: PAW <73457.650@CompuServe.COM>
Message-ID: <#M0a6qic#GA.166@nih2naaf.prod2.compuserve.com>
Source record: 113565
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

Lowered price on TS 570 D (original no 6m) $800 with mike,
manual, boxes, and Speech board. .JPG on site. see below.

--
PAW TS 570 D fs $800 see below.
(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
http://ourworld.compuserve.com/homepages/w9jmn

4582. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Jon Lippert <jlipper@bellsouth.net>
Message-ID: <36F2BF6F.2A95@bellsouth.net>
Source record: 113566
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

-.-. wrote:
>
> The amateur brotherhood was established in 1946 by clandestine members of
> an almost forgotten religious zealot sect from the darkest corner of the
> Ozarks. To become a member of the "brotherhood" one would have to endure
> 72hrs of continuous loop audio tape, with a terse voice shouting
> "CONTEST-CQ-CONTEST" over and over. Once Step 1 was completed, the
> potential member would be led into another chamber where they would be tied
> to a chair, directly underneath a bucket, which - when tipped, would drop
> dit's and dah's on their sweaty forehead, while the "Brotherhood" choir
> would chant: "CODE IS GOOD, CODE IS GOD, CODE IS THE ALL POWERFUL". 48hrs
> later (if he was still willing), he would be led into a large room where
> they would dance naked around a fire, finally slaughtering a herd of pigs
> (thus the moniker- "Ham"), and feast upon the improperly cooked flesh.
> Finally, the new member would swap underwear with member sitting next to
> him, and swear that he would be forever above stealing or lying. And now
> you know......the rest of the story.
>
> Miles Davis <MDD327@aol.com> wrote in article
> <01be71eb30460120a434d4cc@pos-staff>...
> > We who are of the amateur botherhood are supposed to be above all that
> > stealing
> > and stuff. I would expect that from the ranks of CBers. Thats just my
> > opinion I could be wrong.
> >
> > You probably are wrong.
> >
> > Can you tell me if there is an oath or somthing that Amateurs MUST
> qualify
> > themselves against CBers? When I listen to Ham radio I here fighting,
> > profanity, excessive power, jamming, rude and inconsiderate people all
> the
> > time. Oris, do you here them too? I noticed your reply is spread across
> > four Newsgroups. Do you get points for that? A pat on the head? A
> cookie?
> >
> >
> >
> >
> >
And I just thought I wanted my ham ticket! I would rather be not
trusted by people now and then.

4583. Re: 6m transverters?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Shawn Upton <supton@eece.maine.edu>
Message-ID: <36F2843D.15FB@eece.maine.edu>
Source record: 113567

Frank Krozel wrote:
>
> I have the Ten Tec, and am very happy with it. FYI, 29 states from a dipole
> in the attic. Have used it with a variety of radios. Frank KG9H
> Shawn Upton wrote in message <36F266C5.794B@eece.maine.edu>...

Thanks for the info. I might just buy that unit in the near future;
good to hear some people really like that transvertor.
--
****
Shawn Upton
Electrical Engineering Student
University of Maine at Orono
webpage: http://www.eece.maine.edu/~supton/
mail: supton@eece.maine.edu
KB1CKT Tech Plus
****

4584. Re: New ADMS Shipping (take a look at EVE)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36F29087.901FE70F@t-online.de>
Source record: 113568

clintbrad4d@earthlink.net schrieb:
>
> The new ADMS software that adds the Yaesu VX-5R to its list of HTs it programs
> is now shipping from RT Systems. Just FYI.
>
> - Clint Bradford
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

A very simple Interface for connecting the VX5R to the
PC can be found at:

http://www.hamradio.cz/rigs/novaradia/icom/ic-q7/iface.gif

Only 2 transistors ... less the 3.00 USD inclusive cable
and connectors, you can made it in 15 minutes.

The Excelent FREEWARE Software EVE for the VX5R can be
download at:

http://www.geol.com/vx5/

Software mods for wide RX/TX are implemented, no restrictions
to enter any Frequency to the radio (read cell)

No copy protection problems.

Just FYI

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4585. FS: Kenwood TK-806

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: TVSJR@SPRYNET.COM
Message-ID: <7cu95g$i3r$1@nnrp1.dejanews.com>
Source record: 113569
Cross-posted to: alt.radio.scanner,altalt.radio.scanner,rec.radio.amateur,rec.radio.amateur.equipment

For sale:

I have for sale eight Kenwood Tk-806 commercial/LMR radios. I have three radios which are working (tested tx and rx, carrier, pl, and dpl on both band edges) and five with various problems. I'm sure that the non-working five could be put together to make two or three good, working radios, but I don't want to worry with it. These radios are UHF, 470-490 split (I have been told that they will work 460-500, no guarantees on this though!) and 16 channels. They are very similar in function to a Motorola GM-300, with a few differences. (Couldn't find a pic, sorry...) The first difference is the size. The radios are roughly 5.5" wide x 6.5" deep x 1.5" tall. Second, the radios have an orange-backlit quasi-alpha display (eg Ch 1-Ch 16). Each channel set to repeat has a talkaround which is selectable by a single button (changing the display to Ta 1-Ta 16). Also, the front panel has a second button for monitor/open squelch, power push-on/push-off switch, volume control, scan, scan list delete/add (it's very easy to reprogram the scan in these) and REC for option boards such as DTMF decoding and tone signalling options, as well as the RJ-type mic connector and the channel-selector knob. The radios are at least 30 watts out within their bandsplit- I can't remember the exact figure but they may be up to 45 watts.These radios also support hang-up functions, programmable scan timings, TPL/DPL/InvDPL, etc.

Anyway, I would like to sell these radios as a lot. I think that $300 each for the working radios and $250 for all five of the dead ones is fair- total $1150. I think that this price is fair; if you don't, make an offer.

NOTE: I do not read these newsgroups. PLEASE E-MAIL ME AT TVSJR@SPRYNET.COM!!!!!!

Thanks
Terry

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4586. Pinout for Knwd TM-V7A PG-4s cable

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Bruce Sawtelle <71763.3467@CompuServe.COM>
Message-ID: <#PTwUMjc#GA.295@nih2naac.compuserve.com>
Source record: 113570
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Does anyone have the pinout of the Kenwood PG-4S data cable that's
used to program the dual-band TM-V7A radio (through the packet
data port I assume)

Thanks

Bruce-W3NJ

4587. WTB: R7 antenna

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: agburris@ix.NETcom.COM
Message-ID: <4.1.19990319083130.00923480@popd.ix.netcom.com>
Source record: 113571

I'd like to buy a Cushcraft R7 or R7000 antenna. Used is acceptable if in good condition.

Grant, N6XRR

4588. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: "Tom C. Brown, Jr." <mmc@netdoor.com>
Message-ID: <Kewl2.3105$gU1.13513@axe.netdoor.com>
Source record: 113572
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

And other than the fact that fraud/theft where a money order is concerned is illegal, just how is the buyer protected?

Murder is illegal but there are stiffs in morgues all over the country who were not protected from murder by the law.

The law against murder will [hopefully] put the murderer in jail or [even better] the chair, but it won't bring the dead back to life.

If someone stings you on a deal involving a money order, then [hopefully] the law will put the perpetrator in jail but it won't get you your money back.

Prepaying with a postal money order offers "apparent" protection to the buyer, but "apparent" and "real" are frequently two very different things. It only really protects the seller.

73, Tom AE5I

4589. Re: window edge mount antenna questions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: tjff@lanl.gov
Message-ID: <tjff-1903991153480001@mamie.lanl.gov>
Source record: 113573

Don't buy the Radio Shack one...the flange is too thick and uses a thick
co-ax. There are several other brands listed in Ham catalogs that use
RG-72? or some such thin co-ax and allow the window to more easily roll up.

tjf

--
Thomas J. Farish, ScD
tjff@lanl.gov

I don't speak for LANL and they don't speak for me.

To reply to this message, remove the 2nd 'f' from my return address

PGP public key available upon request

4590. FS:/Trade Kenwood TH79A DualBand HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Rick Riverman <rbriver@cybcon.com>
Message-ID: <7cu6mi$eu4$1@remarQ.com>
Source record: 113574

* Kenwood TH-79A Dual Band HT
* PB-32 6v 600mAh NiCd Battery
* PB-34 9.6V 900mAh NiMh Battery (for 5W output)
* Cigarette Lighter Adapter Pack
* BT-9 Alkaline Cell Pack
* BC-17 Charger
* Soft Case
* Nylon Cord Wrist Strap
* Manual
* Original Box

$275.00 or
Trade for 2 meter Multimode

Rick Riverman
W7RBR
503-629-5135

4591. Re: Does a HF radio encyclopedia/blue book exist?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: "Michael J. White" <mwhite@mitre.org>
Message-ID: <36F2A2F6.3ED8AB4A@mitre.org>
Source record: 113575

> Is there such a thing as a" Ham Blue Book", or "Encyclopedia of Ham
> equipment"?

You want the Hampedia:

http://aade.com/hampedia/hampedia.htm

There is a Blue Book of used ham gear prices at

http://www.mnsinc.com/bry/ham/boneyard.htm

Best of luck...

Mike, N4PDY

4592. Kits

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: graney1882@aol.com
Message-ID: <19990318190518.08183.00000219@ng-fc1.aol.com>
Source record: 113598

I am looking for a kit for a HF radio ... QRP is fine but I'd really like one that covers SSB ... CW is fine too ... any ideas? Any info is helpful. Thanks

KM5TY Gary

4593. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Wammes Witkop <wwitkop@cable.a2000.nl>
Message-ID: <36F195AA.E82E9F16@cable.a2000.nl>
Source record: 113599
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Sorry to the Newsgroups involved,

But:

Charlie wrote:

> I thought my CALLSIGN was identification enough. For crying out loud, you
> can look up my name, street address, e-mail address and birthdate from that
> one piece of information alone. I don't post a reply-to address because I
> have no desire to be overwhelmed with spam in my mailbox.

No doubt you're right. But after researching for an hour, I must decide to take this route again, can't find your direct e-mail address. No doubt that it's my deficiency, being a non-American, an alien. Sorry for not being able to find your e-mail address...
But I will not let it stand at this.

> Aside of that, it's an interesting thread. If you can somehow read it and
> find a way to be offended, it's YOUR problem, not mine. Democracies thrive
> on a free exchange of ideas. I'd not normally have responded in an
> off-topic newsgroup, but this is where the thread appeared. In fact, the
> Heston speech has been making news all over the country, so it's of some
> interest here.

Exactly my point. All over the country. What country? Not my country! Again, this is an international newsgroup. Not an American one. So *do* try to curb yourself, please, even if takes an effort.

> Interestingly enough, that's one of the features of "political correctness".
> The new whining class demands that you not talk about something, or use
> their new PC terms because they find it offensive. You might want to go
> back and read the Heston speech.

Not the effing subject! Talk whatever you want, where it is appropriate! But *do not* spam. Simple enough, I'd think.

> In the mean time, stop your whining, and don't read posts that don't
> interest you.

Nor post in the wrong places...Now, as to whining, my pen-pal, why would you say a thing like that? Because I ask you, with a joke thrown in, to adhere to the net-etiquette? Does that single me out for this sort of verbal abuse? I am disgusted with this.

> This time I won't apologize.

And I do doubt gravely you were sincere the first time.

If you care to take this discussion - what a non-word for a one-sided shouting match - any further, please do so by e-mail. Do *not*, please, abuse the newsgroups any further in this.

Once again, my apologies to the innocent bystanders. But Charlie could not go unanswered in my book. Now, *that* would have been very political correct indeed...

Kind regards to all who's time I've taken up unsollicited,

Wammes Witkop

4594. WTB: Bird Model 74 Coax Switch

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: sandy@sandy.com
Message-ID: <7cs5bn$k8m$1@news.ncal.verio.com>
Source record: 113600
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Want to Buy:

Bird Model 74 Coax Switch.
This is their six-position rotary coax switch.

Please state condition and price.
Thank you.

73 --sandy
KW6KW
sandy@sandy.com
408-257-2800

4595. WTB: Antenna Rotor - Tailtwister or Ham-IV

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: sandy@sandy.com
Message-ID: <7cs5ei$k8m$2@news.ncal.verio.com>
Source record: 113601
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Want to Buy:

Antenna rotor - medium/heavy duty.
Would prefer Tailtwister or Ham-IV.

Must be in excellent physical and
operating condition.

Please state condition and price.
Thank you.

73 --sandy
KW6KW
sandy@sandy.com
408-257-2800

4596. Re: Yaesu Tech Support

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990318194112.29812.00000193@ng-ce1.aol.com>
Source record: 113602

Gary Fibre (fiber) reads this newgroup often and will often jump in and help out . Chip
M (italian name) of Yaesu often reads this newgroup often and helps out too but not as much as Gary Fibre.
73's TIM

4597. Icom 735 - $450.00

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: kk4tl@aol.com
Message-ID: <19990318210004.29357.00000245@ng97.aol.com>
Source record: 113603

Near mint Icom 735 for sale. Serial no. 12937. Box, manual, and mobile bracket. No mic. $450.00 shipped CONUS. Email if interested. KK4TL@AOL.COM

4598. Re: homebrew paradise

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: h3963@aol.com
Message-ID: <19990318221803.21871.00000289@ng-fp1.aol.com>
Source record: 113604

Hi harry, don't get mad I want to ask you a questionabout using a beta coax hook up instead of the gammar match soem of the old hy -gains had the beta match or hook up , like in the 11 and 10 meter bands ?? if you ae swamp and to busy Ican understand but thanks any way !@ waht I am looking for is a subsitute coax hook with a beta instead of using a gamma match ??
for a big six element maco beam wayne H3963

4599. Re: eBay-- gotta wonder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: rfjim@mft.com
Message-ID: <36f1c482.19051135@news.mft.com>
Source record: 113605

cause on ebay you can set the reserve price 50% higher than the thing
is actually worth so if you dont find someone to pay top dollar you
get to try again
On Thu, 18 Mar 1999 19:12:45 -0800, Seth Miller
<seth.miller@NOSPAMworldnet.att.net> wrote:

>The only thing I 'gotta wonder' is exactly how many times can a
>non-issue like this can be beat to death...
>
>
>
>RJR EMS wrote:
>>
>> Just a thoght is eBay is so damn hot, how come the fools using
>> it are always posting here that they have radios FA. Why not just sell it
>> here.
>>
>> rjr

4600. looking for a DEMTRON 2500 in good shape

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: h3963@aol.com
Message-ID: <19990318223412.21868.00000301@ng-fp1.aol.com>
Source record: 113606

would like to find a good used Demtron 2500 in good shape or a similiar type unit, in good shape, fax or e-mail H3963@aol.com. fax is on 24 hrs,

4601. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: hatch646@aol.com
Message-ID: <19990318223628.29805.00000235@ng-ce1.aol.com>
Source record: 113607
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

>
>WORD TO THE WISE:
>
>DO NOT SHIP COD TO ANYBODY *PERIOD* It isn't worth it. I find that the
>best way to protect both parties is to pre-pay via USPS Money Order and
>ship the item insured.
>--
>-
>Lynn Stolz N8AJ -- lstolz@gcfn.org
>-
>
>
>

Well,
I would not go that far. I would suggest that if you are afraid that the person is gonna not pay for the COD, then ask as a act of good faith that they send enough money to cover the shipping and COD fee.
If they refuse then don't send it.

I sometimes request COD since it would mean my package would arrive sooner since it did not have to wait for my payment to arrive and then for it to be shipped... but on the other hand.. if you are the shipper, that just means that it would take longer to recieve your money..

Just my thoughts on the matter..

CAH

As Always.. I await FLAMES..

4602. FA YAESU HF CHEEP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990318223740.15296.00000291@ng-fq1.aol.com>
Source record: 113608

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=80084828

Yaesu 890AT with CW and FP-800 supply

4603. Re: eBay-- gotta wonder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: baldhill5@aol.com
Message-ID: <19990318223855.10315.00000427@ng-fi1.aol.com>
Source record: 113609

Ebay- "Sucker born every minute"

4604. ham fest sidewalk sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: h3963@aol.com
Message-ID: <19990318224054.21868.00000305@ng-fp1.aol.com>
Source record: 113610

where in the dallas forth worth area are there a ham used equipment sale or trade or supplus store ????? used to be a apple tree years ago in the dallas area. any information is greatly appreciated, thanks Wayne / anyone with any pamplets can scan and e-mail or fax 24hrs, again thanks deeply,903 645 7746

4605. want 10 meter rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: nworbekim@my-dejanews.com
Message-ID: <7csklh$1n5$1@nnrp1.dejanews.com>
Source record: 113611

I broke into ham back in 87 with a modified cb rig. we put it on 10 meters and i used it all winter. had a blast!

since the cyle is on the rise, i thought i might put one in the samurai, but since its a ragtop, i don't wanna risk anything very valuable....

thought maybe someone might have another old cb thats been modified that i could stick in there. cb's are so cheap these days, noone much steals them, and i think that would be better than sticking a good looking new type rig there.

A ham down the road just had his mustang top cut and his radios are gone....

i can't afford a hit like that!

thanks!
de KM4IY

73

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4606. Re: Kenwood TS-450S vs Icom IC-706MKII

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Edward March <emarch@enteract.com>
Message-ID: <7csktqqae1@eve.enteract.com>
Source record: 113612
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.dx

i used to own a ts-430s and now i own a 706-II and i sold the 430
but all in all the 430 was a slightly better radio it had less
Intermod and images, i basically run mobile once a yr on vacation and
the 706 is lots of fun,, but for DX id prefer something better.
other than that you can not beat the bells and whistles and size of the
706. i like mine a lot, 2m op with repeater offsets is clumbsy.

wb9raa
Ed

In rec.radio.amateur.equipment John Douglas <jdouglas@timewave.com> wrote:

> In article <7cjr9afpk1@nnrp1.dejanews.com>, cwdxer@my-dejanews.com wrote:
> >I currently own a TS-450S with 1.8 kHz and 500 Hz filters and was pondering
> >replacing it with a Icom IC-706MKII. I know it will add DSP, 6 and 2 meters
> >but any opinions on whether this would be an improvement on HF for the low
> >budget DXer ? 73 and Thank you
> >
> >-----------== Posted via Deja News, The Discussion Network ==----------
> >http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

> Given you are after HF performance, and from your email address "cwdxer" place
> a lot of weight on CW I would stay with the TS-450. You can add excellent CW
> and DSP performance by adding a Timewave DSP-599zx to the station.

> 73

> John Douglas
> N0ISL/UA4LIS/UB5WJD
> Timewave Technology

--

Best Regards,
Ed

//--
// Edward March Jr. WB9RAA -- Mt. Prospect, IL
//
// ***> http://www.enteract.com/~emarch
// ***> http://www.bmtmicro.com/catalog/clone.html
//
// Win95 or Better, I chose better!
// I Run OS/2 Warp 3.0 & 4.0 and Linux S.u.S.E. 5.3 and 6.0
//--

4607. Re: VX-5R or T8A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Edward March <emarch@enteract.com>
Message-ID: <7csl7cqae2@eve.enteract.com>
Source record: 113613

What about attenna efficiency ?i like the longer T8
ant. vs the short VX5 ducky... any comments ?

Mark S. Jennings <markjenn@halcyon.com> wrote:
> I just got a VX5R from HRO. It is incredibly tiny, works great, and the
> battery life is outstanding (I've been listening to a FM radio station for
> nearly a day without recharging). I haven't had any of the issues mentioned
> by others. The receiver is excellent and transmission quality appears good.

> But....the UI is obscure and difficult. The buttons are tiny, the triple
> function labels on each button are tinier (just about at the limit for
> unaided viewing with my 45-YO eyes), and the UI depends on button sequences
> which must be pressed within time limits (which seem very short to me).
> Doing something like entering a non-std rcv/trx freq into a memory register
> is really tricky. Just something like having a "Back" button to back out of
> a botched sequence would do wonders. It is definitely a radio that requires
> alot of manual study and practice. The manual is barely OK...I've ordered a
> supplemental pocket ref.

> Just as an aside, I recently bought a new cellular phone (a Denso
> Touchpoint) which also has tons of features but uses a large general purpose
> display, menus, and a cursor/mouse button for navigation. It was prefectly
> usable out of the box with no manual study whatsoever. Three buttons (OK,
> CLR, and the cursor) are all that are required to do virtually everything
> except enter new phone numbers (separate keypad for that). So I think these
> radios, now that they are computerized, will migrate to new UIs that will be
> much better. When this happens, I'll definitely be first in line to get a
> new one.

> Now I admit this is my first VHF handheld, so the others may be just as bad.
> But they certainly have bigger buttons.

> - Mark

--

Best Regards,
Ed

//--
// Edward March Jr. WB9RAA -- Mt. Prospect, IL
//
// ***> http://www.enteract.com/~emarch
// ***> http://www.bmtmicro.com/catalog/clone.html
//
// Win95 or Better, I chose better!
// I Run OS/2 Warp 3.0 & 4.0 and Linux S.u.S.E. 5.3 and 6.0

```
//--------------------------------------------------------------------------
```

4608. wtb: earphones for motorola visar radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: oneidman@aol.com
Message-ID: <19990318235601.11889.00000143@ng31.aol.com>
Source record: 113614

wtb 50 earpieces for motorola visar radios model #h05wcd4cb1bn please e-mail oneidman@aol with your best price, thank you. bill. m.

4609. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7csl9q$6i8@news.Hawaii.Edu>
Source record: 113615
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

In article <AphI2.6210$fM1.11423744@brnws01.ne.mediaone.net>,
Charlie <no@spam.net> wrote:
>
>It's people like you, who look for reasons to be offended wherever they can
>find them, who are at the very crux of this issue. Political Correctness
>isn't limited to the USA. I travel extensively and have observed the same
>....
>Charlie, KS1C

Hi Gang - In case you didn't realize it, each and every one of the
follow-ups in this thread are being cross-posted to rec.radio.swap
(grrrr, Dave...). Please accept this reminder of the following item
which appears in the rec.radio.swap FAQ/charter:

"PLEASE DO NOT POST DISCUSSION ARTICLES TO REC.RADIO.SWAP. If you really
must post, please do so to the appropriate discussion group. Use email
whenever possible, especially if you feel someone has committed a breach
of etiquette."

(The full FAQ is posted by myself on the 15th of each month.)

For a smoother-running newsgroup, please abide by the rec.radio.swap
charter, ok?

Jeff WH6U (rec.radio.amateur working-group)

4610. Re: Callsigns (Re: Wish I Could Broadcast This)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Brad Kellison <KA8TOK@four-way.net>
Message-ID: <36F1DA85.C96C5D96@four-way.net>
Source record: 113616
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Boy this sure tells me that you are being ID by your call sign.

S 97.3 Definitions.
(a) The definitions of terms used in Part 97 are:
(1) Amateur operator. A person holding a written
authorization to be the control operator of an amateur station.

S 97.5 Station license required.
(1) An operator/primary station license (FCC Form 660)
issued to the person by the FCC. A primary station license is
issued only to a person, together with an operator license on the
same document. Every amateur operator licensed by the FCC must
have one, but only one, primary station license. Except a
representative of a foreign government, any person who qualifies
by examination is eligible to apply for an operator/primary
station license.

S 97.7 Control operator required.
When transmitting, each amateur station must have a control
operator. Only a person holding one of the following documents
may be the control operator of a station:
(a) An operator/primary station license (FCC Form 660)
issued to the person by the FCC.

Curtis CCR wrote:

> Charlie wrote:
> >
> > Wammes Witkop wrote in message <36F06959.889D777B@cable.a2000.nl>...
> > >As "Charlie" seems to operate under a cloak of invisibility, I'll post this
> > >answer which was ment to be private in the newsgroup. And, could we stop
> > this?
> > >Now? Please?
> > <snip>
> > >Wammes Witkop - under his own name and address, unlike yourself...
> >
> > I thought my CALLSIGN was identification enough. For crying out loud, you
> > can look up my name, street address, e-mail address and birthdate from that
> > one piece of information alone.
> >
> > Charlie, KS1C - that's the CALLSIGN, which completely identifies me. KS1C.
> >
> I realize that many hams are proud of their call signs. I like mine. I
> even have on my car's license plates...

>
> But why are we so hung up on "callsigns"? An amateur call sign
> identifies the station, not the operator. I have always found this to
> be a wierd thing about hams - I was involved in land mobile, marine, and
> flying airplanes before I got into amateur radio. Never met anyone in
> those services that introduced themself by their licensed call sign. I
> identify myself on and off the air with my name. I identify my station
> with it's call sign.
>
> And you can't get my street address with my call sign. I don't even
> live in the city on my license, let alone at the address. You might be
> able to find my birthdate in some old database, but is there a current
> database that has those?
>
> But Charlie is right, a ham should be able to get a pretty good idea of
> who and where he is by "looking up" the given call sign. But his post
> was not over ham radio, it was over a newsgroup. And it wasn't related
> to ham radio. To those non-hma that may be here, he is just a guy that
> calls himself Charlie.
>
> What if I signed this note with...
>
> 73,
> Lisa
> KD6ELA
>
> What if you heard a female voice on the radio signing clear with KD6ELA?

4611. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: oris <oris@dirtball.com>
Message-ID: <36F1DAC1.4EA4@dirtball.com>
Source record: 113617
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

axel wrote:
>
> Watch glen Hobie in newark Ohio do not ship him COD, he also goes by
> Chad on the News Groups Thanks.
Well the best way for all of this to stop is to be 100% honest. We who
are of the amateur botherhood are supposed to be above all that stealing
and stuff. I would expect that from the ranks of CBers.
Thats just my opinion I could be wrong.
73 from Oris
http://www.dirtball.com

4612. Need help with FT-101b Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: kg4bxp@my-dejanews.com
Message-ID: <7csp5r$5e3$1@nnrp1.dejanews.com>
Source record: 113618

I have the chance to aquire an old Yaesu FT-101B. I haven't got my Tech+ yet, but I soon will. I have a couple questions and a small problem. I have no idea what the radio is worth. Could someone give me an idea as to what one is worth. Also I am sure it is fine for CW, but how is it on AM, USB, and LSB? Now for the problem. It RX's fine, but doesn't TX, and there is no manual. I have someone to fix it if I can locate a manual. Does anyone have one that they'd copy and send me, or sell me, or something?

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4613. FS: Collins SM-3 Microphone

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: John Mackesy <mack@melbpc.org.au>
Message-ID: <7csmlk$om6$1@possum.melbpc.org.au>
Source record: 113619
Cross-posted to: rec.ham-radio,rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Collins SM-3, with original curly cord, PJ 068 connector, cloth bag and original shipping box. Very good condition, but missing Collins (round) emblem - few minor marks on mic barrel & base. $350.00 shipped airmail anywhere in USA.

John Mackesy
mack@melbpc.org.au

4614. Re: GE Mastr II Repeater doc/software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: WD4JKH
Message-ID: <36f1e755.25307000@news.mindspring.com>
Source record: 113620

There was a version of the Mastr II station that had a programmable
control board. It was the Mastr IIe, I think.

Paul Mierop <ke2ls@ibm.net> wrote:

>Hi Jay
>
>GE MASTR II does not require programming. It is xtal bound both TX/RX.
>
>If yours requires programming, you do not have a MASTR II.
>
>Paul MIerop
>KE2LS
>6 MASTR II repeaters on the air

4615. Re: ANYONE HAMMING MARINE MOBILE THIS SUMMER?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: demer@accessnv.com
Message-ID: <7csp6kflp1@remarQ.com>
Source record: 113621

In article <19990318030007.09495.00000412@ng-fs1.aol.com>, jhulet@aol.com (JHulet) wrote:

>Hello,
>
>Just looking for a show of hands of those who sail or motor and work HF while
>aboard....
>
>Jason S. Hulet
>KC8FXE

Have Ham & Marine SSB HF onboard & listen on 18.150, 24.960 and the 40m
Maritime nets (Baja & Chubasco).

Dudley
KK7IF WAW9550
Desert Wind
Lake Mead, Nv (yup, Maritime Mobile Nevada)

4616. Re: Heath SB220 at 110v ok?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <7csqf2$kj3@sjx-ixn9.ix.netcom.com>
Source record: 113622

In <7cq0es$87o$1@ash.prod.itd.earthlink.net> "Steve"
<sbynum@earthlink.net> writes:
>
>Any input would be great
>
>--
>
> Steve
>
You can run a 220 on 110V but it will sag your service. Why not
wire 220/240 for your amp? You can do this rather easily yourself.
If you can retap the amp you can wire 220/240 from your service center.

4617. Re: wtb: earphones for motorola visar radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7csu1d$91m$1@nnrp1.dejanews.com>
Source record: 113623

In article <19990318235601.11889.00000143@ng31.aol.com>,
oneidman@aol.com (Oneidman) wrote:
> wtb 50 earpieces for motorola visar radios...

Need a Motorola Visar speaker-mike? I was getting ready to whack off the Visar-specific plug and make it work for something else.

I have had it for a year. I purchased it when I demo's a pair of Visars. It has been used for about an hour. It is in perfect shape.

Let me know if you need it.

- Clint Bradford

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4618. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Sam <sam@wireco.net>
Message-ID: <36F1F19A.3E05@wireco.net>
Source record: 113624
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

Lynn D Stolz wrote:
>
> WORD TO THE WISE:
>
> DO NOT SHIP COD TO ANYBODY *PERIOD* It isn't worth it. I find that the
> best way to protect both parties is to pre-pay via USPS Money Order and
> ship the item insured.
> --
> -
> Lynn Stolz N8AJ -- lstolz@gcfn.org
> -

One of the last deals I made I shipped fedex COD 2nd day. SHipped on
Monday and had my money on Thursday same week, not bad at all.

Sam

4619. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-19 00:00:00 UTC
From: Andy's Player Piano Service <tempola@i1.net>
Message-ID: <osmI2.606$r5.11046596@news1.i1.net>
Source record: 113625
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

it's like this...

I ship CB equiptment and player piano rolls and supplies all over the world.

about 1% of the COD's are ever returned. also remember that sometimes it is UPS that screws up, not leaving stickers on the doors ect. UPS has sucked every since the teamsters won the strike. I wont use them if i can help it.

But if someone does refuse a package, don't sweat it. it is just part of doing busisness. Just make sure that you make them pay for the sipping before you will send them anything else. Don't punish others by this one bad egg.......or you will end up losing customers,

Kickin back
Andy

axel wrote in message <7csae1$2fj$1@news-1.news.gte.net>...
Watch glen Hobie in newark Ohio do not ship him COD, he also goes by Chad on the News Groups Thanks.

4620. VX-5 software - where?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7d1rcb$hiu@sjx-ixn5.ix.netcom.com>
Source record: 113326

Where can I find the VX-5 software?
Frank

4621. Wanted: Utica 650 with VFO

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Enter your name here <zommbee@ix.netcom.com>
Message-ID: <7d1s7f$5ai@dfw-ixnews12.ix.netcom.com>
Source record: 113327
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Looking for Utica 650('A' suffix, I think) with the external
VFO. This was a chrome 6 meter AM rig, using a 2E26
final (I recall).

Long shot, I know. But if you have one for a reasonable
price - any condition - let me know. Part of my
nostalgia thing. I had one as a kid and ... you know the
story.

Thanks,

Dave WB7AWK
http://www.boatanchors.com - stop by and see the radios
dave@boatanchors.com

4622. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Gary Sanders <gsanders@gte.net>
Message-ID: <7d1ri6$40c$1@news-2.news.gte.net>
Source record: 113328
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

BD wrote:
>
> And why doesn't Ebay offer CC processing? They could simply deduct the
> fee's/charges and mail you the rest.
>

Because ebay isn't part of the deal. They just provide the mechanism
for bringing the buyer and seller together. The deal itself is
between the buyer and seller.

There are other companies that will do that though. TradeSafe and
i-Escrow will both take the buyers credit card, and hold the money
until the deal is completed to the buyer's satisfaction, then
forward a check to the seller - for a fee. They don't limit their
business to ebay - they would also be useful for a deal made through
the newsgroup.

I've used an escrow service as a seller, and it works quite well as
long as you've honestly described the item you're selling. The buyer
isn't too likely to back out, because he customarily has to pay the
escrow fees, and they are due whether the deal is completed or not,
and if he rejects the equipment the return shipping fees must be
paid by the buyer, so there's not a lot or risk on the seller's
part (as long as he's honest). The buyer doesn't get his money back
on a rejected deal until the equipment is safely back in the hands
of the seller, in it's original condition.

If you're really worried about who you're buying from, an escrow
service is ideal.

Links to a couple of escrow companies:

TradeSafe: http://www.tradesafe.com/

i-Escrow: http://www.iescrow.com/
--

Gary Sanders

Bait for spammers (With credit to E. Needham):
root@localhost
postmaster@localhost
admin@localhost
abuse@localhost
postmaster@127.0.0.1

4623. IC-02AT Repair

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: "SOFTEK Inc." <pierson@aa.net>
Message-ID: <7d1t4bfje1@slave3.aa.net>
Source record: 113329

I have an IC02AT that shows a "U" in the display after it comes on. Is there an easy way to fix this?
Tim
pierson@aa.net

4624. FS:Alinco DR-1200 2m fm xcvr

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Brian Radabaugh <brianrada@earthlink.net>
Message-ID: <36F474AA.5F17593@earthlink.net>
Source record: 113330
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.misc

I have for sale an Alinco DR-1200 2 meter fm transceiver. 131-171 mhz receive, 144-148 mhz transmit,pl encode-decode, 25 watts out, mobile bracket, power cord and mic. Works great $130 or offer. Seattle area. Contact Brian 425-745-8607

4625. Tarantula Amp Schematic Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: ssparky <ssparky2@thegrid.net>
Message-ID: <tc%I2.3183$PM2.26476@alfalfa.thegrid.net>
Source record: 113331

This amp uses two 6LQ6 tubes, and has a transistor preamp. Any referalls would be greatly appreciated! thanks!

sparky2@thegrid.net

4626. WTB Kenwood DG5

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Steven Baker <pacman@bcl.net>
Message-ID: <36F4353D.BFDE4CAC@bcl.net>
Source record: 113332

Hello,
I am looking for the Kenwood DG5 digital display for the Kenwood
ts-520s.
Must have cables and in working order. Please email if you have one of
these to
sell and include the price. Thanks!

Steve KB9HGI
kb9hgi@qsl.net

4627. Re: IC-706MkII vs. IC-735 for CW

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Farnsworth <ab7tu@parg.org>
Message-ID: <36F48476.4230@parg.org>
Source record: 113333

Larry Gagnon wrote:

with respect to QSK high speed
> CW versus the IC-735 would be appreciated.

Not good on the 706, hard for me to hear what I'm sending, sidetone not crisp. As I recall the 735 I wasn't thrilled with it's qsk either, noisy. Semi on the 706 with minimum delay works good. IMO

> I have also heard about intermod problems with the IC-706 on 2 metres
> and its general poor performance on 2m.

My 706 (MK-1- HI) 2 mtr, with preamp on, a few unpleasant sounds in town, but I can sit under broadcast towers on hilltops and operate with no problem. RX isn't great, preamp needs to be on to hear what other radios hear without one. It's adequate, didn't they make improvements on the Mk2? You can find some rough spots but it's a hell of a little radio. ES, everybody seems to here my almost QRP sig. GL SK ..

4628. Re: VX-5R: EVE and ADMS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Vito Villamor <vovillamor@earthlink.net>
Message-ID: <36F4790F.6EE0AA3E@earthlink.net>
Source record: 113334

Tim Landers wrote:

> Would LOVE to see more than one (RT) choice for this! Don't want to
> spend $40 just to get the cable! I guess I could make one, but if I
> could get for $10 +/- would rather just buy it.

To anyone out there who has successfully made the interface cable,
how much did the all the parts cost??? How much time did it take???
How would you like $10 or $15 for every time someone asks
where to get an interface cable??? Come on...there's got to be some
business people out there. Make an offer to the poor people who
don't have an interface cable and don't want to contribute to the
corporate software monopoly [RT]. I see a at least a couple of
paying customers right here!!!

> I think what would REALLY help is the ability to export your freq's and
> settings to a spreadsheet-readable (read: NON-proprietary, NON-binary)
> format and re-import this to load back into EVE. Second choice would be
> to use a text file format to allow search/replace. Either could allow
> you to organize AND print your data! Maybe have ability to export
> channels to one file and global settings to another.

Good idea!!! I'd like to be able not only enter settings for each channel,
but
see and move blocks of channels around, kind of like in an Excel speadsheet.

> EVE needs more documentation on jumper settings.

I think the author can only do so much...with certain limitations.

> Anyone know how to unblock
> cellular without setting it to FREE? I don't want out-of-band transmit
> (for now). I tried to look at one document and compare the solder
> jumpers (seems there are eight) to the jumper value, but it didn't seem
> to correlate. BTW- I set the virtual jumper to 255, it opened tx and
> allows cellular rx, but then couldn't reload data until I reset the
> radio.
>

Have you subscribed to the OneList mailing list on the VX-5R? I'm
not really interested in cellular capabilities, but there have been some
extensive discussion on the mailing list. Go to OneList.com and
search for YAESUVX5. Even if you don't subscribe (it's free), you
can at least browse through the previous digests and find quite alot
of info about opening up the cellular tx/rx. I know the topic of hardware
jumper settings is still a hot topic here...international versions of the
VX-5R are being compared, and foreign users of the VX-5R are

contributing their findings on radio capabilities in the 800Mhz range.

Anyways, thanks for your input. Now all we need is an amateur radio operator to mass produce these interface cables and we'll (or at least HE will) be set...

---Vito

4629. ~Slinkiey Antenna Plans Needed~

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Sam Taylor <cygnet@cncnet.com>
Message-ID: <36f411b0.0@nntp.quiknet.com>
Source record: 113335

```
Ko6JQ has just Purchased 6 Slinkies from
American Science and Surplus for $3.50 Each
Wants to build some antennas, Any Ideas?
or Plans Wanted
cygnet@cncnet.com 73 KO6JQ Sam
```

4630. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: JR <jgramsey@ramseyelectronics.com>
Message-ID: <7d16dp$t4m$1@newsreader.jvnc.net>
Source record: 113336
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

and that's why Hitler rolled through your country like a hot knife thru
butter !!

Wammes Witkop wrote

>But honestly, I happen to be a anti-millitarist.

4631. FS: Bird Slugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-2003990440380001@pom1.mbl.edu>
Source record: 113337
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Do to a no follow thriu on previous buyer I again have 3 slugs for sale,
all are unused in plastic cases. 60.00 ea shipped

50H,500H, 1000H.

I also have a 250A and 250C in same condition for 50.00 ea shipped

4632. FS: 2meter beam & rotor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: ^Fretts <n2rif@kwiknet.net>
Message-ID: <qkQI2.2947$li3.10643@news6.ispnews.com>
Source record: 113376
Cross-posted to:
nj.forsale,rec.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

```
Forsale:
2 meter Cushcraft 8elem {ssb or fm} beam with 50ft coax,
RadioShack rotor and control box $80/obo for all. Sorry I
can not ship.. If interested please Call (609)386-9382... If
busy call (609)386-3272 [please afternoon's only!! Ederly
mother is very ill]
Cordially Thom j. de N2RIF aka ^Fretts -73
P.S. Qth; Burlington, NJ {4 miles northeast of Phila. Pa
& 12 miles south of Trenton, NJ} Grid: FN20na
Email: n2rif@kwiknet.net Or just remove "knowspam"
when you hit ur reply button..
```

4633. OPC-478 - Cloning Cable for IC-Q7 / R2

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Hartmut Jessen <HartmutJessen@csi.com>
Message-ID: <u4$PGAvc#GA.326@nih2naaf.prod2.compuserve.com>
Source record: 113377

For schematics / infos look at :

http://ourworld.compuserve.com/homepages/hartmutjessen/

73...Hartmut -DC3XQ

4634. FA:LAST DAY HEATH EV KENWOOD and MORE!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Jordan Arndt <jordana@nucleus.com>
Message-ID: <36F3E06B.4F6D@nucleus.com>
Source record: 113378

Hi I have many items ending in the next 24 hours... Excellent Heathkits
Including an SB-614 Monitor Scope, an Excellent HW-8 with Power Supply
and extras, a RARE HEATHKIT AD-1308 and 1309 Audio Spectrum Analyzer in
Excellent condition with all manuals and the 1309 Pink/White Noise
Generator, An Electrovoice EV 727 Desk Mic and the EV 428 PTT Stand and
EV 502B Impednace transformers among MANY other items... to see goto:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=jordana@nucleus.com&sort=3
&since=-1

Thanks for your time and good luck... 73 de Jordan...

4635. YAESU FT-847 TO ICOM AT-150.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: MANOS <pelamare@her.forthnet.gr>
Message-ID: <7d0ki1$8js$1@medousa.forthnet.gr>
Source record: 113379

Does anyone know how can i connect YAESU FT-847(antenna tuner) AND ICOM AT-150.I like to make a cable to conect them if it's possible.

Thanks

Manos SV9ANJ

4636. Kenwood TM-V7A Cold Wx Fadeout

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Greg Knapp <n6gk@garlic.com>
Message-ID: <7d0kl6$n3s$1@bulb.garlic.com>
Source record: 113380

I have noticed that when the temp outside gets down 40F or below, the blue background on my mobile TM-V7A faceplate readout tends to wash out to almost white or whitish-blue for the first few minutes of operation (probably until the interior of the car heats up). I find that if I take the detachable faceplate inside the house at night so it stays warm and then take it out with me, the readout is fine, with the normal blue background. Anyone else having this temperature sensitivity problem, or am I just the lucky one?

73, N6GK

4637. Re: Reviews of HTs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Dave Steele <clndstrom@teleport.com>
Message-ID: <Y3RI2.10722$A6.6089782@news1.teleport.com>
Source record: 113381

If you join ARRL you will have access to the members only web site which has an extensive listing of QST reviews of radios, all types. Alternatively, Kenwood posts some of the QST reviews on their web site for certain models.

I am a new ham too, and I bought the Kenwood TH-G71A in December and the Yaesu VX-5R this month. Both are great little handhelds. Can't go wrong with either one in my opinion, and I am sure there are others out there that are equally good.

73's

-Dave
KD7DMG
Oscar Benitez wrote in message <36EFFDC8.8E65FB4D@worldnet.att.net>...
>Is there a website for review of HTs similar to Rich Wells'
>StrongSignals page.
>I am a newbie Tech (no call sign yet) and need opinions of you
>experienced hams re:
>ADI-600HP
>ICOM W32A (favored by many in this NG)
>ICOM T8A-HP (Is it really a tribander?)
>KENWOOD models ??
>
>ICOM R2A scanner to complement the above radios as I like listening to
>military air.
>
>73 all of you. All opinions welcomed.
>Oscar

4638. Re: [Fwd: Choice of 455 kc and 10,7 mc as IF frequencies]

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7d0mjv$6i3@news.Hawaii.Edu>
Source record: 113382
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment

Reg Edwards <G4fgq.Regp@btinternet.com> wrote:
>International, commercial and military and amateur
>transmitters, after many years of gentlemen's
>undersatanding and agreement, don't transmit on frequencies
>reserved for receiver intermediate frequencies. It makes
>for less expensive receiver design.
>
>455 and 465 came about because they lie between the long
>wave and medium wave broadcast bands. They are high enough
> to make second-channel interference not to difficult to
>get rid of.

454 and 468 kHz were ship working frequencies for some 75
years. One would think that 454 would especially be troublesome
for a 455 IF. The MF maritime band ran from 405 to 535 kHz.

Jeff WH6U / 7

4639. Re: Drake R4-A and Yaesu FT-101E for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7d0ngi$lu9$1@winter.news.rcn.net>
Source record: 113383
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.swap

How can these items be listed "for sale" when the
pointer takes us to auction sites??

Pete

Darrel Scott wrote in message <7cvf3v$ti8$1@news.powerisp.com>...
>Drake:
>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=79825883
>
>Yaesu:
>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=80506821
>
>

4640. Re: Kenwood TM-V7A Cold Wx Fadeout

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: paul wise <n3ngo@prodigy.net>
Message-ID: <7d0nuc$21b0$1@newssvr03-int.news.prodigy.com>
Source record: 113384

i think that is a common problem, i have 3 ham friends who have v7's as well
as myself, we all experience the display problem.
i use the voice module, and microphone control. it helps do many functions
without needing to look at the display.
i also noticed if you reverse the display(blue letters on a white
background) it is a little easier to read when it is cold.
doesn't help in bright sunlight, though...
Greg Knapp wrote in message <7d0kl6$n3s$1@bulb.garlic.com>...
>I have noticed that when the temp outside gets down 40F or below, the blue
>background on my mobile TM-V7A faceplate readout tends to wash out to
almost
>white or whitish-blue for the first few minutes of operation (probably
until
>the interior of the car heats up). I find that if I take the detachable
>faceplate inside the house at night so it stays warm and then take it out
>with me, the readout is fine, with the normal blue background. Anyone else
>having this temperature sensitivity problem, or am I just the lucky one?
>
>73, N6GK
>
>

4641. WTB: TenTec 960/961/962 Pwr.Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Larry McGee <lrmagoo@worldnet.att.net>
Message-ID: <01be7302$8ecbc3c0$d9defed0@default>
Source record: 113385

Looking for a TenTec 960/961 or 962 power supply, reasonably priced. Larry

4642. POWERCLEAR DSP+MFJ 1026+AMECO PT3

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Phil <philsa@claranet.fr>
Message-ID: <JhSI2.32953$Eb.3939@nnrp2.clara.net>
Source record: 113386

POWERCLEAR BY SGC : 200 dollars pse
MFJ 1026 ANTI QRM : 90 dollars
Ameco pt3 rx preamp 0 to 54 MHz (very good !) 75 dollars

It would be great if you were in south CAlifornia, as I'm arriving in LA
sunday evening and leaving the next sunday.
THE 3 devices are in mint shape.If interested, HURRY !!!...as I'm leaving
tomorrow morning (european time)
All 3 were bought in the US

Pse leave QTH and if possible address and tel/fax
I'll come back in an hour's time

73's Phil

4643. Re: DCE & YAESU ROTATORS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: tgold@microvest.demon.co.uk
Message-ID: <19990320.1841.9901160snz@microvest.demon.co.uk>
Source record: 113387

On Saturday, in article <7cvn34$4ur$1@news4.svr.pol.co.uk>
matt@mattobr.freeserve.co.uk "MATT" wrote:

> Just wondering can i use my 5 wire DCE rotator on my Yaesu G-5400B
> controller (6 wire) i picked up at a rally

No.

BTW DCI (Digital Communications Inc.) makes bandpass VHF filters and
CDE (Cornell Dubilier Electronics) used to make rotators.

Regards,
--
Tony - G3SKR / W2TG email: tgold@panix.com

4644. DR-M06T Mods as DRM06TH?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: wq1o@gis.net
Message-ID: <ThSI2.14493$EF1.60959488@WReNphoon1>
Source record: 113388

Does anyone know if the mods for the DR-M06T are the same
as the new DR-M06TH? Are the radios the same, just with higher output?
I', trying to find out if the TX mod will work with the new rig. Please e-
mail
if you have any info.
Thanks 73s Frank WQ1O

-**** Posted from RemarQ, http://www.remarq.com/a ****-
Search and Read Usenet Discussions in your Browser

4645. WANTED:IF-232C/INFO For Kenwood TS-450SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: lizzy_lmit@my-dejanews.com
Message-ID: <7d0vib$si1$1@nnrp1.dejanews.com>
Source record: 113389

I am still looking for information on the "IF-232C INTERFACE" to tie
my computer into my TS-450SAT Rig.

I would like schematics/layouts for the adapter in hopes of building
one (as a learning project).

If this info is not available however, if someone has a used (working)
one they would like to sell, I'd like to talk to them.

Please email me at: llisenbe@netzero.com

with any info you have ....

73, Larry (KC5CFT)

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4646. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: GARY <MJSCommunications@erols.com>
Message-ID: <7d0ss8sdu1@winter.news.rcn.net>
Source record: 113390
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

Do you know what it's called to send someone a money order in advance for "pre-payment"? It's called a gift! Just remember to research the buyer/seller and as mentioned disclosure is important with verifiable references. Another good idea is to require the shipping cost up front as per your arrangement with the party. If both the buyer and the seller know who they are dealing with and if both have been researched and checked out, you minimize the chances of becoming a victim. Just my $0.02 cents.

Gary

P.S. This message is not directed specifically at or as a response for any one post. It's a general statement made after reading the entire thread. :)

Andrew Smetana wrote in message <4uuI2.115$EW.701@nnrp1.ptd.net>...
COD is the only way I will buy. I prepaid once and never received my product. USPS money order tru UPS or FedEx. It is the only way both parties get the protection they need.

Andy
axel wrote in message <7csae1$2fj$1@news-1.news.gte.net>...
Watch glen Hobie in newark Ohio do not ship him COD, he also goes by Chad on the News Groups Thanks.

4647. Re: New ADMS Shipping (take a look at EVE)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36F3FBF0.1FDB1107@t-online.de>
Source record: 113391

clintbrad4d@earthlink.net schrieb:
> > Tell me Clint, I am just woundering, how come that the ADMS-1E
> > is not even advertised at the RT Systems web page, and you already
> > have a copy, I guess the first in the world, are you shure you
> > don't have any connection to RT Systems :)
>
> In your blind, fanatical desire to dismiss anything I post, you again have
> difficulty reading.

Clint, sorry if I missunderstood you.

> I stated that the new software is SHIPPING - NOT that I had a copy in my
> hands.

No Clint, you stated:

> I am working on a head-to-head comparison of the two (actually, three)
> available programs for the VX-5R (and FT-50, VX-1R, et al).

You stated "I am working" and not "I intend to work", so with my poor
English (as you say: I have again difficulty reading) I understand
this statement so that you have the ADMS-1E and "ARE WORKING" on a
head-to-head comparison.

So please explain me how ARE YOU WORKING on a head-to-head comparison
without the ADMS-1E Software.

Please help me to improve my English language, so I don't have
"difficulty reading again"

Thank you.

PS. I am sorry for my spelling errors.

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4648. FS: Kenwood TS820S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Bob <xyz_P15218@flash.net>
Message-ID: <36F3FE17.4EFC@flash.net>
Source record: 113392

Kenwood TS820S 160-10 transceiver in near mint condition. Has CW filter, digital display, operator's and service manual. A few reversible improvements added from QST articles, etc...all documented. Low operating hours--original final tubes. I'm the second owner and have had it since the early 80's and haven't used it very much. Asking $350, local pickup prefered (Detroit Mich area).
73, Bob
--
(remove the xyz_ to reply)

4649. FOUND 2 MORE==> /\/\ RLN4008B FACTORY RIB BOX<<==

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: msisco9939@aol.com
Message-ID: <19990320150526.27372.00000461@ng02.aol.com>
Source record: 113393

Yep:

Was over @ the Stroge Room, Found 2 More Motorola Factory Rib Boxes RLN4008B's "Brand New" still in the Anti-Staic Plastic bag, Instructions, and Original Box

Asking $175.00+$8.00 for shipping and handling.

Please note that I am already aware of the more inexpensive Clones, but these are for the Professional Technicians that require the Optimum performance requiring the need for a dual power suport which "Some" clones do not have. The RLN4008B's Factory Motorola Rib boxes have "Both" the battery and the AC adaptor features supplying the Rib to prevent High End radios from being lunched during the programming process....Interrupting the Programming sometimes can be Fatal to High End Motorola radio products.

Terms:

Acceptable PrePayment in the form of a Postal Money order or other mutual piror arrangements.

Monty

4650. Maryland Radio Center (WxDemod)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: n4weq@qls.net
Message-ID: <36f406a9.1574879@news.mindspring.com>
Source record: 113394

Does anyone know what happend to the NOAA weather trial they were running in the Wash DC area a few years back. Maryland Radio Center was making and selling harware/software for receiving this digital weather information.

Thanks in advance,

Dan
N4WEQ

4651. Re: Maryland Radio Center (WxDemod)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Buggs Bunny <n3wxg@home.com>
Message-ID: <5PTI2.10844$573.4634@news.rdc1.md.home.com>
Source record: 113395

n4weq@qls.net wrote in message <36f406a9.1574879@news.mindspring.com>...
>Does anyone know what happend to the NOAA weather trial they were
>running in the Wash DC area a few years back. Maryland Radio Center
>was making and selling harware/software for receiving this digital
>weather information.
>
>Thanks in advance,
>
>Dan
>N4WEQ

Maryland Radio Center went out of business a few months back and I thought he said that he was going to keep the weather node going. Last time I checked, two months ago or so, the web sight was still up. I did not find it at this time.

Randy
N3WXG

4652. Re: Astron RS-70M - $250.00

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: kk4tl@aol.com
Message-ID: <19990320155007.17451.00000007@ng97.aol.com>
Source record: 113396

Sold. Thanx for the replies.

4653. Re: HeathKit SB-600 Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: h3963@aol.com
Message-ID: <19990320155819.03018.00000437@ng140.aol.com>
Source record: 113397

how much for the heathkit? H3963

4654. Re: Yeasu FT100 experience

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Jethro Jumbalaya Twain <qwasty@hotmail.com>
Message-ID: <7d15e7$1c5$1@nnrp1.dejanews.com>
Source record: 113398
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,nl.radio.amateur,aus.radio.amateur.misc

somebody didn't pay attention in his 3rd grade english class...

In article <01be6ea6$6660d0c0$254c53d4@g.boxtel.goldmine.nl>,
"G.van Boxtel" <don.queblo@goldmine.nl> wrote:
> asshole how dir u use jy1's call that o.m is dead
> u are very taste less
>
> jy1@diplomats.com schreef in artikel <7bqrb3fmk1@nnrp1.dejanews.com>...
> > Hi there,
> >
> > Some of my friends are interested in buying an FT100, but
> > I'm not sure if I can recommend such a small rig? My
> > main concern is the large signal behaviour, especially
> > in the military 30-70 MHz frequency range (RX).
> > Does anybody have any experience with this? Please report.
> >
> > Greetings,
> > JY1
> >
> > -----------== Posted via Deja News, The Discussion Network ==----------
> > http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>
> >
>

"There are three types of people in this world: those who can count and
those who can't" - Unknown Mathematician

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4655. ICOM 756 Questions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: dmac7525@my-dejanews.com
Message-ID: <7d167a$26r$1@nnrp1.dejanews.com>
Source record: 113399

I&#65533;ve been out of the new radio game for many years but am now interested in buying a new rig. The IC-756 looks good to me.
I operate mostly CW and know I need a good receiver with my limited antennas.
-- Anyone have suggestions on how the 756 stacks up against the FT-920?
-- Also, can anyone suggest other rigs comparable or better than the IC-756 in about the same price range?
Thanks
Dan, k0uif

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4656. * Beautiful Drake R4C - $175 *sold*

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Don Rasmussen <73642.1571@CompuServe.COM>
Message-ID: <edamRnxc#GA.349@nih2naaf.prod2.compuserve.com>
Source record: 113400
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Thanks guys...

4657. Re: Drake R4-A and Yaesu FT-101E for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Powerhouse <"power035@hotmail.com">
Message-ID: <921966858.379012@klaatu.wolf>
Source record: 113401
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.swap

let me think.......

FOR SALE to the Highest Bidder!!!!!!!!

CommQuart wrote in message <7d0ngi$lu9$1@winter.news.rcn.net>...
>How can these items be listed "for sale" when the
>pointer takes us to auction sites??
>
>Pete
>
>Darrel Scott wrote in message <7cvf3v$ti8$1@news.powerisp.com>...
>>Drake:
>>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=79825883
>>
>>Yaesu:
>>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=80506821
>>
>>
>
>

4658. WTB IC-706 MKII

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Hal Wolff <heli1345@flash.net>
Message-ID: <36F41B67.C089BE9A@flash.net>
Source record: 113402

Wish to purchase IC-706 MKII preferably with DSP in Mint condition.
Please contact:

Hal
KD5VL

4659. Re: Opinion on Kenwood TM-V7A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: zoso@laf.cioe.com
Message-ID: <36F3D5D0.51DD@laf.cioe.com>
Source record: 113403

I have had one for about a year and a half and I love it. I use it for both base and mobile. I am told it sounds very good. Even with all the bells and whistles it was easy to get on the air when I first got it. There are many features I wouldn't want to do without and there are several I haven't had a chance to use yet. The repeater function is one of them. Give me time. I have had no trouble with it at all.

Let me know what you think of it if you get one.

Jim KB9RLT
zoso@laf.cioe.com

4660. Re: IN NEED OF A LITTLE HELP !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: olympus@SPAMLESSjimdee.prestel.co.uk
Message-ID: <36f40e0b.16011455@news.prestel.co.uk>
Source record: 113404
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment

On Sat, 20 Mar 1999 15:38:13 +0000, G0 JLX <G0JLX@ASEL.nospam.co.uk> wrote:

>
>Hi There,
>
>I have been sent diagrams of a KW 107 by one most helpful amateur but
>this does not appear to bear any great resemblance to the ATU I have
>stripped on the bench.
>
>Does ANYBODY have a layout diagram for a KW E-ZEE match ATU please ?

Without wishing to appear unhelpful, this unit is probably
no more or less than a standard Z-Match.

Get a circuit diagram of a standard Z-Match from the handbook
or whatever and take it from there.

I'd happily send you a circuit diagram of the S.E.M. TranZmatch
if that would help, failing a genuine diagram turning up.

>Whoever had this unit before me has modified it very extensively and
>there is NO documentation whatsoever. Either from the original set up or
>what the unit has become.
>
Thing is they're so rare...I think you'll have difficulty, but hope
something turns up. It's a fine unit.

--
- 73 de Jim, g(m)4rga | People who are brutally honest get
olympus%jimdee.prestel.co.uk | more satisfaction out of the
dynastic%cwcom.net | brutality than out of the honesty.
marula%zdnetmail.com |
g4rga@gb7tjf.#45.gbr.eu | - Richard J. Needham.
Rallies Info: www2.prestel.co.uk/jimdee
Pgp key: pgpkeys.mit.edu:11371

4661. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: brianburke@my-dejanews.com
Message-ID: <7d1ant$5nr$1@nnrp1.dejanews.com>
Source record: 113405
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment

In article <36F38F0E.5A6@sprynet.com>,
nosferatu@sprynet.com wrote:
> > What a SHAME that critics of the NRA so EAGERLY assume that all it's
> > about is nasty GUNS! Fact IS, the NRA is about individual freedoms and
> > the rights of ALL, combined with access to the tools, to most properly
> > maintain it - as outlined and established in our country's Bill of
> > Rights -
> I agree. If one set of rights is comprimized, when does it stop? Geee,
> my company is already trying to stop the right to free speach. I got
> into an altercation reciently about a comment I made opposing one of the
> corporate scared cows. I got the usual, obligatory meeting with the
> 'managers". They were really laying down the law acording to them until
> I brought out a copy of the first ten ammendments of the constitution
> and proceded to read them. Wow, dead silence! Hmmmmmmmmm. I asked them
> how much they felt violating my constitutional rights was worth to them.
> They became very friendly and apoligetic all of a sudden. I work for a
> fortune 500 company, have for 20 years, and have never seen such a
> degridation in individual rights as I have seen since around 1990. My
> point, if you do not stand up for your rights, you will loose them. I
> could have stood passively by and let those corporate assholes
> intimidate me and feel they got away with it. But, I would have set a
> corporate wide precident. As we all know, our legal system is based on
> earlier interpretations of the laws or precidents. If I would have caved
> in, then the company would have felt free to violate the rights of
> others. Now, I am making them rethink some of their policies. Now that
> they know they may have to shell out for a huge law suit, some of their
> policies may no longer look quite so attractive.
> It is up to each and everyone of us to blow the whistle on violations
> of our constitutional rights. If we don't, and we let them get away with
> it long enough, then we will loose those rights. This is essentially why
> the NRA lobbies so strongly against ANY gun control. I'm sure that some
> of it makes sence to them, but if they cave in to any comprimise with
> respect to our rights, then again I ask, where will it stop? How long
> before you can't have a certain weapon, or whatever because some fool
> used one in a hold up? How long before you loose the right to keep and
> bear arms? or in my case, how long before I loose the right of free
> speach?
> B.B.

Free Speakers are a threat. You should have to be registered and
fingerprinted before being allowed to Speak Freely. Also, there needs to be
limits on how much Free Speech you can dispense. For example, you should
only be allowed to Speak Freely once each month, and after having waited a

week "cooling off" period. Religion is a threat. You should have to be registered and fingerprinted before being allowed to practice your Religion. Also, there needs to be limits on how much Religion you can practise. For example, you should only be allowed to practice Religion on Mondays. People who Freely Associate are a threat...

Eewww. I don't like where this is going.

also a B.B.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4662. Re: New ADMS Shipping (take a look at EVE)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7d1arj$61v$1@nnrp1.dejanews.com>
Source record: 113406

In article <36F3FBF0.1FDB1107@t-online.de>,
Ingra-Beton@t-online.de (Vlaski Goran) wrote:

> So please explain me how ARE YOU WORKING on a head-to-head comparison
> without the ADMS-1E Software.

Quite simple. Since only one program is going to be installed/reviewed at a time, I am writing about the ones I have on hand.

Geeze, you're suspicious.

- Clint Bradford, ATTENTION to Details
http://www.clintbradford.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4663. WTB:pk232mbx

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: David Fister <dfister@siol.net>
Message-ID: <nvVI2.54$Zv3.987749@news.siol.net>
Source record: 113407

```
Hi!
I would like to buy pk232mbx modem.
Please send e-mail to: dfister@siol.net

David, S51MM
```

4664. Re: Any and All info on Kenwood TS-520

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: treynolds@my-dejanews.com
Message-ID: <7d1c74$710$1@nnrp1.dejanews.com>
Source record: 113408

Nedwek wrote in message ...
>Hello,
> It's been recommended that I look into this as my first HF radio. I'm
>interested in anything anyone knows about this radio. Is the receiver
>general coverage? How's the sensitivity? Is maintenance a big hassle? Any
>experiences, good or bad, are welcome and requested. Thank you.
>
>Brandon Nedwek
>

I read all the other replies you got and pretty much agree, except the gentleman who said it would be difficult to maintain. A service manual, available at w7fg.com, and troubleshooting skills could keep that baby running for a long time.

The TS520 was the first, 80-10 meters, no 12, 17, or 30 meter bands, tube driver and 6146B tube finals. The TS520S came next, small upgrade that added the 160 meter band. They sold the 520S for years. Just before stopping production they came out with the TS520SE. They didn't sell this for long.

The TS820 was the next step up. It included IF shift and the TS820S added a digital display (all the others were analog frequency readouts).

After the 12, 17, and 30 meter bands were added to the ham spectrum these radios were upgraded to the TS530 and TS830, basically the same radio with a few upgrades and the new bands added.

I own an Omni VI but I have a TS520S and TS820S sitting right next to it. I purchased the 520 in perfect condition for $200 and the 820 in repairable condition for $150. The Omni is a superior radio, especially the receiver, but not $2500 superior.

IMHO, you won't get a general coverage receiver in these rigs but you will get most everything else you want in a radio for next to nothing.

73s
Tom

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4665. Kenwood mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: bujiaj8@aol.com
Message-ID: <19990320180610.24768.00000555@ng-fw1.aol.com>
Source record: 113409

I know that this is an amateur radio site... but I have a pic of a Kenwood TK931 at the bottom of this site...http://members.aol.com/BUJIAJ8/cbradio.index.html.... All of these items are for sale and I am always negotiable.

Bill

4666. MANUALS HW-22A,HW32A, HP-13

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: dialcover@webtv.net
Message-ID: <26681-36F42327-57@newsd-122.bryant.webtv.net>
Source record: 113410

BOUGHT AN HW-22A, HW-32A AND A HP-13 POWER SUPPLY. DIDN'T COME WITH MANUALS, ALL HAVE PROBLEMS OF ONE SORT OR ANOTHER. ANYONE HAVE MANUALS FOR THESE, NEW, USED OR COPIES? NAME YOUR PRICE.

disregard caps, visual problem
Bill Turner WA0ABI
1117 Pike Street
Saint Charles, MO 63301

4667. TR-7800. What do all those knobs do??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: luecknik@world-net.net
Message-ID: <36f42e0a.16497559@news.world-net.net>
Source record: 113411

You see, I bought this old 2m relic, and it's the 1st VHF unit I've ever owned. I need either a scan of the oper. manual, or someone to explain what each button does. I don't know how to program the offset, set memory channels, what the + and - keys are for, etc, etc.
My previous request only furnished a point to W7FG. I have a couple dozen of their manuals, but the value of this old clunker doesn't warrant the expense. Any help will be appreciated. 73s James Lueck W5LWU

4668. VHF - GP-300 $200

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7d1cgq$nh2@dfw-ixnews4.ix.netcom.com>
Source record: 113412

GP-300 VHF, with two batteries $200 Frank

4669. WTB 2 meter duplexers or filter(s)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Tom Seabury <tseabury@value.net>
Message-ID: <36F43BD9.FEE34AF3@value.net>
Source record: 113413

I'm looking for a set of two-meter duplexers. Or band pass filters that can be tunned to the 2-meter band.
If duplexers they should be the 4 or 6 can type with about 80 to 90db of isolation between Tx and Rx and with about 100 watt capability.
Let me know what you have.
Thanks.
KO6RO
Tom

4670. Re: Where can I find pics of HF rigs online?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: W4UDX <w4udx@aol.com>
Message-ID: <36F43008.31FD7490@aol.com>
Source record: 113414

www.geocities.com/CapeCanaveral/Galaxy/6020

W4UDX

MOstrowski wrote:

> I'm looking for any site where I can view pictures of HF rigs,
> especially those that have been built since the late 70's.
> I'd appreciate pointers to any web address where you've
> seen quite a few, even sites which specialize in a particular
> brand.
>
> Thanks,
> Michael Ostrowski - KC8GBM
> Saline, MI
>
> M_OstrowskiXXX@yahoo.com
> (remove XXX when replying directly)

4671. Re: FS: Drake TR7

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36F44563.FCADF07A@postoffice.pacbell.net>
Source record: 113415
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

AL wrote:

> Radio is in excellent condition,has noise blanker and 500hz filter.Has a
> new case and has the aux 7 board and 3 warc bands.Have original owners
> manual.$500
> AL

4672. Re: FS: VHF MSF5000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36F444D5.394FE7C0@postoffice.pacbell.net>
Source record: 113416
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

AL wrote:

> Radio is in excellent shape and is the 125 watt continous duty
> version.It is fully RSS programmable.Has DES-XL capability and can be
> used as transparent or encode decode
> mode.Has tone remote capability and includes the digital remote metering
> panel.Do not have the outer cabinet,unit is presently mounted in the
> inner rails that can be put in the cabinet.Radio can be programmed for
> base station or repeater use,no duplexer.
> $2700 plus shipping.Will accept a uhf astro saber 3 as part trade.
> Al

4673. Re: Yaesu world map

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: n1wlc <n1wlc@ne.mediaone.net>
Message-ID: <hLXI2.214$aJ5.695@ndnws01>
Source record: 113417

arrl does...

--
Mike
n1wlc@ne.mediaone.net

WARNING TO UNSOLICITED SPAMMERS!!!
Pursuant to U.S. Code, title 47, Chapter 5, Subchapter II,
"Any and all nonsolicited commercial E-Mail (SPAM) sent to
this address is subject to a download and archival fee of
$500.00 U.S."!!
E-mailing denotes acceptance of these terms.

BUJIAJ8 <bujiaj8@aol.com> wrote in message
news:19990320194203.23397.00000492@ng-cf1.aol.com...
> I want one of those Yaesu world maps.. with the callsign prefixes...
Anybody
> have one?
>
> Bill

4674. Re: Your opinion wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: J Hall <kc7yje@earthlink.net.NOSPAM>
Message-ID: <7d1i03$8cl$1@fir.prod.itd.earthlink.net>
Source record: 113418
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

If he did not "seal" the deal, I agree he was OK to sell it. As for taking a better deal because he was chiseled down, I must disagree. Many times I have agreed to a deal and then received a better offer. However, in keeping my word, I ate the twenty or so dollars and kept the deal.

Just my input.

John

wb0poz <wb0poz@cwix.com> wrote in message
news:v2XI2.5376$QV1.5518@news.cwix.com...
>
>Marty Duplissey wrote in message ...
>>I just had a deal go sour the seller now tells me the unit has been sold
>>before my email that the check will go out. I need your opinion. Do you
>>think I had a deal to buy this yaesu. Sellers info has been deleted to
save
>>embarassment for now.
>>
>>
>
>The radio was his until he got your check. He was well within his rights
to
>sell it.
>Moreover, you apparently did not "seal the deal" by letting him know.
Last,
>you
>chiseled him down so he probably took a better offer.
>
>73 John
>
>
>

4675. Uniden HR2510

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: mike <tracker007@sky.net>
Message-ID: <36F4544F.B4718F13@sky.net>
Source record: 113419

Looking for any information regarding operation and schematics. Any help appreciated!
Thanks,

Remove 007 to reply by e-mail.

4676. Re: FS:Motorola System Saber

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36F44534.3E8B70C1@postoffice.pacbell.net>
Source record: 113420
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

AL wrote:

> Radio is in excellent condition and is the system saber 3 with alpha
> diaplay and full keypad.Radio is on the 440 to 470 mhz split and is the
> high power version.Has a DES-XL module installed.Capable of 255
> channels.Includes radio,antenna and good high capacity battery.$700
> AL

4677. Re: FS:Motorola System Saber

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36F45BBA.7B644A86@postoffice.pacbell.net>
Source record: 113421
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

AL wrote:

> Radio is in excellent condition and is the system saber 3 with alpha
> diaplay and full keypad.Radio is on the 440 to 470 mhz split and is the
> high power version.Has a DES-XL module installed.Capable of 255
> channels.Includes radio,antenna and good high capacity battery.$700
> AL

4678. VX-5R: EVE and ADMS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Vito Villamor <vovillamor@earthlink.net>
Message-ID: <36F43941.C358E43@earthlink.net>
Source record: 113422

Aside from the heated debate between Goran Vlaski and Clint Bradford, I'd
like to make a comment about EVE and ADMS software.

I've been using EVE for a while now, and am grateful that the program was
created and made available when nothing else was. On the flip side, I will
most likey buy ADMS when it becomes available in my area, unless a new
version of EVE comes out that addresses a few of its shortcomings.

I think the important thing to know is what the abilities and
limitations are on both programs. Neither program has all the
capabilities that I'm looking for, so most of us will
use a combination of both.

In my humble opinion, this is what I've learned from using EVE:.
==> It isn't capable of printing a list of programmed frequencies or
settings
==> It can't give you a list of frequencies that are programmed in.
==> You can't use it unless you have or make an interface cable for it.
==> Version 1.2 didn't seem to work right for me, so I've been using an
earlier version.
==> It's free. It's author is not being paid to write or maintain it.
==> It's author is available and responsive to comments about it.
==> [Technical] support is available from more than one source,
not just from the author (let's call it Community Support).
==> It can software-modify the VX-5R for extended TX to open
the full range of frequencies in the amateur bands (and beyond, but
I really don't want to get into any legal or ethical issues here, just
technical ones).
==> The author has been accepting suggestions for future versions of
EVE, and has recognized the requests for listing and printing
frequencies. He has also informed us that development of EVE
has been postponed temporarily because he has to earn a living
(hey, don't we all? Who can blame him?)

When I buy ADMS, I will expect it to:
==> Cost about $40 for it, and get another interface cable. (I've
read about upgrades available for previous ADMS. I still
need to check on this.)
==> Display a list of frequencies and settings.
==> Print this same list.

==> Have as User Interface that's easier to use than EVE. (Eve is
pretty simple to use now, but if I'm paying for something, I
expect it to be better than something that I got for free).
==> NOT be able to extend TX range on the VX-5R.

All in all, EVE is free, can extend the TX range of the VX-5R,
but, right now, lacks the listing and printing capabilites. If and
when I buy ADMS, expect it to have list and print frequencies, and
it better have a better user interface, but I won't expect it to extend
the TX range of the VX-5R.

Once again, these are just my opinions. If you've been following
this newsgroup, than I'm sure you've seen other ADMS thread.
I hope this message is simply informative to all interested, and
intimidating to no one.

---Vito

4679. Re: ICOM 756 Questions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Gary Williams <williamsjg@erols.com>
Message-ID: <36F46BCB.7CEA9D@erols.com>
Source record: 113423

LOve my 756 but have no comparison to the 920. Don't bother with the cw filters
the APF does a great job by its self.
Gary AA3NP

dmac7525@my-dejanews.com wrote:

> Iï¿½ve been out of the new radio game for many years but am now interested in
> buying a new rig. The IC-756 looks good to me.
> I operate mostly CW and know I need a good receiver with my limited antennas.
> -- Anyone have suggestions on how the 756 stacks up against the FT-920?
> -- Also, can anyone suggest other rigs comparable or better than the IC-756 in
> about the same price range?
> Thanks
> Dan, k0uif
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4680. Wanted: Fluke 8600A Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: William Phinizy <k6whp@gte.net>
Message-ID: <7d1ovrlpm1@news-2.news.gte.net>
Source record: 113424

..or a copy. Will be happy to pay for copying/shipping, etc. Also, any help or direction on calibration of same.

My thanks in advance.

BCNU

4681. WTB; Yaesu SP-8 speaker

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: KC5ALC <kc5alc@mindspring.com>
Message-ID: <7d1r3i$l4v$1@camel0.mindspring.com>
Source record: 113425
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Want to buy a Yaesu SP-8 speaker. Must be in mint condition.

Contact kc5alc@mindspring.com

4682. Re: Kits

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: dr.dongle@juno.com
Message-ID: <7cusmf$8ev$1@nnrp1.dejanews.com>
Source record: 113428

In article <19990318190518.08183.00000219@ng-fc1.aol.com>,
graney1882@aol.com (GRaney1882) wrote:
> I am looking for a kit for a HF radio ... QRP is fine but I'd really like one
> that covers SSB ... CW is fine too ... any ideas? Any info is helpful. Thanks
>
> KM5TY Gary
>
Check out Ten Tec they have great kits.
dr.d
Kiss Technologys
The more complicated the plumbing
the easer it is to stop up the pipes M. Scott

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4683. Re: New ADMS Shipping (take a look at EVE)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36F2E545.FAB4AFF8@t-online.de>
Source record: 113429

clintbrad4d@earthlink.net schrieb:
> I am working on a head-to-head comparison of the two (actually, three)
> available programs for the VX-5R (and FT-50, VX-1R, et al).

Tell me Clint, I am just woundering, how come that the ADMS-1E
is not even advertised at the RT Systems web page, and you already
have a copy, I guess the first in the world, are you shure you
don't have any connection to RT Systems :)

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4684. FS HEATH SB-610 MONITOR SCOPE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: edron1@aol.com
Message-ID: <19990319192738.04655.00000121@ng66.aol.com>
Source record: 113430

FOR SALE

HEATHKIT SB-610 MONITOR SCOPE.
MANUAL(COPY).

BOTH IN GOOD+ CONDITION.

$160.00 + UPS SHIPPING PAYABLE BY POSTAL MONEY ORDER.

EDRON1@AOL.COM

4685. T8A bettery problem.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: rszekeres@solar.stanford.edu
Message-ID: <7curi8$op9$1@eve.enteract.com>
Source record: 113431

No it's not the infamous clip problem. This has to do with the battery not charging. It takes no charge at all when it's plugged in. We're not sure if it's the radio or the battery itself. Could the battery have been shorted out via the contacts on the back somehow and that's why it wont take a charge? We are absolutely clueless.

Thanks for sharing your wisdom.

4686. Re: ts-820S counter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: mike_lafferty@my-dejanews.com
Message-ID: <7cv0frbhe1@nnrp1.dejanews.com>
Source record: 113432

In article <01be6f3f$4a1ba0e0$2bd98fd0@general.evcom.net>,
"mike" <general@evcom.net> wrote:
> I have a Kenwood TS-820S. I keep losing the led readout for the frequency
> counter. It will work for a week ok and all of a sudden it will not show
> other frequencies and lose numbers from the led. any suggestions?. I have
> disconnect the fed line from the led to see if it would come back. No luck.
> Appreciate any help. Thank you. Mike.
>
>
Hi Mike:

My experience is that the Molex connector that attaches the counter cord to
the rig chassis is the culprit. I had to remove the connector and use a spray
type of contact cleaner on the connection. I also scraped the pins a bit to
remove oxidation. Worked great after that. Good luck. Mike Lafferty-WA2ECA

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4687. FS : MFJ-259 and other

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Joe Lee <joelee@pacific.net.hk>
Message-ID: <36F2F804.DF1136E5@pacific.net.hk>
Source record: 113433

Hi,

Please check this out :

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=80188212

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78020510

Joe

4688. FS: Uniden HR-2600 NIB

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: ke7vg@aol.com
Message-ID: <19990319220755.23391.00000129@ng-cf1.aol.com>
Source record: 113434

For Sale:
Virgin, untouched, never used, still in box Unden HR2600 10 meter all mode rig.
$225.00 via money order includes shipping CONUS.
Thanks,
Gene

4689. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: c.norris@azbar.org
Message-ID: <36f312ee.86942857@news.primenet.com>
Source record: 113435
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

"Gary - KJ6Q" <davison7@gte.net> wrote:

:-
:-Neil Jendon wrote in message <36F03A9A.8E73E773@rouppgroup.com>...
:->Probably the most surprising aspect of Heston's
:->speech, personally, is that isn't quite the mad
:->ramble I was expecting. I might not necessarily
:->agree with him, but he's not out of line. He makes
:->good points, although I can't reconcile the NRA
:->with anything I personally believe in.
:-
:-What a SHAME that critics of the NRA so EAGERLY assume that all it's
:-about is nasty GUNS! Fact IS, the NRA is about individual freedoms
and
:-the rights of ALL, combined with access to the tools, to most
properly
:-maintain it - as outlined and established in our country's Bill of
:-Rights - the rights of INDIVIDUALS! The NRA, and its members
basically

What people fail to realize is that the "Bill of Rights" is not a document which defines rights given by the US government to its citizens. Rather, the BoR merely states for all the World to see that certain rights are inherent (inalienable) in ALL humans.

All humans, whether in the USA or Kosovo are born with the right of free speech, the right to be secure in their homes and the others spelled out in that precious document.

It is only in this country and perhaps, to a limited degree, a very few others, that our government, through the founding fathers, proclaimed that these right MAY NOT BE TAKEN AWAY! You see, God given rights may not be given by governments, they may ONLY be taken away!

We, in this country, are so very fortunate. We have had the wisdom of Jefferson, Madison, and other brave men who themselves had everything to lose and little to gain. Through them, we Americans are the most free peoples on earth.

Ask the folks in China or Kosovo just what freedom of speech is. They would look you in the eye and not be able to answer. How about the right to bear arms. We have that right (in the near term) and I carry a pistol with no fear of reprisal from law enforcement so long as I break no laws. In many other countries just having a weapon will land

you in jail, or worse!

No, my friends, the NRA is a manifestation of the BoR in its broadest meaning. FREEDOM FROM GOVERNMENT!

:-feel that without the "enforcement" capability provided by the second
:-amendment, all the rest are uninforceable when push comes to shove...
:-Sort of what would happen in civil law enforcement if we only had
:-police, but no judges or prisons to actually ENFORCE controls upon
:-those who disregard our laws.
:-
:->
:->I have to agree with Charlie. The Left has really
:->dropped the ball. It's tragic. However, we've been
:->rather quick to forget the travesties committed by
:->the two previous, republican presidents. A similar
:->litany to Charlie's of Bush's and Reagan's careers
:->would be quite impressive.
:-
:-Not sure WHERE this non-sequiter came from - Heston's comments were
:-aimed at opposing philosphies of our society, not individual
:-Presidents - did you perhaps feel a twinge of discomfort due to your
:-political affiliation?
:-
:->Speaking of other countries, is Canada hiring?
:->
:-
:-UMMmm - well, I would suppose that if you are deeply inclined to seek
:-out and become a part of a country/society more involved in the
:-idealogy that all you have, are or ever hope to be, MUST be provided
:-and controlled by a government "caretaker", Canada WOULD be a good
:-place to start...
:-
:->Sincerely,
:->
:->Neil
:-
:-Gary - KJ6Q

4690. FS: Collins R-1051/ARR-5

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: kb6lue@postoffice.pacbell.net
Message-ID: <36F374A2.B8E47273@postoffice.pacbell.net>
Source record: 113436
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hi all
I have a for sale R-105A/ARR-5 Collins aircraft receiver. It covers 1.5-18.5Mhz. Looks good shape but not tested. Price is $125 plus shipping. I can E-Mail photos on request.
Thanks
Jin KB6LUE

4691. FS: Kenwood TS-690S HF/VHF (6mtr) Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: wb4ktf@pipeline.com
Message-ID: <7cv5u1$83h$2@camel15.mindspring.com>
Source record: 113437

Kenwood TS-690S HF/VHF (6 meters) Transceiver for sale. The transceiver is in perfect working condition, exceptionally clean, never left my shelf, and has never had any faults or repairs. It can be seen on www.qrz.com (search for WB4KTF) on the desktop above our pooch. Includes the Kenwood hand microphone, all original manuals in the original shipping box. I'm the original owner. For sale for $890.00.
Contact me at wb4ktf@pipeline.com or at 713-772-0774 in Houston, Texas
Posted March 19, 1999
Glen Jenkins, P.E.

4692. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: docselman@juno.com
Message-ID: <7cv8l2$i1n$1@nnrp1.dejanews.com>
Source record: 113438
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

In article <7csh9v$8sh$1@brokaw.wa.com>,
"Mark S. Jennings" <markjenn@halcyon.com> wrote:
> >DO NOT SHIP COD TO ANYBODY *PERIOD* It isn't worth it. I find that the
> >best way to protect both parties is to pre-pay via USPS Money Order and
> >ship the item insured.
>
> Great for seller, but shifts ALL the risk to the buyer so hardly a solution
> to the problem.
>
> - Mark
>
> I've found if buyer is not trusting, to ask for COD shipping costs. If
he does not send any money, he is not serious. I've had one too many
refuse the COD package.

WE6A

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4693. FS: Racal 6790/GM -2174(P) / URR Receivers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: davida@primenet.com
Message-ID: <36f5229c.10624957@news.primenet.com>
Source record: 113439
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Racal 6790/GM -2174(P) / URR HF Receiver .5Mhz to 30 Mhz
AM/USB/LSB/CW/FM

Continuous tuning Fast (1khz rate) Slow (30Hz) Fine (1Hz Rate)

I have a total of 9 Racal GM6790 Receivers with a total of 35 filters

Check out: http://www.primenet.com/~davida/racal.htm

Email davida@primenet.com for more information, (lotus 123,
or Excel file format) radio S/N's and Filters

Factory Manual and some spares, and test cables

All Radios have the remote control board (RS232)

David

4694. Re: New ADMS Shipping (take a look at EVE)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: ab2et@my-dejanews.com
Message-ID: <7cvea7meg1@nnrp1.dejanews.com>
Source record: 113440

Clint,
Make my Day.
When you have finished the "three head-to-head comparison" Please let us know what are the results, and make sure that you provide all of the "testing" criteria...
So FAR MY Vote is STILL for the Excellent FREEWARE Software "EVE", I do not have to WAIT for it to SHIP... Oh and BTW as far as the that "bonus" interface cable the $3.25 Freeware version works well, trust me... FYI.

73's
Steve
AB2ET

In article <7cujm1uae1@nnrp1.dejanews.com>,
clintbrad4d@earthlink.net wrote:
> In article <36F29087.901FE70F@t-online.de>,
> Ingra-Beton@t-online.de (Vlaski Goran) wrote:
>
> > The Excellent FREEWARE Software EVE for the VX5R can be
> > download at: http://www.geol.com/vx5/
>
> I am working on a head-to-head comparison of the two (actually, three)
> available programs for the VX-5R (and FT-50, VX-1R, et al).
>
> - Clint Bradford, ATTENTION to Details
> http://www.clintbradford.com
>
> ----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4695. WANTED: FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: n8ppz73@aol.comNOSPAM
Message-ID: <19990320002618.28353.00000276@ng41.aol.com>
Source record: 113441

Howdy's

Looking for a FT-847 with FC-20 antenna tuner. Would be willing to trade a excelent condition FT-767GX HF-2meters (Built in PS, antenna tuner and ctss board) and a Fuji DS-7 digital camera (2meg card 640x480 holds up to 64 pictures, includes transfer cable and software for PC) to make up the difference. Short on space in the new shack, so the 767 has to go.

Thanks,
Grego, N8PPZ
Watching from "THE SPOT" at Wright Patterson Air Force Base
"Official SPOT of the new millinium"

4696. Philips PRP80 eprom

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Martin <sneezy@picknowl.com.au>
Message-ID: <36F338FE.53D20722@picknowl.com.au>
Source record: 113442

Anyone out there got a dump of the eprom out of a simplex Philips PRP80
handheld ?
I want to try it out in a PRP1650 trunker....
--
Martin S - Adelaide Australia

Email- sneezy@picknowl.com.au

Homepage- http://www.picknowl.com.au/homepages/sneezy/180sx

"Women and cats will do as they please and men and dogs should relax
and get used to the idea." -- Robert A. Heinlein

4697. TRADE: ICOM AT-180 tuner for SGC 231 coupler

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990320010015.16230.00000257@ng126.aol.com>
Source record: 113443

Hello,

I have an ICOM AT-180 matching tuner for the IC-706 series. The tuner is in great working shape and comes in box. The AT-180 looks great with a IC-706/706MKII/706MKIIG as a base station setup. I purchased the AT-180 for my IC-706MKII but am finding myself going mobile most of the time. I am looking for a coupler for Marine Mobile operations....

Thanks!

Jason S. Hulet/KC8FXE
314 East Bay Blvd.
Traverse City, MI 49686

4698. TRADE? Kenwood 940SAT for Amp ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Larry W9MDX <net1@netohio.com>
Message-ID: <AYGI2.3210$sA2.1223221@news2.randori.com>
Source record: 113444
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have had a lot of inquiries about the TS-940SAT that I posted last night on the group but there may be a more fun way. I am looking to buy an amplifier. Doesn't have to be a powerhouse but I am open to suggestions. How about a trade? Let me know what you might want to trade for the 940 and maybe a little cash either way.

The amp should be clean, no smokers (amps or operators)! Let me know what you have and include your telephone number so we can discuss it.

Larry W9MDX
419 433-2930

4699. HeathKit SB-600 Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Darrel Scott <dgsc@hotmail.com>
Message-ID: <7cveu3the1@news.powerisp.com>
Source record: 113445
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.swap

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78083881

4700. Drake R4-A and Yaesu FT-101E for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Darrel Scott <dgsc@hotmail.com>
Message-ID: <7cvf3v$ti8$1@news.powerisp.com>
Source record: 113446
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.swap

Drake:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=79825883

Yaesu:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=80506821

4701. ebay Kenwood 79a Loaded with goodies

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: framix@aol.com
Message-ID: <19990320020421.22277.00000429@ng-fi1.aol.com>
Source record: 113447

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=78830168

4702. Re: AO-27 with VX-5R or T8A ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: rave_bob@REMOVE.videotron.ca
Message-ID: <rave_bob-2003990218140001@192.168.1.2>
Source record: 113448

In article <36F2B615.45F3382B@umich.edu>, boblyons@umich.edu wrote:

> Jim Hale wrote:
> >
> > I was thinking about one of these 3 band HT's.
> >
> > Do they have the ability to work AO-27?
> >
> > Naturally a beam/more power helps - but are these HT's setup for working
> > AO-27 ?
> >
> > Thanks, Jim
>
> I've used a T8A to work AO-27. It does *not* do cross-band
> splits, but I set up adjacent memories for the two required
> frequencies, and just switched between them whenever I keyed up.
> Yeah, it's a pain - not a way to work a sat routinely, but
> I'm not all that interested in that, just wanted to try it
> one time. It worked.
>
> 73 de Bob, KI8AB

i have a vx-5 and its possible to have AO-27 setuped in memory with odd split and all and all...i didnt try to communicate with it though :) (new ham here 1 step at a time ;)

alex

4703. DCE & YAESU ROTATORS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: MATT <matt@mattobr.freeserve.co.uk>
Message-ID: <7cvn34$4ur$1@news4.svr.pol.co.uk>
Source record: 113449

Hi all

Just wondering can i use my 5 wire DCE rotator on my Yaesu G-5400B
controller (6 wire) i picked up at a rally
if i can can someone let me know the conections
TIA

Matt G7OBR

matt@mattobr.freeserve.co.uk

4704. Re: New ADMS Shipping (take a look at EVE)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: firebuff66@aol.com
Message-ID: <19990320040457.25905.00000304@ng-ft1.aol.com>
Source record: 113450

The VX-5R and the FT-50 cable is the same.

//

Pursuant to U.S. Code, title 47, Chapter 5, Subchapter II, ﷺ227,
"Any and all nonsolicited commercial E-mail sent to this address
is subject to a download and archival fee of $500.00 U.S."
E-mailing denotes acceptance of these terms.

4705. [Fwd: Choice of 455 kc and 10,7 mc as IF frequencies]

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <36F37008.C4D3CD96@asu.uswest.net>
Source record: 113451
Cross-posted to: rec.radio.amatuer.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment

Will White wrote:

> Just an idle thought I had, as I was browsing my radio books: why are so
> many, and at one time nearly all, radio receivers designed to use IF
> frequencies of 455 kc and/or 10.7 mc? There must be some fundamental
> electronic principle that applies to this choice, I can't imagine these
> IFs are only a matter of convention and interchangeability of parts. So,
> how were these frequencies chosen, and why have they remained the
> overwhelming favorites?
> --
> Will White, KD7BFX
>
> to reply, please click this link mailto:wcw@asu.uswest.net

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

Just an idle thought I had, as I was browsing my radio books: why are so
many, and at one time nearly all, radio receivers designed to use IF
frequencies of 455 kc and/or 10.7 mc? There must be some fundamental
electronic principle that applies to this choice, I can't imagine these
IFs are only a matter of convention and interchangeability of parts. So,
how were these frequencies chosen, and why have they remained the
overwhelming favorites?
--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

4706. Mods for FT847

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Colin Lowe <colinlowe@jet.es>
Message-ID: <7cvs5jfss1@lola.ctv.es>
Source record: 113452
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.radio.amateur

You will find the mods for the FT847 on my Webpage

The URL is http://web.jet.es/colinlowe/index.htm

73 de Colin
EB/G1IVG

4707. Kenwood TM732 mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Colin Lowe <colinlowe@jet.es>
Message-ID: <7cvs9pfuo1@lola.ctv.es>
Source record: 113453
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.radio.amateur

You will find the mods for the Kenwood TM732 on my Webpage

The URL is http://web.jet.es/colinlowe/index.htm

73 de Colin
EB/G1IVG

4708. Motorola GP300 & GM300 mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Colin Lowe <colinlowe@jet.es>
Message-ID: <7cvsch$g1u$1@lola.ctv.es>
Source record: 113454
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.radio.amateur

You will find the mods for the Motorola GP300 and the GM300 on my Webpage

Also there is a design for a Homebrew RIB for programming the radio.

The URL is http://web.jet.es/colinlowe/index.htm

73 de Colin
EB/G1IVG

4709. Kenwood TH48 mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Colin Lowe <colinlowe@jet.es>
Message-ID: <7cvs8gfug1@lola.ctv.es>
Source record: 113455
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.radio.amateur

You will find the mods for the Kenwood TH48 on my Webpage

The URL is http://web.jet.es/colinlowe/index.htm

73 de Colin
EB/G1IVG

4710. Standard C510 mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Colin Lowe <colinlowe@jet.es>
Message-ID: <7cvs70fti1@lola.ctv.es>
Source record: 113456
Cross-posted to:
alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.radio.amateur

You will find the mods for the Standard C510 on my Webpage

The URL is http://web.jet.es/colinlowe/index.htm

73 de Colin
EB/G1IVG

4711. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: "W.B." <nosferatu@sprynet.com>
Message-ID: <36F38F0E.5A6@sprynet.com>
Source record: 113457
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

> What a SHAME that critics of the NRA so EAGERLY assume that all it's
> about is nasty GUNS! Fact IS, the NRA is about individual freedoms and
> the rights of ALL, combined with access to the tools, to most properly
> maintain it - as outlined and established in our country's Bill of
> Rights -

I agree. If one set of rights is comprimized, when does it stop? Geee, my company is already trying to stop the right to free speach. I got into an altercation reciently about a comment I made opposing one of the corporate scared cows. I got the usual, obligatory meeting with the 'managers". They were really laying down the law acording to them until I brought out a copy of the first ten ammendments of the constitution and proceded to read them. Wow, dead silence! Hmmmmmmmm. I asked them how much they felt violating my constitutional rights was worth to them. They became very friendly and apoligetic all of a sudden. I work for a fortune 500 company, have for 20 years, and have never seen such a degridation in individual rights as I have seen since around 1990. My point, if you do not stand up for your rights, you will loose them. I could have stood passively by and let those corporate assholes intimidate me and feel they got away with it. But, I would have set a corporate wide precident. As we all know, our legal system is based on earlier interpretations of the laws or precidents. If I would have caved in, then the company would have felt free to violate the rights of others. Now, I am making them rethink some of their policies. Now that they know they may have to shell out for a huge law suit, some of their policies may no longer look quite so attractive.

It is up to each and everyone of us to blow the whistle on violations of our constitutional rights. If we don't, and we let them get away with it long enough, then we will loose those rights. This is essentially why the NRA lobbies so strongly against ANY gun control. I'm sure that some of it makes sence to them, but if they cave in to any comprimise with respect to our rights, then again I ask, where will it stop? How long before you can't have a certain weapon, or whatever because some fool used one in a hold up? How long before you loose the right to keep and bear arms? or in my case, how long before I loose the right of free speach?

B.B.

4712. KENWOOD WITH BUILT IN APRS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Big Sarge <BigSarge@nutz.net>
Message-ID: <7d05j5$99p$0@208.236.238.142>
Source record: 113458

I UNDERSTAND THAT KENWOOD HAS MADE AN HT WITH BUILT IN APRS CAPABILITIES..

IF ANYONE KNOWS ANYTHING ABOUT THIS UNIT PLEASE POST AND LET ME KNOW...

THANX AND 73 DE BILL

4713. FS: Dentron Jr. Mobile tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: n4jzh@amsat.org
Message-ID: <36f39eb1.811185@news.mindspring.com>
Source record: 113459

```
FS: Dentron Jr.Mobile tuner with output scale.
300w watts,clean 8.5 out of 10
$45.00 shipped in the lower 48.
73 all Donnie n4jzh@amsat.org
```

4714. IC-706MkII vs. IC-735 for CW

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: gagnon@gagnon.fakeu-net.com
Message-ID: <36f37e13.2237645@news.u-net.com>
Source record: 113460

I am considering selling my IC-735 for an IC-706MkII, basically to do a lot of travelling and mobile CW. Any comments about the general performance of the IC-706, especially with respect to QSK high speed CW versus the IC-735 would be appreciated.

I have also heard about intermod problems with the IC-706 on 2 metres and its general poor performance on 2m. Any comments on that would also be appreciated because I was also thinking of selling my FT-2500M if the IC-706 is OK for 2m work....

Cheers...Larry Gagnon MW0AWC

4715. Re: [Fwd: Choice of 455 kc and 10,7 mc as IF frequencies]

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Reg Edwards <G4fgq.Regp@btinternet.com>
Message-ID: <01be7317$59f93960$e7eaabc3@default>
Source record: 113461
Cross-posted to: rec.radio.amatuer.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment

There's also 9 MHz.

International, commercial and military and amateur transmitters, after many years of gentlemen's undersatanding and agreement, don't transmit on frequencies reserved for receiver intermediate frequencies. It makes for less expensive receiver design.

455 and 465 came about because they lie between the long wave and medium wave broadcast bands. They are high enough to make second-channel interference not to difficult to get rid of.

9MHz is high enough to get rid of 2nd-channel interference on the shortwave bands. Sometimes 455 KHz is used on the cheaper SW broadcast receivers and 2nd-channel interference shows up with strong broadcast stations being heard twice - seperated on the dial by twice the IF.

And 10.7 MHz is fine for VHF FM. It falls in between the principal SW bands. It is also related to VHF broadcasting channel spacing. The bandwidth for FM broadcasting is 150 KHz and so must be the receiver IF transformers. This broadband made the choice of IF for FM broadcast receivers a little more difficult and ruled out 9MHz for that purpose.

IF standardisation also makes life easier for radio receiver designers and permits bigger bank balances for radio receiver purchasers.
--
****
Reg, G4FGQ For free software go to:-
http://www.btinternet.com/~g4fgq.regp

****

Will White <wcw@asu.uswest.net> wrote in article
<36F37008.C4D3CD96@asu.uswest.net>...
>
>
> Will White wrote:
>
> > Just an idle thought I had, as I was browsing my radio books: why are so

> > many, and at one time nearly all, radio receivers
designed to use IF
> > frequencies of 455 kc and/or 10.7 mc? There must be
some fundamental
> > electronic principle that applies to this choice, I
can't imagine these
> > IFs are only a matter of convention and
interchangeability of parts. So,
> > how were these frequencies chosen, and why have they
remained the
> > overwhelming favorites?
> > --
> > Will White, KD7BFX
> >
> > to reply, please click this link
mailto:wcw@asu.uswest.net
>
>
>
> --
> Will White, KD7BFX
>
> to reply, please click this link
mailto:wcw@asu.uswest.net
>
>

4716. Re: Some Information Please

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: AC6V <ac6v@ix.netcom.com>
Message-ID: <36F3A0BC.56A6@ix.netcom.com>
Source record: 113462

Jonathan Winter wrote:
>
> What might I expect to pay for a IC 781 in excellent condition. Can
> somone please give me an idea of the cost of this tranceiver on the
> secondary market...what range is considered fair and reasonable?
>
> Thanks all,
>
> J. Winter

Jonathan -- Three places to look for used gear prices at URL:
http://www.ac6v.com/pageswap.html

Pricey -- aren't they??

73
Rod in San Diego

--
AC6V INDEX TO DX AND HAM RADIO
FEATURING 88 PAGES, 400 INDEXED TOPICS, AND 3000 LINKS
Over 320,000 visits on the counter
http://www.ac6v.com/pageas.html -- Alphabetical Index
http://www.ac6v.com/ -- Home Page

4717. Yaesu VX-1

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: john koh <johnkoh@netvigator.com>
Message-ID: <7d08vatjb1@imsp009a.netvigator.com>
Source record: 113463

any comments on this model ??
i think it is neat
but any reasons why i should not buy ?

thanks

4718. Icom 735 - $450.00

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: kk4tl@aol.com
Message-ID: <19990320085420.25905.00000361@ng-ft1.aol.com>
Source record: 113464

Near mint Icom 735 for sale. Serial no. 12937. Box, manual, and mobile bracket. No mic. $450.00 shipped CONUS. Email if interested. KK4TL@AOL.COM

4719. Astron RS-70M - $250.00

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: kk4tl@aol.com
Message-ID: <19990320090110.25905.00000365@ng-ft1.aol.com>
Source record: 113465

Excellent condition Astron 70 amp metered power supply. $250.00 shipped CONUS.
Email if interested. KK4TL@AOL.COM

4720. Modification for Operation-9600 in DSP-2232

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: chondeville@hotmail.com
Message-ID: <36F388BC.1620D079@hotmail.com>
Source record: 113466
Cross-posted to: rec.radio.amateur.space,rec.radio.amateur.homebrew,rec.radio.amateur.packet,rec.radio.amateur.equipment

Does anyone know how to modify the AEA DSP-2232 in order to get the best
of it when you operate the birds at 9600??. I've heard there is
something I can do to enhance it.
Please, make your comments to chondeville@hotmail.com

73,
Christian

4721. Ten Tec Corsair

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Denis Sharon <DNSSHRN@worldnet.att.net>
Message-ID: <7d0cb9$7os@bgtnsc03.worldnet.att.net>
Source record: 113467

Hello,

I have offered to help a local widow dispose of her late husband's ham gear. The most significant item is a Ten-Tec Corsair with external VFO and Astron 20A power supply all in fair/good condition. Can someone tell me the fair value of this package?

Please reply to DnsShrn@worldnet.att.net .

Thanks,

Denis Sharon W1AOK Ridgefield, CT

4722. Raleigh, NC HAMFEST - Sunday, April 11

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: gary.pearce@ipass.NO-SPAM.net
Message-ID: <36f6b59d.129252414@news.rdu.bellsouth.net>
Source record: 113468

********* "RARSfest 99" *********

THE RALEIGH HAMFEST
and COMPUTER FAIR

SUNDAY, APRIL 11

NORTH CAROLINA STATE FAIRGROUNDS, RALEIGH

3000 attended last year! Giant, indoor flea market, plus plenty of
dealer and manufacturer booths, contests, meetings and forums, prizes,
VE Exams, and the famous "Saturday Night Social." Special demonstration
of HDTV (High Definition Digital Television) by WRAL-TV!

PRIZES: GRAND PRIZE: Icom 706 MKII HF/VHF
5 HOURLY PRIZES: Icom 207H Dual-Band Mobiles -
One Each Hour, 10 till 2 PM.
Pre-Registration: $125 CASH!
(winners do not have to be present)

Location: North Carolina State Fairgrounds, Jim Graham Building.
Follow the Interstate 440 Beltline around Raleigh, to
exit 3 - Hillsboro St., and go west one mile to the
Fairgrounds. The Jim Graham building is at the
Southwest corner of the fairgrounds, just off
Hillsboro St.

Date/Time: SUNDAY, April 11, 1999, 8 am to 4 pm.
Building opens at noon Saturday and 6 am Sunday for
dealer/vendor setup.

Admission: Pre-register: $5 (before April 2nd). Gate: $6.

Flea Market: Table/2 chairs: $10
(5 or more tables: $9 each).
120 Volt AC: $15 per connection.
Drive-In unloading/loading. Bring your own
extension cords and carts.

Parking: FREE on site!

Talk-In: 146.64 (147.15 is the backup)

VE Exams: Given in the Holshouser building on the Fairgrounds.
Walk-in registration and testing begin promptly at 11 a.m.
You must show a picture ID to register. Exams are $6.45.
Contact: Charlie W4VFJ, 919-556-8551 (exam information
only please) email: w4vfj@aol.com.

Meetings: ARRL Forum with Roanoke Division staff, Army and Navy MARS,

NTS, ARES, APRS and QRP forums. Times will be announced at
the Hamfest. No DXCC QSL card checking this year.

Mobile, Cash Prizes for Homebrew, Mobile HF and VHF Installation,
Homebrew, QLF (left foot) and QBH (Both Hips).
QLF/QBH Contact: Rick KA3PSK, 919-870-8268.
Contests

General The NC State Fairgrounds hosts a permanent, general-
Flea- merchandise flea-market just outside the hamfest building.
Market: Admission to that flea-market is FREE!

Family Come make it a family event! Other activities available in
Activities: the area include the Fairgrounds Flea Market (free) and
Azalea Sale. A short drive offers Crabtree Valley Mall,
Blue Ridge Cinemas and NC Museum of Art.

Address: For tickets, tables, etc., make checks payable to
"RARSfest." Include your name, call, address,
and S.A.S.E !! Mail to:

Wilbur Goss
4425 Watkins Rd.
Raleigh, NC 27616

Requests received after April 2nd, or without S.A.S.E.,
will be held at the flea-market vendor door on the west
side of the building.

RARS WEB: http://www.rars.org

********** SEE YOU THERE FOR OUR 27th YEAR *********

4723. FS: Drake TR-7, WH-7, MS-7, copies manuals

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990320101353.22003.00000482@ng-fy1.aol.com>
Source record: 113469

For Sale:

Drake TR-7, PS-7 HD power supply, SN97xx, no options. $625

Drake TR-7, PS-7 HD power supply, SN10,8xx, no options, $635.

Drake WH-7 wattmeter, no manual, $100.

Drake MS-7, $50.

Packet of copies for 7 line gear. Includes TR-7 service manual, R-7 service manual, and owner's manuals for TR-7, R7, MN2700, L7, keyer, phone patch, general coverage mods, speech processor, etc.

73

Evan

4724. FRG-100 with Kiwa's and CW filter - $425.00

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: kk4tl@aol.com
Message-ID: <19990320102619.09206.00000380@ng97.aol.com>
Source record: 113470

Excellent condition Yaesu FRG-100 receiver with Kiwa 4kHz and 6kHz am filters, and Yaesu narrow CW filter. $425.00 shipped CONUS. Includes original box and manual. The radio will be professionally boxed and fully insured for shipping. Please e-mail if interested. KK4TL@AOL.COM

4725. IN NEED OF A LITTLE HELP !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: G0 JLX <G0JLX@ASEL.nospam.co.uk>
Message-ID: <8UwtxQAID882Ewn3@ASEL.co.uk>
Source record: 113471
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment

Hi There,

I have been sent diagrams of a KW 107 by one most helpful amateur but this does not appear to bear any great resemblance to the ATU I have stripped on the bench.

Does ANYBODY have a layout diagram for a KW E-ZEE match ATU please ?

Whoever had this unit before me has modified it very extensively and there is NO documentation whatsoever. Either from the original set up or what the unit has become.

Many of the joints inside the unit have been changed (that much at least is obvious) but where they went originally remains completely unclear.

Most of the connections that have been altered are around the input inductor area. I suspect even the routing of the 'leads' is not original.

Any help would be appreciated. Photos of the innards of a known working unit, diagrams or sketches. This thing is basically a mess and I would like to try and get it to work properly again.

73's

Andy Digby, G0 JLX
FISTS 358

Tel: +44 1489 894900

email: G0JLX@ASEL.nospam.co.uk
Loose the nospam for an address.

4726. Wanted- ADMS1-c and FT-50 Cable

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: Timmins <timmins@penn.com>
Message-ID: <4uPI2.544$oz5.19656@newsfeed.slurp.net>
Source record: 113472

Hello.....would like the ADMS 1-c version software and the cable for an
FT-50 to go with......if you have a set that has become surplos, ppease
reply with details/price....
Thank you
Bill, N3DDY

4727. Re: New ADMS Shipping (take a look at EVE)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7d0kjgjnd1@nnrp1.dejanews.com>
Source record: 113473

In article <36F2E545.FAB4AFF8@t-online.de>,
Ingra-Beton@t-online.de (Vlaski Goran) wrote:
> clintbrad4d@earthlink.net schrieb:
> > I am working on a head-to-head comparison of the two (actually, three)
> > available programs for the VX-5R (and FT-50, VX-1R, et al).
>
> Tell me Clint, I am just woundering, how come that the ADMS-1E
> is not even advertised at the RT Systems web page, and you already
> have a copy, I guess the first in the world, are you shure you
> don't have any connection to RT Systems :)

In your blind, fanatical desire to dismiss anything I post, you again have difficulty reading.

I stated that the new software is SHIPPING - NOT that I had a copy in my hands.

You make it difficult to want to take you and your software efforts seriously.

- Clint Bradford, ATTENTION to Details
http://www.clintbradford.com

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4728. Re: New ADMS Shipping (take a look at EVE)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7d0kmh$jo0$1@nnrp1.dejanews.com>
Source record: 113474

In article <7cvea7meg1@nnrp1.dejanews.com>,
ab2et@my-dejanews.com wrote:

> When you have finished the "three head-to-head comparison" Please let us know
> what are the results, and make sure that you provide all of the "testing"
> criteria...

Absolutely! I will either post it here or on my Amateur Radio site (depending
upon length of the final article).

- Clint Bradford, ATTENTION to Details
http://www.clintbradford.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4729. Re: Yaesu VX-1

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-20 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7d0kt5jrm1@nnrp1.dejanews.com>
Source record: 113475

In article <7d08vatjb1@imsp009a.netvigator.com>,
"john koh" <johnkoh@netvigator.com> wrote:
> any comments on this model ??
> i think it is neat
> but any reasons why i should not buy ?

I am enjoying the heck out of mine, John! But I would *not* recommend it as one's first and only HT...

I happen to live in a region where I can hit scores of repeaters with the VX-1R and its 1/2 Watt output. You might not.

Know what you want to do, and purchase equipment accordingly. Your local Amateur Radio club will be able to help YOU in YOUR area!

- Clint Bradford, ATTENTION to Details
http://www.clintbradford.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4730. Re: Kenwood 830 finals, Only GE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Mark Keith <nm5k@wt.net>
Message-ID: <36F48E58.4FB8@wt.net>
Source record: 113226

>
> Clark Savage Turner wrote in message
> <9903170937.aa06129@paris.ics.uci.edu>...
> >I have heard some common wisdom that says to use only
> >GE 6146B tubes in the older Kenwood TS 830S. I have a
> >fellow offering me some Amperex 6146B's. Is there a
> >real concern, or am I being overly cautious?
> >
> >Clark
> >WA3JPG

I doubt you will have problems. Try em out and see how they neutralize.
If any problems , it will probably be on ten meters. You MUST
reneutralize when you change the tubes. But it's pretty easy. All you
are doing is adjusting for maximum output at the same tune setting as
minimum plate/IP current. MK

--
http://web.wt.net/~nm5k

4731. Re: Yet another HEATH SB200 / SB220 QUESTION

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Mark Keith <nm5k@wt.net>
Message-ID: <36F49169.765E@wt.net>
Source record: 113227

Steve wrote:
>
> Im running a TS 850SAT. Will i need a manual {outboard} relay to activate
> the SB200 and SB220 {110V}. Ive been told by some yes but have been told by
> others that the relay in the 850 can handle it. What is your experiences
> with this scenario?

I would NOT do it. It might handle it , but it's hard on it. Get an
outboard relay and sleep better at night knowing the relay in the rig
will last a long time. MK

--
http://web.wt.net/~nm5k

4732. Re: Heath SB220 at 110v ok?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Mark Keith <nm5k@wt.net>
Message-ID: <36F48FD5.3411@wt.net>
Source record: 113228

Steve wrote:
>
> Any input would be great

It'll work, but regulation will suffer a good bit. Be drawing alot of
current at 110v.
It would run better on 220v. MK
--
http://web.wt.net/~nm5k

4733. ATAS-100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: oe1mha <oe1mha@aon.at>
Message-ID: <7d2o26$7ke10@WS01IS04.highway.telekom.at>
Source record: 113229

Well,
I have a TS50s from Kenwood and want to use a ATAS100 antenna with it.
SO I think the antenna just incorporates a DC-motor for -+12Volt and a DC/HF splitter.
I asume, that if you connect it to +12Volt, the motor runs in one direction and if you reverse polarity it tunes in the other direction.?!
So it should be relatively easy to build a external tuning control box.
any comments??
de oe3mzc@vienna.at
Mike in Vienna

4734. Heath kit about a two or four lunger, (811's) needed.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: h3963@aol.com
Message-ID: <19990321081853.29249.00000016@ng126.aol.com>
Source record: 113230

any body got an o;ld heath kit that runs the(I guess its the) 811's,woulfd
like to trade or buy one , contact- h3963, or fax(24hrs) 903 645 7746. thanks

4735. ALAVANTI, ANTENNA,S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: h3963@aol.com
Message-ID: <19990321082419.29249.00000018@ng126.aol.com>
Source record: 113231

DOES ANYONE KNOW ANYTHING ABOUT THE OLD ALAVANTI ANTENNAS THE ONE THAT HAS THE LOOP AT THE BOTTOM , I THINK ITS CALLED A (ASTRO PLANE) EITHER FOR THE 10 METERS OR THE 11 METERS ? AND WILL IT WORK ON THE 10 METERS? APPRECIATE ANY INFORMATION, THANKS, H3963.

4736. Re: finding ham stuff on Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: h3963@aol.com
Message-ID: <19990321082716.29249.00000019@ng126.aol.com>
Source record: 113232

hOW DO I GET ON THE EBAY ?? i WANT TOFIND SEVERAL ITEMS ! H3963

4737. Re: FT 900 BEEP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Dwight W9YQ <dgbcms@netnet.net>
Message-ID: <7d2s7tddq1@news.inc.net>
Source record: 113233

burger wrote in message
<36f4de22.0@kastagir.senet.com.au>...
>how do I get rid of this BEEP drives me nuts ....Please
Help Me ...
>
>

To toggle the beeper on/off at power-up, hold the notch
button down while powering up the rig.

Dwight de W9YQ

4738. Re: What radio IC-2100H, FT-2500, FT-3000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: abedw@aol.com
Message-ID: <19990321083359.13479.00000024@ng-fc1.aol.com>
Source record: 113234

Very Happy with my ft-2500, espically the new low price.Great rig nevera problem.

4739. NOT LOOKING FOR A HEATKIT SPEAKER! LOOKING FOR A UNIT HEATHKIT!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: h3963@aol.com
Message-ID: <19990321083509.29249.00000021@ng126.aol.com>
Source record: 113235

I AM NOT LOOKING FOR A HEATHKIT SPEAKER ! WANT THE UNIT (HEAthkit that uses the 811 tubes) h3963

4740. FS HEATH SB-610 MONITOR SCOPE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: edron1@aol.com
Message-ID: <19990321084137.19088.00000014@ng-fp1.aol.com>
Source record: 113236

FOR SALE

HEATHKIT MONITOR SCOPE AND MANUAL(COPY). BOTH IN GOOD CONDITION.

4741. FS HEATH SB-610 MONITOR SCOPE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: edron1@aol.com
Message-ID: <19990321084213.19088.00000015@ng-fp1.aol.com>
Source record: 113237

FOR SALE

4742. FS HEATH SB-610 MONITOR SCOPE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: edron1@aol.com
Message-ID: <19990321084414.19088.00000016@ng-fp1.aol.com>
Source record: 113238

FOR SALE

HEATHKIT SB-610 MONITOR SCOPE AND MANUAL(COPY). BOTH IN GOOD CONDITION.

$145.00 SHIPPED UPS CONUS.

EDRON1@AOL.COM

4743. FS: Drakes, Others

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: JPD <jdanter@i-america.net>
Message-ID: <36F520F1.5C63@i-america.net>
Source record: 113239
Cross-posted to: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Body handling: HTML body converted to readable text

UPDATED

E Mail directly

Prices ***INCLUDE*** Shipping and Insurance to continental US only.

For Sale:

TR72 2m FM, sn65xxxx, orig. manual, orig. mic, no mtg. bracket, extra
Xtals, $100.00
---HOLD---

TR4 sn28xxx, orig. manual, light copper corrosion, needs audio section
service, $150.00

RV4 sn17xxx, no manual, silver front panel trim, very clean chassis,
$125.00

MN4 sn28xx, copy manual, clean, rear panel cap. swt. added (?), $125.00

TV 3300 LP, alum case, label intact, $30.00

2B Rec/w Q-Multi, sn30xx, orig. manual, light chassis corrosion, $225.00
---HOLD---

AC4 sn28xxx, original electronics, ---SOLD---

AC4 sn60xxx, original electronics, ---SOLD---

**********PRICE REDUCED**********
Central Electronics Multiphase Exciter 20A, 160-10m,
original electronics, 9.5/10 cosmetics, clean chassis, orig. manual,
Lakeshore "Bandhopper" VFO, interfaces w/CE 20A, orig. manual,
**********$175 both/shipped**********
Fine CE history in QST Nov '98.

I also have 300+ NOS tubes: Zenith, Sylvania, others.
>>>>> NO 6JB6 horiz. sweeps <<<<

4744. FS: Yaesu FT920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: K1SWR <fleet@mbl.edu>
Message-ID: <36F4F7CC.7A9462AC@mbl.edu>
Source record: 113240
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

This radio is absolutely mint, comes w/FM unit, AM filter and TXCO-7
High stability crystal unit. $1300.00 shipped

4745. FS: Standard C5718DA Dualband

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: K1SWR <fleet@mbl.edu>
Message-ID: <36F4F868.B08E8BAF@mbl.edu>
Source record: 113241
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

In exc. cond, with memry expansion module, remote mount cable. This is the unit with everything in the mic (including display) with remote cable it allows just for the mic to be mounted on dash. $400.00 shipped.

4746. Purdue ARC (W9YB) satellite project

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: "Dean, Greg" <N9NWO@GTE.net>
Message-ID: <7d2so9cgs1@news-2.news.gte.net>
Source record: 113242
Cross-posted to: alt.radio.amateur.club.clarc,aus.radio.amateur.digital,aus.radio.amateur.misc,aus.radio.amateur.wicen,git.radio.amateur,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.space

It is about time that Purdue University launched
its own satellite. Every other school has one.
And Purdue is the mother of the astronaut corps!

Friday, March 19, 1999

Hello Everyone!

The next Purdue ARC Satellite Project meeting will
be Monday, March 22, 1999, starting at 7:30PM. The
meeting will be held at the club station located in
the Purdue University Memorial Union West Tower.

73 de W9YB

E-mail: w9yb@ecn.purdue.edu
Website: http://shay.ecn.purdue.edu/~w9yb/

JS

4747. Icom IC-Q7A 2M/440 Dualbander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: kvanderlin@aol.com
Message-ID: <19990321085931.12348.00000014@ng-fq1.aol.com>
Source record: 113243

FA on eBay. 6 hrs left.

http://cgi-ebay.com/aw-cgi-eBayISAPI.dll??Viewitem&item=79159509

4748. Looking for info about Yeasu ATAS-100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: kr4wmNO@SPAMbigfoot.com
Message-ID: <MPG.115eca5127fdf2439896b5@news.infoave.net>
Source record: 113244

I got one free with my Yaesu FT-847, thinking I could use it with my Icom-735, which is my mobile HF rig. The instructions that come with the antenna state that it will work ONLY with the Yaesu FT-847. Has anyone successfully adapted this antenna for use with other radios? What's it's MO? (Method of operation) I'm thinking the radio sends DC down the coax to provide motor power, and at the same time senses SWR. If so, this antenna is useless to me. Perhaps I'll modify it and bring a separate motor control wire out of the housing somehow.

I'm thinking "what was Yaesu thinking?". What kind of an idiot would mobile a new $1700 radio? Their ads state "designed for the FT-847, but there is no disclaimer that states it will not work with other radios! I think I smell some misleading advertising.....especially since the antenna is available separately for $350! It's also limited to 120 watts of RF, in case you're wondering.

Thanks for any info, -Web in Myrtle Beach, SC

DANGER!!!: Failure to remove NO and SPAM from my e-mail address will result in your e-mail bouncing right back at you!!!

4749. Yaesu FT-10 / FT-50 accy info needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: "Michael J. White" <mike.white@erols.com>
Message-ID: <7d3039bus1@winter.news.rcn.net>
Source record: 113245

I'm trying to confirm that the Yaesu FT-10 and FT-50 share common batteries, chargers and antennas. Can someone help me out with that information?
Thanks.

Mike, N4PDY
mike.white@erols.com

4750. 6M wave Meter diageam required

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Jason Brown <jason@erthis.freeserve.co.uk>
Message-ID: <7d30fkvho1@news7.svr.pol.co.uk>
Source record: 113246

Has anyone got diagrams so I can build a simple 6M wave meter.

Jason Brown

4751. HELP WITH FT-980

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: dalewilj@aol.com
Message-ID: <19990321095039.19421.00000043@ng04.aol.com>
Source record: 113247

I just bought a yeasu ft-980 at a ham swap meet this weekend...it was broke..lights came on..but the display is not working...it shows all lights on the display...no front panel button works...i can hear noise..I do not have manual or service manual for it...I have scaned the net but could find no real info on this unit...I traced voltages on some board...the only board that did not have voltage was the lower left one by the af board in front of the cpu board...I was wondering if some one could send me a copy of the schmatic of this board ..or whole schematic via email...in consideration I would be willing to trade a gp300 uhf radio made by motorola for this...thanks very much...kc5st...dale

4752. Re: What Radio to Buy??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Marv Luse <mwluse@dimensional.com>
Message-ID: <36F508C9.A98CFACE@dimensional.com>
Source record: 113248

Eric,

The most current posting by N5IA details a very large amount of egg on his face. Turns out the rig was NOT an FT-920. It would appear he did not know what radio he was using. With powers of observation that acute, I wouldn't pay much attention to his opinions.

73,

Marv, KC0EGB

Eric June wrote:

> Andrew,
>
> A discussion of the relative merits of the FT-920 just came up on the
> CQ-Contest mail reflector. From what I read, especially the comments by
> N5IA who took one on DX-pedition, I would eliminate that radio from my
> selection list.
>
> If you don't subscribe to that reflector, you can read the archives at
> http://www.contesting.com/_cq-contest/
>
> FYI, I own a FT-1000D so I am not a Yaesu detractor in general.
>
> --
> Regards,
>
> Eric June
> KU6J

4753. Re: Yaesu FT-10 / FT-50 accy info needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: kvanderlin@aol.com
Message-ID: <19990321101012.04974.00000053@ng150.aol.com>
Source record: 113249

>I'm trying to confirm that the Yaesu FT-10 and FT-50 share common batteries,
>chargers and antennas. Can someone help me out with that information?

Yes, they do.

Van

4754. Re: Yaesu FT-10 / FT-50 accy info needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Tom McCuen <tjmc@erols.com>
Message-ID: <36F50C0F.2BDA763D@erols.com>
Source record: 113250

> I'm trying to confirm that the Yaesu FT-10 and FT-50 share common batteries,
> chargers and antennas. Can someone help me out with that information?
> Thanks.

Mike,

They share batteries and the chargers, but NOT the antenna!
The FT50 has a SMA connector, the FT10 has a sort of reverse SMA
connector.
I have both.... I've never seen an optional antenna for the FT10 due to
the odd SMA tho Yaesu sells a BNC adaptor for it.

73
Tom aa2vk

4755. FS: ham sticks and Hustler base

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: fredez2@airmail.net
Message-ID: <90178779CB74CDEA.FC7C2721907529B0.338CC5DCDD985BA4@library-proxy.airnews.net>
Source record: 113251

I have for sale Ham Sticks for 10, 20, 40, 80, and 2 meter bands. Also a Hustler MO 2 mobile mast. $75 for the lot plus shipping...W5HTR...972-231-7511 (Richardson, Texas)...thanks...Fred Z.

4756. KRAUTKRAMER-BRANSON 0'SCOPE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: kg4ckx@arrl.net
Message-ID: <36f51c99.248382941@news.mindspring.com>
Source record: 113252

Can anyone tell me where to find a power cable for a
Krautkramer-Branson oscilloscope model USL 38?
It has a seven pin male connector on the back of the battery pack.
Thanks.

Kenny KG4CKX

4757. Re: Antenna height ANSWER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Darrel Emerson <74010.2230@compuserve.com>
Message-ID: <36F517B7.6A85@compuserve.com>
Source record: 113253
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

I think Paul's calculation wasn't quite right. The formula
(Range to Horizon) = 1.4 * sqrt (height in feet)
wasn't quite used in the correct context. Paul's sum calculated the
theoretical range to horizon for an antenna at just 5 ft height. If it
were
already above the ground, and just raised ANOTHER 5 feet, the INCREASE
in range is different. Note also that even in the ideal case, the range
calculated this way for your antenna has to be added to the range
calculated from the same formula for the other station.

e.g. if the antenna height is now 15 feet, the theoretical range to
horizon is about 1.4*sqrt(15) or 5.4 miles.
If the antenna height is now increased by 5 feet to 20 feet, the
theoretical line of sight to horizon becomes about 1.4*sqrt(20), or 6.3
miles,
an increase of 0.9 miles.

If the height were originally 30 feet, increasing that to 35 feet
would
change the theoretical line of sight to horizon from 7.7 miles to 8.3,
an increase of 0.8 miles. So, the higher the antenna is to start off
with, the less difference adding an additional 5 feet will make.

However, all the above is too theoretical; the range equation only
gives a rough guide, ignoring the local topology, tropospheric
propagation, diffraction and so on. In practice, raising the VHF/UHF
antenna 5 feet might allow it to clear a local obstruction, so making
quite a significant difference, but it just depends on the local
conditions.

73
Darrel Emerson, aa7fv.

W1PEV wrote:
>
> Your short answer is yes. This is a distance to "line of sight" problem to
> compensate for the curvature of the earth. As you probably know, VHF/UHF
> signals travel as far as they can see in a straight line similar to light
> beam (at least in theory). The following formula does not take into account
> for topographically challenged (hilly) areas or locations than contain
> obstructions. Ok, here we go:
>
> Distance = 1.4 x the square root of the height difference (the amount you
> raised your antenna),
>

> If the difference in antenna height is 5 feet,
>
> The square root of 5 feet is 2.24,
>
> 2.24 x the multiplier of 1.4 = 3.13,
>
> So, raising your antenna 5 feet will give you approximately 3.1 miles of
> additional "Line of Sight".
>
> 3.1 miles is a pretty substantial amount considering it might make the
> difference between keying up a repeater or not key up the repeater.
>
> I hope this helps,
>
> 73's
>
> Paul

4758. Re: FT-100 IS HERE !!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Rich <n7hmb@spiretech.com>
Message-ID: <36F515F9.18AEE386@spiretech.com>
Source record: 113254

FYI: The FT-100 is here in small quantities. right now prepaid back
orders are being filled. Just so nobodys suprised.
Rich, KK7PL

w1ksz@tiac.net wrote:

> Picked up mine today (Friday) at HRO in New Hampshire. It's a real
> radio despite what some "experts" say. Tried it on HF, VHF and UHF.
> Now programming some of the 300 memories. Way to go Yaesu !!
> 73, Dick, W1KSZ

4759. Re: Looking for info about Yeasu ATAS-100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Tom KA4RKT <badger@telalink.net>
Message-ID: <cL8J2.5518$Tk.899@news1.atl>
Source record: 113255

Web Williams <kr4wmNO@SPAMbigfoot.com> wrote in message
news:MPG.115eca5127fdf2439896b5@news.infoave.net...
> I got one free with my Yaesu FT-847, thinking I could use it with my
> Icom-735, which is my mobile HF rig. The instructions that come with the
> antenna state that it will work ONLY with the Yaesu FT-847. Has anyone

It is designed to operate with both the FT-847 and FT-100 radios. As for
operation with other radios, it is certainly possible, but would require an
interface. Apparently, if the dealer displays are correct, the ATAS-100
uses several DC steps for its operation, something like 10 volts for up and
8 volts for down.(or vice-versa) I think the radios themselves calculate
the
reflected power to determine resonant position. I have had no luck getting
any technical details from Yaesu on the exact voltages required, however.

73

Tom KA4RKT

4760. Re: finding ham stuff on Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: toploader8@aol.com
Message-ID: <19990321111053.24013.00000084@ng-cc1.aol.com>
Source record: 113256

www.ebay.com

This should get you there and exposed to all the different search criteria you are looking for.

4761. Re: Looking for info about Yeasu ATAS-100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Michael Madden <mmadden@suffolk.lib.ny.us>
Message-ID: <7d35p7$bi2$1@news01.li.net>
Source record: 113257

The unit is also used with the new FT-100 Mobile ɪadio!

4762. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <36F522A9.3D4E4C15@mindspring.com>
Source record: 113258
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

Name of book is:

"Why I do not buy anything used I have not seen and tested"

Even swap meets are hazardous. So I buy used only from people I know --
else I buy new (and sometimes get lemons and hassles that way, too!).

Phil

BD wrote:
>
> What happens if you send a MO and the item turns out to be a piece of junk?
> And why doesn't Ebay offer CC processing? They could simply deduct the
> fee's/charges and mail you the rest.
>
> ~* L'ours en peluche *~ <teddybear@xyz.leotard.net> wrote in message
> news:36f4415e.6217997@news.sprint.ca...
> >I always ask money order or bank transfer prior to shipping my
> >products.
> >
> >nothing bad happened so far.
> >
> >
> >
> >
> > De Sat, 20 Mar 1999 14:28:24 -0500,
> ><7d0ss8sdu1@winter.news.rcn.net>,
> >"GARY" <MJSCommunications@erols.com>
> >a ï¿½crit dans le message (Re: Do Not ship him COD)...
> >
> >====================
> >
> >>Do you know what it's called to send someone a money order in advance for
> >>"pre-payment"? It's called a gift! Just remember to research the
> >>buyer/seller and as mentioned disclosure is important with verifiable
> >>references. Another good idea is to require the shipping cost up front as
> >>per your arrangement with the party. If both the buyer and the seller
> know
> >>who they are dealing with and if both have been researched and checked
> out,
> >>you minimize the chances of becoming a victim. Just my $0.02 cents.
> >>
> >>Gary
> >>

> >>P.S. This message is not directed specifically at or as a response for any
> >>one post. It's a general statement made after reading the entire thread.
> >>:)
> >>
> >>
> >> Andrew Smetana wrote in message <4uuI2.115$EW.701@nnrp1.ptd.net>...
> >> COD is the only way I will buy. I prepaid once and never received my
> >>product. USPS money order tru UPS or FedEx. It is the only way both
> parties
> >>get the protection they need.
> >>
> >> Andy
> >> axel wrote in message <7csae1$2fj$1@news-1.news.gte.net>...
> >> Watch glen Hobie in newark Ohio do not ship him COD, he also goes
> by
> >>Chad on the News Groups Thanks.
> >>
> >>
> >
> >-=-=-=-=-=-=-=-=-=-=
> >Please do not forget to remove "xyz." from e-mail address
> >L'ours en peluche
> >-> Advertise in Radiotelephone.Net and Leotard.Net <-
> >Domain for Sale: $10,000CDN for Leotard.Net
> >
> >Le Futur (English Edition), (Learn CANADA & Help CANADA)
> >http://www.radiotelephone.net/futur/
> >
> >http://www.radiotelephone.net/moneymkr/ (Save & Make $$$ FAST !!!)
> >http://www.radiotelephone.net/amateur/
> >http://www.radiotelephone.net/aviation/
> >http://www.radiotelephone.net/essays/
> >http://www.radiotelephone.net/mcgill/myth.htm
> >http://www.radiotelephone.net/immigration/ (UNDER CONSTRUCTION)

4763. Re: New ADMS Shipping (take a look at EVE)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36F5225C.5E1D0684@t-online.de>
Source record: 113259

clintbrad4d@earthlink.net schrieb:
> > PS. How did you find out that ADMS-1E is shipping ?
>
> I called RT Systems and asked.

What a coincidence, you called the day they start shipping :)

What about the other part of my message, please answer me.
(You know, just to improve my English)

Best Regards.

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4764. Re: IC-706MkII vs. IC-735 for CW

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <36F52410.3002BBD6@mindspring.com>
Source record: 113260

I have a 706MkII and use it mostly on SSB and always mobile. Excellent for that purpose.

Have not used it TX on CW, but is good on RX. But would not swap it for my base rig on CW.

On Two meters, the PL is very annoying (to the listener!), and I know of no fix; but since I have a Kenwood tri-bander in the car, not an issue for me.

Bottom line: There are lots of them out there. Find a friend who has one and use it; you alone can judge what you want/need.

Phil

Larry Gagnon wrote:
>
> I am considering selling my IC-735 for an IC-706MkII, basically to do
> a lot of travelling and mobile CW. Any comments about the general
> performance of the IC-706, especially with respect to QSK high speed
> CW versus the IC-735 would be appreciated.
>
> I have also heard about intermod problems with the IC-706 on 2 metres
> and its general poor performance on 2m. Any comments on that would
> also be appreciated because I was also thinking of selling my FT-2500M
> if the IC-706 is OK for 2m work....
>
> Cheers...Larry Gagnon MW0AWC

4765. FS****Tram D201A 40ch.base w/mic & manual****

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <28506-36F51A19-14@newsd-144.iap.bryant.webtv.net>
Source record: 113261
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment

Have a very nice Tram D201A for sale.It comes with the stock D104 mic (has the push to talk and grip to talk bars) and a "reproduction" manual from "Tram Tech".It has the HI - LOW power mod.,extra freq. mod.,and fan kit.Also has new walnut ends from Maycom.Looks very good and works great! LOUD audio!! Price is $450.00 + shipping. If you need more info you can email me KF6IKC@webtv.net or call me at (530)241-0843.

Take care,
Stan

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

4766. FS: COLLINS KWM2 POWER SUPPLY 516E1 $185+shipping

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Joe K7JOE <k7joe@yahoo.com>
Message-ID: <36F50A16.AB96C354@yahoo.com>
Source record: 113262
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Hi,
I have the Collins mobile power supply, model 516E1 for sale. It appears to be new -- never used, but I dont have any paper work. Has original inspection tag in-place. This is used with the KWM2 transceiver. Use it in the car, or connect a battery/13.8V power supply and use it in the house! $185 + shipping.

Joe

4767. Re: finding ham stuff on Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: biker@wtvl.net
Message-ID: <36f52a9c.16885718@news.ctel.net>
Source record: 113263

www.ebay.com
Type a keyword into the search window and go for it!!

On 21 Mar 1999 13:27:16 GMT, h3963@aol.com (H3963) wrote:

>hOW DO I GET ON THE EBAY ?? i WANT TOFIND SEVERAL ITEMS ! H3963

4768. Re: FS: Drake Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: icetea6100@aol.com
Message-ID: <19990321122251.15010.00000070@ng-fv1.aol.com>
Source record: 113264

along with that ,that already have do you have the schematic for the TR-7 transceiver,or do you know where i may be able to find it ?

4769. Re: Looking for info about Yeasu ATAS-100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: <>
Message-ID: <7d3a69sid1@pyrite.mv.net>
Source record: 113265

Does anyone know if the ATAS-100 works on the WARC bands? The ad says
40, 20, 15, 10 but it seems if it's a screwdriver type antenna it would
pass 30, 17, and 12 meters in the tuning process.

Any info would be helpful

Richard / N1VXW

Richard Lubash
N1VXW
email XXXXrlubash@poco.mv.com

ATTENTION: To stop that pesky junk mail I have
put the prefix (XXXX) at the front of my email address. To reply
remove (XXXX)

4770. Re: FS: Drake TR-7, WH-7, MS-7, copies manuals

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: icetea6100@aol.com
Message-ID: <19990321123040.15010.00000071@ng-fv1.aol.com>
Source record: 113266

please e-mail me back or call919-220-8226 ask for o'neal. asap

4771. FS: Uniden HR-2600 NIB

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: ke7vg@aol.com
Message-ID: <19990321123820.21792.00000049@ng-ce1.aol.com>
Source record: 113267

For Sale:
Virgin, untouched, never used, still in box Unden HR2600 10 meter all mode rig.
$225.00 via money order includes shipping CONUS.
Thanks,
Gene

4772. Modification in DSP-2232

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: chondeville@hotmail.com
Message-ID: <36F5ACC2.4E58EE70@hotmail.com>
Source record: 113268
Cross-posted to: rec.radio.amateur.space,rec.radio.amateur.homebrew,rec.radio.amateur.packet,rec.radio.amateur.equipment

Does anyone know how to modify the AEA DSP-2232 in order to get the best
of it when you operate the birds at 9600??. I've heard there is
something I can do to enhance it.
Please, make your comments to chondeville@hotmail.com

73,
Christian

4773. Re: FS: Drake TR7

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: icetea6100@aol.com
Message-ID: <19990321124732.15010.00000073@ng-fv1.aol.com>
Source record: 113269

HI: AL
i have the TR-7 but would like to have the schematics for it is there anyway
that you can help me ?

4774. Re: FS: Drake TR7

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: icetea6100@aol.com
Message-ID: <19990321125020.15010.00000074@ng-fv1.aol.com>
Source record: 113270

PLEASE CONTACT ASAP

4775. IC-756 vs. FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: andrewvictor@geocities.com
Message-ID: <7d3etnrdk1@nnrp1.dejanews.com>
Source record: 113271

Which is the overall better radio? Which is better for HF SSB operation and for HF Contesting? Has anyone had problems with ethier of these radios? I also want a radio that can do some light CW. Thanks 73 good luck with QSOs, Andrew

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4776. Re: HELP President HR 2510

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Karl Fuller <karljb@earthlink.net>
Message-ID: <36F524B5.ADF00ADE@earthlink.net>
Source record: 113272

thats probably why it was free? you think.

Gary Williams wrote:

> Just picked this rig up for a great price (free). Powered it up and all
> i have is noise, no receive, no frequency display and it seems that the
> rig will not key? Any ideas?
> Gary AA3NP

4777. help mod for pcs7500

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Karl Fuller <karljb@earthlink.net>
Message-ID: <36F52532.BA8AD8AB@earthlink.net>
Source record: 113273

can anyone help with the tx mod for the pcs7500 6m rig?

4778. help mod pcs7500

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Karl Fuller <karljb@earthlink.net>
Message-ID: <36F5279D.F99B54DE@earthlink.net>
Source record: 113274

help with tx mod for the pcs7500. i have tried the qrz. please
re:karljb@earthlink.net
thankyou

4779. Re: eBay-- gotta wonder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Karl Fuller <karljb@earthlink.net>
Message-ID: <36F52600.90752CA2@earthlink.net>
Source record: 113275

if you sell it on ebay your pretty dam asured you'll get your money.

Seth Miller wrote:

> The only thing I 'gotta wonder' is exactly how many times can a
> non-issue like this can be beat to death...
>
> RJR EMS wrote:
> >
> > Just a thoght is eBay is so damn hot, how come the fools using
> > it are always posting here that they have radios FA. Why not just sell it
> > here.
> >
> > rjr

4780. ebay: Comm. Receiver Manual CR2 **RARE**

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: regblah@aol.com
Message-ID: <19990321132618.26910.00000109@ng35.aol.com>
Source record: 113276

Rare hard to find First Edition, (August 1952) Howard and Sams Communications Reciever Manual CR2. This book is in good condition and includes parts lists and descriptions, Schematics, and alignment instructions for the following kinds of radio recievers: Collins, Gon-Set, Hallicrafters, National, RME, Monitoradio, Policalarm, Hammarlund, Ranger, Motorola, Learadio, Jefferson Travis, Heath, and Harvey Wells.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=81029530

4781. IC-720(A)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: msb <msbSPAMMAPS@newpony.com>
Message-ID: <7d3dnc$nkg@sjx-ixn10.ix.netcom.com>
Source record: 113277

What is the diff between an IC-720 and 720A?

tnx,
msb

4782. Re: ~Slinkiey Antenna Plans Needed~

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: rdmw6kj <rdmw6kj@succeed.net>
Message-ID: <922040823.542.69@news.remarQ.com>
Source record: 113278

Hi Sam,
I used the slinky for a time in Maryland. It was a simple antenna to put up, and I used a tuner of course, so every time I used it, I had to retune. Mine was strung over 65 feet about 40 feet in the air, with the ends sloping down to about 18 feet. It was a terrible antenna. I used the supplied nylon cord in the center of the slinky (as directed), and RG-8 to feed it. Everything else I tried worked better, including a hy-gain 18avq, a homebrew short dipole with homemade coils in the center, and a Mor-gain 40/80 meter dipole, which I used the longest. The slinky idea might be better on the higher bands, but I did not need it there. I needed it nightly on the 75 meter traffic net, and whenever I switched to any other antenna, everyone on the net would tell me how much better it was than the slinky. I had some independent tests too, just to make sure I wasn't hearing a "net prejudice" situation.
The only antenna that did not outperform the slinky was my trusty old low power hustler mobile. At the time I also had a Swantenna mod 55 on my van, and it outperformed the slinky.
Good luck.
73, Ron, W6KJ
Sam Taylor wrote in message <36f411b0.0@nntp.quiknet.com>...
>Ko6JQ has just Purchased 6 Slinkies from
>American Science and Surplus for $3.50 Each
>Wants to build some antennas, Any Ideas?
>or Plans Wanted
>cygnet@cncnet.com 73 KO6JQ Sam
>
>

4783. Re: ICOM 756 Questions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Karl Klingman <karl@mindspring.com>
Message-ID: <36F53BC3.68EB0AB3@mindspring.com>
Source record: 113279

I evaluated both rigs at the local Ham Radio Outlet last year when I had to make the same decision. I tested both radios using the same antenna -- the ICOM 756 is easily the superior radio. I bought one about a year ago and it has been a great. You might want to get the FL-100 CW filter at the same time -- it really helps in the pileups.
73
Karl AF4IX

dmac7525@my-dejanews.com wrote:

> Ii¿½ve been out of the new radio game for many years but am now interested in
> buying a new rig. The IC-756 looks good to me.
> I operate mostly CW and know I need a good receiver with my limited antennas.
> -- Anyone have suggestions on how the 756 stacks up against the FT-920?
> -- Also, can anyone suggest other rigs comparable or better than the IC-756 in
> about the same price range?
> Thanks
> Dan, k0uif
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4784. Re: finding ham stuff on Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: STEVEN L UMBACH <N9ROU@prodigy.net>
Message-ID: <7d3fji$414m$1@newssvr03-int.news.prodigy.com>
Source record: 113280

http://listings.ebay.com/aw/listings/list/category296/index.html

H3963 wrote in message <19990321082716.29249.00000019@ng126.aol.com>...
>hOW DO I GET ON THE EBAY ?? i WANT TOFIND SEVERAL ITEMS ! H3963

4785. LARGE 900 MEG HAM/BUSINESS BAND REPEATER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7d3j22$uq9$1@nnrp1.dejanews.com>
Source record: 113281

900 meg system originally designed for tracking ships. consists of several 160 watt amps, over 10 plug-in 45 watt amps, cavities, plug in tx and rx modules. 4 cabinets in total with rackmount control computers. amps and cavities are decibel. everything looks new. system was never put into service. pics are available via email if interested. item is for auction on ebay. proceeds from sale will be used to buy equipment for local response team. heres the link...
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=79732468 thanks robert

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4786. FS: TS430

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: manning <silverd@datasync.com>
Message-ID: <7d3f5ccpf1@news.ametro.net>
Source record: 113282

TS430 with AM, and FM boards. Excellent condition
$550 includes shipping.
Money order only
Kit
KC5WXF
Sputtering@deathsdoor.com

4787. FS: Heathkit IB-1100 Frequency Counter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: canfield@scci.NET
Message-ID: <199903211914.OAA18122@gdi4.gdi.net>
Source record: 113283

Hello everyone:

Have a IB-1100 Frequency counter excess to my needs. In good condition.
and works well. Also have the orginal manual. Asking $30.00 plus shipping
from
32796.

Thanks
Bill
canfield@scci.net

4788. Help with IC281H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: daveleduc@aol.com
Message-ID: <19990321141137.19242.00000084@ngol02.aol.com>
Source record: 113284

I'm trying to connect my IC281H to a KCP3 TNC. Unfortunately I don't have a manual for the IC281H. I need to know the connections to the data phone plug. Any help would be appreciated.
73 Dave K1EPJ

4789. how to make the vx5 speaker have more bass

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: ANDREWJ <andrewj@earthlink.net>
Message-ID: <7d3h6e$919$1@ash.prod.itd.earthlink.net>
Source record: 113285

does anyone know how i would get the vx5 speaker to have more bass? can i use a capacitor, what size and where?

thanks

aj

4790. HAM IV ROTOR for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36F54A08.670B@ix.netcom.com>
Source record: 113286
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

I have a late model rotor completely rebuilt with zero hours on it. New style control box. Both rotor and control box has plugs for the cable. I also have 100" of control cable with the plugs installed. Just plug and play. $350 73 Chris VE3NGW/W4 Florida

4791. eBay: Alinco DJ-160T 2M HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Warloc@webtv.net
Message-ID: <26024-36F54CD3-16@newsd-113.bryant.webtv.net>
Source record: 113287

Alinco DJ-160T 2M HT for auction on eBay.
Well-used, has some wear and scratches, but works great. Needs new battery. No box, book, or vinyl case. Has wall-charger and duck antenna.
Follow this URL for full description and to bid:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=81074435
Opening bid is $19.95; no reserve!
Great first radio for that new Tech!

Thanks and good luck.
Glen KB1CRN

4792. manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: cn4459@nubbin.coastalnet.COM
Message-ID: <36F555B6.BBC3C3E8@abaco.coastalnet.com>
Source record: 113288

need help with changing ant on the icom 737A it ha a ant one and ant
2. are any one that has a copy of the manual for that radio.

4793. Re: What radio IC-2100H, FT-2500, FT-3000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: roro75@aol.com
Message-ID: <19990321153113.08398.00000246@ng-ch1.aol.com>
Source record: 113289

I agree my Ft-2500M is great. Never a problem, price is hard to beat!
Stan KC2ADC

4794. CAT operation - what speed ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Sils <sils@polbox.com>
Message-ID: <aLcJ2.13112$U1.2324671@news.tpnet.pl>
Source record: 113290

I am just setting up a connection between my PC and
FT-847. I would need about 12m (about 35ft ?) of serial
cable to connect those two devices. As far as I know cables longer
than will not provide baudrate over 100000.
And here is my question: what speed (baudrate) do I need for proper
CAT operation ?

Many thanks
Sils

4795. FS: SYNTOR X 29-55MHZ 100 WATT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: "Jay (n2kpk)" <n2kpk@mindspring.com>
Message-ID: <36F55F24.3F8EE44@mindspring.com>
Source record: 113291

I have three syntor x 29 thru 55 mhz mobiles 100 watt.
Price each $200.00 shipped with cables but not controls heads, I do have control heads for micors that work but only 4 channel. No speakers, I have mics.

4796. Re: Kenwood TS-130S info needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: paul wise <n3ngo@prodigy.net>
Message-ID: <7d3nso$dqiq$1@newssvr04-int.news.prodigy.com>
Source record: 113292

welcome to ham radio
i used to use a ts 130s and found it to be a great rig
i also ran mine off of batteries charged by solar panels
i never did any measuring to indicate how much current it was drawing on transmit, but the rig does have a function on the s-meter to let you know how much it is drawing.
if memory serves, current consumption on transmit at high power ssb mode was something like 11 amps. that would indicate an output of about 120-130 watts at 12 volts. you can adjust output down so as not to use so much power.
the rig only provides usb or lsb for voice work, and of course cw.
coverage is limited to the ham bands only. i don't think the rig can even be modified to operate outside the bands.
it is a good quality rig, most definitely servicable (considering the complexity of todays rigs). also will outperform some more modern rigs (output power).
it does require time to warm up. the vfo is not fully stable until it has been on for a few minutes (similar to the old crystal sets).
thats about all i can tell you. a great starter rig.

4797. Re: Callsigns (Re: Wish I Could Broadcast This)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Curtis CCR <curtisccr@netscape.net>
Message-ID: <7d3r3d$5ev$1@nnrp1.dejanews.com>
Source record: 113293
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment

In article <7cula9$b1$1@nnrp1.dejanews.com>,
brianburke@my-dejanews.com wrote:

> I guess you are used to a parade of operators using the same call sign.
> in the LMR business. Not so in amateyur radio. You, as a guest operator in
> another hams shack, should identify with their call stroke your call.

No. Read 97.119(e) Appending my call to another when I am a designated control operator of another ham's station is only required if my operating privileges exceed his.

97.119(e) "When the *OPERATOR LICENSE* class held by the control operator exceeds that of the *STATION LICENSEE*, an indicator consisting of the call sign assigned to the control operator's *STATION* must be inlcuded after the call sign" (My emphasis)

This is only an issue if you are actually operating outside the station licensee's operating privileges. The format would be to use the station's call stroke my station call. 97.119 is full of referal to call signs as being assigned to stations.

And yes I am used to a "parade of operators" using the same call sign in the LMR business. But I am also used to a "parade of operators" using the same amateur station call sign at club stations, special events, field day, etc. The only difference between amateur and LMR is that amateurs are required to have an operator license in addition to the station license.

>
> > And you can't get my street address with my call sign. I don't even
> > live in the city on my license, let alone at the address. You might be
> > able to find my birthdate in some old database, but is there a current
> > database that has those?
>
> Then its time you update your license information with the FCC.

Jumping to conclusions here. The address associated with my license is a current mailing address. It's not time for me to do anything, thank you - I am sure that your reminder was sincere.

Regards

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4798. FS:MOTOROLA DTMF MICROPHONE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: kb6lue@postoffice.pacbell.net
Message-ID: <36F5AC4F.9DF41891@postoffice.pacbell.net>
Source record: 113294
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi all.
I have a for sale Motorola DTMF microphone. Model No HMN 1014B. Price is $30 shipped. Have 47 of them. Can make a deal for all. I can E-Mail photos on request.
Thanks
Jin KB6LUE

4799. Re: New ADMS Shipping (take a look at EVE)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7d3uc6$87h$1@nnrp1.dejanews.com>
Source record: 113295

In article <36F5225C.5E1D0684@t-online.de>,
Ingra-Beton@t-online.de (Vlaski Goran) wrote:
> clintbrad4d@earthlink.net schrieb:
> > > PS. How did you find out that ADMS-1E is shipping ?
> >
> > I called RT Systems and asked.
>
> What a coincidence, you called the day they start shipping :)

You make it really hard to try to give you any respect and be completely objective about your work, Vlaski, with your continued nonsense.

I mean, did I come to this public newsgroup and state that your VX-1R program had a flaw that made it unusable for my very stable system? No - I privately emailed you and asked questions. I desired to find out from you personally what I could not locate in the program's documentation. I was going to give you the benefit of the doubt...

That must be the difference between the two of us...I would rather keep negative product comments private until worked out - and post the positive experiences immediately. You, on the other hand, are so bent on your anti-RTSystems campaign that you cannot accept any positive comments about RT Systems.

> What about the other part of my message, please answer me...

It's already deleted...I have no desire to answer much more of your messages.

- Clint Bradford, ATTENTION to Details
http://www.clintbradford.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4800. WTB: power plug for Collins KWM-2

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: "Michael J. White" <mike.white@erols.com>
Message-ID: <7d3sfo$77o$1@winter.news.rcn.net>
Source record: 113296

I need a power plug for the Collins KWM-2. This is an 11 pin socket plug.
Any help? Thanks.

Mike, N4PDY

4801. FS: Drakes, Others

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: JPD <jdanter@i-america.net>
Message-ID: <36F59DFF.2EA0@i-america.net>
Source record: 113297
Cross-posted to: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Body handling: HTML body converted to readable text

Prices include Shipping and Insurance to continental US only.

Thanks for the GREAT response.

For Sale:

TR72 2m FM, sn65xxxx, orig. manual, orig. mic, no mtg. bracket, extra
Xtals, $100.00
---HOLD---

TR4 sn28xxx, orig. manual, light copper corrosion, needs audio section
service, $150.00

RV4 sn17xxx, no manual, silver front panel trim, very clean chassis,
$125.00
---HOLD---

MN4 sn28xx, copy manual, clean, rear panel cap. swt. added (?), $125.00
---HOLD---

TV 3300 LP, alum case, label intact, $30.00
---HOLD---

2B Rec/w Q-Multi, sn30xx, orig. manual, light chassis corrosion, $225.00
---HOLD---

---REDUCED---
Central Electronics Multiphase Exciter 20A, 160-10m, original
electronics,
clean chassis, orig. manual,
Lakeshore "Bandhopper" VFO, interfaces w/CE 20A, orig. manual,
---$175 both/shipped---

I also have 300+ NOS tubes from a TV shop, Zenith, Sylvania, and others.
>>>>> NO audio or 6JB6 horiz. sweeps <<<<

4802. WTD: YAESU XF-117C & XF-117A Filters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: w1ksz@tiac.net
Message-ID: <36f58221.700661@news.tiac.net>
Source record: 113298

Need one of each. Anyone have any ??
Tnx, Dick, W1KSZ

4803. Re: Re: FT-100 IS HERE !!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: w1ksz@tiac.net
Message-ID: <36f583d1.1133455@news.tiac.net>
Source record: 113299

FFYI:
Mine was not prepaid, just ordered and placed a small (10%) deposit.
73, Dick, W1KSZ

On Sun, 21 Mar 1999 15:54:56 GMT, Rich <n7hmb@spiretech.com> wrote:

>FYI: The FT-100 is here in small quantities. right now prepaid back
>orders are being filled. Just so nobodys suprised.
>Rich, KK7PL
>
>w1ksz@tiac.net wrote:
>
>> Picked up mine today (Friday) at HRO in New Hampshire. It's a real
>> radio despite what some "experts" say. Tried it on HF, VHF and UHF.
>> Now programming some of the 300 memories. Way to go Yaesu !!
>> 73, Dick, W1KSZ
>

4804. Re: ATAS-100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Jim Heath <jimheath@foothill.net>
Message-ID: <7d40mn$27q$1@ns2.foothill.net>
Source record: 113300

Hi Mike,

I understand they are having some problems with the product. It costs around $400 complete and only covers 40 through 10 meters with no WARC bands. For example, one of my customers told me that they would lockup in freezing weather.

73, Jim KB6SX

4805. Info on Centennial 80 M xceiver kit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Randy and Cara Randall <crrandal@seidata.com>
Message-ID: <36F586C9.29778976@seidata.com>
Source record: 113301
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Looking for anyone who has built this radio kit or
has seen a review or has any info on it. What is the
performance like? Is it a good rig or a piece of junk?
I have looked on the web for info and could find
no reference about this kit at all. I feel the need to
build something and this could be a neat project
for me and useful too.

Thanks,
Randy KB8ASO Milan, In

80 Meter Centennial SSB Transceiver
By Paul Daulton K5WMS

Full band coverage (500KC), 3 to 5 Watt output, 4" X 7 5/8"
Silkscreened Board, 3 Pole Crystal Filter, and
Varactor Diode Tuned with a 10 Turn Pot.

All you have to furnish is your favorite cabinet, knobs and
the connectors you like.

Dan furnishes board, all board mounted components, 10 turn
pot, Audio Pot with switch, and instruction manual.

Dan's price $69.95

Dan's
Small Parts and Kits
Box 3634
Missoula, Montana 59806-3634
Phone or Fax 406 258 2782

4806. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: W4ABC Jon Pearl <w4abc@gte.net>
Message-ID: <7d40h6$a23$1@news-2.news.gte.net>
Source record: 113302
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Joe D. Bucher wrote in message <36F084A2.21AA@viaduct.custom.net>...
>Wammes Witkop wrote:
>>
>> I *do* realize that in some countries other then my own, an interest in
>> green - millitary - radios goes hand in hand with other hobbies I do not
>> approve off. Frankly, I'm Dutch. We do not like guns in the hands of
>> citizens. We have strict laws against it - and as a result, we have less
>> violent crime then some countries where guns are easier to get..
>> The NRA is *not* my cup of tea at all - if I'd be an American I'd oppose
>> them. But as it is, this is not my patch. So please stop advocating the
>> NRA, it's chairman or applauding to one who does. This is an
>> international newsgroup after all. Please take this thread to a place
>> where it's not a spam - 'cause that what it is here! The amount of
>> definitly off-topic messages is getting rather large, would'nt you
>> agree?
>>
>> Kind Regards, Wammes Witkop
>>
>> David Stinson wrote:
>>
>> > http://www.law.harvard.edu/News/Charlton_Heston_speech.html
>> >
>> > Yes, I know I'm probably "spamming."
>> > But I can't think of a better way to pass this to
>> > all the people I've come to like and respect.
>> >
>> > And it's just a -little- message, anyways.
>> >
>> > Forgive.
>Wammes, I admire your courage to wade into this off topic discussion and
>appreciate a view from across the pond. Your comments are well taken and
>I don't mean any disrespect at all. However, I, as an armed US citizen,
>can tell my government to go to hell if they insist on making me do
>something that is unconstitutional. You can't do that in your country!

Private e-mail from Wammes, no doubt to follow.
>

4807. Re: WTB: power plug for Collins KWM-2

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <36F58D5C.E2EBECC@erols.com>
Source record: 113303

Which one do you need? The plug (cable end) or the socket (equipment end)?

"Michael J. White" wrote:

> I need a power plug for the Collins KWM-2. This is an 11 pin socket plug.
> Any help? Thanks.
>
> Mike, N4PDY

4808. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: W4ABC Jon Pearl <w4abc@gte.net>
Message-ID: <7d40tj$9hb$1@news-2.news.gte.net>
Source record: 113304
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Gary - KJ6Q wrote in message <7cv4h4ipi1@news-1.news.gte.net>...
>
>Bill J, Edinburgh wrote in message
><7cucq2jjh2@plutonium.compulink.co.uk>...
>>Didn't someone say "The pen is mightier than the sword"?
>>Bill J., Edinburgh
>
>Well, it MIGHT sound inspiring, but you take the standard pen of your
>choice, and give me a good sharp broadsword, and I'll take you on,
>what do you say?
>
>Meanwhile, here at home, my 12 guage and various assorted others give
>me a warm secure feeling...

I love it Gary... The freedom of choice... Mossberg - Baretta - Winchester -
Remington.

Color me Mossberg M590A1

73 Jon Pearl W4ABC

P.S. Educate your friends and neighbors... take 'em to the range.

_____
"The people will not understand the importance of the Second Amendment
until it is too late." -- Thomas Jefferson
>
>Gary - KJ6Q
>

4809. FS TEST EQUIP & SINGER/GERSTCH

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Dee Almquist <w4pnt@rica.net>
Message-ID: <BygJ2.7176$oz5.52514@newsfeed.slurp.net>
Source record: 113305
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ham-radio.swap

Singer Gerstch FM 9 SERVICE MONITOR, covers 30mhz thru UHF. Syntithized freq select. Unit looks good shape but only partly operational. (freq standard is ok). Highest offer over $50. + shipping. I have a book on this so it can be fixed.

Triplett 3490A Lab quality transister analyzer in a 20" suitcase. In very, very nice condition. I just ever use it. If you want to run curves on power transisters, I believe this unit will do it. Unusual piece of equipment. $150. + shipping

SWR bridge on 19" x 4" panel with meter. Made by GE for use in VHF/UHF, "N"connectors. Same quality as a Bird watmeter. Has some circuit on panel for mabe alarm remote but this in no way will affect the operation of meter for local use. $40. + shipping.

Conair 221 tube tester. Compact suitcase that covers popular tubes including compactrons. Nice condition. I have used this myself & works well. Suitcase is fair to good condition. $60. + shipping.

4810. WANTED DRAKE R-4C AM FIlters...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Jordan Arndt <jordana@nucleus.com>
Message-ID: <36F5A3AB.6772@nucleus.com>
Source record: 113306

Hi I am looking for 4 Khz or 6 Khz filters for the Drake R-4c
receiver... anyone have anything??? 4 Khz is preffered, but I will take
a 6 Khz filter if that is all I can find... please reply via e-mail...
73 de Jordan...

4811. ATAS-100 = WARC Yes!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Tom KA4RKT <badger@telalink.net>
Message-ID: <5SgJ2.6139$Tk.996@news1.atl>
Source record: 113307

Richard Lubash <mailto:XXXXrlubash@poco.mv.com> wrote in message
news:7d3a69sid1@pyrite.mv.net...
> Does anyone know if the ATAS-100 works on the WARC bands? The ad says
> 40, 20, 15, 10 but it seems if it's a screwdriver type antenna it would
> pass 30, 17, and 12 meters in the tuning process.

Mine does. I use one at home on my 847, being trapped in an aprtment.
I just built a wire counterpoise and hung it on the edge of the balcony.
Works great.

73

Tom KA4RKT

4812. Diode identity

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: John Wunder <jwunder@SPAMNOTclr.com>
Message-ID: <7d47ha$950$1@news.onramp.net>
Source record: 113308
Cross-posted to: sci.electronics.components,rec.radio.amateur.equipment

Looking for replacement for a glass diode that has two color bands:
ORANGE AND YELLOW FOLLOWED BY GREEN LETTERS 'NEC'

Any thoughts on what this is?

It came out of a Tempo RBF-1 SWR/POWER meter.

Thanks in advance.

John - WB5NUA

4813. Re: Ham Radio Callsign Mugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7d492psid1@winter.news.rcn.net>
Source record: 113309
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

Strange. I found the prices plainly marked at website
order form.

Peter

Mark Goad 35 wrote in message ...
>You did not tell us what the price of your mug is. You only stated that it
>costs $4 to ship it. Are you any relation to Monty Crisco??
>
>

4814. Re: Info on Centennial 80 M xceiver kit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Lyle Koehler <lyle@mlecmn.net>
Message-ID: <36F5ADB3.67F0FBB8@mlecmn.net>
Source record: 113310
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I purchased a partial kit (PC board, crystals, and ICs) and built the kit about a year and a half ago. The rig has adequate sensitivity, clear audio on transmit and receive, and the receive current drain is only about 35 mA. After checking out the transceiver, I made the following modifications:

1. The author of the plans seemed to have a misunderstanding of how you measure PEP. He talked about measuring peak-to-peak voltage across a 50 ohm resistor, squaring it, and dividing by 50 to get PEP. He left out a factor of 8. At the time I bought the kit, it was advertised as having 5 to 8 watts output, but mine would only put out about 5/8 to 1 watt PEP. I used a voltage doubling transformer between the output transistor and the filter to bring the PEP up to about 3 watts with a 13-volt supply.

2. The VFO uses a type 2 (red) toroid core for the inductor. Substituting a type 6 (yellow) core (and adding a couple of turns to get the same inductance) improves the temperature stability by a factor of about 3.

3. The VFO inductor is very close to the T-R switching relay and experiences a slight inductance change due to the stray magnetic field. To minimize the amount of frequency shift between transmit and receive, it was necessary to rotate the inductor until the best position was found.

Possibly some of these design flaws have been corrected since I built my kit.

Lyle, K0LR

Randy and Cara Randall wrote:

> Looking for anyone who has built this radio kit or
> has seen a review or has any info on it. What is the
> performance like? Is it a good rig or a piece of junk?
> I have looked on the web for info and could find
> no reference about this kit at all. I feel the need to
> build something and this could be a neat project
> for me and useful too.

4815. Re: Q-Mac HF Manpack

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: wizard@connectnet.com
Message-ID: <922064452mnewswizard@connectnet.com>
Source record: 113311

>
>
> Has anyone used one of these radios or have an idea of the radios
> spec`s, they look like excellent QRP sets ?
> I just wonder how much ?
>

They are fixed channel units, are superb performers, many aussies relying upon them for their lives as they travel in the outback. They have 7 fixed frequencies within the range. The output drops off as the frequency gets higher.

They cost about as much as 3 SGC-2020's and are 1/2 its size and outperform the 2020 about 75 times to one. I've used one for QRP for about 4 months as well as relying uppon it to call for supply and rescue from the jungles and non-populated areas of Brazil. It works superbly after being "drowned" several times in river crossings, dropped from the canopy (120 feet) onto a hardwood tree root, and with the broken mike pieced together with hardened tree sap. A great little unit and, like surplus modern "mil-spec" mil surplus stuff, very pricey but you can bet your ass on it.

P.S. The spate of Japanese handhelds calling themselves "mil-spec" are poor bad jokes that could get you killed if you were foolish enough to rely on them for much more than Family Radio Service equipment on the ham band. I have done work which required me to put my life in the hands of my radio sets. I use "real" mil-spec stuff and after almost 40 years as a "mercenary" I'm still around. My favorite best radio ever is the AN/GRC-9, which I still use if I don't have to pack it a long ways and I've never ever been let down by the AN/GRC-109 "spy set", though the damned thing is a bit bulky, gangly, and heavy.

For "modern" comms use in "busy" areas the Transworld TR-100 sets just work and work and work. A used one sells for $2200, will cost $75-300 for a Transworld "re-work/tune up" and you can safely bet your butt on it for the next ten years. 1.5-30 Mhz LSB, USB, CW, C-AM. It'll tune a paper clip or a 6 elememt yagi and comes shock mounted in its own aluminum water-tite brief case or (real) mil-spec box (130 REAL watts) or less.

This type unit will cost you about $5-800 more than the Q-MAC and is about 50 times better, though 10 times the size and 5 times the weight.

4816. Whats the diff between Shure 444 and 444D

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Steve <sbynum@earthlink.net>
Message-ID: <7d4e29$i4p$1@birch.prod.itd.earthlink.net>
Source record: 113312

Whats the diff between Shure 444 and 444D...just wondering.

--

Steve

4817. Re: Callsigns (Re: Wish I Could Broadcast This)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Bill Newkirk <wnewkirk@iu.net>
Message-ID: <7d4fje$197$1@east42.supernews.com>
Source record: 113313
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Curtis CCR wrote in message <36F1B89F.DA048FEC@netscape.net>...
>I realize that many hams are proud of their call signs. I like mine. I
>even have on my car's license plates...
>
>But why are we so hung up on "callsigns"? An amateur call sign
>identifies the station, not the operator. I have always found this to

at one time that was also the case in amateur radio -- you had to get a call
for every station location.

However, at some point in the past, things like secondary and club licenses
were pulled and the call you used was the call you were assigned for your
home station. this is probably where the operators started thinking of calls
= name...

4818. FS/Trade: Kenwood TH79A DualBand HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Rick Riverman <rbriver@cybcon.com>
Message-ID: <7d4hnqibl1@remarQ.com>
Source record: 113314

* Kenwood TH-79A Dual Band HT
* PB-32 6v 600mAh NiCd Battery
* PB-34 9.6V 900mAh NiMh Battery (for 5W output)
* Cigarette Lighter Adapter Pack
* BT-9 Alkaline Cell Pack
* BC-17 Charger
* Soft Case
* Nylon Cord Wrist Strap
* Manual
* Original Box

$275.00 or
Trade for 2 meter Multimode

Rick Riverman
W7RBR
503-629-5135

4819. Re: Whats the diff between Shure 444 and 444D

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <36F5D464.F0011ADF@wenet.net>
Source record: 113315

Hi,
The 444 is high impedance 50 K OHM only.
The 444D is dual impedance, 600 OHM low impedance and 50K OHM high impedance. The selector switch is mounted on the bottom.
Good luck!
de K6hm

Steve wrote:

> Whats the diff between Shure 444 and 444D...just wondering.
>
> --
>
> Steve

4820. Re: What Radio to Buy??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Steve <sbynum@earthlink.net>
Message-ID: <7d4k4s$t23$1@birch.prod.itd.earthlink.net>
Source record: 113316

Gary Coffman wrote in message <371dced0.302926265@news.atl.bellsouth.net>...
>On Thu, 18 Mar 1999 21:03:53 GMT, andrewvictor@geocities.com wrote:
>>I hve narrowed my choice of Radios down to this list: Yeasu FT-920,
FT-847,
>>Icom IC-756. I want a radio that can delivdr good DX Contacts on HF and
>>prefroms well in contests. I mainly a SSB Operater but like CW too. Any
>>suggestions on what radio I should pick???? Thanks 73, Andrew
>
>If you're a serious contester, you don't want the FT-847. It is primarily
>a VHF/UHF rig that happens to do HF (I have one, and while I like it for
>what it is, it isn't a contester's radio). The IC-756 is a better radio for
a
>contester than the FT-920 (which isn't a *bad* radio), more expensive
>though. Another alternative is the IC-746. It is similar in performance
>to the IC-756, and quite a bit cheaper.
>
>If you're looking in the IC-756 price range, you really should look at the
>FT-1000MP and the TenTec Omni-VI. Both are top of the line no compromise
>HF radios built with the contester in mind. The TenTec is US made too, and
>TenTec service and support is legendary>

>Gary

Just because the TEN TEC is made in America, dont hold that against
it.....it might be good hehehe

4821. Re: Done business with Randy Nachtrieb of So. Calif?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: "Le Baron O. Ferguson" <ferguson@math.ucr.edu>
Message-ID: <36F4CCF6.AF738278@math.ucr.edu>
Source record: 113317
Cross-posted to: alt.ham-radio,alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment

Dear Mr. Burch,

I sent him a check last Dec. and nothing came. I emailed him and he said he would ship right away but nothing. I finally threatened to expose him on the net and received the stuff a couple of weeks ago. You be the judge.

Sincerely,
Prof. Ferguson

John Burch wrote:

> Has anyone does business with a party called
> Randy Nachtrieb at gataibo@webtv.net ?
> He is located in Southern California.
>
> If so, I'd like to hear from you via e-mail.
>
> Thanks de John
> occupant@syix.com
> ..

--
==========
Professor Le Baron O. Ferguson Office: Sproul 2219
Department of Mathematics (909) 787-5003
University of California ferguson@math.ucr.edu
Riverside CA 92521 FAX : (909) 787-7314
==========

4822. syntor x 9000 pa cables

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: bob ehrhorn <behrhorn@PACBELL.NET>
Message-ID: <36F5EC95.D9D394A8@PACBELL.NET>
Source record: 113318

have 2 pa / siren cables 50.00 each

e mail if interested
behrhorn@pacbell.net

4823. FS 440 repeater with 2 meter link

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Phfbf <Phfbf@aloha.net>
Message-ID: <7d49fi$d60$1@nuhou.aloha.net>
Source record: 113319

I have a 440 repeater machine with a 2 meter link radio to any 2 meter repeater frequency/machine. It comes with a duplexer and put out 25 watts. The controller is a RC1000v. If interested or for more information please e-mail ab7je@hotmail.com.

thanks,

4824. Re: finding ham stuff on Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Harry <WA4OFS@iag.net>
Message-ID: <36F54A89.3D1E47D4@iag.net>
Source record: 113320

WWW.EBAY.COM WILL GET YOU TO HOME PAGE,THEN CLICK ELECTRONICS
(ELECTRONICS AND PHOTOGRAFY GROUPED TOGETHER) THEN HAVE FUN. HARRY

H3963 wrote:

> hOW DO I GET ON THE EBAY ?? i WANT TOFIND SEVERAL ITEMS ! H3963

4825. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: teddybear@xyz.leotard.net
Message-ID: <36f4415e.6217997@news.sprint.ca>
Source record: 113338
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

I always ask money order or bank transfer prior to shipping my
products.

nothing bad happened so far.

De Sat, 20 Mar 1999 14:28:24 -0500,
<7d0ss8sdu1@winter.news.rcn.net>,
"GARY" <MJSCommunications@erols.com>
a ?crit dans le message (Re: Do Not ship him COD)...

==========

>Do you know what it's called to send someone a money order in advance for
>"pre-payment"? It's called a gift! Just remember to research the
>buyer/seller and as mentioned disclosure is important with verifiable
>references. Another good idea is to require the shipping cost up front as
>per your arrangement with the party. If both the buyer and the seller know
>who they are dealing with and if both have been researched and checked out,
>you minimize the chances of becoming a victim. Just my $0.02 cents.
>
>Gary
>
>P.S. This message is not directed specifically at or as a response for any
>one post. It's a general statement made after reading the entire thread.
>:)
>
>
> Andrew Smetana wrote in message <4uuI2.115$EW.701@nnrp1.ptd.net>...
> COD is the only way I will buy. I prepaid once and never received my
>product. USPS money order tru UPS or FedEx. It is the only way both parties
>get the protection they need.
>
> Andy
> axel wrote in message <7csae1$2fj$1@news-1.news.gte.net>...
> Watch glen Hobie in newark Ohio do not ship him COD, he also goes by
>Chad on the News Groups Thanks.
>
>

-=-=-=-=-=-=-=-=-=-=
Please do not forget to remove "xyz." from e-mail address
L'ours en peluche
-> Advertise in Radiotelephone.Net and Leotard.Net <-
Domain for Sale: $10,000CDN for Leotard.Net

Le Futur (English Edition), (Learn CANADA & Help CANADA)
http://www.radiotelephone.net/futur/

http://www.radiotelephone.net/moneymkr/ (Save & Make $$$ FAST !!!)
http://www.radiotelephone.net/amateur/
http://www.radiotelephone.net/aviation/
http://www.radiotelephone.net/essays/
http://www.radiotelephone.net/mcgill/myth.htm
http://www.radiotelephone.net/immigration/ (UNDER CONSTRUCTION)

4826. JRC JST135 TX MODS NEEDED

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Steve Vaughan <vk4yek@powerup.com.au>
Message-ID: <36f419c0@grissom.powerup.com.au>
Source record: 113339

With all the wizz-bang stuff the JST135 does it would be great to drive my transverters. How do I mod it to TX 14 - 18 and 26 - 30 Megs ??
Regards Steve.

4827. Needed: Duplexer\Cavity Plans

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: mikrounit@hughes.net
Message-ID: <7d1fq1$a0h$1@nnrp1.dejanews.com>
Source record: 113340

Hello All,

We are trying to put together a repeater system in
Southern California.
We are looking for plans to build 2 meter
duplexer\cavities. Any info will be great!!!
Thanks & 73,

Mike Green KQ6MU
mikrounit@hughes.net
http://kq6mu.8m.com

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4828. FA -LAST DAY - GE MLS 40W VHF MOBILE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <CYWI2.30$hW6.792@sapphire.mtt.net>
Source record: 113341

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=7832378

4829. Re: Your opinion wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <v2XI2.5376$QV1.5518@news.cwix.com>
Source record: 113342
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Marty Duplissey wrote in message ...
>I just had a deal go sour the seller now tells me the unit has been sold
>before my email that the check will go out. I need your opinion. Do you
>think I had a deal to buy this yaesu. Sellers info has been deleted to save
>embarassment for now.
>
>

The radio was his until he got your check. He was well within his rights to
sell it.
Moreover, you apparently did not "seal the deal" by letting him know. Last,
you
chiseled him down so he probably took a better offer.

73 John

4830. Yaesu world map

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: bujiaj8@aol.com
Message-ID: <19990320194203.23397.00000492@ng-cf1.aol.com>
Source record: 113343

I want one of those Yaesu world maps.. with the callsign prefixes... Anybody have one?

Bill

4831. Re: TR-7800. What do all those knobs do??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: bohnovic@worldnet.att.net
Message-ID: <36f43f6a.1825372@netnews.worldnet.att.net>
Source record: 113344

luecknik@world-net.net wrote:

>You see, I bought this old 2m relic, and it's the 1st VHF unit I've
>ever owned. I need either a scan of the oper. manual, or someone to
>explain what each button does. I don't know how to program the offset,
>set memory channels, what the + and - keys are for, etc, etc.
>My previous request only furnished a point to W7FG. I have a couple
>dozen of their manuals, but the value of this old clunker doesn't
>warrant the expense. Any help will be appreciated. 73s James Lueck
>W5LWU
Jim,

I have a TR-7800 that I bought new back in 1980. In fact I have two
service manuals for it but only one operator's manual.

If I can find the operator's manual I will make a copy of it for you
but I need your address. Send an Email to k4wj@att.net with the
information and I will make a copy of the operators manual.

73..de John/K4WJ
John/K4WJ in Pembroke Pines, FL
K8PXG from 18 Jun 59 to 11 Feb 97
K8WJ from 12 Feb 97 to 07 Apr 97

4832. FS Microwave LNA's & Osc's

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Mike Kulyk <mkulyk@att.net>
Message-ID: <01be7335$5fb65b80$ce06440c@default>
Source record: 113345
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.swap,rec.radio.amateur.equipment

2 pcs Avantek LNA's Model ASF 9032M +15v ~36 dB gain 3.7 -4.2 Ghz SMA females connectors 3" X 1.3" X 0.6"

$100 each

One Avantek LNA Model AM 4284M206 +15 v 1.5Db NF 3.625 - 4.2 Ghz SMA female connectors 5.25" X 1.5" X 0.85"

$100

One Miteq LNA Model AM-2A-1059 + 15v ~2.0dB NF 24dB gain 1.1 ghz SMA female connectors 1.9" X 0.95" X 1.15"

$100

One Miteq VCO Model OTV-1A-2000-20N

-20V power -2 to -45 tune voltage 2- 4ghz SMA female connectors 4.2" X 2.45" X 2.3 "

$100

One Frequency Sources shaft tune oscillator Model FS-51M

15v 6.2 -9.1 Ghz SMA female connectors 2.25" X 1.1" X 1.2"

$100

Mike

4833. WTB (in the UK): 60's / 70's receiver!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Mike Swift <mswift@dial.pipex.com>
Message-ID: <7d1h6l$m23$2@plug.news.pipex.net>
Source record: 113346

Hi

I'm looking for a nice 1960's / 70's communications receiver (or even early 80's analogue sets) - anything considered, but must be capable of resolving SSB as well as AM, preferably general coverage (but will also consider ham bands only). Unit must be in very good condition or better, fully working, with original knobs etc. Would prefer something with plenty of life left in the valves, but if the price is right I may be more flexible on this. Cash waiting for the right radio...

Cheers

Mike Swift
Walton-on-Thames, Surrey, UK

4834. Re: FS: Trilectric VHF power amps, 80W

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: rbrow28881@aol.com
Message-ID: <19990320202025.07531.00000609@ng156.aol.com>
Source record: 113347

CAN I USE THIS AMP FOR A CB RADIO

4835. FA: Heil Pro-5-5 Headset (eBay)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: ka3vsp@aol.com
Message-ID: <19990320204457.15085.00000676@ng-cg1.aol.com>
Source record: 113348

Heil Pro-5-5 boom mic/single headset with HC-5 element and Kenwood AD-1-K 8-pin adapter cord. Mint condition with original box.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=80777911

4836. Shure 444 microphone

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: winjones@ix.netcom.com
Message-ID: <7d1jq6$fnf@dfw-ixnews11.ix.netcom.com>
Source record: 113349

I bought an old Model 444 Shure microphone at a hamfest. I'm using it with a Ten-Tec Triton IV which requires a high impedence mike input. I notice that I have to turn the mike gain control really high to get adequate audio. Am I correct in assuming that the original Shure 444 is a low-impedence mike? I think Shure later made a 444D which was dual impedence, high and low. Is this correct?

73, Winston K4CWQ

4837. Re: New ADMS Shipping (take a look at EVE)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36F45382.E8D47AF5@t-online.de>
Source record: 113350

clintbrad4d@earthlink.net schrieb:
> > So please explain me how ARE YOU WORKING on a head-to-head comparison
> > without the ADMS-1E Software.
>
> Quite simple. Since only one program is going to be installed/reviewed at a
> time, I am writing about the ones I have on hand.

I would install both, and comparing them by switching between
them all the time, why "only one program at a time" ?

Hmmm , Clint, perhaps my English is really not so good, so
please correct me.

If you say that:
You have ONLY EVE, and you are writing about it, I would say
that you are writing a REWIEW about EVE.

But if you say:
> I am working on a head-to-head comparison of the two (actually, three)
^^^^^^^^ ^^^^^^^^^^^^^^^^^^^^^^^^ ^^^
> available programs for the VX-5R (and FT-50, VX-1R, et al).

I would assume that you have BOTH programs and are comparing them.
So I am understanding that sentence, with my poor English.

So, is my English so bad that I can not understand you
or have you not expressed yourself right ???

> Geeze, you're suspicious.

No Clint, but maybe you should speak in a more simple way so
I can understand you, you know I have reading difficultys.

PS. How did you find out that ADMS-1E is shipping ?

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4838. FS: DIGITAL CAMERA

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: n8ppz73@aol.comNOSPAM
Message-ID: <19990320222012.28792.00000726@ng-fs1.aol.com>
Source record: 113351

Fuji DS/7 digital still camera. 640x480 resolution, includes 2meg rom card. Holds about 20 picuters in high resolution mode, and 64 pictures in low resolution mode. Has a TV out jack for playback through your TV/VCR. LCD screen for quick viewing. 3 focus modes, and a self timer so you can get into the pictures.

to see samples of the photos check out my web page
http://www.qsl.net/n8ppz/militaryscan.htm

Oh, I have the software and hookup cable for the PC.

THIS IS A HIGH QUALITY CAMERA!!!

$300 FIRM

Grego, N8PPZ
n8ppz73@aol.com
Grego, N8PPZ
Watching from "THE SPOT" at Wright Patterson Air Force Base
"Official SPOT of the new millinium"

4839. FS: FT-767GX with 2 meters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: n8ppz73@aol.comNOSPAM
Message-ID: <19990320222230.28792.00000731@ng-fs1.aol.com>
Source record: 113352

For sale:

Yaesu FT-767GX with 2 meter module, and CTSS tone board excelent condition,
built in power supply and antenna tuner.
do not have original hand mic for it, but mic I have everyone says sounds just
fine. Have the service manual, manual and other documentation (I am second
owner)

The two meter module has been selling by itself on here for $250

Asking $1350 for everything WILL NOT SEPERATE!!!!
Serious offers only

Grego, N8PPZ
n8ppz73@aol.com

Grego, N8PPZ
Watching from "THE SPOT" at Wright Patterson Air Force Base
"Official SPOT of the new millinium"

4840. Re: IC-706MkII vs. IC-735 for CW

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: radiofreq0@aol.com
Message-ID: <19990320222536.21896.00000897@ng-ch1.aol.com>
Source record: 113353

Keep your 735!

4841. hallicrafters SX-101 FA/ 2 hours left !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990320223320.11034.00000717@ng138.aol.com>
Source record: 113354

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=77998890

Now at only 200 dollars...check it out!

4842. Re: Icom 735 - $450.00

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: kk4tl@aol.com
Message-ID: <19990320231952.23399.00000469@ng-cf1.aol.com>
Source record: 113355

Sold

4843. qsy'er

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: The one and only! <mitch96@pobox.com>
Message-ID: <36F47CEC.69111AC@pobox.com>
Source record: 113356

some info on qsy'r from Stone Mountain engeneering in Georgia.
found on an "rec ama radio group"
From:
cc732@freenet.buffalo.edu (John T. Arthur)
3/10/99
13:32

Subject:
Re: QSYer

Don't have full name or callsign, but his first name was Mike,
and my invoice has a phone number of: (404) 879-5756. Hope that
helps some. They are very nice units!
--
mitch Ww4mL
Hollywood, Fla.

4844. WTB: SWTPc computer system

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Alan <alan.diaz@snet.net>
Message-ID: <7d1v1o$jji@news1.snet.net>
Source record: 113357
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.swap

I'm looking for an SWTPc computer, any model. Typical SWTPc (Southwest Technical Products Corporation) models were around in the late 70's. If you have an SWTPc computer buried in the shack and are interested in selling it please email me at chipsndips@snet.net.

Alan

4845. Re: VX-5R: EVE and ADMS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Tim Landers <timl@mindspring.com>
Message-ID: <36F48E0D.530688C4@mindspring.com>
Source record: 113358

Vito Villamor wrote:
>
snip
> ==> You can't use it unless you have or make an interface cable for it.

Would LOVE to see more than one (RT) choice for this! Don't want to
spend $40 just to get the cable! I guess I could make one, but if I
could get for $10 +/- would rather just buy it.

snip
> ==> Display a list of frequencies and settings.
> ==> Print this same list.
> ==> Have as User Interface that's easier to use than EVE. (Eve is
> pretty simple to use now, but if I'm paying for something, I
> expect it to be better than something that I got for free).
snip
>
> All in all, EVE is free, can extend the TX range of the VX-5R,
> but, right now, lacks the listing and printing capabilites. If and
> when I buy ADMS, expect it to have list and print frequencies, and
> it better have a better user interface, but I won't expect it to extend
> the TX range of the VX-5R.
>

I've tried EVE on the VX-5. Also tried Goran Vlaski's vx1rv100.exe.

I think what would REALLY help is the ability to export your freq's and
settings to a spreadsheet-readable (read: NON-proprietary, NON-binary)
format and re-import this to load back into EVE. Second choice would be
to use a text file format to allow search/replace. Either could allow
you to organize AND print your data! Maybe have ability to export
channels to one file and global settings to another.

I like EVE, but it and AMDS both show just one channel at a time. EVE
needs more documentation on jumper settings. Anyone know how to unblock
cellular without setting it to FREE? I don't want out-of-band transmit
(for now). I tried to look at one document and compare the solder
jumpers (seems there are eight) to the jumper value, but it didn't seem
to correlate. BTW- I set the virtual jumper to 255, it opened tx and
allows cellular rx, but then couldn't reload data until I reset the
radio.

--
Tim Landers
N4HIG
timl@[nospam]mindspring.com

Train Enthusiast
***Notice: Unsolicited e-mail will result in $200 minimum consulting and archival fees.
***Sending any unsolicited e-mail constitutes acceptance of these terms.

4846. Re: Any and All info on Kenwood TS-520

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: "Mark E. Curran" <ki7wx@home.com>
Message-ID: <36F4922D.40615E1D@home.com>
Source record: 113359

Fun thread. Realize the original query was about
the TS-520, but am surprised nobody suggested a
step up to a 530S or 830S. One person noted
they were the next iteration HF rigs from Kenwood
with a few additions. During the mid-80s I spent a
lot of time in front of various 820s, 830s and felt
the 530s and 830s were much improved over the X20's

For a small additional investment for a 530S or 830S
over the 520/820 you obtain the same solid reliability
plus the WARC bands and a digital frequency readout.
830S is better on receive than either X20 too.
Seems worth it to me. I've had my 530S for 13 years
with no trouble and an 830S for many as well. I
plan to sell them soon and go to an FT-1000MP but will
probably regret it 25 years from now .... ..

Mark
KI7WX

4847. Re: small battery for Relm HT?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: jimmie dominici <jimmied@my-dejanews.com>
Message-ID: <7d279dsan1@nnrp1.dejanews.com>
Source record: 113360

In article <7cj2vglnb1@mozo.cc.purdue.edu>,
laird@fairway.ecn.purdue.edu (Kyler Laird) wrote:
> I have a couple of Relm HTs with the 700mAh
> (BP007) batteries. I'd love to find a much
> smaller battery, but I've had no luck.
>
> It seems that with all of the new battery
> technologies (NiMH, Li, ...) there should
> be a way to get 10.8V from a much smaller
> package. (My little notebook has lithium
> batteries that are much smaller with the
> same capacity.) I wouldn't even mind
> losing a bunch of capacity to get the size
> down.
>

I have a BPMP7 battery that fits on a relm mpv-32. will trade for the lager
battery if you'd like? maybe even buy the other from ya if in good condition.
> Are any aftermarket batteries available
> for the Relm? I'm even considering
> trying to make my own.
>
> Thanks.
>
> --kyler
>

Jimmie Dominici, E-911 Oper. 206
E-911...when the time is right!!!

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4848. Need AN980 Application note (Motorola)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: scan7705@my-dejanews.com
Message-ID: <7d27vmsou1@nnrp1.dejanews.com>
Source record: 113361

Please send me AN980 by email.
I can't use motorola's MFAX system.

Many thanks in advance.

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4849. Re: FS: Drake TR-7, WH-7, MS-7, copies manuals

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: jimkd1bx@aol.com
Message-ID: <19990321021403.29536.00000684@ng-fv1.aol.com>
Source record: 113362

Hi Evan....

Do you still have the ms7?

Jim

4850. ICOM AH-4, Gets power from the Radio???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990321021612.28798.00000775@ng-fs1.aol.com>
Source record: 113363

Hello,

I am wondering of the ICOM AH-4 gets its power via the radio its connected to??? Like the AT-180 auto tuner?

Thanks

Jason S. Hulet
KC8FXE

4851. Re: VX-5R: EVE and ADMS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: davem@groucho.cs.ubc.ca
Message-ID: <7d29in$79h@groucho.cs.ubc.ca>
Source record: 113364

Will either of these pieces of software support reading and writing
frequency programming info from/to a plain ASCII file?

I have the older ADMS-1C and it does not appear to support this.
It's *extremely* tedious using its graphical interface to enter (say)
50 memories worth of data, when all of the data either already exists
in a database somewhere, or is sufficiently regular that it could
be generated in a spreadsheet in a few seconds.

Yes, I know that once I've entered the data once, it's easy to swap
different files in and out of the radio. The point is that I don't
want the programming to be so tedious in the first place. With ASCII
file reading capability, I could use a resonable tool to build the
frequency list and then just read it into the programming software.

Dave

4852. FS: Like New Kenwood TS440SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <7d2d9d$1mg$1@nnrp1.dejanews.com>
Source record: 113365
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Absolutely like new with AT, hand mic, and all accessories also like new. No mods. Original boxes. One of the last ones made, 20 million SN. I bought it from the original non ham owner who never got his license. $760 firm + shipping. No trades.

Bill K9KZ

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4853. Grundig Satellite2100 Repair???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: "James E. Shea" <jeshea@inreach.com>
Message-ID: <G62J2.1529$E5.4838055@news.inreach.com>
Source record: 113366

I am Jim - KB5FB in CA and my neighbor is looking to some how have his Grundig Satellit 2100 receiver repaired. He brought this receiver from Europe and used it for many years and it's now in need of some work. All he can get currently is FM and this is poor. Any assistance or leads as to how he can get it fixed would be most helpful. e-mail me at jeshea@inreach.com.

Thanks, Jim - KB5FB

4854. FS: Drake Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: rjmay@ria.net
Message-ID: <36f4beed.271289451@news.ruralnet.net>
Source record: 113367

Hello,

I have the following Drake equipment for sale.....
All prices include shipping in CONUS

1. TR4-Cw - immaculate condition both inside and out.
comes with MS-4/AC-4 in equally nice shape.
w/manual
$350.00

2. WH-7 - wattmeter. Looks new. Newer vinyl clad case
No manual but have SWR conversion card.
$100.00

3. W-4 - wattmeter. Has a few scuff marks on sides but
face is excellent. No manual
$65.00

4. TR-4 - 26,000 series. Face is 8.5 on scale of 10. Nice
blue meter filters. Top case appears to have been
repainted but looks nice. All tubes check O.K. but
has problem in 9mhz I.F.(I believe) I have no
test equipment to trouble shoot but too nice to
part out... Radio only - no power supply
$100.00

73' Rick KC0HH
Lamar, Colorado
rjmay@ria.com
(719) 336-2057

Lamar, Colorado

4855. WTB IC490E/D UHF M/M

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: jim cowburn <james.cowburn@virgin.net>
Message-ID: <7d2kelrlt2@nclient1-gui.server.virgin.net>
Source record: 113368
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,uk.radio.amateur

contact

jcowburn@nexstar.com

must be in GWO and c/w mic, power lead and manual, preferably boxed in original carton

4856. FT 900 BEEP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: burger <burger@senet.com.au>
Message-ID: <36f4de22.0@kastagir.senet.com.au>
Source record: 113369

how do I get rid of this BEEP drives me nuts ....Please Help Me ...

4857. What radio IC-2100H, FT-2500, FT-3000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: "EDR Holstebro, Karsten M.P." <webmaster@oz9hbo.mira.dk>
Message-ID: <36F4E1CC.D93C646A@oz9hbo.mira.dk>
Source record: 113370
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

Hi

I'm looking for a new two meter VHF radio and would therefor like to
hear about your experience (or comments) with any of the following
radios.

Yaesu FT-3000
Icom IC-2100H
Yaesu FT-2500

What is good or what is bad?
Have you got any problems with any of the radios?

I look forward to hear from you,

Best 73s from
Karsten oz2kmp

4858. Re: What Radio to Buy??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Rick Todd <rtodd@cyberramp.net>
Message-ID: <837D3315B4CB013F.2CDA37D7A57EAB91.19CAA9FDE0B813C3@library-proxy.airnews.net>
Source record: 113371

Im happy with my new IC-746. Works great on ssb, and is a blast on cw. Best price in the US was 1510 DELIVERED by Ham Station in In. Texas Towers couldnt come close, and I would have had to pay big $$ in taxes since Im local for them.

Rick
N8CWX

K4SQR wrote:

> >I hve narrowed my choice of Radios down to this list: Yeasu FT-920, FT-847,
> >Icom IC-756.
>
> Andrew;
>
> Because the first two Yaesu rigs restrict accept ing optional filters, the
> only choice is is the 756 !
> I played with all rigs, (including FT-100--back to drawing board Yaesu.) this
> past Sat. & Sunday at Charlotte, NC Hamfest. I asked all the reps pro & con. No
> doubt about it, the 746 & 756 will accept more than just one filter !!
>
> Plan to keep my Ten-Tec Omni VI PLUS wiht f-i-v-e optional filters, but the
> 756 would be first choice as back up.
> Check www.texastowers.com for lower prices also.
> 73-GL
> Jim

4859. Re: VX-5 software - where?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7d2qjtbgr1@nnrp1.dejanews.com>
Source record: 113372

In article <7d1rcb$hiu@sjx-ixn5.ix.netcom.com>,
"Frank Krozel" <frank@electronicinstrument.com> wrote:
> Where can I find the VX-5 software?

Search for the term, ADMS, in this messagegroup. You'll find links to Goran's Freeware from Germany, the .EVE Freeware program, and the commercial RT Systems' ADMS software package.

- Clint Bradford, ATTENTION to Details
http://www.clintbradford.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4860. Re: New ADMS Shipping (take a look at EVE)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7d2qolbhh1@nnrp1.dejanews.com>
Source record: 113373

In article <36F45382.E8D47AF5@t-online.de>,
Ingra-Beton@t-online.de (Vlaski Goran) wrote:

> PS. How did you find out that ADMS-1E is shipping ?

I called RT Systems and asked.

- Clint Bradford, ATTENTION to Details
http://www.clintbradford.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4861. WTB 70cm Multimode

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: jim cowburn <james.cowburn@virgin.net>
Message-ID: <7d2pbb$t4j$1@nclient1-gui.server.virgin.net>
Source record: 113374
Cross-posted to:
alt.ham-radio.marketplace,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur

e.g. FT790 or IC490

must be in good condition c/w all accessories and bits

contact jcowburn@nexstar.com

G7NKS - SG18 postal area

4862. Re: TS-930SAT Serial number

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-21 00:00:00 UTC
From: Mark Keith <nm5k@wt.net>
Message-ID: <36F4909D.1D85@wt.net>
Source record: 113375

AC6ZP wrote:
>
> I've notced that on various Kenwood HF rigs, people what "Million" serial
> number they have. What is the significance of this? I have a TS-930SAT with
> a 4+ Mil serial number. Are there preferred serial numbers, and do I have one?

Tells the age and the order made. As a general rule the first number
stands for the year on kenwoods. Being your's is a 930s with a 4 mil
number means it was made in 1984. MK
--
http://web.wt.net/~nm5k

4863. Re: FT-100 question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: "Thomas M. Schaefer" <toms@altahealth.net>
Message-ID: <7d60soemg1@remarQ.com>
Source record: 113126

No, the vfo's do NOT reverse track.

snip

Anybody know if the VFO's
>have reverse tracking to be able to use on satellite?
>

4864. FS or Trade:TS-430S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Monte Keller <k9dzd@iquest.net>
Message-ID: <LSpJ2.453$4h.2041@news1.iquest.net>
Source record: 113127

i have a nice Kenwood TS-430S ,its in very good condition and works well,has
mic.manual,box..also has AM filter..
price 450.00
will trade on larger radio....TS940s,IC761,FT990,
might trade on other H>F>equipment...collins etc

thanks
monte k9dzd@iquest.net

4865. FS: FT900 AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: n0xb@yahoo.com
Message-ID: <7d661h$4g0$1@nnrp1.dejanews.com>
Source record: 113128
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

FS: Yaesu FT900 AT

Clean rig, no scratches or dings
CW Filter ($135 additional bit)
Separation kit
hand mike
manual
original cartons

Standard equipment

$850 incl. CONUS shipping/insurance

Please respond direct to me: lmenzel@millcomm.com
Minneapolis, MN

Larry, N0XB

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4866. Re: FS - Icom Filters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: kk4tl@aol.com
Message-ID: <19990322133723.01094.00000041@ng-fu1.aol.com>
Source record: 113129

The SSB filter is sold.

4867. ft-100 question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Monte Keller <k9dzd@iquest.net>
Message-ID: <f1wJ2.12$2c3.144@news1.iquest.net>
Source record: 113130

```
im looking forsomeone that is currently using the Ft-100
thanks
monte k9dzd@iquest.net
```

4868. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <36F68FA9.4CB853E7@erols.com>
Source record: 113131
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

By implication, are you saying that YOUR kids don't know about firearms safety??

Andy Cowley wrote:

> Gary - KJ6Q wrote:
> >
> > Bill J, Edinburgh wrote in message
> > <7cucq2jjh2@plutonium.compulink.co.uk>...
> > >Didn't someone say "The pen is mightier than the sword"?
> > >Bill J., Edinburgh
> >
> > Well, it MIGHT sound inspiring, but you take the standard pen of your
> > choice, and give me a good sharp broadsword, and I'll take you on,
> > what do you say?
> >
> > Meanwhile, here at home, my 12 guage and various assorted others give
> > me a warm secure feeling...
> >
> > Gary - KJ6Q
>
> Until one of your kids gets to play and blows his brother's head off!
>
> Andy Cowley

4869. Yaesu HT Programming Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7d68q7$6u5$1@nnrp1.dejanews.com>
Source record: 113132

I am writing reviews of the three software programs currently available for us to program our Yaesu VX-1R, FT-50, and VX-5R HTs.

If you have ANY comments as to the installation and running of your program(s) of choice, I would like to hear from you.

Had a support problem? Love - or dislike - the included documentation? Any comments are welcome.

1. All submissions will be kept anonymous...UNLESS you specifically want your name and email included in the final product. (In the past, those who "discovered" undocumented features like to be ackowledged, for example.)

2. The owners/authors of each of the three software packages will be given a chance to review/comment/critique the final product BEFORE it is published on the Internet.

3. This is a non-commercial endeavor. I am not publishing for profit - merely posting on a hobbyist Web site. Can't pay you for any submissions - sorry! <g>

PLEASE DO *NOT* SEND YOUR IDEAS AND COMMENTS HERE. PLEASE USE PRIVATE EMAIL.

- Clint Bradford, ATTENTION to Details
http://www.clintbradford.com
1-888-329-6040 - Toll-free voicemail
clintbrad4d@earthlink.net - Email

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4870. Re: Any and All info on Kenwood TS-520

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: claude@netwoman.rz.unibw-muenchen.de
Message-ID: <36f4bd64.3625012@news.unibw-muenchen.de>
Source record: 113133

On Thu, 18 Mar 1999 23:04:04 GMT, "Buggs Bunny" <n3wxg@home.com>
wrote:

>I love
>this one also but the 520 is a lot more forgiving to high SWR and other
>problems.

There is a Pi-Filter at the output, with adjustable Load capacitor.

Claude Frantz

4871. Re: FS: Drake Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: rjmay@ria.net
Message-ID: <36f6a0a6.394629868@news.ruralnet.net>
Source record: 113134

On Sun, 21 Mar 1999 09:43:32 GMT, rjmay@ria.net (R/J MAY) wrote:

>Hello,
>
>I have the following Drake equipment for sale.....
>All prices include shipping in CONUS
>
>1. TR4-Cw - immaculate condition both inside and out.
> comes with MS-4/AC-4 in equally nice shape.
> w/manual
SOLD
>
>2. WH-7 - wattmeter. Looks new. Newer vinyl clad case
> No manual but have SWR conversion card.
> $100.00
>
>3. W-4 - wattmeter. Has a few scuff marks on sides but
> face is excellent. No manual
> $65.00
>
>4. TR-4 - 26,000 series. Face is 8.5 on scale of 10. Nice
> blue meter filters. Top case appears to have been
> repainted but looks nice. All tubes check O.K. but
> has problem in 9mhz I.F.(I believe) I have no
> test equipment to trouble shoot but too nice to
> part out... Radio only - no power supply
SOLD
>
>
>73' Rick KC0HH
>Lamar, Colorado
>rjmay@ria.com
>(719) 336-2057
>
>Lamar, Colorado

Lamar, Colorado

4872. Re: QUESTION: TS830S WITH AMERITRON AL811H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: K4SWB@worldnet.att.net
Message-ID: <MPG.11606a852fd2121a989a2e@netnews.worldnet.att.net>
Source record: 113135
Body handling: HTML body converted to readable text

In article <7d5nij$a41$1@oak.prod.itd.earthlink.net>,
sbynum@earthlink.net says...

> 2. The AL811H amp comes stock wired for 110v....does it really work ok at
> 110v {i dont have 220v but could have it if really needed}.

To answer this question, I pulled this from the Al-811H manual.

Power Connections

The AL-811H is supplied with a NEMA 5-15P plug for 120V
operation. The power required to
operate the AL-811H/HY is not high enough to warrant 240V
operation unless 120V is not
available. The fuses should be 12 ampere fuses for 120V and
must be changed to 8 amperes for
240V operation. The diagram at the right shows the proper
wiring for 120V operation.

Hope this helps.
73,
--
Charles
K4SWB
<>

4873. Want CT-17 CI-V level converter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: "Edward L. Dowdy" <eldowdy@net66.com>
Message-ID: <4mxJ2.1943$3C3.4510@news3.ispnews.com>
Source record: 113136

I'm looking for the level converter for my 756. Please e-mail price and condition.

Tnx & 73
Ed, KA9EES

4874. FORSALE - Mint Icom-735, MFJ 949E tuner, Astron RS-35A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7d688l$60k@nntpb.cb.lucent.com>
Source record: 113137
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,nj.forsale

---

FORSALE - MINT Icom 735 HF rig, MFJ 949E tuner, Astron RS-35A

I have an absolutely mint condition (still has the
protectice plastic over the slide swithces!) Icom 735 HF rig that
I'd like to sell. The rig includes the optional 500-Hz
CW filter, original hand mike with up/down controls, original
manual, and all original packing. I am a non-smoker. Also have
as-new MFJ tuner and Astron power supply:

ICOM 735/cw filter/mic $575.
MFJ 949E tuner 100.
Astron RS-35A ps 120.

Entire package for $775. + shipping.

Joe Levantino
KB2FSH
(732) 949-0664

Rig is located in Monmouth County, NJ.
$550 plus shipping.

Joe Levantino
KB2FSH
(732) 949-0664.

4875. Antenna-Mobile or HT?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Vito Villamor <vovillamor@yahoo.com>
Message-ID: <36F6A3FA.CAC889F1@yahoo.com>
Source record: 113138

Looking for an inexpensive antenna setup to use with my
tri-band(6M/2M/70cm) HT in my truck.

I'm looking at mobile antennas (mainly just dual-band).
I don't want to get a mag-mount because of security reasons.
It looks like the entry-level dual band antennas get
a gain of at least 2 & 4 dBi on 2m and 70cm. They start
at about $50. Add to this the cost of a mount and cable
and I'm up to at least $100.

I'm also looking at HT dua- band antennas. The better
antennas get about the same gain as the entry-level
mobile mount, and cost less than %50. I was looking
into a mount and cable that clips onto a window, with
the the antenna on the outside. I can get into something
like this for about $60, and can use the antenna on my
HT (if I ever wanted to).

Are there any drawbacks to using the HT antenna clipped to
one of my windows? I mean I get about the same amount of
gain that I would from the lease expensive mobile antenna,
but at a cheaper price. Are there any other considerations
that I should know?

Eventually I will get a full-fledged tri-band mobile antenna,
but for now I looking at just using the highest gain dual-band
HT antenna because of the cost. [The tri-band antenna I'm
looking at (Comet SB-15) runs $90 without mount and cable.]

Any responses will be appreciated...please e-mail me if
you need more information about my setup.

---Vito

4876. For Sale: Heath SB-200 Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: kb6luc@aol.com
Message-ID: <19990322154652.11933.00000150@ng65.aol.com>
Source record: 113139

I wish I could keep this, but I am upgrading to a full-legal-limit amp. To finance it, I am selling my SB-200 HF Amplifier, which is in very nice condition. Exterior is in 8.5 out of 10 condition [a few nicks on front edge]. Interior is clean and 9.9 out of 10. Electrically the amp is 10 out of 10.This SB-200 was one of last ones made by Heath and has a high serial #. It was purchased in 1978. 1.5 years ago the fan/motor assembly was replaced [part# fm-200] by Harbach Electronics. I just bought new tubes for this amp on 3-11-99. The tubes I bought are the best available...Svetlana 572B's purchased from RF Parts for $135 delivered for the matched pair. Original manual included. Here is the PEP OUTPUT {NOT INPUT} read with a Bird watt meter {1000 watt slug} at 110v. 75/80 meters 800+ watts, 40 meters 800+ watts, 30 meters 500+ watts, 20 meters 800+ watts, 17 meters 700+ watts, 15 meters 700+ watts, 12 meters 700+ watts, 10 meters 650+ watts.

PRICE $375 OBO. I live in the San Jose, Ca. area and prefer a local pickup or may be willing to drive 30 to 45 minutes to meet half way, but shipping is posible for an extra charge, since the amp weighs 35 pounds. 73 de Tom, KB6LUC@aol.com

4877. WTB WR90

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: radio@matnet.com
Message-ID: <922135880.518.34@news.remarQ.com>
Source record: 113140

WTB or WTT: WR90 (Western Radio) repeaters, stations, cards
VHF, UHF, or Lowband
Steve
Email or ph 907-376-6467

4878. WTB: Yaesu VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: GARR <garr@apexmail.com>
Message-ID: <#Hi1CaKd#GA.128@rpc1285.daytonoh.ncr.com>
Source record: 113141

If you got bored with yours please let me know. Must be in excellent condition.

Thanks

4879. COLLINS 30S1 info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: dhallr@aol.com
Message-ID: <19990322163319.01093.00000100@ng-fu1.aol.com>
Source record: 113142

I have the chance to pick up a winged mint 30S1 with 4 extra 4cx1000's... what should I be paying for it?? If its to steepfor my pockets and someone else is interested please email me at KA1W@QSL.NET
tnx &73
Dave KA1W

4880. WTB: Manual for MTS-2000 Flashport

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: "Marc B. Schauber" <waffull@skibuff.com>
Message-ID: <36F6B645.1090648B@skibuff.com>
Source record: 113143

I am looking to purchase the operating manual for the Motorola MTS-2000 Flashport radio. If you have one pls let me know price including shipping.
I will accept a copy, but will only pay a few dollars for it.
Would prefer original..

Thank you
Marc

4881. Re: ICOM 746/TL922A buffer relay question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: dhallr@aol.com
Message-ID: <19990322163555.01093.00000101@ng-fu1.aol.com>
Source record: 113144

Joe, ICOM is telling me its a negative voltage and they can supply the parts
for me to homebrew a buffer.... I would have thought the Ameritron relay would
have done the trick, someone told me last week that the Yaesu FRB757 will key
the TL922A ... Im still investigating this ...
thanks for the reply &73 Dave KA1W

4882. Re: For sale: Midland 13-513

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: N1JMC <indsec41@my-dejanews.com>
Message-ID: <7d6d5m$c74$1@bashir.ici.net>
Source record: 113145
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

Sounds like a radio I used to use for EMA in Rhode Island

George Lowell <n0eoq@6mt.com> wrote in message
news:7cr10p$5l2$1@news1.alltel.net...
: For sale: Midland 13-513
:
: Midland Synthesized FM transceiver 220-225mhz, 3 stage output power, (1
: watt, 10 watt, 25 watt), comes with power cord, microphone and copy of
: manual, does not have the mobile mounting bracket. On a scale of 1-10 it
is
: a 8.
:
: Asking $175.00 or best offer plus shipping.
: If interested email me at ka0nno@6mt.com
:
: Thank you Lisa
:
:

4883. FS: Yaesu VX-1R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Byron Hellewell <byron.hellewell@trw.com>
Message-ID: <7d6e0p$f3m$1@cronkite.sp.trw.com>
Source record: 113146
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi

I have for sale a VX-1R, includes the standard accessories and
the auto cig. lighter adapter, a leather case, the AA battery adapter.

The radio oerates flawlessly and is in great condition.
The leather case is a little worn but the radio is in like new condition.

The firmware version is 105.
It has been modifed for wide band receive and transmit.

$190 shipped in the US.

Thanks
Byron

4884. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Butch Magee <butchkay@netdoor.com>
Message-ID: <36F6BF5D.38E8FEB3@netdoor.com>
Source record: 113147
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

You are right to check and do as much refference checking as you can about a trading or selling contact. I can't believe that at 58 yrs of age I was as naive as a child on a 'trade amp for radio' deal. I am out a great L4B amplifier. I may purchase something here again but it will be a credit card purchase or COD to my door. Right now I am more upset with myself over this than I can possibly relate to anyone.
I am going to wait a few days, organise my thoughts, before publishing the details of my careless and over trusting missadventure. I will need to let the HF trader nets know of this also. This isn't the only place you get the shaft from blind trust.
Butch Magee KF5DE
Brandon, MS

GARY wrote:

> Do you know what it's called to send someone a money order in advance for
> "pre-payment"? It's called a gift! Just remember to research the
> buyer/seller and as mentioned disclosure is important with verifiable
> references. Another good idea is to require the shipping cost up front as
> per your arrangement with the party. If both the buyer and the seller know
> who they are dealing with and if both have been researched and checked out,
> you minimize the chances of becoming a victim. Just my $0.02 cents.
>
> Gary
>
> P.S. This message is not directed specifically at or as a response for any
> one post. It's a general statement made after reading the entire thread.
> :)
>
> Andrew Smetana wrote in message <4uuI2.115$EW.701@nnrp1.ptd.net>...
> COD is the only way I will buy. I prepaid once and never received my
> product. USPS money order tru UPS or FedEx. It is the only way both parties
> get the protection they need.
>
> Andy
> axel wrote in message <7csae1$2fj$1@news-1.news.gte.net>...
> Watch glen Hobie in newark Ohio do not ship him COD, he also goes by
> Chad on the News Groups Thanks.

4885. Re: QUESTION: TS830S WITH AMERITRON AL811H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Rich Davis <n2nmh@qsl.net>
Message-ID: <36F6C213.B8858059@qsl.net>
Source record: 113148

If you don't want Bass use a D-104 an Amplified (the Amp provides matching) Lollipop.
The best combination was a Stock D-104 through a line level (no Amp) Mic Equalizer.
You could than "tailor" the EQ to the individual users. I'm using the Amp D-104.
--
HOME PAGE http://www.qsl.net/n2nmh
E-MAIL mailto:n2nmh@qsl.net

Steve wrote:
>
> A few issues to bring up.....(answers preferred from users of both}
> 1. Does the relay in the TS 830S handle keying the Ameritron AL811H properly
> or is a outboard relay needed?
>
> 2. The AL811H amp comes stock wired for 110v....does it really work ok at
> 110v {i dont have 220v but could have it if really needed}.
>
> 3. What desk mic {with your experiences} do you recommend for the TS 830S
> for all around performance {Im considering the Shure 444d}. I want a desk
> mic that doesnt have too much bass to it but has some highs as well without
> it sounding too narrow.
> Thanks for any input
> --
>
> Steve

4886. FS!- 8 piece 4-1000A amplifier semi-kit!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Pinky & The Brain <odin@webspan.net>
Message-ID: <922141945.277.80@news.remarQ.com>
Source record: 113149
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Started out as an Amp Project that never really got off the ground!! The
following items for sale:
1. Two Eimac 4-1000A Tetrodes. FULL output, Low Hour pulls.
2. Two Eimac SK-510 Plastic Air Sockets with Chimey Guides.
3. Two Eimac SK-506 Glass Chimneys.
4. Two Eimac HR-8 Heat Dissipating Anode Connectors.
All items in Perfect condition ready for that Big Two-Holer!
$475.00 plus shipping.

4887. WTB; Yaesu SP-8

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: KC5ALC <kc5alc@mindspring.com>
Message-ID: <7d6i1ekja1@samsara0.mindspring.com>
Source record: 113150
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Want to buy a Yaesu SP-8 speaker. Must be in mint condition.

Contact kc5alc@mindspring.com

4888. 6 meter mobile radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: shm144@aol.com
Message-ID: <19990322183017.01068.00000192@ng-ce1.aol.com>
Source record: 113151

I am interested in purchasing a new 6 meter mobile Can someone tell me who
still makes a 6 meter only mobile
Thanks
also would appreciate any advice on brands etc Looking for top quality

4889. FS TS 570D $799

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: PAW <73457.650@CompuServe.COM>
Message-ID: <evNe5qLd#GA.225@nih2naad.prod2.compuserve.com>
Source record: 113152
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

Original TS 570D with boxes, manual, mike and Speech board.
$799. Pic on Site.

--
PAW TS 570 D fs $800 see below.
(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
http://ourworld.compuserve.com/homepages/w9jmn

4890. F.S. Eimac SK-606 Chimneys

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: "Alan D. Gray" <agray@voicenet.com>
Message-ID: <36F6CEA2.3753E825@voicenet.com>
Source record: 113153

For Sale: New Eimac SK-606 Chimneys for 4CX250 series tetrodes. $9.00 each plus shipping.

Alan, W3BV

4891. Re: Whats the diff between Shure 444 and 444D

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Randy Blue <junior@ma.ultranet.com>
Message-ID: <36F6DD2D.C0AD3FD2@ma.ultranet.com>
Source record: 113154

Not to mention the 444T "T" transistorized

k6hm wrote:

> Hi,
> The 444 is high impedance 50 K OHM only.
> The 444D is dual impedance, 600 OHM low impedance and 50K OHM high
> impedance. The selector switch is mounted on the bottom.
> Good luck!
> de K6hm
>
> Steve wrote:
>
> > Whats the diff between Shure 444 and 444D...just wondering.
> >
> > --
> >
> > Steve

4892. Re: finding ham stuff on Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Al Patrick <arp@inet4u.com>
Message-ID: <36F6E815.795904EA@inet4u.com>
Source record: 113155

http://www.ebay.com

You will need to "register" in order to buy or sell.

==========

H3963 wrote:
>
> hOW DO I GET ON THE EBAY ?? i WANT TOFIND SEVERAL ITEMS ! H3963

--
==========

From here down is "taglines" in case you don't care to read them!

Amerikan Leadership: Over 250,000,000 Americans are being led by
a man who doesn't know the meaning of "is", "sex", or "alone"!

Amerikan Progress: In just over 200 years we went from a
president who could not tell a lie to one who can not tell the
truth!

Amerikan Strength: The "most powerful man in the world" doesn't
have the strength to keep his zipper up!

Amerikan Justice: Burn the Branch Davidians for their
non-politically correct theology and acquit Bill Clinton of
perjury and obstruction of justice!

Amerikan Headquarters: There are only two characters difference
in whORe house and whITe house. Guess which two characters we
need to get out of the whore house to turn it back into the White
House!

4893. FS: COLLINS MOBILE PS: 516E2 $185+shipping

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Joe K7JOE <K7JOE@yahoo.com>
Message-ID: <36F6EF71.69BD09D3@yahoo.com>
Source record: 113156
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Correction...this is a 516E2, not a 516E1. S/N is MCM848

Joe K7JOE wrote:
>
> Hi,
> I have the Collins mobile power supply, model 516E1 for sale. It
> appears to be new -- never used, but I dont have any paper work.
> Has original inspection tag in-place. This is used with the KWM2
> transceiver. Use it in the car, or connect a battery/13.8V power
> supply and use it in the house! $185 + shipping.
>
> Joe

4894. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: W4ABC Jon Pearl <w4abc@gte.net>
Message-ID: <7d6s47iod1@news-2.news.gte.net>
Source record: 113157
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Andy Cowley wrote in message <36F642E4.167EB0E7@btc.uwe.ac.uk>...
>Gary - KJ6Q wrote:
>>
>> Bill J, Edinburgh wrote in message
>> <7cucq2jjh2@plutonium.compulink.co.uk>...
>> >Didn't someone say "The pen is mightier than the sword"?
>> >Bill J., Edinburgh
>>
>> Well, it MIGHT sound inspiring, but you take the standard pen of your
>> choice, and give me a good sharp broadsword, and I'll take you on,
>> what do you say?
>>
>> Meanwhile, here at home, my 12 guage and various assorted others give
>> me a warm secure feeling...
>>
>> Gary - KJ6Q
>
>Until one of your kids gets to play and blows his brother's head off!
>
>Andy Cowley

Jon Pearl Replies:

Oh! but far be it from me to operate in an unsafe manner. In this household, all the weapons are secured. My son is 15, and has shot every weapon in this house. He owns his own guns, and has shot in Scouting, JrROTC and with me.

My wife shoots an Olympic class bow, and is silent and deadly accurate.

"Gunproofing" your child is an investment in your family's security. "Childproofing" your guns, requires a lock.

Blanket statements such as yours fall on the dear ears of the "Citizen Soldier."

In this household, we still fold the "American Flag" in the shape of the "Patriot's hat!"

Jon Pearl W4ABC

_____
"The people will not understand the importance of the Second Amendment until it is too late." -- Thomas Jefferson

4895. FS: ICOM 730 HF+MIC+MOBILE BRACKET+FILTERS+SVC MANUAL $400+shipping

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Joe K7JOE <K7JOE@yahoo.com>
Message-ID: <36F6F469.7E6F2008@yahoo.com>
Source record: 113158
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi,
I have an Icom 730 HF mobile + accessories for sale. All solid state
AM/SSB/CW
at 100W PEP output (25W on AM). Covers 80/40/30/20/17/15/12/10 meter
ham bands. Digital freq readout. Dual VFO's for split freq operation.
Speech Processor. Pass band tuning. Vox. Very nice cosmetic, perfect
electrical condition. Runs from 13.8VDC at 20 Amps. Front panel meter
monitors S/RF/SWR. Includes all optional filters
(ssb and cw) for improved receiver performance.

Includes: - Icom 730 HF transceiver
- Icom HM-7 preamplified hand microphone
- Icom MB-730 mobile mounting bracket (rig used mobile only
twice)
- Icom FL-30 Narrow SSB Filter
- Icom FL-44 Narrow CW Filter (500Hz)
- Icom frequency calibrator/marker board
- Icom 730 Service Manual (never used, but bought it just in case)

I can demo this on the air - CW or SSB, your choice.
Price: $395 + some help with shipping

Thanks,
Joe K7JOE
Portland Oregon

(I also have a matching Icom AH-1 automatic random wire matcher for $80
if interested)

4896. Re: T8A bettery problem.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: David Galletly <galletly@wizvax.net>
Message-ID: <36F6FF5C.E2B7A37C@wizvax.net>
Source record: 113159
Body handling: Binary attachment payload not displayed: galletly.vcf

I have had the same problem. I plugged in the charger at 9.5V...next day pull it off and its still showing 9.5V.

David Galletly
KC2DTJ

Ryan Szekeres wrote:

> No it's not the infamous clip problem. This has to do with the battery not
> charging. It takes no charge at all when it's plugged in. We're not sure if
> it's the radio or the battery itself. Could the battery have been shorted out
> via the contacts on the back somehow and that's why it wont take a charge? We
> are absolutely clueless.
>
> Thanks for sharing your wisdom.

[One or more binary attachments are retained only in the source text.]

4897. FA: Mint Kenwood 733A Dualbander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <36F705EF.EED4252C@cfu.net>
Source record: 113160

Mint, with all original accessories plus PG5A data cable, in original packing. No mobile, a real prize. See ebay # 81623128 till 3/29.

4898. Yaesu FT10R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: RHJ <russja@stratos.net>
Message-ID: <922158311.261.44@news.remarQ.com>
Source record: 113161

Hello All,

I have a friend who recently purchased a 2 meterYaesu FT10r. It works fine but he heard that it could receive weather info. Anyone know how to open up the receive section . ?

Tnx es73,

Russ -- W8RHJ

4899. Personal Ham Radio Callsign Mugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Jaw Jabber <jawjabber@earthlink.net>
Message-ID: <7d70kd$72g$1@fir.prod.itd.earthlink.net>
Source record: 113162
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

What better way is there to start off your morning except by drinking a cup of coffee using your very own CALLSIGN MUG. See at http://home.earthlink.net/~jawjabber
All mugs are made with quality control in mind. They are dishwasher and microwave safe and if after you receive your mug you are unsatisfied just send the mug back in its original shipping container and I will refund you the cost of the mug. See at http://home.earthlink.net/~jawjabber for details.
If you what to buy your personal callsign mug all you will have to do is send a check or money order for the amount of the mug plus $4.00 for shipping. Remember to send your callsign so I can place it on the mug.(The mug you see on my web sit is just a sample mug. Your callsign will be placed on the mug you order.) Please USA orders only. See at http://home.earthlink.net/~jawjabber
To see a picture of the Callsign Mug and to get the order forms please click on the link below.

Georges Mug Shop
http://home.earthlink.net/~jawjabber

4900. Re: FS FT50 seperation kit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: "Frank D. Buckley" <buckley@netpathway.com>
Message-ID: <P1EJ2.4728$gU1.14117@axe.netdoor.com>
Source record: 113163

I hate to sound dumb, but what is this seperation kit good for? I have a
Vertex VX-10.
Frank in MS
SummitRT wrote in message <19990322213718.01095.00000417@ng-fx1.aol.com>...
>Seperation kit for FT50 or VX10 $30.
>

4901. WTB Icom IC901A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: glennh <glennh@ecom.net>
Message-ID: <7d75i8ljk1@la-mail4.digilink.net>
Source record: 113164

Looking for the control for the IC901 system.
glenn K6YTY
glenn@ecom.net

4902. FS: kenwood TS430

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: manning <silverd@datasync.com>
Message-ID: <7d76oivnt1@news.ametro.net>
Source record: 113165

For sale. Kenwood TS430 mint condition
with AM and Fm boards
$550.00 firm
Sputtering@deathsdoor.com

4903. FS: Kenwood TH79A HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Rick Riverman <rbriver@cybcon.com>
Message-ID: <922170903.075.52@news.remarQ.com>
Source record: 113166

* Kenwood TH-79A Dual Band HT
* PB-32 6v 600mAh NiCd Battery
* PB-34 9.6V 900mAh NiMh Battery (for 5W output)
* Cigarette Lighter Adapter Pack
* BT-9 Alkaline Cell Pack
* BC-17 Charger
* Soft Case
* Nylon Cord Wrist Strap
* Manual
* Original Box

$275.00 or
Trade for 2 meter Multimode

Rick Riverman
W7RBR
503-629-5135

4904. Re: Drake R4-A and Yaesu FT-101E for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: VE7SEZ <tkpoustie@NOSPAMbc.sympatico.ca>
Message-ID: <9BHJ2.49$7R2.192808@news.bctel.net>
Source record: 113167
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.swap

Au contraire! You are much safer dealing with an ebay vendor than with any private seller! The ebay vendor has his/her reputation at stake, as you have the opportunity to leave feedback on the transaction for all to see forever. The occasional newsgroup/swaplist seller has no such motivation to make you happy with your purchase. As an ebay purchaser you have the opportunity to essentially blacklist the vendor by leaving negative feedback on them.

Less than straight forward? What seller in his right mind would NOT want to get the highest return for his goods? Fair value is set by the free market. Don't think everything is high priced on ebay----there are great deals there sometimes!! My experiences there as a buyer and seller have been much better than local or newsgroup purchases have been.

However, I do agree that proper etiquette dictates that the "FA" should always be used instead of "FS" on auction link ads. Auction link ads that are not properly headered even annoy ME!

Regards,

Tim VE7SEZ

J W Schermerhorn wrote in message <36F75A72.3FB7@capital.net>...
>3/23/99
>
>I have more confidence in a seller that states his price. The auction
>sellers are essentially saying they want to get the most they can
>regardless of the fair value of the item. I suppose this is the
>capitalist way but it seems less than straight forward to me. I also
>suspect that you're more likely to get the shaft from an auction deal.
>
>CommQuart wrote:
>>
>> How can these items be listed "for sale" when the
>> pointer takes us to auction sites??
>>
>> Pete

4905. Re: ??? General Radiotelephone Company model VS-2 CB ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: w9ynl@aol.com
Message-ID: <19990321203831.25979.00000289@ng20.aol.com>
Source record: 113176

Yes; there is a "Sam's for the radio.. A mighty good one in it's day..
Capable of 30 watts +..
Rock bound; so have FUN!! 73's Don
w9ynl@aol.com

4906. IC-2100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: w9ynl@aol.com
Message-ID: <19990321204400.25979.00000293@ng20.aol.com>
Source record: 113177

Has anyone opened up the transmit on this model yet?? (Freq.) The Icom 2000H was simple.. Maybe Icom is using the same logic board in both models?? 73's & Regards: Don w9ynl@aol.com

4907. FS Kenwood TS680S HF plus 6 meters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: n1mnm@wtvl.net
Message-ID: <36f5a175.9690745@news.ctel.net>
Source record: 113178

```
For sale:
Kenwood TS-680S HF plus 6 meters
Full coverage mod done...goes 160 thru 10-11 meters and 6 meters
Minor wear case & push buttons..and memory selector skips (needs
cleaning)
100 watts AM/FM/SSB/CW
Complete with manual, power cable and Kenwood MC-60 amplified mic
(with origional instruction sheet)
Price $550 firm. Buyer pays shipping/insurance. Ship US only.
Gordon N1MNM
```

4908. FS: Radio Shack HTX-100 10M rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: rhermanNOSPAM@gsinet.net
Message-ID: <koiJ2.1024$2X3.3704@eagle.america.net>
Source record: 113179

Ten meters is coming back! I have a Radio Shack HTX-100 ten meter mobile.
25W SSB/CW and hardly ever used. I worked several DX stations from the car
with a Radio Shack 10 meter mag mount! This unit sold for $260. I'll let it
go for $120. It even comes with the service manual and original box!
Money order or bank teller check. I'll pay the shipping.

Ron, K1PDY
rherman@gsinet.net

Remove "NOSPAM" from address before replying.

4909. FS: MFJ Keyer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: rhermanNOSPAM@gsinet.net
Message-ID: <lpiJ2.1025$2X3.3704@eagle.america.net>
Source record: 113180

MJF Grandmaster II Contest Keyer (Model MFJ-486). Like new condition. $65.
Money order or bank teller check. I'll pay the shipping.

Remove "NOSPAM" from address before replying.

4910. Re: ICOM 746/TL922A buffer relay question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: "Joseph J. Duerbusch" <jduerbus@marz.com>
Message-ID: <36F5B63D.16B61506@marz.com>
Source record: 113181

Something seems wrong here. The TL922A has 2 500Z tubes in it and should be a positive voltage. The Ameritron relay should work fine.

Look at your IC-746. There should be a +12 volts on xmit somewhere on the output for the relay. I think this is what you should use.

I have a one transistor circuit for keying TL922A, SB220 and L-4B/L-7 on my webpage. Check out:
http://www.qsl.net/k0bx

Joe K0BX

DHallr wrote:

> I purchased an Ameritron 702I buffer relay to key my TL922A with the IC746 but
> come to find out it wont key the amp... TL922A is a neg voltage. Has anyone had
> any success with the 702I ??? Someone told me the Yaesu FRB757 will key the
> neg volt... from the TL922A... any help would greatly be appreciated...
> tnx & 73
> Dave

4911. TVI on Channel 5

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: jathatcher@hotmail.com
Message-ID: <7d4g3j$mj1$1@nnrp1.dejanews.com>
Source record: 113182

I live along the Southern end of the Salt Lake region, in Orem Utah about 70 miles from the TV transmitters. All channels have near perfect recepition except for Channel 5. Channel 5 suffers from TVI that on screen resembles CB or HAM interference. It is usually worse at night. Sometimes it is bad enough to blank out the picture. When it is this bad usually channels 2 and 4 are also affected to a lesser degree.

I have tried toroidal core snap-ons on the TV's power, a power line conditioner, and FM filter. Nothing. The antenna is mounted in the attic and is a Channel Master "fringe-area" sized VHF/UHF connected to 4 coax jacks in the house using R6 coax cable. It was professional installed. All my TV's including a presumed good quality Panasonic Superflat 27 inch display the Channel 5 TVI problem.

While the picture interference seems to suggest CB or HAM interference (based on the examples I have seen at the FCC web site), I have never heard an operator's voice. Also, on occasion at night, the Channel 5 interference will suddenly clear for about 10 seconds then return when a refrigerator or furnace fan powers on. But on most other occasions, the refrigerator or furnace fan has no effect.

This interference has me baffled. Could there be more than 1 problem?

What could this be?

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4912. FS - Icom Filters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: kk4tl@aol.com
Message-ID: <19990321224256.10911.00000326@ng-ft1.aol.com>
Source record: 113183

FS - Icom FL-44a SSB filter. $50.00 shipped.
FS - Icom FL-63a CW filter. $50.00 shipped.

Email if interested. KK4TL@AOL.COM

4913. Re: For sale: Midland 13-513 - $150.00 Maybe $100 tops??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: captwilco@yahoo.com
Message-ID: <7d4ikroih1@nnrp1.dejanews.com>
Source record: 113184
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

In article <7ctovvven1@nnrp1.dejanews.com>,
Don R. <k9don@my-dejanews.com> wrote:
> Mr. Lowell, and Lovely Lisa:
>
Its been a long time but I seem to remember feeling lucky I sold mine for somewhere around $150-$200 in 1979. It was an OK rig which I bought for using a nice quiet autopatch in the Chicago area. But I recall being a student at the time my main motivation was it was cheap, of course 25 years later maybe its a collectors item :-)

73's
Steve

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4914. Re: Best factory repair for used HF radios? Icom/Kenwood/Yaesu?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <371cc6bb.300857369@news.atl.bellsouth.net>
Source record: 113185

On Thu, 18 Mar 1999 05:05:06 GMT, nero_b@my-dejanews.com wrote:
>I am new to HF and my budget is lean. I'll probably have to start out with a
>used rig ($200-$400). Buying used has its risks, but is lessened if there is
>still good factory service and parts available.
>
>I'm looking at Icom, Kenwood and Yaesu radios.
>
>Any input on their willingness and ability to service and supply parts for
>older radios (80s vintage? 70's vintage?) is appreciated.

Factory service for radios over 10 years old is unusual. Often
parts are obsolete and no longer available, and the current
bench techs may not have been trained on the older equipment.
There are exceptions. Up until very recently, Drake was still
servicing radios they made in the 60s, and they aren't even
in the amateur equipment business anymore. TenTec also
makes every effort to service any radio that they ever made.
The Japanese companies don't do that, however.

Generally, if it is over 10 years old, *you* are the service
and support person for it. Now that shouldn't be a big deal,
amateurs are expected to know how to build and service
radios. The only real issue is whether you can get the parts
you may need. That's where hamfests come in. You can
generally find parts, or parts radios, for virtually any piece
of equipment ever made at one hamfest or another. So
don't be afraid of older radios. If the design is good, and
it is working when you buy it, you'll do fine. Solid state is
very reliable, usually things like switches and pots are what
may cause trouble. If you can't get the exact replacement,
you can just fit a different pot or switch. Do try to get service
manuals if you can. They can be a great help if your radio
does develop a problem.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

4915. Re: What Radio to Buy??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <371dced0.302926265@news.atl.bellsouth.net>
Source record: 113186

On Thu, 18 Mar 1999 21:03:53 GMT, andrewvictor@geocities.com wrote:
>I hve narrowed my choice of Radios down to this list: Yeasu FT-920, FT-847,
>Icom IC-756. I want a radio that can delivdr good DX Contacts on HF and
>prefroms well in contests. I mainly a SSB Operater but like CW too. Any
>suggestions on what radio I should pick???? Thanks 73, Andrew

If you're a serious contester, you don't want the FT-847. It is primarily
a VHF/UHF rig that happens to do HF (I have one, and while I like it for
what it is, it isn't a contester's radio). The IC-756 is a better radio for a
contester than the FT-920 (which isn't a *bad* radio), more expensive
though. Another alternative is the IC-746. It is similar in performance
to the IC-756, and quite a bit cheaper.

If you're looking in the IC-756 price range, you really should look at the
FT-1000MP and the TenTec Omni-VI. Both are top of the line no compromise
HF radios built with the contester in mind. The TenTec is US made too, and
TenTec service and support is legendary.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

4916. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: cyberdyne <cyberdyne@home.com>
Message-ID: <01be7423$e16f55c0$21507118@cr570550-a>
Source record: 113187
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

Hey All,

ebay will never have CC processing, it cuts into stores profits (who visa makes gobs of money off of) and ebay will never hve secure servers, and if they do get them...no one will use them. ebay is a MO'ers dream.

Later,
cyberdyne

4917. Re: New ADMS Shipping (take a look at EVE)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36F5DB02.D291A651@t-online.de>
Source record: 113188

clintbrad4d@earthlink.net schrieb:
> I mean, did I come to this public newsgroup and state that your VX-1R program
> had a flaw that made it unusable for my very stable system? No - I privately
> emailed you and asked questions. I desired to find out from you personally

And I have answered you Clint, with my sugestions what to do
conserning the RS232 com port advance settings.

And Clint, you are the ONLY person in the world with a download
problem, with your very stable system.

> That must be the difference between the two of us...I would rather keep
> negative product comments private until worked out - and post the positive
> experiences immediately. You, on the other hand, are so bent on your
> anti-RTSystems campaign that you cannot accept any positive comments about RT
> Systems.

No Clint, you are agin turning things around, I have NOTHING against
RT Systems, I only don't like your type of advertising you are
making for them.

It is obvious that something is wrong here, no matter if you
want to admit that or not, you are not objective, you don't
try to help people, you try to sell RT Systems products,
even if there is a less expensive solution.

> > What about the other part of my message, please answer me...
>
> It's already deleted...I have no desire to answer much more of your messages.

Yes Clint, thats you, thats the way you are talking to people
all the time when they are argueing with you, you answer only the
things you like, and ignore the things you don't like.

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

4918. Callsign Mugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Jaw Jabber <jawjabber@earthlink.net>
Message-ID: <7d4m8p$651$1@oak.prod.itd.earthlink.net>
Source record: 113189
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

What better way is there to start off your morning except by drinking a cup of coffee using your very own CALLSIGN MUG. See at http://home.earthlink.net/~jawjabber

All mugs are made with quality control in mind. They are dishwasher safe and if after you receive your mug you are unsatisfied just send the mug back in its original shipping container and I will refund you the cost of the mug. See at http://home.earthlink.net/~jawjabber

If you what to buy your personal callsign mug all you will have to do is send a check or money order for the amount of the mug plus $4.00 for shipping. Remember to send your callsign so I can place it on the mug.(The mug you see on my web sit is just a sample mug. Your callsign will be placed on the mug you order.) Please USA orders only. See at http://home.earthlink.net/~jawjabber

To see a picture of the Callsign Mug and to get the order forms please click on the link below. http://home.earthlink.net/~jawjabber

4919. Ham Radio Callsign Mugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Jaw Jabber <jawjabber@earthlink.net>
Message-ID: <7d4mcq$6bt$1@oak.prod.itd.earthlink.net>
Source record: 113190
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

What better way is there to start off your morning except by drinking a cup of coffee using your very own CALLSIGN MUG. See at http://home.earthlink.net/~jawjabber

All mugs are made with quality control in mind. They are dishwasher safe and if after you receive your mug you are unsatisfied just send the mug back in its original shipping container and I will refund you the cost of the mug. See at http://home.earthlink.net/~jawjabber

If you what to buy your personal callsign mug all you will have to do is send a check or money order for the amount of the mug plus $4.00 for shipping. Remember to send your callsign so I can place it on the mug.(The mug you see on my web sit is just a sample mug. Your callsign will be placed on the mug you order.) Please USA orders only. See at http://home.earthlink.net/~jawjabber

To see a picture of the Callsign Mug and to get the order forms please click on the link below. http://home.earthlink.net/~jawjabber

4920. Re: IC-706MkII vs. IC-735 for CW

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <371fdac3.305986105@news.atl.bellsouth.net>
Source record: 113191

On Sat, 20 Mar 1999 13:16:34 GMT, gagnon@gagnon.fakeu-net.com (Larry Gagnon) wrote:
>I am considering selling my IC-735 for an IC-706MkII, basically to do
>a lot of travelling and mobile CW. Any comments about the general
>performance of the IC-706, especially with respect to QSK high speed
>CW versus the IC-735 would be appreciated.

I have both, keep the IC-735. Other than its somewhat larger size,
it is a much better all around radio. No Icom radio is good at QSK,
but the IC-706 is worse than the IC-735. I like the small size of the
IC-706, I like the detachable head for mobile mounting, and I like
that it has a real RTTY function, but it is no IC-735 in overall receiver
performance. It does crunch, the noise blanker is a noise generator,
filter blowby is a problem, etc. The thermal control system on the
IC-735 is also truly superior. You won't like the fan on the IC-706.

The IC-706 does do 2m, but it is somewhat underpowered and it
is clumsy to use with repeaters. It also lacks sensitivity, and
at the same time suffers intermod problems. A double whammy.

In summary, the IC-706 is a good radio (despite the faint praise
I gave it above, there is a lot to like about it), but the IC-735 is a
great radio. I wouldn't trade great for good. Buy it as a second
radio, but don't let go of that IC-735 unless you upgrade to a radio
that is really better, like the IC-746.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

4921. Re: Looking for info about Yeasu ATAS-100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <3720e17a.307704619@news.atl.bellsouth.net>
Source record: 113192

On 21 Mar 1999 17:27:37 GMT, XXXXrlubash@poco.mv.com. (Richard Lubash) wrote:
>Does anyone know if the ATAS-100 works on the WARC bands? The ad says
>40, 20, 15, 10 but it seems if it's a screwdriver type antenna it would
>pass 30, 17, and 12 meters in the tuning process.

Yep, sure does. Yaesu says it may not tune properly there, but mine does.
A lot depends on how a mobile HF antenna is mounted. I have mine mounted
on a 40 foot mast with radial wires, IE I don't use it mobile. I have a Texas
Twister big screwdriver on the truck.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

4922. Re: Looking for info about Yeasu ATAS-100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <3721e217.307862565@news.atl.bellsouth.net>
Source record: 113193

On Sun, 21 Mar 1999 09:20:57 -0500, kr4wmNO@SPAMbigfoot.com (Web Williams) wrote:
>I got one free with my Yaesu FT-847, thinking I could use it with my
>Icom-735, which is my mobile HF rig. The instructions that come with the
>antenna state that it will work ONLY with the Yaesu FT-847. Has anyone
>successfully adapted this antenna for use with other radios? What's it's
>MO? (Method of operation) I'm thinking the radio sends DC down the coax
>to provide motor power, and at the same time senses SWR. If so, this
>antenna is useless to me. Perhaps I'll modify it and bring a separate
>motor control wire out of the housing somehow.

Just use a DC pickoff box (available from Polyphaser, or you can build
one, it isn't rocket science). That allows you to insert DC on the coax
without backfeeding it into your radio. It is just a capacitor and a choke,
capacitor in series with the coax inner, choke in series with the DC
source lead which is connected to the inner on the antenna side of
the capacitor.

It won't autotune with your IC-735, but it will work like any other manual
screwdriver antenna.

>I'm thinking "what was Yaesu thinking?". What kind of an idiot would
>mobile a new $1700 radio?

Lots of people apparently. The FT-847 is a nearly ideal radio for the
rover in VHF/UHF contests. The HF section can be used to drive
transverters too, and lets you receive time hacks from WWV. Oh,
and you could use it directly on HF I guess, though there are certainly
better HF radios on the market.

>Their ads state "designed for the FT-847, but
>there is no disclaimer that states it will not work with other radios! I
>think I smell some misleading advertising.....especially since the
>antenna is available separately for $350! It's also limited to 120 watts
>of RF, in case you're wondering.

It is marketed for the FT-847 and FT-100, both of which have the firmware
to drive it, but a screwdriver is a screwdriver, and you can use it manually
with other radios, just as you would any other screwdriver antenna.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

4923. Get your Callsign on a Mug..

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Jaw Jabber <jawjabber@earthlink.net>
Message-ID: <7d4nj1$9h5$1@ash.prod.itd.earthlink.net>
Source record: 113194
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

What better way is there to start off your morning except by drinking a cup of coffee using your very own CALLSIGN MUG.

Georges Mug Shop
http://home.earthlink.net/~jawjabber

4924. Re: TVI on Channel 5

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <36f5e8d9@news1.us.ibm.net>
Source record: 113195

You are not going to know the answer unless you get a good spectrum analyzer and look. Ten or fifteen years ago the FCC stopped enforcing the prohibition against transmitters in the 72-76 MHz band within 90 miles of channel 4 and 5 transmitters. There are now 330 watt point to point paging distribution transmitters between 75 and 76 MHz which seriously degrade channel 5 reception even in grade A contours.

Could be third harmonic of a CB signal.

It also could be co-channel interference from either another full power station in another direction, or a LPTV station. If it clicks on and off, these are not likely. If it fades in and out, then these could be the problem. Wait until summer of 2000 when the bands start to open from E and F layer propagation up to 60 or 70 MHz, and then try to look at any low channels in the daytime.
Get help and good luck.
--
Crazy George

4925. ?? son interested in radio, good first receiver??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: sound_guy <sound_guy@email.msn.com>
Message-ID: <eN2zwTDd#GA.247@upnetnews05>
Source record: 113196

Have been out of the hobby for some time, my son has been
doing A work in electronics (I did too). He has been fooling
around with my scanner but finds local cop stuff boring.
He found my old heathkit transceiver from the early 70's
made a makeshift antenna and was listing to anything
it would receive.
Would like to buy him a real receiver, afforadable, to give
him a taste of what's out there, but would not be concidered
junk by other opperators if he presues a liscence.
Rick sound_guy@msn.com

4926. WTB Icom 706 filters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36F5F157.3F8F@ix.netcom.com>
Source record: 113197
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Wanted FL-223 and FL-100 also SM-8 or SM-20 mic

4927. Can FT-100 do dual in-band receive on VHF?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: "Greg D." <gregd@jps.net>
Message-ID: <36F5FB74.F48@jps.net>
Source record: 113198

I'm thinking of replacing my dual band VHF/UHF mobile rig with something else, and noticed the new Yaesu FT-100. Looks like quite a rig, but I can't find out much about it.

The rig apparently has dual VFOs. Can they both be set to the same band? I like to leave one side of my dual bander set to a local repeater so my wife can contact me, leaving the other free to browse and chat.

Thanks,

Greg.

4928. Q-Mac HF-90 Portable HF set

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: gary.THrelfall@littlewoods.co.UK
Message-ID: <TFSQUFGO@littlewoods.co.uk>
Source record: 113199

Hi again,
Sorry to be persistant, but.....
Has anyone had any experience with this set, I believe it`s used
widely in VK land (country of origin) by backpackers, flying doctors
and also by many expeditions to inhospitable places.
Speaking to South Midlands Communications here in the UK, they
sell most of them to the Antarctic stations, Raleigh international etc..
I would like to use this while hillwalking as every kilo counts, and is
specified as only consuming 350 milliamps on receive.
Cheers, Gary - G7TOK

Littlewoods Home Shopping Group Limited

Registered Office

Sir John Moores Building
100 Old Hall Street
Liverpool
L70 1DX

Registered in England No 421258

This message is intended only for the use of the
individual to which it is addressed and may contain
information that is privileged, confidential and
exempt from disclosure. If the reader of this message
is not the intended recipient or an employee or agent
responsible for delivering the message to the intended
recipient, you are hereby notified that any dissemination
distribution or copying of this communication is strictly
prohibited. If you have received this communication in
error, please notify us immediately by replying to the
sender and deleting the original document.

4929. Re: What Radio to Buy??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: ejune@intuitive-data.com
Message-ID: <09990222002922.OUI24.ejune@intuitive-data.com>
Source record: 113200

Marv,

Thanks, I saw that too.&#65533; I hope he is careful in scraping that egg off his face, a piece of shell could do a nasty scratch on the ole eyeball!&#65533; :-) My apologies to all for passing along bad information.

--
Regards,

Eric June
KU6J

4930. Re: Any and All info on Kenwood TS-520

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Mark Keith <nm5k@wt.net>
Message-ID: <36F5EE9D.3936@wt.net>
Source record: 113201

Eric June wrote:
>
> If you can find one, I would recommend that you get a TS-820 instead of
> the 520. There is one feature in the TS-820 called "IF shift" which is
> worth whatever the extra cost might be.

I would go a step farther than that and go for the 830 if you want the extra receiver goodies. The 830 has provision for dual if filtering. Has VBT and IF shift and notch.
Also rit/xit, variable noise blanker and one of the cleanest speech processors they put out back then. It's a true rf clipper instead of audio processing. I have rebuilt a couple of 520's lately. They are a real good basic radio with excellent audio quality.
Being as I work cw quite a bit, I found an 830 to try for a while to compare against the 520 I had. I have to say, the 830 won on almost all counts I think. It's hard to beat the VBT/IF shift combo. I can dial 2400 hz down to 500 hz in ssb mode. In cw , 500-150 hz , with only a single 455 if -500hz cw filter. But last but not least, and this is the real kicker in favor of the 830, or the 530 also for that matter, the VFO 230! NO DRIFT!
It's so nice to have a tube /ss hybrid rig that is as stable as a 940 or whatever. And memories also. I can leave the rig on for weeks and doesn't move. If not for this , I probably would have sold the 830, but now, I really am liking it more and more as I use it. I sold the 520 I had as it was definatly obsolete in comparison. The 830 has a quiet, kick butt receiver for an old radio. And I thought my 520 had good audio, but almost every person I tested prefered the 830 over the 520 with the exact same mike used on both. It can hold it's own against most all new ones I compare it to. So anyway, I think the 830 was the king of the old kenwood hybrids. It was the last model also , so natural I guess. The 530 is also real good, and also will run on the vfo-230. MK
--
http://web.wt.net/~nm5k

4931. Re: Diode identity

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Thomas C Sefranek <tcs@cmcorp.com>
Message-ID: <36F615A0.9EE4A35@cmcorp.com>
Source record: 113202
Cross-posted to: sci.electronics.components,rec.radio.amateur.equipment

John Wunder wrote:

> Looking for replacement for a glass diode that has two color bands:
> ORANGE AND YELLOW FOLLOWED BY GREEN LETTERS 'NEC'
>

1N34 (Orange yellow)

>
> Any thoughts on what this is?
>
> It came out of a Tempo RBF-1 SWR/POWER meter.
>
> Thanks in advance.
>
> John - WB5NUA

--
Thomas C. Sefranek WA1RHP
ARRL Instructor, Technical Specialist, VE Contact.
http://hamradio.cmcorp.com/41_Repeater/repeater.html
http://hamradio.cmcorp.com/inventory/Inventory.html

4932. WANTED***OLD SYNTHESIZERS & KEYBOARDS, etc********

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: rolandman1@aol.com
Message-ID: <7d5gltgmh1@nnrp1.dejanews.com>
Source record: 113203
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.swap,alt.music-lover.audiophile.hardware

Hi folks :) I'm an electronic musician *seriously* looking for the following musical equipment, in any condition, even broken:

-OLD SYNTHESIZERS (from the 60's-80's)
-OLD KEYBOARDS (w/ knobs or sliders)
-OLD DRUM MACHINES
-OLD SEQUENCERs (w/ knobs for each step)
-OLD VOCODERs ("robot-voice" sound)
-MODULAR PATCHABLE SYNTHESIZERs
-RACK SYNTHS
-INTERESTING EFFECTS and anything related to the above.

-Moog, ARP, Korg, Roland, Sequential Circuits, Oberheim, Yamaha, EML, Electrocomp, EMS, Synthi, Putney (VCS3), RSF, Buchla, Serge, Polyfusion, Ionic, Paia, SMS, Wavemaker, E-mu, Steiner-Parker, Chroma, Aries, etc.

-Roland TB-303 Bassline
-Roland TR-909 Drum Machine
-Roland TR-808 Drum Machine
-Synton Syrinx Monosynth
-All broken ARP products
-ARP Avatar Guitar synth
-Recording studio effects processors
-Roland System-100m

http://members.aol.com/rolandman1/index2.html

Also looking for old literature on synths and electronic music techniques and equipment...

If you have any of the above OR SIMILAR for sale or know someone who might, please email me at rolandman1@aol.com and include phone number as well if you'd like.

Thanks in advance and apologies if this post annoys anyone.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4933. FS HF Amplifiere

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: w6sfg@aol.com
Message-ID: <19990322081241.01062.00000001@ng-cg1.aol.com>
Source record: 113204

I have two amplifiers (an Ameritron AL-811 -2 tubes- and Yaesu FL-7000 solid state)
Both of them have smoke damage from a house fire.
These amps were in perfect condition and on the air at the time of the fire (across the room about 15 feet).
My insurance company has written them off so I am selling them AS IS.
As far as I know, other than the fact that they stink of smoke and I've not attempted to clean the soot off of them, they should work if simply given a good cleaning.
I want $250 for the AL-811 and $750 for the FL 7000.

If interested, give me a call.

804-239-4740

Bruce Braun
President: Creative Teleproductions, Inc.
Web site:http://members.aol.com/w6sfg/bbraun.html

4934. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Andy Cowley <andy@btc.uwe.ac.uk>
Message-ID: <36F642E4.167EB0E7@btc.uwe.ac.uk>
Source record: 113205
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Gary - KJ6Q wrote:
>
> Bill J, Edinburgh wrote in message
> <7cucq2jjh2@plutonium.compulink.co.uk>...
> >Didn't someone say "The pen is mightier than the sword"?
> >Bill J., Edinburgh
>
> Well, it MIGHT sound inspiring, but you take the standard pen of your
> choice, and give me a good sharp broadsword, and I'll take you on,
> what do you say?
>
> Meanwhile, here at home, my 12 guage and various assorted others give
> me a warm secure feeling...
>
> Gary - KJ6Q

Until one of your kids gets to play and blows his brother's head off!

Andy Cowley

4935. Wanted: UHF 440 HT or Mobile (in canada)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: jpoulin@honk.org
Message-ID: <7d5l10klq1@nnrp1.dejanews.com>
Source record: 113206

Hello,

I am currently looking for a 440 HT or Mobile. To keep
my costs down, I would like to purchase from someone
in Canada, and preferably in Ontario, or even Ottawa.

Must have original packaging, manuals, and odd & ends
and receipt if possible.

I will only purchase from a Radio Amateur.

If you have one forsale, please email me.

73'

James Poulin
VA3JPX

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4936. Re: IC-707, FT-840?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Marv Luse <mwluse@dimensional.com>
Message-ID: <36F65352.BDC3D08C@dimensional.com>
Source record: 113207
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc

Hi BD,

I've used an FT-840 for about 5 months now and have really enjoyed it. I rate it an excellent, though not stellar, rig. If you're going to do CW, be sure to get the optional 500 Hz filter. Obviously, it's not a contester's rig, but for getting started it's hard to beat.

Spend some time or money on a decent antenna and you won't me disappointed.

73,

Marv, KC0EGB

BD wrote:

> Besides the lack of all those extra knobs-n-things, how do they compare to
> each other, and to more expensive radios, as far as simple CW/phone use
> goes? I figure it'll be a few yrs before I have any idea what all the
> extra-knobs are for on the more expensive radios, but I do want
> quality-cheapness without buying used till I have some idea what to look for
> in such.. ;)

4937. WTB: Yaesu SP-8

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: KC5ALC <kc5alc@mindspring.com>
Message-ID: <7d5mjf$6hc$1@samsara0.mindspring.com>
Source record: 113208
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Want to buy a Yaesu SP-8 speaker. Must be in mint condition.

Contact kc5alc@mindspring.com

4938. Drake 2B and 2BQ

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Mike Cowart <cowart@rsn.hp.com>
Message-ID: <7d5moe$o4k$1@news.rsn.hp.com>
Source record: 113209
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

Forsale: Drake 2B with 2BQ, both in very good condition, with W7FG manuals, $200 plus shipping.

I have jpg's if interested.

73
Mike - WA5CMI

email: cowart@rsn.hp.com MikeCowart@worldnet.att.net
phone: 972 497 3029 (w) 972 840 8667 (h)

4939. FS YAESU FT-707

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: wb4una@aol.com
Message-ID: <19990322101514.01064.00000042@ng-cc1.aol.com>
Source record: 113210

selling the 707 Yaesu ...10-80 with WARC bands..am,ssb,and cw..has cw filter installed...100 watts out on all bands..some scratches..will sell for 300.00 + half of shipping..just gone over by tech...

randy wb4una
WB4UNA
Randy Chavis
247 Goff Court
West Columbia,SC 29172
803-796-4222
Ham since 1970
Grid Square EM-93
HF-6-2-432 SSB,CW

4940. Re: Standard Amateur Radio -DIRECT!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: ^_^ <alwaystrong@hotmail.com>
Message-ID: <36F662C5.DC02A599@hotmail.com>
Source record: 113211

What's meant by RRP???, 99.00? US$, British dollars?

Luke Barnes wrote:

> HOT NEWS!Entel UK, the official UK distributor for Standard
> Communications, Japan are now offering equipment for direct
> sale.... C5900DA 3 Band mobile. 6m, 2m & 70cms. Upto 50 Watta RF
> output. Wideband RX. Detachable front head.
> 1200/9600 packet interface plus much much
> more...Just ï¿½299.00 inc. VAT. original RRP ï¿½799.00 C510E Dual
> band FM handheld transceiver. 1 WATT RF output.
> Wideband receive & AM receive.
> CTCSS/1750Hz/DTMF/MEMORIES Just ï¿½99.00 inc. VAT
> original RRP ï¿½299.00 CPB510 50 WATT booster for C510E. (50W VHF, 35W
> UHF) Inc. 2w audio amp & duplexer. Just ï¿½139.00
> original RRP ï¿½299.00 For detailed information & prices see our web
> site:-www.standard-comms.co.uk/c5900da.htm
> orwww.standard-comms.co.uk/c510e.htm ortelephone direct.. +44
> 181 236 0032fax direct.. + 44 181 236 0082

4941. QUESTION: TS830S WITH AMERITRON AL811H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Steve <sbynum@earthlink.net>
Message-ID: <7d5nij$a41$1@oak.prod.itd.earthlink.net>
Source record: 113212

A few issues to bring up.....(answers preferred from users of both}
1. Does the relay in the TS 830S handle keying the Ameritron AL811H properly or is a outboard relay needed?

2. The AL811H amp comes stock wired for 110v....does it really work ok at 110v {i dont have 220v but could have it if really needed}.

3. What desk mic {with your experiences} do you recommend for the TS 830S for all around performance {Im considering the Shure 444d}. I want a desk mic that doesnt have too much bass to it but has some highs as well without it sounding too narrow.
Thanks for any input

--

Steve

4942. Re: SYNTOR X 29-55MHZ 100 WATT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Pierre Provencher <piproven@videotron.ca>
Message-ID: <oxtJ2.1029$ay6.1530@weber.videotron.net>
Source record: 113213

Hi I have many control heads with 12 ch select and DTMF tone dialer heads
made for Syntor radio, if you interest.
i am interest to made a change with you... i have 5 VHF Syntor all dress.
Next
73 de VE2THE.

Jay (n2kpk) a crit dans le message <36F55F24.3F8EE44@mindspring.com>...
>I have three syntor x 29 thru 55 mhz mobiles 100 watt.
>Price each $200.00 shipped with cables but not controls heads, I do have
>control heads for micors that work but only 4 channel. No speakers, I
>have mics.

4943. FS:Kenwood TH-22AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Tom <tdirose@stny.lrun.com>
Message-ID: <xutJ2.1413$1R1.2318@newsr1.twcny.rr.com>
Source record: 113214

I have a Kenwood TH-22AT HT w/box manual and DC power cord (new).
18 months old : Rec. 136.000MHz.-173.999MHz. Batt. charged 7 times,
not much used. 135.00 or best offer, (shipping ?).

tdirose@stny.lrun.com Tom
call: (607) 724-8181

4944. Re: FS Like Brand New Kenwood TS440SAT - Consider Trade

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <7d5rtbqtq1@nnrp1.dejanews.com>
Source record: 113215
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Absolutely like new with AT, hand mic, and cables. No mods. Original boxes. One of the last ones made, 20 million SN. I bought it from the original non ham owner who never got his license. $760 firm + shipping. Consider taking on trade: MINT Bearcat 9000xlt, Sangean ATS909, Grundig YB400, Sony 7600G or ??? Must be mint! Tnx.

Bill K9KZ

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4945. Standard C401

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: mediaman3000@my-dejanews.com
Message-ID: <7d5tvh$sv6$1@nnrp1.dejanews.com>
Source record: 113216

Has anyone ever heard of the C401 by Standard? Its simuliar in design to a C508 HT. I just got a couple of them and would like to learn how to operate them as I have no manuals with them. They seem to be design for use in europe as the band width is 430mhz to 439.995mhz. They seem to have alot of parameter settings in the setup menu but I've only been able to figure out about 11 of them out of 24. Does anyone have an info and/or mods for this HT. (Like, can it be expanded to the 440-450 range?)

John

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4946. E-BAY. Kenwood TL-922A & Nye Viking MB-V-A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: darrellk@iland.net
Message-ID: <36f67181.2912632@news.iland.net>
Source record: 113217

Up for bids on E-BAY in Electronics-Radios. TL-922 All Rich Measures
mods plus 10M. Prime MB-V-A. Darrell W1TXX

4947. ISDN Modem and HP PalmTop

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: cwalthal@mail.delcoelect.com
Message-ID: <7d5rkk$jo4@koptsw8s.delcoelect.com>
Source record: 113218

HP620LX with computer connection cables, software and
manuals. 16 Megs of memory and standard Windows CE applications.
Street Atlas mapping software and Tripmate GSP for planning
trips.

$450.00 or Best offer may trade on Laptop or Ham radio equipment.

I have a 3Com IQ Modem (Terminal Adapter) for ISDN
for sell. 128K Baud when used with two B channels, external
serial connection. $210.00 new will sell for $150.00 or
best offer.

Carl 765-451-5589 Days
765-453-5642 Evenings

4948. E-BAY Kenwood TL-922A & Nye Viking MB-V-A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: darrellk@iland.net
Message-ID: <36f7732b.3338667@news.iland.net>
Source record: 113219

Up for bids on E-Bay. Kenwood TL-922A Amp with all Rich Measures mods
Plus 10M. Nye Viking MB-V-A tuner. Prime Darrell W1TXX

4949. Re: CAT operation - what speed ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Don Ward <Don@kay-dee.demon.co.uk>
Message-ID: <oS8XvBAJKm92EwtN@kay-dee.demon.co.uk>
Source record: 113220

In article <aLcJ2.13112$U1.2324671@news.tpnet.pl>, Sils
<sils@polbox.com> writes
>I am just setting up a connection between my PC and
>FT-847. I would need about 12m (about 35ft ?) of serial
>cable to connect those two devices. As far as I know cables longer
>than will not provide baudrate over 100000.
>And here is my question: what speed (baudrate) do I need for proper
>CAT operation ?
>
>Many thanks
>Sils
>
>
Rigs I have programmed for so far all use 4800 bauds.
Your manual should specify this.

--
Don Ward G0MDO

4950. Re: TVI on Channel 5

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Jonesy <jonz@rmi.nospam.net>
Message-ID: <7d5tcr$6d5$1@news1.rmi.net>
Source record: 113221

jathatcher@hotmail.com wrote:
: I live along the Southern end of the Salt Lake region, in Orem Utah about 70
: miles from the TV transmitters. All channels have near perfect recepition
: except for Channel 5. Channel 5 suffers from TVI that on screen resembles CB
: or HAM interference.
<--snip-->
: While the picture interference seems to suggest CB or HAM interference (based
: on the examples I have seen at the FCC web site), I have never heard an
: operator's voice.

: Also, on occasion at night, the Channel 5 interference will
: suddenly clear for about 10 seconds then return when a refrigerator
: or furnace fan powers on.
: But on most other occasions, the refrigerator or furnace fan
: has no effect.

This is NOT Amateur Radio or cb interference -- not according to
your description.
Sure the image(s) you see on the screen may look like the reference
images you cite -- but, the operation you relate belies this cause.
No Amateur Radio operator (nor, even a cb operator) transmits
continuously for hours on end! They usually run a 50-50% duty
cycle of transmitting and then receiving -- a true conversational
mode.
Notwithstanding that, the operator has to pee once in awhile, or eat,
or bathe, spend quality time with the spousal unit, or even sleep.
You may well have interference from some nearby transmitter -- but,
I doubt if it's Amateur Radio.

Test(s):

Check with neighbors: If ALL your TV's experience the problem,
then your next door neighbor should probably have the problem, too.
Check with neighbors further and further away from your house.
This will classify it as either a localized problem, or a
wide area problem.

If the Professional Install of your TV antenna employs the use of
an amplifier between the antenna and the n-way distribution block,
try taking it out of the circuit temporarily (and unplug it.)
A defective amplifier can cause this sort of problem.

If you can see the TVI on one of your sets while using rabbit
ears, proceed that-a-way.
Elsewise, use the TV as is.
With the TV on and while someone is monitoring the TVI,

flip off and then back on, one-at-a-time, each circuit
breaker at your electrical box.
(Use an extension cord to a different circuit to (re)power the
TV when you reach the circuit *it* is on.)
If killing one of the circuits clears (or, Greatly Modifies)
the problem, then you have some HouseHold Appliance that is
causing the problem.
It could be a touch-lamp, a dimmer switch, a cordless phone,
a home security thingy, a garage door opener, a baby monitor,
a kid's toy, a (remote) doorbell, a sub-assy in your PC or LAN,
und so weiter, etc.
(The reason I said "...Greatly Modifies..." is because some
equipment is backed up by rechargeable batteries -- but, when
the AC mains are killed, the unit 'sags' when running on
battery alone and frequencies can change appreciably.)

Even worse: It could be a problem HouseHold Appliance over
in your neighbor's house.

GL,
Jonesy W3DHJ
--
Marvin L. Jones jonz<AT>rmi.net
Gunnison, Colorado
284 days to go until the Year 2000 -- So what!
650 days to go until the 3rd Millennium of the C.E.

4951. (none)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: N4XCV@RFCI.NET
Message-ID: <000b01be7462$103cf540$f2d619ce@andyrupp>
Source record: 113222

?? for sale??

Brand new cobra cb mobile 19 plus:i'll sale for $75

4952. Re: FS: Drakes, Others

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: JPD <jdanter@i-america.net>
Message-ID: <36F6ADAA.1C15@i-america.net>
Source record: 113223
Cross-posted to: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

TR4 and MN4 have been sold.

4953. Re: Motorola Maxar 80

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: Bill Bailey <billbailey@accglobal.net>
Message-ID: <7d60hr$138$1@news2.tor.accglobal.net>
Source record: 113224
Cross-posted to:
alabama.birmingham.radio.amateur,pnet.rec.radio.amateur.talk,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Bill Bailey wrote in message ...
>Hello;
> I obtained a few of these and was wondering if anyone has the shop manual
>and also if they have the mod to bring them down into them into the 2 meter
>band presently they are tx/rx at 153.170 MHz
> These operate on crystals
>
>

4954. Re: Can FT-100 do dual in-band receive on VHF?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: "Thomas M. Schaefer" <toms@altahealth.net>
Message-ID: <922125906.640.35@news.remarQ.com>
Source record: 113225

No, this is basically an HF rig with some extra bands. You can use an idea of DUAL watch, but it simply acts like a priority channel and changes the active VFO to the alternate freq. for a moment. I actually leave my D7A HT in the truck to monitor a local repeater for when I am scanning on HF.

To summarize, if you are used to features of a dual-bander, you will not be happy with this radio as it is not a true dual-bander on VHF/UHF.

Tom, NY4I

PS Yes, I do have one installed and operating.

Greg D. wrote in message <36F5FB74.F48@jps.net>...
>I'm thinking of replacing my dual band VHF/UHF mobile rig with
>something else, and noticed the new Yaesu FT-100. Looks like
>quite a rig, but I can't find out much about it.
>
>The rig apparently has dual VFOs. Can they both be set to the
>same band? I like to leave one side of my dual bander set to
>a local repeater so my wife can contact me, leaving the other
>free to browse and chat.
>
>Thanks,
>
>Greg.

4955. Re: Callsigns (Re: Wish I Could Broadcast This)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: brianburke@my-dejanews.com
Message-ID: <7d41js$aq7$1@nnrp1.dejanews.com>
Source record: 113321
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment

In article <7d3r3d$5ev$1@nnrp1.dejanews.com>,
Curtis CCR <curtisccr@netscape.net> wrote:
> In article <7cula9$b1$1@nnrp1.dejanews.com>,
> brianburke@my-dejanews.com wrote:
>
> > I guess you are used to a parade of operators using the same call sign.
> > in the LMR business. Not so in amateyur radio. You, as a guest operator in
> > another hams shack, should identify with their call stroke your call.
>
> No. Read 97.119(e) Appending my call to another when I am a designated
> control operator of another ham's station is only required if my operating
> privileges exceed his.
>
> 97.119(e) "When the *OPERATOR LICENSE* class held by the control operator
> exceeds that of the *STATION LICENSEE*, an indicator consisting of the call
> sign assigned to the control operator's *STATION* must be inlcuded after the
> call sign" (My emphasis)
>
> This is only an issue if you are actually operating outside the station
> licensee's operating privileges. The format would be to use the station's
> call stroke my station call. 97.119 is full of referal to call signs as
> being assigned to stations.
>
> And yes I am used to a "parade of operators" using the same call sign in the
> LMR business. But I am also used to a "parade of operators" using the same
> amateur station call sign at club stations, special events, field day, etc.
> The only difference between amateur and LMR is that amateurs are required to
> have an operator license in addition to the station license.
>
> >
> > > And you can't get my street address with my call sign. I don't even
> > > live in the city on my license, let alone at the address. You might be
> > > able to find my birthdate in some old database, but is there a current
> > > database that has those?
> >
> > Then its time you update your license information with the FCC.
>
> Jumping to conclusions here. The address associated with my license is a
> current mailing address. It's not time for me to do anything, thank you - I
> am sure that your reminder was sincere.
>
> Regards

Thanks Lisa. Seems I need to update my nerve cell with a little Part 97.

73, Brian/N0iMD

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4956. ::: ANY ALINCO DX-77T OWNERS OUT THERE? :::

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: jw6@my-dejanews.com
Message-ID: <7d42drber1@nnrp1.dejanews.com>
Source record: 113322

Hello,

I am considering the purchase of an Alinco DX-77T HF radio. I would like to correspond with any current owners of this rig.

73,

Jacob Worthington
AA4FM

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4957. Switching P.S. Question (KWD PS-40)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: nw2m@qsl.net
Message-ID: <7d46j0$f2u$1@nnrp1.dejanews.com>
Source record: 113323
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Greetings,

I have a Kenwood PS-40 switching power supply. Every 3rd of 4th time I turn it on, it will not power on. I have traced the AC prower thru the ON/OFF switch and onto the circuit board. All is well. Switch and wiring are both good.

If it toggle the on/off switch, plug it in and out of the wall with the switch on, or let it sit for several minutes it will (finally) power on when it is in this mode. Very strange. I have also tried it with and without load on the output. Sounds like a cap is going bad in the osc area.

I can trace a linear supply, but I am not familiar with switchers.

It does not want to kick start!

73,

Al, NW2M

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4958. Re: VX-5 software - where?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: gbabin73@aol.com
Message-ID: <19990321200530.15508.00000318@ng-ca1.aol.com>
Source record: 113324

>
>Where can I find the VX-5 software?
>Frank
>

Try the following:
http://vlaski.virtualave.net/
http://www.icongrp.com/~sllewd/vx5rmain.html

73!

4959. Icom IC-751/A or IC-781 ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-22 00:00:00 UTC
From: tarentola@yahoo.com
Message-ID: <7d497s$h2l$1@nnrp1.dejanews.com>
Source record: 113325

Dears Friends:

Need Purchase one HF Rig
Hi have two offers, the IC-781
or the IC-751/A experirencies whit
the two Icom Need

Thank's in Advanced

Ram&#65533;n
tarentola@yahoo.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4960. WTB:Old C.B.Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: okieman <okieman@innocent.com>
Message-ID: <A7RJ2.1639$Nm3.22170@news20.ispnews.com>
Source record: 112976

Historian/Collector disabled on fixed income looking to buy old C.B.
equipment 23 or fewer channels.If you want to get rich take it to e-bay.
Thanks...
BTW:Extra Class licensed 34 years

4961. Re: FS FT50 seperation kit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: qin2@aol.com
Message-ID: <19990323135058.01188.00000197@ng-ch1.aol.com>
Source record: 112977

Doesn't sound like a dumb question to me! Separation kit for a tiny portable?
Wow

4962. ic706 ic-q7 programming with PC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: tross@clara.net
Message-ID: <7d8qutcub1@nnrp1.dejanews.com>
Source record: 112978

I have just got my hands on a ic706 mk11G. Super radio and has a datajack at the back which works the interface cable. I have not found any working control software on the net. Have tried your fantastic prog for the q7. From what you have found with the q7, it would be interesting to see what the full posibilites are for the 706.

It would be handy as a starter if at least the memories could be accessed in the same way as the q7

Also, the software available on the net and via your site will not work with the new 706 due to the UHF coverage.

Keep and the super work and
73s from Scotland

Tom , GM4YWI

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4963. FS: DRAKE TR7

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36F7D775.3026CFE4@postoffice.pacbell.net>
Source record: 112979
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Radio is in excellent condition with a new cabinet.Has cw filter and
noise blanker and original owners manual. $450 + shipping.
AL

4964. WTB: 10 Meter mobile rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Buddy <buddyw@home.com>
Message-ID: <N0SJ2.3213$oD5.2572@news.rdc1.va.home.com>
Source record: 112980

Looking for a good clean 10 meter mobile. Reasonably priced.
E-mail buddyw@home.com

Thanks

4965. Icom 02AT for sale or trade

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: dakota206@aol.com
Message-ID: <19990323145153.01426.00000246@ng-cg1.aol.com>
Source record: 112981

I have an Icom 02AT in excellent condition, with charger also in excellent condition. Will trade for YP-2000 SWR/ WATT meter and YD-844 DYNAMIC desk mic. If you prefer to pay cash $130.00. plus shipping. 73

bobn2evv@msn.com

4966. FS Swan 270B

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: J Peitsch <peitsch@concentric.net>
Message-ID: <7d8s33$aq3@chronicle.concentric.net>
Source record: 112982
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

FS Swan Cygnet 270B looks about a 8 out of 10, one minor scuff on face plate. Unit is working well and comes with a copy of the manual. Knobs are original with aluminum brights intact. Non original power cord. $170 plus shipping from 48732. All offers considered. Will trade for receivers, Drake or other older brands.

Thanks
Butch

>

4967. Re: For Sale: Heath SB-200 HF Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: kb6luc@aol.com
Message-ID: <19990323151608.26051.00000441@ng-fc1.aol.com>
Source record: 112983

The SB-200 has been sold.
KB6LUC..

4968. CELLULAR ACCESSORIES

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: marcel <marcelrf@Bellsouth.net>
Message-ID: <36F7F5D3.4E37@Bellsouth.net>
Source record: 112984
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,nl.radio.amateur,aus.radio.amateur.misc

Hello Getting Rid of some stuff.....cheap. Most items 1/2
Retail price.

I have the following brand new accessories.

1)Leather cases with belt clips and plastic protective covers $15.00

Audiovox CM3000, MVX-502

Nokia 5120, 6120 , 2160, 2180

Motorola Profile 300, Startac (amps)

Nextel i1000, i370, i390

Qualcom QCP 800, QCP 1900 QCP820, QCP2700

Sony CM-M13004-ATH

2)Car Lighter charger $15.00 (with IC chip)

Audiovox CM3000, MVX-502

Nokia 5120, 6120 , 2160, 2180

Motorola Profile 300, Startac (amps)

Nextel i1000, i370, i390

Qualcom QCP 800, QCP 1900 QCP820, QCP2700

Sony CM-M13004-ATH

3)Portable Hands Free (Earphone amd lapel mic) $15.00

Nokia 5120, 6120 , 2160, 2180

Motorola Profile 300, Startac (amps)

Nextel i1000, i370, i390

4)Portable Hands Free (Earphone and Boom Mic) $15.00

Nokia 5120, 6120 , 2160, 2180

Motorola Profile 300, Startac (amps)

Nextel i1000, i370, i390

5)NIMH Batteries 39.00

Nokia 5120, 6120 , 2160, 2180

Motorola Profile 300, Startac 49.00 (amps)

Nextel i1000, i370, i390

Qualcom QCP 800, QCP 1900, QCP820, QCP2700

Sony CM-M13004-ATH

6)Vibrating NIMH Batteries 49.00

Nokia 5120, 6120 , 2160, 2180

7) Antennas 15.00

Nokia 5120, 6120 , 2160, 2180

Motorola Profile 300, Startac (amps)

Nextel i1000, i370, i390

Qualcom QCP 800, QCP 1900

Sony CM-M13004-ATH

E-Mail me to make for further information

Thanks marcelrf@bellsouth.net

4969. MiL Tube Tester for sale I-177

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36F7F840.1665@ix.netcom.com>
Source record: 112985
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

I have in beautiful conditionn a I-177 Military Tube Tester. This is a wonderfully preserved unit that works very well. It comes with the original tube chart for the settings also in good condition. The paint is good and there is no rust or dings. The faceplate is like new.
If you want a very nice dynamic mutual conductance tester, this is the one. $175 JPG available on request. 73 Chris VE3NGW/W4 Florida

4970. Solicitud de Informaci&#65533;n

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Gilberto S&#65533;nchez <jg-san@iamnet.com>
Message-ID: <01be7571$182b55c0$57d500cf@default>
Source record: 112986

Estimados Colegas:

Estoy intersado en saber si es posible que alguien me ayude, puesto que necesito los planos para construir una antena direccional (Yagui) de 3 y/o 4 elementos. Si alguien los tiene y me los puede enviar via Em@il se lo agradesco.

Muchas Gracias 73 y 51.....

--
Gilberto S&#65533;nchez. 5-GS-101
Em@il: jg-san@iamnet.com
C.P. 4002-A, P.O. Box: 10448
Maracaibo, Estado Zulia, VENEZUELA.

4971. Re: FS: ICOM 730 HF+MIC+MOBILE BRACKET+FILTERS+SVC MANUAL $400+shipping

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: kb2ms@webspan.net
Message-ID: <36f802b5.37932937@news.webspan.net>
Source record: 112987
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

On Mon, 22 Mar 1999 17:54:49 -0800, Joe K7JOE <K7JOE@yahoo.com> wrote:
joe do you have a sm20 to sell.
>Hi,
>I have an Icom 730 HF mobile + accessories for sale. All solid state
>AM/SSB/CW
>at 100W PEP output (25W on AM). Covers 80/40/30/20/17/15/12/10 meter
>ham bands. Digital freq readout. Dual VFO's for split freq operation.
>Speech Processor. Pass band tuning. Vox. Very nice cosmetic, perfect
>electrical condition. Runs from 13.8VDC at 20 Amps. Front panel meter
>monitors S/RF/SWR. Includes all optional filters
>(ssb and cw) for improved receiver performance.
>
>Includes: - Icom 730 HF transceiver
> - Icom HM-7 preamplified hand microphone
> - Icom MB-730 mobile mounting bracket (rig used mobile only
>twice)
> - Icom FL-30 Narrow SSB Filter
> - Icom FL-44 Narrow CW Filter (500Hz)
> - Icom frequency calibrator/marker board
> - Icom 730 Service Manual (never used, but bought it just in case)
>
>I can demo this on the air - CW or SSB, your choice.
>Price: $395 + some help with shipping
>
>Thanks,
>Joe K7JOE
>Portland Oregon
>
>(I also have a matching Icom AH-1 automatic random wire matcher for $80
>if interested)

4972. VOX (Voice Control)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: tc.herbst@ki.comcity.de
Message-ID: <7d9447lrd1@nnrp1.dejanews.com>
Source record: 112988

Hi everyone
can somebody help my?
I'm looking for a circuit plan from a VOX.
Or is there a integrated circuit available ?
Many thanks
Matthias
DG3LAN

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4973. FT100 Sidetone level

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: "Thomas M. Schaefer" <toms@altahealth.net>
Message-ID: <922225056.127.52@news.remarQ.com>
Source record: 112989

I just spoke to Yaesu...The CW sidetone level is adjustable. If you open the radio (2 screws on each side and two on the top), next to the speaker you will see VR04. This is really VR1004 on the schematic. Tech support said that was the sidetone level. I HAVE NOT tried this yet. If you bought it locally, bring it back and get your store to do it.

I mention this only as information...Do it at your own risk. Yaesu is supposed to send me an email, and I will forward it when I get it.

Tom NY4I

4974. FT100 receiver squelch issue

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: "Thomas M. Schaefer" <toms@altahealth.net>
Message-ID: <922225586.310.102@news.remarQ.com>
Source record: 112990

If you have an FT100 and the receiver seems to stop listening while you tune the VFO, but comes back when you stop, tweak the squelch a little bit. I had this problem and Yaesu said it was a FEATURE of the radio to remember the squelch setting on a previous band, but this has the side effect of making it seems like the receiver is not working. I expressed my feelings that this was a bug, but Tech support said this was not a bug, but a feature (Didn't know that Microsoft made the FT100, did you?).

If anyone experiences this, the solution is supposed to be adjust the squelch a bit. I suspect they tried to have the radio remember the previous squelch setting so if you go from fully-squelched on 2 meters, then unsquelched on HF, then back to 2m, the radio would stay unsquelched. If that is what they tried, it did not work.

There is a menu setting to make the squelch control act as the RF Gain. I will play with this and see if it does anything to help out this dismal situation.

"But, other than that Mrs. Lincoln...How was the play"

Tom

4975. FT-100 e-mail list

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Daniel Lavoie <LavoieDNOSPAM@iSTAR.CA>
Message-ID: <7nUJ2.117$_u2.443081@NewsRead.Toronto.iSTAR.net>
Source record: 112991

Has anyone created a FT-100 e-mail list yet?

Thanks

Daniel
VE3DCL

--

<< Take out NOSPAM to reply by e-mail >>

4976. Yaesu vs. Icom

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Harry Rosenblatt <harryr2000@coastalnet.com>
Message-ID: <36F81096.1D98@coastalnet.com>
Source record: 112992

Anyone have any thoughts on the new Yaesu FT-847 vs. the Icom IC-746?
Specs seem similar, but FT-847 has 430 Mhz. Also interested in views on
mobile rigs: Yaesu FT-100 vs. Icom 706 MkII. Thanks.

4977. Re: ATAS-100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: kd4fpt@mindspring.com
Message-ID: <7d946k$tp5$1@camel21.mindspring.com>
Source record: 112993

I spoke to Yaesu Tech Support about the question on if the antenna would tune on WARC freqs. According to Yaesu the said the antenna would tune 40-70cm.
Terry KD4FPT
M Johnson <silversq@ix.netcom.com> wrote in message news:36F7D045.80D30DE5@ix.netcom.com...
> Hi Jim,
> I am curious as to how a screwdriver antenna would fail to cover the WARC
> bands if it cover the other bands from 40 through 10? Does not sound possible
> for this type of antenna. Does it uses a different tuning method than other
> screwdriver antennas? According to the specs the antenna should cover 40
> through 70 cm.
>
> 73
> Mark
> AB0HJ
>
> Jim Heath wrote:
>
> > Hi Mike,
> >
> > I understand they are having some problems with the product. It costs
> > around $400 complete and only covers 40 through 10 meters with no WARC
> > bands. For example, one of my customers told me that they would lockup in
> > freezing weather.
> >
> > 73, Jim KB6SX
>
>
>

4978. FS: Icom 735 HF rig - $490.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Jim Brown <jrbrown@ucsd.edu>
Message-ID: <36F814E5.39B1763F@ucsd.edu>
Source record: 112994

Excellent condition - original (no mods) Icom 735 - 160-10m 100watts, vox, ssb, fm, am, cw (works good on the digital modes too!) Must sell to make room for a new HF mobile rig (xyl won't let me keep this too, or I would!)

Jim - KK6FX

4979. Help - HF Amp low voltage

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Jim Brown <drjimbrown@email.com>
Message-ID: <36F81409.BF412380@ucsd.edu>
Source record: 112995

I just got an old Dentron GLA-1000 HF amp. Gave it the static "smoke test" (dummy connected an NO input) and all filaments lit (a good thing), fan worked ... but only read 500v when I switched to VOLTS. That seems low for a 1kw linear. I did NOT put a load on it ... what might be the problem? I don't know this (sweep tube) or have a manual.

73, Jim

4980. FS: DIGITAL CAMERA

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: n8ppz73@aol.comNOSPAM
Message-ID: <19990323174446.28409.00000660@ng36.aol.com>
Source record: 112996

Fuji DS-7 digital still camera. 2 meg ram card, TV out, LCD display screen, 3 focus modes, Indoor and outdoor modes. Autosnap, autoplayback. 640x480 max resolution. Holds 25 pictures at high resolution, up to 32 at lower resolution. Great camera.

To see samples of pictures taken with camera check out my web page http://www.qsl.net/n8ppz/militaryscan.htm

PRICE REDUCED
$250 +shipping and insurance from OH.

Must sell.

THIS IS A HIGH QUALITY CAMERA
SERIOUS OFFERS ONLY!!!!
Grego, N8PPZ
Watching from "THE SPOT" at Wright Patterson Air Force Base
"Official SPOT of the new millinium"

4981. [AUC] Alinco DJ160T on eBay

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Warloc@webtv.net
Message-ID: <2780-36F814D9-83@newsd-113.bryant.webtv.net>
Source record: 112997

Alinco DJ160T 2meter HT for auction on eBay. Well-used, a bit
scratched, but works great. Needs new battery. No box, book, or vinyl
case. Has wall charger and rubber-duck antenna. One owner.
Current high bid is $35.
Follow this URL for full description and to bid:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=81074435

Thanks and good luck.

Glen KB1CRN

4982. CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Vostok-Radio <vradio@vradio.geon.donetsk.ua>
Message-ID: <01be7510$61c85cc0$6606a8c0@default>
Source record: 112998
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,rec.radio.amateur.swap,rec.radio.cb

Hi, my dear friends&collegues
Thanks for reading of this
Does anybody know, how to shift
working band of simple 40ch CB-tranceiver
to band around freq.s 28 - 29 MHz
with the same band width
Thanks
UT0IY

4983. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Paul K <pjktg@itis.com>
Message-ID: <7d9f6q$rg4$1@news.itis.com>
Source record: 112999
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,rec.radio.amateur.swap,rec.radio.cb

Yes . No Problem. Just place it carefully behind a truck wheel and back up. Thats all theres to it. Easy Huh?? Try it. Im sure youll be pleased with the results.
You can repaint later after you give it a test on the 10 meter AMATEUR BAND where you need a license. If you had a license you would know how to do this simple feat.

Paul K. N9EMX

4984. Re: Diode identity

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Sarah Kanary <kanarys@zbzoom.net>
Message-ID: <7d9f4i$707$1@ffx2nh5.news.uu.net>
Source record: 113000
Cross-posted to: sci.electronics.components,rec.radio.amateur.equipment

This diode is a germanium used oddly enough, as a detector. Shades of
crystal sets !! Hope this helps!!

--
Sarah's Web Solutions
312 Sarver Road
Sarver, PA 16055-9501
724-353-9716
skanary@adgrafix.com
Member World Wide Web Chamber of Commerce
http://www.adgrafix.com/info/skanary
http://www.increaseyourprofits.com/skanary/index.html

Thomas C Sefranek <tcs@cmcorp.com> wrote in message
news:36F615A0.9EE4A35@cmcorp.com...
>
>
> John Wunder wrote:
>
> > Looking for replacement for a glass diode that has two color bands:
> > ORANGE AND YELLOW FOLLOWED BY GREEN LETTERS 'NEC'
> >
>
> 1N34 (Orange yellow)
>
> >
> > Any thoughts on what this is?
> >
> > It came out of a Tempo RBF-1 SWR/POWER meter.
> >
> > Thanks in advance.
> >
> > John - WB5NUA
>
> --
> Thomas C. Sefranek WA1RHP
> ARRL Instructor, Technical Specialist, VE Contact.
> http://hamradio.cmcorp.com/41_Repeater/repeater.html
> http://hamradio.cmcorp.com/inventory/Inventory.html
>
>

4985. Re: Ham Radio Callsign Mugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Al Watts <alnmel@mediaone.net>
Message-ID: <36F841C4.8C9EADC3@mediaone.net>
Source record: 113001
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

Even more strange is to list your shipping price on this post but not the price of the mug, true it is in the Order Form, but not on the post, would be appreciated by interested parties and maybe more productive.

CommQuart wrote:

> Strange. I found the prices plainly marked at website
> order form.
>
> Peter
>
> Mark Goad 35 wrote in message ...
> >You did not tell us what the price of your mug is. You only stated that it
> >costs $4 to ship it. Are you any relation to Monty Crisco??
> >
> >

4986. WTD Iambic Paddle

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: J Peitsch <peitsch@concentric.net>
Message-ID: <7d9fl5$muv@journal.concentric.net>
Source record: 113002
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

Subject says it all. I need a decent iambic paddle, brand not important but needs to be in good condition and reasonably priced.
What do you have?

Thanks

Butch

4987. F.S. ICOM 706 SERVICE MANUAL

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Harv Shore <af006@lafn.org>
Message-ID: <7d9g2llfg1@zook.lafn.org>
Source record: 113003

Brand new. $25 firm
reply to af006@lafn.org
K6EXO

4988. F.T. Kenwood TR-2500 and acc

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: "Charles H. Rock" <chrock@ainop.com>
Message-ID: <7d9h87$10t$1@garnet.mint.net>
Source record: 113004

Have for trade a Kenwood TR-2500 2m HT with the following assesories(sic).
Speaker mike SMC-25
Base stand/Charger ST-2
Mobile stand/Charger MS-1
Leather radio case by "Bianchi"
2 Dead by rebuildable PB-25 Batt's

Would like to trade for a good QRP rig, or what have you.
Thaks for reading this Chuck W1PN in Northeren Maine......

4989. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Paul K <pjktg@itis.com>
Message-ID: <7d9jooud1@news.itis.com>
Source record: 113005
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,rec.radio.amateur.swap,rec.radio.cb

If this was a legitimate request from a Russian Ham, I apologize for my scathing sarcasm. Lately there have been a lot of CBers and truckers moving up into the 10 meter amateur band. I thought it was one of these guys trolling. Sorry. Paul K

Paul K wrote in message <7d9f6q$rg4$1@news.itis.com>...
>Yes . No Problem. Just place it carefully behind a truck wheel and back
>up. Thats all theres to it. Easy Huh?? Try it. Im sure youll be pleased
>with the results.
> You can repaint later after you give it a test on the 10 meter
AMATEUR
>BAND where you need a license. If you had a license you would know how to
>do this simple feat.
>
> Paul K. N9EMX
>
>

4990. Re: finding ham stuff on Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Wayne Faris <wfaris@inebraska.com>
Message-ID: <36F85674.2C3437F0@inebraska.com>
Source record: 113006

An even quicker way for him to find what he wants is to simply click here:

http://listings.ebay.com/aw/listings/list/category296/index.html

Wayne Faris, KEï¿½BZ

Toploader8 wrote:

> www.ebay.com
>
> This should get you there and exposed to all the different search criteria you
> are looking for.

4991. i NEED A QUICK WIRE INFO FOR SHURE 444 TO 4 PIN TS830

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Steve <sbynum@earthlink.net>
Message-ID: <7d9jre$7is$1@oak.prod.itd.earthlink.net>
Source record: 113007

Can you give me the color code for a 4 pin plug for a Shure 444 to TS
830S...
Thanks I dont have the rig yet but want to be ready for it.

--

Steve

4992. Re: Daiwa PS300 Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: msb <msbSPAMMAPS@newpony.com>
Message-ID: <7d9l43$64v@dfw-ixnews8.ix.netcom.com>
Source record: 113008

Ron,

Typically 13vdc @ 20A is the standard for a 100W HF rig
running SSB/CW. Just get a good connection off the
p/s. That is, I wouldn't use the CigLighter connection (if
it has one).
Watch the meters on the p/s if it has any. Otherwise
I would throw a voltmeter across the dc input
to the rig and watch it during keydown for a while.

I think you will be OK too.

msb

Rpemers wrote in message <19990323201520.01730.00000215@ng-fy1.aol.com>...
>Does anyone know anything about the Daiwa PS300 power supply as far as it
being
>suitable to run an HF rig from??? It sounds ok to me in that it produces
>variable V of 9-15 VDC and 30amp current. I would appreciate input from
anyone
>familiar with this supply and use for an HF rig. Please email.
>
>Thanks
>
>Ron
>rpemers@aol.com
>WO8J

4993. Re: VOX (Voice Control)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: msb <msbSPAMMAPS@newpony.com>
Message-ID: <7d9lhl$6g3@dfw-ixnews8.ix.netcom.com>
Source record: 113009

Ramsey Kits makes one that may be a starting point for you.
Depending on your application you may need to use this
to drive a relay.

I've seen VOX circuits that use OPAmps to drive
a xistor crkt to switch control voltage of a relay

maybe a book/article on OpAmps would have something
you could homebrew.

msb
(no commercial interest in Ramsey)

tc.herbst@ki.comcity.de wrote in message
<7d9447lrd1@nnrp1.dejanews.com>...
>Hi everyone
>can somebody help my?
>I'm looking for a circuit plan from a VOX.
>Or is there a integrated circuit available ?
>Many thanks
>Matthias
>DG3LAN
>
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4994. Re: VX-5R Temperature Display

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Eric Ellington <attnspan@earthlink.net>
Message-ID: <36F86AC0.60351BC5@earthlink.net>
Source record: 113010

Cool it to minus 40?

;-)

Marty Tippin wrote:

> Anyone figured out how to change the VX-5R's temperature display to
> farenheit instead of celsius??
>
> -Marty KI0LO
> martyt@pobox.com

4995. recent selling prices web site updated

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: neil <neil@aade.com>
Message-ID: <36F86D6E.2C824EED@aade.com>
Source record: 113011

Recent selling prices from over 4700 sales of over 1400 different pieces of amateur equipment.

Please don't start a thread about 'that auction'. Use this data for whatever reason you want.

It's always nice to know if you are selling way too cheap or buying way to high.

I've included a link to another site that has a large collection of usenet and swap page asking prices as well.

http://www.aade.com/hampedia/prices2.htm

--
Neil
http://www.aade.com
mailto:neil@aade.com
Almost All Digital Electronics
1412 Elm St. SE
Auburn, WA 98092
253-351-9316

4996. Re: Laptop sell, Trade for HF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Lee <mega1@ca-connection.com>
Message-ID: <922250953.461.46@news.remarQ.com>
Source record: 113012
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

133MMX????

4997. Kenwood TM-V7A Extended RX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Jarrod Boehme <jboehme@pdq.net>
Message-ID: <Nq_J2.2194$Ee4.4223@news15.ispnews.com>
Source record: 113013
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc

Anyone know if and how to mod a V7A for extended RX. I know the G707A can be modded to RX from 118-174, 300-520, and 800-999. I was hoping that the V7A could do something similar. I know how to mod for extended TX. Thanks in advance.

4998. WTB: YAESU FC-102 Antenna Tuner & FV-102DM External VFO

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Rick Parent <rparent@sky.net>
Message-ID: <36F87232.775046F7@sky.net>
Source record: 113014
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

YAESU FC-102 Antenna Tuner & FV-102DM External VFO

If you have either item for sale, please contact me direct via e-mail.

Thanks!

Rick Parent, KA1GBJ
rparent@sky.net

4999. Re: Laptop sell, Trade for HF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: JM <jmul@iland.net>
Message-ID: <36F876BF.247F@iland.net>
Source record: 113015
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Go to www.toshiba.com, and search for 440CDX. It says "with MMX
technology" as plain as day.

5000. FS: Misc for Sale. Check It out

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: "Timothy L. Fye" <tfye@cbd.net>
Message-ID: <36f89524.0@news.oaktree.net>
Source record: 113016

Garage Sale II

1. Kenwood TK-860 25watt 32 Channel UHF Mobile $ 350
1. Motorola UHF 16 Channel UHF Portable $ 300
2. Midland VHF 16 channel Portables $ 300
1. Internal Zip drive w/ 1 zip disk $70
1. Motorola DPC 550 Flip phone w/ access. $ 30
1. 4-head Strobe Power Supply $ 50
1. Epson LQ-570 Dot matrix Printer $ 40
1. Johnson UHF 8 channel 25 watt mobile $ 50
1. Heathkit 20watt Power Suppy $ 50
1. 3com Palm Pilot Personal $ 150
1. USR 28.8/33.6 internal modem w/voice $ 25
1. 800meg conner Tape Backup Drive $ 50
1. 56k Voice/Data/Fax PCMCIA modem NEW $ 60

if interested please e-mail me at : tfye@netzero.net

all prices do not include shipping.

Tim

5001. Re: VOX (Voice Control)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Eric Ellington <attnspan@earthlink.net>
Message-ID: <36F876CE.C8812D2B@earthlink.net>
Source record: 113017

Here are a few random web sites:

http://www.rainbowkits.com/VOX-1.html
only provides toll-free # for North America
eri@indy.tds.net

http://www.qkits.com/serv/qkits/diy/pages/diytext.asp (kit: QK13)
only provides toll-free # for North America
tech@qkits.com

http://www.electronickits.com/kit/plans/surveill/surveill.htm (kit: 4007)
+1 978 422 5142

http://www.canakit.com/English/R257.asp
+1 604 985 3390

http://electronics123.com/amazon/catalogue/c3-3-1.htm (kit: CPS13)
+1 330 549-3726

tc.herbst@ki.comcity.de wrote:

> Hi everyone
> can somebody help my?
> I'm looking for a circuit plan from a VOX.
> Or is there a integrated circuit available ?
> Many thanks
> Matthias
> DG3LAN
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5002. Pin-out for Shure 527C?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <36F88AB5.1E789BA0@asu.uswest.net>
Source record: 113018
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.homebrew

I need pin-out info for a the Shure 527C dynamic hand-mic. Need to go
from present 6-wire connector to 4-wire. Any net based archives of such
info, or mayhaps someone here has it?
--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

5003. Re: 6 meter mobile radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Raymond Hutchinson <rdhutch@earthlink.net>
Message-ID: <36F88B5E.2338@earthlink.net>
Source record: 113019

Alinco makes the DRMO6TH. FM only. Have one, works great
--
Ray, KQ6WI

5004. WTB: AM BA in N. Cal.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: LBR <k6iyd@garlic.com>
Message-ID: <36F89355.263A@garlic.com>
Source record: 113020

I'm looking for a Viking II, Ranger, Valiant, Collins 32V series, or other transmitter in that class. I'll come to you in N. Cal if the deal sounds good.

e-mail me with details, asking $, etc..
Thanks,
Lynn <k6iyd@garlic.com>

5005. Need Astron RS20A Schematic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: David Ragsdale <dragsdal@calpoly.edu>
Message-ID: <36F7B79B.1A962EF7@calpoly.edu>
Source record: 113021

Hi all, I need a schematic for an Astron RS-20A power supply Anyone got one they could email or fax to me? Thanks.

Dave

--
David Ragsdale

San Luis Obispo, CA 93401

5006. ICOM IC-211 2meter Multi-Mode !!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Jon Schwartz <kb6sjt@sprintmail.com>
Message-ID: <7da572$p1h$1@holly.prod.itd.earthlink.net>
Source record: 113022

Hello,

Great condition.
2nd user
manual
hand mic
Internal AC supply
10 watt
schematic
Good base radio

$250 plus shipping

Call any time 888 912-9566 or 406 743-9407

73,
Jon
KB6SJT

5007. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: kh2d@my-dejanews.com
Message-ID: <7da6aufmh1@brokaw.wa.com>
Source record: 113023
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,rec.radio.amateur.swap,rec.radio.cb

Now wait a minute, Dean. Before you go off the deep end you have to realize a few things here. Paul probably has never heard any UT0 stations on his local VHF repeater, so you have to excuse his ignorance.

With the 400,000 Indonesian, Filipino, Chinese, and South American CB'ers we have on ten meters now, one more 5 watt signal will do permanent damage to the E layer and ten meters will never work again.

And you have to realize that Paul probably was a CB'er before he got his ham license, so it's his job as a duly licensed amateur radio operator to condem anyone associated with 11 meters in order to squelch any thoughts that maybe he used to operate there....

Finally, Dean, you have to realize that Paul doesn't realize that the CB'ers all over the ten meter band are using Kenwood, Icom, and Yaesu radios and 'export models' of good buddy stuff, so few of them are converting anything to become a pain in the neck.

Or maybe Paul is just like he is because somebody backed up over him with a truck.

And to our friend, UT0IY, yes, you can convert old 11 meter radios to ten meters, but how to do it is very dependent on the type of radio. The old one I converted required crystals be changed, some of the new ones don't. Post the model of the radio you have and maybe we can help you find out how to do it....

73, Jim KH2D
http://www.qsl.net/kh2d

mustang_maniac@centuryinter.net (Dean & Cindy Hemphill) wrote:

>In article <7d9f6q$rg4$1@news.itis.com>, you say...
>>
>>Yes . No Problem. Just place it carefully behind a truck wheel
>>and back up. Thats all theres to it. Easy Huh?? Try it. Im sure
>>youll be pleased with the results.
>> You can repaint later after you give it a test on the 10 me
>>ter AMATEUR BAND where you need a license. If you had a license
>>you would know how to do this simple feat.
>>
>> Paul K. N9EMX

>GEEZ! What a jackass response! Our Russian ham friend was looking
>for some simple information, and you flamed him! Still fighting the
>Cold War or something? He DOES have a license by the way, and if
>you'll look at his post again, you'll see that he's placed his HAM
>CALL SIGN, UT0IY, at the end of the post. If YOU were a real ham,
>you'd recognize that! I am embarassed to be a US ham, if you're the
>kind of colleague that I am to be associated with! I think you owe
>him an apology, you brainless boob!

>Dean, K5DH (a REAL radio amateur for 22 years)

5008. Re: Computer Control for 940S/AT?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Tom Repstad <kb1cga@starc.org>
Message-ID: <36F85210.131F2C59@starc.org>
Source record: 113024

Hi Tom,

The IF-232C is basically a level translater, RS-232 to TTL, W1GEE sells a cable/kit for $39.00, althought
I opted for an original kenwood to compliment my 940. You will need however to obtain an IF-10B, this is
a daughter board and eprom that go inside the 940. They are not easy to find. I did find one and am working on duplicating the board/eprom, but it's slow going right now because of work/life getting in the way of more
important stuff like radio. If you want me to add you to my "IF-10B" mailing list let me know.

--Tom
KB1CGA

tom wrote:

> I have recently acquired a Kenwood 940S/AT. There is no mention about
> computer control options in the manual, but vintage (well, 1989!) ads in QST
> featuring the TS-940S mention a "IF-232C Computer Interface Level
> Translater" and a "IF-10B Computer Interface Module."
> It appears as though the IF-232C is still available from retailers, but the
> latest "module" available seems to be a IF-10F (not sure if they are
> interchangeable.)
> Do I need both the module and the "level translater" to connect this to a
> PC?
> There is a schematic for a computer control interface on the net (using a
> MAX 232 chip), but I don't know if this does the same thing as the Kenwood
> IF-232C or the IF-10B.
> Can someone guide me in the correct direction for hooking the rig up to a
> computer?
> Thanks!
> Tom, N2LDE

5009. Re: Callsigns (Re: Wish I Could Broadcast This)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: captwilco@yahoo.com
Message-ID: <7d74eh$vk3$1@nnrp1.dejanews.com>
Source record: 113076
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment

In article <7d4fje$197$1@east42.supernews.com>,
"Bill Newkirk" <wnewkirk@iu.net> wrote:
>
> Curtis CCR wrote in message <36F1B89F.DA048FEC@netscape.net>...
> >I realize that many hams are proud of their call signs. I like mine. I
> >even have on my car's license plates...
> >
> >But why are we so hung up on "callsigns"? An amateur call sign
> >identifies the station, not the operator. I have always found this to

Ah while a call sign may identify the station an Amateur Station is very personalized, its a hobby and the call sign was earned by the work of an individual, as a hobby the individual who earned the call sign is usually the one using the "station" the majority of the time (except for say a club or repeater). Of course its not really even an individual station as we take our Callsigns mobile or portable with us and even our fixed station is usually in our personal residence. So its pretty easy to see the call sign being linked with the individual, besides there might be a dozen John Smiths or Jane Thomas's but the call sign itself is unique (and as stated above usually is linked to the single individual who holds it).

Sometimes calls have sentimental value, for example I don't really think of myself as N9KKP which I got when I failed to renew my license on time during a period of inactivity. Thanks to the Vanity program for a measly $13 I will (hopefully) receive my original Callsign which I earned through a lot of hard work when I was in High School a big accomplishment for a 14 year old kid. I think that's the other reason for personalizing our Callsigns, its like a fond memory, I have thousands of conversations as Steve some good some for work, some not so good. But all the conversations I've had with my callsign since it was a hobby and for fun have been mostly pleasant (similar to my IRC nickname, it helps make the hobby relaxing leaving some of the day to day issues of ourselves a bit behind).

Regards,
Steve
N9KKP

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5010. Re: For Sale: Heath SB-200 Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: kb6luc@aol.com
Message-ID: <19990322222512.01122.00000301@ng-ft1.aol.com>
Source record: 113077

>
>So thats why I have trouble breaking pileups on 30 meters! I thought there
>was a
>200w limit on 30m.
>
>

Well, I don't operate CW anyway, and the measured output was into a dummy load,
of course! 73

5011. Re: COLLINS MOBILE PS: 516E2 $185+shipping

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: wa9vrh <wa9vrh@ocslink.com>
Message-ID: <01be74db$9dbfb8c0$107b9ece@larry>
Source record: 113078
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

HI Joe please refresh my memory is this not the 28 vdc supply? Thanks Larry WA9VRH

Joe K7JOE <K7JOE@yahoo.com> wrote in article <36F6EF71.69BD09D3@yahoo.com>...
> Correction...this is a 516E2, not a 516E1. S/N is MCM848
>
> Joe K7JOE wrote:
> >
> > Hi,
> > I have the Collins mobile power supply, model 516E1 for sale. It
> > appears to be new -- never used, but I dont have any paper work.
> > Has original inspection tag in-place. This is used with the KWM2
> > transceiver. Use it in the car, or connect a battery/13.8V power
> > supply and use it in the house! $185 + shipping.
> >
> > Joe
>

5012. fs- AZDEN 6 mtr PCS-7500H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990322231145.10653.00000393@ng-fb1.aol.com>
Source record: 113079

Hi Fellas;
I have for SALE:
AZDEN PCS-7500H 6 meter FM mobile, Like new in the original carton.
10 and 50 watts out, encode!
Price is $200 ppd CONUS!
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

5013. FS: Kenwood TH-215A 2m H/T $100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: martyt@pobox.com
Message-ID: <36f811d7.101044547@news.supernews.net>
Source record: 113080
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

FOR SALE:

Kenwood TH-215A Handheld 2m Transceiver. Works great, looks very good. Has 10 memories, sub-audible tones, wideband RX, 5W high power and about 2 watts low power, power saver, scanning, DTMF pad.

Includes Kenwood SMC-30 speaker/mic, rubber duck antenna, 12v DC power cord and a copy of the owner's manual. No battery charger - but has a standard plug so most any 12v charger should work. Battery pack was rebuilt last summer and is in like-new working order.

$100 shipped to your door via UPS Ground. Payment by money order preferred; checks must clear bank before shipping.

E-mail if interested.

-Marty KI0LO
martyt@pobox.com

5014. Computer Control for 940S/AT?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: tom <tsokol@injersey.com>
Message-ID: <7d7598$9f3$1@nw001t.infi.net>
Source record: 113081

I have recently acquired a Kenwood 940S/AT. There is no mention about computer control options in the manual, but vintage (well, 1989!) ads in QST featuring the TS-940S mention a "IF-232C Computer Interface Level Translater" and a "IF-10B Computer Interface Module."
It appears as though the IF-232C is still available from retailers, but the latest "module" available seems to be a IF-10F (not sure if they are interchangeable.)
Do I need both the module and the "level translater" to connect this to a PC?
There is a schematic for a computer control interface on the net (using a MAX 232 chip), but I don't know if this does the same thing as the Kenwood IF-232C or the IF-10B.
Can someone guide me in the correct direction for hooking the rig up to a computer?
Thanks!
Tom, N2LDE

5015. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: captwilco@yahoo.com
Message-ID: <7d7de4$6lq$1@nnrp1.dejanews.com>
Source record: 113082
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

> amplifier. I may purchase something here again but it will be a credit card
> purchase or COD to my door. Right now I am more upset with myself over this
> than I can possibly relate to anyone.
> I am going to wait a few days, organise my thoughts, before publishing the
> details of my careless and over trusting missadventure. I will need to let
the
> HF trader nets know of this also. This isn't the only place you get the shaft
> from blind trust.
> Butch Magee KF5DE
> Brandon, MS

I've done a lot of usenet purchasing/selling over the years, alot has to depend on having the intuition on when to go/not go I usually will make at least 1 phone call to the prospective party, and ship COD. The phone call helps weed out a significant amount of the deadwood, there are those who can look good on email but you can tell when you get them on a more personal level that something is amiss. As always if a deal sounds too good to be true, it may very be a scam. If you still are concerned there are a some sites with for a small fee will do escrow payments, this also I beleive permits you to let the buyer pay by Credit Card. They basically take payment from the buyer notify the seller. The seller then ships and the escrow sites verifies that shipment of the product has been received. At that time they release payment to they seller.

Steve
N9KKP

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5016. Re: Drake R4-A and Yaesu FT-101E for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: J W Schermerhorn <skemi@capital.net>
Message-ID: <36F75A72.3FB7@capital.net>
Source record: 113083
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.swap

3/23/99

I have more confidence in a seller that states his price. The auction sellers are essentially saying they want to get the most they can regardless of the fair value of the item. I suppose this is the capitalist way but it seems less than straight forward to me. I also suspect that you're more likely to get the shaft from an auction deal.

CommQuart wrote:
>
> How can these items be listed "for sale" when the
> pointer takes us to auction sites??
>
> Pete

5017. Re: Whats the diff between Shure 444 and 444D

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: jtyburczy@aol.com
Message-ID: <19990323012846.07804.00000431@ng05.aol.com>
Source record: 113084

>The 444 is high impedance 50 K OHM only.
> The 444D is dual impedance, 600 OHM low impedance and 50K OHM high
> impedance. The selector switch is mounted on the bottom.

I bought a 444D at a swap meet, wiring butchered. Anybody have a schematic for this?

Joe W1GFH

5018. about Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: carlosw <carlosw@netvigator.com>
Message-ID: <36F7331E.5C040D5E@netvigator.com>
Source record: 113085
Cross-posted to: sci.electronics.equipment,rec.radio.amateur.equipment

Dear all,

Do you know where can buy both the testing and production equipment
of Dead Reckoning (DR)?
It is used in GPS application. If you know any information about these
equipment, pls send me the details.

Thanks!

Best regards,

Name : Carlos Wong, Technical Engineer (Wireless Division)

E-mail Address: carlosw@netvigator.com

--

5019. LOTS OF DRAKE 7 LINE TRADE FOR TS 850

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: ts950sdx@aol.com
Message-ID: <19990323030500.25176.00000535@ng115.aol.com>
Source record: 113086

LOOKING FOR A KENWOOD TS850SAT
MUST BE LATE MODEL AND CLEAN AND WORKING
I HAVE TO TRADE FOR IT A DRAKE TR-7 LINE..TR-7 HAS ALL FILTERS THE NB SER NUM
IS 9000+ LIKE NEW
WORKS 100% WITH THE PS7 POWER SUPPLY VGC....AND 2 MS 7 SPEAKERS WITH NEW
COVERS FROM DRAKE LIKE NEW ANDTHE SP75 SPEECH PROCESSOR LIKE NEW...THE WH 7 2KW
WATT METER LIKE NEW...AND THE DRAKE 7077 DESK MIC JUST LIKE NEW ..WITH ALL
MANUALS EVERYTHING WORKS 100%
WOULD REALLY LIKE A TRADE BUT WOULD SELL OUTRIGHT
THANKS JOE-------------------------------------

5020. Re: COLLINS MOBILE PS: 516E2 $185+shipping

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Joe K7JOE <K7JOE@yahoo.com>
Message-ID: <36F7505C.6D0AC7E8@yahoo.com>
Source record: 113087
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Larry, You are correct. This requires 24-28VDC, not 13.8VDC as I indicated
below. The 13.8V supply is model MP-1 or something like
that.

This PS runs the KWM2 and the 32S-x series transceiver/transmitter.

Joe K7JOE

wa9vrh wrote:
>
> HI Joe please refresh my memory is this not the 28 vdc supply? Thanks Larry
> WA9VRH
>
> Joe K7JOE <K7JOE@yahoo.com> wrote in article
> <36F6EF71.69BD09D3@yahoo.com>...
> > Correction...this is a 516E2, not a 516E1. S/N is MCM848
> >
> > Joe K7JOE wrote:
> > >
> > > Hi,
> > > I have the Collins mobile power supply, model 516E1 for sale. It
> > > appears to be new -- never used, but I dont have any paper work.
> > > Has original inspection tag in-place. This is used with the KWM2
> > > transceiver. Use it in the car, or connect a battery/13.8V power
> > > supply and use it in the house! $185 + shipping.
> > >
> > > Joe
> >

5021. Re: FS: COLLINS MOBILE PS: 516E2 $185+shipping

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Joe K7JOE <K7JOE@yahoo.com>
Message-ID: <36F750EA.5DE85673@yahoo.com>
Source record: 113088
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Second correction...this runs on 24-28VDC, not 13.8VDC. OOPS...
thanks, Joe K7JOE

Joe K7JOE wrote:
>
> Correction...this is a 516E2, not a 516E1. S/N is MCM848
>
> Joe K7JOE wrote:
> >
> > Hi,
> > I have the Collins mobile power supply, model 516E1 for sale. It
> > appears to be new -- never used, but I dont have any paper work.
> > Has original inspection tag in-place. This is used with the KWM2
> > transceiver. Use it in the car, or connect a battery/13.8V power
> > supply and use it in the house! $185 + shipping.
> >
> > Joe

5022. Dragon SY-550 mod

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Vostok-Radio <vradio@vradio.geon.donetsk.ua>
Message-ID: <01be7509$656dc240$LocalHost@default>
Source record: 113089
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.cb,sci.homebrew

```
Dear friends,
My task as follows: re-arrange above mobile transceiver
for RX/TX in the band 160 - 170 MHz
If anybody has an experiance, please inform me.
Thanks in advance. Any help will cordially appreciated
--
Sincerely:
Victor - UT0IY
vradio@vradio.geon.donetsk.ua
```

5023. WTB: old Turner +3B or CS-1 desk microphone

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Joe K7JOE <K7JOE@yahoo.com>
Message-ID: <36F752D8.61404899@yahoo.com>
Source record: 113090
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Hi,
Looking for the old Turner +3B microphone (of 1970's CB vintage)
or the Turner CS-1 custom special mic. This is for a nostalgia ham
station that I'm putting together. Does not have to be perfect,
just working and looking reasonable.

Check your top shelf -- probably been collecting dust since the
1970's, right?! Let me know condition and price.

thanks,
Joe K7JOE
Portland OR

5024. Re: Need help with FT-101b Radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: John Kiljan <jpkiljan@ix.netcom.com>
Message-ID: <36F75573.C26C4449@ix.netcom.com>
Source record: 113091

You might want to pass on this one if it is to be your first HF rig. It is a pretty good radio with a good reputation (I have one I really like), but not having the TX stage working can either be a simple fix (like replacing the driver tube) or an expensive and difficult one if the 6JS6C finals are gone (more likely). Possible power supply and alignment problems get even scarrier. The 'green band' replacement finals are nearly impossible to find and the ones without are expensive and difficult to neutralize. There is a mod available to help the neutralization problem, though. Without schematics, the job gets tougher. Some '101B's have seen mobile service and that takes a toll on them as well.

Other radios of this vintage and price range to consider (aside from a working '101B) are: FT-101Z, FT-101ZD, FT-901DM, TS-520, TS-530, TS-820 (all using less-expensive readily available 6146B's as finals), or the solid state TS-120. Consider too, a working FT-101E which is about the same as the B. Prices for a working radio should be from about $250 to $450 depending upon condition and additions (spare finals, CW & AM filters, WARC additions, DC power inverter/supply, microphones, ops manual, service manual). As always with a used sale, it is nice to be able to trust your seller and have him offer to fix problems for you for a period or just to agree to buy it back if it is not to your liking--that is worth paying a little more for.

I'd only be tempted by the '101B that you described if the price were $100 or below or if I had great repair skills and a bit of time to work on it.

Good luck,

-- John (N0BUP)

kg4bxp@my-dejanews.com wrote:

> I have the chance to aquire an old Yaesu FT-101B. I haven't got my Tech+ yet,
> but I soon will. I have a couple questions and a small problem. I have no
> idea what the radio is worth. Could someone give me an idea as to what one is
> worth. Also I am sure it is fine for CW, but how is it on AM, USB, and LSB?
> Now for the problem. It RX's fine, but doesn't TX, and there is no manual. I
> have someone to fix it if I can locate a manual. Does anyone have one that
> they'd copy and send me, or sell me, or something?
>
> ------------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5025. WTB: SGC 230 or 231 Coupler

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990323044848.13082.00000422@ng150.aol.com>
Source record: 113092

Hello,

I am looking for a nice used SGC 231 or 230 coupler for sale...

Thanks,

Jason S. Hulet/KC8FXE
314 East Bay Blvd.
Traverse City, MI 49686

5026. Anyone Using Packratt With Log Windows (YK2 Problem)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: <>
Message-ID: <7d7rrp$14c$1@pyrite.mv.net>
Source record: 113093
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.digital.misc

I have been using PC Packratt for windows v2.0a since I started with log windows with great success. I like the way it integrates with Log Windows and the way you can run digital modes and DX cluster at the same time with a PK2232. But... Just for fun I tried running Packratt on my computer with the time set for 1/1/2000 and the program came up with some (bad arguments for date). Although this did not disable the program I was wondering if anyone knows who might be supporting PC Packratt and if anyone still does, if there is any plan for Y2K fixes.

Any information would be appreciated.

73

Richard / N1VXW

Richard Lubash
N1VXW
email XXXXrlubash@poco.mv.com

ATTENTION: To stop that pesky junk mail I have
put the prefix (XXXX) at the front of my email address. To reply
remove (XXXX)

5027. WTB: SP-940

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Monte Keller <k9dzd@iquest.net>
Message-ID: <uCKJ2.23$yh3.259@news1.iquest.net>
Source record: 113094

im looking for a good SP-940 speaker
thanks
monte k9dzd@iquest.net

5028. F.S. Leader 100 MHz O'scope

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: nsnadel@ibm.net
Message-ID: <36f87977.1003232@news3.ibm.net>
Source record: 113095

Leader oscilloscope dual trace model LS8106, 100MHz , new (never used) in original double boxes with all paperwork blank. Made in Japan. Serial number 2147362. 2 probes. $1200 plus shipping. Purchased less than 6 months ago.

Norman S. Nadel, M.D. Indian Wells, Ca, 92210
K9NSN

5029. Help: Bird 4391 Power meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Roger Basford <Roger@g3vkm.demon.co.uk>
Message-ID: <c$4LcDAld392EwZ+@g3vkm.demon.co.uk>
Source record: 113096
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.digital.misc

Hi,

I have just acquired a Bird "RF Power Analyst" Model 4391, which seems to be a hi-tech version of the famous Bird "Thruline" power meter. Does anyone have an operator's manual for this device that they could either copy, scan or loan for copying? Any info, etc., gratefully received, e-mail replies preferred. (I have checked the Bird Web site and I don't think this model is in their current catalogue, although I'll be contacting them about a manual).

Thanks,

Roger Basford

(G3VKM)

5030. Re: Drake R4-A and Yaesu FT-101E for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: J W Schermerhorn <skemi@capital.net>
Message-ID: <36F7A8E0.7B98@capital.net>
Source record: 113097
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.swap

3/22/99

A few observations on e-bay:

How do we know the seller is not bidding against himself,using another name and address,to raise the price?

What reputation does any e-bay seller have to protect? If he gets caught,he just makes up another name for the next deal.

In response to the "what seller in his right mind" question,there are actually people who are not out to get more than the fair value of an item. Apparently you're not one of them.

VE7SEZ wrote:
>
> Au contraire! You are much safer dealing with an ebay vendor than with any
> private seller! The ebay vendor has his/her reputation at stake, as you have
> the opportunity to leave feedback on the transaction for all to see forever.
> The occasional newsgroup/swaplist seller has no such motivation to make you
> happy with your purchase. As an ebay purchaser you have the opportunity to
> essentially blacklist the vendor by leaving negative feedback on them.
>
> Less than straight forward? What seller in his right mind would NOT want to
> get the highest return for his goods? Fair value is set by the free market.
> Don't think everything is high priced on ebay----there are great deals there
> sometimes!! My experiences there as a buyer and seller have been much better
> than local or newsgroup purchases have been.
>
> However, I do agree that proper etiquette dictates that the "FA" should
> always be used instead of "FS" on auction link ads. Auction link ads that
> are not properly headered even annoy ME!
>
> Regards,
>
> Tim VE7SEZ
>
> J W Schermerhorn wrote in message <36F75A72.3FB7@capital.net>...
> >3/23/99
> >
> >I have more confidence in a seller that states his price. The auction
> >sellers are essentially saying they want to get the most they can
> >regardless of the fair value of the item. I suppose this is the
> >capitalist way but it seems less than straight forward to me. I also

> >suspect that you're more likely to get the shaft from an auction deal.

5031. FS: Drakes, Others

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: JPD <jdanter@i-america.net>
Message-ID: <36F7BBBE.6F09@i-america.net>
Source record: 113098
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment,

SOLD OUT!!!
Thanks Drake Fans, JPD

5032. FA: Alinco DJ-G5 Dual Band HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Mitch <w2msk@bellatlantic.net>
Message-ID: <36F791E7.135B9C0D@bellatlantic.net>
Source record: 113099

Alinco DJ-G5 Two Meter/440mhz Dual Band HT. Unit comes complete with all original accessories, manual and original box, charging stand PLUS NIMH high capacity 5 watt battery, AA Dry Cell case, and Alinco EDC-8B DC cord.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=81032720

5033. Re: KRAUTKRAMER-BRANSON 0'SCOPE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Smith-Gaspard <w4ono@citrus.infi.net>
Message-ID: <36F792EC.81D8D34D@citrus.infi.net>
Source record: 113100

Ken ....
Are you sure this is an OS and not a UT (Ultrasonic Tester)?
73 de Jim W4ONO .-.-.
==========

kg4ckx@arrl.net wrote:
>
> Can anyone tell me where to find a power cable for a
> Krautkramer-Branson oscilloscope model USL 38?
> It has a seven pin male connector on the back of the battery pack.
> Thanks.
>
> Kenny KG4CKX

5034. Re: FS****Tram D201A 40ch.base w/mic & manual****

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: wrh@cbemg.cb.lucent.com
Message-ID: <7d847r$e20@nntpb.cb.lucent.com>
Source record: 113101
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment

In article <28506-36F51A19-14@newsd-144.iap.bryant.webtv.net>,
<KF6IKC@webtv.net> wrote:
>Have a very nice Tram D201A for sale.It comes with the stock D104 mic
>(has the push to talk and grip to talk bars) and a "reproduction" manual
>from "Tram Tech".It has the HI - LOW power mod.,extra freq. mod.,and fan
>kit.Also has new walnut ends from Maycom.Looks very good and works
>great! LOUD audio!! Price is $450.00 + shipping. If you need more info
>you can email me KF6IKC@webtv.net or call me at (530)241-0843.
>
>Take care,
>Stan
>
>"Since the key to victory can often be found in that instant when the
>Warrior commits himself,it is important to be neither early nor late.The
>Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the
>Warrior
>

he's wearing down - $$

5035. Re: ?? son interested in radio, good first receiver??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Alan Glashan <alan.glashan@dundee.ncr.com>
Message-ID: <01be752e$fcc273a0$af014999@user>
Source record: 113102

A good receiver would be the Lowe HF150. Don't know how much it sells for
in the good old USofA, but in GM a good 2nd hand one would cost 200 to 250
pounds.
Excellent receiver, ditto for construction (diecast case) and easy to use.
It is also compact (off the top of my head it's about W*D*H = 200*100*75mm)
Alan

sound_guy <sound_guy@email.msn.com> wrote in article
<eN2zwTDd#GA.247@upnetnews05>...
> Have been out of the hobby for some time, my son has been
> doing A work in electronics (I did too). He has been fooling
> around with my scanner but finds local cop stuff boring.
> He found my old heathkit transceiver from the early 70's
> made a makeshift antenna and was listing to anything
> it would receive.
> Would like to buy him a real receiver, afforadable, to give
> him a taste of what's out there, but would not be concidered
> junk by other opperators if he presues a liscence.
> Rick sound_guy@msn.com
>
>
>

5036. Re: Yaesu FT10R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Shawn Upton <supton@eece.maine.edu>
Message-ID: <36F79E39.794B@eece.maine.edu>
Source record: 113103

RHJ wrote:
>
> Hello All,
>
> I have a friend who recently purchased a 2 meterYaesu FT10r. It works fine
> but he heard that it could receive weather info. Anyone know how to open up
> the receive section . ?
>
> Tnx es73,
>
> Russ -- W8RHJ

I thought the FT-10 was already wide band recieve--just type in the
weather frequency. The weather freq's are in the 162MHz range--just
scan in that immediate 1-2 megahertz of frequency.
--
****
Shawn Upton
Electrical Engineering Student
University of Maine at Orono
webpage: http://www.eece.maine.edu/~supton/
mail: supton@eece.maine.edu
KB1CKT Tech Plus
****

5037. Re: Kenwood TS-130S info needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Argus <rlong3@ix.netcom.com>
Message-ID: <7d86pu$p6e@sjx-ixn8.ix.netcom.com>
Source record: 113104

nero_b@my-dejanews.com wrote in message <7d3krm$8s$1@nnrp1.dejanews.com>...
>Hi,
>
>I need some info on the Kenwood TS-130S HF radio. I am a ham newbie,
looking
>for a first rig. My needs are an affordible, simple, and reliable radio. I
>also want the option of being able to power it from a battery and solar
panel
>when the power is down.
>
>If you can answer any or all of these questions, I would appreciate it.
>
>Questions:
>
>For battery use 100 watts is too high. Are there other low watt output
>options?

ANSWER: The TS-130 is the Low power version of the TS-130S.>

>What is the min/max power consumption on TX?

ANSWER: The Ts-130S will pull appox 11 amps peak current
>
>What is the min/max power consumtion on RX?
>
>Is this a reliable/servicable radio?

ANSWER: It's a good radio. They have been around and operating
for 20 years. They use rats-nest wiring harnesses. I don't enjoy working
on them.

>Is the TS-130s a SSB radio or does it have AM?

ANSWER: No AM.
>
>Is the receiver general coverage or limited to the transmit freqs?
>
ANSWER: Limited to ham bands. This is not a general coverage
receiver.
>
General impressions of this radio?

ANSWER: It's a good starter radio.

>Thanks to all for your help.
>
>nero

>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5038. Re: Personal Ham Radio Callsign Mugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: dan@dcopeland.com
Message-ID: <36f7a3bd.7866834@news.alltel.net>
Source record: 113105
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

I think you have done enough spaming to
the newsgroups for awhile.

5039. WTB; Yaesu SP-8 Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: KC5ALC <kc5alc@mindspring.com>
Message-ID: <7d89hhmme1@camel19.mindspring.com>
Source record: 113106
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Want to buy a Yaesu SP-8 speaker. Must be in mint condition.

Contact kc5alc@mindspring.com

5040. prices in europe, sweden?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Mohanakrishna Pakkurti <pmohan@cadence.com>
Message-ID: <vhriubsfcvi.fsf@dogmatix.Cadence.COM>
Source record: 113107

hi, I want to know what is the relative price of
radio amateur equipment in europe especially sweden
compared to the US. Also, is there a big availability
of used equipment there? thanks for any info. cheers.

Mohan

5041. Re: Help: Bird 4391 Power meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Clif Holland <avvid@onramp.net>
Message-ID: <36F7B098.12C3@onramp.net>
Source record: 113108
Cross-posted to: uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.digital.misc

Roger Basford wrote:
>
> Hi,
>
> I have just acquired a Bird "RF Power Analyst" Model 4391, which seems
> to be a hi-tech version of the famous Bird "Thruline" power meter. Does
> anyone have an operator's manual for this device that they could either
> copy, scan or loan for copying? Any info, etc., gratefully received, e-
> mail replies preferred. (I have checked the Bird Web site and I don't
> think this model is in their current catalogue, although I'll be
> contacting them about a manual).
>
>
> Thanks,
>
> Roger Basford
>
> (G3VKM)

I had the same problem and Bird sent me a manual, free...
--
Clif Holland, KA5IPF
Owner of AVVid, an Authorized Kenwood and Icom Service Center
For more info click on the following
http://rampages.onramp.net/~avvid
or call 1-800-214-5779

5042. Laptop sell, Trade for HF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: JM <jmul@iland.net>
Message-ID: <36F7B3A8.7737@iland.net>
Source record: 113109
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have a laptop that I am willing to sell or trade for an HF radio along the lines of the Kenwood TS450S, or other brand similar radio.
It is a Toshiba Satellite Pro 440CDX, Pentium 133MMX, 16mb ram,1.4gb harddrive,10X CD and 3.5 FD swappable, 33.6 modem, sound card, color display, Win95,95 Plus, and cordura carrying case. It is in real good condition and works great, I know of no problems with this unit either in appearence or function. Let me know what you have, or make me a cash offer. Thanks for reading.

5043. FA: UNBUILT HEATH , EV ,Yaesu Parts and MORE!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Jordan Arndt <jordana@nucleus.com>
Message-ID: <36F7C5A0.56C@nucleus.com>
Source record: 113110

Hi I have Many items for bid right now... including an UNBUILT HEATHKIT
HO-5404 Station Monitor Scope, EV Desk MICS NIB, EV PTT Mic Stands NIB,
A Yaesu FT-200 HF rig, 4CX250/150/350 SOcket collet and chinmey
assemblies and Much more... to see goto:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=jordana@nucleus.com&sort=3
&since=-1

thanks for your time... good luck and 73 de Jordan...

5044. Re: 6 meter mobile radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Paul Martin <pmartin@bright.net>
Message-ID: <7d8evs$p69$1@cletus.bright.net>
Source record: 113111

It is my understanding that Azden dropped their amatuer line last year.

> I love my Azden PCS 7500
>dr.d

5045. (((WANTED - COLLINS 32S3/3A, 312B4, 30L1)))

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: dhallr@aol.com
Message-ID: <19990323113720.01103.00000549@ng-ca1.aol.com>
Source record: 113112

Email me please at KA1W@QSL.NET
73
Dave

5046. RE: JPS NIR-10

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Ian McCloy <ian_mccloy@bc.symaptico.ca>
Message-ID: <KDPJ2.16$y8.222625@news.bctel.net>
Source record: 113113

I need a copy of the instructions for a JPS NIR-10 . If me can get me a copy I will pay fore the photocopying es the mailing cost.

Ian ve7ira

5047. Standard Amateur Radio-But DIRECT!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Standard UK <sales@standard-comms.co.uk>
Message-ID: <QVPJ2.786$_47.387@news2.giganews.com>
Source record: 113114

HOT NEWS!
Entel UK, the official UK distributor for Standard Communications, Japan are now offering equipment for direct sale....

C510E Dual band FM handheld transceiver. 1 WATT RF output
Wideband receive & AM receive. CTCSS/1750Hz/DTMF/MEMORIES
Just £99.00 inc. VAT original RRP £299.00

CPB510 50 WATT booster for C510E. (50W VHF, 35W UHF) Inc. 2w audio amp &
duplexer. Just £139.00 original RRP £299.00

For detailed information & prices see our web site:-

www.standard-comms.co.uk/c510e.htm
telephone direct.. +44 181 236 0032
fax direct.. + 44 181 236 0082

5048. Info?: IC-2GXAT 2mtr HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: William Dale <william.dale.jr@lmco.com>
Message-ID: <36F7D059.A0D@lmco.com>
Source record: 113115

I need some info on the IC-2GXAT 2mtr HT.

We lost the manual and can't remember how to set the PL tones and some other basic functions. A good source for a new manual would nice to know also. I know Icom has them - are any online for free?
--
For KB2ROM < mailto:ember75@hotmail.com >

"The difference between hardware and software is that the more you play with hardware, the more likely you are to break it, but the more you play with software the more likely you are to FIX it."

Bill Dale
LMMS
mailto:william.dale.jr@lmco.com
mailto:N2RHV@amsat.org

5049. Re: ATAS-100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: M Johnson <silversq@ix.netcom.com>
Message-ID: <36F7D045.80D30DE5@ix.netcom.com>
Source record: 113116

Hi Jim,
I am curious as to how a screwdriver antenna would fail to cover the WARC bands if it cover the other bands from 40 through 10? Does not sound possible for this type of antenna. Does it uses a different tuning method than other screwdriver antennas? According to the specs the antenna should cover 40 through 70 cm.

73
Mark
AB0HJ

Jim Heath wrote:

> Hi Mike,
>
> I understand they are having some problems with the product. It costs
> around $400 complete and only covers 40 through 10 meters with no WARC
> bands. For example, one of my customers told me that they would lockup in
> freezing weather.
>
> 73, Jim KB6SX

5050. TS520, need power transformer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: stereodoc1@aol.com
Message-ID: <19990323125015.01198.00000200@ng-ch1.aol.com>
Source record: 113117

Looking for a power transformer for a Kenwood TS520. Anyone have a dead TS520 with a good power transformer they want to sell? If so, contact me at:

stereodoc1@aol.com

Thanks.

Bob

5051. ANTENNAS FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: n2ion@aol.com
Message-ID: <19990323125246.00112.00000617@ng10.aol.com>
Source record: 113118

I HAVE THE FOLLOWING ANTENNAS FOR SALE.

2-KLM 2M-22C SATELLITE YAGIS
2-KLM 435-40CX SATELLITE YAGIS
1-AVANTI ASTRO BEAM(11M)NEEDS PART OF HOOP

ALL ANTENNAS ARE IN EXCELLENT CONDITION, AND ARE SHIPPABLE

SERIOUS INQUIRIES ONLY

EMAIL N2ION@AOL.COM OR CALL 516 678-1175 & LEAVE MESSAGE.

5052. Wanted: copy of users manual DAIWA DP-830 SWR meter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Geert Pirens <geert.pirens@ping.be>
Message-ID: <7d8kd9$5bd$1@news3.Belgium.EU.net>
Source record: 113119
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.radio.amateur

Hello.

Who can help me on a copy of the users manual from the DAIWA DP-830 swr meter ?

The expenses wil be payt by me !

Let me now if you can help me.

send me back a e-mail: geert.pirens@ping.be

73.

Geert - ON1DQD

5053. Yaesu FT-23 Price ?'s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Burke Jones <burke@southwind.net>
Message-ID: <7d8k8mibs1@opal.southwind.net>
Source record: 113120

I am wanting to sell my Yaesu FT-23R with a couple of nicad packs original box & manuals, very good condition. I have no idea what the going fair price would be for this unit. Could anyone help me out?

==========

Burke Jones, N0HYD
remove NOSPAM from e-mail address to use.

5054. FS: Yeasu Dual-Band FT-470

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: alf sauve <alf.sauve@mindspring.com>
Message-ID: <7d8l5pkdl2@samsara0.mindspring.com>
Source record: 113121

Dual Band HT: Yaesu FT-470. Reliable, true, real time, dual band.
With FNB-10, 1000mah battery, FNB-17 600mah battery, wall charger, manual
and box. Condition 8.5/10. Only $145!

Alf - W4ADS

5055. FS: Icom Micro HT/Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: alf sauve <alf.sauve@mindspring.com>
Message-ID: <7d8l5okdl1@samsara0.mindspring.com>
Source record: 113122
Cross-posted to: rec.radio.amateur.equipment,rec.radio.scanner

Micro dual band/scanner. ICOM IQ-7A. 9.5/10 condition. Only $155.

Alf - W4ADS

5056. Eagle Sidewinder 400

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Christopher Lauritzen <chris_l@ameritech.net>
Message-ID: <4XQJ2.118640$oA1.11475110@nntp0.chicago.il.ameritech.net>
Source record: 113123

I am looking for any info on this radio; is it a decent rig or a piece of crap. I am intending to use in on 6 meters via a transverter. Where is a good place to purchase it? Is it worth going to copper's? Is the clarifier open or does a mod need to be done?
Any info will help...
Thanks
Chris N9MQY

5057. Need converter to use HT Mike on a CB

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Adam Huber <ahuber@csulb.edu>
Message-ID: <36F7D76E.89D613CE@csulb.edu>
Source record: 113124
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

I know that most HT mikes will not work with most CBs because they use different types of microphones (I don't remember the names.) I need to use an HT mike on both my HT and my CB (using a switch to switch back and forth.) I was reading either QST or 73 years ago and saw a schematic for a converter which one could use between the HT mike and the CB. I can't find the article. Does anyone know where I can find this article or a schematic for this device.

Thanks and 73,
Adam Huber
KD6SRI - Genereal
kd6sri@yahoo.com

5058. FS:HX240 xvert

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: David Fister <dfister@siol.net>
Message-ID: <BLQJ2.113$Zv3.2695949@news.siol.net>
Source record: 113125

Hi all!
My friend Ales, S56AW have Tokyo Hy-power HX240
for sale (2m input, HF out).
Price:160$ + shipping

73, David

5059. Re: FT-100 IS HERE !!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990322201544.01113.00000262@ng-ft1.aol.com>
Source record: 113168

Please write up a more detailed review if you have the time. This is YOUR TIME to be the big shot on the block with the first Color TV. Why not make the best of it.
Tim

5060. Re: HAM IV ROTOR for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Clay Richardson <n5vgs@worldnet.att.net>
Message-ID: <36F6EDDD.8A38A6DC@worldnet.att.net>
Source record: 113169
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

chris i need the rotor if ya havent sold it. email me at carnap@texramp.net
esp. will not get off work until 1am tonite. will check my email then. im at
a friends house right now. best73,de wb5nri leon carpenter.

Chris wrote:

> I have a late model rotor completely rebuilt with zero hours on it. New
> style control box. Both rotor and control box has plugs for the cable.
> I also have 100" of control cable with the plugs installed. Just plug
> and play. $350 73 Chris VE3NGW/W4 Florida

5061. any one own a ic737A or 737

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: cn4459@bingo.coastalnet.COM
Message-ID: <36F6F49E.84C17D0F@abaco.coastalnet.com>
Source record: 113170

need help with 737A or icom 737

5062. Re: 6 meter mobile radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: dr.dongle@juno.com
Message-ID: <7d6vg4$rg7$1@nnrp1.dejanews.com>
Source record: 113171

In article <19990322183017.01068.00000192@ng-ce1.aol.com>,
shm144@aol.com (Shm144) wrote:
> I am interested in purchasing a new 6 meter mobile Can someone tell me who
> still makes a 6 meter only mobile
> Thanks
> also would appreciate any advice on brands etc Looking for top quality
>
I love my Azden PCS 7500
dr.d
Kiss Technologys
The more complicated the plumbing
the easer it is to stop up the pipes M. Scott

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5063. Universal Programmer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36F6F8AB.C8C8175F@t-online.de>
Source record: 113172

Hi,

I have just released a nice little Software for:
(download from my page)

Read/write/edit any SmartCard like
- async.T=0 (GSM SmartCards)
- sync. Telecards (Phonecards)
- sync. I2C (Towitoko Cards, 2Kbit-64Kbit, ...)
- sync. 2-wire (German Social insurance, ...)
- sync. 3-wire (German Social insurance, Towitoko Card with Pin, ...)
- sync. microwire

Read/write ANY Serial EEPROM
- I2C (24C00,24C01,24C02,24C04,24C08,24C16,24C32,24C64,24C128,...)
- Microwire (93C46,93C56,93C66,93C76,93C86, ... 8 and 16 bit org.)
- SPI (X25C02,X25020,X25040,X25057,X25138,X25170,X25330,X25650,...)

It is developed with and for the makinterface,
but some parts of it might work with some
other interfaces like the DumbMouse, SerProg,
Phoenix, ...

What this has to do with Radio Amateur :)))))

These nice little EEproms are in almost every
device today. In your GSM phone (containing
the byte for activating the engeneering menu),
in your DVD player (containing the country
code), ... and of course in EVERY Radio Scanner
and Radio Transciever.

I have read (and written to) without problems
the EEproms on my TM-V7 and IC-Q7.

And I am VERY disapointed in ICOM.

The EEprom is used only 25%, the rest is EMPTY.

I don't understand the world any more, instead of
pushing the technologie to the edge, ICOM is cutting
the Frequency range, the number of memorys, ...
and the Hardware is all there.

What a shame, in the intention to sell the IC-R2
they have crippled the IC-Q7.

Well now I am playing a little with the CPU, the
M38267M8L-209GP, I have found the assembly language
manual, ... and with a little luck we will be able
to write our own firmware soon.

And I bet my Firmware will be better then ICOM's, :)
it will have 800 memorys, 80 scan edges and will
cover 0.5-1.6GHz :), and I will help ICOM a little
bit, I will make the IC-Q7 the best mini HT :)))))

Please don't ask my about the possibilitys the
EEprom reprogramming will offer for the IC-Q7,
I have to explore a little bit (In my free time)

The Software was tested with every SmartCard and
EEprom I could find, play a little with the
Software and report any bugs, sugestion, ...

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

5064. FS FT50 seperation kit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: summitrt@aol.com
Message-ID: <19990322213718.01095.00000417@ng-fx1.aol.com>
Source record: 113173

Seperation kit for FT50 or VX10 $30.

5065. FS: ICOM AT-180 Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990322213823.00968.00000287@ng-fd1.aol.com>
Source record: 113174

Hello,

I have an ICOM AT-180 tuner for sale. I purchased it to utilize my ICOM 706MKII while operating in doors with a dipole antenna. With in the last 18 months I am now the proud father of two daughters. Hamming in the house just does'nt happen all that often these days. My 706MKII now has a pretty permanent place in my pickup truck and I use it mobile during my commutes to and from work.

Will sell for $340.00 and I will ship UPS COD...

I have the tuner in its original box with connection cable ready to ship...

Thanks and 73

Jason S. Hulet/KC8FXE
314 East Bay Blvd.
Traverse City, MI 49686
Home:616-947-5049 after 5pm eastern
Work:616-256-9829 (prefered - 11pm to 7am eastern, I work midnights for local Sheriff's Department)

5066. Re: For Sale: Heath SB-200 Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-23 00:00:00 UTC
From: ss <ssluz@worldnet.att.net>
Message-ID: <36F70119.CF9EF5F@worldnet.att.net>
Source record: 113175

So thats why I have trouble breaking pileups on 30 meters! I thought there was a 200w limit on 30m.

KB6LUC wrote:

> I wish I could keep this, but I am upgrading to a full-legal-limit amp. To
> finance it, I am selling my SB-200 HF Amplifier, which is in very nice
> condition. Exterior is in 8.5 out of 10 condition [a few nicks on front edge].
> Interior is clean and 9.9 out of 10. Electrically the amp is 10 out of 10.This
> SB-200 was one of last ones made by Heath and has a high serial #. It was
> purchased in 1978. 1.5 years ago the fan/motor assembly was replaced [part#
> fm-200] by Harbach Electronics. I just bought new tubes for this amp on
> 3-11-99. The tubes I bought are the best available...Svetlana 572B's purchased
> from RF Parts for $135 delivered for the matched pair. Original manual
> included. Here is the PEP OUTPUT {NOT INPUT} read with a Bird watt meter {1000
> watt slug} at 110v. 75/80 meters 800+ watts, 40 meters 800+ watts, 30 meters
> 500+ watts, 20 meters 800+ watts, 17 meters 700+ watts, 15 meters 700+ watts,
> 12 meters 700+ watts, 10 meters 650+ watts.
>
> PRICE $375 OBO. I live in the San Jose, Ca. area and prefer a local pickup or
> may be willing to drive 30 to 45 minutes to meet half way, but shipping is
> posible for an extra charge, since the amp weighs 35 pounds. 73 de Tom,
> KB6LUC@aol.com

5067. Great Antenna Site

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <36F924CC.A55ED32E@flash.net>
Source record: 112926

http://www.ac6v.com/pageant.html

5068. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7db8jm$14p@news.Hawaii.Edu>
Source record: 112927
Cross-posted to:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,rec.radio.cb

Vostok-Radio <vradio@vradio.geon.donetsk.ua> wrote:
>Hi, my dear friends&collegues. Thanks for reading of this
>Does anybody know, how to shift working band of simple 40ch
>CB-tranceiver to band around freq.s 28 - 29 MHz with the same band width
>Thanks
>UT0IY

Hello OM,
I've successfully converted two synthesized CBs to 28 MHz for CW operation. The first radio was converted by removing the 10.240 MHz PLL reference crystal and replacing it with 10.635 MHz crystal I chose that frequency for no other reason than it was the first one to fall out of the junkbox! It was a good choice, for now Channel 1 is at 28.005 MHz.

The second CB was converted only after I had studied how PLL circuits work so as to learn how to re-wire the 8-bit binary-coded decimal (BCD) programming scheme.

I highly recommend the first method!

Keep in mind that if you change the crystal to get the radio up to 29 MHz, the crystal oscillator will need to be aligned, as will the RF stages.

Hope this helps!
73 from Hawaii, Jeff WH6U

5069. 3cx400a7

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: DAVID ARMSTRONG <NZ3N@WORLDNET.ATT.NET>
Message-ID: <36F926C1.BD90B0A7@WORLDNET.ATT.NET>
Source record: 112928

want (1) 3cx400a7 tube
nz3n@worldnet.att.net

5070. Re: VX-5R: EVE and ADMS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: mediaman3000@my-dejanews.com
Message-ID: <7dbcnljul1@nnrp1.dejanews.com>
Source record: 112929

Anyone know how to restore the full 900mhz and the missing portion of the public service 800mhz band?

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5071. Re: Laptop sell, Trade for HF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: William Lee <willee@interconnect.net>
Message-ID: <7dbbdc$if9$1@camel19.mindspring.com>
Source record: 112930
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hey Jim, I tried to trade a Laptop Computer for an Amateur Radio a few years ago and had no luck. The reason is simple. The used radio I wanted to trade for still is worth about what it was worth then. The computer is now worthless. Who wants a 486/66 black and white screen with 4 meg memory and a whopping 175 Meg hard drive. The laptop cost plenty when it was new but boy.... those computers loose value faster than yesterdays donuts. Amateur radios on the other hand seem to hold their value a lot longer.

William Lee

JM wrote in message <36F876BF.247F@iland.net>...
>Go to www.toshiba.com, and search for 440CDX. It says "with MMX
>technology" as plain as day.

5072. Re: Kenwood TM-V7A Extended RX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <36F932C6.C32A9E19@flash.net>
Source record: 112931
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc

Mars/Cap mod for Kenwood TM-V7A

Remove the top and bottom covers and the detachable face holder.
Look at the pc board that is vertical behind the front of the radio.
There will be
2 small chip resistors on the left side of the board. Carefully remove
the one
with the number 0 . It will be the one closest to the left near the
grounding
spring. You will probably have to scrape it off with a pair of needle
nose
pliers.

After you remove it the TX should be VHF TX 136.995 - 173.995. RX should
be 118-174. UHF TX should be 410-469.995 RX should be 300-470.

Jarrod Boehme wrote:
>
> Anyone know if and how to mod a V7A for extended RX. I know the G707A can
> be modded to RX from 118-174, 300-520, and 800-999. I was hoping that the
> V7A could do something similar. I know how to mod for extended TX. Thanks
> in advance.

5073. Re: Kenwood TM-V7A Extended RX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <36F9330A.E738C719@flash.net>
Source record: 112932
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc

Jarrod, the mod I sent you came from the mod page listed below your question on rec.radio.swap under Best Mod Page .
K5JOE

Jarrod Boehme wrote:
>
> Anyone know if and how to mod a V7A for extended RX. I know the G707A can
> be modded to RX from 118-174, 300-520, and 800-999. I was hoping that the
> V7A could do something similar. I know how to mod for extended TX. Thanks
> in advance.

5074. HAM IV ROTOR for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36F92721.5159@ix.netcom.com>
Source record: 112933
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

I have a late model rotor completely rebuilt with zero hours on it. New style control box. Both rotor and control box has plugs for the cable. I also have 100" of control cable with the plugs installed. Just plug and play. $350 73 Chris VE3NGW/W4 Florida

5075. FS: Mirage MP2's and MP3 wattmeters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-2403991318550001@pom1.mbl.edu>
Source record: 112934
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have 2 MP2 for 100.00 ea. 1 MP3 also for 100.00, these are mint.

5076. FS: Kenwood SW200 W/2 couplers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-2403991318050001@pom1.mbl.edu>
Source record: 112935
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

This the VHF/UHF version comes with a SWC1 and SWC2 the meter is in exc. cond. $100.00

5077. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Jeff <bk43@earthlink.net>
Message-ID: <7dbc3r$9ec$1@holly.prod.itd.earthlink.net>
Source record: 112936
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,rec.radio.amateur.swap,rec.radio.cb

Perhaps it was....
You are sorry...

--
NPMHU
Paul K <pjktg@itis.com> wrote in message news:7d9jooud1@news.itis.com...
> If this was a legitimate request from a Russian Ham, I apologize for my
> scathing sarcasm. Lately there have been a lot of CBers and truckers
moving
> up into the 10 meter amateur band. I thought it was one of these guys
> trolling. Sorry. Paul K
>
>
>
> Paul K wrote in message <7d9f6q$rg4$1@news.itis.com>...
> >Yes . No Problem. Just place it carefully behind a truck wheel and back
> >up. Thats all theres to it. Easy Huh?? Try it. Im sure youll be
pleased
> >with the results.
> > You can repaint later after you give it a test on the 10 meter
> AMATEUR
> >BAND where you need a license. If you had a license you would know how
to
> >do this simple feat.
> >
> > Paul K. N9EMX
> >
> >
>
>

5078. FS/Trade: Kenwood TH79A Dualband Handheld Tranceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Rick Riverman <rbriver@cybcon.com>
Message-ID: <7dbdc8$s9p$1@remarQ.com>
Source record: 112937

I have the following for sale or trade:

* Kenwood TH-79A Dual Band HT
* PB-32 6v 600mAh NiCd Battery
* PB-34 9.6V 900mAh NiMh Battery (for 5W output)
* Cigarette Lighter Adapter Pack
* BT-9 Alkaline Cell Pack
* BC-17 Charger
* Soft Case
* Nylon Cord Wrist Strap
* Manual
* Original Box

$275.00 or
I would consider trading for 2 meter Multimode rig.

Rick Riverman
W7RBR
503-629-5135

5079. Where or where do we go?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: davew@wizzards.net
Message-ID: <N.032499.121504.73@davew>
Source record: 112938
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

With the strange things going on at ebay (items being dropped from auction (like scanners & amps) where do we go to find quality equipment slightly used?

Anyone know of any sites?

5080. FS: Racal 6790/GM -2174(P) / URR Receivers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: davida@primenet.com
Message-ID: <36fc3b32.410134281@news.primenet.com>
Source record: 112939
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap,alt.ham-radio.marketplace

Racal 6790/GM -2174(P) / URR HF Receiver .5Mhz to 30 Mhz
AM/USB/LSB/CW/FM

Continuous tuning Fast (1khz rate) Slow (30Hz) Fine (1Hz Rate)

I have a total of 9 Racal GM6790 Receivers with a total of 35 filters

I WILL SELL INDIVIDUAL UNITS!!!!!!!!!!!!!! MAKE OFFER!!!!

Check out: http://www.primenet.com/~davida/racal.htm

Email davida@primenet.com for more information, (lotus 123,
or Excel file format) radio S/N's and Filters

5081. Re: finding ham stuff on Ebay?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: William Lee <willee@interconnect.net>
Message-ID: <7dbdmv$dt8$1@camel19.mindspring.com>
Source record: 112940

Finding ham equipment on eBay is a lot easier than getting it for a reasonable price.
If I was a seller that is the best place to get the most money out of my equipment.
If I was a buyer that would be the last place I would expect to find a good deal.
However there are rare ocations that something will sell for less that it is worth.
The worst part of it all is that all the serious bidding takes place in the last 30 seconds of the auction.
I would never bid on anything until literately the very last minute on any auction.

William Lee N5WRX

Wayne Faris wrote in message <36F85674.2C3437F0@inebraska.com>...
>An even quicker way for him to find what he wants is to simply click here:
>
>http://listings.ebay.com/aw/listings/list/category296/index.html
>
>Wayne Faris, KEBZ
>
>
>Toploader8 wrote:
>
>> www.ebay.com
>>
>> This should get you there and exposed to all the different search criteria you
>> are looking for.
>

5082. Re: Help - HF Amp low voltage

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: William Lee <willee@interconnect.net>
Message-ID: <7dbe7s$af8$1@camel19.mindspring.com>
Source record: 112941

Could it be that Denrton rated the amplifier as 1KW on SSB?
That would relate to about 500 watts CW.
Even still the voltage seems low.
Did you key the Amplifier with no input to see if the voltage increased?
Did you see any AC ripple on the HV?
I would first check all the diodes in the HV power supply to see if any had opened or become leaky.
Next step would be to check all the filter capacitors.
I hope this puts you on the right track to solving your problem.

William Lee N5WRX

Jim Brown wrote in message <36F81409.BF412380@ucsd.edu>...
>I just got an old Dentron GLA-1000 HF amp. Gave it the static "smoke
>test" (dummy connected an NO input) and all filaments lit (a good
>thing), fan worked ... but only read 500v when I switched to VOLTS.
>That seems low for a 1kw linear. I did NOT put a load on it ... what
>might be the problem? I don't know this (sweep tube) or have a manual.
>
>73, Jim
>

5083. Drake r8a and computer control

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Counselor <ab.shaw@cwixmail.com>
Message-ID: <85bK2.57$Fa3.2785@news.cwix.com>
Source record: 112942

How can i tell if my receiver isn't functioning properly.
the software doesn't connect the computer to the receiver.
thanks
Abe

5084. FT-847: 50Mhz band not working !?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Sils <sils@polbox.com>
Message-ID: <wtbK2.20706$U1.3680828@news.tpnet.pl>
Source record: 112943

Hi,
I've got a problem with receiving anything on 50 Mhz band.
I tried switching between HF and 6m port but it simply changes nothing.
Also, it seems that there is no problem with transmiting (probably)
- separate power meter proves that.
After turning antenna amplifier I can hardly hear some stations,
but still it is almost "mission imposible" to understand anything.

What could it be ?

Tnx & 73
Sils

5085. Need Cpy of Knwd TH225 Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Tom Sokol <tsokol@injersey.com>
Message-ID: <36F943CA.C3ACD579@injersey.com>
Source record: 112944

I need a copy of the manual for the Kenwood TH225(a) 2 Meter HT Manual.

Willing to pay reasonable copy, postage and nuisance fees.

Respond by e-mail,

Tom, N2LDE

5086. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Tate <73KC7ZRU73@cyberhighway.net>
Message-ID: <36F913EB.2F4943EC@cyberhighway.net>
Source record: 112945
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,rec.radio.amateur.swap,rec.radio.cb

ARGH!

and my apologies to you Paul!

You snuck this in as I was replying to you.

Good call!

73 de Tate

Paul K wrote:
>
> If this was a legitimate request from a Russian Ham, I apologize for my
> scathing sarcasm. Lately there have been a lot of CBers and truckers moving
> up into the 10 meter amateur band. I thought it was one of these guys
> trolling. Sorry. Paul K
>
> Paul K wrote in message <7d9f6q$rg4$1@news.itis.com>...
> >Yes . No Problem. Just place it carefully behind a truck wheel and back
> >up. Thats all theres to it. Easy Huh?? Try it. Im sure youll be pleased
> >with the results.
> > You can repaint later after you give it a test on the 10 meter
> AMATEUR
> >BAND where you need a license. If you had a license you would know how to
> >do this simple feat.
> >
> > Paul K. N9EMX
> >
> >

--
KC7ZRU | In Laramie Area
Laramie, WY | UARC Repeater
DN71eh | 146.610
"The Dungeon" online at http://www.cyberhighway.net/~tateb
KC7ZRU@KC7ZRU.#SEWY.WY.USA.NOAM
Remove 73s from addy to send email

5087. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Tate <73KC7ZRU73@cyberhighway.net>
Message-ID: <36F913A9.68B5FEC6@cyberhighway.net>
Source record: 112946
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,rec.radio.amateur.swap,rec.radio.cb

Paul,

UT0IY may well be a valid call sign. Looking at the QRZ New DX page at http://www.qrz.com/wrad/directory.cgi?new_dx I find a couple other UT prefixes listed. I also find in the 5th edition of the ARRL Operating Manual (ch. 17, pg. 90) that the prefix UT indicates someplace in the Ukraine, specifically Kiev.

I'm not up on searching for non-US call signs online. I've no way of confirming that UT0IY is valid or not - but it sure looks like it may be, but of what class/type - I don't know.

Now if this poster had indicated he was some yak-jawed 'good buddy' I'd have to totally agree with your suggestion. In this case though, methinks you've keyed up before listening.

Tate B - KC7ZRU

Paul K wrote:
>
> Yes . No Problem. Just place it carefully behind a truck wheel and back
> up.

--
KC7ZRU | In Laramie Area
Laramie, WY | UARC Repeater
DN71eh | 146.610
"The Dungeon" online at http://www.cyberhighway.net/~tateb
KC7ZRU@KC7ZRU.#SEWY.WY.USA.NOAM
Remove 73s from addy to send email

5088. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: pkilburn@multiweb.nl
Message-ID: <1dp54az.1ao726xh19ncqN@loce-multiweb0158.multiweb.nl>
Source record: 112947
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

He Wammes,

Zitten er ook buizen in die MSX van jou ;-)

Wammes Witkop <wwitkop@cable.a2000.nl> wrote:

> I *do* realize that in some countries other then my own, an interest in
> green - millitary - radios goes hand in hand with other hobbies I do not
> approve off. Frankly, I'm Dutch. We do not like guns in the hands of
> citizens. We have strict laws against it - and as a result, we have less
> violent crime then some countries where guns are easier to get..
> The NRA is *not* my cup of tea at all - if I'd be an American I'd oppose
> them. But as it is, this is not my patch. So please stop advocating the
> NRA, it's chairman or applauding to one who does. This is an
> international newsgroup after all. Please take this thread to a place
> where it's not a spam - 'cause that what it is here! The amount of
> definitly off-topic messages is getting rather large, would'nt you
> agree?
>
> Kind Regards, Wammes Witkop
>
> David Stinson wrote:
>
> > http://www.law.harvard.edu/News/Charlton_Heston_speech.html
> >
> > Yes, I know I'm probably "spamming."
> > But I can't think of a better way to pass this to
> > all the people I've come to like and respect.
> >
> > And it's just a -little- message, anyways.
> >
> > Forgive.

5089. Re: Need Cpy of Knwd TH225 Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: k5cf <k5cf@clnk.com>
Message-ID: <01be7637$7790a6c0$eee4050c@vancegil>
Source record: 112948

Tom, try www.w7fg.com 73 & GL, Vance k5cf

Tom Sokol <tsokol@injersey.com> wrote in article
<36F943CA.C3ACD579@injersey.com>...
> I need a copy of the manual for the Kenwood TH225(a) 2 Meter HT Manual.
>
> Willing to pay reasonable copy, postage and nuisance fees.
>
> Respond by e-mail,
>
> Tom, N2LDE
>
>

5090. HAM RADIO STUFF FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: nospam@aol.com
Message-ID: <37005153.5707897@news.bctel.ca>
Source record: 112949

I am quitting HAM Radio and have the following ITEMS FOR SALE:

MAKE ME AN OFFER.

YEASU FT-2200 45WATT VHF MOBILE CTCSS ENCODE/DECODE FULLY LOADED

YEASU VX-300 5 WATT VHF HAND-HELD FULLY LOADED

MOTOROLA MT1000 99CHANNEL VHF HAND-HELD WITH 3 BATTERIES,
RAPID CHARGER / 2 SPEAKER Mics.

Send email to:

mot2000@usa.net

Vancouver,BC

5091. Need Drake TR7 opinions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Bob <xyz_P15218@flash.net>
Message-ID: <36F95F02.63C3@flash.net>
Source record: 112950

Drake experts:
I have an opportunity to obtain a TR7 (not an "A") in good shape, with power supply and book(s). It does not have the CW filter or noise blanker. Price unknown at this point.
Questions:
1) What does it take to make this thing into an "A"? I am guessing at: noise blanker, aux 7 option and CW filter.
2) About how much do these pieces go for these days?
3) Can it be put on the WARC bands without a redesign?
4) The owner seemed interested in trading for my mint Kenwood TS820S with CW filter. Is this a fair trade? I'm guessing the 820 is worth $350.
Thanks
Bob
KB8TL
--
(remove the xyz_ to reply)

5092. WTB: RCS-4 or RCS-8 Remote Coax Switch

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: BarryG <bg@albany.net>
Message-ID: <7dbndm$fl5$1@news.monmouth.com>
Source record: 112951
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.antenna

Looking to buy a remote coax switch, such as the Ameritron RCS4 or RCS8.
Please email to bg@albany.net

Tnx&73,
Barry N1EU

--

To reply via email, please delete "NOSPAM" from my email address

5093. W32A Mod

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: "Joseph P. Humberger" <KB9TFH@MichianaToday.com>
Message-ID: <36F96B2D.AD566760@MichianaToday.com>
Source record: 112952

Hello, I recently Purchased a IC-W32A and was looking for all and any
Mod, and any keypad tricks..Thanks....73s.....KB9TFH

5094. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Michael Black <blackm00@CAM.ORG>
Message-ID: <Pine.SOL.4.10.9903241748170.8027-100000@Ocean.CAM.ORG>
Source record: 112953
Cross-posted to:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,rec.radio.cb

On 24 Mar 1999, Jeffrey Herman wrote:

> Vostok-Radio <vradio@vradio.geon.donetsk.ua> wrote:
> >Hi, my dear friends&collegues. Thanks for reading of this
> >Does anybody know, how to shift working band of simple 40ch
> >CB-tranceiver to band around freq.s 28 - 29 MHz with the same band width
> >Thanks
> >UT0IY
>
> Hello OM,
> I've successfully converted two synthesized CBs to 28 MHz for CW
> operation. The first radio was converted by removing the 10.240
> MHz PLL reference crystal and replacing it with 10.635 MHz crystal
> I chose that frequency for no other reason than it was the first
> one to fall out of the junkbox! It was a good choice, for now Channel 1
> is at 28.005 MHz.
>
> The second CB was converted only after I had studied how PLL
> circuits work so as to learn how to re-wire the 8-bit binary-
> coded decimal (BCD) programming scheme.
>
> I highly recommend the first method!
>
> Keep in mind that if you change the crystal to get the radio up
> to 29 MHz, the crystal oscillator will need to be aligned, as
> will the RF stages.
>
But also note that if you change the reference crystal, the spacing will
be different. Also, the CB sets I've seen use the 10.240MHz crystal to
convert the 10.7MHz first IF to the 455KHz second IF. If you move the
reference frequency, depending on the rig you may move the signal out of
the first IF passband.

The CB sets that I've seen block diagrams of use a mixer between the VCO
and the programmable divider. It's there to simplify the calculations
and/or to get the VCo down to a frequency that the programmable
divider can handle.

They use a harmonic of the reference frequency as the second signal to the
mixer. The real change of the CB set's frequency comes from that harmonic,
not the actual reference frequency. The reference frequency is divided
down to 5KHz or so, and to make much difference at that point would
require a very large jump to another frequency for the crystal. However,

the change at the crystal frequency, especially when multiplied something like three times means the VCO has to move up in frequency by that much in order for the signal at the output of the mixer (ie the input to the programmable divider) to be the same as when the reference crystal was unchanged.

In other words, if you move the reference frequency up almost 400KHz, the injection to the mixer is over 1MHz higher so the VCO moves up that much.

The trick in the old magazine articles was to uncover where the reference frequency is multiplied and fed into the mixer between the VCO and the programmable divider, and cut the signal path. Feed a new oscillator into that point.

This moves the VCO (and the rest of the CB set) higher without messing with the channel spacing. It also will not mess with the second conversion osciilator.

Michael VE2BVW

5095. VX-5R keypad mods??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: roro75@aol.com
Message-ID: <19990324183557.01425.00001046@ng-cg1.aol.com>
Source record: 112954

Does anybody know if there is any keypad mods for this little guy??--I am not sure If I want to remove solder/wires. So is there any combination of keypad buttons to be pressed in sequence for any mods?? Thanks Stan KC2ADC

5096. FS: Yaesu 767GX/AT/CAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <36F97D85.778E92AC@cfu.net>
Source record: 112955

Covers 100khz-30mhz, expandable with add-on modules to include
6m/2m/70cm. SSB/CW/AM/FM. Built-in antenna tuner, keyer, CW filter,
audio peak filter, SSB processor, audio monitor. Computer and QSK
ready. A top-notch rig for DXing, contesting, or just chewing the fat.
$795 + shipping. Jan N0JR

5097. Re: FT-847: 50Mhz band not working !?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Gary <catlink@erols.com>
Message-ID: <7dc16k$mo5$1@winter.news.rcn.net>
Source record: 112956

You might find an answer at this site.

http://www.en.com/users/rayd/ft-847/wwwboard/wwwboard.html

Gary
http://www.erols.com/catlink/847.htm

Sils wrote in message ...
>Hi,
>I've got a problem with receiving anything on 50 Mhz band.
>I tried switching between HF and 6m port but it simply changes nothing.
>Also, it seems that there is no problem with transmiting (probably)
>- separate power meter proves that.
>After turning antenna amplifier I can hardly hear some stations,
>but still it is almost "mission imposible" to understand anything.
>
>What could it be ?
>
>Tnx & 73
>Sils
>
>

5098. FS: Yaesu FT-102 Excellent!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <08gK2.389$Ey1.481@ndnws01>
Source record: 112957
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Hi,
FT-102, with original mic and manual copy. Works perfectly.
No FM board, stock filters, no modifications. Excellent condition!
$495 shipped CONUS.
regards,
Chuck...K1KW

5099. FS: Kenwood TL-922A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Ron <rons533@ibm.net>
Message-ID: <36F98827.283C@ibm.net>
Source record: 112958

Kenwood TL-922A Amp. $1000

Ron K3SZY
Lancaster, PA
rons533@ibm.net

5100. KENWOOD EQUIP. FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Jim Bolin <kb8nn@erinet.com>
Message-ID: <7dc3hb$fn2$1@news.erinet.com>
Source record: 112959
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

KENWOOD TS-570S(G) HF+6M..NEW $1200.
KENWOOD TL-922A AMPLIFIER.. LATE.. LN..$950..
KENWOOD TS-430S..LN..$500
KENWOOD TR-7850...LN..$150
KENWOOD PS-30...LN..$90
KENWOOD KPS-12...LN..$60
KENWOOD MC-60A...LN...$80
KENWOOD TS-450SAT..LN.. $700

Contact Jim here or 937-845-0943 Visit webpage at:
http://www.angelfire.com/kb8nnhomepage

5101. Re: KENWOOD EQUIP. FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Jim Bolin <kb8nn@erinet.com>
Message-ID: <7dc3u7$g27$1@news.erinet.com>
Source record: 112960
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Correction:
Jim Bolin wrote in message <7dc3hb$fn2$1@news.erinet.com>...
>>Contact Jim here or 937-845-0943 Visit webpage at:
>http://www.angelfire.com/oh/kb8nnhomepage
>
>
>

5102. CB Mod Lovers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: "Tom B." <ab7tu@parg.org>
Message-ID: <36F993D4.64C3@parg.org>
Source record: 112961

Good grief! From the way some of you guys are overreacting to Pauls attempt at humor you'd think he shot the guys' dog. Just because UT0IY comes up no good on Buckmaster that doesn't prove the guy is a bootlegger. Maybe it's the RF that causes some OPs to not have a sense of humor. Lighten up!

5103. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: JM <jmul@iland.net>
Message-ID: <36F9A1A9.4422@iland.net>
Source record: 112962
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Wish I could turn off this thread.

5104. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <7dc7p4$qr4$1@news-2.news.gte.net>
Source record: 112963
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

JM wrote in message <36F9A1A9.4422@iland.net>...
>Wish I could turn off this thread.

Don't know how to activate your filter?

Don't know how to skip over a post when the subject is CLEARLY
indicated?

I suspect your REAL problem is that you haven't the WILLPOWER to avoid
the very subject you CLAIM annoys you,

AND that you suffer the inner "need" to play "newsgroup censor"...

Is this a moderated group? If it IS, the moderator is capable of
controlling posts - if not, then let your conscience - and your
keyboard - be your guide.

As for ME, all private Email from those complaining about my posts
here on this and similar subjects, will be "deleted unopened"...

'Nuff said!

Gary - KJ6Q
======================
I despise self-appointed "net police" FAR MORE
than off-topic posts - tho' BOTH are easily IGNORED!

5105. Re: Need Cpy of Knwd TH225 Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: tom <tsokol@injersey.com>
Message-ID: <7dcb85$819$1@nw001t.infi.net>
Source record: 112964

Vance,
tnx for the link, but they only have the service manual, not the operating
manual.
tom, n2lde

k5cf wrote in message <01be7637$7790a6c0$eee4050c@vancegil>...
>Tom, try www.w7fg.com 73 & GL, Vance k5cf
>
>Tom Sokol <tsokol@injersey.com> wrote in article
><36F943CA.C3ACD579@injersey.com>...
>> I need a copy of the manual for the Kenwood TH225(a) 2 Meter HT Manual.
>>
>> Willing to pay reasonable copy, postage and nuisance fees.
>>
>> Respond by e-mail,
>>
>> Tom, N2LDE
>>
>>

5106. Re: FT-847: 50Mhz band not working !?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: ThomasS <stop@spam.com>
Message-ID: <36F9B782.521@spam.com>
Source record: 112965

Make sure you have a good resonant antenna...I have found the 6 meter band very non forgiving of un-resonant antennas...

A 10 meter antenna will not help you, nor will a 2 meter antenna...It must be specifally cut for the 6 meter band!

I had a simular problem until I put up a 6 meter verticle!

5107. Kenwood TS-940S/AT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Fred Hamilton <fhamilton@ameritech.net>
Message-ID: <36F9B1A6.DACA2413@ameritech.net>
Source record: 112966

I need some help from my fellow Amateur operators. I just bought a Kenwood TS-940S/AT, used, and the salesman couldn't tell me much about it. Kenwood has nothing about it on their website either. What I wan t to know is:

1.) Can it be interfaced to a PC?
2.) Where do I get the cable if so, or how do I make one? (I'm sure it would use RS-232.)
3.) Where can I get the software to control it, if it does interface to a PC?

Any other information anyone has to share with me would be welcome as well. I can not find any modifications for it, except one that repair eratic displays, so any additional mods would be appreciated. It did come with the manual, but I haven't picked up the radio yet, so I haven't had time to read the manual, so forgive me if the information in contained therein.

Thanks in advance,

Fred
KC8LNM

5108. Re: VX-5R Temperature Display

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: msb <msbSPAMMAPS@newpony.com>
Message-ID: <7dcdrq$73f@dfw-ixnews4.ix.netcom.com>
Source record: 112967

Cute...

Eric Ellington wrote in message <36F86AC0.60351BC5@earthlink.net>...
>Cool it to minus 40?
>
>;-)
>
>Marty Tippin wrote:
>
>> Anyone figured out how to change the VX-5R's temperature display to
>> farenheit instead of celsius??
>>
>> -Marty KI0LO
>> martyt@pobox.com
>
>

5109. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: JM <jmul@iland.net>
Message-ID: <36F9B1D2.4ADB@iland.net>
Source record: 112968
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Gary - KJ6Q wrote:
>
> JM wrote in message <36F9A1A9.4422@iland.net>...
> >Wish I could turn off this thread.
>
> Don't know how to activate your filter?
>
> Don't know how to skip over a post when the subject is CLEARLY
> indicated?
>
> I suspect your REAL problem is that you haven't the WILLPOWER to avoid
> the very subject you CLAIM annoys you,
>
> AND that you suffer the inner "need" to play "newsgroup censor"...
>
> Is this a moderated group? If it IS, the moderator is capable of
> controlling posts - if not, then let your conscience - and your
> keyboard - be your guide.
>
> As for ME, all private Email from those complaining about my posts
> here on this and similar subjects, will be "deleted unopened"...
>
> 'Nuff said!
>
> Gary - KJ6Q
> ======================
> I despise self-appointed "net police" FAR MORE
> than off-topic posts - tho' BOTH are easily IGNORED!

I made a comment, I didn't ask for anyone's opinion, including yours Gary. That's what's wrong with this world today, too many people sticking their nose into other people's business. And no, I don't know how to activate my filter, wasn't aware I even had one. But seeing as how you know it all oh wise one, how about "elmering" me on this subject. And then I could filter out your posts. And yes, I can skip over threads such as these, and I don't read them. But I have one question, what in the hell do boatanchors have to do with shooting people? You don't know anything about my Real problem, or my WILLPOWER, or my inner "need". And you really should have sent this post to me PRIVATELY, but seeing as you apparently have the "need " to waste NG space, it's fine by me. Go to Dejanews and see if there are any posts from me attempting to be a "newsgroup censor".
Thanks for setting me straight, Keeps Jacking 6 Queers.

5110. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Jim Rodgers <jr1@netnitco.net>
Message-ID: <36F9B751.145B0BDB@netnitco.net>
Source record: 112969
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Very moving, outstanding! Thanks for passing this on to all... Jim
KB9KXQ

"Joe D. Bucher" wrote:

> David Stinson wrote:
> >
> > http://www.law.harvard.edu/News/Charlton_Heston_speech.html
> >
> > Yes, I know I'm probably "spamming."
> > But I can't think of a better way to pass this to
> > all the people I've come to like and respect.
> >
> > And it's just a -little- message, anyways.
> >
> > Forgive.
>
> Great post Dave. ...MR. HESTON FOR PRESIDENT!!
>
> Joe, KF9EU

5111. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: John Miles <jmiles@pop.removethistomailme.net>
Message-ID: <36F9B72B.4F9A@pop.removethistomailme.net>
Source record: 112970
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

```
Wammes Witkop wrote:
>
> Anti-military does not mean I will accept endless abuse!
>

Sure, it does... at least until the other guy runs out of ammo!

-- jm KE5FX

------------------------------------------------------
Note: My E-mail address has been altered to avoid spam
------------------------------------------------------
```

5112. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: JM <jmul@iland.net>
Message-ID: <36F9BE69.2C31@iland.net>
Source record: 112971
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Gary - KJ6Q wrote:
>
> JM wrote in message <36F9A1A9.4422@iland.net>...
> >Wish I could turn off this thread.
>
> Don't know how to activate your filter?
>
> Don't know how to skip over a post when the subject is CLEARLY
> indicated?
>
> I suspect your REAL problem is that you haven't the WILLPOWER to avoid
> the very subject you CLAIM annoys you,
>
> AND that you suffer the inner "need" to play "newsgroup censor"...
>
> Is this a moderated group? If it IS, the moderator is capable of
> controlling posts - if not, then let your conscience - and your
> keyboard - be your guide.
>
> As for ME, all private Email from those complaining about my posts
> here on this and similar subjects, will be "deleted unopened"...
>
> 'Nuff said!
>
> Gary - KJ6Q
> ======================
> I despise self-appointed "net police" FAR MORE
> than off-topic posts - tho' BOTH are easily IGNORED!

Who the hell are you anyway, I've never replied to anything you ever posted, but I will now, bear with me and accept my apologies other NG users.
I made a comment, I didn't ask for anyone's opinion, including yours Gary. That's what's wrong with this world today, too many people sticking their nose into other people's business. And no, I don't know how to activate my filter, wasn't aware I even had one. But seeing as how you know it all oh wise one, how about "elmering" me on this subject. And then I could filter out your posts. And yes, I can skip over threads such as these, and I don't read them. But I have one question, what in the hell do boatanchors have to do with shooting people?
You don't know anything about my Real problem, or my Willpower, or my inner "need", or even if these things exist. And you really should have

sent this post to me PRIVATELY, but seeing as you apparently have the "need "to waste NG space,(and you've proven that) it's fine by me. I'm not going to make any assumptions about you Gary, but I don't need to, I can tell you're a jerk. I may be white but I'm not stupid.
Apparently there are others that agree with me, seeing as how you had the need to state "private email from those complaining about my posts" blah blah blah, so forth and so on.
Thanks(?) for showing me the error(?) of my ways, now go and take one(or 100) of your blood pressure pills, Keeps Jacking 6 Queers, or you're gonna spontaneously combust. 'Nuff said? BTW, I will accept private email from anyone, even you, especially if it keeps this kind of BS(this reply included) off the NG's. You may not get a reply, but if you were to take the time to write, I'll at least be a man and read your message.
I apoligize to the other NG users that read this, but I really don't have to take this kind of unsolicited crap, and you don't either.
May God bless our servicemen and women, who at this moment are doing what is right on behalf of those who cannot. My heartfelt prayers are with you.

John N0EE

5113. FS: Welz 2000 $200 shipped

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: twradio <twradio@geocities.com>
Message-ID: <36f9c03b@news1.us.ibm.net>
Source record: 112972
Cross-posted to: rec.radio.swap,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

```
FS: Welz 2000 $200 shipped
Located in SF Bay, CA
Fully functional and unblocked
```

5114. Re: Wish I Could Broadcast This-For KJ6Q

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: JM <jmul@iland.net>
Message-ID: <36F9BFE5.10AE@iland.net>
Source record: 112973
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Gary - KJ6Q wrote:
>
> JM wrote in message <36F9A1A9.4422@iland.net>...
> >Wish I could turn off this thread.
>
> Don't know how to activate your filter?
>
> Don't know how to skip over a post when the subject is CLEARLY
> indicated?
>
> I suspect your REAL problem is that you haven't the WILLPOWER to avoid
> the very subject you CLAIM annoys you,
>
> AND that you suffer the inner "need" to play "newsgroup censor"...
>
> Is this a moderated group? If it IS, the moderator is capable of
> controlling posts - if not, then let your conscience - and your
> keyboard - be your guide.
>
> As for ME, all private Email from those complaining about my posts
> here on this and similar subjects, will be "deleted unopened"...
>
> 'Nuff said!
>
> Gary - KJ6Q
> ======================
> I despise self-appointed "net police" FAR MORE
> than off-topic posts - tho' BOTH are easily IGNORED!

Who the hell are you anyway, I've never replied to anything you ever posted, but I will now, bear with me and accept my apologies other NG users.
I made a comment, I didn't ask for anyone's opinion, including yours Gary. That's what's wrong with this world today, too many people sticking their nose into other people's business. And no, I don't know how to activate my filter, wasn't aware I even had one. But seeing as how you know it all "oh wise one", how about "elmering" me on this subject. And then I could filter out your posts. And yes, I can skip over threads such as these, and I don't read them. But I have one question, what in the hell do boatanchors have to do with shooting people?
You don't know anything about my Real problem, or my Willpower, or my inner "need", or even if these things exist. And you really should have

sent this post to me PRIVATELY, but seeing as you apparently have the "need "to waste NG space,(and you've proven that) it's fine by me. I'm not going to make any assumptions about you Gary, but I don't need to, I can tell you're a jerk. I may be white but I'm not stupid.
Apparently there are others that agree with me, seeing as how you had the need to state "private email from those complaining about my posts" blah blah blah, so forth and so on.
Thanks(?) for showing me the error(?) of my ways, now go and take one, or 100, of your blood pressure pills or you're gonna spontaneously combust. 'Nuff said?
BTW, I will accept private email from anyone, even you, especially if it keeps this kind of BS (this reply included) off the NG's. You may not get a reply, but if you were to take the time to write, I'll at least be a man and read your message.
I apoligize to the other NG users that read this, but I really don't have to take this kind of unsolicited crap from Keeps Jacking 6 Queers, and you don't either.
May God bless our servicemen and women, who at this moment are doing what is right on behalf of those who cannot. My heartfelt prayers are with you.

John N0EE

5115. Re: Wish I Could Broadcast This-For KJ6Q

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <7dcf7k$pt2$1@news-2.news.gte.net>
Source record: 112974
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

JM wrote in message <36F9BFE5.10AE@iland.net>...

>Who the hell are you anyway, I've never replied to anything you ever
>posted, but I will now, bear with me and accept my apologies other NG

<Remainder of senile rant deleted...>

Why OM, I'm TRULY chagrined at your distress, and your need to even go
so far as making *multiple* posts to as broadly as possible
distribute your anguish... I'm SO distressed, I may even burn my
license, toss out my PC and chop down my tower... NO!, I'll do THIS
instead (watch carefully now...) and just filter YOU!

Here's how it's done :

<FLUSH!>

THere, now, as far as MY PC is concerned, YOU don't exist anymore...
But I'm not REALLY sure you ever did anyway... BUT, *do* rant on
endlessly for the benefit of the others - I'm SURE they are quite
amused...

Gary - KJ6Q
==========
Thank GOD for newsgroup filters!

5116. Re: Yaesu vs. Icom

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: kk4bh@aol.comnospam
Message-ID: <19990323192702.01374.00000711@ng114.aol.com>
Source record: 113025

>From: Harry Rosenblatt <harryr2000@coastalnet.com>
>Date: 3/23/99 5:07 PM Eastern Standard Time

>Also interested in views on
>mobile rigs: Yaesu FT-100 vs. Icom 706 MkII. Thanks

Harry,
I own a 706MKII and am very happy with it. Have had it about 18 months and no complaints. As far as the FT-100 is concerned, remember, it's a new radio. If it starts out like the FT-920 it could be a real nightmare for somebody. The 706MKII is a second generation radio. All the "bugs" have been virtually eliminated.
73's
Ken Bjorklund
KK4BH
remove "nospam" when replying

5117. Daiwa PS300 Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: rpemers@aol.com.alt.edu
Message-ID: <19990323201520.01730.00000215@ng-fy1.aol.com>
Source record: 113026

Does anyone know anything about the Daiwa PS300 power supply as far as it being suitable to run an HF rig from??? It sounds ok to me in that it produces variable V of 9-15 VDC and 30amp current. I would appreciate input from anyone familiar with this supply and use for an HF rig. Please email.

Thanks

Ron
rpemers@aol.com
WO8J

5118. WTB HD1250 Heathkit Coil

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <36F83F7E.7E5A@sympatico.ca>
Source record: 113027
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Wanted - the 1.6 - 3.4mc plug in coil for a Heathkit HD1250 Grid Dip meter. Or if you have a junker with that coil and others I would be interested.

5119. Re: Anyone Using Packratt With Log Windows (YK2 Problem)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: jdouglas@timewave.com
Message-ID: <7d9ftg$7pv$1@news.minn.net>
Source record: 113028
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.digital.misc

In article <7d7rrp$14c$1@pyrite.mv.net>, XXXXrlubash@poco.mv.com. (Richard Lubash) wrote:
>I have been using PC Packratt for windows v2.0a since I started with
>log windows with great success. I like the way it integrates with Log
>Windows and the way you can run digital modes and DX cluster at the
>same time with a PK2232. But... Just for fun I tried running Packratt
>on my computer with the time set for 1/1/2000 and the program came up
>with some (bad arguments for date). Although this did not disable the
>program I was wondering if anyone knows who might be supporting PC
>Packratt and if anyone still does, if there is any plan for Y2K fixes.
>
>Any information would be appreciated.
>
>73
>
>Richard / N1VXW
>
>
Hello Richard:

Timewave Technology is currently working on the Y2K problem in PC PakRATT for
Windows. watch http://www.timewave.com for release details

73
John Douglas
N0ISL
TimewaveTtechnology

5120. FS: MT1000'S - 99 CH. ***REDUCED***

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: rgold1161@aol.com
Message-ID: <19990323204609.01109.00000781@ng-ca1.aol.com>
Source record: 113029

Have (5) UHF (438-470 MHz) in mint condition. They rate
a 9 on a scale of 10. They come with:

- new battery
- rapid charger
- speaker mic.
- antenna
- 99 channel
- scan
- display
- belt clip holder
- intrinsically safe
- free programming (up to 20 channels)

$ 400.00 ea. plus shipping.

Rich
RF Technologies

5121. Re: FT100 receiver squelch issue

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Seth Miller <seth.miller@NOSPAMworldnet.att.net>
Message-ID: <36F84FC8.DA10FCCC@NOSPAMworldnet.att.net>
Source record: 113030

An so it begins...

Thomas M. Schaefer wrote:
>
> If you have an FT100 and the receiver seems to stop listening while you tune
> the VFO, but comes back when you stop, tweak the squelch a little bit. I had
> this problem and Yaesu said it was a FEATURE of the radio to remember the
> squelch setting on a previous band, but this has the side effect of making
> it seems like the receiver is not working. I expressed my feelings that this
> was a bug, but Tech support said this was not a bug, but a feature (Didn't
> know that Microsoft made the FT100, did you?).
>
> If anyone experiences this, the solution is supposed to be adjust the
> squelch a bit. I suspect they tried to have the radio remember the previous
> squelch setting so if you go from fully-squelched on 2 meters, then
> unsquelched on HF, then back to 2m, the radio would stay unsquelched. If
> that is what they tried, it did not work.
>
> There is a menu setting to make the squelch control act as the RF Gain. I
> will play with this and see if it does anything to help out this dismal
> situation.
>
> "But, other than that Mrs. Lincoln...How was the play"
>
> Tom

5122. Re: FT100 receiver squelch issue

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Seth Miller <seth.miller@NOSPAMworldnet.att.net>
Message-ID: <36F84FF3.8651D38B@NOSPAMworldnet.att.net>
Source record: 113031

And so it begins...

Thomas M. Schaefer wrote:
>
> If you have an FT100 and the receiver seems to stop listening while you tune
> the VFO, but comes back when you stop, tweak the squelch a little bit. I had
> this problem and Yaesu said it was a FEATURE of the radio to remember the
> squelch setting on a previous band, but this has the side effect of making
> it seems like the receiver is not working. I expressed my feelings that this
> was a bug, but Tech support said this was not a bug, but a feature (Didn't
> know that Microsoft made the FT100, did you?).
>
> If anyone experiences this, the solution is supposed to be adjust the
> squelch a bit. I suspect they tried to have the radio remember the previous
> squelch setting so if you go from fully-squelched on 2 meters, then
> unsquelched on HF, then back to 2m, the radio would stay unsquelched. If
> that is what they tried, it did not work.
>
> There is a menu setting to make the squelch control act as the RF Gain. I
> will play with this and see if it does anything to help out this dismal
> situation.
>
> "But, other than that Mrs. Lincoln...How was the play"
>
> Tom

5123. Re: Yaesu vs. Icom

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Seth Miller <seth.miller@NOSPAMworldnet.att.net>
Message-ID: <36F85187.BB7068DD@NOSPAMworldnet.att.net>
Source record: 113032

The conventional wisdom is that the IC-746 is a much better HF radio,
although a much poorer performer on 70cm than the FT-847... :)

Harry Rosenblatt wrote:
>
> Anyone have any thoughts on the new Yaesu FT-847 vs. the Icom IC-746?
> Specs seem similar, but FT-847 has 430 Mhz. Also interested in views on
> mobile rigs: Yaesu FT-100 vs. Icom 706 MkII. Thanks.

5124. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: mustang_maniac@centuryinter.net
Message-ID: <2rYJ2.4969$_m5.1180265@newsread1-mx.centuryinter.net>
Source record: 113033
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,rec.radio.amateur.swap,rec.radio.cb

In article <7d9f6q$rg4$1@news.itis.com>, you say...
>
>Yes . No Problem. Just place it carefully behind a truck wheel
>and back up. Thats all theres to it. Easy Huh?? Try it. Im sure
>youll be pleased with the results.
> You can repaint later after you give it a test on the 10 me
>ter AMATEUR BAND where you need a license. If you had a license
>you would know how to do this simple feat.
>
> Paul K. N9EMX

GEEZ! What a jackass response! Our Russian ham friend was looking for some simple information, and you flamed him! Still fighting the Cold War or something? He DOES have a license by the way, and if you'll look at his post again, you'll see that he's placed his HAM CALL SIGN, UT0IY, at the end of the post. If YOU were a real ham, you'd recognize that! I am embarassed to be a US ham, if you're the kind of colleague that I am to be associated with! I think you owe him an apology, you brainless boob!

Dean, K5DH (a REAL radio amateur for 22 years)

5125. FS: Heathkit SA-5010 umatic keyer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: N0SAH <fish@microlink.net>
Message-ID: <01be75a3$91051120$59daa0d1@default>
Source record: 113034

```
For Sale: Heathkit SA-5010, umatic keyer in very good condition
with wall plugin power cube.
$40 shipped
Randy N0SAH
fish@microlink.net
```

5126. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: jcm1168@aol.comNOSPAM
Message-ID: <19990323221321.01187.00000586@ng-ch1.aol.com>
Source record: 113035

JERK

5127. VX-5R Temperature Display

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: martyt@pobox.com
Message-ID: <36f95ecc.186244451@news.supernews.net>
Source record: 113036

Anyone figured out how to change the VX-5R's temperature display to farenheit instead of celsius??

-Marty KI0LO
martyt@pobox.com

5128. For Sale: Al Hardline connectors

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: nj7a@aol.com
Message-ID: <19990323225618.29008.00000752@ng119.aol.com>
Source record: 113037

```
Celwave Quick-Tite connectors
for 1/2 inch aluminum hardlne

qty 4 Male N part no. 22-654
qty 10 Female N part no. 20-654

$5 each plus shipping

Dave
nj7a
```

5129. Need MFJ-812B VHF wattmeter instructions.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: M_OstrowskiXXX@yahoo.com
Message-ID: <36f86357.1991700@news.provide.net>
Source record: 113038

I just purchased a new MFJ-812B VHF SWR/watt meter at
an out of state hamfest last weekend and found no instructions
in the box. I've asked MFJ to mail me a copy of the manual, but
can someone fill me in on it's basic settings and use?

Thanks.
Michael Ostrowski - KC8GBM
Saline, MI

5130. For Sale: Surge arrestors

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: nj7a@aol.com
Message-ID: <19990323230118.29008.00000755@ng119.aol.com>
Source record: 113039

made by Joslyn, part no. 1717-15-B3
T type with N male, N female, and grounding stud 1/4-28.
has replacable gas tube

$5 each plus shipping or
4 for $15 plus shipping

Dave
nj7a

5131. WTB: Drake W-4 Meter Movement

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: wabate@erols.com
Message-ID: <36fa8180.56547246@news.erols.com>
Source record: 113040

I need a meter movement for my Drake W-4 wattmeter. Meter face and enclosure are not important, just the movement. Email me with your price. Thanks,

Bill Abate, K3PGB
PA 19001
wabate@erols.com

5132. Re: Kenwood TM-V7A Extended RX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: swtempo@yahoo.com
Message-ID: <36f981f1.6888549@news.mn.mediaone.net>
Source record: 113041
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc

On Tue, 23 Mar 1999 23:18:27 -0600, "Jarrod Boehme" <jboehme@pdq.net>
wrote:

>Anyone know if and how to mod a V7A for extended RX. I know the G707A can
>be modded to RX from 118-174, 300-520, and 800-999. I was hoping that the
>V7A could do something similar. I know how to mod for extended TX. Thanks
>in advance.
>

I seen that the new g707a does get father on receive than the V7a.
Kenwood has the mod for the G707a at their web site and I took a look
at them. The boards where the mods are performed are as far as I can
tell very similar. If it weren't such a pain in the ass for me to get
my radio uninstalled from my car, i'd perform the 707 mod on my V7a
just to see what happens.

5133. WTB: Yeasu FT-51r

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: thraxer1@aol.com
Message-ID: <19990324013401.15538.00000667@ng104.aol.com>
Source record: 113042

If anybody is selling a ft-51r, or knows of a place where I can get a good deal, please E-Mail me at:
Thraxer1@aol.com
OR
Hypothraxer@juno.com

Thanks
kb2zyt

5134. icom IC-W32a vs FT51R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: "Michael A. McCormick" <tigger1@pa.net>
Message-ID: <7d9v71$p37$1@news.pa.net>
Source record: 113043

Hi all,
Getting ready to test soon for my license and was looking at which portable i might like to get. Right now i have pretty well narrowed it down to the IC-W32A and the FT51R.

Curious what the general opinion is of the comparisons betweent he two.

Also interested, exactly what comes with each on accessory wise. as i can't find it anywhere.

--
Michael A. McCormick

5135. FS VTVMs KnightKit and Eico for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36F896B3.8EF@ix.netcom.com>
Source record: 113044
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I have a Knight KG-625 VTVM and an Eico model 249
Both are working and in good condition shape. They have very large
meters. These are bench meters. Excellent for doing alignment work. The
Knight comes with a bracket and probe. I have no manuals for either.
$65 each shipped. 73 Chris VE3NGW/W4 Florida

5136. Heathkit VFO HG-10B

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36F897E3.1FE0@ix.netcom.com>
Source record: 113045
Cross-posted to: rec.radio.amateur.boatanchors,rec.amateur.radio.swap,rec.radio.amateur.equipment

I have an HG-10B VFO in excellent condition. $95 with Manual.
73 Chris VE3NGW/W4 Florida

5137. Keithley 610B Electrometer for sale]

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36F89747.5965@ix.netcom.com>
Source record: 113046
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I have an excellent condition 610B. This is one of the most sensitive electrometers ever built. Recently calibrated by Keithley. I want $250 Thank you, Chris.

5138. Re: Kenwood TM-V7A Cold Wx Fadeout

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Bill Bailey <billbailey@accglobal.net>
Message-ID: <7da6vv$k8v$1@news2.tor.accglobal.net>
Source record: 113047

No I would have to say that we are all lucky ......same thing up here in Canada the display tends to be faded for the first few minutes of operation aswell. I have one other problem though and that is with that bloody modular mic plug it tends not to be too snug and very often has to be played with so that all the mic functions work has anyone out there had this problem? I love the radio but have to admit that the cheap connector is a real let down.....even the connector on the RadioShack HTX 242 is better made and this is an understatement!!!!!!!!
73`s
Rob
VA3-RNB

paul wise wrote in message <7d0nuc$21b0$1@newssvr03-int.news.prodigy.com>...
>i think that is a common problem, i have 3 ham friends who have v7's as well
>as myself, we all experience the display problem.
>i use the voice module, and microphone control. it helps do many functions
>without needing to look at the display.
>i also noticed if you reverse the display(blue letters on a white
>background) it is a little easier to read when it is cold.
>doesn't help in bright sunlight, though...
>Greg Knapp wrote in message <7d0kl6$n3s$1@bulb.garlic.com>...
>>I have noticed that when the temp outside gets down 40F or below, the blue
>>background on my mobile TM-V7A faceplate readout tends to wash out to
>almost
>>white or whitish-blue for the first few minutes of operation (probably
>until
>>the interior of the car heats up). I find that if I take the detachable
>>faceplate inside the house at night so it stays warm and then take it out
>>with me, the readout is fine, with the normal blue background. Anyone
else
>>having this temperature sensitivity problem, or am I just the lucky one?
>>
>>73, N6GK
>>
>>
>
>

5139. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: John Kiljan <jpkiljan@ix.netcom.com>
Message-ID: <36F8A52B.7D3729D5@ix.netcom.com>
Source record: 113048
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,rec.radio.amateur.swap,rec.radio.cb

Paul, such a rude response!

But the apology speaks well of your character--most would not have had the courage to type it. Let's see if we can help this guy (or his radio sport club) out in simple English:

Okay Vostok-Radio, the conversion involves changing the reference crystal in the phase-lock-loop (PLL) circuit to the part you are interested in moving to in 10M. In North America, most AM activity is 29.000 to 29.100 MHz, sideband is from 28.300 on up to 28.700 or so. You can also frequency shift the carrier and operate in the FM portion of 10M from 29.400 to 29.700, but this is a slightly harder modification unless you have one of those FM CB radios that are built for overseas markets. A company named Melco used to offer a kit to make an FM conversion of an AM CB radio that was pretty easy to do. After the PLL's xtal is changed the reference voltage must be adjusted. Harder to figure out is the band-pass filter that comes after these oscillators. The new frequency will be attenuated if this is not changed. Usually it involves just changing a simple capacitor or inductor or two.

The hard part to all of this is understanding the theory behind PLL's and in finding a circuit diagram (schematic) since they are not usually published by the manufacturers and there are so many different models that have been sold. There is a CB web page that sells service manuals for CB repairmen that may help. Try

http://www.cbcintl.com

or just keep asking on these newsgroups if you have more specifics of the circuit you are working on. In the 1970's an American magazine called '73' published many articles on CB conversions. I'm afraid that I am not going to be much help. It has been 15 years since I did my last conversion and I cannot even find my notes.

If you are going to operate illegally, be sure to work from 27.5 to 28.3 MHz, always overmodulate, add echo effects if you can, and try to speak a very fast Spanish or Portuguese so that you blend in with the other operators I usually hear there. Just kidding!

Good luck,

-- John (N0BUP)

Paul K wrote:

> If this was a legitimate request from a Russian Ham, I apologize for my
> scathing sarcasm. Lately there have been a lot of CBers and truckers moving
> up into the 10 meter amateur band. I thought it was one of these guys
> trolling. Sorry. Paul K
>
> Paul K wrote in message <7d9f6q$rg4$1@news.itis.com>...
> >Yes . No Problem. Just place it carefully behind a truck wheel and back
> >up. Thats all theres to it. Easy Huh?? Try it. Im sure youll be pleased
> >with the results.
> > You can repaint later after you give it a test on the 10 meter
> AMATEUR
> >BAND where you need a license. If you had a license you would know how to
> >do this simple feat.
> >
> > Paul K. N9EMX
> >
> >

5140. FS Yaesu FT736R 2m/70cm/6m multimode

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <Ix0yQ5AIBL+2EwDn@pacsat.demon.co.uk>
Source record: 113049

```
For Sale
--------

Yaesu FT736R 2m/70cm Multimode fitted with 6M module. Good condition,
with mic, power leads and handbooks. Boxed in original cartons.

Quick sale at 699 UKP plus carriage. (1120 USD plus carriage)

Will export if required.

enail slewis@pacsat.demon.co.uk

73 Simon GM4PLM
+---------------------------------------------------------------------+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+---------------------------------------------------------------------+
```

5141. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Gerald Taylor <getaylor@telepath.com>
Message-ID: <36F8B4A1.4508A490@telepath.com>
Source record: 113050
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Seems to me that Americans WITH GUNS are the ones who took Hitler off your backside and kept the Iron Curtain out of your backyard. If we decide to no longer cover your butt, can you? How is your marksmanship? Are you good enough to take on an all out aggressor in a day? Don't knock the force that gave your freedom or we might stop buying tulips.

W4ABC Jon Pearl wrote:

> Joe D. Bucher wrote in message <36F084A2.21AA@viaduct.custom.net>...
> >Wammes Witkop wrote:
> >>
> >> I *do* realize that in some countries other then my own, an interest in
> >> green - millitary - radios goes hand in hand with other hobbies I do not
> >> approve off. Frankly, I'm Dutch. We do not like guns in the hands of
> >> citizens. We have strict laws against it - and as a result, we have less
> >> violent crime then some countries where guns are easier to get..
> >> The NRA is *not* my cup of tea at all - if I'd be an American I'd oppose
> >> them. But as it is, this is not my patch. So please stop advocating the
> >> NRA, it's chairman or applauding to one who does. This is an
> >> international newsgroup after all. Please take this thread to a place
> >> where it's not a spam - 'cause that what it is here! The amount of
> >> definitly off-topic messages is getting rather large, would'nt you
> >> agree?
> >>
> >> Kind Regards, Wammes Witkop
> >>
> >> David Stinson wrote:
> >>
> >> > http://www.law.harvard.edu/News/Charlton_Heston_speech.html
> >> >
> >> > Yes, I know I'm probably "spamming."
> >> > But I can't think of a better way to pass this to
> >> > all the people I've come to like and respect.
> >> >
> >> > And it's just a -little- message, anyways.
> >> >
> >> > Forgive.
> >Wammes, I admire your courage to wade into this off topic discussion and
> >appreciate a view from across the pond. Your comments are well taken and
> >I don't mean any disrespect at all. However, I, as an armed US citizen,
> >can tell my government to go to hell if they insist on making me do
> >something that is unconstitutional. You can't do that in your country!
>

> Private e-mail from Wammes, no doubt to follow.
> >

--

5142. ????? SGC 237 "Mini" Coupler ?????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990324050103.01055.00000979@ng-fs1.aol.com>
Source record: 113051

Hey all,

I see on SGC home page they are coming out with a "mini" SGC 237 Coupler. It appears face value to be a SGC 231 but smaller in size. The new 237 tunes from 3.5 - 60 Mhz and is 5in X 5in X 1.5in ! SGC says that they will sell for $295.00! I wonder what that differences are being the SGC 231 sell new for $500.00?

Jason S. Hulet
KC8FXE

5143. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <pRp6IGATvL+2EwFa@pacsat.demon.co.uk>
Source record: 113052
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

In article <36F8B4A1.4508A490@telepath.com>, Gerald Taylor
<getaylor@telepath.com> writes
>Seems to me that Americans WITH GUNS are the ones who took Hitler off your
>backside and kept the Iron Curtain out of your backyard. If we decide to no
>longer cover your butt, can you? How is your marksmanship? Are you good
>enough to take on an all out aggressor in a day? Don't knock the force that
>gave your freedom or we might stop buying tulips.

Of course I forgot..... America won WW2 didn't you! sic

+---+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+---+

5144. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Vince Rhea <vintage@mis.net>
Message-ID: <6c4K2.35$J84.184914@news2.randori.com>
Source record: 113053
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

```
Will you guys please take this thread to a news group appropriate for the
topic already???!!!

Vince
--
Vintage Audio http://www.users.mis.net/~vintage/
The Victorian Lady http://www.users.mis.net/~victoria/vl/index.htm
SpermBank http://www.users.mis.net/~victoria/sb/index.htm
Simon Lewis wrote in message ...
>In article <36F8B4A1.4508A490@telepath.com>, Gerald Taylor
><getaylor@telepath.com> writes
>>Seems to me that Americans WITH GUNS are the ones who took Hitler off your
>>backside and kept the Iron Curtain out of your backyard. If we decide to
no
>>longer cover your butt, can you? How is your marksmanship? Are you good
>>enough to take on an all out aggressor in a day? Don't knock the force
that
>>gave your freedom or we might stop buying tulips.
>
>Of course I forgot..... America won WW2 didn't you! sic
>
>+---------------------------------------------------------------------+
>| Simon Lewis GM4PLM Editor - EMN |
>| European Microwave News - Supporting Microwave Radio Across Europe |
>| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
>+---------------------------------------------------------------------+
```

5145. Re: Kenwood TM-V7A Cold Wx Fadeout

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: dinoal7lz@aol.com
Message-ID: <19990324065316.01435.00000795@ng-cg1.aol.com>
Source record: 113054

I had the same problem with the mic connector. The good news is that they are really easy to fix (although a little pricey to buy the tool!). Radio Shack sells a tool for crimping on the 8 conductor telephone plugs and of course the plugs too...The cable jacket of my mic cord had come loose from the tab that acts as a strain relief for the cable, in turn loosening the finger connections that cut thru the wires in the cable, causing my transmit audio to be intermittent. Once I replaced the connector with a fresh one the problem was solved. Now all I gotta do is figure out what esle to do with this tool???

GL de Dino KL0S/4

5146. WTB: pair of 572B tubes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Gerry VanLoh <vanloh@inst.augie.edu>
Message-ID: <36F8D438.731384AB@inst.augie.edu>
Source record: 113055

Looking for a good pair of 572B tubes...

Gerry
--
WAï¿½JCV

5147. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Tommy Starr <tommystarr@hotmail.com>
Message-ID: <36F8AA7F.CF09BE77@hotmail.com>
Source record: 113056
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,rec.radio.amateur.swap,rec.radio.cb

uh oh.. another disgruntled ham radio operator that's gonna get postal on us
Tommy Starr

Paul K wrote:

> Yes . No Problem. Just place it carefully behind a truck wheel and back
> up. Thats all theres to it. Easy Huh?? Try it. Im sure youll be pleased
> with the results.
> You can repaint later after you give it a test on the 10 meter AMATEUR
> BAND where you need a license. If you had a license you would know how to
> do this simple feat.
>
> Paul K. N9EMX

5148. Re: FT100 receiver squelch issue

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: kb2ms@webspan.net
Message-ID: <36f8e311.3888113@news.webspan.net>
Source record: 113057

On Tue, 23 Mar 1999 14:46:26 -0700, "Thomas M. Schaefer"
<toms@altahealth.net> wrote:
tom is the 706g a better choice?
>If you have an FT100 and the receiver seems to stop listening while you tune
>the VFO, but comes back when you stop, tweak the squelch a little bit. I had
>this problem and Yaesu said it was a FEATURE of the radio to remember the
>squelch setting on a previous band, but this has the side effect of making
>it seems like the receiver is not working. I expressed my feelings that this
>was a bug, but Tech support said this was not a bug, but a feature (Didn't
>know that Microsoft made the FT100, did you?).
>
>If anyone experiences this, the solution is supposed to be adjust the
>squelch a bit. I suspect they tried to have the radio remember the previous
>squelch setting so if you go from fully-squelched on 2 meters, then
>unsquelched on HF, then back to 2m, the radio would stay unsquelched. If
>that is what they tried, it did not work.
>
>There is a menu setting to make the squelch control act as the RF Gain. I
>will play with this and see if it does anything to help out this dismal
>situation.
>
>"But, other than that Mrs. Lincoln...How was the play"
>
>
>Tom
>
>

5149. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Alan Glashan <alan.glashan@dundee.ncr.com>
Message-ID: <01be75f8$42404500$af014999@user>
Source record: 113058
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,rec.radio.amateur.swap,rec.radio.cb

Good grief Paul,
One must assume that there is some history of conflict between the two of
you, for you to start ranting away like this.
What an interesting way you have of conveying the spirit of Amateur Radio.
(sarcasm was never my strong point)

Alan

UT0IY wrote

>Hi, my dear friends&collegues
>Thanks for reading of this
>Does anybody know, how to shift
>working band of simple 40ch CB-tranceiver
>to band around freq.s 28 - 29 MHz
>with the same band width
>Thanks
>UT0IY

Paul K <pjktg@itis.com> wrote in article <7d9f6q$rg4$1@news.itis.com>...
> Yes . No Problem. Just place it carefully behind a truck wheel and back
> up. Thats all theres to it. Easy Huh?? Try it. Im sure youll be
pleased
> with the results.
> You can repaint later after you give it a test on the 10 meter
AMATEUR
> BAND where you need a license. If you had a license you would know how
to
> do this simple feat.
>
> Paul K. N9EMX
>
>
>

5150. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: CitySlicker <mannod@concentric.net>
Message-ID: <7daqca$o2q@journal.concentric.net>
Source record: 113059
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,rec.radio.amateur.swap,rec.radio.cb

Just a sample of what you find on the Ham NG and the Ham Bands. Makes me
want to get a ticket...NOT!!

Tommy Starr wrote in message <36F8AA7F.CF09BE77@hotmail.com>...
: uh oh.. another disgruntled ham radio operator that's gonna get postal on
us
:Tommy Starr
:
:Paul K wrote:
:
:> Yes . No Problem. Just place it carefully behind a truck wheel and back
:> up. Thats all theres to it. Easy Huh?? Try it. Im sure youll be
pleased
:> with the results.
:> You can repaint later after you give it a test on the 10 meter
AMATEUR
:> BAND where you need a license. If you had a license you would know how
to
:> do this simple feat.
:>
:> Paul K. N9EMX
:

5151. Re: Diode identity

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: John Wunder <jwunder@SPAMNOTclr.com>
Message-ID: <7daq13$48h$1@news.onramp.net>
Source record: 113060
Cross-posted to: sci.electronics.components,rec.radio.amateur.equipment

Thanks ! I purchased/installed one and it took care of the
problem....John - WB5NUA
Thomas C Sefranek wrote in message <36F615A0.9EE4A35@cmcorp.com>...
>
>
>John Wunder wrote:
>
>> Looking for replacement for a glass diode that has two color bands:
>> ORANGE AND YELLOW FOLLOWED BY GREEN LETTERS 'NEC'
>>
>
>1N34 (Orange yellow)
>
>>
>> Any thoughts on what this is?
>>
>> It came out of a Tempo RBF-1 SWR/POWER meter.
>>
>> Thanks in advance.
>>
>> John - WB5NUA
>
>--
>Thomas C. Sefranek WA1RHP
>ARRL Instructor, Technical Specialist, VE Contact.
>http://hamradio.cmcorp.com/41_Repeater/repeater.html
>http://hamradio.cmcorp.com/inventory/Inventory.html
>
>

5152. WTB: Yaesu FS-10 "Smart Controller" Potato Head Microphone For FT-8500

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: AuctionBargains@webtv.net
Message-ID: <24820-36F8DB47-1@newsd-271.iap.bryant.webtv.net>
Source record: 113061
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Group,

I am searching for a "new in box" and or "excellent condition" used Yeasu FS-10 "Smart Controller" Microphone, also known as the "Potato Head". This microphone was used in the FT-8500 Amateur Dual Band Transceiver, which is no longer in production (as is the microphone).

Please e-mail me your asking price as well as microphone condition to:

auctionbargains@webtv.net

Best Regards,

Joe Mattern, WW4WJD
Orlando, Florida

5153. WTB: Yaesu FS-10 "Smart Controller" Potato Head Microphone For FT-8500

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: AuctionBargains@webtv.net
Message-ID: <24821-36F8DC09-1@newsd-271.iap.bryant.webtv.net>
Source record: 113062
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Group,

I am searching for a "new in box" and or "excellent condition" used Yeasu FS-10 "Smart Controller" Microphone, also known as the "Potato Head". This microphone was used in the FT-8500 Amateur Dual Band Transceiver, which is no longer in production (as is the microphone).

Please e-mail me your asking price as well as microphone condition to:

auctionbargains@webtv.net

Best Regards,

Joe Mattern, WW4WJD
Orlando, Florida

5154. WTB: Yaesu FS-10 "Smart Controller" Potato Head Microphone For FT-8500

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: AuctionBargains@webtv.net
Message-ID: <24819-36F8DBA7-1@newsd-271.iap.bryant.webtv.net>
Source record: 113063
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Group,

I am searching for a "new in box" and or "excellent condition" used Yeasu FS-10 "Smart Controller" Microphone, also known as the "Potato Head". This microphone was used in the FT-8500 Amateur Dual Band Transceiver, which is no longer in production (as is the microphone).

Please e-mail me your asking price as well as microphone condition to:

auctionbargains@webtv.net

Best Regards,

Joe Mattern, WW4WJD
Orlando, Florida

5155. Re: FT-100 e-mail list

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: <>
Message-ID: <7dat3shfa1@pyrite.mv.net>
Source record: 113064

You can sign up to the FT-100 email list at:

http://www.onelist.com/subscribe/FT100

In article <7nUJ2.117$_u2.443081@NewsRead.Toronto.iSTAR.net>
"Daniel Lavoie" <LavoieDNOSPAM@iSTAR.CA> writes:

> Has anyone created a FT-100 e-mail list yet?
>
> Thanks
>
> Daniel
> VE3DCL
>
> --
>
> << Take out NOSPAM to reply by e-mail >>
>
>

5156. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Shawn Upton <supton@eece.maine.edu>
Message-ID: <36F8FA64.3F54@eece.maine.edu>
Source record: 113065
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,rec.radio.amateur.swap,rec.radio.cb

I'm curious to as which CB's would make the best subjects for
conversion. I know that it would be better to get one w/SSB (who does
work w/AM?), but I'm more curious about what models work best. After,
why pay $100-200 for a real 10m radio when, if I spend $20 bucks for an
old cb and do $10 worth of mods, I can have something that does the
trick?

--
****
Shawn Upton
Electrical Engineering Student
University of Maine at Orono
webpage: http://www.eece.maine.edu/~supton/
mail: supton@eece.maine.edu
KB1CKT Tech Plus
****

5157. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Jeff Johns <jeffj@scott.net>
Message-ID: <145082550016039NEWS2LX@news.scott.net>
Source record: 113066
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,rec.radio.amateur.swap,rec.radio.cb

On 24 Mar 1999 05:46:50 PST, "CitySlicker" <mannod@concentric.net> wrote:

> Just a sample of what you find on the Ham NG and the Ham Bands. Makes me
> want to get a ticket...NOT!!

I agree it was a bit of a premature reaction but if you don't want to be a
ham why read the newsgroups and listen to us on the air?

73 Jeff

--------- Jeff Johns W4JEF - AMSAT# 32615 - QRP-L# 1857 ----------
jeffj@scott.net w4jef@amsat.org	Reserve Patrol Captain
Satellite: Mir R0MIR-1, AO-27	Jefferson County Sheriff's Dept
200LX+BayPac+FT50=Portable Packet	QTH Birmingham, AL USA

5158. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: wpeloqui@ismi.net
Message-ID: <7db4bk$bq8$1@nnrp1.dejanews.com>
Source record: 113067
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space

Hey, wait a minute! I have held a amateur license for 18+ years and I don't know how to convert a CB to 10M. Actually I have just started using 10M mobile and think it is great fun. I want to put an inexpensive radio in my Jeep and I would appreciate learning the answer to this question.

BTW: He did sign his message with his call, UT0IY.

Willie
N8MDY

In article <7d9f6q$rg4$1@news.itis.com>,
"Paul K" <pjktg@itis.com> wrote:
> Yes . No Problem. Just place it carefully behind a truck wheel and back
> up. Thats all theres to it. Easy Huh?? Try it. Im sure youll be pleased
> with the results.
> You can repaint later after you give it a test on the 10 meter AMATEUR
> BAND where you need a license. If you had a license you would know how to
> do this simple feat.
>
> Paul K. N9EMX
>
>

Willie Peloquin
Senior Software Engineer - Contract
http://www.ismi.net/~wpeloqui

"It is unwise to

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5159. Re: icom IC-W32a vs FT51R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <36F90B9C.48E9C935@flash.net>
Source record: 113068

Good Luck with the test.
I have had both radios and liked both. the 51R has a better speaker but
the w32a has 900meg recieve. The 51R is about $ 100.00 more than the
w32a... They both are able to be programed with computer...
Either one would be a good choice... but if you like the 800-900meg
recieve go with the cheaper w32a.
Good luck.
K5JOE

Michael A. McCormick wrote:
>
> Hi all,
> Getting ready to test soon for my license and was looking at which
> portable i might like to get. Right now i have pretty well narrowed it down
> to the IC-W32A and the FT51R.
>
> Curious what the general opinion is of the comparisons betweent he two.
>
> Also interested, exactly what comes with each on accessory wise. as i can't
> find it anywhere.
>
> --
> Michael A. McCormick

5160. FS: ICOM IC-2340H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: timary@win.bright.net
Message-ID: <7db8b4frq1@nnrp1.dejanews.com>
Source record: 113069

For Sale: ICOM IC-2340H VHF/UHF transceiver. Includes HM-77 microphone, UT-55 DTMF encoder/decoder, manual, cables, and mounting bracket, all in original box. $295 plus shipping.

Tim K7HF

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5161. Capacitor Analyzer Sprague TO-6

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36F91793.75AB@ix.netcom.com>
Source record: 113070
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

I have a TO-6 in excellent condition. This is the top of the line capacitor analyzer. It also has large enough transformers built it to reform electrolytics. It has an analog meter to check leakage and it is in beautiful condition. I have jpg pictures if you need to see it. This would make an excellent addition to any shack. $175+ shipping
73 Chris VE3NGW/W4 Florida

5162. Re: VX-5R Temperature Display

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: mediaman3000@my-dejanews.com
Message-ID: <7db8rh$g5k$1@nnrp1.dejanews.com>
Source record: 113071

In article <36f95ecc.186244451@news.supernews.net>,
martyt@pobox.com wrote:
> Anyone figured out how to change the VX-5R's temperature display to
> farenheit instead of celsius??
>
> -Marty KI0LO
> martyt@pobox.com
>

As far as I know, there is no built in conversion to farenheit in the VX-5.

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5163. FS Service Monitor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: "j.kyong" <j.kyong@worldnet.att.net>
Message-ID: <36F91D6E.22A55C6C@worldnet.att.net>
Source record: 113072

Hi all
I have for sale CT Systems,Inc
(Wavetek 3000B Service Monitor .Same Design,Fuction.... Made by Wavetek)
Model: 3000B Service Monitor
Good working condition
$800.00 plus UPS
Tel:714-778-5151
*****ITEM DESCRIPTION *****
FREQUENCY RANGE 400KHZ TO 1GHZ,
RF OUTPUT 0.03UV TO 316 MV,RECEIVE SENSITIVITY 2UV,
RF SWEEP GENERATOR,TONE GENERATOR/DECODER,
FM MARKER AT 600HZ AND 5KHZ,INTERNAL WATTMETER,
INTERNAL DISTORTIONANALYZER,OSCILLOSCOPE,
BENCH MOUNTING,7.250 IN. H16.250 IN.
W,16.000 IN, 115/230VDC,50/60Hz, 12VDC
Tel:714-778-5151
Thanks

5164. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Tony Stiglitz <stiglitz@nortelnetworks.com>
Message-ID: <36F914EB.C657E30F@nortelnetworks.com>
Source record: 113073
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Sorry to keep this going but, this is a total embarrassment to me as an "American".

Yeah, like "citizens" with their "own guns" went over and took on the Axis. Give me a freakin' break! This BS is so old that the Dead Sea was still sick when knuckleheads like you started spouting this crap.

Gerald Taylor wrote:
>
> Seems to me that Americans WITH GUNS are the ones who took Hitler off your
> backside and kept the Iron Curtain out of your backyard. If we decide to no
> longer cover your butt, can you? How is your marksmanship? Are you good
> enough to take on an all out aggressor in a day? Don't knock the force that
> gave your freedom or we might stop buying tulips.

5165. Bird 43 Wattmeter like new $200

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36F91B7A.B17@ix.netcom.com>
Source record: 113074
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I have a bird model 43 wattmeter. Has a small paint paint rub on a
corner otherwise 9.5-10.
73 Chris VE3NGW/W4 Florida

5166. Best Mod Site I've seen

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-24 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <36F923BC.50D6B0EB@flash.net>
Source record: 113075

http://home1.inet.tele.dk/ehh/mods/index.htm

5167. For Sale----AOR7030

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Nick Marsh <nickwb4sqi@wwd.net>
Message-ID: <36FB0D34.15BA@wwd.net>
Source record: 112726

I am selling my AOR 7030 receiver, in like new condition, with remote control and manual. It is about a 9.5 out of 10.

Best offer over $650 gets it. Buyer to prepay with money order and will also pay for shipping and insurance of his choice.
--
73

Nick Marsh
WB4SQI

5168. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Jones <nomail@nomail.com>
Message-ID: <7df50guum1@news.orbitworld.net>
Source record: 112727
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

> Anti-military does not mean I will accept endless abuse!
>Wammes Witkop

The right to have a gun can be very practical here in the wild west. After the recent infamous O.J. trial, when the L.A. riots started, the cops just backed out and abandoned the citizens. Those with guns got some respect and saved their businesses. Those without were burned out...

5169. KJ6Q

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: JM <jmul@iland.net>
Message-ID: <36FB207E.5D46@iland.net>
Source record: 112728

Is he allright, or is he a turd like he represents himself on these
NG's? Does anybody actually know this guy?

5170. QRP-rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: <>
Message-ID: <7ddo24qdr1@news.mbnet.fi>
Source record: 112729

Hello !
I wonder, from where I could buy a completed QRP-rig including VFO,
output ca. 1 to 5 watts, cw and ssb.
In my age a home-brew one comes not in question, hi.

Eino oh2qj

5171. TS 570D Problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: keith rawlings <keith@recelectronics.demon.co.uk>
Message-ID: <JbkBKDAois+2EwR6@recelectronics.demon.co.uk>
Source record: 112730

Hi There.

I have a friend who is an amateur who lives close to me and he uses a
Kenwood TS570D hf tranciever.

When he switches the DSP function on there is an increase in
noise,similar to a RX which is suffering from crossmod.ie a type of
hetrodyning, whistling sound.

So he has asked to to post this on the news group to see if anyone else
is suffering from the same problem.

He bought the rig second hand so he thinks there may be a fault.

Cheers.............73's De Keith G4MIU
--
keith rawlings

5172. FS: GE MVS mobiles UHF (470-512 Mhz)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36FAA2A2.664B@ix.netcom.com>
Source record: 112731
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale

GE MVS mobile radios.. 16 channel w/scan.. 25W..

Do PL and DPL.

Radios in excellent condition with bracket, microphone and shell/pins
to make your power cable.

$95 programmed and tuned to your requirements.

Thanks

Steve-WA6GSD

5173. FS: Henry VHF 130W Mobile amps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <36FAA31B.61D@ix.netcom.com>
Source record: 112732
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale

Henry C130A30 commercial mobile power amps.

20 - 40 watts in gives maximum of 130W out.

$85 each, tuned for your requirements, plus shipping.

Amps can be tuned from 136 - 174 Mhz. (4 meg segment)

Thanks

Steve

5174. send me URL

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Ivan.Cindric@g-box.fido.hr
Message-ID: <5c1_9903261630@g-box.fido.hr>
Source record: 112733

```
* Crossposted from: HamRadio.38 (CroatiaNet)

Hi,
If are you amateur-radio and have personal home page:
send me your URL and I will update on my home page

73 de 9A6GPP
www.members.tripod.com/~CindricI
--
---------------------------------------------------------------------
- Fidonet: Ivan Cindric 2:381/102 -
- Standard disclaimer: The views of this user are strictly his own. -
- G-Box, Samobor, Croatia +385 1 78-38-66 -
---------------------------------------------------------------------
```

5175. Help! -- Tokyo Hy-Power HX-240 is VHF-to-HF Transverter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <7ddqai$3ej$1@news2.bit-net.com>
Source record: 112826
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

I am considering the purchase of a used Tokyo Hy-Power
HX-240 is VHF-to-HF Transverter.

I would appreciate any feedback as to the performance of
this device, and any potential "gotcha's" such as difficult-to-replace
parts, chronic failure parts, high noise level on RX, difficult to
interface with an amp, etc.

Would also appreciate any positive reviews that would encourage
to make the purchase, as well as the current used market value.

Thanks! & 73,
~~~

\ ~ / .... DavidC K1YP@qsl.net
~~~

5176. Re: FS: Kenwood TH78A Accesories...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Norm Melick <henmel@worldnet.att.net>
Message-ID: <36FA6F3C.395ED791@worldnet.att.net>
Source record: 112827

If the part are still available, I'm interested.
Give me a holler

73,
Norm/KQ6SD

5177. Ham videos wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Jason Brown <jason@erthis.freeserve.co.uk>
Message-ID: <7ddr1shqt1@news8.svr.pol.co.uk>
Source record: 112828

A friend of mine is after some ham radio vids.

He is certain that hs has seen them in a Nevada catalogue in the past, but they are not listed anymore.

Any details on where I can get any vids would be greatly appreciated.

5178. Re: FT-847: 50Mhz band not working !?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Jonesy <jonz@rmi.nospam.net>
Message-ID: <7ddrc0$9td$1@news1.rmi.net>
Source record: 112829

ThomasS <stop@spam.com> wrote:
: Make sure you have a good resonant antenna...I have found the 6 meter
: band very non forgiving of un-resonant antennas...
: A 10 meter antenna will not help you, nor will a 2 meter antenna...It
: must be specifally cut for the 6 meter band!
: I had a simular problem until I put up a 6 meter verticle!

hrumpf! Horse hockey. *IF* the band is open, any piece of
wire up in the open will pick up signals.
I have a scanner on 50.125 in the kitchen with a 20" whip --
when the band is open it picks up signals (and alerts me to run
downstairs to the shack.)

WHEN THE BAND IS OPEN <-- the defining condition. All-in-all,
six meters has *not* been open lately with wide area Es
propagation. There was damn little of it this Winter, as well.
There's been some TEP -- but mostly out of the southern band
of states. And, there's been a little F2 recently -- but the
occurrence and end-points of that phenomenonin the states has
been VERY SPOTTY.

WHEN THE BAND IS OPEN I work folks who are using a whole
'spectrum' of "improper" antennas. 80m dipoles. 40m inverted
Vees (which turn out to be three 1/2 wave lengths.) 20-15-10m
tribanders. HF verticals, as well as simple 6m verticals.
Lotsa times they are running QRP levels.

When the band ain't open you'll think your coax is cut.
If your rig can tune down below 50mcs, try checking to see
if you can receive the baby monitors and cordless phones
down at 48/49mcs.

Now, for transmitting -- yes, it's A Very Good Idea to be
using an antenna that makes your transmitter 'happy' -- i.e. low swr.

HTH
Jonesy W3DHJ

--
Marvin L. Jones jonz<AT>rmi.net
Gunnison, Colorado
281 days to go until the Year 2000 -- So what!
647 days to go until the 3rd Millennium of the C.E.

5179. Garmin SteetPilot GPS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: cwalthal@mail.delcoelect.com
Message-ID: <7ddqv4$7mo@koptsw8s.delcoelect.com>
Source record: 112830

I have a Garmin StreetPilot GPS with build in
maps of main roads and highways. I also have
external power, data cables and manuals.

$300.00 OBO

765-453-5642 evenings
765-451-5589 days

5180. 572B Driving Impedance?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: martyt@pobox.com
Message-ID: <7ddvgtsjm1@nnrp1.dejanews.com>
Source record: 112831
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Can someone with a tube reference book tell me what the driving impedance is for a 572B tube (or tell me where I can find that info on the 'net)?

I'd like to try adjusting the input networks on my SB-200, and can do so with the MFJ-259 antenna analyzer but must have a couple of resistors that are the same value as the driving impedance of the tubes (572Bs).

Any help would be appreciated.

73,

-Marty KI0LO
martyt@pobox.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5181. HTX-202 schematic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Shawn Upton <supton@eece.maine.edu>
Message-ID: <36FA72CE.7DE1@eece.maine.edu>
Source record: 112832

Hello all,
I'm wondering if anyone out there has a schematic to this bugger. I'm interested in seeing if there is some work that I can do to this radio, especially to see if I can improve the reception next to computers--this radio is known to be very sensitive around computers. Mostly, I think I just need to somehow increase the squelch capabilities. Anyhow, is there some place that has the schmatic for a low cost or preferably free? Thanks.
--
****
Shawn Upton
Electrical Engineering Student
University of Maine at Orono
webpage: http://www.eece.maine.edu/~supton/
mail: supton@eece.maine.edu
KB1CKT Tech Plus
****

5182. Re: IC-207H Missing most of 440 band?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Francis PILLOUD <f_pilloud@compuserve.com>
Message-ID: <VA.00000013.0085013c@fp-brio>
Source record: 112833
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

> Why can't the radio "get to that"? Some way to modify it?

Yes, you may find mods for the 207H at :

ftp://oak.oakland.edu/pub/hamradio/mods/icom/ic207h

and

http://www.ticino.com/drivers/rabbs/ham/MOD-ICOM/ic207.mod

the second site is in Italian...

Vy 73

Francis PILLOUD HB9PTF Switzerland
http://ourworld.compuserve.com/homepages/f_pilloud

5183. FORSALE - Mint Icom-735, MFJ 949E tuner, Astron RS-35A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7dduu1$bb6@nntpb.cb.lucent.com>
Source record: 112834
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,nj.forsale

```
--------------------------------------------------------------------
FORSALE - MINT Icom 735 HF rig, MFJ 949E tuner, Astron RS-35A
--------------------------------------------------------------------

I have an absolutely mint condition (still has the
protectice plastic over the slide swithces!) Icom 735 HF rig that
I'd like to sell. The rig includes the optional 500-Hz
CW filter, original hand mike with up/down controls, original
manual, and all original packing. I am a non-smoker. Also have
as-new MFJ tuner and Astron power supply:

ICOM 735/cw filter/mic $575.
MFJ 949E tuner 100.
Astron RS-35A ps 120.

Entire package for $775. + shipping.

Joe Levantino
KB2FSH
(732) 949-0664

Rig is located in Monmouth County, NJ.
$550 plus shipping.

Joe Levantino
KB2FSH
(732) 949-0664.
```

5184. FS Garmin StreetPilot GPS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: cwalthal@eng.delcoelect.com
Message-ID: <7ddvvs$7v1@koptsw8s.delcoelect.com>
Source record: 112835

Sorry about the repost Wrong e-mail address

I have a Garmin StreetPilot GPS with build in
maps of main roads and highways. I also have
external power, data cables and manuals.

$300.00 OBO

765-453-5642 evenings
765-451-5589 days
cwalthall@cwalthall.com evenings
cwalthal@eng.delcoelect.com days

5185. HOW TO FILTER OUT POSTS YOU DON'T LIKE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <36FA8B8E.DB7C4642@ix.netcom.com>
Source record: 112836
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

(This is for Netscape 4.5 and later only--
Other news readers will work in a similar fashion to this.
I don't know Internet Exploder and
hope you MS fans will provide the much-needed primer.)

Although I clearly didn't want to start a thread, I'm responsible
for a big, off topic one. This is my attempt to help
people who either cannot or will not simply ignore
posts they say they don't like, be they off topic or auction.

This primer will show you how to "filter" messages so that
you never see them and are therefore not tempted to "click"
on them. I do this to filter out posts about YaeComWoodies,
about which I have not the slightest interest.

1. Open your news reader. Select the newsgroup you want to filter.

2. On the upper tool bar, click on "Edit."
Select "Message Filters..." from the pull-down menu.

3. Click the "New" button. This will open a window called
"Filter Rules." Give your new filter a name.

4. Examine the boxes. You have many options to delete, mark
or otherwise automatically handle message from selected
persons or about certain subjects. For example,
you can tell your new filter to delete any messages
from "CBSambo" or "the cuban." You can also send
all auction messages to a special folder by filtering
for "FA:" or "ebay."

5. When finished building your filter, click "OK."
Restart your internet software and your new filters should
be ready to remove your temptations.

You can create multiple filters for each newsgroup if you wish.

I hope this is of some help and invite others to write short
primers on how to do this for other news readers.

Kind Regards,
David Stinson
arc5@ix.netcom.com

5186. Re: ADMS-1E for VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <36FA8EC4.1F8C9208@mindspring.com>
Source record: 112837

clintbrad4d@earthlink.net wrote:
>
>
> It started shipping last week!
>
> http://www.rtsars.com
>
>

Hmmm.... no mention of it at their website (it stops at ADMS-1D).

HRO did not have it yesterday, so I wondered. Thanks for the info!

Phil

5187. Trio 9000 deviation

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Mark Twells <mark@RemoveThismtwells.demonRemove.co.uk>
Message-ID: <922390445.6625.0.nnrp-08.c3ad4005@news.demon.co.uk>
Source record: 112838

Help!
I need to drop the deviation on a Trio 9000 (2m) rig...any clues? I haven't got any documentation with it....

73 de Mark, G7DWX

5188. Re: Yaesu FT10R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: VKHD16A@prodigy.com
Message-ID: <7de4cm$301g$1@newssvr03-int.news.prodigy.com>
Source record: 112839

Open up receive on the 10R:
Press down and hold the top knob and lamp button while holding the power button for .5 sec to turn the rig on. This should do it.

I picked up a used 10R recently for my son. This rig has the SMA conector, but the opposite gender from 50R. You can use one of the great new antennas such as the Premier 98 if you get a small SMA barrel connector. Also, you may want to get a new, shorter, orange on-button so that the rig is not accidently turned on as easily.
All of the other accessories for the 50R can be used on the 10R.

Steve

5189. Re: Yaesu FT-10 / FT-50 accy info needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: VKHD16A@prodigy.com
Message-ID: <7de51d$8deq$1@newssvr03-int.news.prodigy.com>
Source record: 112840

I have both rigs. They share all batteries and accesories except the antenna because they have opposite gender SMA mounts. The simple solution to use the antennas made for the 50R on the 10R is to get a amall SMA barrel connector. These are about 1/2 inch, double female. I got a couple of these at a hamfest for about $2 each.
I use the PRemier RD-98, which is one of those long, very thin and flexible antennas. It has a very small base section, so the barrel puts the rigid section of the antenna only about 1.5 inches above the rig.

Steve KQ6TI

5190. new antenna company 6mtr,2mtr,70cms.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: PAUL CREWDSON <paul@crewdson1.freeserve.co.uk>
Message-ID: <7de55d$a5i$3@news4.svr.pol.co.uk>
Source record: 112841

A new site for a new company set up by 3 radio hams.
All comments welcome. Very plain site.

http://www.crewdson1.freeserve.co.uk

5191. WTB: 220mhz radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Howard Becker <h.r.becker@worldnet.att.net>
Message-ID: <36FA9AF9.4D7A0079@worldnet.att.net>
Source record: 112842

Looking for a 220 mhz ht or mobile; may be mono/duel/tri bander

email: kf4zdl@hotmail.com

5192. FS: Motorola Apcor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: The Whitt's <ckw@gamewood.net>
Message-ID: <36FA9572.6A38A258@gamewood.net>
Source record: 112843

Hi-Power Motorola Apcor Medical Radio, UHF band (Med Channels) 8 of 10
and included charger $ 500.00

ckw@gamewood.net

5193. Re: Need Drake TR7 opinions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Jim Warner <jpwarner@gte.net>
Message-ID: <7de72i$me1$1@news-2.news.gte.net>
Source record: 112844
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

A TR-7 with all the components that comprise a TR-7A, is not a TR-7A.
You will be money ahaead to buy a real TR-7A...if you hurry up.
Drake is the next upcoming supply and demand market to be exploited.
Any vintage TR-7 with a little work and patience can rival todays radio,
less the gadgets.
Jim

Bob <xyz_P15218@flash.net> wrote in article <36F95D3A.262B@flash.net>...
> Drake experts:
> I have an opportunity to obtain a TR7 (not an "A") in good shape, with
> power supply and book(s). It does not have the CW filter or noise
> blanker. Price unknown at this point.
> Questions:
> 1) What does it take to make this thing into an "A"? I am guessing at:
> noise blanker, aux 7 option and CW filter.
> 2) About how much do these pieces go for these days?
> 3) Can it be put on the WARC bands without a redesign?
> 4) The owner seemed interested in trading for my mint Kenwood TS820S
> with CW filter. Is this a fair trade? I'm guessing the 820 is worth
> $350.
> Thanks
> Bob
> KB8TL
> --
> (remove the xyz_ to reply)
>
>

5194. I/D - MOTOROLA AM DESKTOP RADIO - OLD-

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <CRxK2.43$0e4.1719@sapphire.mtt.net>
Source record: 112845

Motorola "AM" Desktop Radio

Model # 5R1 1A

Serial # 5228

Has tubes - 12BE6, 12BA6, 12AT6, 50C5
(These tubes hard to aquire?)

Aprrox Dimension - 12"L x 6"W x 5"H

Nice sound and condition rate 8/10 or better.

Any idea what it's worth??

Email details plse...dave

5195. Re: Where or where do we go?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: davew@wizzards.net
Message-ID: <N.032599.133613.98@davew>
Source record: 112846

On 3/25/99 7:58AM, in message <36fa5c0f.16100869@news.olg.com>, al <no@spam.here> wrote:

> On Wed, 24 Mar 99 20:15:04 GMT, davew@wizzards.net (williams) wrote:
>
>):>With the strange things going on at ebay (items being dropped from
> auction (like
>):>scanners & amps) where do we go to find quality equipment slightly
> used?
>):>
>
>
> Probably to one of thousands of sites available on the I'net & UseNet.
> I guess you've never heard of a "search" engine?
>
> Al
>
>

Yea Al I heard of a search engine. Thought that perhaps someone would be KIND enough to recommend a reputable, fair place.

Marcia

5196. FS***TRAM D201A***$400.00***

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <24573-36FAA8C8-62@newsd-141.iap.bryant.webtv.net>
Source record: 112847
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment

In nice cond.with stock D104 and repro manual.Email me or call for more info.Price is $400.00 + shipping.

Take care,
Stan (530)241-0843 KF6IKC@webtv.net

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

5197. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Dana@Source.Net
Message-ID: <7deduv$a1l$1@nnrp1.dejanews.com>
Source record: 112848
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space

In article <7d9f6q$rg4$1@news.itis.com>,
Paul K" <pjktg@itis.com> displayed ignorance laced with rudeness and wrote:

> Yes . No Problem. Just place it carefully behind a truck wheel and back
> up. Thats all theres to it. Easy Huh?? Try it. Im sure youll be pleased
> with the results.
> You can repaint later after you give it a test on the 10 meter AMATEUR
> BAND where you need a license. If you had a license you would know how to
> do this simple feat.
>
> Paul K. N9EMX "Paul K" <pjktg@itis.com> wrote:

Nice, Paul. Learn how to recognize international callsigns, buddy, if you
had a license you would know how to do this simple feat. Oh wait, you
seem to have a license already, how did you miss the part about callsigns?

You don't even need a license to learn how to be courteous, but that
seems to be passe in amateur radio today.

Dana K6JQ
Dana@Source.Net

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5198. Re: Help - HF Amp low voltage

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: CJ <cjr@visi.com>
Message-ID: <36FAB22A.7CF23BB0@visi.com>
Source record: 112849

Jim -

Have you checked the B+ with another voltmeter. It may just be that the meter resistor has gone way up in value.

What kind of final tubes does the amp have? If they are sweep tubes, 500v sounds about right and that "1 Kw" rating probably means PEP.

73, CJ K0CJ

Jim Brown wrote in message <36F81409.BF412380@ucsd.edu>...
>I just got an old Dentron GLA-1000 HF amp. Gave it the static "smoke
>test" (dummy connected an NO input) and all filaments lit (a good
>thing), fan worked ... but only read 500v when I switched to VOLTS.
>That seems low for a 1kw linear. I did NOT put a load on it ... what
>might be the problem? I don't know this (sweep tube) or have a manual.
>
> 73, Jim
>

5199. Re: Wanted: Schematic for MFJ 949 Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: AC6V <ac6v@ix.netcom.com>
Message-ID: <36FAB2C3.326@ix.netcom.com>
Source record: 112850

Charles O'Hara wrote:
>
> Trying to locate a schematic for the MFJ 949 antenna tuner.
>
> Yep, this is the original model with no letter suffix.
>
> If you can fax or send it to me, please let me know so I can
> select one kind soul and not be inundated with your generosity.
>
> Thanks in advance for responses, Chuck

Hi Chuck -- have you tried MFJ Enterprises - User Manuals On-Line
at URL:
http://www.mfjenterprises.com/manuals/index.html

73
Rod in San Diego
--
AC6V INDEX TO DX AND HAM RADIO
FEATURING 88 PAGES, 400 INDEXED TOPICS, AND 3000 LINKS
Over 320,000 visits on the counter
http://www.ac6v.com/pageas.html -- Alphabetical Index
http://www.ac6v.com/ -- Home Page

5200. Motorola HT800

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Chris Wood <g0kmx@netcomuk.co.uk>
Message-ID: <7decoe$96h$1@taliesin.netcom.net.uk>
Source record: 112851
Cross-posted to: rec.radio.amateur.equipment,uk.radio.amateur

Hi All

Thanks for reading this.

Does anyone out there have the details for re-programming these rigs onto the 70cms band?

Any help would be appreciated

Cheers

Chris G0KMX

5201. Re: HTX-202 schematic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: landaircom@aol.com
Message-ID: <19990325172613.03895.00000086@ng21.aol.com>
Source record: 112852

The manuel is available from RADIO SHACK.

5202. WTB: Kenwood TR-2500 Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: "Ralph J. Gable" <rgable@cancom.net>
Message-ID: <36FAB45C.352@cancom.net>
Source record: 112853

********* PLEASE REPLY BY E-MAIL *************
My 13 year old son (Timothy) owns a Kenwood TR-2500 handheld 2 meter transceiver. He is looking for accessories to go along with it. He wants:

=> speaker-mic (SMC-25 or equiv)
=> drop in desk charger (ST-2 or equiv)
=> battery back(s) good or bad (we have new guts, we need the case)
=> Mobile stand (MS-1 or equiv)

If you have any or all of these items, please let us know.

********* PLEASE REPLY BY E-MAIL *************
--
Ralph
VE4PUX/WA2PUX
/=================================\
From the Desk of
Rev. Ralph J. Gable
\=================================/
"for all have sinned . . ." Romans 3:23
"for the wages of sin is death . . ." Romans 6:23a
"And anyone not found written in the Book
of Life was cast into the lake of fire."
Revelation 20:15
"But as many as received Him (Jesus), to them
He gave the right to become children of God,
to those who believe on His (Jesus') name."
John 1:12
". . . but the free gift of God is eternal life in
Jesus Christ our Lord."
Romans 6:23b

5203. Re: 572B Driving Impedance?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Al Dolgosh <al.dolgosh@hamradio.org>
Message-ID: <36FAC462.B9A5E2FE@hamradio.org>
Source record: 112854
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

There are a lot of useful tech notes on Svetlana's web site:

http://www.svetlana.com/

Hope this helps,

Al - K8EUR

martyt@pobox.com wrote:

> Can someone with a tube reference book tell me what the driving impedance is
> for a 572B tube (or tell me where I can find that info on the 'net)?
>
> I'd like to try adjusting the input networks on my SB-200, and can do so with
> the MFJ-259 antenna analyzer but must have a couple of resistors that are the
> same value as the driving impedance of the tubes (572Bs).
>
> Any help would be appreciated.
>
> 73,
>
> -Marty KI0LO
> martyt@pobox.com
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5204. FS: FT-767GX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: n8ppz73@aol.comNOSPAM
Message-ID: <19990325182636.04334.00000087@ng-cd1.aol.com>
Source record: 112855

For sale:

Yaesu FT-767 GX HF 160-10 meters, 2 meter band module, CTSS PL tone board encode/decode, built in HF antenna tuner, Built in Power Supply. Service manual, radio user manual, additional documentation. 100 watts on HF, 10 watts on 2 meters. Electronic CW keyer. Radio is a 9.5 on a scale of 10. Only reason it's not a 10 is I do no have the original hand mic for it or box.

Asking $1250 obo +shipping from OHIO

WILL NOT SEPERATE 2 meter module.

5205. Re: SGC 237 "Mini" Coupler ?????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Tom KA4RKT <badger@telalink.net>
Message-ID: <OQzK2.105$3B3.66537@news3.atl>
Source record: 112856

JHulet <jhulet@aol.com> wrote in message > Hey all,
>
> I see on SGC home page they are coming out with a "mini" SGC 237 Coupler. It
> appears face value to be a SGC 231 but smaller in size. The new 237 tunes from
> 3.5 - 60 Mhz and is 5in X 5in X 1.5in ! SGC says that they will sell for
> $295.00! I wonder what that differences are being the SGC 231 sell new for
> $500.00?

Jason, looks like the BIG difference is it is rated at 100 watts PEP, and only 40 watts CW. Grrr. I was about to jump on it till I saw the actual specs on their web page.

73

Tom KA4RKT

5206. FA: Drake SC-6 Manual (6 Mtr Converter)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: w1ksz@tiac.net
Message-ID: <36facb4d.5749124@news.tiac.net>
Source record: 112857

Manual for Drake SC-6 6 Meter Converter and CPS-1 Power Supply. Last bid was $4 !!. This is an original manual, not a copy. Go to 80814000.

73, Dick, W1KSZ

5207. VX-5R Freeband Mod??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: etosha <etosha@earthlink.net>
Message-ID: <36FACF28.BEE3FAB3@earthlink.net>
Source record: 112858

Anybody know the procedure for putting the VX-5 into the freeband mode??

I have seen these guys putting out 1 watt in 220 & haven't found the
freeband mod on the internet. Thanks, Steve
AC6OB etosha@earthlink.net

5208. Wanted A decent Iambic paddle

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: J Peitsch <peitsch@concentric.net>
Message-ID: <7deiv8$lm2@chronicle.concentric.net>
Source record: 112859
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Reasonably priced paddle wanted. Brand not important but must function properly.

Thanks

Butch

5209. Needed S-38EB Schematic or Info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: markd@silogic.com
Message-ID: <F9665q.6Jp@silogic.com>
Source record: 112860
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I have a Hallicrafters S-38 EB (the AC/DC model).

It appears the previous owner thought that the radio would work better if he/she applied AC to the headphone jack on the rear of the unit.

It does not appear to have caused the radio any major harm but there is (was) a resistor(?) across the headphone jack which is now mostly vaporized.

I'm looking for a schematic or source for info on what this resistor was and also how the headphone jack is wired in so that I can check if anything else was damaged.

If I can buy a manual, get a copy of the schematic or other option, it would help me get this radio fixed up.

Thanks, Mark K3FWT

--
Mark DiVecchio, P.E., Silogic Systems K3FWT
+++++ 9888 Carroll Center Road, Suite 216, San Diego, CA 92126 +++++
markd@silogic.com http://home.san.rr.com/divecchio 619-549-9841

5210. RE : Chuck Lorentson TR-9130...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Jordan Arndt <jordana@nucleus.com>
Message-ID: <36FAE0D0.6D4A@nucleus.com>
Source record: 112861

In the interest of all... Mr Lorentson kc5cqa <kc5cqa@devtex.net>, purchased a WORKING Kenwood TR-9130 from myself last spring on E-Bay.

The unit had been used on a daily basis for several years, and had performed quite well. Upon receiving the unit Mr. Lorentson claimed that when he plugged it in, the display and memories would not hold. I then explained to him that the Back-up Ni-Cad battery would need to be fully charged before this stopped unless he removed it all together and reset the memories etc when he powered the rig up, or that he leave the 12VDC Supply on all the time.

I did not hear from him agaim for about 5 months, when he informed me that he had not done anything with the rig and was very upset about having spent money on the unit. I poffered to have him return the rig for inspection and that I would repair any problems that were found, unless they were due to someone elses work. He refused to return it, and demanded that I refund his money and then he would return the rig. This I refused , as the unit was in excellent operational condition when it left here. It was not in 9+ condition cosmetically, and this was clearly stated in the E-Bay ad. I explained to him that even Kenwood or ICOM or any other manufacturer would only offer a repair after the lentgh of time that had expired. He still refused to return it. I did not hear anything from him for many months again , until now. He claims that he took the rig to a Dealer and was told the rig had suffered severe damage, and would be between 100 and 200.00 to repair, I AGAIN asked him to return it so that I could look at it. He again refused , demanding that I refund his money, a year after he purchased the rig. After suffering several insulting and threatening e-mails from him, I am letting you ALL know the circumstances about the transaction, at least from my side. He has told me that he will be e-mailing people and informing them of my ripping him off, but there are always 2 sides to every story. I am also posting this to other groups. I am sorry to have taken up this BW, but I feel that you all have the right to now. I have also retracted my offer to him of having him return the unit, as I feel that making the offer 3 or 4 times and being refused , even a year later is sufficient... WHAT do YOU think??? Please let me know... 73 de Jordan...

5211. TS-850 vs FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Amrum Lakritz <isrus@san.rr.com>
Message-ID: <5MAK2.14008$oa3.97672@news.san.rr.com>
Source record: 112862

I own a TS850SAT and wonder if the FT-847 would be a step up, down, or sideways. Would welcome any opinions. TNX

5212. future of HTX-202

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Mike <stonb@sk.sympatico.ca>
Message-ID: <36FADA4B.3EC@sk.sympatico.ca>
Source record: 112863

Anyone here know anything about the future of the Radio Shack htx-202 2M handheld transciever? Is it going to be discontinued in the near future? If so, is now a good time to buy one? When will Radio Shack totally quit supplying this radio? Any and all replies will be greatly appreciated!!

Mike

5213. Re: icom IC-W32a vs FT51R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: MindSpring User <dcwilkin@mindspring.com>
Message-ID: <7denor$aj1$1@camel21.mindspring.com>
Source record: 112864

I have a W32 and I like it for its very wide receive but I would recommend a FT-50 because it has a better receiver N-FM,W-FM and AM and it has 800, 900 meg receive it is also a very well built and durable radio one last thing is that it can be found at about the same price as a W32

Dave Wilkin
KF4WVB

5214. Re: future of HTX-202

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Shawn Upton <supton@eece.maine.edu>
Message-ID: <36FAE3AD.52BF@eece.maine.edu>
Source record: 112865

Mike wrote:
>
> Anyone here know anything about the future of the Radio Shack htx-202 2M
> handheld transciever? Is it going to be discontinued in the near
> future? If so, is now a good time to buy one? When will Radio Shack
> totally quit supplying this radio? Any and all replies will be greatly
> appreciated!!
>
> Mike

When I went into RS the other day carrying my 202, the guy said that
they no longer carried the 202. They might already be done selling the
202, or at least my area/state is out of 'em.
--
****
Shawn Upton
Electrical Engineering Student
University of Maine at Orono
webpage: http://www.eece.maine.edu/~supton/
mail: supton@eece.maine.edu
KB1CKT Tech Plus
****

5215. -FS- MFJ-482 KEYER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Ron Sibbitt <n8lmt@usa.net>
Message-ID: <7dclj7$h3u$1@ramp2.tir.com>
Source record: 112866
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

For Sale.... MFJ-482 KEYER
a memory keyer, has speed, volume, weight, tone controls.
size is 6x2x6 inches. nice shape, with 12 v cable.
Everything works, no manual......
$30.00 ......plus $3.00 shipping in us or canada

e-mail me n8lmt@usa.net

5216. -FS- Motorola Mocom 10 on 30.92Mhz $25.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Ron Sibbitt <n8lmt@usa.net>
Message-ID: <7dcmmaigu1@ramp2.tir.com>
Source record: 112867
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

Motorola Mocom 10 Mobile, 30watts,
with mounting bracket, currently
on 30.92 Mhz with a PL of 88.5
with Microphone, DC cable.
Very Clean, works perfect.
could probably be put on 10m FM
$25.00 + shipping of $6.00 in usa48

email me.......... n8lmt@usa.net

Ron Sibbitt N8LMT
Croswell, MI 48422

5217. FS/Trade: Kenwood TH79A FM Dual Bander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Rick Riverman <rbriver@cybcon.com>
Message-ID: <922418680.721.38@news.remarQ.com>
Source record: 112868

I have the following for sale or trade:

ITEMS
* Kenwood TH-79A Dual Band HT
* PB-32 6v 600mAh NiCd Battery
* PB-34 9.6V 900mAh NiMh Battery (for 5W output)
* Cigarette Lighter Adapter Pack
* BT-9 Alkaline Cell Pack
* BC-17 Charger
* Soft Case
* Nylon Cord Wrist Strap
* Manual
* Original Box

FEATURES
* Power-on call sign display
* 82 non-volatile memory channels with alphanumeric ID
* Dot-Matrix LCD and menu system
* Encoder/Decoder built-in
* Simultaneous receive on both bands using VHF/UHF,VHF/VHF or UHF/UHF
configuration
* 5 watts power with PB-34, 3 watts with B-32

$275.00 or
I would consider trading for 2 meter Multimode rig.

Rick Riverman
W7RBR
503-629-5135

5218. Re: VX-5R - How good is it?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <36FAFF42.C65B6D2B@mindspring.com>
Source record: 112869

Do a search on "VX-5R" in Yahoo. You will find at least two reviews.

Bought one yesterday, and I like it a lot re my FT-50 and FT-51.

Phil

5219. Yaesu VX-5R for shortwave?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: J <test@test.Com>
Message-ID: <7df0js$a9h$1@Usenet.Logical.NET>
Source record: 112870

Wonder if anyone can comment about usefulness of VX-5R as shortwave receiver in suburban-USA. Is there a recommended antenna for improved shortwave reception?

Thanks in advance for any help,

KB2WFW
sutliffj@capital.net

5220. (none)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: N4XCV@RFCI.NET
Message-ID: <000401be7712$af543280$edd619ce@andyrupp>
Source record: 112871

```
Subscribe Ham-Equip n4xcv@rfci.net
```

5221. (none)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: N4XCV@RFCI.NET
Message-ID: <000b01be7713$559ba420$edd619ce@andyrupp>
Source record: 112872

```
subscribe ham-equip n4xcv@rfci.net
```

5222. (none)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: N4XCV@RFCI.NET
Message-ID: <001601be7713$8556e120$edd619ce@andyrupp>
Source record: 112873

```
subscribe n4xcv@rfci.net ham-equip
```

5223. Re: HOW TO FILTER OUT POSTS YOU DON'T LIKE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Michael Black <blackm00@CAM.ORG>
Message-ID: <Pine.SOL.4.10.9903252239280.15252-100000@Ocean.CAM.ORG>
Source record: 112874
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment

Idiot, you're doing it again. Not content to have cross-posted a message that had nothing to do specifically with amateur radio in the first place, and seen it turn ugly because it had nothing to do with amateur radio, you are now cross-posting a second time because you didn't like people criticizing you for doing it in the first place.

I have a choice whether I want to read political diatribe. I can very easily find plenty of newsgroups set up for that. I choose not to. I expect to not find them in the amateur radio newsgroups, especially when the threads ignore the fact that not everyone here is American.

I shouldn't have to filter to keep your junk from my view, because I've made the decision to not read it by not reading the newsgroups where it belongs.

Why don't you just stick to rec.radio.swap and sell your junk there, instead of turning newsgroups intended for discussion of specific amateur radio related topics into your personal advertising space. Since you have no consideration for that in the first place, I'm not surprised that you'd think nothing of posting your off-topic political junk here.

Michael VE2BVW

On Thu, 25 Mar 1999, David Stinson wrote:

> (This is for Netscape 4.5 and later only--
> Other news readers will work in a similar fashion to this.
> I don't know Internet Exploder and
> hope you MS fans will provide the much-needed primer.)
>
> Although I clearly didn't want to start a thread, I'm responsible
> for a big, off topic one. This is my attempt to help
> people who either cannot or will not simply ignore
> posts they say they don't like, be they off topic or auction.
>
> This primer will show you how to "filter" messages so that
> you never see them and are therefore not tempted to "click"
> on them. I do this to filter out posts about YaeComWoodies,
> about which I have not the slightest interest.
>
> 1. Open your news reader. Select the newsgroup you want to filter.
>
> 2. On the upper tool bar, click on "Edit."
> Select "Message Filters..." from the pull-down menu.
>

> 3. Click the "New" button. This will open a window called
> "Filter Rules." Give your new filter a name.
>
> 4. Examine the boxes. You have many options to delete, mark
> or otherwise automatically handle message from selected
> persons or about certain subjects. For example,
> you can tell your new filter to delete any messages
> from "CBSambo" or "the cuban." You can also send
> all auction messages to a special folder by filtering
> for "FA:" or "ebay."
>
> 5. When finished building your filter, click "OK."
> Restart your internet software and your new filters should
> be ready to remove your temptations.
>
> You can create multiple filters for each newsgroup if you wish.
>
> I hope this is of some help and invite others to write short
> primers on how to do this for other news readers.
>
> Kind Regards,
> David Stinson
> arc5@ix.netcom.com
>
>

5224. Looking for cheap Aviation frequencies scanner or radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Daniel Seehof <daniel_seehof@yahoo.com>
Message-ID: <36FB09F4.222C483E@yahoo.com>
Source record: 112875

I'm looking for a scanner to use for Aviation frequencies. I'm a student

for helicopter pilot and the scanners at our airport are very expensive.

I'm looking either for a scanner or for a full radio to talk with the
tower from my appartement.
Where can i buy a thing like described or where can i ask for a used
one?

Daniel Seehof
ICQ 34478215

5225. ATTENTION to all Kansas City Tracker USERS or Enthusiast.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Geert Pirens <geert.pirens@ping.be>
Message-ID: <7dbtiantr1@news3.Belgium.EU.net>
Source record: 112876
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc, rec.radio.amateur.space,tw.bbs.rec.radio.amateur,uk.radio.amateur

Hello Kansas City Tracker User or enthusiast.

I'm collect the names of all the available programs that being written, or suppot the kansas city tracker.

All these information wil be placed in a Database and wil be available to all of you.

On my homepage http://www.ping.be/~p4u11324/ you wil find a list of all available software.
If you know a program that not being in the list, PLEASE fill in the Question form:

If you click here, you go wright to the question form
http://www.ping.be/~p4u11324/KCT_Ques.html

click below for the software list !

Thanks to all of you !

Geert Pirens - ON1DQD
Vissit my home page: http://www.ping.be/~p4u11324/

5226. Amplifier Parts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990324194600.26206.00000960@ng63.aol.com>
Source record: 112877

List #1= 3CX3000A7 tube,
Socket, Filament transformer 7.5 volts @ 51 Amps
Plate Transformer 2.7 Amps @ 5000 volts
HV Caps, Blower, Meters, Tank Coils
Cabinet to build a large amplifier.
I will sale all parts for $2,000.00 plus shipping.

5227. FS: Kenwood TH78A Accesories...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: azmatik@bigfoot.com
Message-ID: <7dc74h$bj4$1@nnrp1.dejanews.com>
Source record: 112878

Believe it or not (I am not making this up)...
My wife smashed up my Kenwood TH-78 HT, so now I have a bunch of useless accesories.

FOR SALE - CHEAP:
Kenwood TH78-a Accesories -

Kenwood Alkaline battery holder pack.
Kenwood Cigarette lighter power cable.
Original Kenwood DC power Cable for Hardwiring to +12vdc.
Kenwood mini HT - Speaker mic (the small little black one).
Original Stock Antenna.
Orginal Kenwood 'leatherish' grey case.
Some other stuff too...

Sell all of it for $25 + $5 shipping.
You can't even buy one item on that list for that price.

Email me at jgom@bigfoot.com

I am located in the Bay Area California - locals welcome to pick up in person.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5228. Re: FS: STANDARD PORTABLES - CLOSEOUT SALE!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: rgold1161@aol.com
Message-ID: <19990324201833.22415.00001096@ng113.aol.com>
Source record: 112879

Have 6 left. Make offer on 1 or 6.

Rich
RF Technologies

5229. FS Waveguide bend Photo Available

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Mike Kulyk <mkulyk@att.net>
Message-ID: <01be765e$9975f340$f600450c@default>
Source record: 112880
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Andrews PN 55221-75 WR 75 waveguide bend.. Photo available via e-mail

$45.00 plus shipping

Mike WB2GLW

5230. FS WR-75 waveguide termination

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Mike Kulyk <mkulyk@att.net>
Message-ID: <01be765e$cd38aec0$f600450c@default>
Source record: 112881
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Commercial WR 75 waveguide termination

$15.00 plus shipping

Mike WB2GLW

5231. FS Oki Transportable/mobile Cell Phone

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Mike Kulyk <mkulyk@att.net>
Message-ID: <01be765f$089b03a0$f600450c@default>
Source record: 112882
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Cell Phone with NICAD and charger,in a bag . $20

Mike

5232. Re: Mobile antenna mounts for truck bed rails

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: sranders1128@my-dejanews.com
Message-ID: <7dc9dfdfj1@nnrp1.dejanews.com>
Source record: 112883

In article <%gqF2.315$eT6.1580@news13.ispnews.com>,
"Jarrod Boehme" <jboehme@pdq.net> wrote:
> I have seen in the past a manufacturer of mobile antenna mounts that fit in
> the bed rail receptacles of many trucks. However, I have lost / forgotten
> any info on manufacturers names or dealer sources. If anyone can help me
> out I would appreciate it. I get tired of tipping my mobile antenna every
> time I garage my truck and would prefer to keep a decent antenna in a
> permanent position. Thanks.
>
> Jarrod
> N5JBB
>
>
GeoTool makes a fantastic stake-pocket mount. You can check it out at
www.geotool.com

Scott

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5233. FS: ICOM HT Stuff

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: rhermanNOSPAM@gsinet.net
Message-ID: <4RhK2.35$S4.398@eagle.america.net>
Source record: 112884

ICOM HT and accessories:

IC-4GAT with wall charger, BP-70, BP-4 (converted to DC Power Adaptor)
6 watt output at 13 volts. In original box. $140.

HM-9 speaker mic. $18.

HM-9 speaker mic. Modified (dual connector replaced with separate mic and
and speaker connectors.) $15.

IC-02AT service manual $15.

Money order or bank teller check. I'll pay the shipping.

Ron, K1PDY
rherman@gsinet.net

Remove "NOSPAM" from address before replying.

5234. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Wammes Witkop <wwitkop@cable.a2000.nl>
Message-ID: <36F9A119.A9E4D30B@cable.a2000.nl>
Source record: 112885
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Hi Jr,

Lack of education is hard to cope with. However, as long as you do not realize that the first military bombing of an open - read: undefended - city occured in the Netherlands, May 1940: the city of Rotterdam, the discussion ends. That sort of warfare will not be opposed by hunting guns. I might mention the Grebbeberg as well, look it up. Or ask me for details.

Sorry, group, I've laid low for days, waiting for the sentiments to blow over. But frankly, I've had it with the half-educated nonsense here.

Wammes Witkop

JR wrote:

> and that's why Hitler rolled through your country like a hot knife thru
> butter !!
>
> Wammes Witkop wrote
>
> >But honestly, I happen to be a anti-millitarist.

5235. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Wammes Witkop <wwitkop@cable.a2000.nl>
Message-ID: <36F9A308.6EF2BAE8@cable.a2000.nl>
Source record: 112886
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Hi, D.S.,

1) The Low Countries, as you put it, are a rather strange combination of both the Netherlands and Belgium. Two different states. that fared differently in the second world war. We share a language - Belgium has also French and German. Nothing more.

2) 'Scuse me?

> Right on!.....and look what happened to the Low Countries in '38 thru '41.

Both Belgium and the Netherlands were invaded in 1940. The Germans were expelled from both countries in 1944 and 1945.

> Some people never learn!!!

How very true...

Sorry group, but I've taken all the abuse I could. Laid low for days, but some people just have to voice unfound opinions.

Kind regards, Wammes Witkop

5236. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Wammes Witkop <wwitkop@cable.a2000.nl>
Message-ID: <36F9A87D.89277D11@cable.a2000.nl>
Source record: 112887
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Dear Gerald,

Do I understand correctly, that freedom means no comment at all could be allowed? Free speach only to those of American Blood? Otherwise, you wont't buy Tulips anymore? I don't give a hoot wether you buy tulips, honestly. But I do know, I'd like to present you with some. Only where... Oh - here's the clue: butt. Bend over. They'll stay fresh longer...

By the way, it seems you did forget quite some other nations involved in WWII. English, French, Greeks, Polish, Soviets, even Dutch. To name some. Sorry, Australians and all the others...

And sorry, group. I've taken all the abuse I will, publically and privatly. I waited for this to blow over, but stuff turns up here and in my mailbox that I will not stand for. Anti-military does not mean I will accept endless abuse!

Kind regards and excuses to all others,

Wammes Witkop

Gerald Taylor wrote:

> Seems to me that Americans WITH GUNS are the ones who took Hitler off your
> backside and kept the Iron Curtain out of your backyard. If we decide to no
> longer cover your butt, can you? How is your marksmanship? Are you good
> enough to take on an all out aggressor in a day? Don't knock the force that
> gave your freedom or we might stop buying tulips.
>
> W4ABC Jon Pearl wrote:
>
> > Joe D. Bucher wrote in message <36F084A2.21AA@viaduct.custom.net>...
> > >Wammes Witkop wrote:
> > >>
> > >> I *do* realize that in some countries other then my own, an interest in
> > >> green - millitary - radios goes hand in hand with other hobbies I do not
> > >> approve off. Frankly, I'm Dutch. We do not like guns in the hands of
> > >> citizens. We have strict laws against it - and as a result, we have less
> > >> violent crime then some countries where guns are easier to get..
> > >> The NRA is *not* my cup of tea at all - if I'd be an American I'd oppose
> > >> them. But as it is, this is not my patch. So please stop advocating the
> > >> NRA, it's chairman or applauding to one who does. This is an
> > >> international newsgroup after all. Please take this thread to a place
> > >> where it's not a spam - 'cause that what it is here! The amount of
> > >> definitly off-topic messages is getting rather large, would'nt you

> > >> agree?
> > >>
> > >> Kind Regards, Wammes Witkop
> > >>
> > >> David Stinson wrote:
> > >>
> > >> > http://www.law.harvard.edu/News/Charlton_Heston_speech.html
> > >> >
> > >> > Yes, I know I'm probably "spamming."
> > >> > But I can't think of a better way to pass this to
> > >> > all the people I've come to like and respect.
> > >> >
> > >> > And it's just a -little- message, anyways.
> > >> >
> > >> > Forgive.
> > >Wammes, I admire your courage to wade into this off topic discussion and
> > >appreciate a view from across the pond. Your comments are well taken and
> > >I don't mean any disrespect at all. However, I, as an armed US citizen,
> > >can tell my government to go to hell if they insist on making me do
> > >something that is unconstitutional. You can't do that in your country!
> >
> > Private e-mail from Wammes, no doubt to follow.
> > >
>
> --

5237. SB-200 Problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: martyt@pobox.com
Message-ID: <36f9ab5e.271337915@news.supernews.net>
Source record: 112888
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Help!!

I've got an SB-200 and am unable to get it to load up on 10m. It used to work on 10m, giving me 500w out or so. But something apparently has changed in the last few months, and I'm having a heck of a time figuring out what is wrong. Let me say upfront that I don't know much at all about tube amps, but I can read a schematic and have a good general idea of how it all works...

The problem is that I see an SWR of > 3:1 on 10m at the exciter, and I can't get even 100w output from the amp with 50 to 100w input. The internal tuner in the exciter can't get a better impedandce match at all. I've tried different lengths of coax, etc to no avail. It appears that the SWR is fluctuating very rapidly - the SWR meter in the exciter (FT-920) is an LCD bargraph, and I can see it going back and forth between say 2:1 and 5:1 or so, very very rapidly.

When the SWR at the tuner is lowest, I see a plate current of about 100 ma and a grid current of 10ma or less. But less than 100w out for 50 watts in, and the tube light up bright red in a heartbeat.

I've just installed a brand new matched pair of Svetlana 572Bs, and can load 700+ watts out on most of the other bands; the old tubes still loaded up to around 500w on all bands but 10m. So I'm fairly confident that most of the tuner works fine.

I've replaced the 10m input coil and the 68pf capacitor on the 10m input network, to no avail.

I've also tried disconnecting the capacitor on the input network - that gives a much better match at the exciter, but I reach a point as I increase input power where the SWR suddenly skyrockets, the exciter cuts back it's output power to protect itself, the SWR comes back to normal and the cycle starts over again.

Beyond that, I have no idea where to look to find the problem. It seems obvious that there's one or more components somewhere that are affected by 10m operation, but I am stumped.

Any suggestions would be greatly appreciated. Please reply here and via direct e-mail if you would as I can't get to the newsgroups as often as I need to.

73 & thanks in advance.

-Marty KI0LO
martyt@pobox.com

5238. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: dancooper@sprintmail.com
Message-ID: <36f9afec.650663034@news.earthlink.net>
Source record: 112889
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Any one seen "Will Penny"? IMO, Heston's best film and a very good
one at that.

Dan

5239. Re: 6 meter mobile radios

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: konstans@nospam.nwpt.net
Message-ID: <36f98194.40798563@news.npwt.net>
Source record: 112890

On Tue, 23 Mar 1999 22:51:16 -0800, Raymond Hutchinson
<rdhutch@earthlink.net> wrote:

>Alinco makes the DRMO6TH. FM only. Have one, works great
>--
>Ray, KQ6WI

I am rathe fond of mine as well
>
KB9RQZ

5240. FS: ICOM AT-180 TUNER ----- SOLD!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990325001905.01062.00001402@ng-fs1.aol.com>
Source record: 112891

Sold...

5241. (5) MOTO JEDI MTX8000 WITH 4 CHARGERS AND 6 BATTS for auction.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7dck8r$ma3$1@nnrp1.dejanews.com>
Source record: 112892

5 mtx 8000 jedi's with 4 chargers and 6 batts on ebay. radios are 16chnl and
do work on talkaround freq. no longer on system so cant test any further.
heres the link....
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=82674389 thanks robert

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5242. Problem with Alinco DX70

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Anselmo Stiffan <anselmos@worldcom.ch>
Message-ID: <36F9DBFC.45F894C@worldcom.ch>
Source record: 112893

My Alinco DX70 is generating spurious frequencies when in full power position and
on 18 MHz band and above. This seems to be caused by the low gain of the power
amplifier which creates a "varicap" effect.
The consequencies are that on 18MHz and above there are SWR at full power while they
do not happen at low power. Additionally its power output is self limited to about 30Watts.

Did somebody else experienced the same problem?
Did someone solve it and how?

Thanks in advance,
73 HB9ICK Anselmo

5243. Yaesu FT-50R Modification

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Major Gurung <Gurung@post1.com>
Message-ID: <7dcng8$q2v$1@newton.pacific.net.sg>
Source record: 112894
Cross-posted to: rec.radio.amateur.equipment,tw.bbs.rec.radio.amateur,uk.radio.amateur

I need some help on modifying FT50R to operate within a RESTRICTED range. There's a lot of info in making it real wide range, but I cant find any info on modifying it to operate within legal limits for Asia. The Yaesu Tech Support (surprisingly!!) says they dont have any such information.

For Asian operation, the 2m band is 144-146 MHz. How can this be done... ?

thanks
Nitin

5244. Re: Icom IC-T2H & Everest expedition

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: abrankod@usa.net
Message-ID: <abrankod-2503990200390001@207-172-193-31.s31.as5.nyd.ny.dialup.rcn.com>
Source record: 112895

In article <7cmmna$dv6$1@lore.eur.sprynet.com>, "Jacek Maselko"
<Jacek.Maselko@noaa.gov> wrote:

> What are your guys' thoughts on the Icom IC-T2H HTs? We are going to
> Everest in a couple of weeks and I need to get a couple more HTs. We
> already have 6 Kenwood TH-22ATs so a comparison to those would be great, but
> the icoms are quite a bit cheaper.
> Also will it be better to get a mobile radio (50watts) to set up in
> basecamp, or a booster (like Maha) to be used with one of the HTs?
>
> Thanks a lot,
>
> Jacek, KL0RW

For the love of God get some Motorola equipment, forget amateur grade
stuff altogether, its quality is not up to snuff for harsh
environment/mission critical use.

-Daniel
W4DSA

5245. WTB: ICOM IC-4KL amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: sandy@sandy.com
Message-ID: <7dcodr$80r$2@news.ncal.verio.com>
Source record: 112896

I want to buy an ICOM IC-4KL in excellent-mint condition.

Please contact me with Price, Condition, and Location.
Thank you.

73 --sandy
KW6KW
sandy@sandy.com
408-257-2800

5246. SOLD Re: Welz 2000 $200 shipped SOLD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: twradio <twradio@geocities.com>
Message-ID: <36f9f87b@news1.us.ibm.net>
Source record: 112897
Cross-posted to: rec.radio.swap,rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment

SOLD

twradio wrote in message <36f9c03b@news1.us.ibm.net>...
>FS: Welz 2000 $200 shipped
>Located in SF Bay, CA
>Fully functional and unblocked
>
>

5247. For sale : Transmitting tubes/roller inductors

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: dslosty@pipeline.com
Message-ID: <36f9ffa4.47313974@news.pipeline.com>
Source record: 112898

Following is available:

RCA roller inductors, approx 9" x 5" x 4", value of approx 35 uh,
shaft extends 3/4" front front panel. Silver with double rollers.
3 available @ $50/ea

Tubes (empty state devices):

Amperex 4-250A, European equivalent - 1 avail - used - $25
Penta Labs 5D22/4-250A - 1 avail - used - $40
RCA 4-250A - 1 avail - used - $40

Eimac 304TL - 1 avail - used - $40

Western Electric CW705A/VT255 - 1 avail - used - $10

United 813 - 2 avail - new except for test scratches - $30/ea
National 813 - 3 avail - new - $40/ea
RCA 813 - 4 avail - used - $15/ea

RCA 814 - 1 avail - new - $25

RCA 828 - 4 avail - used - $15/ea

RCA 833A - 1 avail - used - $40

RCA 8008 (mercury vapor rectifier with same ratings as 872A but
different base) - 5 avail - used - $10/ea

Philips 5894 - 1 avail - new - $25

Also, a selection of large wattage (100 watts or greater) wire-wound,
plug in resistors (they look like cartridge fuses) - various values -
INQUIRE.

All tubes are guaranteed 30 days. Shipping is extra - probably about
$5 to $10 per tube. Most of the used tubes are used only in that they
were kept in a test jig.

Doug/WA1TUT

"Use it up, wear it out. Make it do, or do without."

Remove the "_" in my return address to reply.

5248. SGC Couplers - Opinions? Happy with them??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990325055342.04857.00000001@ng-fd1.aol.com>
Source record: 112899

Hello,

I am wanting your opinion about the "Smartuners" from SGC...

The good the bad...

Customer Service?

Have you heard about the newest SGC Coupler that is supposed to be out in May, 1999? The SGC 237? It is supposed to sell for $295.00 new... and seems to be very similar to the SGC 231 but smaller 5in X 5in X 1.5in !!

Thanks!!

Jason S. Hulet
KC8FXE

5249. WTB. Modules for Yaesu FT726R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: kc2dhu@aol.com
Message-ID: <19990325063630.28181.00000004@ng143.aol.com>
Source record: 112900

I am looking for 6M. 430 or 440 Modules for my Yaesu 726R.
Got any for sale. please drop a line. Jim KC2DHU
E-Mail Kc2dhu@aol.com Phone 914-623-8820 Days 6AM. 7PM. est.

5250. [eBay] Alinco DJ160T 2M HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Warloc@webtv.net
Message-ID: <9411-36FA0EB3-3@newsd-113.bryant.webtv.net>
Source record: 112901

Alinco DJ160T 2 Meter HT for auction on eBay. Well-used, shows some wear and scratches, but works great. Needs new battery. No box, book, or vinyl case. Has rubber-duck antenna and wall charger. Great first radio for the new Tech, just add a new battery or DC and your're on the air.
Current high bid is $38.
Follow this URL for full description and to bid:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=81074435

Thanks and good luck,
Glen KB1CRN

5251. Re: Problem with Alinco DX70

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Anselmo Stiffan <anselmos@worldcom.ch>
Message-ID: <36FA2638.583EE6AA@worldcom.ch>
Source record: 112902

THIS INFORMATION MAY BE IMPORTANT FOR ALINCO DX70 OWNERS.

The problem of high SWR at full power on 17m band and higher can be
solved
by loading the output with a non inductive resistor. In my case a
1000ohm resistor
cured the problem.

The "varactor" effect on upper bands is due to the collector base
capacitance
of the PA transistors whenever these have low gain. Such effect
generates
spurious frequencies of 1/2 the fundamental frequency and several upper
harmonics
which, loaded with an antenna resonant at the fundamental, generate
substantial
standing waves.

Hopefully Alinco will cure the problem if not already done. My Alinco
DX70 has been purchased
back in Oct 96 and it's very possible that later production is OK.
The DX70 is an excellent transceiver: all reports received confirm a
very good modulation
and all comparisons I did with much more expensive receivers support
my satisfaction.

This mail is also adressed to Alinco Germany for fairness.

73 HB9ICK Anselmo.

Anselmo Stiffan wrote:
>
> My Alinco DX70 is generating spurious frequencies when in full power
> position and
> on 18 MHz band and above. This seems to be caused by the low gain of the
> power
> amplifier which creates a "varicap" effect.
> The consequencies are that on 18MHz and above there are SWR at full
> power while they
> do not happen at low power. Additionally its power output is self
> limited to about 30Watts.
>
> Did somebody else experienced the same problem?
> Did someone solve it and how?
>
> Thanks in advance,

> 73 HB9ICK Anselmo

5252. WTB:MFJ analyzer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Monte Keller <k9dzd@iquest.net>
Message-ID: <JhqK2.144$yh3.449@news1.iquest.net>
Source record: 112903

im looking for aeither a 249 or 259 antenna analyzer
thanks
monte k9dzd@iquest.net

5253. COLLINS 6.KC FILTER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: landaircom@aol.com
Message-ID: <19990325075426.01065.00000024@ng-ba1.aol.com>
Source record: 112904

This filterr plugs into the S-LINE 75S-3B and C and also the Hammurlund HQ-215.The price is $390.00 FOB NY.This filter is very hard to find.

5254. NLS SCOPE TUBES

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: landaircom@aol.com
Message-ID: <19990325075807.01065.00000025@ng-ba1.aol.com>
Source record: 112905

These are brand new tubes D5-100W original replacements.$100.00 each FOB NY

5255. Re: SB-200 Problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: landaircom@aol.com
Message-ID: <19990325080324.01065.00000028@ng-ba1.aol.com>
Source record: 112906

It sounds like the input pie network on 10 meter position is damaged
check the silver mica caps they may be burmt In worst case jump out the input
circuit and drive direct in that position let the radio tuner match it .Good
luck.

5256. Re: SB-200 Problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Al Dolgosh <al.dolgosh@hamradio.org>
Message-ID: <36FA3C50.A4AE4C0B@hamradio.org>
Source record: 112907
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

If the tubes are running red at that power level, then your efficiency must be pretty low. This is indicative that something in the output network is not tuning properly.

The only part of your description that doesn't fit together is that you are getting red anodes with only 100 ma plate current??

Stop spending time on the input side and look at the ouput tuning and loading area. Are the 10 meter bandswitch contacts OK? Also, I once had an SB-200 problem with similar symptoms and it turned out to be the plate RF choke had many shorted turns from being overheated. I had to rewind it with #26 enamelled wire. But, the problem mainly showed up on 75 meters, as I recall, because of the lowered inductance.

Hope this helps,

Al - K8EUR

Marty Tippin wrote:

> Help!!
>
> I've got an SB-200 and am unable to get it to load up on 10m. It used
> to work on 10m, giving me 500w out or so. But something apparently
> has changed in the last few months, and I'm having a heck of a time
> figuring out what is wrong. Let me say upfront that I don't know much
> at all about tube amps, but I can read a schematic and have a good
> general idea of how it all works...
>
> The problem is that I see an SWR of > 3:1 on 10m at the exciter, and I
> can't get even 100w output from the amp with 50 to 100w input. The
> internal tuner in the exciter can't get a better impedandce match at
> all. I've tried different lengths of coax, etc to no avail. It appears
> that the SWR is fluctuating very rapidly - the SWR meter in the
> exciter (FT-920) is an LCD bargraph, and I can see it going back and
> forth between say 2:1 and 5:1 or so, very very rapidly.
>
> When the SWR at the tuner is lowest, I see a plate current of about
> 100 ma and a grid current of 10ma or less. But less than 100w out for
> 50 watts in, and the tube light up bright red in a heartbeat.
>
> I've just installed a brand new matched pair of Svetlana 572Bs, and
> can load 700+ watts out on most of the other bands; the old tubes
> still loaded up to around 500w on all bands but 10m. So I'm fairly
> confident that most of the tuner works fine.

>
> I've replaced the 10m input coil and the 68pf capacitor on the 10m
> input network, to no avail.
>
> I've also tried disconnecting the capacitor on the input network -
> that gives a much better match at the exciter, but I reach a point as
> I increase input power where the SWR suddenly skyrockets, the exciter
> cuts back it's output power to protect itself, the SWR comes back to
> normal and the cycle starts over again.
>
> Beyond that, I have no idea where to look to find the problem. It
> seems obvious that there's one or more components somewhere that are
> affected by 10m operation, but I am stumped.
>
> Any suggestions would be greatly appreciated. Please reply here and
> via direct e-mail if you would as I can't get to the newsgroups as
> often as I need to.
>
> 73 & thanks in advance.
>
> -Marty KI0LO
> martyt@pobox.com

5257. Wanted >>> Collins, 32S3, 312B4, KWM2, 30L1

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: dhallr@aol.com
Message-ID: <19990325083348.26625.00000021@ng-fv1.aol.com>
Source record: 112908

Please contact me at KA1W@QSL.NET
73
Dave

5258. ADMS-1E for VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <36FA3AD7.509811C7@mindspring.com>
Source record: 112909

Has this software been released yet? If not, any estimates on when it will come out -- or a phone number/locations for RT Systems??

Phil

5259. Re: FT100 receiver squelch issue

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990325085316.26615.00000030@ng-fv1.aol.com>
Source record: 112910

HA HA. It seem s every company says that the bug that shows up is now a
feature>
It rally cracks me up. The salesmanager at one place told the salesman :"tell
the customer what the product can do ... not what it can't"
73's Tim

5260. Re: FT100 receiver squelch issue

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990325085526.26615.00000031@ng-fv1.aol.com>
Source record: 112911

please do a review on the radio especially on the IMAGES i keep hearing about
on another forum. It appears you hear Shortwave broadcasts in the backround
that are no on the frequency at all but are images of strong shortwave stations
somewere else. I saw several messages on the FT-100 FORUM about this.
73's TIM

5261. Re: IC-2100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990325085801.26615.00000032@ng-fv1.aol.com>
Source record: 112912

I did it and it is easy. I think it is on wone of the MOD bullitain boards.
Basically, you romove the front panel and remove a diode .
I prefer to lift one leg of the diode so that it can easily be reattached later
to original
specs if I want.
73's TIM

5262. Re: FT-100 IS HERE !!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990325090230.26615.00000034@ng-fv1.aol.com>
Source record: 112913

Figure in the the Next few weeks all the backorders will be filled and you will see a display model at the hams stores. I plan on comparing the features/receiver against similar models side by side at the store. If you go during the week you can sit there and have agrand time and make decision what is best for you unrushed. I also figure the price will fall once the demand has fallen. Remeber the IC-706 and Ic-706 MK II started at $1350
and fell till the $970 price of current.
I figure you will see it going for $1200 in 6 months or a free separation kit etc.
73's TIM

5263. Re: FT-100 IS HERE !!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7ddgc2$ja4@dfw-ixnews10.ix.netcom.com>
Source record: 112914

I agree Tim:
Here is Chicago, AES is offering $450 for a Mark 1 as a trade in.
Frank
DLR18SH wrote in message <19990325090230.26615.00000034@ng-fv1.aol.com>...
>Figure in the the Next few weeks all the backorders will be filled and you
will
>see a display model at the hams stores. I plan on comparing the
>features/receiver against similar models side by side at the store. If you
go
>during the week you can sit there and have agrand time and make decision
what
>is best for you unrushed. I also figure the price will fall once the demand
has
>fallen. Remeber the IC-706 and Ic-706 MK II started at $1350
>and fell till the $970 price of current.
>I figure you will see it going for $1200 in 6 months or a free separation
kit
>etc.
> 73's TIM

5264. NEW RANGER II PANEl !!!!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: RHJ <russja@stratos.net>
Message-ID: <922372787.359.39@news.remarQ.com>
Source record: 112915
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hello All,

I have found a source for re-silking BA panels. I sent LYNN at n0alo@southwind.net my worn Ranger panel and VFO housing and received a like new panel at a VERY REASONABLE price !!!!. I highly recommend you contact him for a quote on whatever rig you have.

Russ - W8RHJ

5265. Build ADMS cable?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: mjgilbert@wcom.net
Message-ID: <36fa45f6.3154405@news.compuserve.com>
Source record: 112916

I have a converter box I built using a MAX232 chip that works with
both my ICOM 706 and my Yaesu FT-990 (switched). I was thinking
this same box would work with my new VX-5R, but no such luck.
Anyone have a circuit diagram for the ADMS converter? Iit can't
be far off from what I have now.

Thanks,
Matt
K8KDR

5266. Re: ADMS-1E for VX-5R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7ddktp$ia7$1@nnrp1.dejanews.com>
Source record: 112917

In article <36FA3AD7.509811C7@mindspring.com>,
w7ox@mindspring.com wrote:
> Has this software been released yet? If not, any estimates on when it
> will come out -- or a phone number/locations for RT Systems??

It started shipping last week!

http://www.rtsars.com

- Clint Bradford, ATTENTION to Details
http://www.clintbradford.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5267. WTB:AT50 Kenwod tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: radiofreq0@aol.com
Message-ID: <19990325094839.01019.00000069@ng-fi1.aol.com>
Source record: 112918

Looking for a AT50 for my TS50s
email condition and best price
Jeff

5268. TS 570 D $749

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: PAW <73457.650@CompuServe.COM>
Message-ID: <OdJVK3sd#GA.255@nih2naad.prod2.compuserve.com>
Source record: 112919
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace

Original TS 570 D w/ mike, manual, boxes. $749 & US shipping. See
pic on webpage below.

--
PAW TS 570 D $749 see below.
(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
http://ourworld.compuserve.com/homepages/w9jmn

5269. Last few hours CHEAP FT-890 and FP-800 FA

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990325102955.28767.00000041@ng105.aol.com>
Source record: 112920

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=80084828

Don't miss out on a real bargain!

5270. for sale or trade

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: dakota206@aol.com
Message-ID: <19990325104122.20816.00000134@ng-cg1.aol.com>
Source record: 112921

I have a D-104 amplified mic in very goog condition, also comes with 10 DA head.
A Shure 444 mic in very good condition. Would like to trade either for YA-844 mic for FT101. Also looking for YP-2000 swr/wattmeter if you have any of these please email.

bobn2evv@msn.com

5271. Re: Where or where do we go?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: no@spam.here
Message-ID: <36fa5c0f.16100869@news.olg.com>
Source record: 112922

On Wed, 24 Mar 99 20:15:04 GMT, davew@wizzards.net (williams) wrote:

):>With the strange things going on at ebay (items being dropped from
auction (like
):>scanners & amps) where do we go to find quality equipment slightly
used?
):>

Probably to one of thousands of sites available on the I'net & UseNet.
I guess you've never heard of a "search" engine?

Al

al dudley ... al at olg dot com
wash dc metro area , usa
code3g,m1200v2,m900v2 decoders
535d,r-70,frg-7

5272. IC-R2 service manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: Ingra-Beton@t-online.de
Message-ID: <36FA5D5A.FA7747E2@t-online.de>
Source record: 112923

Does someony have the IC-R2 service manual ?

--

Goran Vlaski (Ingra-Beton@t-online.de)
http://vlaski.virtualave.net/
http://www2.crosswinds.net/frankfurt/~vlaski/

5273. Wanted: Schematic for MFJ 949 Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: n7lxo@olympus.net
Message-ID: <36fa5f34.560619@news.olympus.net>
Source record: 112924

Trying to locate a schematic for the MFJ 949 antenna tuner.

Yep, this is the original model with no letter suffix.

If you can fax or send it to me, please let me know so I can
select one kind soul and not be inundated with your generosity.

Thanks in advance for responses, Chuck

5274. Re: Conflicting band-info? (was: IC-207H Missing most of 440 band?)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: kb0haespam.stinks@usa.net
Message-ID: <7ddo50$n8i$1@odie.mcleod.net>
Source record: 112925
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

On 1999-03-22 bodu@pobox.com said:
bo>Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
bo>?? I just got out my Gordon West No-Code book and looked up the
bo>freq-charts in it.. Totally different than what I got off the Icom
bo>website. The 433mhz simplex freqs are shown as repeater freqs in
bo>the book, and most of the rest are also different... "Woe is me.."
bo>What should I do? What should I do?... ;)

Look at the A.R.R.L. 70cm band plan. It is available at www.arrl.org.
Go th the site, go to the site index, go to the B section, and band plans.
You will se a list of band plans. Go to the one for 70cm. I was just
there...there are no FM voice frequencies listed below 444.000Mhz.
444.600Mhz is the national simplex frequency. Band plans can be somewhat
different locally. I also suggests getting a copy of the A.R.R.L. Repeater
Directory. Don't trust the Gordon West book, or the Icom web site. The
chart on the Icom web site was developed by Gordon West! so if it doesn't
agree with the study guide by Gordon West, something is a little screwy
there.

Cul8r

Martin kb0haespam.stinks@usa.net KB0HAE

Spam Security is ON! To reply via e-mail remove the "spam.stinks" from
the above address.

Want to help stop Spam? (also known as UNSOLICITED COMMERCIAL E-MAIL)
Support the Anti-Spam Amendment. Join at http://www.cauce.org/

5275. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-25 00:00:00 UTC
From: bean_counter@my-dejanews.com
Message-ID: <7dbv9f$55u$1@nnrp1.dejanews.com>
Source record: 112975
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment

Hi Tony,

I beleive you are a bit ill-informed regarding the early days of WWII and the virtually complete lack of small arms in the British Isles. Litterally THOUSANDS of sporting firearms were donated by concerned American gun owners so that the Brits could defend themselves from Hitler. Seems the government there had curtailed individual rights to bear arms, with predictable results once the bulk of thier "official" arms were lost in Northern France, Singapore, etc. While it wasn't a huge number and they went to Home Guard units, these arms freed up a bunch of Enfields, and a couple of extra divisions made a BIG difference early on. Enough to turn the tide? Probably not, but it's just another example of why an armed citizenry is the best guarantor of Freedom.

Kevin McDonald

In article <36F914EB.C657E30F@nortelnetworks.com>,
Tony Stiglitz <stiglitz@nortelnetworks.com> wrote:
> Sorry to keep this going but, this is a total embarrassment to me as an
> "American".
>
> Yeah, like "citizens" with their "own guns" went over and took on the
> Axis. Give me a freakin' break! This BS is so old that the Dead Sea was
> still sick when knuckleheads like you started spouting this crap.
>
> Gerald Taylor wrote:
> >
> > Seems to me that Americans WITH GUNS are the ones who took Hitler off your
> > backside and kept the Iron Curtain out of your backyard. If we decide to no
> > longer cover your butt, can you? How is your marksmanship? Are you good
> > enough to take on an all out aggressor in a day? Don't knock the force that
> > gave your freedom or we might stop buying tulips.
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5276. Re: Display Scratches

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: "Tom C. Brown, Jr." <tcb@netdoor.com>
Message-ID: <T9VK2.10$GR4.2205@axe.netdoor.com>
Source record: 112676

There's a polish called Flitz that I've bought in hardware stores that has worked well for me on test equipment that has been scratched. I have also used it on my Palm Pilot with excellent results.

73, Tom AE5I

<wcollins@mindspring.com> wrote in message
news:7dgjvt$6e7$1@nnrp1.dejanews.com...
> Hi everyone,
>
> I have several small superficial scratches on the display of my FT-51 and
> wonder if there are any products that could remove these scratches safely.
> Thanks in advance.
>
> Bill Collins
> wcollins@mindspring.com
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5277. Quality Used Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Bay Country Broadcast Equipment <steve7117@sprynet.com>
Message-ID: <36FC2206.E1817BDC@sprynet.com>
Source record: 112677

Quality used radio broadcast equipment located at the following web
site. http://www.baycountry.com
The internet home of Bay Country Broadcast Equipment

Steve Scarborough
Bay Country Broadcast Equipment

5278. Re: Build ADMS cable?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: David Rich <kg0usREMOVE@swbell.net>
Message-ID: <36FC2DAC.F38B28E7@swbell.net>
Source record: 112678

The ADMS cable I bought has a Max232 IC on a small PC board.
73
Dave

Alan wrote:

> Go to: http://www.icongrp.com/~sllewd/pcware.htm and you will see the
> schematic for the ADMS converter and connector pin-out.
>
> Alan, WA6AQC
>
> Matt Gilbert wrote:
>
> > I have a converter box I built using a MAX232 chip that works with
> > both my ICOM 706 and my Yaesu FT-990 (switched). I was thinking
> > this same box would work with my new VX-5R, but no such luck.
> > Anyone have a circuit diagram for the ADMS converter? Iit can't
> > be far off from what I have now.
> >
> > Thanks,
> > Matt
> > K8KDR

5279. ITT Mackay 403A marine lifeboat radio info wanted...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Randy and Cara Randall <crrandal@seidata.com>
Message-ID: <36FC3023.9A38C1E9@seidata.com>
Source record: 112679

Hello. I have a chance to buy one of these and was
wondering the following:
Is it solid state or tube type?
Is it CW only or if voice capable AM or SSB?
How many watts output?
The approximate age.

This is a marine lifeboat radio with a crank generator and
antenna kit in a portable suitcase.
I thought it might be a novel rig for field day, emergency
use or just for fun. Any info
greatly appreciated.

Randy.

5280. Re: FS: Bird Slugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: "Yves A. Feder W1UX" <y.a.feder@tinyradio.com>
Message-ID: <36FC2B12.3A7EDB5B@tinyradio.com>
Source record: 112680
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

K1SWR wrote:

> All the following are new in plastic cases:
>
> 50H, 100H and 1000H 60.00 ea.
> 250D 50.00
>
> Please don't respond if your not really interested, I've had 2 people say
> I'll take them, then you never hear from them. Ham fraternity!!!???

I'd like to buy the 1000H slug @60.00 if it's still available. (that's the
1KW HF 2-30 mc right?)

Please let me have your address so I can send you the $$$$!!!

Thanks - 73 Al W1UX

5281. NEED VFO KNOB ts-520s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Steven Baker <pacman@bcl.net>
Message-ID: <36FBF118.6E419EF1@bcl.net>
Source record: 112681

Hello,
I am looking for a vfo knob for the Kenwood ts-520s. Also looking for
the khz dial
for this radio also. If you have either of these please e-mail me.
Thanks!

Steve KB9HGI
kb9hgi@qsl.net

5282. Re: IF-10A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: "Russell C. Nixon" <rc9nixon@mindspring.com>
Message-ID: <36FC4BAE.687A50E8@mindspring.com>
Source record: 112682

Fred,

East Coast transistor is Kenwood's east coast parts and service
vendor. There is a west coast vendor too. If they don't have what
you're looking for, start looking for a parts rig! I've bought KW stuff
from ECT.

Russ Nixon - KF4WXD

Fred Hamilton wrote:
>
> I need some help in finding the IF-10A Eprom and Interface for the
> Kenwood TS-940S. Does anyone know of any company still making or selling
> these? I tried Kenwood, and HRO. I found one compnay called East Coast
> Transistor and am in the process of looking up their phone number.
>
> Thanks in advance for any assistance...
>
> Fred Hamilton
> KC8LNM

5283. Matching Antenna Tuner for Kenwood TS-680S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Don Latimer <donl@gate.net>
Message-ID: <7dhm8v$h58$1@news.gate.net>
Source record: 112683

I just purchased a second hand Kenwood TS-680S (HF+6M). Can anyone tell me what the model number is for the "matching" antenna tuner?

Thanks,
Don

N5KHB@arrl.net

5284. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: m1garand <m1garand@silcom.com>
Message-ID: <36FC6B81.3E6ABACB@silcom.com>
Source record: 112684
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Dear Mr. Stiglitz, and to those following this thread.
I mean no offense to anyone's personal beliefs (nor do I mean to violate anyone's privacy), however I would like to share a few facts that bear relevance to this discussion.

1)Americans did join the militaries of Canada, Britain (and other free fighting forces in Europe) before the U.S. became officially involved (in both World Wars). Many of these people did bring their own weapons with them, typically handguns to be used as a secondary weapon. While this may have been "officially" frowned upon, most of the allied nations allowed it since they all (minus the U.S.) had a shortage of weapons, which brings me to the second fact:

2) After the British defeat/rout at Dunkirk, the British military was in short supply of weapons (having left most of them on the European beaches). Thousands of americans donated their personal weapons to the British government, as part of a U.S. Gov. sponsored weapons drive. While few of these weapons made it to the front lines in Europe and Asia, they served proudly in the British home guard and reserve/training units, thus freeing-up the purpose-built military arms (made in the US, Canada, Australia, India and the UK) for front line soldiers

3) The pilots and air-crew members of the U.S. military are still allowed to carry personal pistols as part of their survival gear, assuming the firearm meets a few minimum standards.

Now allow me to shift slightly into a philosophical mode:

If a people are disarmed, their freedoms are kept about only through the good will of those who would otherwise take them. I'm sure (ok, its actually just an opinion) that every Albanian in the Balkans wishes he or she had a firearm right now.
I believe it was Jefferson who said "Our freedoms are protected by three boxes: the soap-box, the ballot-box and the cartridge box"

Sincerely,
James Jewell

Tony Stiglitz wrote:

> Sorry to keep this going but, this is a total embarrassment to me as an
> "American".
>
> Yeah, like "citizens" with their "own guns" went over and took on the
> Axis. Give me a freakin' break! This BS is so old that the Dead Sea was
> still sick when knuckleheads like you started spouting this crap.
>

5285. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: m1garand <m1garand@silcom.com>
Message-ID: <36FC6C6A.3832A0E5@silcom.com>
Source record: 112685
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Dear Mr. Stiglitz, and to those following this thread.
I mean no offense to anyone's personal beliefs (nor do I mean to violate anyone's privacy), however I would
like to share a few facts that bear relevance to this discussion.

1)Americans did join the militaries of Canada, Britain (and other free fighting forces in Europe) before the U.S.
became officially involved (in both World Wars). Many of these people did bring their own weapons with them,
typically handguns to be used as a secondary weapon. While this may have been "officially" frowned upon, most
of the allied nations allowed it since they all (minus the U.S.) had a shortage of weapons, which brings me to the
second fact:

2) After the British defeat/rout at Dunkirk, the British military was in short supply of weapons (having left most
of them on the European beaches). Thousands of americans donated their personal weapons to the British
government, as part of a U.S. Gov. sponsored weapons drive. While few of these weapons made it to the front
lines in Europe and Asia, they served proudly in the British home guard and reserve/training units, thus
freeing-up the purpose-built military arms (made in the US, Canada, Australia, India and the UK) for front line
soldiers

3) The pilots and air-crew members of the U.S. military are still allowed to carry personal pistols as part of
their survival gear, assuming the firearm meets a few minimum standards.

Now allow me to shift slightly into a philosophical mode:

If a people are disarmed, their freedoms are kept about only through the good will of those who would otherwise
take them. I'm sure (ok, its actually just an opinion) that every Albanian in the Balkans wishes he or she had a
firearm right now.
I believe it was Jefferson who said "Our freedoms are protected by three boxes: the soap-box, the ballot-box and
the cartridge box"

Sincerely,
James Jewell.

Tony Stiglitz wrote:

Sorry to keep this going but, this is a total embarrassment to me as an "American".

Yeah, like "citizens" with their "own guns" went over and took on the Axis. Give me a freakin' break! This BS is so old that the Dead Sea was still sick when knuckleheads like you started spouting this crap.

Wammes Witkop wrote:

> Hi Jr,
>
> Lack of education is hard to cope with. However, as long as you do not
> realize that the first military bombing of an open - read: undefended -
> city occured in the Netherlands, May 1940: the city of Rotterdam, the
> discussion ends. That sort of warfare will not be opposed by hunting guns.
> I might mention the Grebbeberg as well, look it up. Or ask me for details.
>
> Sorry, group, I've laid low for days, waiting for the sentiments to blow
> over. But frankly, I've had it with the half-educated nonsense here.
>
> Wammes Witkop
>
> JR wrote:
>
> > and that's why Hitler rolled through your country like a hot knife thru
> > butter !!
> >
> > Wammes Witkop wrote
> >
> > >But honestly, I happen to be a anti-millitarist.

5286. Re: REVISED Bird 43P's and elements

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: EMO <two46jr@cyberhighway.net>
Message-ID: <7dhrvr$9q8$1@news.cyberhighway.net>
Source record: 112686
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

swr,
i emailed and told you i was int in the hf slugs (all of them and never
heard from you) are they still avail?
K1SWR wrote in message ...
>NIB unopened Bird 43P $300.00 also the following elements:
>
>50H,100H 60.00 ea.
>250D 50.00
>
>My apologies on first posting for not putting price on 43P

5287. FS: Kenwood TH79A HT and Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Rick Riverman <rbriver@cybcon.com>
Message-ID: <922521398.469.6@news.remarQ.com>
Source record: 112687

I have the following for sale:

ITEMS
* Kenwood TH-79A Dual Band HT Serial #60204257 (1995)
* PB-32 6v 600mAh NiCd Battery
* PB-34 9.6V 900mAh NiMh Battery (for 5W output)
* Cigarette Lighter Adapter Pack
* BT-9 Alkaline Cell Pack
* BC-17 Charger
* Soft Case
* Nylon Cord Wrist Strap
* Manual
* Original Box

FEATURES
* Power-on call sign display
* 82 non-volatile memory channels with alphanumeric ID
* Dot-Matrix LCD and menu system
* Encoder/Decoder built-in
* Simultaneous receive on both bands using VHF/UHF,VHF/VHF or UHF/UHF
configuration
* 5 watts power with PB-34, 3 watts with B-32

$245.00

Rick Riverman
W7RBR
503-629-5135

5288. NEW ADMS-1E IN STOCK

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: advanspec@aol.com
Message-ID: <19990325190527.02650.00000078@ng146.aol.com>
Source record: 112734

We have limited quantities IN stock of the new ADMS-1E software /cable set for the Yaesu Vx-5R. It will also program the FT-50, VX-1 & other Yaesu handhelds.

our website: http://home.att.net/~advancedspec/advanced.htm

Advanced Specialties inc.
New Jersey's Hobby Communications Store

5289. Programming Radius p200?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Richard <XXrgl@flash.net>
Message-ID: <36FAD0DE.84F479D9@flash.net>
Source record: 112735

I have two Radius p200 HT's, and would like to be able to program them myself.
Can this be done?
I figure that there is some sort of computer software, and interface cable
required. I would really
appreciate any info you could give me on this. Is this something I can do, or am
I destined to fork
over the $50.00 per hour bench rate at the local Motorola Shop?
Thanks,
Richard
--
Anti-Spam. Take the "XX" from the address to reply.

5290. FT-847 SSB distortion

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: MANOS <pelamare@her.forthnet.gr>
Message-ID: <7deke6$eu9$1@medousa.forthnet.gr>
Source record: 112736

Does anyone have any experience using the FT847 for sats having a 2M uplink
and a 440 downlink, when connected to a
70cm/2M antenna system?
When I transmit, I hear distorted audio.
It just sounds very distorted on the FT847 while keying the mic.
I use separate antennas.
It's a real pain, especially if you are trying to hear your echo when
tweaking for sat work...
Can anyone tell me if they are experiencing this as well,i think that it's a
serious problem?

73's de SV9ANJ

5291. Trade: IC756 + SyntorX for COMPUTER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: TOM ki0pa <radioactiveham@yahoo.com>
Message-ID: <7deqkl$l6j$1@nnrp1.dejanews.com>
Source record: 112737
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For Trade
Want COMPUTER (no junk)

I have ICOM 756 hf-6 meter radio S/n above 2700
and Motorola SyntorX LowBand 29-54mhz 100watt 32mode head
and cables. Set up with 10 and 6 meter frequencies.

What do you have ???

Tom tomfalls@northwinds.net
radioactiveham@yahoo.com

TOM BERN ki0pa
517 1/2 7th Ave
INTERNATIONAL FALLS,MN 56649
Phone 1-218-283-2444

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5292. Re: FS: Motorola Apcor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: dr.dongle@juno.com
Message-ID: <7der0elir1@nnrp1.dejanews.com>
Source record: 112738

In article <36FA9572.6A38A258@gamewood.net>,
The Whitt's <ckw@gamewood.net> wrote:
> Hi-Power Motorola Apcor Medical Radio, UHF band (Med Channels) 8 of 10
> and included charger $ 500.00
>
> ckw@gamewood.net
>
>
I bought an Apcor for $40.00 at a ham fest. With charger and battery.
dr.d
Kiss Technologys
The more complicated the plumbing
the easer it is to stop up the pipes M. Scott

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5293. FS:TenTec 546 Omni C/ACC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: n4jzh@amsat.org
Message-ID: <36fae304.340588045@news.mindspring.com>
Source record: 112739

FS: MINT 10 out of 10 TenTec 546 Omni ''C'' 10-160 inc warc bands/100w
NOT A SCRATCH on it, comes with mike,powercord,book,box also
comes with astron rm-20 power supply and
a mfj 941E tuner along with a mfj407-b electronic keyer
and a BY-1 bencher. have every box every paper.
will part with entire set up $750 to your door insured.
references furnished upon request. 73 all Donnie
n4jzh@amsat.org

5294. OLD AM DESKTOP RADIO EXPERT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <kABK2.74$0e4.2066@sapphire.mtt.net>
Source record: 112740

Motorola "AM" Desktop Radio

Model # 5R1 1A

Serial # 5228

Has tubes - 12BE6, 12BA6, 12AT6, 50C5
(These tubes hard to aquire?)

Aprrox Dimension - 12"L x 6"W x 5"H

Nice sound and condition rate 8/10 or better.

Any idea what it's worth??

Email details plse...dave

5295. Re: Ham videos wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: jdouglas@timewave.com
Message-ID: <7deoiuecp1@news.minn.net>
Source record: 112741

In article <7ddr1shqt1@news8.svr.pol.co.uk>, "Jason Brown"
<jason@erthis.freeserve.co.uk> wrote:
>A friend of mine is after some ham radio vids.
>
>He is certain that hs has seen them in a Nevada catalogue in the past, but
>they are not listed anymore.
>
>Any details on where I can get any vids would be greatly appreciated.
>
>
CQ magazine offers a number of videos covering Satellite, DX, Contesting, VHF.
They are a good value. You can get information
from hamshop@cq-amateur-radio-com

John Douglas
N0ISL
Timewave Technology

5296. VX-5R - How good is it?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: spam-not@spam-bot.no-way
Message-ID: <36faef35.646163@netnews.worldnet.att.net>
Source record: 112742

I am interested in reviews from folks using this radio.

Thanks, ElMar

5297. Re: future of HTX-202

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: jcm1168@aol.comNOSPAM
Message-ID: <19990325220657.04740.00000312@ng-fi1.aol.com>
Source record: 112743

It is discontinued.....

5298. ebay- Hi-Mound Semi-Auto Bug@$25

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990325221511.22370.00000212@ng-ft1.aol.com>
Source record: 112744

Hi Guys;
You'll all probably remember this bug.
It's been around for a long time. Still being made at $119.95ea.
Heres your chance to possible get one and have some fun in the process!
Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=82222681
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

5299. SB-303 Receiver TechSpec on EBAY

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990325222008.22370.00000214@ng-ft1.aol.com>
Source record: 112745

To All interested parties;
I placed a Heathkit SB-303 on Ebay. Its in really nice shape W/CW filter but It does'nt play. Hums and trips the Circuit Breaker in back.
Heres the URL for you tech type people!

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=81380518

Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

5300. Can't find QSL info form JL1LJP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: jerw@usa.net
Message-ID: <36fb0817.11498681@nntptransit.lsan03.pbi.net>
Source record: 112746

This is my 2nd DX contact on 10-meters to Japan, and I want to QSL,
but I can't find his QSL info on Qrz or Buckmasters. Can someone
help? His call is JL1LJP.
Thanks,
Jerry W8UPP
jerw@usa.net

5301. FS: Like Brand New Kenwood TS440SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <7df4l0$ti1$1@nnrp1.dejanews.com>
Source record: 112747
Cross-posted to: rec.radio.swap,rec.rado.shortwave,rec.radio.amateur.equipment,rec.radio.scanner

Absolutely like new with AT, hand mic (never used), and cables. No mods. Original boxes. One of the last ones made, 20 million SN. I bought it from the original non ham owner who never got his license who bought it new in 1991 and didn't even have a power supply. $760 firm + shipping.

Consider taking on trade: MINT Bearcat 9000xlt, Sangean ATS909, Grundig YB400, Sony 7600G or ??? Must be mint! Tnx.

Bill K9KZ

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5302. FS MFJ-482 KEYER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Ron Sibbitt <n8lmt@usa.net>
Message-ID: <7df24o$r0h$1@ramp2.tir.com>
Source record: 112748
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

For Sale.... MFJ-482 KEYER
a memory keyer, has speed, volume, weight, tone controls.
size is 6x2x6 inches. nice shape, with 12 v cable.
Everything works, no manual......
$30.00 ......plus $3.00 shipping in us or canada

e-mail me n8lmt@usa.net

5303. Re: VX-5R - How good is it?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: jerry r <jerryrc@pobox.com>
Message-ID: <36FB1334.CCA0C881@pobox.com>
Source record: 112749

I returned mIne the next day. If you need pl decode, this radio is not for you. It take 750ms to 1sec to decode pl. Try that simplex sometime, it's impossible to carry on a qso.

5304. QRP lovers> EBAY has OHR EXPLORER II

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990325235537.21053.00000206@ng63.aol.com>
Source record: 112750

Hi QRP LOVERS:
Heres a neat 30 meter Oak Hill Research Explorer Transceiver on EBAY and its MINT!!
Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=81364108
Now only at $51 with less then 2 days left!
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

5305. Re: VX-5R - How good is it?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Daniel Lavoie <LavoiedNOSPAM@iSTAR.ca>
Message-ID: <fAEK2.136$2N3.643366@NewsRead.Toronto.iSTAR.net>
Source record: 112751

The problem has been fixed since. The newer version 4 have a much shorter
decode time.

jerry r wrote in message <36FB1334.CCA0C881@pobox.com>...
>I returned mIne the next day. If you need pl decode, this radio is not
>for you. It take 750ms to 1sec to decode pl. Try that simplex sometime,
>it's impossible to carry on a qso.
>

5306. Re: Yaesu VX-5R for shortwave?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Daniel Lavoie <LavoiedNOSPAM@iSTAR.ca>
Message-ID: <9EEK2.137$2N3.645554@NewsRead.Toronto.iSTAR.net>
Source record: 112752

Just insert one end of a 25' wire in the SMA connector or put an alligator clip on one end then clip it to the tip of the supplied antenna.

Enjoy

J wrote in message <7df0js$a9h$1@Usenet.Logical.NET>...
>Wonder if anyone can comment about usefulness of VX-5R as shortwave receiver
>in suburban-USA. Is there a recommended antenna for improved shortwave
>reception?
>
>Thanks in advance for any help,
>
>KB2WFW
>sutliffj@capital.net
>
>

5307. Re: Icom IC-T2H & Everest expedition

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: knewcomb@i-plus.net
Message-ID: <UFEK2.4770$my.9452@monger.newsread.com>
Source record: 112753

I use the IC-T2H and it is absolutely FANTASTIC for the price. No experience with harsh weather conditions, but the march issue of QST has several tips on using HT's in cold weather extremes. it's my first and only radio, so i can't really compare it to anything else as far as quality of reliability, but it is quite rugged. I'd go with a separare mobile for a base station, because you can get a single bander for less than the cost of the HT and an amp if cost is the major factor, but 6W (about 4W with alkalines) from the T2H should be plenty. I live in the mountains of SW Virginia and can talk simplex about 20 miles away, you should be able to get out just fine but a heftier base station might be nice.

73, kevin

In article <7cmmna$dv6$1@lore.eur.sprynet.com>, on Tue, 16 Mar 1999 13:37:14 -0900, Jacek Maselko says...
>
>What are your guys' thoughts on the Icom IC-T2H HTs? We are going to
>Everest in a couple of weeks and I need to get a couple more HTs. We
>already have 6 Kenwood TH-22ATs so a comparison to those would be great, but
>the icoms are quite a bit cheaper.
>Also will it be better to get a mobile radio (50watts) to set up in
>basecamp, or a booster (like Maha) to be used with one of the HTs?
>
>Thanks a lot,
>
>Jacek, KL0RW
>
>

--
v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v
Kevin Newcomb
KG4BQS
knewcomb@i-plus.net
www.vt.edu:10021/K/knewcomb
v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v^v

5308. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Jon Pearl W4ABC <w4abc@gte.net>
Message-ID: <7df3u3ntv1@news-1.news.gte.net>
Source record: 112754
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Tony Stiglitz wrote in message <36F914EB.C657E30F@nortelnetworks.com>...
>Sorry to keep this going but, this is a total embarrassment to me as an
>"American".
>
>Yeah, like "citizens" with their "own guns" went over and took on the
>Axis. Give me a freakin' break! This BS is so old that the Dead Sea was
>still sick when knuckleheads like you started spouting this crap.

And Jon Pearl Replies:

Yeah me too! I just read your above captioned 'verbal vomit,' and yes - I
to am embarrassed that you are claiming to be an AMERICAN.

Jon Pearl W4ABC "Citizen"

"The people will not understand the importance of the Second Amendment
until it is too late." -- Thomas Jefferson
>
>
>Gerald Taylor wrote:
>>
>> Seems to me that Americans WITH GUNS are the ones who took Hitler off
your
>> backside and kept the Iron Curtain out of your backyard. If we decide to
no
>> longer cover your butt, can you? How is your marksmanship? Are you
good
>> enough to take on an all out aggressor in a day? Don't knock the force
that
>> gave your freedom or we might stop buying tulips.

5309. Re: Icom IC-T2H & Everest expedition

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: knewcomb@i-plus.net
Message-ID: <BJEK2.4773$my.9452@monger.newsread.com>
Source record: 112755

Just checked- my user's manual indicates the usable temperature range as -10C to +60C, +14F to +140F, which maybe would be pushing it if you're on everest.

--

v^v^v^

5310. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Jon Pearl W4ABC <w4abc@gte.net>
Message-ID: <7df5pb$c29$1@news-1.news.gte.net>
Source record: 112756
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

JM wrote in message <36F9B1D2.4ADB@iland.net>...
>Gary - KJ6Q wrote:
>>
>> JM wrote in message <36F9A1A9.4422@iland.net>...
>> >Wish I could turn off this thread.
>>
>> Don't know how to activate your filter?
>>
>> Don't know how to skip over a post when the subject is CLEARLY
>> indicated?
>>
>> I suspect your REAL problem is that you haven't the WILLPOWER to avoid
>> the very subject you CLAIM annoys you,
>>
>> AND that you suffer the inner "need" to play "newsgroup censor"...
>>
>> Is this a moderated group? If it IS, the moderator is capable of
>> controlling posts - if not, then let your conscience - and your
>> keyboard - be your guide.
>>
>> As for ME, all private Email from those complaining about my posts
>> here on this and similar subjects, will be "deleted unopened"...
>>
>> 'Nuff said!
>>
>> Gary - KJ6Q
>> ======================
>> I despise self-appointed "net police" FAR MORE
>> than off-topic posts - tho' BOTH are easily IGNORED!
>
>I made a comment, I didn't ask for anyone's opinion,

Jon Pearl Replies:

That's kinda what Gary was infering (about you)

including yours
>Gary. That's what's wrong with this world today, too many people
>sticking their nose into other people's business.

You set the example okay... I mean so we'll know what it looks like when we
see it!

And no, I don't know
>how to activate my filter, wasn't aware I even had one. But seeing as
>how you know it all oh wise one, how about "elmering" me on this
>subject. And then I could filter out your posts.

You 'can' filter his post's... All you have to do it jump aroung them. I on the other hand am having to drop to the bottom of the list to 'find' the thread, as it contains some ongoing dialog I am interested in.

And yes, I can skip
>over threads such as these, and I don't read them.

You don't read what? "BUSTEEEEEDO"

But I have one
>question, what in the hell do boatanchors have to do with shooting
>people?

Well I think you have just won the "Pinko Liberal Award!" Where in this thread have you seen anyone carry on the dialog that pertains to 'shooting people.' My threads, and those of other's have by and large been contained to the subject of our "Inalienable Rights." Please don't attempt to 'group' individuals into what is obviously "your" 'contentious' predisposition on the subject of guns, when the subject matter is deeper than either guns in general, or as you put it, 'shooting people.'

Oversimplification of the 'subject at hand' is boorish at best.

Jon Pearl W4ABC

"The people will not understand the importance of the Second Amendment until it is too late." -- Thomas Jefferson

You don't know anything about my Real problem, or my WILLPOWER,
>or my inner "need". And you really should have sent this post to me
>PRIVATELY, but seeing as you apparently have the "need " to waste NG
>space, it's fine by me. Go to Dejanews and see if there are any posts
>from me attempting to be a "newsgroup censor".
> Thanks for setting me straight, Keeps Jacking 6 Queers.

5311. wtb SWAN 600 CW filter (or radio!)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7df6fi$k1h$1@ostrich.cybercomm.net>
Source record: 112757
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Does anyone have a CW filter for a Swan 600 receiver.
Or, the whole receiver if it has a cw filter in it.
Thanks.....Dave

5312. WTB: FT-50RD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: kc8kuf@aol.com
Message-ID: <19990326010443.24518.00000464@ng-cg1.aol.com>
Source record: 112758

I'm looking for a Yaesu FT-50RD with the freeband AND cell mods done. If you have one of these send me an email noting it's condition, accessories included and your asking price.

Thanks & 73

Noah
KC8KUF

5313. Kenwood filters FS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <36FB4A26.F93D62C6@earthlink.net>
Source record: 112759

```
FS Kenwood YK-88A-1 AM filter and YK-88C-1 CW filter for $75 each,
shipped,
Charlie, K5MBX
```

5314. FS FM BD For TS430

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <36FB49AE.E9A6D80B@earthlink.net>
Source record: 112760

FS a new in the box, FM module for the TS430. All paper work and cables,
$66 plus shipping, Charlie, K5MBX

5315. Re: KJ6Q

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: JM <jmul@iland.net>
Message-ID: <36FB3290.4D1A@iland.net>
Source record: 112761

In the header of my post it has under the "organization" line "posted via RemarQ Communities,Inc". I have no idea what this refers to, I am not associated with this entity in any way, shape,or form, and I have no idea where this Remar crap came from, I didn't list this in my browser.

5316. FT400

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: "Michael A. McCormick" <tigger1@pa.net>
Message-ID: <7df496$32g$1@news.pa.net>
Source record: 112762

Looking for specs/info on yaesu's Ft400, got one lined up that i can get with mic and manuals and would like to be a little more informed before i decide

Thanx
--
Michael A. McCormick
Shermans Dale Computer Technologies
mccormckSDCT@xoommail.com
Remove SDCT for email

5317. Re: QRP-rig

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Simon Lewis <slewis@pacsat.demon.co.uk>
Message-ID: <o+9KDfACo0+2EwX7@pacsat.demon.co.uk>
Source record: 112763

In article <7ddo24qdr1@news.mbnet.fi>, ?@?.? writes
>Hello !
>I wonder, from where I could buy a completed QRP-rig including VFO,
>output ca. 1 to 5 watts, cw and ssb.
>In my age a home-brew one comes not in question, hi.
>
> Eino oh2qj
>
>

Look at www.elecraft.com

If you like what you see I have a built one for sale, was purchased and built for magazine reviews now completed.

73 Simon GM4PLM
+---+
| Simon Lewis GM4PLM Editor - EMN |
| European Microwave News - Supporting Microwave Radio Across Europe |
| Homepage - www.pacsat.demon.co.uk Email emn@pacsat.demon.co.uk |
+---+

5318. TRADE A PENTIUN 2 CHIP,TOWER,CDROM,ZIP DRIVE FOR ...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Steve <sbynum@earthlink.net>
Message-ID: <7dfj6j$ea7$1@holly.prod.itd.earthlink.net>
Source record: 112764

FOR TRADE....RETAIL VERSION PII 333{NO MOTHERBOARD} WITH ATX {ANTEC MODEL KS-28}MID SIZE TOWER AND SONY CDU311 CDROM DRIVE AND IOMEGA EXTERNAL ZIP DRIVE. I have in the retail box {w/fan and heatsink}few months old Intel PII 333mhz processor that came with a 3 yr warranty {i will include original receipt for your intel warranty}. Also an Antec mid size ATX {Designed for the PII} Tower with power supply and a Sony CDU 311 IDE CDRom drive and an external Iomega zip drive with one blank 100 meg disk. For someone building a PII system, this is a great start. Nothing else is included. I want to trade this for a WORKING {in good shape and non smoking environment}TS 520,TS 820,530 ect or what do you have??..... Remember, this is an incomplete PII system and is intended as a kick start to building your PII system .

Steve N6SMR

5319. FS: Bird 43P Wattmeter NIB

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-2603990608000001@pom1.mbl.edu>
Source record: 112765
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

As the header states, unopened box, $300.00 plus any shipping

5320. FS: Bird Slugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-2603990611430001@pom1.mbl.edu>
Source record: 112766
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

All the following are new in plastic cases:

50H, 100H and 1000H 60.00 ea.
250D 50.00

Please don't respond if your not really interested, I've had 2 people say
I'll take them, then you never hear from them. Ham fraternity!!!??

5321. WTB: Collins

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Monte Keller <k9dzd@iquest.net>
Message-ID: <e9KK2.217$yh3.669@news1.iquest.net>
Source record: 112767

im looking for a KWM2 or 2A any condition
thanks
Monte k9dzd@iquest.net

5322. Re: Yaesu FT-50R Modification

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: VR2-ZXI <kk2468@netvigator.com>
Message-ID: <7dfujplhh1@imsp009a.netvigator.com>
Source record: 112768
Cross-posted to: rec.radio.amateur.equipment,tw.bbs.rec.radio.amateur,uk.radio.amateur

http://vlaski.virtualave.net/
http://www.icongrp.com/~sllewd/pcware.htm

Major Gurung ���g��畬 <7dcng8$q2v$1@newton.pacific.net.sg>...
>I need some help on modifying FT50R to operate within a RESTRICTED range.
>There's a lot of info in making it real wide range, but I cant find any
info
>on modifying it to operate within legal limits for Asia. The Yaesu Tech
>Support (surprisingly!!) says they dont have any such information.
>
>For Asian operation, the 2m band is 144-146 MHz. How can this be done... ?
>
>thanks
>Nitin
>
>

5323. Re: FS MFJ-482 KEYER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Bob Cooley <ad4mz@hotmail.com>
Message-ID: <36FB7E7E.AF7BA02B@hotmail.com>
Source record: 112769
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

Ron,

I will buy your keyer. Please send me your address and I'll send you the money.

Thanks

73

Bob

Ron Sibbitt wrote:
>
> For Sale.... MFJ-482 KEYER
> a memory keyer, has speed, volume, weight, tone controls.
> size is 6x2x6 inches. nice shape, with 12 v cable.
> Everything works, no manual......
> $30.00 ......plus $3.00 shipping in us or canada
>
> e-mail me n8lmt@usa.net

5324. Re: ????? SGC 237 "Mini" Coupler ?????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Dave Gingrich <Dave-broken@dcg.org>
Message-ID: <36FB8174.BDED33F3@dcg.org>
Source record: 112770

JHulet wrote:
>
> Hey all,
>
> I see on SGC home page they are coming out with a "mini" SGC 237 Coupler. It
> appears face value to be a SGC 231 but smaller in size. The new 237 tunes from
> 3.5 - 60 Mhz and is 5in X 5in X 1.5in ! SGC says that they will sell for
> $295.00! I wonder what that differences are being the SGC 231 sell new for
> $500.00?

Perhaps gross margin? :)

You might look at the Alinco EDX-2. Similar technology, Rated for 200
watts, typically priced at 299.95. Although not obvious from their
brochures, it works with non-Alinco radios too. K9DC

5325. Re: For sale: Midland 13-513 - $150.00 Maybe $100 tops??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: "CHRISTOPHER W. (Chris) BOONE" <Cboone@Earthlink.Net>
Message-ID: <36FB88DA.AA348FD4@Earthlink.Net>
Source record: 112771
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

I AM the one buying the rig from Lisa....
and I ran a 13-513 back in the early 80s.....
I HAD NO problem with the audio, etc....
I intend to use the rig in remote base setup..

Keep your comments to yourself...

Chris
WB5ITT

"Don R." wrote:
>
> Mr. Lowell, and Lovely Lisa:
>
> First it was $175 now its $150 FIRM for a 20+ year old Midland
> 13-513 220 Mhz. radio? At $150 Firm, you are going to learn to love
> 220 Mhz. from the rotten audio quality this radio is known to produce.

5326. Re: Need Drake TR7 opinions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: "Kenneth M. Gianino" <ken@hnvr.com>
Message-ID: <36FB8ED7.CCAB9A8C@hnvr.com>
Source record: 112772
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Jim Warner wrote:

> A TR-7 with all the components that comprise a TR-7A, is not a
> TR-7A.
> You will be money ahaead to buy a real TR-7A...if you hurry up.
> Drake is the next upcoming supply and demand market to be exploited.
> Any vintage TR-7 with a little work and patience can rival todays
> radio,
> less the gadgets.
> Jim

...Only the serial number can make it a TR-7A. But the radios are identical in performance if you have the same options and late revision boards.

Here's an obscure one for the REAL TR-7 experts: Was any TR-7 or TR-7A ever shipped with the band-1 low pass filter installed? I've always assumed it was only included in the commercial versions destined for maritime service. I purchased the components and installed it in my TR-7. Needless to say, if you have to ask me what it is...

-Ken

5327. F/S ANTENNAS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: n2ion@aol.com
Message-ID: <19990326090228.14613.00000373@ng02.aol.com>
Source record: 112773

I HAVE THE FOLLOWING ANTENNAS FOR SALE:

4-TONNA F9FT YAGIS FOR 1.2 GHz
ASKING PRICE: $100/EA OR $300 FOR ALL + SHIPPING
1-KLM 2M-22C VHF & 1 KLM 435-40CX UHF SATELLITE YAGIS
ASKING PRICE:$300 FOR PAIR WITH BOOM + SHIPPING
1-KLM 2M-22C VHF & 1-KLM 435-40CX UHF SATELLITE YAGIS
ASKING PRICE:$300 FOR PAIR WITH BOOM + SHIPPING
1-AVANTI ASTROBEAM(SOLD)
1-EASY WAY 60' 3 SECTION TOWER IN GREAT CONDITION
ASKING PRICE: $375 PICKUP ONLY IN LONG ISLAND, N.Y.

SERIOUS INQUIRIES ONLY NEED REPLY

5328. Re: VX-5R - How good is it?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: herman pfeiffer <KR6HP@worldnet.att.net>
Message-ID: <7dg4em$ohi@bgtnsc03.worldnet.att.net>
Source record: 112774

what serial number denotes version 4??

--
- Reply to commengrs@juno.com -
Daniel Lavoie wrote in message ...
>The problem has been fixed since. The newer version 4 have a much shorter
>decode time.
>
>
>jerry r wrote in message <36FB1334.CCA0C881@pobox.com>...
>>I returned mIne the next day. If you need pl decode, this radio is not
>>for you. It take 750ms to 1sec to decode pl. Try that simplex sometime,
>>it's impossible to carry on a qso.
>>
>
>

5329. Re: TS-850 vs FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7dg5fd$o34$1@ostrich.cybercomm.net>
Source record: 112775

Down
...Dave
Amrum Lakritz wrote in message <5MAK2.14008$oa3.97672@news.san.rr.com>...
>I own a TS850SAT and wonder if the FT-847 would be a step up, down, or
>sideways. Would welcome any opinions. TNX
>
>

5330. Re: future of HTX-202

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7dg5e4$o32$1@ostrich.cybercomm.net>
Source record: 112776

Actually, its LONG gone.
There were specials on them, selling quite cheap. But that was like
last summer.
...Dave
Mike wrote in message <36FADA4B.3EC@sk.sympatico.ca>...
>Anyone here know anything about the future of the Radio Shack htx-202 2M
>handheld transciever? Is it going to be discontinued in the near
>future? If so, is now a good time to buy one? When will Radio Shack
>totally quit supplying this radio? Any and all replies will be greatly
>appreciated!!
>
>Mike

5331. Re: "WHAT&#65533;S THAT ROTTEN SMELL IN PHOENIX?"...We need your help!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Argus <rlong3@ix.netcom.com>
Message-ID: <7dg7oq$r2s@sjx-ixn6.ix.netcom.com>
Source record: 112777

```
You are off-topic for this news group.
Please try REC.IDIOT.TREEHUGGER
```

cealone@aol.com wrote in message <25039920.0416@aol.com>...
>"WHAT&#65533;S THAT ROTTEN SMELL IN PHOENIX?" That&#65533;s the title of a featured story
in TIME Magazine
http://cgi.pathfinder.com/time/magazine/1998/dom/981123/special_report.corpo
rat5a.html (11/23/98 issue) and the reason TIME came to Phoenix to find out
why a BRILLIANT grass roots group is making such a big stink about an even
bigger one. BLATANT air pollution, toxic spills, illegal zoning, corporate
welfare from a single huge SUMITOMO SITIX factory smack dab in the middle of
a residential area! Our relentless group has won every single legal battle
against them. We are ready to go to trial for certain victory, EXCEPT, we
just don&#65533;t have enough money! Don&#65533;t let another corporate giant get away
with bullying another innocent neighborhood. PLEASE DONATE. We need your
help! Any contribution over $50.00 will be returned to donor when we win
and should we collect our legal fees.
>
>Please send donations to Sumitomo Legal Fund, Citizen's Environmental
Awareness League, P.O. Box 30333, Phoenix, AZ 85046-0333. Please include
your name and address if you want your donation returned when we collect our
legal fees.
>
>For more information about our orgainziation and our fight please visit our
web site at http://www.ceal.com.;g;ODd

5332. RF AND COMPUTER NETWORK

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Rick and Theresa <pilots@mbay.net>
Message-ID: <36FBC738.6A2623FE@mbay.net>
Source record: 112778

I'm considering networking the ham shack computer with those in another part of the house.

Any recommendations with respect to the type of cable (UTP or RG-58) to use? I'm concerned about RF getting into the network cable and messing up the data -and- data signals leaking out and interfering with the HF radios.

TIA, Rick N6CY

5333. Re: VX-5R - How good is it?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: dennis_chiu@my-dejanews.com
Message-ID: <7dgdd9ai1@nnrp1.dejanews.com>
Source record: 112779

serial number started with 9D04....

In article <7dg4em$ohi@bgtnsc03.worldnet.att.net>,
"herman pfeiffer" <commengrs@juno.com> wrote:
> what serial number denotes version 4??
>
> --
> - Reply to commengrs@juno.com -
> Daniel Lavoie wrote in message ...
> >The problem has been fixed since. The newer version 4 have a much shorter
> >decode time.
> >
> >
> >jerry r wrote in message <36FB1334.CCA0C881@pobox.com>...
> >>I returned mIne the next day. If you need pl decode, this radio is not
> >>for you. It take 750ms to 1sec to decode pl. Try that simplex sometime,
> >>it's impossible to carry on a qso.
> >>
> >
> >
>
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5334. FS: Ham Equipment (0/1)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: wbclark@gate.net
Message-ID: <36fbaa48.6236755@news.gate.net>
Source record: 112780

```
Listed Items are offered nad in a 10 condition (1-10) scale.
Reply by Email for details and conditions. Thanks.
KD6UN
```

5335. Re: Yaesu VX-5R for shortwave?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: dennis_chiu@my-dejanews.com
Message-ID: <7dge1asi1@nnrp1.dejanews.com>
Source record: 112781

I use it to listen Chinese broadcast at 5.95MHz all the time. It works better
than my icom R-1.

In article <7df0js$a9h$1@Usenet.Logical.NET>,
"J" <test@test.Com> wrote:
> Wonder if anyone can comment about usefulness of VX-5R as shortwave receiver
> in suburban-USA. Is there a recommended antenna for improved shortwave
> reception?
>
> Thanks in advance for any help,
>
> KB2WFW
> sutliffj@capital.net
>
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5336. FS: Bird 43P and elements

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-2603991055390001@pom1.mbl.edu>
Source record: 112782
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

1 NIB unopened Bird 43P and the following elements

50H,100H 60.00 ea.
250D 50.00

5337. FS: Standard C5718DA 2/440

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-2603991056300001@pom1.mbl.edu>
Source record: 112783
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

This is the radio that has everything in the mic (including display) makes for a neat mobil installation. comes w/remote mounting cable and memory expansion module. has mars/cap mod done. 400.00 shipped

5338. FS: Yaesu FT920

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-2603991056560001@pom1.mbl.edu>
Source record: 112784
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

This radio is mint, comes with FM Unit, AM Filter and TXCO High stability crystal unit. 1200.00 shipped lower 48

5339. FS: 2m & 6m Copper J-Pole Antennas

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Marty Tippin KI0LO <martyt@pobox.com>
Message-ID: <7dgf41$1va$1@nnrp1.dejanews.com>
Source record: 112785
Cross-posted to: rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateur.equipment

FOR SALE: 2m & 6m J-Pole Antennas

These are the classic J-Pole antennas used by countless amateur operators for 2m work; they are inexpensive and rugged. Designed for fixed-station use either outdoors or in an attic. Assembled height is just over 6 ft.

Made from 1/2" rigid copper tubing with an SO-239 Coax connector at the feedpoint. Two-piece design for easy transport - breaks down to less than 40" height. Pre-tuned using an MFJ Antenna Analyzer for center frequency of 146.00 MHz and SWR < 1.5:1 at the band edges. Assembles in under 2 minutes with no special tools (other than a screwdriver). Just assemble, erect the antenna on your support, attach your coax and you're on the air!

Price: $20 each plus $5 shipping/handling (UPS Ground)

A 6m version, made from 3/4" and 1/2" pipe, is also available for $37 plus $5 shipping.

SPECIAL: Buy both the 2m and 6m antennas together for $55 plus $7 shipping. (Save $5)

For more information or to place an order, reply via e-mail.

73,

-Marty KI0LO
martyt@pobox.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5340. Re: future of HTX-202

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7dgg3o$2uk$1@nnrp1.dejanews.com>
Source record: 112786

In article <36FADA4B.3EC@sk.sympatico.ca>,
stonb@sk.sympatico.ca wrote:
> Anyone here know anything about the future of the Radio Shack htx-202 2M
> handheld transciever?

It is already a discontinued item.

Grab one if you still can at Radio Shack's close-out price. It is a very
solid 2-meter performer, and accessories (batteries, microphones, et al)
are universally available for it.

- Clint Bradford, ATTENTION to Details
http://www.clintbradford.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5341. WTB: Alpha 87A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: wy0j@aol.com
Message-ID: <19990326123424.23582.00000377@ng62.aol.com>
Source record: 112787

Looking for Alpha 87A amplifier wtill on warranty.
Jim Brown kk0t
wy0j@aol.com

5342. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Tony Stiglitz <stiglitz@nortelnetworks.com>
Message-ID: <36FBBF68.DC2376AB@nortelnetworks.com>
Source record: 112788
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

WHATEVER!?!

Jon Pearl W4ABC wrote:
>
> Tony Stiglitz wrote in message <36F914EB.C657E30F@nortelnetworks.com>...
> >Sorry to keep this going but, this is a total embarrassment to me as an
> >"American".
> >
> >Yeah, like "citizens" with their "own guns" went over and took on the
> >Axis. Give me a freakin' break! This BS is so old that the Dead Sea was
> >still sick when knuckleheads like you started spouting this crap.
>
> And Jon Pearl Replies:
>
> Yeah me too! I just read your above captioned 'verbal vomit,' and yes - I
> to am embarrassed that you are claiming to be an AMERICAN.
>
> Jon Pearl W4ABC "Citizen"

5343. Display Scratches

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: wcollins@mindspring.com
Message-ID: <7dgjvt$6e7$1@nnrp1.dejanews.com>
Source record: 112789

Hi everyone,

I have several small superficial scratches on the display of my FT-51 and wonder if there are any products that could remove these scratches safely. Thanks in advance.

Bill Collins
wcollins@mindspring.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5344. Re: RF AND COMPUTER NETWORK

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: ME <ME@HERE.COM>
Message-ID: <7dgh60$8k8$1@galaxy.us.dell.com>
Source record: 112790

That's a valid concern....I worked for my local police department for several years and did all of the computer work in the department. We had 8 systems networked with RG58 on a peer to peer network and Win95. We would have some strange errors across the network when sharing info with the court clerk on the other side of city hall. One day I was having coffee in the dispatch room, another officer was called on the radio so he got onto his HT and replied. I noticed that the screen on all the monitors in the comm room blinked when he keyed up, and sure enough, later that day i had to reindex our database due to errors. My only fix was to get my fellow officers to not use the handhelds in the vicinity of the computers. We were running VHF radios, don't know if this is true with UHF and beyond though....

Good luck,
Brian

Rick and Theresa wrote in message <36FBC738.6A2623FE@mbay.net>...
>I'm considering networking the ham shack computer with those in another
>part of the house.
>
>Any recommendations with respect to the type of cable (UTP or RG-58) to
>use? I'm concerned about RF getting into the network cable and messing
>up the data -and- data signals leaking out and interfering with the HF
>radios.
>
>TIA, Rick N6CY
>
>

5345. Re: Build ADMS cable?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Igor Dobrokhotov <icho@softhome.net>
Message-ID: <7dggbm$fj1$1@mail.nursat.net>
Source record: 112791

This is the story...

Matt Gilbert wrote to all <36fa45f6.3154405@news.compuserve.com> ...
>I have a converter box I built using a MAX232 chip that works with
>both my ICOM 706 and my Yaesu FT-990 (switched). I was thinking
>this same box would work with my new VX-5R, but no such luck.
>Anyone have a circuit diagram for the ADMS converter? Iit can't
>be far off from what I have now.
>Thanks,
>Matt
>K8KDR

My reply to Matt:
>Hi Matt,
>Here what you want, the same as RT Sys. converter.
>Enjoy!
>Igor
(plus attached file with the schematic of programmer)

And here is the letter from Bob Koerber to my private E-mail:

>Well glad to piracy is alive and well have fun after all those in
business are
>gone

Hi Bob,
Well, well, well!
Are you really suppose what I am pirate? I'd bought this unit and
can use it for any private purpose, including the schematic diagram
EXCEPT commercial. If you think what my help to other radioamateur
is piracy, I've no words! Are you the author of this schema or you
patented it for yourself only?
Is this "Top secret" or commercial "know how"?
Generally speaking, it is Yaesu (not RTS!!!) programmer, which
produced during many years for professional&amateur use, and you can
find
it at many-many Websites over the world.
Do not worry, be easy. I am NOT pirate!
Igor UN7GM

5346. FT-2200 MODIFICATION

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: kuwaiti@my-dejanews.com
Message-ID: <7dglj8$800$1@nnrp1.dejanews.com>
Source record: 112792

I am looking for amodification to give extended TX to Yaesu FT-2200 could

someone help pls.

Thank you

Bob

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5347. FS/Trade Kenwood TH79A Dual Bander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Rick Riverman <rbriver@cybcon.com>
Message-ID: <922470778.237.41@news.remarQ.com>
Source record: 112793

I have the following for sale or trade:

ITEMS
* Kenwood TH-79A Dual Band HT Serial #60204257 (1995)
* PB-32 6v 600mAh NiCd Battery
* PB-34 9.6V 900mAh NiMh Battery (for 5W output)
* Cigarette Lighter Adapter Pack
* BT-9 Alkaline Cell Pack
* BC-17 Charger
* Soft Case
* Nylon Cord Wrist Strap
* Manual
* Original Box

FEATURES
* Power-on call sign display
* 82 non-volatile memory channels with alphanumeric ID
* Dot-Matrix LCD and menu system
* Encoder/Decoder built-in
* Simultaneous receive on both bands using VHF/UHF,VHF/VHF or UHF/UHF
configuration
* 5 watts power with PB-34, 3 watts with B-32

$275.00 or
I would consider trading for 2 meter Multimode rig.

Rick Riverman
W7RBR
503-629-5135

5348. Re: TS-850 vs FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: user66@aol.com
Message-ID: <19990326125643.22370.00000380@ng-ft1.aol.com>
Source record: 112794

big step DOWN
no question...

>I own a TS850SAT and wonder if the FT-847 would be a step up, down, or
>sideways. Would welcome any opinions. TNX

5349. Re: TRADE A PENTIUN 2 CHIP,TOWER,CDROM,ZIP DRIVE FOR ...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Steve <sbynum@earthlink.net>
Message-ID: <7dgh53$8cj$1@oak.prod.itd.earthlink.net>
Source record: 112795

SOLD

--

Steve N6SMR

Steve wrote in message <7dfj6j$ea7$1@holly.prod.itd.earthlink.net>...
>FOR TRADE....RETAIL VERSION PII 333{NO MOTHERBOARD} WITH ATX {ANTEC MODEL
>KS-28}MID SIZE TOWER AND SONY CDU311 CDROM DRIVE AND IOMEGA EXTERNAL ZIP
>DRIVE. I have in the retail box {w/fan and heatsink}few months old Intel
PII
>333mhz processor that came with a 3 yr warranty {i will include original
>receipt for your intel warranty}. Also an Antec mid size ATX {Designed for
>the PII} Tower with power supply and a Sony CDU 311 IDE CDRom drive and an
>external Iomega zip drive with one blank 100 meg disk. For someone building
>a PII system, this is a great start. Nothing else is included. I want to
>trade this for a WORKING {in good shape and non smoking environment}TS
>520,TS 820,530 ect or what do you have??..... Remember, this is an
>incomplete PII system and is intended as a kick start to building your PII
>system .
>
>Steve N6SMR
>
>
>
>

5350. Re: FT-100 IS HERE !!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Scott Willis <arcticat@hotmail.com>
Message-ID: <36FBD453.FAF50BE7@hotmail.com>
Source record: 112796

DLR18SH wrote:

> Figure in the the Next few weeks all the backorders will be filled and you will
> see a display model at the hams stores. I plan on comparing the
> features/receiver against similar models side by side at the store. If you go
> during the week you can sit there and have agrand time and make decision what
> is best for you unrushed. I also figure the price will fall once the demand has
> fallen. Remeber the IC-706 and Ic-706 MK II started at $1350
> and fell till the $970 price of current.
> I figure you will see it going for $1200 in 6 months or a free separation kit
> etc.
> 73's TIM

Yea, and WHAT'S WITH THAT $70 for the separation kit anyway??? That's
messed-up!!! It should have those capabilities from the factory, as all the
pictures of the rig display!! They're milkin' us for all we're worth...
(I'm 9th in line on the waiting list at AES Vegas for my FT100)

Scott
KD7EKO
arcticat@hotmail.com

5351. Re: Yaesu HT Programming Software

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Scott Willis <arcticat@hotmail.com>
Message-ID: <36FBD5A3.A4B6C5DB@hotmail.com>
Source record: 112797

Well, the ADMS-1E, connected to the VX-5R DOESN'T EVEN WORK AT ALL!!!! Bob at
RT Systems can't even figure out what's wrong... @#$%&!*^!

I'm very pissed.... as you can tell.

Scott
KD7EKO

clintbrad4d@earthlink.net wrote:

> I am writing reviews of the three software programs currently available for us
> to program our Yaesu VX-1R, FT-50, and VX-5R HTs.
>
> If you have ANY comments as to the installation and running of your program(s)
> of choice, I would like to hear from you.
>
> Had a support problem? Love - or dislike - the included documentation? Any
> comments are welcome.
>
> 1. All submissions will be kept anonymous...UNLESS you specifically want your
> name and email included in the final product. (In the past, those who
> "discovered" undocumented features like to be ackowledged, for example.)
>
> 2. The owners/authors of each of the three software packages will be given a
> chance to review/comment/critique the final product BEFORE it is published on
> the Internet.
>
> 3. This is a non-commercial endeavor. I am not publishing for profit - merely
> posting on a hobbyist Web site. Can't pay you for any submissions - sorry! <g>
>
> PLEASE DO *NOT* SEND YOUR IDEAS AND COMMENTS HERE. PLEASE USE PRIVATE EMAIL.
>
> - Clint Bradford, ATTENTION to Details
> http://www.clintbradford.com
> 1-888-329-6040 - Toll-free voicemail
> clintbrad4d@earthlink.net - Email
>
> ----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5352. Re: Yaesu VX-5R for shortwave?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: "Mark S. Jennings" <markjenn@halcyon.com>
Message-ID: <7dgk0s$3k4$1@brokaw.wa.com>
Source record: 112798

>in suburban-USA. Is there a recommended antenna for improved shortwave
>reception?

Most folks are simply attaching a long wire to the rubber duckie, using the
short screw-on stub as the attachment point.

- Mark

5353. Re: VX-5R - How good is it?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Scott Willis <arcticat@hotmail.com>
Message-ID: <36FBD8B0.74982793@hotmail.com>
Source record: 112799

El Mar wrote:

> I am interested in reviews from folks using this radio.
>
> Thanks, ElMar

The radio is EXCELLENT!!!!! The ADMS-1E SUCKS!!!! It doesn't
even work at all, no communication, and RT Systems can't even figure it
out yet. SO WHY THE HELL DID THEY MARKET IT IF IT DOESN'T WORK???

Scott
arcticat@hotmail.com

5354. Re: FT100 receiver squelch issue

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Scott Willis <arcticat@hotmail.com>
Message-ID: <36FBD65D.7F703C9A@hotmail.com>
Source record: 112800

DLR18SH wrote:

> please do a review on the radio especially on the IMAGES i keep hearing about
> on another forum. It appears you hear Shortwave broadcasts in the backround
> that are no on the frequency at all but are images of strong shortwave stations
> somewere else. I saw several messages on the FT-100 FORUM about this.
> 73's TIM

Ok, so where is the FT-100 FORUM? Is it a onlist mailing list thingy?
I've on the VX-5R onelist mailing list...

Thanks,
Scott
KD7EKO
arcticat@hotmail.com

5355. Re: VX-5R - How good is it?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: jwa <jwa@tellabs.com>
Message-ID: <36FBD9BA.9CE71CC4@tellabs.com>
Source record: 112801

El Mar wrote:

> I am interested in reviews from folks using this radio.
>
> Thanks, ElMar

I have one and I made some out-of-band sensitivity measurements.
There is a problem with the radio receiving images. For example, I
can hear 2 meter repeaters on 241 MHz

Here are some sensitivity measurements that I made on my VX-5R
(ser. num. 8L010040) using an H.P. 8920A

Freq
MHZ Sensitivity Mode

108 .8 uV AM
135 1 uV AM
140 .17 uV NFM
146 .17 uV NFM
223 2.2 uV NFM
250 20 uV NFM
300 28 uV NFM
350 .4 uV NFM
400 .31 uV NFM
450 .25 uV NFM
500 .35 uV NFM
550 17 uV NFM
630 3.5 uV NFM
675 2.25 uV NFM
700 2.5 uV NFM
730 1.8 uV NFM
815 2.2 uV NFM
850 2 uV NFM
910 1.5 uV NFM
962 1.8 uV NFM
989 3.1 uV NFM
998 2.5 uV NFM

levels are based 20 db s/n

--

�� Jack Albert� WA9FVP
�� Tellabs Operations Inc.
�� 1000 Remington Blvd Voice� (630) 378-6201
�� Bolingbrook, IL� 60440 FAX��� (630) 378-5790

Get high on Ham Radio !

�

5356. Re: Need Drake TR7 opinions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Grant Youngman <nq5t@gte.net>
Message-ID: <7dglaf$l8a$1@news-1.news.gte.net>
Source record: 112802
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

Jim Warner wrote:
>
> A TR-7 with all the components that comprise a TR-7A, is not a > TR-7A.

Well, what is it then? Is a BMW 740 with all the components that
comprise a BMW 740 actually a cheese sandwich or perhaps a BMW 739.5?
:=)

Seriously, other than the "A" after the "7" (which for argument's sake I
could fake if I wanted to), besides serial nos., how would I know the
difference? And why would I care?

Thanks .. Grant
nq5t@gte.net
http://home1.gte.net/nq5t

5357. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: tracy <n1rkt@blomand.net>
Message-ID: <01be77bd$2863b560$856074cc@tracy-walters>
Source record: 112803
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space,rec.radio.amateur.swap,rec.radio.cb

I can understand all responces made to the request unknowingly Paul did not reconize the sorce of the ?,
we do have a problem with the cb's getting used wrong and there is no easy fix. Howevever the mods are easily done by a ham or anybody else that gets the info in the future why not deliver the info to a lic. ham via email and not public display it may only keep one radio from being modified for the wrong reason but it is a start.

'73 Tracy N1RKT

5358. FS: REVISED Bird 43P's and elements

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-2603991352300001@pom1.mbl.edu>
Source record: 112804
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

NIB unopened Bird 43P $300.00 also the following elements:

50H,100H 60.00 ea.
250D 50.00

My apologies on first posting for not putting price on 43P

5359. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: dana <dana@randomc.com>
Message-ID: <Pine.GSO.3.96.990326141501.1178B-100000@cluster2>
Source record: 112805
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

yep, me also, but can't do that in pine. wish they would take that crap somewhere else. it has been going on for a week now, enough is enough.

On Wed, 24 Mar 1999, JM wrote:

> Date: Wed, 24 Mar 1999 20:38:33 -0600
> From: JM <jmul@iland.net>
> Newsgroups: rec.radio.swap, rec.radio.amateur.boatanchors,
> rec.radio.amateur.misc, rec.radio.amateur.equipment, rec.audio.tubes
> Subject: Re: Wish I Could Broadcast This
>
> Wish I could turn off this thread.
>
>

5360. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: dana <dana@randomc.com>
Message-ID: <Pine.GSO.3.96.990326141642.1178C-100000@cluster2>
Source record: 112806
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

am i going to have to get an e-mail list started just for this crap??

On Thu, 25 Mar 1999, Wammes Witkop wrote:

> Date: Thu, 25 Mar 1999 03:44:24 +0100
> From: Wammes Witkop <wwitkop@cable.a2000.nl>
> Newsgroups: rec.radio.swap, rec.radio.amateur.boatanchors,
> rec.radio.amateur.misc, rec.radio.amateur.equipment, rec.audio.tubes
> Subject: Re: Wish I Could Broadcast This
>
> Hi, D.S.,
>
> 1) The Low Countries, as you put it, are a rather strange combination of both the
> Netherlands and Belgium. Two different states. that fared differently in the
> second world war. We share a language - Belgium has also French and German.
> Nothing more.
>
> 2) 'Scuse me?
>
> > Right on!.....and look what happened to the Low Countries in '38 thru '41.
>
> Both Belgium and the Netherlands were invaded in 1940. The Germans were expelled
> from both countries in 1944 and 1945.
>
> > Some people never learn!!!
>
> How very true...
>
> Sorry group, but I've taken all the abuse I could. Laid low for days, but some
> people just have to voice unfound opinions.
>
> Kind regards, Wammes Witkop
>
>
>

5361. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: dana <dana@randomc.com>
Message-ID: <Pine.GSO.3.96.990326141745.1178D-100000@cluster2>
Source record: 112807
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

not when you are using a voice synthesizer i don't.

On Wed, 24 Mar 1999, Gary - KJ6Q wrote:

> Date: Wed, 24 Mar 1999 19:08:44 -0800
> From: Gary - KJ6Q <davison7@gte.net>
> Newsgroups: rec.radio.swap, rec.radio.amateur.boatanchors,
> rec.radio.amateur.misc, rec.radio.amateur.equipment, rec.audio.tubes
> Subject: Re: Wish I Could Broadcast This
>
>
> JM wrote in message <36F9A1A9.4422@iland.net>...
> >Wish I could turn off this thread.
>
> Don't know how to activate your filter?
>
> Don't know how to skip over a post when the subject is CLEARLY
> indicated?
>
> I suspect your REAL problem is that you haven't the WILLPOWER to avoid
> the very subject you CLAIM annoys you,
>
> AND that you suffer the inner "need" to play "newsgroup censor"...
>
> Is this a moderated group? If it IS, the moderator is capable of
> controlling posts - if not, then let your conscience - and your
> keyboard - be your guide.
>
> As for ME, all private Email from those complaining about my posts
> here on this and similar subjects, will be "deleted unopened"...
>
> 'Nuff said!
>
> Gary - KJ6Q
> ======================
> I despise self-appointed "net police" FAR MORE
> than off-topic posts - tho' BOTH are easily IGNORED!
>
>
>

5362. now, i changed the subject,

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: dana <dana@randomc.com>
Message-ID: <Pine.GSO.3.96.990326142030.1178E-100000@cluster2>
Source record: 112808
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

now how about that?

On Wed, 24 Mar 1999, JM wrote:

> Date: Wed, 24 Mar 1999 22:47:33 -0600
> From: JM <jmul@iland.net>
> Newsgroups: rec.radio.swap, rec.radio.amateur.boatanchors,
> rec.radio.amateur.misc, rec.radio.amateur.equipment, rec.audio.tubes
> Subject: Re: Wish I Could Broadcast This-For KJ6Q
>
> Gary - KJ6Q wrote:
> >
> > JM wrote in message <36F9A1A9.4422@iland.net>...
> > >Wish I could turn off this thread.
> >
> > Don't know how to activate your filter?
> >
> > Don't know how to skip over a post when the subject is CLEARLY
> > indicated?
> >
> > I suspect your REAL problem is that you haven't the WILLPOWER to avoid
> > the very subject you CLAIM annoys you,
> >
> > AND that you suffer the inner "need" to play "newsgroup censor"...
> >
> > Is this a moderated group? If it IS, the moderator is capable of
> > controlling posts - if not, then let your conscience - and your
> > keyboard - be your guide.
> >
> > As for ME, all private Email from those complaining about my posts
> > here on this and similar subjects, will be "deleted unopened"...
> >
> > 'Nuff said!
> >
> > Gary - KJ6Q
> > ======================
> > I despise self-appointed "net police" FAR MORE
> > than off-topic posts - tho' BOTH are easily IGNORED!
>
> Who the hell are you anyway, I've never replied to anything you ever
> posted, but I will now, bear with me and accept my apologies other NG
> users.
> I made a comment, I didn't ask for anyone's opinion, including yours

> Gary. That's what's wrong with this world today, too many people
> sticking their nose into other people's business. And no, I don't know
> how to activate my filter, wasn't aware I even had one. But seeing as
> how you know it all "oh wise one", how about "elmering" me on this
> subject. And then I could filter out your posts. And yes, I can skip
> over threads such as these, and I don't read them. But I have one
> question, what in the hell do boatanchors have to do with shooting
> people?
> You don't know anything about my Real problem, or my Willpower, or my
> inner "need", or even if these things exist. And you really should have
> sent this post to me PRIVATELY, but seeing as you apparently have the
> "need "to waste NG space,(and you've proven that) it's fine by me. I'm
> not going to make any assumptions about you Gary, but I don't need to, I
> can tell you're a jerk. I may be white but I'm not stupid.
> Apparently there are others that agree with me, seeing as how you had
> the need to state "private email from those complaining about my posts"
> blah blah blah, so forth and so on.
> Thanks(?) for showing me the error(?) of my ways, now go and take one,
> or 100, of your blood pressure pills or you're gonna spontaneously
> combust. 'Nuff said?
> BTW, I will accept private email from anyone, even you, especially if
> it keeps this kind of BS (this reply included) off the NG's. You may
> not get a reply, but if you were to take the time to write, I'll at
> least be a man and read your message.
> I apoligize to the other NG users that read this, but I really don't
> have to take this kind of unsolicited crap from Keeps Jacking 6 Queers,
> and you don't either.
> May God bless our servicemen and women, who at this moment are doing
> what is right on behalf of those who cannot. My heartfelt prayers are
> with you.
>
> John N0EE
>
>

5363. Station Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: "Walter R. Jones, Jr. KC7HEX" <kc7hex@amsat.org>
Message-ID: <36FBE107.120A122C@amsat.org>
Source record: 112809

ICOM IC-251A recently check out by ICOM, new hand mic - shipped to your door insured for $395

CSI Private Patch III shipped insured to your door for $225

Kenwood TS-520S Station:

Kenwood TS-520S HF Transceiver
Kenwood VFO-520
Kenwood TV-506 (6 meter)
Kenwood SP-520
Kenwood DG-5 (digital display)
Kenwood MC-50

Great set-up and runs great - complete station for only $700 (shipping split 50/50)

5364. WTB: Professional AM & FM Low Pwr Broadcast Tx's.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Phil de Cadanet <BigMobile@g4zow.freeserve.co.uk>
Message-ID: <t7f18SA1F++2EwWk@g4zow.freeserve.co.uk>
Source record: 112810

I'm looking for any professional, low power, 20-100w AM & FM broadcast
transmitters in dead or alive condition.

Required for community restricted service licence here in the UK.

Anything considered and can collect via FedEx.

W.H.Y.?

Phil G4ZOW
--
Phil de Cadanet

5365. Re: Display Scratches

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Tom Sokol <tsokol@injersey.com>
Message-ID: <36FBE53A.59EDF6B6@injersey.com>
Source record: 112811

I have heard that *mildly* abrasive toothpaste heavily diluted with water on a

soft cotton cloth will do the trick, but quite frankly I am afraid this might
cloud the whole damn display so have not tried it. Others have, tho, and swear

by it. Do so at your own risk.

Tom, N2LDE

wcollins@mindspring.com wrote:

> Hi everyone,
>
> I have several small superficial scratches on the display of my FT-51 and
> wonder if there are any products that could remove these scratches safely.
> Thanks in advance.
>
> Bill Collins
> wcollins@mindspring.com
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5366. Re: Display Scratches

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Al Dolgosh <al.dolgosh@hamradio.org>
Message-ID: <36FBED3A.186F7D6C@hamradio.org>
Source record: 112812

I have had good success with Meguiar's auto cleaner and wax. It has a very mild abrasive to remove surface scratches and leaves a solid protective wax coating when you are done. Works great on cars, too!

Hope this helps,

Al - K8EUR

wcollins@mindspring.com wrote:

> Hi everyone,
>
> I have several small superficial scratches on the display of my FT-51 and
> wonder if there are any products that could remove these scratches safely.
> Thanks in advance.
>
> Bill Collins
> wcollins@mindspring.com
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5367. Re: Display Scratches

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Phillip Tibbetts <kd1my@banet.net>
Message-ID: <36FBF175.C5757F08@banet.net>
Source record: 112813

3M plastic polish (PN 39010) is the best thing I have found, but it only works on fine scratches.
They do make another product called plastic cleaner (PN 39017) which is more abrasive but I have not tried this. It is available at NAPA

wcollins@mindspring.com wrote:

> Hi everyone,
>
> I have several small superficial scratches on the display of my FT-51 and
> wonder if there are any products that could remove these scratches safely.
> Thanks in advance.
>
> Bill Collins
> wcollins@mindspring.com
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5368. Re: Build ADMS cable?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Alan <fromjustus@mediaone.net>
Message-ID: <36FBF0AE.842AA68A@mediaone.net>
Source record: 112814

Go to: http://www.icongrp.com/~sllewd/pcware.htm and you will see the schematic for the ADMS converter and connector pin-out.

Alan, WA6AQC

Matt Gilbert wrote:

> I have a converter box I built using a MAX232 chip that works with
> both my ICOM 706 and my Yaesu FT-990 (switched). I was thinking
> this same box would work with my new VX-5R, but no such luck.
> Anyone have a circuit diagram for the ADMS converter? Iit can't
> be far off from what I have now.
>
> Thanks,
> Matt
> K8KDR

5369. FS: Yaesu 767GX/AT/CAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <36FBF3D6.133B4641@cfu.net>
Source record: 112815
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Covers 100khz-30mhz, expandable to include 6m/2/70cm with optional modules. SSB/CW/AM/FM. Built in antenna tuner, p.s., keyer, cw filter, audio peak filter, SSB RF processor, audio monitor. Computer anbd QSK ready. Includes mic, manual, oriignal packing. A top-notch rig for DXing/contesting--or just plain chewing the fat. $795 + shipping. Jan N0JR

5370. Re: FS: Ham Equipment (1/1)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Jerry <gvibert@optonline.net>
Message-ID: <36FBF770.C263A751@optonline.net>
Source record: 112816

Hi Bill,
I am interested in buying the NYE-VIKING RFM-003, Power Meter, complete,
$275.00.
If the meter is in excelent condition and you have not allready sold it I
will take it. please
let me know and I wll send you a money order and what the shipping is?
thanks

Jerry / K2GV

William B Clark wrote:

> Subject: Equipment FOR SALE..!!
> Date: Thu, 25 Mar 1999 08:12:01 -0500
> From: William Clark <wbclark@gate.net>
> To: "ares@k4ksa.org" <ares@k4ksa.org>,
> "cars@k4ksa.org" <cars@k4ksa.org>
>
> I offer the following items:
>
> 1-HEIL HM-10 Dual ICOM (DUAL-I) microphone with extra cables,
> Kenwood/Yaesu, $135.00.
>
> 1-HEIL FS-1, Foot Switch, w/4' cable, $20.00.
>
> Interested parties, reply via e mail.
>
> 73, de KD6UN
> Bill
>
> Subject: Equipment FOR SALE..!!!
> Date: Thu, 25 Mar 1999 08:02:55 -0500
> From: William Clark <wbclark@gate.net>
> To: "ares@k4ksa.org" <ares@k4ksa.org>,
> "cars@k4ksa.org" <cars@k4ksa.org>
>
> I offer the following items FOR SALE:
>
> 1- NIB, Alpha 89 Amplifier, with optional fan, $3900.00 FOB.
>
> 1-HY-GAIN HG54-HD Tower with new factory base, rotor plate, thrust
> bearing
> $1500.00.
>
> 1-KLM KT-34XA, 6-Element Tri-Bander, NIB, $750.00.

>
> 1-ICOM IC-775DSP, with all filters, >2000 s/n, as NEW, $3300.00.
>
> 1-ICOM SP-20, speaker with audio filters, $190.00.
>
> 2-ICOM SM-8, microphones, dual cord (two radios), $130.00 ea.
>
> 1-ICOM IC-2530, NIB, dual-bander, 2m/440, $300.00.
>
> 1-ASTRON RS-35M, Metered 13-8 vdc Power Supply, NIB, $150.00.
>
> 1-NYE-VIKING RFM-003, Power Meter, complete, $275.00.
>
> 1-Hustler G6-270, 2m/440, Base Antenna, NIB, $150.00.
>
> Interested parties, Respond via e mail.
>
> 73, KD6UN
>
> Bill

5371. Re: eBay-- gotta wonder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: framix@aol.com
Message-ID: <19990326163222.04730.00000791@ng-fi1.aol.com>
Source record: 112817

I used to feel safe dealing with fellow HAMs with a valid callsign......the last 3 radios I have purchased have had real problems in regards to what I was told was the condition on a scale of 1-10.....I am sick and tired of someone saying that a radio is in #9 condition and receiving what looks like a #5 etc......it seems that people either think a radio is unused #10 or used #9 for all other conditions...what has happened to 1-8?
At least on Ebay you can post a picture of what you are selling, and if you get something funky in buying you can report them sleazebag for ripping you off.....

HAMs have become as sleazy as the rest of the world BUYER BEWARE!

5372. IF-10A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Fred Hamilton <fhamilton@ameritech.net>
Message-ID: <36FBFE4D.1281571F@ameritech.net>
Source record: 112818

I need some help in finding the IF-10A Eprom and Interface for the Kenwood TS-940S. Does anyone know of any company still making or selling these? I tried Kenwood, and HRO. I found one compnay called East Coast Transistor and am in the process of looking up their phone number.

Thanks in advance for any assistance...

Fred Hamilton
KC8LNM

5373. ARRL Operating Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Rick Kiss ll <rkissell@execpc.com>
Message-ID: <7dgv5n$dtn@newsops.execpc.com>
Source record: 112819

I have the 1995 edition of the ARRL "Operating Manual", and I'm
wondering if anyone can tell me how different the latest edition is.
I'm particularly interested in hearing from people who have read both
editions.

TNX ES 73 de WB9GYT

5374. Re: TS 570D Problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Jim <jnance2@ibm.net>
Message-ID: <36fc0518@news1.us.ibm.net>
Source record: 112820

Have a 570DG here, no problems like you mentioned noticed here. Nice rig.

73 de KE4WY Jim

keith rawlings <keith@recelectronics.demon.co.uk> wrote in message
news:JbkBKDAois+2EwR6@recelectronics.demon.co.uk...
> Hi There.
>
> I have a friend who is an amateur who lives close to me and he uses a
> Kenwood TS570D hf tranciever.
>
> When he switches the DSP function on there is an increase in
> noise,similar to a RX which is suffering from crossmod.ie a type of
> hetrodyning, whistling sound.
>
> So he has asked to to post this on the news group to see if anyone else
> is suffering from the same problem.
>
> He bought the rig second hand so he thinks there may be a fault.
>
> Cheers..............73's De Keith G4MIU
> --
> keith rawlings

5375. FS: Modular Systems (MSC) "Smart Filter"

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <36FC03C7.99D32943@cfu.net>
Source record: 112821
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

The best switched capacitance audio filter (super SCAF) ever built. Razor-sharp, brick-wall high-, low- and bandpass filtering, variable from 100hz to 2800 on SSB and 200hz-1100hz CW. Plugs into audio line between transceiver and speaker/phones. Power supply and manual included. $65 + shipping. Jan N0JR

5376. Re: FT-100 IS HERE !!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Steve <sbynum@earthlink.net>
Message-ID: <7dh0vbsej1@holly.prod.itd.earthlink.net>
Source record: 112822

Not only will you benefit from paying a lower price by waiting, you mighrt have a chance to get a Yaesu that has some bugs fixed via later serial #s.

--

Steve N6SMR

Scott Willis wrote in message <36FBD453.FAF50BE7@hotmail.com>...
>DLR18SH wrote:
>
>> Figure in the the Next few weeks all the backorders will be filled and you will
>> see a display model at the hams stores. I plan on comparing the
>> features/receiver against similar models side by side at the store. If you go
>> during the week you can sit there and have agrand time and make decision what
>> is best for you unrushed. I also figure the price will fall once the demand has
>> fallen. Remeber the IC-706 and Ic-706 MK II started at $1350
>> and fell till the $970 price of current.
>> I figure you will see it going for $1200 in 6 months or a free separation kit
>> etc.
>> 73's TIM
>
> Yea, and WHAT'S WITH THAT $70 for the separation kit anyway??? That's
>messed-up!!! It should have those capabilities from the factory, as all the
>pictures of the rig display!! They're milkin' us for all we're worth...
>(I'm 9th in line on the waiting list at AES Vegas for my FT100)
>
>Scott
>KD7EKO
>arcticat@hotmail.com
>
>

5377. Idaho Falls, ID HAMFEST - April 17th

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: wa4vrv@srv.net
Message-ID: <36fc153b.657502@news.srv.net>
Source record: 112823

Just another reminder of this upcoming event!

The Eastern Idaho UHF Society will be hosting a hamfest/computer swapmeet in Idaho Falls, Idaho, at the Elks Lodge on April 17th. This is an ARRL sanctioned hamfest with full license testing, swap tables, commercial, and a talk on the FCC licensing and ARRL, DXpeditions and the internet and ham radio.

We have a web page - http://www.srv.net/~wa4vrv/hamfest.htm

Hope to see you there!

de Jay, WA4VRV

Jay C. Greenberg
WA4VRV
email: wa4vrv@srv.net
Phone: (208)524-1388 Evenings/Weekends
(208)526-7033 Weekdays

5378. For Sale - CSI Model 9800 MicroPatch (Autopatch/Controller)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: wa4vrv@srv.net
Message-ID: <36fd15a6.764828@news.srv.net>
Source record: 112824

Hi and thanks for reading this posting.

I had originally sold this unit, but the deal fell through, so I am reposting it.

I have a CSI 9800 MicroPatch (with the optional 9801 Electric Voice Delay option which costs $139.95) that is in excellent condition. It has a small wear mark on the paint on the top of the case. Electrically, it is in excellent condition.

This is an autopatch with 90 dialing memories as well as a repeater controller. This is a full-duplex or simplex autopatch. It is very similar to the CSI 800 (which goes for $359.95 without the optional 9801). Too many features to go into, but you can visit the CSI home page and see what it does.

The URL is http://www.connectsystems.com/cs9800d.htm.

The only reason for selling this is that we purchased a CAT-300 and it does what we need. We never used the full features of this MicroPatch.

Original cost was just under $600.00. Will sell for $300.00 shipped in the U.S.

Email or call.

wa4vrv@srv.net
(208) 526-7033 Weekdays
(208) 524-1388 Evenings/Weekends
Jay C. Greenberg
WA4VRV
email: wa4vrv@srv.net
Phone: (208)524-1388 Evenings/Weekends
(208)526-7033 Weekdays

5379. Re: VX-5R Freeband Mod??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-26 00:00:00 UTC
From: Vito Villamor <vovillamor@yahoo.com>
Message-ID: <36FC1597.697DE6FD@yahoo.com>
Source record: 112825

Go to:

http://www.geol.com/vx5/VX5FAQ.html

and click on "Q. Are there mods for it yet? ". This should point you
in the right direction.

etosha wrote:
>
> Anybody know the procedure for putting the VX-5 into the freeband mode??
>
> I have seen these guys putting out 1 watt in 220 & haven't found the
> freeband mod on the internet. Thanks, Steve
> AC6OB etosha@earthlink.net

5380. Re: QUESTION: TS830S WITH AMERITRON AL811H

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: w8mkw@aol.com
Message-ID: <19990327184221.15766.00000391@ng-ba1.aol.com>
Source record: 112576

Steve:

The reply you got about microphone choice from Rich N2NMH is right on. A properly matched D104 into a TS830 makes for an absolutely great sounding SSB signal. I did not need to use an amplified D104 or an external audio equalizer. HINT: use a stock D-104 without amplifier. Insert a 500K ohm potentiometer in series with the hot mike wire.
Listen on an external receiver if you can (preferable to the built-in monitor). Then simply rotate the pot and note the wide range of audio responses you get while talking into the mike. Once you find a setting you like, either put the pot in the base of the D104 or measure resistance on the pot and solder-in a fixed reisitor. A lot of guys like to keep the pot so they can vary the microphone response depending on band conditions, etc.

73, Mike W8MKW

5381. EV-664 mic pinout info needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: "Michael J. White" <mike.white@erols.com>
Message-ID: <7djvm1gmt1@winter.news.rcn.net>
Source record: 112577

I need the pinout for an Electrovoice 664 desk mic. I need to know how to wire it for high impedance. Thanks for any help.

Mike, N4PDY

5382. FA: Kenwood IF-10B Computer Interface for TS-940S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <36FD85C7.C4BDA5F0@cfu.net>
Source record: 112578
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

This is the KEY to making the marvelous TS-940S computer ready. See ebay.com item # 81279304 until 3/28, 7:27 pm CDT.

5383. FA: Mint Kenwood TM-733A Dualbander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <36FD8666.FA30E647@cfu.net>
Source record: 112579
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Mint TM-733A, Kenwood's all-time best dual-band transceiver, opened up
for wide-frequency coverage and full-duplex (2m/70cm) for pacsats.
You'll never find a better. See ebay.com, item # 81623128.

5384. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Jon Pearl W4ABC <w4abc@gte.net>
Message-ID: <7dk1vaiqn1@news-1.news.gte.net>
Source record: 112580
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Well put James.

I'm not sure that we are going to 'win' many converts, but I believe that it is important to allow others to know the insight that drives us as free Americans.

Jon Pearl

_____
"The people will not understand the importance of the Second Amendment until it is too late." -- Thomas Jefferson

>I believe it was Jefferson who said "Our freedoms are protected by three
>boxes: the soap-box, the ballot-box and
>the cartridge box"
>
>Sincerely,
> James Jewell.
>
>Tony Stiglitz wrote:
>
> Sorry to keep this going but, this is a total embarrassment to me as an
> "American".
>
> Yeah, like "citizens" with their "own guns" went over and took on the
> Axis. Give me a freakin' break! This BS is so old that the Dead Sea was
> still sick when knuckleheads like you started spouting this crap.
>
>
>Wammes Witkop wrote:
>
>> Hi Jr,
>>
>> Lack of education is hard to cope with. However, as long as you do not
>> realize that the first military bombing of an open - read: undefended -
>> city occured in the Netherlands, May 1940: the city of Rotterdam, the
>> discussion ends. That sort of warfare will not be opposed by hunting guns.
>> I might mention the Grebbeberg as well, look it up. Or ask me for details.
>>
>> Sorry, group, I've laid low for days, waiting for the sentiments to blow
>> over. But frankly, I've had it with the half-educated nonsense here.
>>

>> Wammes Witkop
>>
>> JR wrote:
>>
>> > and that's why Hitler rolled through your country like a hot knife thru
>> > butter !!
>> >
>> > Wammes Witkop wrote
>> >
>> > >But honestly, I happen to be a anti-millitarist.
>

5385. FS**HENRY 2K-4A Amplifier***

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Joseph A Vilardo <jvilardo@voicenet.com>
Message-ID: <LahL2.1382$JT1.1521@news3.voicenet.com>
Source record: 112581

*****HENRY 2K-4A CONSOLE***** In great shape. A pair of 3-500Z's delivers 1300 watts of RF with 100 watts drive. Amplifier covers 10-15-20-40-75-80 with tuned PI input. Extra pair of 3-500Z's included, used but still plenty of performance left. Will sell for $1100.00 Pick up only too heavy to ship. I am in Southeastern PA, near Philly. Call or e-mail if interested DAY 610-429-1514 Evenings 610-429-1297

73
Joe Vilardo

5386. Icom Sm-6 on Kenwood TS-440

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Marty Duplissey <mduplissey@lsbs.com>
Message-ID: <sghL2.348$kY2.17194@news3.ispnews.com>
Source record: 112582

Has anybody built a converter for this? It doesn't look that complicated .
Before I waste time and money am I missing
something?

N5KBP

--
Marty Duplissey
Lone Star Business Systems
Specializing in development for the credit report retrieval industry
Desktop, Networks, Intranets and Internet Delivery
http://www.lsbs.com

5387. FS: Midland VHF Sintech 1

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: "ST1A55@msn.com" <ST1A55@email.msn.com>
Message-ID: <##lJ$yMe#GA.257@upnetnews03>
Source record: 112583
Cross-posted to: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Midland Sintech 1
VHF
80 Channels
80 Watts
Wide Band
Comes with Remote Mount Kit
Speaker
Radio Bracket
Remote Head Bracket
Power Cable
Mic

Asking $400.00 Or Best Offer Picture Apon Request
If intersted e-mail me at : ST1A55@msn.com

5388. Re: ITT Mackay 403A marine lifeboat radio info wanted...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Allan Henry Kaplan <w1ael@tmindscape.com>
Message-ID: <36FDAD3E.868F75B9@tmindscape.com>
Source record: 112584

I don't know this model, but the usual lifeboat radio used to be 500
kilohertz CW only. They called them Gibson Girls, ' cause of their
shape -- meant to be held between your legs while you cranked and sent
the Morse Code from the chart. Not a real good bet for Field Day.
500 kilohertz is being phased out as the International Distress
Frequency in favor of satellite links at VHF and UHF. It is probably
a tube radio, if it's the oldie I am thinking of.
73 de W1AEL.

5389. Re: Yaesu VX-5R for shortwave?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: lildrmrb <lildrmrb@epix.net>
Message-ID: <7dkakabgh1@news1.epix.net>
Source record: 112585

Radio shack has a compact shortwave antenna that rolls up into its own
little case. I cut the stupid end they give you off and put on an alligator
clip for the rubber duck. it works quite well and it's cheap.

J wrote in message <7df0js$a9h$1@Usenet.Logical.NET>...
>Wonder if anyone can comment about usefulness of VX-5R as shortwave
receiver
>in suburban-USA. Is there a recommended antenna for improved shortwave
>reception?
>
>Thanks in advance for any help,
>
>KB2WFW
>sutliffj@capital.net
>
>

5390. Re: Ebay cans ICOM's ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Leroy Kegley <lkegley@zoomnet.net>
Message-ID: <922596364.470.89@news.remarQ.com>
Source record: 112586
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap,alt.ham-radio.vhf-uhf

My Icom R-7000 was pulled also. I checked other auctions and anything that had full cell receive seemed to be pulled also. My reserve had been met, but did not have name of high bidder.

Mine just said no gaps. I never did listen to cell calls on it. I used it for weather pictures. I'm waiting to hear from ebay.

PAW <73457.650@CompuServe.COM> wrote in message
<#nK1n6He#GA.329@nih2naaa.prod2.compuserve.com>...
>Anyone know what the story is on all the ICOM equipment which was
>purged from Ebay overnight (Fri-Sat)? One note from them said
>inapropriate offering, another said impropper bidding. Some
>unblocked rigs remain however.
>
>--
>PAW TS 570 D $749 see below.
>(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
>http://ourworld.compuserve.com/homepages/w9jmn
>

5391. Future of HTX-202 in Canada...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Mike <stonb@sk.sympatico.ca>
Message-ID: <36FDC0CC.2EFF@sk.sympatico.ca>
Source record: 112587

Over the past little while, I've heard rumours flying about the future of the Radio Shack HTX-202. While many people are insisting that it's already been discontinued, why is it still being stocked in Canadian Radio Shack's? Is this discontinuation applicable to the USA only, or is this an international implication?

If anyone here knows anything in regards to the future of the HTX-202 2m Radio Shack Transceiver in Canada, any/all comments and messages would be much appreciated.

Thanks in advance;

Mike (VE5NWO)

5392. FS: NEW JRC NRD-545 with CGD-197

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: davez <davez@ticon.net>
Message-ID: <7dk0n9$1i1$1@galileo.ticon.net>
Source record: 112588
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

FOR SALE (while it lasts):

JAPAN RADIO CO. (JRC) NRD-545 DSP RECEIVER
Set is BRAND NEW, only about 2 weeks old and only about 5
hours of operation ! Works and looks great....in factory box/packing/
plastic bags. Has the latest firmware. Serial Number above RG 05200.

with...
* Unopened accessory bag (plugs/DC Cord etc)
* English Instruction Manual
* AC Power Cord

Includes the following OPTIONAL accessory (Installed):
CGD-197 Temperature Compensated X'tal Oscillator (TCXO)

Again the Unit is in "prestine" physical and electrical
condition. I'm a NON-smoker..

Price (includes UPS GROUND shipping) $ 1100. FIRM !!. USA, lower 48 ONLY
!! Cashier's Check or Money Order , NO COD's / personal checks or Trades...

Please e-mail direct if intrested.
Thank You for taking the time to read this message.....
Dave
davez@ticon.net

5393. Modification in DSP-2232

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: chondeville@hotmail.com
Message-ID: <36FDAA88.40F2539E@hotmail.com>
Source record: 112589
Cross-posted to: rec.radio.amateur.space,rec.radio.amateur.homebrew,rec.radio.amateur.packet,rec.radio.amateur.equipment

Does anyone know how to modify the AEA DSP-2232 in order to get the best
of it when you operate the birds at 9600??. I've heard there is
something I can do to enhance it.
Please, make your comments to chondeville@hotmail.com

73,
Christian

5394. Re: KJ6Q

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <371df8e8.320452451@news.atl.bellsouth.net>
Source record: 112626

On Fri, 26 Mar 1999 01:09:04 -0600, JM <jmul@iland.net> wrote:
>In the header of my post it has under the "organization" line "posted
>via RemarQ Communities,Inc". I have no idea what this refers to, I am
>not associated with this entity in any way, shape,or form, and I have no
>idea where this Remar crap came from, I didn't list this in my browser.

It would appear that you accessed usenet via a RemarQ server.
RemarQ provides outsourced usenet services to a number of
ISPs and businesses. Apparently your ISP is one of them.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

5395. Re: RF AND COMPUTER NETWORK

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <371efc8a.321382213@news.atl.bellsouth.net>
Source record: 112627

On Fri, 26 Mar 1999 05:43:21 -1000, Rick and Theresa <pilots@mbay.net> wrote:
>I'm considering networking the ham shack computer with those in another
>part of the house.
>
>Any recommendations with respect to the type of cable (UTP or RG-58) to
>use? I'm concerned about RF getting into the network cable and messing
>up the data -and- data signals leaking out and interfering with the HF
>radios.
>
>TIA, Rick N6CY

I had that concern when I networked my machines too. I ran double
shielded coax (RG-214). No interference due to the network has been
noted.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

5396. FS: HP8690B sweep generator

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: larryc@northwest.com
Message-ID: <36FCFCEF.2DB0@northwest.com>
Source record: 112628
Cross-posted to: rec.radio.swap,sci.electronics.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Covers 110mHz-4gHz, two bands. Solid state signal source. Asking $275 + shipping.

Reply to larryc@northwest.com

5397. Re: Display Scratches

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7dj2nn$71k$1@nnrp1.dejanews.com>
Source record: 112629

In article <T9VK2.10$GR4.2205@axe.netdoor.com>,
"Tom C. Brown, Jr." <tcb@netdoor.com> wrote:
> There's a polish called Flitz...

If you are really paranoid about making things worse (like I was with my VX-1R once <g>), take it to your local jeweler and see if they can assist you.

I do not know what mine did - and I was so pleased with the results I forgot to ask her - but it came out like new.

Of course, we should ALL purchase protective cases for any equipment we value. I used to shy away from spending twenty or twenty-five bucks for a case...until I realized how inexpensive it really is in proportion to the cost of the HT.

- Clint Bradford, ATTENTION to Details
http://www.clintbradford.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5398. TR-7800 squeal

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Neal <neal@sacon.net>
Message-ID: <01be786c$a01849e0$2b8fded1@default>
Source record: 112630
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Anybody have experience with a TR-7800 which had an intermittant and then permanent problem: LED display (both freq and channel)) blanks except for the decimal point on the freq. display; + S - lites light; high pitched squeal emitted, but not from speaker; XMIT & RCV otherwise works.

73
Neal KK7PA

5399. FS HEATH SB-610 MONITOR SCOPE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: edron1@aol.com
Message-ID: <19990327112223.27181.00000884@ng09.aol.com>
Source record: 112631

FOR SALE

HEATH SB-610 MONITOR SCOPE AND MANUAL(COPY).

BOTH IN GOOD + CONDITION.

$125.00 + SHIPPING.

EDRON1@AOL.COM

5400. FA: Drake UV3 144/220/440

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <370403d9.62812492@207.217.77.140>
Source record: 112632
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83430060

5401. FA: Motorola CB AM/SSB

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <3705041e.62881782@207.217.77.140>
Source record: 112633
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83429171

5402. FA: Drake TR7A W/PS7 & Desl Mic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <3703038f.62738573@207.217.77.140>
Source record: 112634
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83432906

5403. FA: Kenwood TS-440S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <3706045c.62943668@207.217.77.140>
Source record: 112635
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83428410

5404. FA: RFC 2/70 Hi Power DualBand Amp.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <370002d1.62548903@207.217.77.140>
Source record: 112636
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83435787

5405. FA: Icom 900 29/50/144/220/440

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <3702034e.62673894@207.217.77.140>
Source record: 112637
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83434525

5406. FA: Kenwood PS-430 Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <370a051f.63138682@207.217.77.140>
Source record: 112638
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83431147

5407. FA: Kenwood PS-50 Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <370904e8.63083468@207.217.77.140>
Source record: 112639
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83430519

5408. FA: Pyramid Gold Series Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <370b054b.63182682@207.217.77.140>
Source record: 112640
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83431747

5409. FA: Kenwood AT-230 Ant.Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <370804b6.63033695@207.217.77.140>
Source record: 112641
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83266013

5410. FA: RCI 2950

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <37070492.62997517@207.217.77.140>
Source record: 112642
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83261748

5411. FA: Motorola Desk Mic

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <370c057b.63230393@207.217.77.140>
Source record: 112643
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83430811

5412. Re: FA: RFC 2/70 Hi Power DualBand Amp.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: n1mnm@wtvl.net
Message-ID: <36fd0b7f.3910571@news.ctel.net>
Source record: 112644
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

This is a swap group...not a "Ebay rip-off auction" area !!!
Post this Ebay junk somewhere else, please!!

On Sat, 27 Mar 1999 16:11:33 GMT, richcom@earthlink.net (richcom)
wrote:

>Go to:
>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83435787
>
>

5413. Re: NEAT SWAP MEET ITEM==>>(/\/\) UNIFORM PATCHES<<==

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: msisco9939@aol.com
Message-ID: <19990327120834.01031.00000865@ng-fp1.aol.com>
Source record: 112645

I forgot to add that these are a "Heavy Duty"
style uniform patch similar to a Football or
Lettermans Jacket Cloth Patch...Not a Iron on
piece of Plastic that will wear off....Mine has
lasted for years.....

Monty

5414. FS: Tower Erection Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: wbclark@gate.net
Message-ID: <36fd1789.99756231@news.gate.net>
Source record: 112646

FOR SALE:

1-ROHN EF-2545G, Gin Pole, will deliver in state of
Florida,all others, FOB. $495.00. 73 de KD6UN, Bill.

5415. NIB Shure 444D

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Richard Hernandez <sfzgznuc@scfn.thpl.lib.fl.us>
Message-ID: <Pine.SUN.3.95.990327120503.1322A-100000@scfn>
Source record: 112647

Greetings,

I have a Shure 444D microphone that is new in the box (never been used or had a mic plug installed). What I would like to know is what is it worth or how much could I expect to get for it if I decided to sell? Any assistance would be greatly appreciated. Please respond via e-mail. Thanks in advance.

73s

Rich

5416. FA: NIB Vushcraft 20-4CD 4el 20m Beam

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <36FD1F70.915697F0@cfu.net>
Source record: 112648
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

32' boom, 10 dbd gain, 30 dbd front-to-back, weighs only 55 lbs. Easily adapted to 17m by simply shortening elements (I have dimensions). New in box, never assembled, complete. See ebay.com # 81518129 till 3/29.

5417. Ebay cans ICOM's ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: PAW <73457.650@CompuServe.COM>
Message-ID: <#nK1n6He#GA.329@nih2naaa.prod2.compuserve.com>
Source record: 112649
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap,alt.ham-radio.vhf-uhf

Anyone know what the story is on all the ICOM equipment which was
purged from Ebay overnight (Fri-Sat)? One note from them said
inapropriate offering, another said impropper bidding. Some
unblocked rigs remain however.

--
PAW TS 570 D $749 see below.
(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
http://ourworld.compuserve.com/homepages/w9jmn

5418. WTB: Yaesu FT-2500

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: msb <msbSPAMMAPS@newpony.com>
Message-ID: <7dj8tc$2s@sjx-ixn6.ix.netcom.com>
Source record: 112650

For a club 2M rig -- FT-2500

Interested if and only if
Made in JAPAN
In Excellent or better condition.
No Mods

msb

5419. Re: FA: RCI 2950

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Butch Magee <butchkay@netdoor.com>
Message-ID: <36FD2AC0.319C718C@netdoor.com>
Source record: 112651
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

What is the black box with the red button that appears to be attached to
the 320?

Butch KF5DE

richcom wrote:

> Go to:
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83261748

5420. DR-130 DTMF Problem????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Stephen Norman <Steve752@email.msn.com>
Message-ID: <OZiBhUIe#GA.115@upnetnews02.moswest.msn.net>
Source record: 112652

I have an Alinco DR-130 and for an unk reason the DTMF portion of the microphone stopped working. The radio is not used much and not subjected to harsh use. I've check for the obvious loose wire or connection with no luck!!! Anyone ever had the same problem or any suggestions??? Mic works great otherwise would hate to have to buy a completely new mic.

5421. WTD: Kantronics KAM

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: w1ksz@tiac.net
Message-ID: <36fd2f86.2852346@news.tiac.net>
Source record: 112653

Looking for one with enhancement board and late software.
73, Dick, W1KSZ

5422. FS: RCA APT & Monitor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: w1ksz@tiac.net
Message-ID: <36fd2fb5.2898887@news.tiac.net>
Source record: 112654

RCA APT (All Purpose Terminal) with original docuimentation and 11
inch Mono Monitor. SSoN got $300+ for these. Makes a great stand-
alone Packet/RTTY setup.
$150 plus UPS pack & ship.
73, Dick, W1KSZ

5423. FS: Larsen 2/440 dual mobile antenna

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: DUKE <na1a@ix.netcom.com>
Message-ID: <36FCC0AB.E809FC5F@ix.netcom.com>
Source record: 112655
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

```
Larsen 2/440 dual bander mobile antenna, 5/8 wave, NMO fitting. $10.
Contact via address below.
****************************************************************
Duke -NA1A- Direct Line: (310) 649-2226
E-mail: na1a@qsl.net or mailto:na1a@ix.netcom.com
Ham Radio Website: http://www.qsl.net/na1a
****************************************************************
```

5424. Re: Ebay cans ICOM's ???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: STEVEN L UMBACH <N9ROU@prodigy.net>
Message-ID: <7djcu8$2mne$1@newssvr04-int.news.prodigy.com>
Source record: 112656
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap,alt.ham-radio.vhf-uhf

Ebay seems to have its share of problems. Did you know a hacker shut
them down the other day?
See http://www.maximumpc.com/inside_sources/99.3/99.3.20.phtml . Too many
times I have tried to view the auctions and have not been able to get
through - that would be disaster if you were a seller. A lot of prices get
bid way up in the last hour. I have used Ebay and like it, but i hope they
solve their problems!
--- Steve
PAW <73457.650@CompuServe.COM> wrote in message
<#nK1n6He#GA.329@nih2naaa.prod2.compuserve.com>...
>Anyone know what the story is on all the ICOM equipment which was
>purged from Ebay overnight (Fri-Sat)? One note from them said
>inapropriate offering, another said improper bidding. Some
>unblocked rigs remain however.
>
>--
>PAW TS 570 D $749 see below.
>(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
>http://ourworld.compuserve.com/homepages/w9jmn
>

5425. Re: FT-847 SSB distortion

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: sv9anj@my-dejanews.com
Message-ID: <7djh0u$io8$1@nnrp1.dejanews.com>
Source record: 112657

In article <371bf318.318963780@news.atl.bellsouth.net>,
ke4zv@bellsouth.net (Gary Coffman) wrote:
> On Fri, 26 Mar 1999 02:30:01 +0200, "MANOS" <pelamare@her.forthnet.gr> wrote:
> >Does anyone have any experience using the FT847 for sats having a 2M uplink
> >and a 440 downlink, when connected to a
> >70cm/2M antenna system?
> >When I transmit, I hear distorted audio.
> >It just sounds very distorted on the FT847 while keying the mic.
> >I use separate antennas.
> >It's a real pain, especially if you are trying to hear your echo when
> >tweaking for sat work...
> >Can anyone tell me if they are experiencing this as well,i think that it's a
> >serious problem?
> >
> >73's de SV9ANJ
>
> This isn't unusual. Lots of setups suffer from this. This problem
> has been around as long as there have been mode J satellites.
> You need a mode J filter in your 70 cm antenna lead to cure it.
> Either a high pass or bandpass filter will work as a mode J filter.
>
> The problem is fundamental overload of the 70 cm receiver
> by the 2m transmitter. That happens because the input network
> of most receivers is a pi-section filter, which has low pass
> characteristics, and that lets the strong 2m signal through.
> The problem doesn't exist when you run mode B because
> the 70 cm transmit frequency is above the cutoff frequency
> of the 2m receiver front end. But it is a nuisance for mode J.
>
> The Satellite Experimenter's Handbook has a mode J filter you
> can build, and I think several places sell them commercially.
> Any 70 cm bandpass cavity will work too. Make sure you're using
> a good grade of coax, and keep the 2m and 70 cm coaxes well
> separated to avoid cross coupling which could bypass the filter.
>
> Gary
> Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
> 534 Shannon Way | We break it |
> Lawrenceville, GA | Guaranteed |
>

Thanks for the info Gary.
Another question,do you think that puting the optional ssb filters YF-112S-02
TX +RX i'll solve this problem?

Thanks Manos SV9ANJ

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5426. Re: FT-847 SSB distortion

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: sv9anj@my-dejanews.com
Message-ID: <7djh75irn1@nnrp1.dejanews.com>
Source record: 112658

In article <371bf318.318963780@news.atl.bellsouth.net>,
ke4zv@bellsouth.net (Gary Coffman) wrote:
> On Fri, 26 Mar 1999 02:30:01 +0200, "MANOS" <pelamare@her.forthnet.gr> wrote:
> >Does anyone have any experience using the FT847 for sats having a 2M uplink
> >and a 440 downlink, when connected to a
> >70cm/2M antenna system?
> >When I transmit, I hear distorted audio.
> >It just sounds very distorted on the FT847 while keying the mic.
> >I use separate antennas.
> >It's a real pain, especially if you are trying to hear your echo when
> >tweaking for sat work...
> >Can anyone tell me if they are experiencing this as well,i think that it's a
> >serious problem?
> >
> >73's de SV9ANJ
>
> This isn't unusual. Lots of setups suffer from this. This problem
> has been around as long as there have been mode J satellites.
> You need a mode J filter in your 70 cm antenna lead to cure it.
> Either a high pass or bandpass filter will work as a mode J filter.
>
> The problem is fundamental overload of the 70 cm receiver
> by the 2m transmitter. That happens because the input network
> of most receivers is a pi-section filter, which has low pass
> characteristics, and that lets the strong 2m signal through.
> The problem doesn't exist when you run mode B because
> the 70 cm transmit frequency is above the cutoff frequency
> of the 2m receiver front end. But it is a nuisance for mode J.
>
> The Satellite Experimenter's Handbook has a mode J filter you
> can build, and I think several places sell them commercially.
> Any 70 cm bandpass cavity will work too. Make sure you're using
> a good grade of coax, and keep the 2m and 70 cm coaxes well
> separated to avoid cross coupling which could bypass the filter.
>
> Gary
> Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
> 534 Shannon Way | We break it |
> Lawrenceville, GA | Guaranteed |

Thanks for the info Gary.
Another question,do you think that puting the optional ssb filters YF-112S-02
TX +RX i'll solve this problem?
Thanks Manos SV9ANJ

>

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5427. FS: Radio Shack HTX-202 (free shipping!)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Matt Green <mgreen@verticalreality.org>
Message-ID: <7djercnbc1@east44.supernews.com>
Source record: 112659
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave

For Sale: Radio Shack HTX-202, 2-meter HT, Excellent condition, hardly used. Includes 2.5 watt battery pack, wall charger, rubber duck antenna, manual, cigarette-lighter adapter for 6-watt output, $125, I ship in U.S. E-mail me for more info at mgreen@verticalreality.org.
73, KC8IWD

5428. FS: Kenwood TH79A HT and Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Rick Riverman <rbriver@cybcon.com>
Message-ID: <922566577.999.71@news.remarQ.com>
Source record: 112660

I have the following for sale:

ITEMS
* Kenwood TH-79A Dual Band HT Serial #60204257 (1995)
* PB-32 6v 600mAh NiCd Battery
* PB-34 9.6V 900mAh NiMh Battery (for 5W output)
* Cigarette Lighter Adapter Pack
* BT-9 Alkaline Cell Pack
* BC-17 Charger
* Soft Case
* Nylon Cord Wrist Strap
* Manual
* Original Box

FEATURES
* Power-on call sign display
* 82 non-volatile memory channels with alphanumeric ID
* Dot-Matrix LCD and menu system
* Encoder/Decoder built-in
* Simultaneous receive on both bands using VHF/UHF,VHF/VHF or UHF/UHF configuration
* 5 watts power with PB-34, 3 watts with B-32

$245.00 + Shipping

Rick Riverman
W7RBR
503-629-5135

5429. Wanted: JRC NRD-545 Rcvr

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Brian Kelly <Kelly@dvol.com>
Message-ID: <36FD489B.D24B89D3@dvol.com>
Source record: 112661

I'd like to locate a clean 545 somewhere withn a resonable travel distance from Philly. Prefer a unit with the CHE-199 vhf/uhf converter board.

Tnx,

Brian Kelly w3rv

5430. Re: WTD: Kantronics KAM

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: k2jy@aol.com
Message-ID: <19990327162440.26563.00001143@ng110.aol.com>
Source record: 112662

How about a kam plus with host master software?

K2JY@aol.com

5431. Kantronics KamPlus

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: k2jy@aol.com
Message-ID: <19990327163152.26563.00001149@ng110.aol.com>
Source record: 112663

Have for sale a Kantronics Kamplus,with hostmaster software,manuals all cables and original box.With shipping in U.S. 185.oo.All in excellent condition

K2JY@aol.com

5432. FS: Yaesu FT-102 Excellent!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <9dcL2.1246$Ey1.2200@ndnws01>
Source record: 112664
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Hi,
FT-102, with original mic and manual copy. Works perfectly.
Stock, no modifications. Excellent condition! Looks great!
$495 shipped CONUS.
regards,
Chuck...K1KW

5433. Re: FT100 receiver squelch issue

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990327164422.02991.00000969@ng100.aol.com>
Source record: 112665

I read a few messages from the first guys who purchased tahe FT-100 and most of them are sending back the radio for repair. It appears that Yaesu didn't get out all the bugs in the radio. I read the messages at :

http://www.onelist.com/viewarchive.cgi?listname=ft100

5434. WTB National NTS-2 Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Bruce Brackin <bbrackin@bellsouth.net>
Message-ID: <36FD5945.4C58E57D@bellsouth.net>
Source record: 112666

Still looking for a National NTS-2 speaker to go with NC-400. Condition not critical. NTS-2 was also used with NC-303. Have smaller NTS-3B (blue) flipfoot to sweeten the deal. Check you attics!
Thanks.

Bruce Brackin

5435. FS: Boonton Manuals

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <8YcL2.1253$Ey1.2098@ndnws01>
Source record: 112667
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Original manuals for the UHF Q meter model 280A and sweep signal
generator model 240A. Excellent condition. $10 shipped ea.

Excellent manual copy for the Q meter model 260A $8 shipped.

regards,
Chuck...K1KW
coneal@ultranet.com

5436. Want info: TenTec keyer KR 20A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Al Woodhull <aswNS@helios.hampshire.edu>
Message-ID: <36fd5ffa.0@news>
Source record: 112668

I acquired a TenTec KR 20A keyer at a hamfest a few months ago. It works fine, but I have no info about it, I don't even know how old it is.

I'd like to find a copy of the schematic or a manual, but any information at all about this unit would be appreciated.

73, Al N1AW

+----------------------------------+
| Albert S. Woodhull |
| Hampshire College, Amherst, MA |
| awoodhull@hampshire.edu |
| http://minix1.hampshire.edu/asw/ |
+----------------------------------+

5437. FS SP-930

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <36FD7022.F28420F3@earthlink.net>
Source record: 112669

FS very nice Kenwood SP-930 Speaker, $95, Charlie, K5MBX

5438. FS: Motorola P1225 UHF HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: twrlader@aol.com
Message-ID: <19990327174654.25066.00001157@ng141.aol.com>
Source record: 112670

For Sale

Motorola P1225 UHF HT 438-470

97 date battery and antenna

excellent condition

$300 shipped

reply to TWRLADER@aol.com

5439. FS: Icom 3SAT 220 HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: twrlader@aol.com
Message-ID: <19990327174945.25066.00001158@ng141.aol.com>
Source record: 112671

For Sale

Icom 3SAT 220 ht

4watts 40ch pl encode/decode

belt clip, antenna, wall charger

needs new internal battery

excellent condition

$200 shipped or $250 shipped with two extra batteries

reply to TWRLADER@aol.com

5440. FS: Motorola Saber III UHF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: twrlader@aol.com
Message-ID: <19990327175148.25066.00001159@ng141.aol.com>
Source record: 112672

For Sale

Motorola Saber III UHF 438-470

120ch, 4 watt, full keypad

two batteries, antenna, leather case

excellent condition

$475 shipped

reply to TWRLADER@aol.com

5441. FS: Motorola GM300 UHF mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: twrlader@aol.com
Message-ID: <19990327175330.25066.00001160@ng141.aol.com>
Source record: 112673

For Sale

Motorola GM300 UHF mobile

8ch, 40 watt, palm mic, power cord

excellent condition

$275 shipped

reply to TWRLADER@aol.com

5442. FS: Motorola P50 VHF

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: twrlader@aol.com
Message-ID: <19990327175532.25066.00001163@ng141.aol.com>
Source record: 112674

For Sale

Motorola P50 VHF ht

5 watt 2ch (151.625 installed)

dip switch PL no battery

unknown if operational

BEST OFFER

reply to TWRLADER@aol.com

5443. Re: Kenwood TM-V7A 4s patch cord?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Rick Pemble <pemble@earthlink.net>
Message-ID: <7djnmc$5oi$1@ash.prod.itd.earthlink.net>
Source record: 112675

This pops up about twice a month on this newsgroup. The cable is more than a patch cord, it contains electronics in the hood of the DB-25. It plugs into the packet connector. The electronics is assumed to be level converters (although it may be a RS232 to audio converter as it plugs into the packet connector which is expecting to pass and receive packet audio tones to a TNC).

No one has been able to publish a schematic. They do seem to be hard to come by -- Europeans tell me that they can't be had at all there.

I bought mine at AES -- (and they ship internationally). I have used it to program my TM-V7A and my TM-G707A, both with the free software that Kenwood provides on their web site. It works FB.

Good luck

Rick W4RP

GHOSTRIDR wrote in message <01be782e$fefee920$11f1fea9@ghostrider>...
>Anyone know if it is possible to make the 4s patch cord used to program the
>radio with your PC. I have not been able to find one, everyone says that
>the cord is on backorder. Does the patch cord plug into the mic jack or the
>packet jack? Can anyone shed some light on this topic. Thanks in advance.
> John
>

5444. Re: FS MFJ-482 KEYER

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Ron Sibbitt <n8lmt@usa.net>
Message-ID: <7dh8ct$a2p$1@ramp2.tir.com>
Source record: 112688
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.swap

>MFJ-482 KEYER
>
> the keyer is now SOLD..............

tnx to all who responed to my post.......

ron

5445. For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: "Walter R. Jones, Jr. KC7HEX" <kc7hex@amsat.org>
Message-ID: <36FC2E3C.68C5E788@amsat.org>
Source record: 112689

Complete Mobile or Base Packet Station:

Everex Step Notebook Computer -
486DX4/100
color monitor
500meg HD
20 meg RAM
includes original carton and manual
loaded with packet and misc amateur programs.
* * PLUS * *
MFJ-1274 TNC
MFJ-8621 Data Radio with the 145.77 freq xtal (easy to change)

Shipped to your door for only $700

ICOM IC-251A recently check out by ICOM, new hand mic - shipped to your door insured for $395

CSI Private Patch III shipped insured to your door for $225

Kenwood TS-520S Station:

Kenwood TS-520S HF Transceiver
Kenwood VFO-520
Kenwood TV-506 (6 meter)
Kenwood SP-520
Kenwood DG-5 (digital display)
Kenwood MC-50

Great set-up and runs great - complete station for only $700 (shipping split 50/50)

Klamath Falls, OR
Walt
KC7HEX
mailto:kc7hex@arrl.net

5446. NEAT ITEM=>>(/\/\) FACTORY RIB BOXES RLN4008B's (New)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: msisco9939@aol.com
Message-ID: <19990326204110.04727.00000873@ng-fi1.aol.com>
Source record: 112690

Yep:

Found More Motorola Factory Rib Boxes,(RLN400*B's) "Brand New" Still in the box with the Original Instructions, Antic-Static Bag, and Original Carton. All Late Code Dates (Still within Factory Warrantee).

Asking $175.00 + Shipping ($8.00) covers Pirority Mail, Insured, With return Receipt Requested. As a Bonus, I have a Few OEM Power Supplies that I will supply for $15.00 Extra, or I can give you a similar one with plug for $10.00, but you have to solder on the plug.
==========
Also there appears to be number of Clone Cables for the" Maxtrac" , All Brand New, appear to be well built, but Most know how I feel about Clones. $30.00ea, however these have a "Heavy Duty" support for the modular plug, and also a Strain Relief at the DB 25 pin connector, All pins Gold Plated....Pretty Nice Cable Set for a Clone.
==========
For a Picture of the Cable Go too:

http://www2.4dcomm.com/metrotech/maxtrac2.jpg

Terms:

Acceptable PrePayment in the form of a Postal Money Order or other mutaul Piror arrangements. Persons already in the data base do not have to worry about Money Orders, Personal Checks A-OK

Monty

5447. Re: FS: Motorola Apcor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: msisco9939@aol.com
Message-ID: <19990326204905.04727.00000878@ng-fi1.aol.com>
Source record: 112691

Did it have the Original Model and Serial tags?

MS

5448. Re: Display Scratches

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Ken Bickel <ac4vv.remove@me.arrl.net>
Message-ID: <XrXK2.84$kt2.1690@news.megsinet.net>
Source record: 112692

Someone once said that a piece of silk was good for removing minor scratches
or surface dulling. Certainly worth a try before trying the more abrasive
products.
LOL

wcollins@mindspring.com wrote in message
<7dgjvt$6e7$1@nnrp1.dejanews.com>...
>Hi everyone,
>
>I have several small superficial scratches on the display of my FT-51 and
>wonder if there are any products that could remove these scratches safely.
>Thanks in advance.
>
>Bill Collins
>wcollins@mindspring.com
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5449. Re: Display Scratches

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Murray Kelly <mkelly@powerup.com.au>
Message-ID: <36FC5303.270A@powerup.com.au>
Source record: 112693

I don't know about availability in the US but I find the
metal polishes 'Brasso' or 'Silvo' work well with perspex etc.

wcollins@mindspring.com wrote:
>
> Hi everyone,
>
> I have several small superficial scratches on the display of my FT-51 and
> wonder if there are any products that could remove these scratches safely.
> Thanks in advance.
>
> Bill Collins
--
****
* Murray Kelly vk4aok mkelly@powerup.com.au *
* 29 Molonga Ter. / Graceville/ QLD. 4075/ Australia *
* ph/fax Intl+ 61 7 3379 3307 *
****

5450. Re: Display Scratches

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: ronfisher1@aol.com
Message-ID: <19990326230628.22374.00000688@ng-ft1.aol.com>
Source record: 112694

Meguiar's sold a plastic polish for removing
scratches.I have used it and it did work well but can't remember where i got it
from.It was called mirror glaze plastic cleaner.
They are in Calif. Phone # 800-347-5700

73s, Ron KA1SRZ

5451. Re: Matching Antenna Tuner for Kenwood TS-680S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: tom <tsokol@injersey.com>
Message-ID: <7dhmvp$i7p$1@nw003t.infi.net>
Source record: 112695

Model # is AT-250 (same one as for TS-140S)
Tom, N2LDE

Don Latimer wrote in message <7dhm8v$h58$1@news.gate.net>...
>I just purchased a second hand Kenwood TS-680S (HF+6M). Can anyone tell me
>what the model number is for the "matching" antenna tuner?
>
>Thanks,
>Don
>
>N5KHB@arrl.net
>
>

5452. Re: Icom IC-T2H & Everest expedition

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: jerry r <jerryrc@pobox.com>
Message-ID: <36FC606F.B4A42D94@pobox.com>
Source record: 112696

I was there for the Can-everest expedition some 13 years ago, where Blair griffith fell through some glaciers. I actually made it from Lamjur pass to Katmandu on a 5w HT. I am not a climber, was there to set up 5 mw hops from the old hotel on everest to Katmandu earth station, this was for Nightline with Tedd Koppel.

5453. wanna make serious$$ fast legally cheap6$ notachain ltr

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: joeflynn@blarg.NET
Message-ID: <36FC6AB4.43C7@blarg.net>
Source record: 112697

THE FUN AND EASY WAY TO MAKE MONEY

(I couldn't believe this actually worked)

I found
this on a bulletin board and decided to try it. A
little while
back, I was browsing through newsgroups,
and came across an article similar to
this that said you could make thousands of dollars
within weeks with only an initial investment of $6.00!
So I
thought, "Yeah right, this must be a scam", but
like most of us, I was curious, so I kept reading.
Anyway, it
said that you send $1.00 to each of the 6 names
and address stated in the article. You then place your
own
name and address in the bottom of the list at #6,
and post the article in at least 200 newsgroups. (There
are
thousands) No catch, that was it. So after
thinking it over, and talking to a few people first, I
thought
about trying it. I figured: "what have I got to
lose
except 6 stamps and $6.00 right?" Then I invested the
measly $6.00. Well GUESS WHAT!?... within 7
days, I started getting money in the mail! I was
shocked! I
figured it would end soon, but the money just kept
coming in. In my first week, I made about $25.00. By
the
end of the second week I had made a total of over
$1,000.00! In the third week I had over $3,000 and
it's
still growing. This is now my fourth week and I
have made a total of just over $8,000 and it's
still
coming in rapidly. It's certainly worth $6.00, and 6
stamps, I have spent more than that on the lottery!!
Let me
tell you how this works and most importantly,
WHY it works... Also, make sure you print a copy of
this

article NOW, so you can get the information off
of it as you need it. I promise you that if you follow
the
directions exactly, that you will start making more
money than you thought possible by doing something so
easy! Suggestion: Read this entire message
carefully! (print it out or download it.) Follow the
simple
directions and watch the money come in! It's easy.
It's legal. And, your investment is only $6.00 (Plus
postage)
IMPORTANT: This is not a rip-off; it is not
indecent; it is not illegal; and it is 99% no risk -
it really
works! If all of the following instructions are
adhered
to, you will receive extraordinary dividends. PLEASE
NOTE:
Please follow these directions EXACTLY,
and $50,000 or more can be yours in 20 to 60 days.
This
program remains successful because of the honesty
and integrity of the participants. Please continue
its
success by carefully adhering to the instructions.
You
will now become part of the Mail Order business. In
this
business your product is not solid and tangible, it's
a
service. You are in the business of developing Mailing
Lists.
Many large corporations are happy to pay big
bucks for quality lists. However, the money made from
the
mailing lists is secondary to the income which is
made from people like you and me asking to be included
in
that list. Here are the 4 easy steps to success:
STEP 1: Get 6 separate pieces of paper and write the
following on each piece of paper "PLEASE PUT ME
ON YOUR MAILING LIST." Now get 6 US $1.00 bills and place
ONE inside EACH of the 6 pieces of
paper so the bill will not be seen through the envelope
(to
prevent thievery). Next, place one paper in each
of the 6 envelopes and seal them. You should now have 6
sealed envelopes, each with a piece of paper
stating the above phrase, your name and address, and a
$1.00 bill. What you are doing is creating a

service.
THIS IS ABSOLUTELY LEGAL! You are requesting a legitimate
service and you are paying for it! Like
most of us I was a little skeptical and a little
worried about
the legal aspects of it all. So I checked it out
with
the U.S. Post Office (1-800-725-2161) and they
confirmed
that it is indeed legal. Mail the 6 envelopes to
the
following addresses:

#1)E. Jones 1900 Sycamore Ln. Durham, CA. 95938

#2) L.C. Wood 1909 Laurel Ln. Plano, Tx. 75074

#3) T. Schmit 2100 Date St. #1206 Honolulu, Hi. 96826

#4)K. Walker 3435 S. 173rd Street Seattle, WA 98188

#5) G. Perry GPO Box 119 Hampton 3188, Vic, Aus

#6)D. Flynn 9914 182nd Ct NE Redmond, WA 98052

STEP 2: Now take the #1 name off the list that you
see
above, move the other names up (6 becomes 5, 5
becomes 4, etc...) and add YOUR Name as number 6 on the
list. STEP 3: Change anything you need to, but
try to keep this article as close to original as
possible. Now,
post your amended article to at least 200
newsgroups. (I think there are close to 24,000 groups)
All
you need is 200, but remember, the more you
post, the more money you make! You won't get very much
unless you post like crazy. :)This is perfectly
legal! If you have any doubts, refer to Title 18 Sec.
1302 &
1341 of the Postal lottery laws. Keep a copy of
these steps for yourself and, whenever you need money,
you can use it again, and again. PLEASE
REMEMBER that this program remains successful because of
the honesty and integrity of the participants
and by their carefully adhering to the directions. Look
at it
this way. If you are of integrity, the program will
continue and the money that so many others have
received
will come your way. NOTE: You may want to
retain every name and address sent to you, either on

a
computer or hard copy and keep the notes people
send you. This VERIFIES that you are truly providing a
service. (Also, it might be a good idea to wrap the
$1 bill in dark paper to reduce the risk of mail theft.)
So, as
each post is downloaded and the directions
carefully followed, six members will be reimbursed for
their
participation as a List Developer with one dollar
each. Your name will move up the list geometrically so
that
when your name reaches the #1 position you
will be receiving thousands of dollars in CASH!!! What
an
opportunity for only $6.00 ($1.00 for each of the
first six people listed above) Send it now, add your
own
name to the list and you're in business!
---DIRECTIONS ----- FOR HOW TO POST
TONEWSGROUPS------------ Step 1) You do not need to
re-type this entire letter to do your own posting.
Simply put
your cursor at the beginning of this letter and
drag your cursor to the bottom of this document, and
select
'copy' from the edit menu. This will copy the
entire letter into the computer's memory. Step 2) Open
a
blank 'notepad' file and place your cursor at the
top
of the blank page. From the 'edit' menu select 'paste'.
This
will paste a copy of the letter into notepad so
that
you can add your name to the list. Step 3) Save your
new
notepad file as a .txt file. If you want to do your
postings in different settings, you'll always have this
file to
go back to.Step 4) Use Netscape or Internet
explorer and try searching for various newsgroups
(on-line
forums, message boards, chat sites, discussions.)
Step 5) Visit these message boards and post this
article as
a new message by highlighting the text of this
letter and selecting paste from the edit menu. Fill in
the
Subject, this will be the header that everyone sees

as
they scroll through the list of postings in a particular
group,
click the post message button. You're done with
your first one! Congratulations...THAT'S IT! All you have
to
do is jump to different newsgroups and post
away, after you get the hang of it, it will take
about 30
seconds for each newsgroup! **REMEMBER, THE
MORE NEWSGROUPS YOU POST IN, THE MORE MONEY YOU
WILL MAKE! BUT YOU
HAVE TO POST A MINIMUM OF 200** That's it! You will
begin receiving money from around the
world within days! You may eventually want to rent a
P.O.Box due to the large amount of mail you will
receive. If you wish to stay anonymous, you can invent
a
name to use, as long as the postman will deliver it.
JUST MAKE SURE ALL THE ADDRESSES ARE CORRECT.
Now, each of the 5 persons who
just sent me $1.00 make the MINIMUM 200 postings, each
with my name at #5 and only 5 persons respond
to each of the original 5, that is another $25.00 for
me, now
those 25 each make 200 MINIMUM posts with
my name at #4 and only 5 replies each, I will bring in
an
additional $125.00! Now, those 125 persons turn
around and post the MINIMUM 200 with my name at #3 and
only receive 5 replies each, I will make an
additional $625.00! OK, now here is the fun part, each
of
those 625 persons post a MINIMUM 200 letters
with my name at #2 and they each only receive 5
replies,
that just made me $3,125.00!!! Those 3,125
persons will all deliver this message to 200 newsgroups
with
my name at #1 and if still 5 persons per 200
newsgroups react I will receive $15,625,00! With an
original
investment of only $6.00! AMAZING! When
your name is no longer on the list, you just take the
latest
posting in the newsgroups, and send out another
$6.00 to names on the list, putting your name at number
6
again. And start posting again. The thing to
remember is: do you realize that thousands of people

all
over the world are joining the internet and reading
these articles everyday?, JUST LIKE YOU are now!! So,
can
you afford $6.00 and see if it really works??
I think so... People have said, "what if the plan is
played out
and no one sends you the money? So what!
What are the chances of that happening when there are
tons of new honest users and new honest people
who are joining the internet and newsgroups everyday
and
are willing to give it a try? Estimates are at
20,000 to 50,000 new users, every day, with thousands
of
those joining the actual internet. Remember, play
FAIRLY and HONESTLY and this will really work.

5454. NEAT SWAP MEET ITEM==>>(/\/\) UNIFORM PATCHES<<==

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: msisco9939@aol.com
Message-ID: <19990327005855.22297.00000568@ng-fy1.aol.com>
Source record: 112698

Yep:

Still have some left....These are great at Swap Meets where high visibility is required. The Small one was for a Shirt Pocket, The Medium is for the front of a Jacket, and the Large is for the Back of the jacket. A "Picture" can be seen at the following address:
==========
http://www2.4dcomm.com/metrotech/motopat2.jpg

==========

Large is 7-1/2 X 5 $7.00ea
Medium 4-1/2 x 3 $6.00ea
Small 3 X 2 $5.00ea

Set of 3 $15.00 + $4.00 (Shipping by Pirority Mail, Insured, w/Return Receipt Requested)

Terms:

Acceptable PrePayment in the form of a Postal Money Order or other mutual piror arrangements.

Monty

5455. Keithley 610B Electrometer for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36FC6F38.7C9E@ix.netcom.com>
Source record: 112699
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I have an excellent condition 610B. This is one of the most sensitive electrometers ever built. Recently calibrated by Keithley. I want $250 or best offer, trades Thank you, Chris.

5456. Capacitor Analyzer Sprague TO-6

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36FC6F78.2BAE@ix.netcom.com>
Source record: 112700
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

I have a TO-6 in excellent condition. This is the top of the line capacitor analyzer. It also has large enough transformers built it to reform electrolytics. It has an analog meter to check leakage and it is in beautiful condition. I have jpg pictures if you need to see it. This would make an excellent addition to any shack. $175+ shipping
73 Chris VE3NGW/W4 Florida

5457. HAM IV ROTOR for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36FC7027.4553@ix.netcom.com>
Source record: 112701
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

I have a late model rotor completely rebuilt with zero hours on it. New style control box. Both rotor and control box has plugs for the cable. I also have 100" of control cable with the plugs installed. Just plug and play. $350 73 Chris VE3NGW/W4 Florida

5458. WTB Icom 706 filters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36FC7044.7851@ix.netcom.com>
Source record: 112702
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Wanted FL-223 and FL-100 also SM-8 or SM-20 mic

5459. Re: Kenwood 820s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: el st john <elstjohn@swbell.net>
Message-ID: <uz_K2.583$Fn.1215@typhoon01.swbell.net>
Source record: 112703

el st john wrote in message ...
>For sale or trade:
>kenwood 820s hf rig. usb, lsb, cw, fsk, mc50 mic, and manuel. this radio is
>9 of 10. had new finals installed 6 months ago, and has very little
transmit
>time, mostly used to recieve. $325.00 plus shipping.
>
>send e-mail to elstjohn@swbell.net
>
>

5460. CELWAVE UHF BAND-REJECT DUPLEXERS (EX CONDITION)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: msisco9939@aol.com
Message-ID: <19990327014346.04741.00002566@ng-fi1.aol.com>
Source record: 112704

Yep:

I have received several of the Celwave P633-6A Series UHF Band-Reject Duplexers...These are in "Excellent" Condition...Minor Scratch here and there but No dents or any other damage...Has only been tuned 1 time from the factory. I have several (Most with BNC, Some with Type N, Some with Both. These are "Perfect" for the 25-40 watt UHF Portable or Fixed Repeaters....I can also retune them to you specs for a small additional cost......

A picture of these duplexers can be found at:
==========
http://www2.4dcomm.com/metrotech/duplx1.jpg
Just type in the address and hit "Go"
==========
They also have been "Pretested to insure they have not been damaged by miss-use.

Asking $195.00+ ($8.00 for shipping and handling)

Terms:

Acceptable PrePayment in the form of a Postal Money Order or other mutual piror arrangements.

Monty

5461. Re: For sale: Midland 13-513 - $150.00 Maybe $100 tops??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: brianburke@my-dejanews.com
Message-ID: <7di2kb$e1k$1@nnrp1.dejanews.com>
Source record: 112705
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

I had a total of three (one was black and said "Cobra" on it). All worked
great. Brian/N0iMD

In article <36FB88DA.AA348FD4@Earthlink.Net>,
"CHRISTOPHER W. (Chris) BOONE" <Cboone@Earthlink.Net> wrote:
> I AM the one buying the rig from Lisa....
> and I ran a 13-513 back in the early 80s.....
> I HAD NO problem with the audio, etc....
> I intend to use the rig in remote base setup..
>
> Keep your comments to yourself...
>
> Chris
> WB5ITT
>
> "Don R." wrote:
> >
> > Mr. Lowell, and Lovely Lisa:
> >
> > First it was $175 now its $150 FIRM for a 20+ year old Midland
> > 13-513 220 Mhz. radio? At $150 Firm, you are going to learn to love
> > 220 Mhz. from the rotten audio quality this radio is known to produce.
>
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5462. Kenwood TM-V7A 4s patch cord?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: GHOSTRIDR <GHOSTRIDR@prodigy.net>
Message-ID: <01be782e$fefee920$11f1fea9@ghostrider>
Source record: 112706

Anyone know if it is possible to make the 4s patch cord used to program the radio with your PC. I have not been able to find one, everyone says that the cord is on backorder. Does the patch cord plug into the mic jack or the packet jack? Can anyone shed some light on this topic. Thanks in advance.
John

5463. FS: CUSHCRAFT ARX-270U "2m/440mhz" Fbg 16ft Vertical

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990327035908.11919.00000657@ng124.aol.com>
Source record: 112707

Hello,

I have a "Cushcraft ARX-270 U" dual band (2m/440mhz) antenna for sale in excellent condtion. I have moved from a country location where I needed it to a "in town" location. This antenna is a fiberglass vertical that comes in three sections. It is 16ft total length so you don't have to get it up that far to really get some gain. I used it with a Yeasu FT-50R handheld with 5 watts and was supprised just how far this antenna reaches. It has a shiny white, thick, fiberglass exterior. It has a really heavy duty, thick aluminm base with "U" brackets to connect it to a pole. It comes comes complete with easy to connect SO-239 pigtail. There are also three ariels that protude horizonally from the aluminum base... The quality of this antenna is really something, I have mixed feeling on letting it go... =)

$200.00 firm I'll pay shipping UPS COD...

73!

Jason S. Hulet/KC8FXE
314 East Bay Blvd.
Traverse City, MI 49686
Home: 616-947-5049
Work: 616-256-9829

5464. FS: PRO-2046

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Monte Keller <k9dzd@iquest.net>
Message-ID: <Tc2L2.280$yh3.623@news1.iquest.net>
Source record: 112708

i have a like new,in the box,with all accessories,a radio shack pro-2046
mobile scanner,
100 channel,does 800 meg
never mobile ..used very little,less than 2 years old
price 125.00 shipped
thanks
monte k9dzd@iquest.net

5465. ICOM PCR-1000 Software Problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Paul Telco <paul@telco1.demon.co.uk>
Message-ID: <922534678.1010.0.nnrp-04.9e984783@news.demon.co.uk>
Source record: 112709

Hi,

Is anyone else having trouble with the Software supplied with Icom's otherwise excellent IC-PCR1000?

It installs and loads ok so by normal PC standards I should feel lucky but as the only way of using the PCR1000 is by software I think it should be a lot better.

In detail:

Version 1.03.011 supplied. Also tried version 1.03 (downloaded). Both have similar problems.

1. Auto scan - pause until signal disappears. This must be one of the most used modes but it drops out of auto scan after a short period. This means you can't leave it without constantly watching to check it's still scanning!

2. Memory function. When you find a signal that you want to store to a memory you have to WRITE DOWN THE SETTINGS ON PAPER. If you attempt to select an empty memory location all settings are lost!!! The way round this is to select an empty location before you start searching but that means you can't use an existing memory as a starting point.

3. The manual supplied with the unit is about ten pages long and only describes the most basic functions. The main source of help is the online helpfile but this is also very sketchy.

4. On the main tuning display (component display mode) the font chosen for memory and bank info is too big for the window and does not display properly.

If anyone has found a way round any of these or thinks it may be due to mistake on my part (No I don't think it was a mistake to buy the PCR1000) please let me know. Also I have heard that there is third party software available any experiences of this?

Many Thanks,

Paul Telco
paul@telco1.demon.co.uk

5466. Re: eBay-- gotta wonder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Rob Kling <rkling@home.com>
Message-ID: <36FCC70C.4FF0E5E5@home.com>
Source record: 112710

I hear you! I have sold one radio over the WEB and had a good experience
but it could have been bad. I think the problem is that there is no
definition of what 1 to 10 means. What is a 1? Is it a working radio
that has been beat to shit. Is it a non-working radio? This is of course
the opposite end of the spectrum. A 10 to me is a new radio, while a 9
is a used radio in like new condition MINT with all the items that came
in the box, including the box. An 8 radio in near mint condition maybe
one visible scratch. A 7 is a radio that works and has been used a lot
the knobs and panel have noticible signs of wear the antenna jacks may
be worn etc. A 6 is that it works and is not pretty. But the pattern is
working and cosmetic. anything less than 5, I consider not working. I
have noticed that people do not put low numbers on radio's that do not
work. Did I mention that 1 is high and 10 is low, this is important.
People only put the numbers on working radio's. I am sure there is a
chart somewhere that has what each category means. I think all my
radio's are a 7 or above? I have no 10's and one 9. This is how I
interpret the numbers and I could be wrong.

Rob Kling
N8YBV

Framix wrote:
>
> I used to feel safe dealing with fellow HAMs with a valid callsign......the
> last 3 radios I have purchased have had real problems in regards to what I was
> told was the condition on a scale of 1-10.........I am sick and tired of
> someone saying that a radio is in #9 condition and receiving what looks like a
> #5 etc......it seems that people either think a radio is unused #10 or used #9
> for all other conditions...what has happened to 1-8?
> At least on Ebay you can post a picture of what you are selling, and if you get
> something funky in buying you can report them sleazebag for ripping you
> off........
>
> HAMs have become as sleazy as the rest of the world BUYER BEWARE!

5467. Re: Kenwood TS-130S info needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Mark Keith <nm5k@wt.net>
Message-ID: <36FCC24D.3D86@wt.net>
Source record: 112711

nero_b@my-dejanews.com wrote:
>
> Argus, Thanks for the info. I believe the TS-130V is the low-power version.
> "Rats nest wiring", yikes. You're scaring me. Well, we all have to start some
> place. I checked the Kenwood site and this radio doesn't seem to have any
> recalls. Its got that going for it, and a 20 year track record. Let's shoot
> for 40 years.
It's a pretty good rig. Good audio and a good punchy signal. Drawbacks:
All kenwoods that age drift some with the internal VFO. It is due to
temp change. The more unstable the temp, the more unstable the rig.
Also only have one tuning speed. And is middle range speed. So when
mobile on a bumpy road can be tricky to get tuned in. But there is good
news for this problem, the VFO-230 and the DFC-230 I believe is the
model. Both will give a stable radio. The 130 uses the same VFO as the
830 and the 530. So any of these PLL VFO's will work between these model
rigs. Also the DFC will give you 4 memories. The VFO-230 gives you 5.
But as the VFO-230 really matches the 830 and 530, I think I would
prefer the DFC for use with a TS-130. It's smaller and can be used
mobile.
The TS-130 was the kenwood competition to the IC-730. Both were out at
the same time and about the same price. I have used both, have 2 friends
who have had 130's for many years. I have had a IC-730 for the same
amount of time. The 130 has a little punchier transmit and audio, but I
prefer the 730 as it has 3 tuning speeds. It's way easier to use mobile.
Also a good bit more stable with it's internal PLL vfo. MK
--
http://web.wt.net/~nm5k

5468. Re: Display Scratches

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Tom Smith <tksmith@usa.net>
Message-ID: <36fcd6fd.0@news.destek.net>
Source record: 112712

I used a CD Polish and Scratch remover system on my HT and it worked great.
Tom

5469. Re: VX-5R - How good is it?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <36FCD9FD.FE24A790@mindspring.com>
Source record: 112713

dennis_chiu@my-dejanews.com wrote:
>
> serial number started with 9D04....
>

Oh goodie: Bough mine on Wed, and it starts with 9D04.

Seldom use HT tone squelch on local repeaters (some don't pass the tone,
anyway) nor on simplex. On my base and mobile radios it is a must on my
main repeater due to frequent ducting from another on same freq about
120 miles down the coast

Phil.

Phil

5470. Re: FT-2200 MODIFICATION

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: w2rjl@aol.com
Message-ID: <19990327081933.26557.00000823@ng08.aol.com>
Source record: 112714

>Subject: FT-2200 MODIFICATION

>I am looking for amodification to give extended TX to Yaesu FT-2200 could
>
>someone help pls.
>
>Thank you
>
>
>Bob

Hi Bob, try this site...
http://www.qrz.com/mods/

73, Rich

5471. Re: VX-5R - How good is it?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <36FCDAA7.EE8AEDDC@mindspring.com>
Source record: 112715

Re AMDS-1E: Bought at noon yesterday, had it working later in the afternoon.

You do need to make a template and put the radio in the clone tx mode to do that.

I did fail the first time. So I unplugged the cables, replugged them a few times, and it worked fine the second try.

Phil

5472. Re: Yaesu VX-5R for shortwave?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <36FCDB56.EEE47DC0@mindspring.com>
Source record: 112716

Remove the tip from the "short" antenna. Clip a long wire (10-20 ft) to
the metal end.

Most SW receivers benebit by something better than the built in whips;
and the VX-5R antenna is not designed for those freqs (worse than a
telescoping whip).

Phil

J wrote:
>
> Wonder if anyone can comment about usefulness of VX-5R as shortwave receiver
> in suburban-USA. Is there a recommended antenna for improved shortwave
> reception?
>
> Thanks in advance for any help,
>
> KB2WFW
> sutliffj@capital.net

5473. Re: future of HTX-202

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: w2rjl@aol.com
Message-ID: <19990327082711.26557.00000825@ng08.aol.com>
Source record: 112717

>Subject: future of HTX-202

>Anyone here know anything about the future of the Radio Shack htx-202 2M
>handheld transciever? Is it going to be discontinued in the near
>future? If so, is now a good time to buy one? When will Radio Shack
>totally quit supplying this radio? Any and all replies will be greatly
>appreciated!!
>
>Mike

Mike, it a good time to buy one at the low price they are asking - but Radio Shack will be putting a Dual Band HT to replace the 202 & 404. Similiar to the Dual Bander they were selling a couple of years ago, but had to pull off the market because of some FCC violation and that they were to easy to modify into police, fire & the celluar bands... also a new dual band mobile is in the works for the future. Sorry, I do not know of the release dates on any of this equipment, but it comes from a reliable source in RS... 73, Rich

5474. WTD: YAESU MD-1-C8 DESK MIC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: w2rjl@aol.com
Message-ID: <19990327083315.26557.00000826@ng08.aol.com>
Source record: 112718

I am looking for a YAESU MD-1-C8 Desk Mic - in good condition. If you have one, please send reply with the price and I will send reply... 73, Rich

5475. Re: TS 570D Problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <36FCDE11.BBC2D933@mindspring.com>
Source record: 112719

Make sure he is using NR1 for SSB, not NR2. NR2 works quite well for
CW.

Phil

keith rawlings wrote:
>
> Hi There.
>
> I have a friend who is an amateur who lives close to me and he uses a
> Kenwood TS570D hf tranciever.
>
> When he switches the DSP function on there is an increase in
> noise,similar to a RX which is suffering from crossmod.ie a type of
> hetrodyning, whistling sound.
>
> So he has asked to to post this on the news group to see if anyone else
> is suffering from the same problem.
>
> He bought the rig second hand so he thinks there may be a fault.
>
> Cheers.....73's De Keith G4MIU
> --
> keith rawlings

5476. [eBay] 1 day left! Alinco DJ160T 2M HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Warloc@webtv.net
Message-ID: <16310-36FCCE79-9@newsd-113.bryant.webtv.net>
Source record: 112720

Alinco DJ160T 2 Meter HT for auction on eBay. Well-used, shows some wear and scratches, but works great. Needs new battery. No box, book, or vinyl case. Has rubber-duck antenna and wall charger. Great first radio for the new Tech, just add a new battery or DC and your're on the air.
Current high bid is $46.50
Follow this URL for full description and to bid:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=81074435

Thanks and good luck,
Glen KB1CRN

5477. Drake WH-7 wattmeter FS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990327093106.22317.00000760@ng-fy1.aol.com>
Source record: 112721

Excellent condition Drake WH-7 wattmeter. No manual but operation is easy,
like any wattmeter. $95 shipped, CONUS only.

73

Evan

5478. For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: dakota206@aol.com
Message-ID: <19990327095823.04724.00001292@ng-fi1.aol.com>
Source record: 112722

For sale RF Power Scanner PDC 600. Reads SWR, Watts 1 to 1000,
and modulation. Slight scratch on watt window, other wise in good condition.
Asking $50.00 plus shipping.

For Sale Icom 02AT uhf fm in excellent condition.Comes with BC-35
charger, large telescopic antenna,and small antenna.Asking $135.00
plus shipping. If interested email bobn2evv@msn.com

5479. Re: Do Not ship him COD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: Richard Hernandez <sfzgznuc@scfn.thpl.lib.fl.us>
Message-ID: <Pine.SUN.3.95.990327085744.11502B-100000@scfn>
Source record: 112723
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

Greetings all,

Actually, having something shipped C.O.D. is no real protection for the buyer either. Since U.P.S. doesn't allow you to open the package for inspection before accepting it, there's nothing to keep the seller from packing a cinderblock instead of that nice Icom etc. you thought you were going to get. Bottom line is, the buyer is always the one at most risk. So the old addage applies: " Buyer Beware!"

73s

Rich

On Thu, 18 Mar 1999, Ralph E. Smith wrote:

> Actually when both parties are considered, COD is probably the best way
> to ship. As the shipper, I hesitate to ask someone to send me several
> hundred dollars up front. How can they know that I will ship anything.
> As the shipper the worst I can do is pay cod fees and don't we all take
> some risk when we deal via the internet? I wouldn't consider any other
> method as shipper or receiver.
>
> Ralph --- wa4puf
>
> Lynn D Stolz wrote:
> >
> > WORD TO THE WISE:
> >
> > DO NOT SHIP COD TO ANYBODY *PERIOD* It isn't worth it. I find that the
> > best way to protect both parties is to pre-pay via USPS Money Order and
> > ship the item insured.
> > --
> > -
> > Lynn Stolz N8AJ -- lstolz@gcfn.org
> > -
>
>

5480. Re: FT-847 SSB distortion

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <371bf318.318963780@news.atl.bellsouth.net>
Source record: 112724

On Fri, 26 Mar 1999 02:30:01 +0200, "MANOS" <pelamare@her.forthnet.gr> wrote:
>Does anyone have any experience using the FT847 for sats having a 2M uplink
>and a 440 downlink, when connected to a
>70cm/2M antenna system?
>When I transmit, I hear distorted audio.
>It just sounds very distorted on the FT847 while keying the mic.
>I use separate antennas.
>It's a real pain, especially if you are trying to hear your echo when
>tweaking for sat work...
>Can anyone tell me if they are experiencing this as well,i think that it's a
>serious problem?
>
>73's de SV9ANJ

This isn't unusual. Lots of setups suffer from this. This problem
has been around as long as there have been mode J satellites.
You need a mode J filter in your 70 cm antenna lead to cure it.
Either a high pass or bandpass filter will work as a mode J filter.

The problem is fundamental overload of the 70 cm receiver
by the 2m transmitter. That happens because the input network
of most receivers is a pi-section filter, which has low pass
characteristics, and that lets the strong 2m signal through.
The problem doesn't exist when you run mode B because
the 70 cm transmit frequency is above the cutoff frequency
of the 2m receiver front end. But it is a nuisance for mode J.

The Satellite Experimenter's Handbook has a mode J filter you
can build, and I think several places sell them commercially.
Any 70 cm bandpass cavity will work too. Make sure you're using
a good grade of coax, and keep the 2m and 70 cm coaxes well
separated to avoid cross coupling which could bypass the filter.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

5481. Re: TS-850 vs FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-27 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <371cf60c.319720232@news.atl.bellsouth.net>
Source record: 112725

On Thu, 25 Mar 1999 16:44:43 -0800, "Amrum Lakritz" <isrus@san.rr.com> wrote:
>I own a TS850SAT and wonder if the FT-847 would be a step up, down, or
>sideways. Would welcome any opinions. TNX

Sideways. You get a VHF/UHF all mode that can also work HF.
It won't work HF as well as the TS850SAT, but then the TS850
can't do 2m or 70 cm either.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

5482. Callsign Mugs For Sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Jaw Jabber <jawjabber@earthlink.net>
Message-ID: <7dn002$33e$1@birch.prod.itd.earthlink.net>
Source record: 112476
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap

What better way is there to start off your morning except by drinking a cup of coffee using your very own CALLSIGN MUG. See at http://home.earthlink.net/~jawjabber
All mugs are made with quality control in mind. They are dishwasher and microwave safe and if after you receive your mug you are unsatisfied just send the mug back in its original shipping container and I will refund you the cost of the mug. See at http://home.earthlink.net/~jawjabber for details.
If you what to buy your personal callsign mug all you will have to do is send a check or money order for the amount of the mug plus $4.00 for shipping. Remember to send your callsign so I can place it on the mug.(The mug you see on my web sit is just a sample mug. Your callsign will be placed on the mug you order.) Please USA orders only. See at http://home.earthlink.net/~jawjabber
To see a picture of the Callsign Mug and to get the order forms please click on the link below.

http://home.earthlink.net/~jawjabber

--
Georges Mug Shop
http://home.earthlink.net/~jawjabber

5483. Re: Ham Radio Callsign Mugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <36FF1B28.BEED8499@mindspring.com>
Source record: 112477
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Nor "English" english, for that matter!

"Edward L. Dowdy" wrote:
>
> You will notice not everyone uses "American" English.
>
> Monty Northrup <maddog@io.com> wrote in message
> news:36fedd02.3228595@news.io.com...
> > On Sun, 28 Mar 1999 10:05:02 GMT, barryo@fastlink.com.au wrote:
> > >
> > >In article <7d4mcq$6bt$1@oak.prod.itd.earthlink.net>,
> > > "Jaw Jabber" <jawjabber@earthlink.net> wrote:
> > >I don't mind sending a check since you can't get money out of a check.
> > >What you need if you want to make money is a cheque.
> > >
> > Barry, in American English, "cheque" is properly spelled "check".
> > >
> > But thanks for being so helpful...
> > >
> > monty N5FC
> > >
> > >
> > >

5484. Re: New ADMS shipping / take a look at VX1TOOLS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <36FF1AC9.F9B563CF@mindspring.com>
Source record: 112478

Vito Villamor wrote:
>
> Phil,
>
> I'm familiar with both ADMS and EVE software...and the copy of ADMS
> that you bought was supposed to be sold to me...(just kidding :), I was just
> a day too late).

Yeah .. I hotfooted it up there on Fri am, when I expected them to
arrive. They didn't have it in the computer yet, but a search of the
backroom revealed some copies.

Have not tried EVE, but may. I've had good luck with the ADMS stuff on
the earlier radios, so I will probably stay with it. Have not heard of
FT50Tools, tho.

Phil

5485. FOR SALE 930 KENWOOD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Frank Gomez <cybornet@davlin.net>
Message-ID: <36FF13C7.2FD722B2@davlin.net>
Source record: 112479

nice excellent condition 930 with phone patch spkrs
with original box and manuals 1000.00
frank....

5486. Re: Uniden 2600 mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Farnsworth <ab7tu@parg.org>
Message-ID: <36FF2916.E54@parg.org>
Source record: 112480

Any good CB shop should be able to fix you right up. If you're going to
be working any CW I wouldn't modify the "rit".

>
> What about unlocking the clarifier here??? and freq mods?
>
> bu

5487. tmc tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: herman pfeiffer <KR6HP@worldnet.att.net>
Message-ID: <7dvs22$p5c$3@bgtnsc02.worldnet.att.net>
Source record: 112481

have several dual meters by tmc but looking for outside tuner electronics
any one have one will trade
meter and coupler for outside electronics in weather
proof case.????

--
- Reply to commengrs@juno.com -

5488. sunair gsb tranceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: herman pfeiffer <KR6HP@worldnet.att.net>
Message-ID: <7dvs23$p5c$4@bgtnsc02.worldnet.att.net>
Source record: 112482

have one with remote tuner any interest??

--
- Reply to commengrs@juno.com -

5489. hp 141

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: herman pfeiffer <KR6HP@worldnet.att.net>
Message-ID: <7dvs24$p5c$5@bgtnsc02.worldnet.att.net>
Source record: 112483

have one with 8556a plug in best offer

--
- Reply to commengrs@juno.com -

5490. FA: Swan Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <36FE58A8.F6081444@cfu.net>
Source record: 112526
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

VX-2, 405X, 6MJ6's etc. See ebay.com items 83484478, 83487189, and
83674382 till 4/3.

5491. Re: FA: Kenwood PS-50 Power Supply

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: cjohn60446@aol.com
Message-ID: <19990328113907.04375.00001228@ng-ca1.aol.com>
Source record: 112527

please send info on Kenwood PS-50 to CJohn60446@aol.com. Thanks

5492. ICOM 28A Backup Battery

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <37095b93.19616694@news.i-2000.com>
Source record: 112528

Does anyone know of a local source for the lithium memory backup battery for the Icom 28A....Thanks in advance...Bob K2LGO..Pse remove the (ns) from my address

5493. Motorola Desk Mic for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: dakota206@aol.com
Message-ID: <19990328115918.24529.00001925@ng-cg1.aol.com>
Source record: 112529

Motorola 5 wire desk mic for sale B.O. The mic is in pretty good condition. If interested contact me with offer. Tnx Bob 73

bobn2evv@msn.com

5494. FS: Collins HF-8020 & HF-8030

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: quatsein@island.net
Message-ID: <36fe6167.159627569@news.cr.island.net>
Source record: 112530

Fore sale (1) each of the following

Rockwell/Collins HF-8020 , amplifier
Rockwell/Collins HF-8030 , power supply
Rockwell/Collins HF-80 , systems maintenance manual

condition , removed from service, not currently
operational, clean condition and no obvious
signs of damage. Complete, without interconnect
cables.

Price, $2000.00 US dollars, FOB Vancouver, B.C. Canada

Will consider offers.

Steve Carlisle VE7AHL

5495. R.A.C.E.R. II DIAGNOSTIC BOARD

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Steve Merrick <smerrick@texasonline.net>
Message-ID: <7dlpql$759$1@hornet.fibr.net>
Source record: 112531

This would be for anyone who does a lot of work on computers.It is a professional model board that will diagnose hardware problems with a PC even if the computer will not boot.The only thing that has to working is the power supply, the processor and the main data bus.It has its own on board bios with three different bios chips in order to diagnose component level problems in IBM PC, XT, AT(286-486 and Pentium) machines.Has indicators on board so you can test even without video card and monitor.Has parallel and serial loop-back test plug and operating manual.I've been told that this sold for over $500 new.Asking $200 plus shipping OBO
Thanks,
Steve KC5ZOS
smerrick@texasonline.net

5496. FS: Astron RS70M

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: BM Fleet <fleet@mbl.edu>
Message-ID: <36FE93E5.77D9648C@mbl.edu>
Source record: 112532
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have an as new 70M power supply, 175.00 plus any shipping

5497. Wanted: Information on TM-401a

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: jpoulin@honk.org
Message-ID: <36fe6bb2.17821629@news.istar.ca>
Source record: 112533

Hello,

I have been trying to find out information on a TM-401a mobile
UHF radio. The kenwood site is literaly useless.

Here is the info I am looking, and if you have it.. feel free
to pas it along. It would be greatly appreciated.

1. Programing instructions
2. Specs
3. General info on radio

Thanks,

James Poulin
VA3JPX

5498. Re: FS: NEW JRC NRD-545 with CGD-197

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: ROBERT DI <myradio@home.com>
Message-ID: <36FE686D.11CE2CDD@home.com>
Source record: 112534
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Now that you used it did you like how it performed!!! Why are you
selling it.

davez wrote:
>
> FOR SALE (while it lasts):
>
> JAPAN RADIO CO. (JRC) NRD-545 DSP RECEIVER
> Set is BRAND NEW, only about 2 weeks old and only about 5
> hours of operation ! Works and looks great....in factory box/packing/
> plastic bags. Has the latest firmware. Serial Number above RG 05200.
>
> with...
> * Unopened accessory bag (plugs/DC Cord etc)
> * English Instruction Manual
> * AC Power Cord
>
> Includes the following OPTIONAL accessory (Installed):
> CGD-197 Temperature Compensated X'tal Oscillator (TCXO)
>
> Again the Unit is in "prestine" physical and electrical
> condition. I'm a NON-smoker..
>
> Price (includes UPS GROUND shipping) $ 1100. FIRM !!. USA, lower 48 ONLY
> !! Cashier's Check or Money Order , NO COD's / personal checks or Trades...
>
> Please e-mail direct if intrested.
> Thank You for taking the time to read this message.....
> Dave
> davez@ticon.net

5499. FS Tektronix Scopes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: not for sale <hawkeye@interfold.com>
Message-ID: <36FE6DC8.37A8027E@interfold.com>
Source record: 112535

Hello All,

I have the following Tektronix Scopes for sale:

Tektronix 2465, 300 MHz, 4 channel oscilloscope with probes and manual
$1550

Tektronix TAS 465, 100 MHz, 2 channel with cursors and manual $550 (two)

HP 4261 LCR Meter with manual $500

Thanks,

Roger

5500. WTB: 440 mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: "Paul, KC2DLA" <kpaul@usa.net>
Message-ID: <01be7943$110591e0$1ca6accf@bert.poss.com>
Source record: 112536
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hello,
I am looking for a used 440MHz mobile transciever. Please include
prices with
any replies.

Thanks,
Paul
kpaul@usa.net

5501. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <372f6dfa.394621700@news.atl.bellsouth.net>
Source record: 112537
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

On Thu, 25 Mar 1999 03:36:09 +0100, Wammes Witkop <wwitkop@cable.a2000.nl> wrote:
>Lack of education is hard to cope with. However, as long as you do not
>realize that the first military bombing of an open - read: undefended -
>city occured in the Netherlands, May 1940: the city of Rotterdam, the
>discussion ends. That sort of warfare will not be opposed by hunting guns.
>I might mention the Grebbeberg as well, look it up. Or ask me for details.

No nation has been conquered by air power alone. To conquer and hold
territory, ultimately you have to have foot soldiers with rifles standing on it,
contesting it inch by bloody inch with the defenders. That is, you do unless
the defenders are unarmed sheep.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

5502. Re: Conflicting band-info? (was: IC-207H Missing most of 440 band?)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <37307020.395171546@news.atl.bellsouth.net>
Source record: 112538
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

On 25 Mar 1999 16:27:12 GMT, kb0haespam.stinks@usa.net wrote:
>On 1999-03-22 bodu@pobox.com said:
> bo>Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
> bo>?? I just got out my Gordon West No-Code book and looked up the
> bo>freq-charts in it.. Totally different than what I got off the Icom
> bo>website. The 433mhz simplex freqs are shown as repeater freqs in
> bo>the book, and most of the rest are also different... "Woe is me.."
> bo>What should I do? What should I do?... ;)
>
>Look at the A.R.R.L. 70cm band plan. It is available at www.arrl.org.
>Go th the site, go to the site index, go to the B section, and band plans.
>You will se a list of band plans. Go to the one for 70cm. I was just
>there...there are no FM voice frequencies listed below 444.000Mhz.
>444.600Mhz is the national simplex frequency. Band plans can be somewhat
>different locally. I also suggests getting a copy of the A.R.R.L. Repeater
>Directory. Don't trust the Gordon West book, or the Icom web site. The
>chart on the Icom web site was developed by Gordon West! so if it doesn't
>agree with the study guide by Gordon West, something is a little screwy
>there.

Bandplans vary widely by locality. Don't pay any attention to bandplans
published nationally. They're almost always wrong for your area. Inquire
locally, usually from the local frequency coordinating body, as to the details
of any plan in effect in your area.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

5503. Re: FT-847 SSB distortion

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <37317157.395482643@news.atl.bellsouth.net>
Source record: 112539

On Sat, 27 Mar 1999 21:02:26 GMT, sv9anj@my-dejanews.com wrote:
>Thanks for the info Gary.
>Another question,do you think that puting the optional ssb filters YF-112S-02
>TX +RX i'll solve this problem?
>Thanks Manos SV9ANJ

No. The mode J filter has to be before the receiver front end. Better filtering in the IF doesn't help because it is the front end that is overloading. However, the optional SSB receive filter is worth installing anyway, especially for HF operation. The steeper skirts make the FT-847 a different radio. I don't think the optional Tx filter is worth the money. The stock filter is Ok for that.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

5504. Re: Coax Cable Losses

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Solarpower1watt@Juno.com
Message-ID: <1puL2.8322$jD1.44946@newsfeed.slurp.net>
Source record: 112540

In article <36fe5567.57306123@news.erols.com>, cglaves@erols.com wrote:
>Could someone help me out by pointing me to a table showing coax cable
>line loss values for varying type of cable and distances. I am
>particularly interested in RG-6. I know its out there somewhere but
>all my searches have yielded nothing.

There are many different grades/types of RG-6 cable. Belden Cables would be
a good place to look for this data. They have an excellent on-line catalog.
I think their website is: <http://www.belden.com> Click on the
"products & catalogs button.

Ed WB6SAT

REPLY INFO:
==========
Return address modified to prevent automatic SPAM response.
TO REPLY: remove the "watt" from my return address.
==========

5505. Wanted: Photo of Alpha 374 HF amp.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: William Lee <n5wrx@mindspring.nospam.com>
Message-ID: <7dlski$c1b$1@camel0.mindspring.com>
Source record: 112541

Could someone please post or send me a photo of an Alpha 374 amp?
I would like to see what one looks like.

Thanks, William Lee N5WRX

5506. Re: EV-664 mic pinout info needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: grimm@NOSPAMlynchburg.net
Message-ID: <37037a2d.2707855@news.lynchburg.net>
Source record: 112542

On Sat, 27 Mar 1999 20:11:45 -0500, "Michael J. White"
<mike.white@erols.com> wrote:

>I need the pinout for an Electrovoice 664 desk mic. I need to know how to
>wire it for high impedance. Thanks for any help.
>
>Mike, N4PDY
>

You can download a free copy of the instruction sheet for the EV 664
from the BoatAnchor Manual Archive.
73,
73,
Ken K4XL
Remove NOSPAM from address to reply by Email
Boatanchor Manual Archive - http://bama.sbc.edu

5507. Re: Display Scratches

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Robert Kubichek <bobn9lvu@lakefield.net>
Message-ID: <36FE80E6.4C9FB35C@lakefield.net>
Source record: 112543

wcollins@mindspring.com wrote:
>
> Hi everyone,
>
> I have several small superficial scratches on the display of my FT-51 and
> wonder if there are any products that could remove these scratches safely.
> Thanks in advance.
>
Try CD scratch remover on the display.

5508. Re: Coax Cable Losses

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: k4sqr@aol.com
Message-ID: <19990328144051.20163.00001400@ng03.aol.com>
Source record: 112544

Check the ARRL Antenna Handbook for coax losses & power handling limits.

GL
Jim

5509. Ham shops in Hong Kong ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: tuomi@sci.fi
Message-ID: <7dm0qq$es5$1@tron.sci.fi>
Source record: 112545

Is there any Icom/Yaesu dealers in Hong Kong?
What is the price level for ham stuff over there?
Any suggestions ? A friend of mine going for a job trip to HK...

Pasi, oh3nps
tuomi@sci.fi

5510. WTB: Floppy Drive for Toshiba Laptop

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Ken Simpson <W8EK@usa.net>
Message-ID: <tJvL2.136$WL2.19541@monger.newsread.com>
Source record: 112546

I know this is not exactly ham radio, but it is to be used for digital modes with the ham station.

I am in need of a 1.44 Meg Floppy Drive that will fit into a Toshiba 425 CDS Laptop.

This is the drive that can be exchanged with the CD-ROM drive.

Does any one have one, or know where one can be found? It is hard to load drivers from a 1.44 M floppy without a drive!

Thanks.

Ken Simpson
E-Mail to W8EK@usa.net or W8EK@fdt.net
http://www.gnv.fdt.net/~kenmar
Voice Phone (352) 732-8400

5511. FS: Kenwood TH-79A HT with Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Rick Riverman <rbriver@cybcon.com>
Message-ID: <922650741.823.11@news.remarQ.com>
Source record: 112547

* Kenwood TH-79A Dual Band HT Serial #60204257 (1995)
* PB-32 6v 600mAh NiCd Battery
* PB-34 9.6V 900mAh NiMh Battery (for 5W output)
* Cigarette Lighter Adapter Pack
* BT-9 Alkaline Cell Pack
* BC-17 Charger
* Soft Case
* Nylon Cord Wrist Strap
* Manual
* Original Box

FEATURES
* Power-on call sign display
* 82 non-volatile memory channels with alphanumeric ID
* Dot-Matrix LCD and menu system
* Encoder/Decoder built-in
* Simultaneous receive on both bands using VHF/UHF,VHF/VHF or UHF/UHF
configuration
* 5 watts power with PB-34, 3 watts with B-32

$245.00 + Shipping

Rick Riverman
W7RBR
503-629-5135

5512. Re: Ham shops in Hong Kong ?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: TELCOM-GmbH.HV@t-online.de
Message-ID: <36FE8A00.1D5E5BBF@t-online.de>
Source record: 112548

hello
I was some times in HK but before the change. In this times you had several ham shops in Kowloon area.... they had nerlay all brands, but no european versions. they had only us and jap. versions. prices were not so cheap, it was better to spend money into low priced watches.... hi hi hi
Hanno, DG8JZ

Pasi Tuomi schrieb:

> Is there any Icom/Yaesu dealers in Hong Kong?
> What is the price level for ham stuff over there?
> Any suggestions ? A friend of mine going for a job trip to HK...
>
> Pasi, oh3nps
> tuomi@sci.fi

5513. (no subject)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: cn4459@bingo.coastalnet.COM
Message-ID: <36FE8AD5.52230A25@abaco.coastalnet.com>
Source record: 112549

need manual for icom 737A or 737

5514. Re: VX-5R Freq. Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: "Robert G. Schaffrath, N2JTX" <rschaffrath@acm.org>
Message-ID: <36FE94BE.10B2@acm.org>
Source record: 112550

Sounds like an IF image. My FT-530 does the same thing around strong
signals.

73,
Robert, N2JTX

Roro75 wrote:
>
> Just received my VX-5R thursday and I am still playing around with it.
> Question:
> I was listening to a FM radio station 104.7MHZ and it's fine, but when I was
> scanning around 115.710MHZ it also picked up that same station??--now the audio
> is not as good as the 104.7 but I can still hear the 104.7 station on 115.750
> freq. also. Is this a defect with the VX-5R Thanks for any info Stan KC2ADC

--
Robert G. Schaffrath, N2JTX (RGS71)
+1.516.759.4313
mailto:rschaffrath@acm.org
http://tonto.netsurftech.com/rgs

5515. Re: Kantronics KamPlus

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: w8irq@aol.com
Message-ID: <19990328155916.17707.00001710@ng12.aol.com>
Source record: 112551

If available, will buy. Nick W8IRQ

5516. Re: Kenwood TH78A Accesories...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: KB9RHA <czemanREMOVE@BECAUSE_I_HATE_SPAM_zman.iwc.net>
Message-ID: <GKxL2.418$097.16785@news14.ispnews.com>
Source record: 112552

Just out of curiosity, was this done on purpose?

azmatik@bigfoot.com wrote in message <7dc74h$bj4$1@nnrp1.dejanews.com>...
>Believe it or not (I am not making this up)...
>My wife smashed up my Kenwood TH-78 HT, so now I have a bunch of useless
>accesories.
>
>FOR SALE - CHEAP:
>Kenwood TH78-a Accesories -
>
>Kenwood Alkaline battery holder pack.
>Kenwood Cigarette lighter power cable.
>Original Kenwood DC power Cable for Hardwiring to +12vdc.
>Kenwood mini HT - Speaker mic (the small little black one).
>Original Stock Antenna.
>Orginal Kenwood 'leatherish' grey case.
>Some other stuff too...
>
>Sell all of it for $25 + $5 shipping.
>You can't even buy one item on that list for that price.
>
>Email me at jgom@bigfoot.com
>
>
>I am located in the Bay Area California - locals welcome to pick up in
person.
>
>----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5517. FA: Icom 900 29/50/144/220/440MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <3701a0af.78171738@207.217.77.140>
Source record: 112553
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83434525

5518. KENWOOD EQUIPMENT FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Jim Bolin <kb8nn@erinet.com>
Message-ID: <7dma7tlbb1@news.erinet.com>
Source record: 112554
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have the following for sale:
KENWOOD TL-922A AMPLIFIER.. LATE.. LN..$950..
KENWOOD TS-430S..LN..$500
KENWOOD TR-7850...LN..$150
KENWOOD PS-30...LN..$90
KENWOOD KPS-12...LN..$60
KENWOOD MC-60A...LN...$80
KENWOOD TS-450SAT..LN.. $700.
All in good working condition and like new cosmetically.
Contact Jim here or 937-845-0943 Visit website at:
http://www.angelfire.com/oh/kb8nnhomepage
All items plus shipping from 45401 (Dayton,OH)

5519. Uniden 2600 mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: bujiaj8@aol.com
Message-ID: <19990328174208.29230.00001321@ng-fw1.aol.com>
Source record: 112555

What about unlocking the clarifier here??? and freq mods?

bu

5520. Yaesu FT 726R $450

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36FEACBE.20F@ix.netcom.com>
Source record: 112556
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have a Yaesu FT-726R in good condition for sale. This is an all mode triband radio with only the 2 meter module installed. It comes with mic and manual. Built in power supply. If you like 2m SSB this would make a great station. If you like to hit the Satellites you'll have to get the 430 module for it. I want $450 for it. 73 Chris

5521. Re: New ADMS shipping / take a look at VX1TOOLS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Vito Villamor <vovillamor@earthlink.net>
Message-ID: <36FE8771.D7373052@earthlink.net>
Source record: 112557

This sounds like features that the new version of ADMS is supposed to have. I'm about to buy ADMS just for the import/export features, but if there is other software available that can do the same thing, then I'm very interested.

By the way, will there be a version for the VX-5R? I have a VX-1R, but I'm primarily looking for software for my VX-5R that has the import/export feature.

Also, since these programs were converted from Linux to DOS, will they run acceptably on DOS running under windows?

---Vito

frank@reddik.toppoint.de wrote:

> Hi,
>
> Riku, OH2LWO, wrote some nice Linux-programs for reading and writing
> the Yaesu VX-1 and the FT-50. Basically they have the functionality
> of the ADMS-software, but their advantages are, that they run in
> textmode and give access to _all_ data in these two ht's. They read
> and write textfiles, so it's much easier to import and export data.
> I converted both packages to DOS, so they would run even on an old
> 286. You can find them under http://www.toppoint.de/~frankp/vx1_d.htm
>
> Sorry, the page is in german only, but I am sure you will find the
> two archives VX1TOOLS.ZIP and/or FT50TOOL.ZIP...
>
> 73, Frank

5522. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Vince Rhea <vintage@mis.net>
Message-ID: <GPyL2.632$My4.21105@news2.randori.com>
Source record: 112558
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Good!!!!!!

> Well, I'll shut up now.
> James J.
>

5523. WTB COLLINS 312B5

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <36feb6d7.83844986@207.217.77.140>
Source record: 112559
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

```
Wanted: Collins 312B5
Reply Email.
Rich
```

5524. johnson manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: nmdionsr <nmdionsr@prodigy.net>
Message-ID: <36FEC0FE.BEAF7694@prodigy.net>
Source record: 112560

Need a copy of a manual for a model 842-0507 Johnson Ultracom 6 meter radio.

5525. Re: New ADMS shipping / take a look at VX1TOOLS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <36FEC6DD.EEA49D7E@mindspring.com>
Source record: 112561

The just-shipped version, ADMS-1E, specifically does support the VX-5R, plus all the earlier Yaesu radios that are programmable (VX-1R, FT-50, FT-51, etc.). I picked up a copy at Jun's in LA on Friday and so foar, so good (with my new VX-5R).

There is a downloadable program called EVE that I've read about but not tried. I'm sure another reply will give you more info on that.

Phil

Vito Villamor wrote:
>
> This sounds like features that the new version of ADMS is supposed to
> have. I'm
> about to buy ADMS just for the import/export features, but if there is
> other software
> available that can do the same thing, then I'm very interested.
>
> By the way, will there be a version for the VX-5R? I have a VX-1R, but
> I'm
> primarily looking for software for my VX-5R that has the import/export
> feature.
>
> Also, since these programs were converted from Linux to DOS, will they
> run
> acceptably on DOS running under windows?
>
> ---Vito
>
> frank@reddik.toppoint.de wrote:
>
> > Hi,
> >
> > Riku, OH2LWO, wrote some nice Linux-programs for reading and writing
> > the Yaesu VX-1 and the FT-50. Basically they have the functionality
> > of the ADMS-software, but their advantages are, that they run in
> > textmode and give access to _all_ data in these two ht's. They read
> > and write textfiles, so it's much easier to import and export data.
> > I converted both packages to DOS, so they would run even on an old
> > 286. You can find them under http://www.toppoint.de/~frankp/vx1_d.htm
> >
> > Sorry, the page is in german only, but I am sure you will find the
> > two archives VX1TOOLS.ZIP and/or FT50TOOL.ZIP...
> >
> > 73, Frank

5526. WTT: Bird Slug

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: n3jpu@erols.com
Message-ID: <36ffbbfb.8857536@news.erols.com>
Source record: 112562

I need to get a 500W slug for 6M (either a 500A or 500B). I have either a 25A or 100A (25-60Mhz) to trade, both are like new and less than a year old.

Gary Mitchelson
Montgomery Co. MD FM19lc
N3JPU@erols.com (Home)
n3jpu@arrl.net
Gmitchelson@racalusa.com (Work)
http://members.tripod.com/n3jpu/

5527. Dentron RT-3000 Antenna Tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36FED4A4.4E9E@ix.netcom.com>
Source record: 112563
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors

This is a rare one in excellent condition. Very few were built. Using only high quality Johnson ceramic caps and Roller Inductor. This tuner handles 2KW output. It has a built in wattmeter and SWR 200Watt and 2000Watt and it has a bypass switch. Outputs for coax or longwire. Case is wrinkle black and front panel is black. No dings no scratches. The counter is very smooth. All connections inside are made using large RG8 coax. Tunes all HF bands $295+shipping.
73 Chris VE3NGW/W4 Florida

5528. Re: future of HTX-202

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Al Patrick <arp@inet4u.com>
Message-ID: <36FEDBBF.93A4487@inet4u.com>
Source record: 112564

I HEARD that at least one (the HT) is due out in April. Someone
told me that they EXPECT it to be available at the hamfest in
Raleigh, NC on the 11th, but it may not be quite that quickly.

I had someone in RS looking for the HTX-202 ? for me (the one
that was 199 and went to 120). She said she found 4 and none
were in sellable condition. I guess they've about sold out of
that unit by now.

Anyone knowing of a RS that has any left, I'd like to pick up a
couple.

Al

==========
==

W2RJL wrote:
>
> >Subject: future of HTX-202
>
> >Anyone here know anything about the future of the Radio Shack htx-202 2M
> >handheld transciever? Is it going to be discontinued in the near
> >future? If so, is now a good time to buy one? When will Radio Shack
> >totally quit supplying this radio? Any and all replies will be greatly
> >appreciated!!
> >
> >Mike
>
> Mike, it a good time to buy one at the low price they are asking - but Radio
> Shack will be putting a Dual Band HT to replace the 202 & 404. Similiar to the
> Dual Bander they were selling a couple of years ago, but had to pull off the
> market because of some FCC violation and that they were to easy to modify into
> police, fire & the celluar bands... also a new dual band mobile is in the works
> for the future. Sorry, I do not know of the release dates on any of this
> equipment, but it comes from a reliable source in RS... 73, Rich

--
==========

From here down is "taglines" in case you don't care to read them!

Amerikan Leadership: Over 250,000,000 Americans are being led by
a man who doesn't know the meaning of "is", "sex", or "alone"!

Amerikan Progress: In just over 200 years we went from a
president who could not tell a lie to one who can not tell the

truth!

Amerikan Strength: The "most powerful man in the world" doesn't have the strength to keep his zipper up!

Amerikan Justice: Burn the Branch Davidians for their non-politically correct theology and acquit Bill Clinton of perjury and obstruction of justice!

Amerikan Headquarters: There are only two characters difference in whORe house and whITe house. Guess which two characters we need to get out of the whore house to turn it back into the White House!

5529. FS: YG-88C CW FILTER FOR TS-820s

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Bob Cooley <ad4mz@hotmail.com>
Message-ID: <36FED8F1.4431EFDF@hotmail.com>
Source record: 112565
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Thought someone might could use this to enhance their CW work using a
Kenwood TS-820 or TS-820S.

I'll ship for $45

Bob

ad4mz@hotmail.com

5530. FS: YK-88CN Narrow CW Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Bob Cooley <ad4mz@hotmail.com>
Message-ID: <36FEDA3B.52802B95@hotmail.com>
Source record: 112566
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

FS: YK-88CN Narrow CW filter. Believe it works in the Kenwood TS-120, TS-130, and TS-830s.

I will ship it for $45

Bob

ad4mz@hotmail.com

5531. FS: Kenwood SP-520 Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Bob Cooley <ad4mz@hotmail.com>
Message-ID: <36FEDBD3.271B1279@hotmail.com>
Source record: 112567
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

FS: Nice SP-520 speaker. Not perfect but looks and works good.

Shipped USA $50

Bob

ad4mz@hotmail.com

5532. Re: Ham Radio Callsign Mugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: "Edward L. Dowdy" <eldowdy@net66.com>
Message-ID: <wKBL2.553$iX5.29934@news12.ispnews.com>
Source record: 112568
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

You will notice not everyone uses "American" English.

Monty Northrup <maddog@io.com> wrote in message
news:36fedd02.3228595@news.io.com...
> On Sun, 28 Mar 1999 10:05:02 GMT, barryo@fastlink.com.au wrote:
>
> >In article <7d4mcq$6bt$1@oak.prod.itd.earthlink.net>,
> > "Jaw Jabber" <jawjabber@earthlink.net> wrote:
> >I don't mind sending a check since you can't get money out of a check.
> >What you need if you want to make money is a cheque.
>
> Barry, in American English, "cheque" is properly spelled "check".
>
> But thanks for being so helpful...
>
> monty N5FC
>
>
>

5533. Kenwood CW filters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Bob Cooley <ad4mz@hotmail.com>
Message-ID: <36FEE8BC.9FE2D628@hotmail.com>
Source record: 112569
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

The YK-88CN is sold.

The YG-88C CW filter is still available for $45 shipped (USA)

ad4mz@hotmail.com

5534. Re: New ADMS shipping / take a look at VX1TOOLS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Vito Villamor <vovillamor@earthlink.net>
Message-ID: <36FEC5FA.7F70D603@earthlink.net>
Source record: 112570

Phil,

I'm familiar with both ADMS and EVE software...and the copy of ADMS
that you bought was supposed to be sold to me...(just kidding :), I was just
a day too late). Each program does a little bit of something that the other
one doesn't. I'm specifically looking at the import/export features that
I've been
hearing about from ADMS. I'm also interested in knowing if the program that
Frank (from the first post of this thread) described will support the VX-5R
in the future. The programs that he listed only mentioned the VX-1R and
FT-50R.

To Phil and everybody else that purchased ADMS software, I'm interested
in getting you opinion on which interface looks easier to use. If you can,
go to

http://www.geol.com/vx5/

download EVEv120.zip, and at least take a look at the user interface. I'm
not asking any ADMS user to try EVE on their radio, but just asking what
they like or dislike about each user interface. It can't hurt to
ask...especially
since I don't have any ADMS software to work with yet.

And Frank...you probably haven't had a change to reply yet , but I'll
patiently
wait for your news as to whether or not there will a program like
VX1TOOLS.ZIP a
nd/or FT50TOOL.ZIP for the VX-5R.

Phil Wheeler wrote:

> The just-shipped version, ADMS-1E, specifically does support the VX-5R,
> plus all the earlier Yaesu radios that are programmable (VX-1R, FT-50,
> FT-51, etc.). I picked up a copy at Jun's in LA on Friday and so foar,
> so good (with my new VX-5R).
>
> There is a downloadable program called EVE that I've read about but not
> tried. I'm sure another reply will give you more info on that.
>
> Phil
>
> > frank@reddik.toppoint.de wrote:
> >
> > > Hi,
> > >

> > > Riku, OH2LWO, wrote some nice Linux-programs for reading and writing
> > > the Yaesu VX-1 and the FT-50. Basically they have the functionality
> > > of the ADMS-software, but their advantages are, that they run in
> > > textmode and give access to _all_ data in these two ht's. They read
> > > and write textfiles, so it's much easier to import and export data.
> > > I converted both packages to DOS, so they would run even on an old
> > > 286. You can find them under http://www.toppoint.de/~frankp/vx1_d.htm
> > >
> > > Sorry, the page is in german only, but I am sure you will find the
> > > two archives VX1TOOLS.ZIP and/or FT50TOOL.ZIP...
> > >
> > > 73, Frank

5535. WHERE: PA Tube Tester Manual/Schematic??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Chris Smith <n3cs@qis.net>
Message-ID: <36FEF7E6.822C67E@qis.net>
Source record: 112571
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.boatanchors,sci.electronics.equipment,rec.radio.amateur.equipment,rec.radio.swap

I got a Precision Apparatus Series 924 Electronamic Tube and Set Tester,
but need the manual and schematic. Where can I look for it or find
someone who'd have one? Please use email reply: n3cs@qis.net

Tnx!
Chris

5536. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Jon Pearl W4ABC <w4abc@gte.net>
Message-ID: <7dms3n$os8$1@news-2.news.gte.net>
Source record: 112572
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Gary Coffman wrote in message <372f6dfa.394621700@news.atl.bellsouth.net>...
>On Thu, 25 Mar 1999 03:36:09 +0100, Wammes Witkop <wwitkop@cable.a2000.nl>
wrote:
>>Lack of education is hard to cope with. However, as long as you do not
>>realize that the first military bombing of an open - read: undefended -
>>city occured in the Netherlands, May 1940: the city of Rotterdam, the
>>discussion ends. That sort of warfare will not be opposed by hunting guns.
>>I might mention the Grebbeberg as well, look it up. Or ask me for details.
>
>No nation has been conquered by air power alone. To conquer and hold
>territory, ultimately you have to have foot soldiers with rifles standing
on it,
>contesting it inch by bloody inch with the defenders. That is, you do
unless
>the defenders are unarmed sheep.
>

I think we are going to be putting that theory to the test here shortly,
Gary. I die a thousand death's when individual's see us as intruders on
foreign soil, thinking that we as Americans 'go blindly' while others burn
our flag in retaliation.

Burn my flag today... Tomorrow I will 'still' have the courage of my
convictions to stand my ground knowing that for all it faults, this country
is 'still' the land of milk and honey, and if other's could, they too would
model their government's after that of ours.

The unarmed sheep are on the ground now, and I think they are being lead to
the slaughter!

Jon Pearl W4ABC

_____
"The people will not understand the importance of the Second Amendment
until it is too late." -- Thomas Jefferson

>Gary
>Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
>534 Shannon Way | We break it |
>Lawrenceville, GA | Guaranteed |

5537. FA: Mint Kenwood TM-733A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <36FF0747.37528F0B@cfu.net>
Source record: 112573
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

One of the nicest you'll ever see, with expanded receive, 9600-baud
ready, and full
duplex (2m/70cm) for pacsats. Just till tomorrow, on ebay.com, item #
81623128.

5538. FA: Excellent Yaesu 767GX/AT/CAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <36FF07AF.7CDB3929@cfu.net>
Source record: 112574
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

One of the most versatile DX/contesting rigs ever made, in absolutely
top condition. See ebay.com item # 84026738, till 4/4.

5539. FA: Collector's Mint Swan 500CX

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <36FF0903.308B40B5@cfu.net>
Source record: 112575
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

A very special example of this very Classic American Radio--the most famous transceiver Swan ever built. See ebay.com item # 84042578 till 4/4.

5540. TS-140S SO-239 problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Shannon Dew <s.dew@worldnet.att.net>
Message-ID: <7djveb$db1@bgtnsc03.worldnet.att.net>
Source record: 112590

Hi all,
Have a slight (I say slight with tongue in cheek...)
with the SO-239 on the rear of my TS-140S. Every
time I connect any feedline, contact with the threaded
portion of any PL-259 with the threaded portion of the
SO-239 results in a serious drop in reception and I also
seem to have no output whatsoever. On the receiver
side, it almost sounds attenuated (to the extreme of
hearing nothing but white noise rather than strong signals
when only the center conductor is inserted into the SO-239).
On the transmit side, I seem to have nothing (i.e., testing with
friends and they can't hear me at all). Anyhow, I've not gotten
the subchassis off yet to have a look at the connection,
and I'm waiting on my friend to get home so I can examine it
with some real test equipment, but I'm interested in opinions
as to where to start looking and what it might be. Thanks for
your help in advance ya'll.

73,
Shannon
KB0JKW

5541. WTB: 440 mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: "Paul, KC2DLA" <kpaul@usa.net>
Message-ID: <01be78ba$20d17280$8f48accf@bert.poss.com>
Source record: 112591

Looking for a used 440MHz mobile transciever. Please include prices with
any replies.
Thanks,
Paul

5542. WTB Ham band FT-243 Crystals

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: davekdo@aol.com
Message-ID: <19990327214313.04341.00001009@ng-cd1.aol.com>
Source record: 112592

Looking for FT-243 Ham CW band Crystals, any freqs
test

5543. WTB Hammarlund HC-10 SSB adapter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Bruce Brackin <bbrackin@bellsouth.net>
Message-ID: <36FDA472.B5C1A424@bellsouth.net>
Source record: 112593

Have friend without rec news group access so I am passing along his message. PLEASE RESPOND TO GENE, NOT ME.

Would like to get a Hammarlund HC 10 SSB Converter. Give condition and price. Thanx muchly.

73 Gene EMAIL ADDRESS: n5zdf@netdoor.com

5544. Re: TS-140S SO-239 problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: n1mnm@wtvl.net
Message-ID: <36fda761.4426897@news.ctel.net>
Source record: 112594

Your antenna is shorted...A quick swr check will tell you it's
probably off the scale.
GL

On 28 Mar 1999 01:08:27 GMT, "Shannon Dew" <s.dew@worldnet.att.net>
wrote:

>Hi all,
>Have a slight (I say slight with tongue in cheek...)
>with the SO-239 on the rear of my TS-140S. Every
>time I connect any feedline, contact with the threaded
>portion of any PL-259 with the threaded portion of the
>SO-239 results in a serious drop in reception and I also
>seem to have no output whatsoever. On the receiver
>side, it almost sounds attenuated (to the extreme of
>hearing nothing but white noise rather than strong signals
>when only the center conductor is inserted into the SO-239).
>On the transmit side, I seem to have nothing (i.e., testing with
>friends and they can't hear me at all). Anyhow, I've not gotten
>the subchassis off yet to have a look at the connection,
>and I'm waiting on my friend to get home so I can examine it
>with some real test equipment, but I'm interested in opinions
>as to where to start looking and what it might be. Thanks for
>your help in advance ya'll.
>
>73,
>Shannon
>KB0JKW
>
>

5545. Radio Shack htx 212 question.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: k5kip@wanweb.net
Message-ID: <36fdaa82.2177046@news.or.nw.verio.net>
Source record: 112595
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hi all in radio land.

I need to know which pot to adjust hi-power and low-power output from this 212. I just bought it at a hamfest but it is kinda low on hi power. 30 w. 12 and 1/2 watts on low power. I would like to adjust to specs.
Please tell me which pot I am assuming it is one of the rv1 or 2 pots.
Help is much appreciated.
Please email me.

Kip

5546. Re: TS-140S SO-239 problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Smith-Gaspard <w4ono@citrus.infi.net>
Message-ID: <36FDBF3E.C0A41FD9@citrus.infi.net>
Source record: 112596

Run a continuity check at the PL-259 male connector for
a short. You may possibly have a bad installation of the
coax to the connector .... such as center conductor of the
coax shorted to the coax shield.

Good luck!

73 de Jim W4ONO .-.-.
==========
Shannon Dew wrote:
>
> Hi all,
> Have a slight (I say slight with tongue in cheek...)
> with the SO-239 on the rear of my TS-140S. Every
> time I connect any feedline, contact with the threaded
> portion of any PL-259 with the threaded portion of the
> SO-239 results in a serious drop in reception and I also
> seem to have no output whatsoever. On the receiver
> side, it almost sounds attenuated (to the extreme of
> hearing nothing but white noise rather than strong signals
> when only the center conductor is inserted into the SO-239).
> On the transmit side, I seem to have nothing (i.e., testing with
> friends and they can't hear me at all). Anyhow, I've not gotten
> the subchassis off yet to have a look at the connection,
> and I'm waiting on my friend to get home so I can examine it
> with some real test equipment, but I'm interested in opinions
> as to where to start looking and what it might be. Thanks for
> your help in advance ya'll.
>
> 73,
> Shannon
> KB0JKW

5547. Re: TR-7800 squeal FOLLOW-UP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Neal <neal@sacon.net>
Message-ID: <01be78e0$4e0af160$2b8fded1@default>
Source record: 112597
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

The squeal if from the piezo-buzzer attached to the control board. What's this do?

5548. FS: Cushcraft ARX 270U "2m/440mhz" Fbg 16ft Vertical

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990328014105.12227.00001086@ng122.aol.com>
Source record: 112598

Hello,

I have a "Cushcraft ARX-270 U" dual band (2m/440mhz) antenna for sale in excellent condtion. I have moved from a country location where I needed it to a "in town" location. This antenna is a fiberglass vertical that comes in three sections. It is 16ft total length so you don't have to get it up that far to really get some gain. I used it with a Yeasu FT-50R handheld with 5 watts and was supprised just how far this antenna reaches. It has a shiny white, thick, fiberglass exterior. It has a really heavy duty, thick aluminm base with "U" brackets to connect it to a pole. It comes comes complete with easy to connect SO-239 pigtail. There are also three ariels that protude horizonally from the aluminum base... The quality of this antenna is really something, I have mixed feeling on letting it go... =)

$200.00 firm I'll pay shipping UPS COD...

73!

Jason S. Hulet/KC8FXE
314 East Bay Blvd.
Traverse City, MI 49686
Home: 616-947-5049
Work: 616-256-9829

5549. Re: ITT Mackay 403A marine lifeboat radio info wanted...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: dslosty@pipeline.com
Message-ID: <36fddb06.5552487@news.pipeline.com>
Source record: 112599

Randy and Cara Randall <crrandal@seidata.com> wrote:

>Hello. I have a chance to buy one of these and was
>wondering the following:
>Is it solid state or tube type?
>Is it CW only or if voice capable AM or SSB?
>How many watts output?
>The approximate age.
>
>This is a marine lifeboat radio with a crank generator and
>antenna kit in a portable suitcase.
>I thought it might be a novel rig for field day, emergency
>use or just for fun. Any info
>greatly appreciated.
>
>Randy.

I've worked with at least two models of Mackay lifeboat radios and I
forget the model numbers. However, I do remember the following:

If it has a cast aluminum case, taller than wide, it was built between
the 1955 and 1975 era. It's vacuum tube and operated CW on 500 and
8364 KHz. It also operated on 2182KHz AM phone.
There's a primitive code key on the front panel and a hardwired
mic/headphone set.

The above model was replace by a plastic/fiberglass cased unit that
was wider than it was tall. It was much lighter and was all solid
state. Operating functions were identical

Power ouput in all cases was just 3 to 5 watts on all modes.

Doug

"Use it up, wear it out. Make it do, or do without."

Remove the "_" in my return address to reply.

5550. WTB: VHF & UHF MOTOROLA VISARS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: fialkokj@iscg.com
Message-ID: <36FDD9B8.4EF3@hotmail.com>
Source record: 112600
Cross-posted to:
alt.ham-radio.vhf-uhf,alt.ham-radio.marketplace,rec.radio.swap,rec.radio.scanner,rec.radio.amateur.equipment,alt.radio.scanner

```
Looking to buy a few Visars:

UHF - Must be high split - 450-520 MHz
- Can have DTMF or Not
- Needs to be in very good condition
- Must Contain at least Radio, Good Bat & Ant
- Can contain acc ( Extra Bat & Ant, Charger, Belt Clip)

VHF - Can have DTMF or Not
- Needs to be in very good condition
- Must Contain at least Radio, Good Bat & Ant
- Can contain acc ( Extra Bat & Ant, Charger, Belt Clip)

Email me with any resaonable offers
Kevin
```

5551. Icom 706 Separation cable for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36FDDC97.97F@ix.netcom.com>
Source record: 112601
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have a brand new OPC-581 11.5' Separation cable in the box never
used
$48 shipped.

5552. Bird elements 1000H and 250H for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36FDDDEF.3A51@ix.netcom.com>
Source record: 112602
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have two new elments 2-30MHz 1000watt and 2-30MHz 250watt $60 each.

5553. Plessey PR2250 failure

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Kurt Brandstetter <kurt.brandstetter@teleweb.at>
Message-ID: <kflL2.16292$_k1.12060@news.chello.at>
Source record: 112603

Good morning from Vienna!

I have troubles with my PR 2250 receiver.
I cannot save frequencies over 9999.99 kc and also AGC and Mode values are
not saved.
Since ysterday I cannot select a channel. When I power on frequency is 0000,
no mode no AGC.

Can anybody help?
Thanks for now.

--
end
73's de OE 1002419
Kurt from Vienna Austria
You are welcome. Bye for now.
****
***** Wanted: Collins 75S-1****

Email: kurt.brandstetter@teleweb.at
If this adress is blocked use: oe1002419@mail.yahoo.com

HomePage: http://members.teleweb.at/kurt.brandstetter/
Please visit my page!
Fight Spam! Join EuroCAUCE: http://www.euro.cauce.org/

5554. Yaesu FT 726R for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <36FDE16A.796D@ix.netcom.com>
Source record: 112604
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have a Yaesu FT-726R in good condition for sale. This is an all mode triband radio with only the 2 meter module installed. It comes with mic and manual. Built in power supply. If you like 2m SSB this would make a great station. If you like to hit the Satellites you'll have to get the 430 module for it. I want $450 for it. 73 Chris

5555. ICOM AH-4 Coupler: How long is the stock Control Cable???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990328033419.22104.00001170@ng118.aol.com>
Source record: 112605

Hello,

I am trying to find the length of the control cable that comes with the ICOM
AH-4 antenna coupler...

Thanks! stores are closed its a weekend.. =)

Jason S. Hulet
KC8FXE

5556. demande d'informations

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Herv&#65533; Stevens <f5rfq@club-internet.fr>
Message-ID: <7dkrq0$1t0$1@front4.grolier.fr>
Source record: 112606

J'aurais aim&#65533; savoir comment me proccurer le programme pour calculer les
PI-L network.

Merci de me faire parvenir les r&#65533;ponses.

En Toute amiti&#65533;.

Herv&#65533; Stevens F5RFQ

5557. Re: Ham Radio Callsign Mugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: barryo@fastlink.com.au
Message-ID: <7dkusb$n6e$1@nnrp1.dejanews.com>
Source record: 112607
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

In article <7d4mcq$6bt$1@oak.prod.itd.earthlink.net>,
"Jaw Jabber" <jawjabber@earthlink.net> wrote:
>
> What better way is there to start off your morning except by drinking a cup
> of coffee using your very own CALLSIGN MUG. See at
> http://home.earthlink.net/~jawjabber

There are too many mugs with callsigns already.

> If you what to buy your personal callsign mug all you will have to do is
> send a check or money order for the amount of the mug plus $4.00 for

I don't mind sending a check since you can't get money out of a check.
What you need if you want to make money is a cheque.

Barry

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5558. informations

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Herv&#65533; Stevens <f5rfq@club-internet.fr>
Message-ID: <7dks1b$q4m$1@front3.grolier.fr>
Source record: 112608

I would like to know the informations for calcul the PI-L netwoks.
If exist a programm to calcul this, thanks to send the adress or the
information

Thanks a lot

Herv&#65533; STEVENS F5RFQ

5559. DSP 232 TNC - Problem with mailbox

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Opstaele Jan <bs600999@skynet.be>
Message-ID: <7dl4lutte1@news1.skynet.be>
Source record: 112609

Hi,

When using the DSP 232 TNC from A.E.A. I experience problems with accessing
my mailbox.

When the maildrop is used (e.g. S on1dod) the DSP232 node responds with
"TNC System error. Next instruction address: 0005A136)

Does anybody know precisely with caused this error (and how to solve it) ?

All help is greatly appriciated

==
on1dps

ps:
you can also reply to mailto:bs600999@skynet.be

5560. For Sale - Test Equipment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: wa4vrv@srv.net
Message-ID: <37002644.658293@news.srv.net>
Source record: 112610

Hi and thanks for reading this posting. I am posting this equipment for a friend who does not have internet access. I am only posting and am not involved in any dealings. If you have any questions or want additional information, contact the owner! OWNER - DOUG MCFALL, N7JHS, (208) 524-2110:

Hewlett Pacard HP 608E Signal Generator - Very Good Condition with manual - $225.00 + shipping

B&K Model 1075 Television Analyst - $50.00 + shipping

B&K Model 1541 40 MHz Dual Trace Oscilloscope with probes - $475.00 + shipping

Philco Model M8104 Television Field Strength Meter - $30.00 + shipping

Astron SS-25 Power Supply - $80.00 + shipping.

AGAIN, CONTACT THE OWNER VIA TELEPHONE FOR ALL SALES, OFFERS AND ANY ADDITIONAL INFORMATION AS I DO NOT HAVE ANYTHING OTHER THAT WHAT IS ABOVE FROM A PIECE OF PAPER!!!!!!

Jay C. Greenberg
WA4VRV
email: wa4vrv@srv.net
Phone: (208)524-1388 Evenings/Weekends
(208)526-7033 Weekdays

5561. Re: DSP 232 TNC - Problem with mailbox

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: cruff@elkhound.uswest.net
Message-ID: <zRpL2.963$UC.3187@news.uswest.net>
Source record: 112611

In article <7dl4lutte1@news1.skynet.be>,
Opstaele Jan <bs600999@skynet.be> wrote:
>When using the DSP 232 TNC from A.E.A. I experience problems with accessing
>my mailbox.
>
>When the maildrop is used (e.g. S on1dod) the DSP232 node responds with
>"TNC System error. Next instruction address: 0005A136)

This TNC is extremely flaky. I had mailbox problems, could never get it
to work in KISS mode and had random resets like you show above.
AEA went out of business, and while Timewave picked up AEA's TNC lines,
the declined to fix the DSP232.

To fix it, we either need to encourage Timewave to release the source code
or reverse engineer it to we can get working hardware. :-(
--
Craig Ruff Amateur Call KI0NO
crruff@uswest.net

5562. Re: NEW JRC NRD-545 with CGD-197

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: davez <davez@ticon.net>
Message-ID: <7dl9q8noo1@galileo.ticon.net>
Source record: 112612
Cross-posted to: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap

Sorry.....it has been SOLD !!! Thanks for all of the e-mail..

Davez

davez wrote in message <7dk0n9$1i1$1@galileo.ticon.net>...
>FOR SALE (while it lasts):
>
>JAPAN RADIO CO. (JRC) NRD-545 DSP RECEIVER
>Set is BRAND NEW, only about 2 weeks old and only about 5
>hours of operation ! Works and looks great....in factory box/packing/
>plastic bags. Has the latest firmware. Serial Number above RG 05200.
>
>with...
>* Unopened accessory bag (plugs/DC Cord etc)
>* English Instruction Manual
>* AC Power Cord
>
>Includes the following OPTIONAL accessory (Installed):
>CGD-197 Temperature Compensated X'tal Oscillator (TCXO)
>
>Again the Unit is in "prestine" physical and electrical
>condition. I'm a NON-smoker..
>
>Price (includes UPS GROUND shipping) $ 1100. FIRM !!. USA, lower 48 ONLY
>!! Cashier's Check or Money Order , NO COD's / personal checks or Trades...
>
>Please e-mail direct if intrested.
>Thank You for taking the time to read this message.....
>Dave
>davez@ticon.net
>
>
>
>

5563. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Telecom_Tech@BiteMe.com
Message-ID: <36fe1ba8.6849770@news.erols.com>
Source record: 112613
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

On Sat, 27 Mar 1999 21:05:04 -0500, "Jon Pearl W4ABC" <w4abc@gte.net>
wrote:
G E T A L I F E GUYS
.....
>Well put James.
>
>I'm not sure that we are going to 'win' many converts, but I believe that it
>is important to allow others to know the insight that drives us as free
>Americans.
>
>Jon Pearl
>
>_____
>"The people will not understand the importance of the Second Amendment
>until it is too late." -- Thomas Jefferson
>
>>I believe it was Jefferson who said "Our freedoms are protected by three
>>boxes: the soap-box, the ballot-box and
>>the cartridge box"
>>
>>Sincerely,
>> James Jewell.
>>
>>Tony Stiglitz wrote:
>>
>> Sorry to keep this going but, this is a total embarrassment to me as an
>> "American".
>>
>> Yeah, like "citizens" with their "own guns" went over and took on the
>> Axis. Give me a freakin' break! This BS is so old that the Dead Sea was
>> still sick when knuckleheads like you started spouting this crap.
>>
>>
>>Wammes Witkop wrote:
>>
>>> Hi Jr,
>>>
>>> Lack of education is hard to cope with. However, as long as you do not
>>> realize that the first military bombing of an open - read: undefended -
>>> city occured in the Netherlands, May 1940: the city of Rotterdam, the
>>> discussion ends. That sort of warfare will not be opposed by hunting
>guns.

>>> I might mention the Grebbeberg as well, look it up. Or ask me for
>details.
>>>
>>> Sorry, group, I've laid low for days, waiting for the sentiments to blow
>>> over. But frankly, I've had it with the half-educated nonsense here.
>>>
>>> Wammes Witkop
>>>
>>> JR wrote:
>>>
>>> > and that's why Hitler rolled through your country like a hot knife thru
>>> > butter !!
>>> >
>>> > Wammes Witkop wrote
>>> >
>>> > >But honestly, I happen to be a anti-millitarist.
>>
>

5564. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: "W.B." <nosferatu@sprynet.com>
Message-ID: <36FE2AFE.3A19@sprynet.com>
Source record: 112614
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

Ok,
let's lay this one to rest here. The issue at hand is not weather or not we should be able to have guns, but weather or not we are going to keep giving up our Constitutional rights. As American citizens, we are endowed with certain rights as set forth by the constitution of this country. A constitution that was written by men who had far more intelligence and forsight then any of the morons presently in power today. If we give up ANY of these rights it sets the stage for the powers that be to pick and choose whatever right they want to violate in the future. Where will it stop? Will you soon have to file an environmental statement to fart? Will you be thrown in jail for having any dissenting opinion? How long before we end up nothing more then a cowering mass at the mercy of the govenrment's every whim? If you look at a lot of what has been tried, with respect to censorship and the like, you can get an idea of the supressive agendas a lot of polititions (and their wives, Hello Tipper G.!) have. No, the issue here is not wheather or not to bear arms, the issue here is weather or not we are going to let our constitutional rights be eroded away for the sake of expediency. Anyone who believes unarming american citizens is going to cure all gun related problems is a fool. Criminals and bad people will always be able to procure weapons. It will just mean that joe average will no longer be able to buy a shotgun or hunting rifle at the local Wal-Mart.
> _____
> "The people will not understand the importance of the Second Amendment
> until it is too late." -- Thomas Jefferson
>
> >I believe it was Jefferson who said "Our freedoms are protected by three
> >boxes: the soap-box, the ballot-box and
> >the cartridge box"
> >
Well, if we take away the 'cartridge box" how much longer till we also loose the 'soap box' and the 'ballot box"? I believe that was his point, and is mine.
Bill B.

5565. CircuitMaker 6 PRO

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Igor Dobrokhotov <icho@softhome.net>
Message-ID: <7dl8gj$7gq$1@mail.nursat.net>
Source record: 112615

Hi folks,
Anybody, who using CircuitMaker 6.1a PRO from Microcode, please let
me know, but registered users only
I have a question about this software.
WBR!
Igor
E-mail me to: UN7GM@QSL.NET

5566. FS Henry 2KD Desktop Amp + spare pair 3-500Zs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: k6fg@att.net
Message-ID: <36fe345b.828795@netnews.worldnet.att.net>
Source record: 112616

Henry 2KD Desktop Amp. 10-80meters (including WARC). Includes spare pair of Eimac 3-500Z tubes. Solid state HV rectifiers. Richard Measures parasitic mods. Available Los Angeles area. If not gone by weekend of April 9, 1999, then will be available at International DX Convention in Fresno, California. $800.
Mark Weiss, K6FG. email: k6fg@att.net

5567. VX-5R Freq. Question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: roro75@aol.com
Message-ID: <19990328091750.04716.00001692@ng-fi1.aol.com>
Source record: 112617

Just received my VX-5R thursday and I am still playing around with it.
Question:
I was listening to a FM radio station 104.7MHZ and it's fine, but when I was scanning around 115.710MHZ it also picked up that same station??--now the audio is not as good as the 104.7 but I can still hear the 104.7 station on 115.750 freq. also. Is this a defect with the VX-5R Thanks for any info Stan KC2ADC

5568. WTB: Still looking for 10 mtr mobile...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Buddy <buddyw@home.com>
Message-ID: <6crL2.4708$oD5.2948@news.rdc1.va.home.com>
Source record: 112618

In search of clean 10 meter mobile....

E-mail: buddyw@home.com

Thanks,

Buddy N4SPQ

5569. Re: Like Brand New Kenwood TS440SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: William Lee <n5wrx@mindspring.nospam.com>
Message-ID: <7dlf5j$k6r$1@camel29.mindspring.com>
Source record: 112619
Cross-posted to: rec.radio.swap,rec.rado.shortwave,rec.radio.amateur.equipment,rec.radio.scanner

I would have sent this by email but you seem to have used the Deja News to post your ad. I will offer $650 for the radio if it is in the condition you say it is in. I justify that offer by the fact that your radio has no optional equipment installed. I do see that you said FIRM after the price but you may change your mind later. The only thing that would set your radio apart from all the others being offered for sale is the condition that it is in. Also I would need to talk to you on the phone and get a few references. No insult intended, I am just very careful as to who I send money to.

William Lee N5WRX

k9kz@indy.net wrote in message <7df4l0$ti1$1@nnrp1.dejanews.com>...
>Absolutely like new with AT, hand mic (never used), and cables. No mods.
>Original boxes. One of the last ones made, 20 million SN. I bought it from
the
>original non ham owner who never got his license who bought it new in 1991
and
>didn't even have a power supply. $760 firm + shipping.
>
>Consider taking on trade: MINT Bearcat 9000xlt, Sangean ATS909, Grundig
YB400,
>Sony 7600G or ??? Must be mint! Tnx.
>
>Bill K9KZ
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5570. FS:==>MAXTRAC / RADIUS / R100 PROGRAMMING CABLES<<==

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: msisco9939@aol.com
Message-ID: <19990328100338.01180.00000388@ng-fz1.aol.com>
Source record: 112620

Yep:

Found a bunch of Programming Cables for the Maxtrac / Radius Series
mobiles. Most know how I feel about Clones, but these are Atypical of a
Premium Cable. Has the following Features:

A picture of this cable can been seen at:
==========
http://www2.4dcomm.com/metrotech/maxtrac2.jpg
==========
(Just copy, paste, and go) for AOL users

1.Super Durable (and heavy duty) Shrink tubbing around the Modular Plug.
(Even the Factory Cable does not have this support) This Prevents the
wires from being pulled out of the modular plug.
2. DB25 Housing is labled Clearly so it will not get confused with other
similar cables (Like a R100) There is a few of these too.
3. DB25 Housing has a Strain Relief at the housing so it will support the
Flat Ribon Cable from being damaged.
4. Long enough (about 6') so if you have the mobile radio in a vehical that
you may want to program with a LapTop, it is "Long" enough to reach the
mobile radio, while the Programming Computer sits on the seat.
5. All pins in the DB25 and modular plug are gold Plated.
6. Cable is "Brand New", and has been Pre-Tested to insure reliability.

There is 9-10 of these cables left for those who may be interested:
Asking $29.50 + $8.00 for Shipping.

Please specifiy==>>(MAXTRAC/RADIUS) or (R100 REPEATER CABLE)
They look almost the same. Pls.Note. MRSS is "Only" availible from (/\/\)
Sorry :(

Terms:

Acceptable PrePayment in the form of a Postal Money Order or other mutual
piror arrangements.

Monty

5571. Re: TS-140S SO-239 problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: n0dg@aol.com
Message-ID: <19990328101049.04345.00001109@ng-fu1.aol.com>
Source record: 112621

suspect that feed line (coax) or antenna. substitute another if possible or a
dummy load.
good luck.
Don

5572. tower

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: Mark Hufnagle <emile41@onslowonline.net>
Message-ID: <36FE4761.535ED0B6@onslowonline.net>
Source record: 112622

I am looking for a telescoping tubular tower as the type the military uses for mobile operations. It has an integral base and nests down into the base. I believe they are about 30 to 50 feet tall when fully extended. Any help will be appreciated.

Mark KD4TOQ

5573. Re:FT-100 here

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: n0isv@my-dejanews.com
Message-ID: <7dll0m$76q$1@nnrp1.dejanews.com>
Source record: 112623

Just got my FT-100 from Texas Towers. What a rig. Unless Icom made some DRASTIC changes in the 706mkIIg, the Ft-100 will blow it away. Haven't found any of the bugs yet, and will take some time to get the manual down, but after owning the first 706, and from the Icom info they sent me, the dsp,70 cm, and lighted front, is nothing compaired to the FT-100!

73-Wayne-N0ISV

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5574. Uniden 2600

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: bujiaj8@aol.com
Message-ID: <19990328104624.29882.00001116@ng-fv1.aol.com>
Source record: 112624

I need a copy of a manual for the uniden 2600. I would gladly prepay postage
or send SASE or whatever. How bout it?
tnx
Bill

5575. Coax Cable Losses

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-28 00:00:00 UTC
From: cglaves@erols.com
Message-ID: <36fe5567.57306123@news.erols.com>
Source record: 112625

Could someone help me out by pointing me to a table showing coax cable line loss values for varying type of cable and distances. I am particularly interested in RG-6. I know its out there somewhere but all my searches have yielded nothing.

Thanks

Chris Glaves
cglaves@hotmail.com
KF4UYO

5576. Anyone have an ICOM 775DSP?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: diale.nospam@mindspring.com
Message-ID: <3700dbf2.330901708@news.mindspring.com>
Source record: 112426

Does anyone have an Icom 775DSP? I never read about them here, nor do I see them compared to anything. Never see them for sale. Never see anyone "Wanting To Buy". What's the deal with this radio?

-Ed

5577. Re: Handheld HT opinions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: wpeloqui@ismi.net
Message-ID: <7doqu2tnn1@nnrp1.dejanews.com>
Source record: 112427

I have a Kenwood TH-G71A, and I am very pleased with it. I have owned several other Kenwood HT's in the past, and I am happy with the performance. The G71A is a great, solid radio.

I do have 1 complaint. I don't like the way the belt clip connects to the battery pack. The clip broke off and it breaks at the batter pack. I no longer use that clip. I purchased a neoprene "pouch" and that is also a great product.

Willie N8MDY

In article <36FFD302.3A34@mdo.net>,
frostys@mdo.net wrote:
> Does anyone have any comparisons between the following HTs? I'm looking
> for wide reception, and a more-or-less entry-level HT for a new Tech+
> license. If you know of any on-line or published reviews, that would
> help too.
>
> Thanks,
>
> Bill
> call number pending
>
> 3-band
> Yaesu VX-5R
> Icom IC-T8a
>
> 2-band
> Yaesu FT-50R
> Icom IC-T7A
> Icom IC-W32A
> Kenwood GH-71A
>
>

Willie Peloquin
Senior Software Engineer - Contract
http://www.ismi.net/~wpeloqui

"It is unwise to

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5578. FS: Motorola GP-300

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: CA <itam@boisarc.tamu-commerce.edu>
Message-ID: <36fff034.0@news.tamu-commerce.edu>
Source record: 112428
Cross-posted to: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.noncomm,rec.radio.scanner,rec.video.marketplace,rec.video.production,uk.radio.amateur

Hi, I have 4 Motorola GP-300 hand held radios for sale. These radio are in like new condition and are still under warranty. I have the radios, chargers, and manuals for these units. If interested please e-mail me at the link below. I am asking $275.00/OBO each for them.

cadezigns@juno.com

Thanks

C.A.

5579. Re: WISH I COULD STOP THIS THREAD !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Jonesy <jonesy@rmi.nospam.net>
Message-ID: <7donokncl1@news1.rmi.net>
Source record: 112429
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment

In rec.radio.amateur.equipment J. Murray Neece <kc5mdm@iglobal.net> wrote:
: OR at least put it wher it belongs in a discussion group.......re: wish I could
: brocast this

Adolph Hitler , Adolph Hitler , Adolph Hitler , Adolph Hitler
Nazis , Nazis , Nazis , Nazis , Nazis , Nazis , Nazis , Nazis

You just gotta know the protocol....

Jonesy
--
277 days to go until the Year 2000 -- So what!
643 days to go until the 3rd Millennium of the C.E.

5580. Re: Kenwood TS-940S AM Operation

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: tleonard@my-dejanews.com
Message-ID: <7dorpmufr1@nnrp1.dejanews.com>
Source record: 112430

In article <36FF0A47.33F37DE@ameritech.net>,
Fred Hamilton <fhamilton@ameritech.net> wrote:
> When I operate my Kenwood in AM mode, there is practically no modulation
> swing and the wattage starts at 60 watts but as I speak it swings
> backwards to about 20 watts. What's up with this? Shouldn't it operate
> in just the opposite manner?
>
> Fred
>
>

First things first, do you have the rig set up correctly? Your carrier power should be set to 1/4 of the rated output power of the rig -- for a 100 watt rig, this means 25 watts, for a 150 watt rig this is 37.5 watts. Second, the processor should be turned off. Third, the mic gain should be adjusted so that voice peaks do NOT cause ALC action. ALC action indicates that the positive peaks are being choped off.

I use a TS440 on AM with a D104 (amplified version because of the low impedance of the rig's audio input) with excelent results and no reports of lousy audio. The rising characteristcs of the D104 cut down on the lows and add a little punch.

Tim AA6DQ

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5581. Re: Anyone have an ICOM 775DSP?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: TELCOM-GmbH.HV@t-online.de
Message-ID: <36FFF10C.B5D11A34@t-online.de>
Source record: 112431

Well, in Europe we only saw a few in the past. The 775 never got the CE sign. I think you can not expect much response from Europe.
vy 73
Hanno

"Ed (WA4RYW)" schrieb:

> Does anyone have an Icom 775DSP? I never read about them here, nor do
> I see them compared to anything. Never see them for sale. Never see
> anyone "Wanting To Buy". What's the deal with this radio?
>
> -Ed

5582. FS Norcal Paddle

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: sachsarch@aol.com
Message-ID: <19990329164053.14376.00001763@ng147.aol.com>
Source record: 112432

Unbuilt. complete.
Offers to K2IPH via SACHSARCH@aol.com
dogs

5583. FS: Mint Mirage A 1015 G 150w 6m Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <36FFF4FD.566CA347@cfu.net>
Source record: 112433
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Amp produces 150w out for 10 in on SSB/CW/FM. 20db low-noise GaAsFET preamp. RF-sense or relay-control switching. Remote control possible through rear-panel connector. Less than one year old, never mobile or portable, never out of my shack, works perfect and looks great (perhaps a little dust). Takes 13.8 vdc. Comes with manual and original packing. Selling because I don't operate much 6m. Price new is $350. Will sell for $295 + shipping. Jan N0JR

5584. Alinco DX-70 - $525

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7dos7i$kmd@dfw-ixnews12.ix.netcom.com>
Source record: 112434

I have two of these. Want to sell just one.
$525 shipped. Frank 630-653-9090

5585. FS Swan WM-2000 wattmeter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: JEP <transoman@yahoo.com>
Message-ID: <7dotj3$1tc@journal.concentric.net>
Source record: 112435
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

FS Swan WM-2000 wattmeter/swr Excellant condition with original box, working well. $75 shipped

Butch

5586. Opinions Wanted: FT990 v. TS850

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: steve.w3sy@erols.com
Message-ID: <01be7a36$27f2d180$0999accf@fossil>
Source record: 112436
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap

Hi all!

Opinions wanted: Yaesu FT990 versus Kenwood TS-850. Pro and con. Good and bad. What do ya say? Please respond here or to my e-mail: STEVE.W3SY@EROLS.COM

Thanks and 73 --
Steve W3SY

5587. Re: Uniden 2600 mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: John Dewey <jdewey@tribune.com>
Message-ID: <7dovnq$p0l22@news.tis-in.trb>
Source record: 112437

I modified mine so when the rit is out, it is rit, and when it is in it is r
and x it. I also modified it to REDUCE the range of the rit. I worked
packet with it and needed finer tuning.

the mods are described in several articles on qrz and on "mods" sites.

KA9CAR

BUJIAJ8 wrote in message <19990328174208.29230.00001321@ng-fw1.aol.com>...
>What about unlocking the clarifier here??? and freq mods?
>
>bu

5588. Re: RF AND COMPUTER NETWORK

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: John Dewey <jdewey@tribune.com>
Message-ID: <7dovuc$p0l23@news.tis-in.trb>
Source record: 112438

I am running UTP 10Bt and have had no problems with rigs or with computers.
Pc's are usually on, hub is always on. Rig control computer is hooked to
rig with rs232 and to hub with utp.

KA9CAR

Rick and Theresa wrote in message <36FBC738.6A2623FE@mbay.net>...
>I'm considering networking the ham shack computer with those in another
>part of the house.
>
>Any recommendations with respect to the type of cable (UTP or RG-58) to
>use? I'm concerned about RF getting into the network cable and messing
>up the data -and- data signals leaking out and interfering with the HF
>radios.
>
>TIA, Rick N6CY
>
>

5589. wanted yeasu frv8800 vhf converter for the frg-8800

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: mwin <mwin1010@hotmail.com>
Message-ID: <7do4qh$f51$1@news.mr.net>
Source record: 112439

yeasu frv-8800 vhf converter for the frg-8800 shortwave radio

5590. FOR SALE: Standard C558a Dual Band HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: xtc <xtc@powerlynk.com>
Message-ID: <7dp4kfshg1@news.inc.net>
Source record: 112440
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.scanner,rec.radio.swap

REPLY TO kb9lsx@yahoo.com

Standard C558a Dual Band HT.

5W at 12 VDC
40+ memories (opt. 200+ memories with plug-in chip)
100-200, 300-500 & 800-900 MHz receive (including AM aircraft band)
TX Amateur bands
CTCSS Encode/Decode included
DTMF squelch with Paging
Ten auto-dial memories with TX delay
Scan busy, pause or hold
Call channel both bands
Dual frequency watch
Battery save
Cross-band repeat operation
Scan busy, pause or hold
Scan priority memory channels
DTMF Air Cloning
Two volume & squelch knobs for better control
3-way frequency selection, direct, rotary-up/down, arrow
23 Menu display
Operates from 6.0 to 16 VDC
Dimensions: 6.33" (H) x 2.17" (W) x 1.22" (D)
Weight with battery 12.52 oz

Has a Rapid Charger, and the supplied antenna, battery, and belt clip.
Manual included, but no box.
Also has extended memory module. (100 channels per band.) In Very Good Condition.

$250 obo.
Nate

REPLY TO kb9lsx@yahoo.com

5591. FS: Kenwood TH-79A Handheld Transceiver with Accessories

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Rick Riverman <rbriver@cybcon.com>
Message-ID: <922754816.760.30@news.remarQ.com>
Source record: 112441

I have the following for sale:

* Kenwood TH-79A Dual Band HT Serial #60204257 (1995)
* PB-32 6v 600mAh NiCd Battery
* PB-34 9.6V 900mAh NiMh Battery (for 5W output)
* Cigarette Lighter Adapter Pack
* BT-9 Alkaline Cell Pack
* BC-17 Charger
* Soft Case
* Nylon Cord Wrist Strap
* Manual
* Original Box

FEATURES
* Power-on call sign display
* 82 non-volatile memory channels with alphanumeric ID
* Dot-Matrix LCD and menu system
* Encoder/Decoder built-in
* Simultaneous receive on both bands using VHF/UHF,VHF/VHF or UHF/UHF
configuration
* 5 watts power with PB-34, 3 watts with B-32

$245.00 + Shipping

Rick Riverman
W7RBR
503-629-5135

5592. ICOM 2710 Mods.... HELP!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: peaster <peaster@connors.cc.ok.us>
Message-ID: <7dp76j$t9d$1@sunhub-tulsa.onenet.net>
Source record: 112442

Hello,
I have an Icom 2710 which I would like to mod for out of band use on 2m and 440. I have a copy of the 1997 ARTSCI 9A Modifications book which contains mods for the 2710 but the graphic on the page doesn't match up to the radio. I am wondering if there were different runs of this radio which we're designed differently. The Serial number is 03823 if that makes a difference. Does anyone have any info that may help me?

Thanks
Mike Peaster
KC5BNC

5593. Re: TS-850 vs FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Jim Gerke <jgerke@pulse.net>
Message-ID: <370021EA.3B2A@pulse.net>
Source record: 112443

Definitely a step down.

Amrum Lakritz wrote:
>
> I own a TS850SAT and wonder if the FT-847 would be a step up, down, or
> sideways. Would welcome any opinions. TNX

5594. FS: Kenwood TS450SAT HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Eric Ludes <eludes@earthlink.net>
Message-ID: <37002371.B4CCF37@earthlink.net>
Source record: 112444
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale:

Kenwood TS450SAT (with the auto tuner) HF transceiver with all original manuals, hand mic, power cable and box. This rig is in excellent condition. No mods. I am the original owner. Non-smoker, rig never mobile.

$725.00 OBO, picture emailed upon request.

73 and thanks for reading.

Eric - KG0JN
eludes@earthlink.net

5595. toneboard&manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: john sawyer <jsawyer@plymouthnc.com>
Message-ID: <37003D3C.21FF874A@plymouthnc.com>
Source record: 112445
Body handling: Binary attachment payload not displayed: jsawyer.vcf

i have a kenwood tr2600a that i need a manual for and a toneboard or at least a toneboard number or something, please help!!

[One or more binary attachments are retained only in the source text.]

5596. Johnson 6 meter radio

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: nmdionsr <nmdionsr@prodigy.net>
Message-ID: <37004082.3F7DA654@prodigy.net>
Source record: 112446

Need a manual for this radio, its a model 842-0507 Johnson Ultracom, or tell me which adjustments are for the power out put and the audio drive.

norm

5597. Re: CB to 29 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Russ Freeman <jrf9949@garnet.acns.fsu.edu>
Message-ID: <370045B8.4C7679BD@garnet.acns.fsu.edu>
Source record: 112447
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space

Don't let 'em get to you, Willie. It seems that some persons can only be empowered by hurling anonymous insults. CRB Research has excellent books that deal with your situation. I don't know the exact web site address, but I think that it is: www.crb-books.com. I have used them myself.
Russ, KF4ZFS

wpeloqui@ismi.net wrote:

> Hey, wait a minute! I have held a amateur license for 18+ years and I don't
> know how to convert a CB to 10M. Actually I have just started using 10M mobile
> and think it is great fun. I want to put an inexpensive radio in my Jeep and I
> would appreciate learning the answer to this question.
>
> BTW: He did sign his message with his call, UT0IY.
>
> Willie
> N8MDY
>
> In article <7d9f6q$rg4$1@news.itis.com>,
> "Paul K" <pjktg@itis.com> wrote:
> > Yes . No Problem. Just place it carefully behind a truck wheel and back
> > up. Thats all theres to it. Easy Huh?? Try it. Im sure youll be pleased
> > with the results.
> > You can repaint later after you give it a test on the 10 meter AMATEUR
> > BAND where you need a license. If you had a license you would know how to
> > do this simple feat.
> >
> > Paul K. N9EMX
> >
> >
>
> Willie Peloquin
> Senior Software Engineer - Contract
> http://www.ismi.net/~wpeloqui
>
> "It is unwise to
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5598. Re: Anyone have an ICOM 775DSP?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <370044E1.D1658457@wenet.net>
Source record: 112448

Hi,
FT1000D does 200W output, JST245,TS950SD,SDX does 150W output.
IC775DSP is not the only one does 200W.
de K6hm

Ed (WA4RYW) wrote:

> I am certainly glad to hear that. I have been comparing this radio
> (775) with the Yaesu 1000 d/mp and Kenwood 950, and I can't see that
> they are in the same class. The ICOM is the only one of the set that
> can produce 200 watts full duty cycle. I just have never heard where
> someone had one. I have never seen one displayed at HRO or any other
> store for that matter. They're never discussed on newsgroups. I never
> hear one on the air. The only hamfest that I've seen them at is Dayton
> at the ICOM booth. I never understood why that was.
>
> Of course ask someone at a dealership....fat chance you'll learn
> anything there.
>
> On 30 Mar 1999 01:53:56 GMT, kb9sikk@aol.com (Kb9sikk) wrote:
>
> >I think the best rig on the market today.
> >
> >73,
> >K-K

5599. WTB: NIB Kenwood R-5000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <37004C9A.C3B9751@cfu.net>
Source record: 112449
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I am looking for a new (absolutely mint in all respects) Kenwood R-5000 receiver. Prefer new-in-box, unused, but will consider other true mint receivers. Jan n0JR

5600. Re: Uniden 2600 mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Gary <catlink@erols.com>
Message-ID: <7dpj86$s4n$1@autumn.news.rcn.net>
Source record: 112450

The only way to modify the HR2600 for expanded frequency is to replace the CPU and then do the expanded frequency mod as for the HR2510. I just sold my HR2600 not to long ago. I did the modification myself and will say that you will have to be very carefull in removing the CPU as some of the pins are in solder through holes with solder on the top as well as the bottom. I used a commercial grade desoldering station to replace mine.

Once you do the modification you will get a couple of extra letters when changing bands. I beleive it was (a) through (h). I think (g) was the 11m band. On this band you can change frequencies that follow the pattern and display the channel just as a regular CB. The lowest frequency was only about 26.0 Mhz as I remember it. I hadn't used my HR2600 in years (thats why I sold it) so I don't remember all the details.

I think the HR2510 CPUs are hard to come by but I do have two new and never used CPUs. If you would like to buy one I will sell them for 30 dollars each. Thats the price I paid for them.

Hope this info helps.
Gary

Shawn Upton wrote in message <36FF9A7B.167E@eece.maine.edu>...
>BUJIAJ8 wrote:
>>
>> What about unlocking the clarifier here??? and freq mods?
>>
>> bu
>
>Try looking under www.qrz.com, and goto the radio mods section; I think
>they have might have the mod that you are looking for. Also, try doing
>a search for radio mods or cb mods; there are alot of mods out there and
>I know that I have seen the mod that you are looking for.
>--
>**********
>Shawn Upton
>Electrical Engineering Student
>University of Maine at Orono
>webpage: http://www.eece.maine.edu/~supton/
>mail: supton@eece.maine.edu
>KB1CKT Tech Plus
>**********

5601. ?? Where Find Kenwood HamWindows ??

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <37005D9A.6F56C679@cfu.net>
Source record: 112451
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I have a friend looking for a copy of Kenwood HamWindows, which I take it Kenwood has discontinued. Anyone know where to find one? Thanks for your help! Jan N0JR

5602. Motorola SLK280s FRS Radios for sale $99 each!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: FRS Radio <ck5@ix.netcom.com>
Message-ID: <370059B1.4C8F@ix.netcom.com>
Source record: 112452
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.antenna,rec.radio.shortwave

I have six like new Motorola SLK 280 FRS radios. These have the NiMH
rechargable batteries and charger. These are the very best frs radios
currently sold. I want $200 per pair shipped. These are great for
keeping in touch with family or at hamfests. Range is about 2 miles.
If you like to know more about them check the website.
http://www.mot.com/LMPS/RPG/NA/portables/talkabout/talkabout_280_color.html

5603. Icom T2H mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Nick Meacher <meacher@gci.net>
Message-ID: <37007291.0@pavlof.gci.net>
Source record: 112453

does anyone have modifications for the T2H 2m HT?

5604. Re: FT-470 mod for 9600bps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Mark Waldron <bogart@nationwide.net>
Message-ID: <370039ED.7EAFF084@nationwide.net>
Source record: 112454
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.packet

Hey Ryan--
Any links or information on the modifications necessary, if any?
Any pointers on connections, etc?
Thanks for your time,
Mark N5YJP

"Ryan T. Faricy" wrote:

> I wrote:
>
> > HI, Brad. I have a couple friends who own 470s. One does use it for 9600bps
> > backet.
>
> Sorry, I meant "packet".
>
> RTF

--
-= Banging your head against a wall uses 150 calories an hour =-

5605. FT-50R Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Albert Ewe <twewe@pc.jaring.my>
Message-ID: <7dlq24$k0u$1@news6.jaring.my>
Source record: 112484

Wud the person who took my FT50R manual
please return it.

Tks de 9M2NQ Albert.

5606. Programming FT-50

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: EricG <Eric.Gaudenzi@wanadoo.fr>
Message-ID: <7dm930$f7m$1@platane.wanadoo.fr>
Source record: 112485

Hello

I'm looking for information about how to make a cable (schematic diagram) to program a FT-50 by the four pin plug and where I can found this plug (impossible in France).

Thanks for the information

Eric
F1ISJ@wanadoo.fr

5607. Re: Uniden 2600 mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: brianburke@my-dejanews.com
Message-ID: <7dmibf$v0q$1@nnrp1.dejanews.com>
Source record: 112486

In article <19990328174208.29230.00001321@ng-fw1.aol.com>,
bujiaj8@aol.com (BUJIAJ8) wrote:
> What about unlocking the clarifier here??? and freq mods?
>
> bu
>
I think there's a CB mod - is that what your after?

Brian/N0iMD

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5608. Re: Radio Shack htx 212 question.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Scott <diverscott@my-dejanews.com>
Message-ID: <7dmj1ovre1@nnrp1.dejanews.com>
Source record: 112487
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

I am also in need of this same info except my low power is too high. The high is right on.

In article <36fdaa82.2177046@news.or.nw.verio.net>,
k5kip@wanweb.net wrote:
> Hi all in radio land.
>
> I need to know which pot to adjust hi-power and low-power output from
> this 212. I just bought it at a hamfest but it is kinda low on hi
> power. 30 w. 12 and 1/2 watts on low power. I would like to adjust to
> specs.
> Please tell me which pot I am assuming it is one of the rv1 or 2 pots.
> Help is much appreciated.
> Please email me.
>
> Kip
>
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5609. ALINCO DR-130 question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: mike beadles <w5old@sonetcom.com>
Message-ID: <01be7977$df2ba080$470331d1@me>
Source record: 112488

I dont have a manual for this radio but, I got it almost all figured out.
My question is what is the function sequence to cause a memory to skip a
channel.
If you would, will you answer my question to my mail
box..w5old@sonetcom.com.
I wonder who eats all the manuals anyway. I'm always getting radios that
the fellow says "sorry I never got a manual with this radio".
Thanks in advance.......Mike not Mic..W5OLD

5610. WTT: want Arrow walking stick antenna.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: mike beadles <w5old@sonetcom.com>
Message-ID: <01be7978$4dcbf080$470331d1@me>
Source record: 112489

Willing to trade a hand held freq counter for it. Or do you have a asking
price.
Mike not Mic W5OLD contact w5old@sonetcom.com

5611. Re: Ham Radio Callsign Mugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: maddog@io.com
Message-ID: <36fedd02.3228595@news.io.com>
Source record: 112490
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

On Sun, 28 Mar 1999 10:05:02 GMT, barryo@fastlink.com.au wrote:

>In article <7d4mcq$6bt$1@oak.prod.itd.earthlink.net>,
> "Jaw Jabber" <jawjabber@earthlink.net> wrote:
>I don't mind sending a check since you can't get money out of a check.
>What you need if you want to make money is a cheque.

Barry, in American English, "cheque" is properly spelled "check".

But thanks for being so helpful...

monty N5FC

5612. Alinco DJ-F1T Info?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Jeff Johns <jeffj@scott.net>
Message-ID: <529912660398314NEWS2LX@news.scott.net>
Source record: 112491
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment

Does anyone have any info on a Alinco DJ-F1T or know where I can obtain any info on this HT? I acquired one complete with the charger, but need programming information and any other technical information that might be available. Thanks in advance for any assistance!

73 Jeff W4JEF

--------- Jeff Johns W4JEF - AMSAT# 32615 - QRP-L# 1857 ----------
jeffj@scott.net w4jef@amsat.org	Reserve Patrol Captain
Satellite: Mir R0MIR-1, AO-27	Jefferson County Sheriff's Dept
200LX+BayPac+FT50=Portable Packet	QTH Birmingham, AL USA

5613. Re: ATAS-100

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Tom KA4RKT <badger@telalink.net>
Message-ID: <lLBL2.2931$l77.1207942@news3.atl>
Source record: 112492

I have posted a reply to this same comment by different folks on other newsgroups --

It covers the WARC bands just fine. It covers the MARS freqs just fine. It covers the
14 Mhz SHARES freq that I check into each week. It doesn't go below 7 Mhz however,
which is a big minus to me, but it is small and I use mine daily with my FT-847, works
fine. I use in on my apartment balcony with a wire counterpoise and have had good
luck with it on 40 thru 6. I have not tried to compare it to the Larsen dualbander I
use on 144/440 though, but if I spend another 80$ on a triplexer, I am sure it would work well there too. Hey, call me cheap, but I already had the duplexer and the
dualbander. :-)

73

Tom KA4RKT

Jim Heath <jimheath@foothill.net> wrote in message news:7d40mn$27q$1@ns2.foothill.net...
> Hi Mike,
>
> I understand they are having some problems with the product. It costs
> around $400 complete and only covers 40 through 10 meters with no WARC
> bands. For example, one of my customers told me that they would lockup in
> freezing weather.
>
> 73, Jim KB6SX
>
>
>
>

5614. FS: GP300 Programming Cable

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: a1emt@aol.com
Message-ID: <19990328223046.03812.00001487@ng95.aol.com>
Source record: 112493

Have FS one (1) mint condition, aftermarket programming cable for GP300.
Originally purchased from Carolina Radio. I Don't have use for it anymore.

$35 / shipped to you.

Buyer pre-pays with money order or covers all costs for COD.

e-mail me direct if interested.

Jim

5615. FS:KENWOOD TH-79a Handheld dual bander

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: iam4eal@aol.com
Message-ID: <19990328233749.04619.00001912@ng-fr1.aol.com>
Source record: 112494

Never used received as a gift(never got my ham ticket) all the extras quick charge,extra battery, case, microphone.A postal money order for $400.plus shipping seems fair.Email me if your interested.

5616. Kenwood TS-940S AM Operation

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Fred Hamilton <fhamilton@ameritech.net>
Message-ID: <36FF0A47.33F37DE@ameritech.net>
Source record: 112495

When I operate my Kenwood in AM mode, there is practically no modulation swing and the wattage starts at 60 watts but as I speak it swings backwards to about 20 watts. What's up with this? Shouldn't it operate in just the opposite manner?

Fred

5617. Re: Display Scratches

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: tosca@warwick.net
Message-ID: <370210e2.358118131@news.warwick.net>
Source record: 112496

On Fri, 26 Mar 1999 18:34:37 GMT, wcollins@mindspring.com was
lurking in rec.radio.amateur.equipment, and composed the
following about "Display Scratches":

> Hi everyone,
>
> I have several small superficial scratches on the display of my FT-51 and
> wonder if there are any products that could remove these scratches safely.
> Thanks in advance.
>
> Bill Collins

On the real side of life...

I've tried pumice, rottenstone, polishing toothpaste, abrasive
hand soap, jewelers's rouge, and lord knows what else-

The best working stuff I've found is a two part system by NOVUS,
the people that repair car windshields. They have a two-part
plastic polishing system that has never failed for me, and it
really brings the clarity and gloss back.

The main problem is trying to find it; I got lucky at a second
hand shop. The second problem it that it's kind of expensive,
about $45-50 for the two bottles (from Novus), but it works
without any damage, and even gets out pretty bad scratches and
chemical burns. Not too much help on heat burns or deep gouges,
though.

The second best was the rottenstone mixed with a little water and
a touch of dish detergent as a lubricant, using felt as the
polishing cloth. I understand it might have worked better if I'd
used linseed oil instead of water & detergent.

=vt
--
ï¿½ase ELECTRONICA! ï¿½1976 TE Inc.
mailto:tosca@warwick.net
ICQ upon valid request

5618. FS: Cushcraft ARX-270U "2m/440mhz" Fbg 16ft Vertical

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990329005036.04256.00001679@ng117.aol.com>
Source record: 112497

Hello,

I have a "Cushcraft ARX-270 U" dual band (2m/440mhz) antenna for sale in excellent condtion. I have moved from a country location where I needed it to a "in town" location. This antenna is a fiberglass vertical that comes in three sections. It is 16ft total length so you don't have to get it up that far to really get some gain. I used it with a Yeasu FT-50R handheld with 5 watts and was supprised just how far this antenna reaches. It has a shiny white, thick, fiberglass exterior. It has a really heavy duty, thick aluminm base with "U" brackets to connect it to a pole. It comes comes complete with easy to connect SO-239 pigtail. There are also three ariels that protude horizonally from the aluminum base... The quality of this antenna is really something, I have mixed feeling on letting it go... =)

$200.00 firm I'll pay shipping UPS COD...

73!

Jason S. Hulet/KC8FXE
314 East Bay Blvd.
Traverse City, MI 49686
Home: 616-947-5049
Work: 616-256-9829

5619. Re: FS:==>MAXTRAC / RADIUS / R100 PROGRAMMING CABLES<<==

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Richard <XXrgl@flash.net>
Message-ID: <36FF1442.F4D9BAF3@flash.net>
Source record: 112498

MSisco9939 wrote:
>
> Yep:
>
> Found a bunch of Programming Cables for the Maxtrac / Radius Series
> mobiles. Most know how I feel about Clones, but these are Atypical of a
> Premium Cable. Has the following Features:
>
> A picture of this cable can been seen at:
> ==========
> http://www2.4dcomm.com/metrotech/maxtrac2.jpg
> ==========
> (Just copy, paste, and go) for AOL users
>
> 1.Super Durable (and heavy duty) Shrink tubbing around the Modular Plug.
> (Even the Factory Cable does not have this support) This Prevents the
> wires from being pulled out of the modular plug.
> 2. DB25 Housing is labled Clearly so it will not get confused with other
> similar cables (Like a R100) There is a few of these too.
> 3. DB25 Housing has a Strain Relief at the housing so it will support the
> Flat Ribon Cable from being damaged.
> 4. Long enough (about 6') so if you have the mobile radio in a vehical that
> you may want to program with a LapTop, it is "Long" enough to reach the
> mobile radio, while the Programming Computer sits on the seat.
> 5. All pins in the DB25 and modular plug are gold Plated.
> 6. Cable is "Brand New", and has been Pre-Tested to insure reliability.
>
> There is 9-10 of these cables left for those who may be interested:
> Asking $29.50 + $8.00 for Shipping.
>
> Please specifiy==>>(MAXTRAC/RADIUS) or (R100 REPEATER CABLE)
> They look almost the same. Pls.Note. MRSS is "Only" availible from (/\/\)
> Sorry :(
>
> Terms:
>
> Acceptable PrePayment in the form of a Postal Money Order or other mutual
> piror arrangements.
>
> Monty

Monty,
I have the Software. If I buy this cable from you, what else will I need to
program

My radius P200 HT?
Thanks,
Richard
--
Anti-Spam. Take the "XX" from the address to reply.

5620. WTB: Like New Shortwave Portable

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: k9kz@indy.net
Message-ID: <7dnb44$j35$1@nnrp1.dejanews.com>
Source record: 112499
Cross-posted to: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment

I am looking for a Sony 7600G, Sangean ATS-909, Realistic DX-398, YB 400. Must be MINT!!! Thanks.

Bill K9KZ

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5621. Re: TS 570D Problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: aadkins2@home.com
Message-ID: <MPG.1168ea4c6901d0ef989681@news>
Source record: 112500

In article <JbkBKDAois+2EwR6@recelectronics.demon.co.uk>,
keith@recelectronics.demon.co.uk says...

> I have a friend who is an amateur who lives close to me and he uses a
> Kenwood TS570D hf tranciever.

I also use a TS-570D, and perhaps can shed some light on this.
Or perhaps not.

> When he switches the DSP function on there is an increase in
> noise,similar to a RX which is suffering from crossmod.ie a type of
> hetrodyning, whistling sound.

That will commonly happen when you tune around SWB stations in CW
(which is irritating) and SSB (which is extremely irritating). The
howling sound is normally right at the front and back end of the 5khz
range the broadcaster is present on. Annoying, but it happens to me as
well. The best answer I have found is to use the Beat Cancel function.
It doesn't eliminate the shrill whistling, but it makes it bearable to
tune over.

> So he has asked to to post this on the news group to see if anyone else
> is suffering from the same problem.

Yes, indeed. And I wonder if your friend is having that problem
mostly on 40 meters? That's where I get killed, at night, when Euruope,
Asia and the Caribbean crush the band with SWB.

--
****
Adam KM5SS

5622. Re: FT100 receiver squelch issue

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990329024342.04255.00001777@ng117.aol.com>
Source record: 112501

"Yaesu does it again!!!"

5623. Re: TS 570D Problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Jim <jnance2@ibm.net>
Message-ID: <36ff40c5@news1.us.ibm.net>
Source record: 112502

Adam, if you talking about switching the NR on in SSB that may just be true. I have a 570DG model and noticed this the first time I used it; However in the upgrade from a 570D to the 570DG they made some worthwhile improvements. Menu item 51 allows you to adjust the level of noise reduction which worked for me, On the 570D the level is fixed. The 570D has 46 menu items where the 570DG has 51 menu items and some improvements.

73 de KE4WY Jim

Adam Adkins <aadkins2@home.com> wrote in message news:MPG.1168ea4c6901d0ef989681@news...
> In article <JbkBKDAois+2EwR6@recelectronics.demon.co.uk>,
> keith@recelectronics.demon.co.uk says...
>
> > I have a friend who is an amateur who lives close to me and he uses a
> > Kenwood TS570D hf tranciever.
>
> I also use a TS-570D, and perhaps can shed some light on this.
> Or perhaps not.
>
>
> > When he switches the DSP function on there is an increase in
> > noise,similar to a RX which is suffering from crossmod.ie a type of
> > hetrodyning, whistling sound.
>
> That will commonly happen when you tune around SWB stations in CW
> (which is irritating) and SSB (which is extremely irritating). The
> howling sound is normally right at the front and back end of the 5khz
> range the broadcaster is present on. Annoying, but it happens to me as
> well. The best answer I have found is to use the Beat Cancel function.
> It doesn't eliminate the shrill whistling, but it makes it bearable to
> tune over.
>
> > So he has asked to to post this on the news group to see if anyone else
> > is suffering from the same problem.
>
> Yes, indeed. And I wonder if your friend is having that problem
> mostly on 40 meters? That's where I get killed, at night, when Euruope,
> Asia and the Caribbean crush the band with SWB.
>
> --
> **********
> Adam KM5SS

5624. Re: WTB: Like New Shortwave Portable

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: cmagers@sprynet.com
Message-ID: <MPG.1168def9d559dd609896c7@news.sprynet.com>
Source record: 112503
Cross-posted to: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment

In article <7dnb44$j35$1@nnrp1.dejanews.com>, k9kz@indy.net says...
> I am looking for a Sony 7600G, Sangean ATS-909, Realistic DX-398, YB 400. Must
> be MINT!!! Thanks.
>
> Bill K9KZ
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>
I,ve got a DX 398 I would part with in excellent conditionn. $197.50 you
ship.
--
CW
KC7NOD

5625. Re: Uniden 2600 mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: bujiaj8@aol.com
Message-ID: <19990329063819.29882.00001520@ng-fv1.aol.com>
Source record: 112504

I don't want the cb mod.. i just want to vary frequecy with move of "rit".
tnx
bill

5626. FYI...VX5R lockup info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: summitrt@aol.com
Message-ID: <19990329072928.25277.00000253@ng50.aol.com>
Source record: 112505

Found out this past weekend that my VX5R was locked up in the large display, memory only mode, could not get into menu or vfo mode. Turned off the radio and found that if you hold the MR key while powering up, the radio was back to normal. Got a little nervous there, thought I was going to have to reset the whole radio and loss a lot of time reprogramming it.

Bob

5627. Re: FS FT50 seperation kit

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: summitrt@aol.com
Message-ID: <19990329073735.25277.00000254@ng50.aol.com>
Source record: 112506

It seperates the battery from the radio. You use the front of the radio as a speaker mic.

Bob

5628. WISH I COULD STOP THIS THREAD !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <36FF8722.6773C390@iglobal.net>
Source record: 112507
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment

OR at least put it wher it belongs in a discussion group.....re: wish I could brocast this

5629. Re: eBay-- gotta wonder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Pinky & The Brain <odin@webspan.net>
Message-ID: <922716500.199.100@news.remarQ.com>
Source record: 112508

Two Words Gentleman, "Caveat Emptore"

5630. 2m HT for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: JGeiger@mcrest.EDU
Message-ID: <41AC2A9AC384D211B8BE0008C7B121C7043DA5@MIU_NT1>
Source record: 112509

I have a Santec 144 up 2m HT for sale. This comes with the wall charger,
and covers 140-150 MHZ with 5 watts out and 10 memories. Asking $55

73s John NE0P
jgeiger@mcrest.edu

5631. Re: Uniden 2600 mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Shawn Upton <supton@eece.maine.edu>
Message-ID: <36FF9A7B.167E@eece.maine.edu>
Source record: 112510

BUJIAJ8 wrote:
>
> What about unlocking the clarifier here??? and freq mods?
>
> bu

Try looking under www.qrz.com, and goto the radio mods section; I think
they have might have the mod that you are looking for. Also, try doing
a search for radio mods or cb mods; there are alot of mods out there and
I know that I have seen the mod that you are looking for.
--
****
Shawn Upton
Electrical Engineering Student
University of Maine at Orono
webpage: http://www.eece.maine.edu/~supton/
mail: supton@eece.maine.edu
KB1CKT Tech Plus
****

5632. UHF receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: kaplr@metalab.unc.edu
Message-ID: <7dodpehbj1@nnrp1.dejanews.com>
Source record: 112511

I am looking for a radio that can receive AM/FM and VHF/UHF.
VHF is easy, but finding one with UHF is a challenge. Do they exist?
If not, what are my alternatives? Thanks for any information.

Ralph

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5633. DSP 232 TNC - Problem with mailbox

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: bren.doreck@ac.COM
Message-ID: <86256743.00568604.00@amrhm1102.ac.com>
Source record: 112512

In article <7dl4lutte1@news1.skynet.be>,
Opstaele Jan <bs600999@skynet.be> wrote:
>When using the DSP 232 TNC from A.E.A. I experience problems with
accessing
>my mailbox.
>
>When the maildrop is used (e.g. S on1dod) the DSP232 node responds with
>"TNC System error. Next instruction address: 0005A136)

I have one of these (got it on the $100 closeout by Timewave), and when I got it, the person I spoke with said that Timewave was working on a fix to correct the features that don't work and to allow the CW to TX as well as RX. Looks like there are about 3000 people who don't have all the promised features. He said that there will be a small cost (about $30) for the upgrades/fixes. That cost will include the board to fix the CW TX/RX problem. Timewave was very upfront about the mailbox not functioning along with other stuff.

73
Bren
KC5GWA

n n n n

5634. Re: FT-470 mod for 9600bps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: "Ryan T. Faricy" <ryan@faricy.net>
Message-ID: <36FFAE89.5CE1DA52@faricy.net>
Source record: 112513
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.packet

HI, Brad. I have a couple friends who own 470s. One does use it for 9600bps
backet.

Brad Kellison wrote:

> the HT won't handle the speed.. you need to get a radio that is already
> set for it.
>
> Daniel Lavoie wrote:
> > Does anyone know how to modify the Yaesu FT-470 HT for 9600bps?

RTF
kc0dsz

5635. FS UHF Micor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: "G. John Garrett, C.A.S." <jgarrett@world.std.com>
Message-ID: <36FFAE0B.3D9406E2@world.std.com>
Source record: 112514
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Motorola UHF Micor for sale with duplexers in excellent condition.
Currently tuned in the 460s, in the "tall" Micor cabinet. Asking $1200,
plus shipping outside the Boston area.

John

5636. Re: FT-470 mod for 9600bps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: "Ryan T. Faricy" <ryan@faricy.net>
Message-ID: <36FFAF44.D93DD688@faricy.net>
Source record: 112515
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.packet

I wrote:

> HI, Brad. I have a couple friends who own 470s. One does use it for 9600bps
> backet.

Sorry, I meant "packet".

RTF

5637. Re: TS 570D Problems

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <36FFAE33.17F9A838@mindspring.com>
Source record: 112516

I'll second that!

Phil

Jim wrote:
>

> the upgrade from a 570D to the 570DG they made some worthwhile improvements.

5638. FORSALE - Mint Icom-735, MFJ 949E tuner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7dob14$4ph@nntpa.cb.lucent.com>
Source record: 112517
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,nj.forsale

See ad below -- Astron power supply is SOLD, rig and tuner still
available.

FORSALE - MINT Icom 735 HF rig, MFJ 949E tuner

I have an absolutely mint condition (still has the
protectice plastic over the slide swithces!) Icom 735 HF rig that
I'd like to sell. The rig includes the optional 500-Hz
CW filter, original hand mike with up/down controls, original
manual, and all original packing. I am a non-smoker. Also have
as-new MFJ tuner and Astron power supply:

ICOM 735/cw filter/mic $575.
MFJ 949E tuner 100.
Astron RS-35A ps 120.

Entire package for $775. + shipping.

Joe Levantino
KB2FSH
(732) 949-0664

Rig is located in Monmouth County, NJ.
$550 plus shipping.

Joe Levantino
KB2FSH
(732) 949-0664.

5639. Need Manual for Force12 C3S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <7dodjm$425@sjx-ixn6.ix.netcom.com>
Source record: 112518
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment

The manual for my Force12 C3S seems to be a casualty of Spring cleaning. If anyone could make me a copy I would be glad to reimburse for copying and postage.

73 Jerry KK5YY

5640. Re: Ham Radio Callsign Mugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Jonesy <jonz@rmi.nospam.net>
Message-ID: <7dof4e$ha9$1@news1.rmi.net>
Source record: 112519
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

```
: "Edward L. Dowdy" wrote:
:>
:> You will notice not everyone uses "American" English.

That can be attributed to the 'product' turned out
by the american public education system now-a-days.

Jonesy

--
Marvin L. Jones jonz<AT>rmi.net
Gunnison, Colorado
277 days to go until the Year 2000 -- So what!
643 days to go until the 3rd Millennium of the C.E.
```

5641. FS:CE 20A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Steve Pazar <zarco@sonic.net>
Message-ID: <36FFC25D.3B79@sonic.net>
Source record: 112520

Hi Gang,
I've got a Central Electronics 20A for sale. It is
original and complete. A few crystals included (5 I think).
The front panel has a few minor scratches. The cabinet (not the FP)
has some surface rust, and the whole thing needs a good cleaning.
The chassis is in good condition, and there have been no holes
or modifications. Asking $100 plus shipping. Local pick-up preferred.
I'm located about 60 miles north of San Francisco.

Steve

5642. Magnavox MX 4200 Info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: pieter du plessis <maxilec@netactive.co.za>
Message-ID: <922733106.82464@news.netactive.co.za>
Source record: 112521

Does anyone have technical info on this GPS RX'er ?? Multiport adapter / PC interface / Cables ??

Any help appreciated....!!!!

Peter
ZS6PJD

e-mail: maxilec@netactive.co.za

5643. Standard C5900DA UHF Power Output

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Steve Meserve <stevenme@microsoft.com>
Message-ID: <7doit2$5kq@news.dns.microsoft.com>
Source record: 112522

After about 1/2 year of normal use, my c5900's 70cm high power has dropped from >35 watts to barely 20 watts. Both 6m and 2m still do 50 watts. I guess the finals could be damaged, but before replacing them I thought I try adjusting the UHF power level. Does anyone know how to perform this adjustment? Has anyone seen this problem? Thanks,

Steve
K1YZ

5644. Handheld HT opinions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: Bill and Meredith Frost <frostys@mdo.net>
Message-ID: <36FFD302.3A34@mdo.net>
Source record: 112523

Does anyone have any comparisons between the following HTs? I'm looking for wide reception, and a more-or-less entry-level HT for a new Tech+ license. If you know of any on-line or published reviews, that would help too.

Thanks,

Bill
call number pending

3-band
Yaesu VX-5R
Icom IC-T8a

2-band
Yaesu FT-50R
Icom IC-T7A
Icom IC-W32A
Kenwood GH-71A

5645. Heath HD 1780 Intellirotor

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: none@juno.com
Message-ID: <3700d082.67821963@netnews.worldnet.att.net>
Source record: 112524

I have the Heath HD 1780 Intellirotor. I think it has been hit by
lightning. It wont follow the beam. Anyone know who may repair it?
Thanks Roy n4byu@worldnet.att.net

5646. WTB: MTX9000 A7

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-29 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <36FFDB01.6DAC6C27@postoffice.pacbell.net>
Source record: 112525
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

If you have one for sale,let me know price and condition.
Thanks AL

5647. Re: tm-733 question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Villdar Smolettry <crendo@windil.net>
Message-ID: <7dqlhtblf1@news.mr.net>
Source record: 112326

Yes, the sensitivity should be excellent on this xcvr. Unfortunately, it is a particularly crappy rig. The scan rate is 4 channels per sec which is 1950's technology. It is such an intermod sponge, it is almost useless as a mobile in and even near large cities. There was a way to desensitize the front end to curb some of the intermod and maybe its been done on the unit you have. The desensitizing also causes you to loose overall sensitivity. It also seems that Kenwood didn't learn much and made the ugly TM-V7A also a slow scanning, intermod ridden rig but now the added feature that you can't read the dial on a bright day when using it mobile. They do continue to have the most bells and whistles of any rig, however. I guarantee that once you restore the sensitivity to your 733, you'll be listening to little but pagers and police and other dispatchers. A higher gain antenna? Then you'll hear nothing but pagers and dispatchers.

PBandJ606 wrote in message <19990330012939.05006.00002411@ng142.aol.com>...
>I recently got my hands on a Kenwood tm-733 dual band. 440 seems to be working
>well. The problems is that 2m reception is quite lousy compared to the tm-251
>I had in my truck before (ant. & all else the same). Repeaters that used to
>peg my s-meter all the way to work now only do so at tops of hills. Signal
>reports I get back are good. Is this common for dual banders compared to
>monoband, or do I have internal problems? Solutions? Higher gain ant?

5648. WTB: Drake R-4C

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: tbendell@bmts.com
Message-ID: <922825624.885305@cindy.bmts.com>
Source record: 112327

Looking for a good shape/working Drake R-4C receiver. And no I won't buy one from Ebay.

73
Terry

tbendell@bmts.com

Net-Tamer V 1.11.2 - Test Drive

5649. Re: Commments regarding Timewave DSP add-ons

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <370137AB.1B8ADA97@erols.com>
Source record: 112328
Cross-posted to: alt.ham-radio.dxing,alt.ham-radio.hf,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.misc

You can't make a silk purse out of a sow's ear. I have a 599zxx and I do use it (with a 1000D), occasionally. I will not, post-detection (and in fact, no audio DSP unit can) separate the wheat from the chaff. Yeah, it helps.... a bit, but for for the bucks??? You really have to think about it. I agree, try before you buy!!

AC6V wrote:

> Joseph A Rodgers wrote:
> >
> > Is anyone using a Timewave DSP unit with a late model HF rig such as the
> > following:
> >
> > TS-850, 870
> > TS-440-450
> > FT-890, 990, 1000MP, 1000D
> > Omni V, VI
> > IC-761, 765, 781
> >
> > I would be interested in your comments about how well the Timewave unit
> > works with the receiver audio in these rigs. Do you think that it makes your
> > radio a better radio in that it is easier to use, easier to pull out weak
> > signals, whatever. Do you use rig for ragchewing, DX, contesting?
> >
> > Was the TImewave unit worth what you paid for it?
> ----
> Hi Joe -- I have the DSP 599ZX and the TS-850SAT. I use it for DXing
> mostly, some contesting. It is absolutely superb for slicing up CW
> signals. On SSB where there is noise and atmospherics -- it has enabled
> me to pull out signals that were in the ESP category. Highly recommended
> from this end. However like all things -- I suggest you borrow one and
> try it out for yourself.
>
> For example: a fellow DXer here loves his xtal filters -- I hate em --
> ring ring. Not so with DSP unit -- but he hates fiddling with controls
> -- so to each his own. Before I got the Time Wave -- my CW operandi was
> to use CW Reverse setting on the Kenwood (with no xtal filter) -- when
> the pilup was too close to the DX station (usual case).
>
> To my ears it beats any of the built in DSP units I've heard -- but
> haven't tried them all yet.
>
> Is it worth it -- depends on if you would use it regularly -- I guess --
> I do.

> --
> 73 From Rod In San Diego
> ----
> AC6V INDEX TO DX AND HAM RADIO
> FEATURING 88 PAGES, 400 INDEXED TOPICS, AND 3000 LINKS
> Over 330,000 visits on the counter
> http://www.ac6v.com/pageas.html -- Alphabetical Index
> http://www.ac6v.com/ -- Home Page

5650. QST magazine Indexes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: turinib@wdni.com
Message-ID: <37012305.928394@news.weyer.com>
Source record: 112329
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipment

Does anyone know of a source of indexes for QST, HR, and 73, CQ, etc?
The ARRL has indexes from 1970 or so. I thought that someone was
selling indexes going farther back. Anyone remember who?

Also, I'm looking for bibliographies of articles for BAs, i.e.
Johnson, Hammarlund, etc.

Thanks

Bill Turini KA4GAV/7 turinib@wdni.com

Always looking for Signal/One Accessories, equipment, publications,
advertisements, etc.

5651. Re: My new Icom 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <3701415A.CD9BF3BC@flash.net>
Source record: 112330

Good answer Ted.
K5JOE

Ted Scherbel wrote:
>
> Yes Gary - I've been found out. My life is indeed nearly perfect and
> I am extremely grateful and thankful.
>
> On Tue, 30 Mar 1999 13:05:21 -0500, Gary Williams
> <williamsjg@erols.com> wrote:
>
> >I must reply that I love my 756, is your life that perfect that all you
> >have to worry about is a few "dumb" things.
> >Gary

5652. Yaesu 51R 800meg Mod?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <37014327.83B60593@flash.net>
Source record: 112331

N5NTX emailed me and said that he has modded his 51R Yaesu to recieve 800 meg.. Anyone know what that mod could be... I have never heard of it.
Thanks for the help.
K5JOE

5653. Re: Opinions on V7A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: kd7ctr@aol.com
Message-ID: <19990330170542.13365.00000123@ng-cd1.aol.com>
Source record: 112332

I got the V7A yesterday in fact!! I asked the same question you had a few times and the same responces came back every time: Good quality, many good features, and sounds good. I will tell you Kenwod came out with NEW PRICES for the month of April!!! The V7A will go UP $20 dollars retail!!
I spent a couple hours setting it up last night and it seems like a great rig. The one thing with all Kenwoods is intermodulation, but not as severe as was entioned to me. Als, i ahev a TH-79A-HP Ht and you can use the HT to control the mobile!! That is great. I also wll use the crossband feature when I work events to save HT battery.
I hope that helps you out. I looked at the IC-2710 and the V7A. I chose the Kenwood.
73s de KD7CTR

5654. Re: eBay-- gotta wonder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: qin2@aol.com
Message-ID: <19990330171120.08044.00000346@ng-cg1.aol.com>
Source record: 112333

Well said !!!!!!

5655. Re: QST magazine Indexes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <37014969.81C53058@mindspring.com>
Source record: 112334
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipment

There is a downloadable index, somewhere. Got it about a year ago and
put it in my PalmPilot. Problem is, I don't know where.

Will send you a message if I locate it.

Phil

5656. Re: QST magazine Indexes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <370149B0.2A1A4D66@mindspring.com>
Source record: 112335
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipment

Try this website:

http://www.tp.net/tp/users/japple/qst.htm

Phil

5657. Re: Yaesu 51R 800meg Mod?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Jim Gerke <Jim.Gerke@usa.alcatel.com>
Message-ID: <37014E1C.C6773FDF@usa.alcatel.com>
Source record: 112336

Gee, now you've got me wondering! I know my FT-530 and VX-5R will
receive up there. I'll double check the '51 tonight and let you know.

73, Jim, K5NTX

K5JOE wrote:
>
> N5NTX emailed me and said that he has modded his 51R Yaesu to recieve
> 800 meg.. Anyone know what that mod could be... I have never heard of
> it.
> Thanks for the help.
> K5JOE

5658. FS: ICOM/MIDLAND LEATHER CASES - NEW - $10EA

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: schertzer@ns.sympatico.ca
Message-ID: <4jcM2.45$i5.1591@sapphire.mtt.net>
Source record: 112337

```
Item #2 (6 total)
------------------------
* NEW-IN-BAG !! COMMERCIAL LEATHER CASES *
Fits Icom U16/H16/02AT or Midland 70-154/254 portables
c/w Swivel type Belt-loop and Cover flap - COMPLETE -
Cases are - NEW-IN-BAG - List $60USD retail.
Dimensions (inside) 8"L x 2 3/4W x 1 1/2" T
Will fit other Moto/GE/Standard portables (see specs above
Will work with hand-held SCANNERS also
(see specs above - jpg. Picture avail upon request also)
Fits well with Midland B24 batt or Icom batt equiv - 3" length
Price - $10.00USD or $15.00CND + shipping
```

5659. Re: My new Icom 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: n4jzh@amsat.org
Message-ID: <370150e2.761993301@news.mindspring.com>
Source record: 112338

scherbe6@airmail.net (Ted Scherbel) wrote:

>I am the proud owner of the 756 so will add these comments for anyone
>thinking about one.
>First - it comes with the usual manual translated from Japanese which
>leaves about as many questions as it gives answers.
>My first displeasure was when I plugged into the existing IC15 power
>supply that was from my old IC730 and found the 756 did not switch
>power on the supply. GRRRRRR ... Okay so now I have to do that
>separately.
>
>Next - in the manual is a statement that if the tuner is activated
>with no antenna connected then there WILL be damage to the radio.
>Now I think this is STUPID to the limit. It would have been so easy
>to detect that situation and guard against damage. I ask you - is
>there any ham who has not now and then tried to transmit into an open
>antenna line? To aggravate this situation is the fact that the
>default condition is for the tuner to automatically activate on a
>power up. More GRRRRRRRR....
>
>Then last - when the tuner activates, it uses full RF power. I would
>have thought it would reduce the power out while tuning. I never
>owned an automatic tuner prior to this one. More GRRRRRRRR...
>
>ON the positive side - I find the spectrum scope very handy in tuning
>a SSB signal. Being a little hard of hearing I often had trouble
>getting tuned to another station, but the scope really helps.
>
>Maybe more later....
>
>Ted
GRRRRR_ Send it to my house if you dont like it
I'll put it next to my 746....n4jzh

5660. Re: Yaesu 51R 800meg Mod?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <37015321.2F100107@flash.net>
Source record: 112339

I think I have all the mod sites on the net and only one of them
suggested that it might be possible to do the 800 meg mod on the 51R,
only because the Jap model has it... He tried but failed. I will post
that mod site if anyone needs it...
Thanks for replying to my posting.
K5JOE

Jim Gerke wrote:
>
> Gee, now you've got me wondering! I know my FT-530 and VX-5R will
> receive up there. I'll double check the '51 tonight and let you know.
>
> 73, Jim, K5NTX
>
> K5JOE wrote:
> >
> > N5NTX emailed me and said that he has modded his 51R Yaesu to recieve
> > 800 meg.. Anyone know what that mod could be... I have never heard of
> > it.
> > Thanks for the help.
> > K5JOE

5661. Re: Yaesu 51R 800meg Mod?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: nidsNOSPAM@redrose.net
Message-ID: <37015366.2322718@news.redrose.net>
Source record: 112340

there is a way of making the FT 51 SHOW that it is going to 800 mhz ,
but all its doing is making display, there is no 800 mhz front end
circuitry or amplifier.. so its stone deaf there and it will show that
it is tx'ing, but is actually putting out at 1/2 the freq
now if thery would of put in the needed circuitry we'd be in business

5662. WTB: UHF Duplexers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Bob Straley <kb8gnf@orwell.net>
Message-ID: <37015AFD.E0E086A2@orwell.net>
Source record: 112341
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Looking for pass/notch only. No mobile duplexers please. Also I am not looking for any $400-$500 used duplexers, if I wanted to spend new money, I would buy new.

Thanks,

Bob

5663. 144 MHZ receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Don Bouquet <donbouquet@worldnet.att.net>
Message-ID: <37015D9C.50D96F47@worldnet.att.net>
Source record: 112342

I am interested in a good used VHF receiver if anyone has one for sale
Don A. Bouquet

5664. Re: Diamond Monster 3DFX Card for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: NYLIFUN <nylifun@aol.com>
Message-ID: <4pdM2.1403$Bj.6098041@news.optonline.net>
Source record: 112343
Cross-posted to:
alt.ads.forsale.computers,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Those cards NEVER sold for $450. They came out at $250 or $200

KC4NYH wrote in message <7dqurm$97p$1@samsara0.mindspring.com>...
>Hello to the group,
>I have a like new 12 mb Diamond Monster 3DFX (Voodoo II) card for sale.
>This is a must for those gamers out there that want the best! This card
sold
>new for nearly $450.00, I only need to get $120.00 plus $10.00 for S/H.
>
>PS: for those Ham Radio fans out there, I will consider a trade for a nice
>looking 2 meter mobile radio with 50 watts of output.
>
>If interested email me at:
>chainsaw1@mindspring.com
>My Homepage:
>http://www.mindspring.net/~chainsaw1
>
>
>
>
>
>
>

5665. Re: Yaesu 51R 800meg Mod?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <37016545.BA43A088@flash.net>
Source record: 112344

Mike, from one of my mod pages the guy says that the Jap model will do
800 meg but he has not yet figured out what combo of smd's to use on the
ic chip...and I think he gave up.
K5JOE
I will send that page to you if you want to try it out first,,, he,he...

73 and thanks for the info.
Mike Wissler N3IDS wrote:
>
> there is a way of making the FT 51 SHOW that it is going to 800 mhz ,
> but all its doing is making display, there is no 800 mhz front end
> circuitry or amplifier.. so its stone deaf there and it will show that
> it is tx'ing, but is actually putting out at 1/2 the freq
> now if thery would of put in the needed circuitry we'd be in business

5666. FAQ: Plectron and Motorola Alert Monitor Receivers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: parnass@bell-labs.com
Message-ID: <7drneb$l0f@ssbunews.ih.lucent.com>
Source record: 112345
Cross-posted to: rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.info

Last changed: February 17, 1999

Lines changed since the previous issue are marked with a |
character in the right margin.

Add a Plectron or Motorola Alert
Desktop Monitor Receiver
to Your Scanner Collection

by Bob Parnass, AJ9S

[NOTE: This article may not be reproduced in whole or in
part on CDROMS, in bulletin boards, networks, or
publications which charge for service without permission of
the author. It is posted twice monthly on the USENET
groups rec.radio.scanner, alt.radio.scanner, and
rec.radio.info. It is also available electronically from
the rec.radio.scanner ftp archive on the official USENET
FAQ library ftp://rtfm.mit.edu/pub/usenet-by-
group/rec.radio.scanner.]

In the 1960s and 1970s, thousands of firemen and ambulance
squad members came to rely on their crystal controlled,
transistor Plectron and Motorola desktop monitor receivers.
They have now been replaced by battery operated portable
pagers, and the desktop models are often available at
hamfests in the $5 - $25 range. Since many are in rough
condition and need repair, a hamfest special is better
suited for hobbyists who like to fix their own radios.

Plectron and Motorola crystal controlled receivers are
excellent for dedicated monitoring of local frequencies --
a task for which you wouldn't want to tie up your 400
channel programmable scanner. They are desktop models
which can be powered from 117VAC or 12VDC with the proper
mobile cord. The audio quality of a Plectron P1, Plectron
700 series, and Motorola Alert Monitor is far better than
any consumer grade scanner and the sensitivity, image
rejection, and intermod immunity is outstanding when
aligned properly.

Models and Frequency Coverage

The Plectron and Motorola Alert monitors are single band
receivers: VHF-low, VHF-high, or UHF. No single Plectron
or Motorola Alert monitor can cover the entire 30-50 MHz

band, so there were versions optimized for each portion of the VHF-low band. There were different versions to cover low and high "splits" in the VHF-high band, too. For example, low band R8000s come in 30 - 35, 35 - 39, 39 - 49, and 49 - 54 MHz versions. There are two VHF high band versions of the 700 and R8000: 148 - 158 and 158 - 175 MHz.

VHF-low band Motorola Alert monitors come in two splits: 30 - 42 and 42 - 54 MHz.

Although UHF versions of the 700 series were made, they are somewhat rare and coverage is limited to 470 MHz and below.

Plectron made several models with dozens of different options. Both the original P1 and later 700 series are suitable for restoration, although I prefer the newer 700 models. The 8000 series were even newer and very desireable, but they are difficult to find at hamfests. The Plectron 500 "economy" series is less desirable.

The P1 series have black cabinets with a blue-green and silver color scheme used on the front panel. They were made in the Chief (tone decoder & carrier squelch), Patrol (carrier squelch only), and Sentry (tone only) models. The Sentry models lack a carrier squelch and therefore are of little use to hobbyists except for scavenging parts. Model number and frequency information appears on a gummed label on the rear panel:

Band (MHz) Chief Patrol Sentry

_____
25-54 R19 R15 R17
148-174 R20 R16 R18
450-470 R23 R21 R22

Table 1. Plectron P1 models

The R700 series have black cabinets with brown front panels and are slightly smaller than the P1 receivers. R700s were made in the Chief (tone decoder & carrier squelch) and Patrol (carrier squelch only) models:

Band (MHz) Chief Patrol

_____
25-54 R719 R715
148-174 R720 R716
450-470 R723 R721

Table 2. Plectron 700 models

The R8000 series are much smaller than the P1 and R700 and are housed in metal cabinets of various colors. The R8000s use the same MC3357 IF/detector/squelch IC used in crystal

scanners, but their crystals are not interchangeable with ordinary scanners. R8000s were made in the Chief (tone decoder & carrier squelch) and Patrol (carrier squelch only) models:

Band (MHz) Chief Patrol

30-54 R8190 R8150
148-174 R8200 R8160

Table 3. Plectron 8000 models

The Plectron FM Receiver/Recorder is a collector's item. It is essentially a 700 series Chief receiver with a built in cassette tape recorder. The recorder is carrier activated and can tape transmissions while the receiver is unattended. A connector on the rear panel allows for all kinds of remote control possibilities.

The tape recorder inside the Receiver/Recorder employs two rubber belts. The Projector Recorder Belt Company makes replacement belts which work fine, though they may not be the original equipment:

1. PRB SCA8.6 (218 mm)
2. PRB SCQ 2.5 (64 mm)

I use two Plectron P1s and four R700s in my living room, seven R700s down the basement, and several Plectrons and Alert Monitors stored in reserve. The basement Plectrons are turned on automatically when someone walks downstairs. Power to them is controlled by a modified Radio Shack Safe House infrared motion detector, originally sold as an intrusion alarm.

When a rescue squad member from Missouri advertised a number of Plectrons on USENET, I bought them -- all 20+ of them. I cleaned, fixed, and restored each one. After recrystalling them on local frequencies, I distributed them to members of my scanner club who were glad to get them.

Crystals

Both brands of receiver require special crystals. I sometimes use Radio Shack's generic 3rd overtone scanner crystals in the Plectrons but they oscillate on frequencies far away from their marked frequencies. That's because the Plectron oscillator is designed to be used with a crystal which oscillates on its fundamental, not overtone, frequency.

The best source for crystals is:

International Crystal Mfg Co.
11 N. Lee Ave
Oklahoma City, OK 73102
tel. 405-236-3741, 800-725-1426

You need not bother with calculating the crystal fundamental frequency. Merely supply International with the exact receiver model number, printed on the rear label, and the frequency you want to monitor. They will perform the necessary calculations.

Crystals for Plectrons

The Plectron P1 series contain two crystals. The second local oscillator crystal is 11.155 MHz regardless of band. On VHF high band (148 - 175 MHz), the P1 series employ this formula for the first local oscillator crystal:

Crystal frequency (MHz)
= (station freq (MHz) + 10.7) / 4

or

Crystal frequency (MHz)
= (station freq (MHz) - 10.7) / 4

On VHF low band (25 - 54 MHz), the P1 series employ this formula for the first local oscillator crystal:

Crystal frequency (MHz) = (station freq (MHz) + 10.7)

or

Crystal frequency (MHz) = (station freq (MHz) - 10.7)

There are two crystals (Y1, Y2) used in the Plectron R700 series, one for each local oscillator. The crystal formulas are:

RF Range (MHz) Y1 (MHz) Y2 (MHz)
_____
25-29 (f+10.7)/3 11.155
29-32.6 (f+10.7)/3 11.155
32.5-35 (f-10.7)/2 10.245
35-41 (f-10.7)/2 11.155
41-47 (f-10.7)/2 11.155 (use 10.245 MHz
for Y2 on 44.62 MHz)
47-54 (f-10.7)/3 11.155
148-158 (f-10.7)/9 11.155
158-175 (f-10.7)/9 10.245
450-470 (f-10.7)/18 11.155

The economy Plectron 500 series use this scheme for the first local oscillator crystal:

RF Range (MHz) Crystal (MHz)

---

25 - 35 (f+10.7)
35 - 54 (f-10.7)
148 - 174 (f-10.7)/4

Most Plectron 500s use an 11.155 MHz second local oscillator crystal. However, a 10.245 MHz crystal is used instead for receivers in these ranges: 33.4 - 33.78, 44.62, and 158.78 - 158.82 MHz.

Power Cords

AC power cords for both types of receivers use unique connectors and are scarce. I published the pinout for both Plectron and Motorola Alert Monitor receivers in June 1998 Monitoring Times magazine.

You can buy the proper replacement power cords but it's much cheaper to drill a hole on the rear panel and solder on a permanent a power cord. Make sure you use a grommet in the hole to prevent the metal chassis from chafing the line cord.

Many Plectrons and Alert Monitors were equipped with an internal NiCd battery pack, intended to power the receiver if the AC power fails. It's unusual to find a used monitor receiver with the NiCd pack still capable of holding a charge. More often, the batteries have died and the series charging resistor has overheated and burned. Be sure to remove the dead batteries as they often leak.

Squelch and Minimum Volume Setting

If you find the squelch on your Plectron 700 series receiver has too much hysteresis, replace R96, a 180K resistor, with a 560K resistor. On the P1, the resistor is designated R81.

Both Plectron and Motorola Alert monitor receivers are designed purposely to have a minimum volume setting which is still audible. The intent was to prevent firemen from turning the volume down completely, forgetting it was down, then missing an important call.

This "feature" was usually implemented by having a fixed value resistor in series between one end of the volume control and ground. In the R15X5, R14X5, R15X5, and R16X5, a 47 ohm resistor, designated R624, was inserted in series with the violet wire leading from the volume control.

You could decrease the lowest volume setting by decreasing the value of this fixed resistor. Alternatively, you could replace the resistor with a jumper wire to completely

silence the receiver at minimum setting of the volume control.

Tone Alert Feature

I have not used the Plectron tone alerting features so I cannot address that except to say that the special coils and capacitors for the dual tone decoders vary depending on the tone frequencies and are somewhat difficult to obtain.

Repair and Replacement Parts

Repair service and replacement parts for the Plectron P1 and R700 models is offered by:

Weber Electronics
PO Box 212
5138 Laurel Ln.
Broad Run, VA 20137
telephone (540) 347-7760
email: weber@citizen.infi.net

You can also obtain Plectron repairs and parts from:

Northeast Communications
4 Oak Ridge Rd
Newfoundland NJ 07435
201-697-8804

Alert Monitor parts are available from Motorola. Phone (800)972-3226.

Plectron SM-series Scanning Receivers

Plectron also sold an SM series of scanners, manufactured in Japan by the same folks who made Craig (division of Pioneer) scanners. The SM series are consumer-grade models and are included in this article for the sake of completeness. They are crystal controlled radios and feature priority scan and a separate trimmer capacitor for each channel to net the crystals on frequency.

Band Frequency Limits

VHF-low 30 - 50
VHF-high 150 - 174
UHF 450 - 470 MHz

Table 4. Plectron SM Model Band Limits

Model UHF VHF-high VHF-low

SM-301 X X X
SM-302 X X

SM-303 X X
SM-304 X X

Table 5. Plectron SM Models

The crystals used in the SM series are quite different from
the crystals used in the conventional single channel
Plectron monitors. Here are the crystal formulas:

VHF low band:
crystal 3rd overtone freq = receive freq + 10.7 MHz

VHF high band:
crystal 3rd overtone freq = (receive freq - 10.7 MHz)/3

UHF band:
crystal 3rd overtone freq = (receive freq - 10.7 MHz) /
10

Other crystal specifications for the SM series are:

CR 25/U holder
3rd overtone
20 pF load capacitance
parallel resonant
max series resistance 40 ohm
max drive 2 mW

Plectron Alternatives

Too bad Plectron is out of business. If you wish to
purchase a new receiver with "Plectron-like" signaling
capabilities, contact Reach Electronics:

Reach Electronics
1311 West Pacific
Lexington, NE 68850
(308) 324-6661
(800) 445-0007
FAX: (308) 324-4985

Reach sells tone & voice pagers, Alert monitors, and
ENCODERS. They also do contract manufacturing.

I currently have no Plectrons or Motorola Alert Monitors
for sale. I'm hoarding them. :-)

--
Copyright 1999, Bob Parnass, AJ9S parnass@bell-labs.com
Locate & identify transmitters in your area with a color RadioMap(tm)
http://www.megsinet.com/~parnass

5667. Re: Ham Radio Callsign Mugs

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Karl Klingman <karl@mindspring.com>
Message-ID: <37016788.B208B533@mindspring.com>
Source record: 112346
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Phil Wheeler wrote:

> Nor "English" english, for that matter!
>
> "Edward L. Dowdy" wrote:
> >
> > You will notice not everyone uses "American" English.
> >

Someone recently asked John Cleese of Monty Python fame what the differences were between the English and Americans. He said:
1. We speak English -- you don't.
2. When we have World Championships -- we invite other countries.
3. When you meet English royalty you only have to get down on ONE knee.

5668. Re: My new Icom 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: "Edward L. Dowdy" <eldowdy@net66.com>
Message-ID: <9GdM2.405$H5.18418@news3.ispnews.com>
Source record: 112347

I kinda like my 756. My life is possibly more perfect than Ted's. I get paid
to play with trains!

''Donnie'' <n4jzh@amsat.org> wrote in message
news:370150e2.761993301@news.mindspring.com...
> scherbe6@airmail.net (Ted Scherbel) wrote:
>
> >I am the proud owner of the 756 so will add these comments for anyone
> >thinking about one.
> >First - it comes with the usual manual translated from Japanese which
> >leaves about as many questions as it gives answers.
> >My first displeasure was when I plugged into the existing IC15 power
> >supply that was from my old IC730 and found the 756 did not switch
> >power on the supply. GRRRRRR ... Okay so now I have to do that
> >separately.
> >
> >Next - in the manual is a statement that if the tuner is activated
> >with no antenna connected then there WILL be damage to the radio.
> >Now I think this is STUPID to the limit. It would have been so easy
> >to detect that situation and guard against damage. I ask you - is
> >there any ham who has not now and then tried to transmit into an open
> >antenna line? To aggravate this situation is the fact that the
> >default condition is for the tuner to automatically activate on a
> >power up. More GRRRRRRRR....
> >
> >Then last - when the tuner activates, it uses full RF power. I would
> >have thought it would reduce the power out while tuning. I never
> >owned an automatic tuner prior to this one. More GRRRRRRRR...
> >
> >ON the positive side - I find the spectrum scope very handy in tuning
> >a SSB signal. Being a little hard of hearing I often had trouble
> >getting tuned to another station, but the scope really helps.
> >
> >Maybe more later....
> >
> >Ted
> GRRRRR_ Send it to my house if you dont like it
> I'll put it next to my 746....n4jzh

5669. FS Ten-Tec Omni D complete station

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: N9IVO <steam@megsinet.net>
Message-ID: <LLdM2.393$_45.7500@news.megsinet.net>
Source record: 112348

I have a complete Omni D, series B station that also includes
both the 12 and 30 meter warc kits(uninstalled) and the instructions
for the kits. I bought the pieces to put this full station
together but have found that I prefer a modern rig so will sell
the Omni station. I think the only piece I don't have is the
tuner and it also does not have the noise blanker. (I hear this
was a rather ineffective noise blanker anyway!)

Omni-D series-B factory upgrade serial # 106
SSB and CW filters were installed with the factory B upgrade.
I have both (30m & 12m) warc kits with instructions (uninstalled)
I got the kits with the rig and a ham on this reflector was kind enough
to supply me with the instructions that came with the kits originally.
I don't have the nerve to attack the installation myself. I'm sure
Ten-Tec would do the installation.

Model 232m matching power supply with the over current
protection kit. (also uninstalled)

Model 243 matching external VFO for working split

Model 645 matching keyer/paddle

Model 705 desk microphone

All manuals are included.
This is a complete station and I won't break it up, so
please don't ask me to.
All equipment is in top-notch shape and works perfectly.
My price is $650 shipped.
It can be seen on my web page.
Just click on the link below and then go to the ham radio
page. I'll also e-mail larger pics on request or if you're from
the Chicago area, you can come check out and operate it
if you like.
Thanks... Mike, N9IVO
_/_/_/

5670. Re: Commments regarding Timewave DSP add-ons

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Jeff Kilgore <kilgore@dev.tivoli.com>
Message-ID: <37012302.85982349@dev.tivoli.com>
Source record: 112349
Cross-posted to: alt.ham-radio.dxing,alt.ham-radio.hf,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.misc

I have used a Timewave DSP-59+ with a TS-850 (among other rigs) for several years, and I really like the combination. I mostly use it for ragchewing and digital modes, but occasionally for contesting and DXing. I would still recommend the appropriate optional filters in the 850, but the DSP unit really does make a difference.

73,
Jeff, KC1MK

Joseph A Rodgers wrote:

> Is anyone using a Timewave DSP unit with a late model HF rig such as the
> following:
>
> TS-850, 870
> TS-440-450
> FT-890, 990, 1000MP, 1000D
> Omni V, VI
> IC-761, 765, 781
>
> I would be interested in your comments about how well the Timewave unit
> works with the receiver audio in these rigs. Do you think that it makes your
> radio a better radio in that it is easier to use, easier to pull out weak
> signals, whatever. Do you use rig for ragchewing, DX, contesting?
>
> Was the TImewave unit worth what you paid for it?

5671. Re: Commments regarding Timewave DSP add-ons

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: David Rich <kg0us@swbell.net>
Message-ID: <37016CA3.23A1E76D@swbell.net>
Source record: 112350
Cross-posted to: alt.ham-radio.dxing,alt.ham-radio.hf,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.misc

I have a TS850SAT with the 1.8 KHz and 500 Hz filters in the first IF
and a 250 Hz filter in the second IF.

My TS850 seems like an excellent cw rig. I purchased the Timewave 599zx
and like it the best on cw. However, my timewave will sometimes blank
the signal out on cw rx if there is another very strong signal nearby.
Has anyone else had this experience? I can usually rx while it
is blanking out by selecting my narrower IF filters or by pressing the
BYPASS button.

My TS850SAT has never been very great during SSB phone contests. I
usually have to use the AIP and engage the Attenuators to keep nearby
stations from eating the rx alive.

73
Dave KG0US

Jeff Kilgore wrote:

> I have used a Timewave DSP-59+ with a TS-850 (among other rigs) for several
> years, and I really like the combination. I mostly use it for ragchewing and
> digital modes, but occasionally for contesting and DXing. I would still
> recommend the appropriate optional filters in the 850, but the DSP unit really
> does make a difference.
>
> 73,
> Jeff, KC1MK
>
> Joseph A Rodgers wrote:
>
> > Is anyone using a Timewave DSP unit with a late model HF rig such as the
> > following:
> >
> > TS-850, 870
> > TS-440-450
> > FT-890, 990, 1000MP, 1000D
> > Omni V, VI
> > IC-761, 765, 781
> >
> > I would be interested in your comments about how well the Timewave unit
> > works with the receiver audio in these rigs. Do you think that it makes your
> > radio a better radio in that it is easier to use, easier to pull out weak
> > signals, whatever. Do you use rig for ragchewing, DX, contesting?
> >
> > Was the TImewave unit worth what you paid for it?

5672. FS: MOTOROLA REPEATERS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Murray Green <mgreen@erols.com>
Message-ID: <370175EB.FE4@erols.com>
Source record: 112351

FOR SALE: MOTOROLA MICOR base/repeater station model C73RXB-1126B.
All solid state
100 watt continuous duty P.A.
132-150.8 mhz (low split)
2 channel xmit & receive
Digital voice protection system
Date code: Built Aug 1988
Absolutely MINT condition
GUARANTEED to be completely operational

$800 plus shipping from Maryland. Please respond to KD3VR, Joe, at
bmejoe@freewwweb.com or call him at 301-577-3749.

Thanks, Murray, K3BEQ

5673. FS: Kenwood TS450SAT HF Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Eric Ludes <eludes@earthlink.net>
Message-ID: <37016F64.736A5D7@earthlink.net>
Source record: 112352

For sale:

Kenwood TS450SAT (with the auto tuner) HF transceiver with all original manuals, hand mic, power cable and box. This rig is in excellent condition. No mods. I am the original owner. Non-smoker, rig never mobile.

$725.00 OBO, picture emailed upon request.

73 and thanks for reading.

Eric - KG0JN
eludes@earthlink.net

5674. Re: Yaesu 51R 800meg Mod?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Jim Gerke <jgerke@pulse.net>
Message-ID: <370179E2.1007@pulse.net>
Source record: 112353

Well, I have egg on my face. The FT-51's display shows the 800 freq range but it does not actually receive there. After thinking about it, I seem to remember hearing that the RX circuitry needed to receive up there is not installed in the US version of the radio. I must have been thinking of the FT-530.

I didn't mean to cause so much excitement!

73, Jim, K5NTX

5675. WTB:WILL BUY R.S. DSP40

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: wayne <kj4gy@icx.net>
Message-ID: <37013A76.5831@icx.net>
Source record: 112354

I,m looking for good radio shack dsp 40.Around $25.00 shipped to me at
37931.In Tn.
Thanks
WAYNE

5676. Heil Mike Sets

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <3701822B.1F7E3C12@mindspring.com>
Source record: 112355

Any opinions on the Heil Pro Set? I'm thinking of buying one plus footswitch for use with my Kenwood TS-570-D(G).

Pros and cons would be appreciated.

Phil W7OX

5677. wtb dual band mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Standlee Spencer <spencer@satcom.net>
Message-ID: <370185D5.D8F5E963@satcom.net>
Source record: 112356

New Ham wants a good dual bander mobile. Fairly new, pretty good condition, encode (decode if possible), internal duplexer, etc...e-mail: KF6URU@juno.com

5678. ISO Johnson PPL 6000 Series PL Board Info.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: "Donald E. Smith" <desmith@innercite.com>
Message-ID: <3701BF17.AF16BF3F@innercite.com>
Source record: 112357
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc

I need to find copies of manuals for the different PL tone boards as used in the Johnson PPL 6000 series radios. These are adjustable by a 10 turn trim pot with resistors that are clipped to change ranges. I need to repair one board and change the range of the other.. One has ED-32 on it and the other has 35431-1. Please respond with email directly to my address. Will gladly pay and copying/shipping costs. Even can use fax or email attachment. Thanks Don KB6GQA

5679. Re: My new Icom 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Gary Baker <gbaker@pacifier.com>
Message-ID: <37018e21.0@news.pacifier.com>
Source record: 112358

I'll Trade you a nice IC-730 for your GRRRRR 756.....
Ted Scherbel <scherbe6@airmail.net> wrote in message
news:1A232B6AC200F177.7A083033880B8B6F.1F0D425190BE9E6E@library-proxy.airnew
s.net...
> I am the proud owner of the 756 so will add these comments for anyone
> thinking about one.
> First - it comes with the usual manual translated from Japanese which
> leaves about as many questions as it gives answers.
> My first displeasure was when I plugged into the existing IC15 power
> supply that was from my old IC730 and found the 756 did not switch
> power on the supply. GRRRRRR ... Okay so now I have to do that
> separately.
>
> Next - in the manual is a statement that if the tuner is activated
> with no antenna connected then there WILL be damage to the radio.
> Now I think this is STUPID to the limit. It would have been so easy
> to detect that situation and guard against damage. I ask you - is
> there any ham who has not now and then tried to transmit into an open
> antenna line? To aggravate this situation is the fact that the
> default condition is for the tuner to automatically activate on a
> power up. More GRRRRRRRR....
>
> Then last - when the tuner activates, it uses full RF power. I would
> have thought it would reduce the power out while tuning. I never
> owned an automatic tuner prior to this one. More GRRRRRRRR...
>
> ON the positive side - I find the spectrum scope very handy in tuning
> a SSB signal. Being a little hard of hearing I often had trouble
> getting tuned to another station, but the scope really helps.
>
> Maybe more later....
>
> Ted

5680. Re: Heil Mike Sets

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Smitty <wa4puf@mindspring.com>
Message-ID: <3701912F.3FA1A676@mindspring.com>
Source record: 112359

Can only evaluate its use with Kachina 505DSP, has reduced audio
requiring running vol. cont. higher but otherwise it's a fine headset.
Have gotten many fine reports on my transmitted audio. I too use a foot
switch, made it myself.

wa4puf --- Smitty

Phil Wheeler wrote:
>
> Any opinions on the Heil Pro Set? I'm thinking of buying one plus
> footswitch for use with my Kenwood TS-570-D(G).
>
> Pros and cons would be appreciated.
>
> Phil W7OX

5681. WTB: PURCHASE R.S DSP40

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: wayne <kj4gy@icx.net>
Message-ID: <37014FAC.2F69@icx.net>
Source record: 112360

I,m looking for working a Radio Shack DSP 40 in the price range of
$20.-30. shipped to 37931 Tn.
Thanks
Wayne
KJ4GY

5682. Re: eBay-- gotta wonder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: lstolz@gcfn.org
Message-ID: <7ds6gt$chk@login.freenet.columbus.oh.us>
Source record: 112361

..just 'cause someone's got a purty picture attached to their offer on ebay
does not guarantee the item will look as nice when the buyer opens up the box!

I received a piece of test equipment that I purchased on ebay (picture
looked good) and the unit had been stored at the bottom of a pond. It was
full of dried/caked mud and cockroach skins. The outside of the unit was
filthy, too.

The outside of the shipping box said SUCKER STUFF.....it sure was.

Your mileage may vary.......

--
-
Lynn Stolz N8AJ -- lstolz@gcfn.org
-

5683. FS: Kenwood TS-120 Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <3701B20E.3637@ix.netcom.com>
Source record: 112362
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Hi all..

For sale ...Kenwood TS-120S transceiver in good condition.

Comes with hand mic and users' manual.. no mobile bracket.

$275 for radio. Also have new in bag power cable will include
for $25.. Was just purchased for $35.

This belongs to a friend of mine, so if interested, please
respond via e-mail, and I will get info to him.

Thanks for reading.

Steve-WA6GSD

5684. Re: fed...UPS....Lets SUE EM..CLASS ACTION ANYONE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Bob <bdiaz@my-dejanews.com>
Message-ID: <3701B99B.9F1E67AE@my-dejanews.com>
Source record: 112363
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio*

I work for a computer company and I'm amazed how some people ship
pack their monitors when they ship it back to us for service.
Some will put a 17" monitor in a 15" monitor box WITHOUT any padding
around the monitor. Some use wadded up newspaper for padding.
Some use boxes with cardboard so thin, it doesn't hold up.

It should come as no surprise that when people ship things that way,
we receive the item damaged. Fed-Ex, UPS, RPS, ... and other shippers
will not cover damages due to improper packaging. Nor will the
manufacturer cover damages due to improper packing.

I do have a gripe against UPS; When equipment is damaged and it was
packed properly, the UPS Claims Inspector comes up with every excuse
in the book to deny the Claim or they'll say they'll only cover up
to $99. .. Oh great, they trash $3000 worth of equipment and are
willing to pay just $99! So far, I've never seen UPS cover the full
cost of their damages. (Maybe the inspectors I run into are all
jerks or maybe UPS trains their inspectors how to avoid agreeing to
cover any claim.)

On the other hand, Fed-Ex does cover damages when it's their fault.
Fed-Ex overnight is VERY expensive; however they do offer a cheaper
2 day service.

Joe D. Bucher wrote:
>
> J. Murray Neece wrote:
> >
> > I will no longer be responsible for any shipment sent to OR from me on
> > UPS...if you specify it, it becomes yours the minute I drop it off at
> > UPS counter....
> >
> > I mean it , Ive had it...please send me just a note, no explanation
> > now....if you have a proveable grievance, or even NEARLY....I dont know
> > yet, but I believe I have enough to get one of my family lawyers to take
> > it on Spec...and I Have Had It....with them....I guess its fed ex only
> > for me too now...post office is too tough to even get started on a
> > claim.....I am foreward this to UPS corporate as well....GUESS WHAT
> > UPS....HAMS HATE YOU AND there are lots of others that do too!!
> >
> > Sincerely ,
> > Murray Neece
> > Smokin J's Discount Tobacco
> > and RADIO RANCH

>
> Most folks just don't know how to properly package an item to
> survive the rigors of UPS. I have shipped hundreds of electronic
> related items and have just had one lost shipment. None lost to
> damage. I have bought items from individuals that assured me they
> would pack it well and when it arrived it was trashed! Used properly,
> UPS is the cheapest and most reliable shipping source we have.
> However, Fedex is better than UPS if cost is of no concern. Thanks
> for letting me get my 2 cents in! ...Joe

5685. Manufacturer TMC ?? Looking for info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: VE7SEZ <tkpoustie@NOSPAMbc.sympatico.ca>
Message-ID: <kojM2.202$jO1.601180@news.bctel.net>
Source record: 112364
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Hello all, I am looking for info on my latest great hamfest acquisition---a TMC Model RFE 1 2@4CX350a HF amplifier. Anybody know how to contact them? I would like to obtain original manuals, schematics etc. The name on the tag is Technical Materiel Corp. Mamaroneck NY. Any info greatly appreciated!

Tim VE7SEZ

caution spamguard on! use this link to reply----------
tkpoustie@bc.sympatico.ca

5686. Tennessee Scanner and Ham Frequencies

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Dan <kd4lyp@webdeals.net>
Message-ID: <3701191C.3309@webdeals.net>
Source record: 112365
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,alt.radio.scanner,rec.radio.scanner

http://www.webdeals.net/sevco.htm

Sevier County Tennessee Frequencies.
Other Tennessee Frequency links at the bottom of the page.
If you have a Tennessee frequency page...please let me know about it.

5687. Re: 572B Driving Impedance?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: "Charles H. Reichert" <reichert@cig.mot.com>
Message-ID: <37010859.A57A9C6C@cig.mot.com>
Source record: 112366
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew

I have a Freeware G.G. Triode RF Amplifier
Prgram on my site you can download. It
will give you the driving Impedance plus Matching
circuit needed plus othe info.

You can generate a 572B *.dat file using the utility
program and a data sheet with the characteristic curves.

See T.A.P. 2.0 on http://www.imaxx.net/~kd9jq

73 Chuck KD9JQ

martyt@pobox.com wrote:
>
> Can someone with a tube reference book tell me what the driving impedance is
> for a 572B tube (or tell me where I can find that info on the 'net)?
>
> I'd like to try adjusting the input networks on my SB-200, and can do so with
> the MFJ-259 antenna analyzer but must have a couple of resistors that are the
> same value as the driving impedance of the tubes (572Bs).
>
> Any help would be appreciated.
>
> 73,
>
> -Marty KI0LO
> martyt@pobox.com
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5688. FS: Standard C5718DA 2/440 mobil

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: fleet@mbl.edu
Message-ID: <fleet-3003992014300001@pom1.mbl.edu>
Source record: 112367
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

This is the radio that has everything in the mic (including display)in
mint condition.comes w/200 channel memory module $300.00 plus any shipping

5689. Re: new amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: William Lee <n5wrx@mindspring.nospam.com>
Message-ID: <7dqcbiroc1@camel21.mindspring.com>
Source record: 112376

Rick, Conside this:

NIB (new in Box) never used, Alpha 89 Amplifier, w/opt.
cooling fan, $3900.00, will split shipping.
de KD6UN
Bill

Rick Conners wrote in message <370088E7.502F3F4A@teleport.com>...
>Does any company manufacture an hf...all freq amp. which has a built in
>antenna tuner? I know Alpha does but the 6k price is too steep for
>me...
>
>Would like 1.3 to 1.5kw output, full auto tune, including antenna and
>priced around $3,000.
>
> prefer 110-120 power source but will install 220 if necessary.
>
>tnx
>

5690. Re: eBay-- gotta wonder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: William Lee <n5wrx@mindspring.nospam.com>
Message-ID: <7dqck7$7i9$1@camel21.mindspring.com>
Source record: 112377

But Sir, it todays attitude of "It's someone else's fault" and "I'll sue" no one needs to be careful or responsible for their actions. There is always a lawyer who will sue for a big cut of the pie and WE the jury will award it to them.

Pinky & The Brain wrote in message <922716500.199.100@news.remarQ.com>...
>Two Words Gentleman, "Caveat Emptore"
>
>
>
>

5691. FS: Yaesu Gear

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: ab4d@aol.com
Message-ID: <19990330075055.08312.00000017@ng-fx1.aol.com>
Source record: 112378

Thank for reading this, I have for sale the following gear, all of it is in excellent condition and works perfectly, includes all documentation, original cartons, hand mics and cables. Non-Smoker owned.

Yaesu FT-1000mp with SP-8 external speaker and MD-100 desk mike, rig was purchased in the spring of 1996, This rig is a 9.8 as 10 being new $2300.00

Yaesu FT-736R VHF/UHF, has 6m, 2m, 1.25cm and 70cm, the rig has all options installed cw filter/keyer unit/ctcss encode/decode, includes SP-767 external speaker & MD-1 desk mic, the front panel is in new condition, the sides of the rig have some minor superficial
scraches in the paint. $1850.00

Yaesu FT-840 with FP-800 speaker/power supply and FC-10 auto tuner, this rig has all options installed includes YF-112A AM filter, YF-112C 500hz CW filter, FM-747 FM Unit and MD-100 desk mic this rig and assc. are a 9.5 out of 10, $1000.00.

Drake L-4 B 10 thu 80 hf amplifier includes extra set of 3-500z pulls untested, higher serial number unit (5313) perfect working condition and in beautiful shape the blue meter filters are still blue, an 9.0 out of 10 the front panel is a 9.8, $800.00 obo.

I also have a tower and antenna package for sale, U-pick up in the Northern Virginia/Wash D.C. area, 40 feet of rohn 25G with house bracket, Glen Martin heavy duty hazer with thrust bearing, Telex 15 foot steel mast, Cushcraft X-7 with 40 meter add on kit, Cushcraft 13B2 2 meter yagi, Cushcraft A50-5S 6m yagi, Yaesu G-800 SDX antenna rotator, five120 foot runs of belden cable, this whole package is about six months old except for the A50-5S which is about 3 years old

I am selling all of the gear to pursue other interest, please e-mail me if you are interested, Jim, AB4D@aol.com

5692. Re: Should I say, WHY doesn' t anyone have an ICOM 775DSP?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: diale.nospam@mindspring.com
Message-ID: <3700ca0a.48540056@news.mindspring.com>
Source record: 112379

Thanks to everyone whom has replied to my post. A lot of light has
been shed on this unit for me. I'm back on the FT-1000D again as my
rig of choice, or "master" appliance.

On Tue, 30 Mar 1999 01:47:20 GMT, diale.nospam@mindspring.com (Ed
(WA4RYW)) wrote:

>Does anyone have an Icom 775DSP? I never read about them here, nor do
>I see them compared to anything. Never see them for sale. Never see
>anyone "Wanting To Buy". What's the deal with this radio?
>
>-Ed

5693. Re: UHF receiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: alf sauve <alf.sauve@mindspring.com>
Message-ID: <7dqii6$2j3$1@camel15.mindspring.com>
Source record: 112380

This is fairly easy depending on whether you want a handheld, a desktop or a PC version.
Here's a few of the top of my head.

ICOM: PC-1000, PC-100, R-8500, R 10, R 2
Alinco DJ-X10

That doesn't include HT's with wide receive capabilities. Also here's a short list of other manufacturers: AOR, Oregon Scientific, Uniden, Alpha Delta, Drake, Grundig, MFJ, Sangean, Sony, winRadio and Blauplunk (sp). Most have online sites. I don't know if they all have wideband models, but this is easy enough to find on-line.

Alf - W4ADS

kaplr@metalab.unc.edu wrote in message <7dodpehbj1@nnrp1.dejanews.com>...
>I am looking for a radio that can receive AM/FM and VHF/UHF.
>VHF is easy, but finding one with UHF is a challenge. Do they exist?
>If not, what are my alternatives? Thanks for any information.
>
>Ralph
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5694. FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: gary.THrelfall@littlewoods.co.UK
Message-ID: <TFSGGSDP@littlewoods.co.uk>
Source record: 112381

Yaesu FT-847 for sale, 2 months old, boxed with matching MD-100 desk mic.
£1000 sterling, no offers. Upgrading to FT-1000mp (soon to be M0).
Sorry this ones only for the UK.
Gary G7TOK qthr in 1999 call book and on QRZ.com

Recently did side-by-side comparison with FT-1000mp, TS-850sat, FT-847 and
Icom IC-746 at the local radio club.
FT-1000mp beat all on hf, FT-847 and TS-850 were equal with minor differences,
IC-746 was noticebly the worst. The FT-847 buried the IC-746 alive on VHF, the
SATT front-end filters in the FT-847 make an enormous difference.
The TS-850 had a Collins narrow ssb filter fitted, but the FT-847 only had DSP.
Aerials were full size G5RV and Cushcraft tri-band beam at 70ft for HF and
two Comet beams for 2m and 70cm respectively.
Suffice to say, the general consensus was that the IC-746 was a stinker !
The owner, a G6` licenced in 1936 was best not pleased, the upshot is,
he sold the IC-746 and has invested in an FT-1000mp (these CW guys eh!!!)
The only reason to buy a 746 is for the magnificent display.

Cheers, Gary.

Littlewoods Home Shopping Group Limited

Registered Office

Sir John Moores Building
100 Old Hall Street
Liverpool
L70 1DX

Registered in England No 421258

This message is intended only for the use of the
individual to which it is addressed and may contain
information that is privileged, confidential and
exempt from disclosure. If the reader of this message
is not the intended recipient or an employee or agent
responsible for delivering the message to the intended
recipient, you are hereby notified that any dissemination
distribution or copying of this communication is strictly
prohibited. If you have received this communication in
error, please notify us immediately by replying to the
sender and deleting the original document.

5695. Re: icom IC-W32a vs FT51R

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Jim Gerke <Jim.Gerke@usa.alcatel.com>
Message-ID: <3700DA24.A7FE256F@usa.alcatel.com>
Source record: 112382

FYI -

I've owned 3 FT-51's and they all receive 800+ (cell-blocked). I can listen to my city's PD at around 860 MHz with no problem. It does take a mod to get there, however. I can't remember for sure if the radio will also go up into the 900 MHz range or not, but I think it does.

73, Jim, K5NTX

K5JOE wrote:
>
> Good Luck with the test.
> I have had both radios and liked both. the 51R has a better speaker but
> the w32a has 900meg recieve.

5696. FS: Kenwood TS850-SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: "H. J. (Hud) Huddleston" <huddlehd@bsc.net>
Message-ID: <7dqonoahg1@server.cntfl.com>
Source record: 112383

For Sale: Kenwood TS-850SAT with both 500 hz cw filters and 1.8 khz ssb filter, 2 hand mics. Cherry, like new. $1000.00 I ship. Located in NW Florida.

Hud Huddleston, K4BU
(850) 862-2566
huddlehd@bsc.net

5697. FS: Drake L-7 Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: "H. J. (Hud) Huddleston" <huddlehd@bsc.net>
Message-ID: <7dqovlakq1@server.cntfl.com>
Source record: 112384

For Sale: Drake L-7 hf amp, 10-160 meters, with ps. Clean, excellent condx. Tubes old but in good condx. $900.00 , I ship. Located in NW Florida.

Hud Huddleston, K4BU
(850) 862-2566
huddlehd@bsc.net

5698. Re: Handheld HT opinions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7dqt9vmhi1@nnrp1.dejanews.com>
Source record: 112385

In article <36FFD302.3A34@mdo.net>,
frostys@mdo.net wrote:
> Does anyone have any comparisons between the following HTs?

Bill - you have already done some homework, because your "short list" includes very good radios...

It is time to join your local Amateur radio club! There you will meet folks who desire to do exactly what you want to do in your region. You will see old and newer equipment, and get first-hand accounts of how they perform in YOUR area under real-world conditions.

And while I'm spending your money for you <grin>, you should also join the ARRL. I believe all the HTs you listed have been reviewed in their month magazine, QST. And back issues' reviews are now available for ARRL Members ONLINE as a membership benefit.

- Clint Bradford, ATTENTION to Details
http://www.clintbradford.com

P.S. - Of the dual-banders, I really enjoy my FT-50RD from Yaesu. VERY ergonom for a medium-to-large male hand. Resting comfortably in your left hand, you can key the mike, open squelch, turn on the lamp, change channels...by using just your thumb. Coupled with the ADMS programming software package, I use my FT-50RD daily and haven't been disappointed.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5699. Re: FOR SALE: Standard C558a Dual Band HT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: clintbrad4d@earthlink.net
Message-ID: <7dqthkmmk1@nnrp1.dejanews.com>
Source record: 112386
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,alt.radio.scanner,rec.radio.amateur.equipment

In article <7dp4kfshg1@news.inc.net>,
<kb9lsx@yahoo.com> wrote:

> For Sale: Standard C558a Dual Band HT.

Wow...this is the first dual-band HT I purchased a few years ago. It is a great unit. Although it may be "dated" in manufacturing years, it has darned near everything ANY Amateur would ever need in an HT.

Accessories (batteries, speaker-mikes) are universally available from other vendors. This guy cannot be "pleased" to get rid of this HT - it's a winner.

- Clint Bradford, ATTENTION to Details
http://www.clintbradford.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5700. Maha/Rexon RL-112

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: "Stuart C. Irby Co. Branch 26" <irbycctx@ciris.net>
Message-ID: <922807425.949.69@news.remarQ.com>
Source record: 112387

Does anyone have any modifications for this radio?
Thanks, Marco
kc5cpd
cc_skavenger@yahoo.com

5701. Re: Commments regarding Timewave DSP add-ons

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Hans K0HB <K0HB@arrl.org>
Message-ID: <7dqu31$n8d$1@nnrp1.dejanews.com>
Source record: 112388
Cross-posted to: alt.ham-radio.dxing,alt.ham-radio.hf,rec.radio.amateur.dx,rec.radio.amateur.equipment

"Joseph A Rodgers" <jarodger@airmail.net> wrote:

> Is anyone using a Timewave DSP unit with a late model HF rig such as the
> following:
>
> TS-850, 870
> TS-440-450
> FT-890, 990, 1000MP, 1000D
> Omni V, VI
> IC-761, 765, 781
>
> I would be interested in your comments about how well the Timewave unit
> works with the receiver audio in these rigs. Do you think that it makes your
> radio a better radio in that it is easier to use, easier to pull out weak
> signals, whatever. Do you use rig for ragchewing, DX, contesting?

I have a TimeWave 59+ that I have used on several radios (FT980, IC761,
IC775DSP).

The unit does several things, some things better than others. For reduction
of noise it is absolutely phenomenal. For reduction of QRM, especially QRM
which is stronger than the target signal, it is less effective. This stems
from the fact that the filtering activity is post-detection, and the QRM has
already impacted your AGC chain.

On the IC775DSP the unit is of less value, simply because the 775 already
performs these functions back in the IF stages.

73, Hans, K0HB

~~~
I called them mad, and they called me mad, but damn
them, they outvoted me.
~~~

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5702. Re: tm-733 question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Clif Holland <avvid@onramp.net>
Message-ID: <3700E599.40A@onramp.net>
Source record: 112389

PBandJ606 wrote:
>
> I recently got my hands on a Kenwood tm-733 dual band. 440 seems to be working
> well. The problems is that 2m reception is quite lousy compared to the tm-251
> I had in my truck before (ant. & all else the same). Repeaters that used to
> peg my s-meter all the way to work now only do so at tops of hills. Signal
> reports I get back are good. Is this common for dual banders compared to
> monoband, or do I have internal problems? Solutions? Higher gain ant?
>
> Thanks
> Paul

Not common. Probably the RF amplifier is out. It should be as good as if
not better than the 251.
--
Clif Holland, KA5IPF
Owner of AVVid, an Authorized Kenwood and Icom Service Center
For more info click on the following
http://rampages.onramp.net/~avvid
or call 1-800-214-5779

5703. My new Icom 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: scherbe6@airmail.net
Message-ID: <1A232B6AC200F177.7A083033880B8B6F.1F0D425190BE9E6E@library-proxy.airnews.net>
Source record: 112390

I am the proud owner of the 756 so will add these comments for anyone thinking about one.
First - it comes with the usual manual translated from Japanese which leaves about as many questions as it gives answers.
My first displeasure was when I plugged into the existing IC15 power supply that was from my old IC730 and found the 756 did not switch power on the supply. GRRRRRR ... Okay so now I have to do that separately.

Next - in the manual is a statement that if the tuner is activated with no antenna connected then there WILL be damage to the radio. Now I think this is STUPID to the limit. It would have been so easy to detect that situation and guard against damage. I ask you - is there any ham who has not now and then tried to transmit into an open antenna line? To aggravate this situation is the fact that the default condition is for the tuner to automatically activate on a power up. More GRRRRRRRR....

Then last - when the tuner activates, it uses full RF power. I would have thought it would reduce the power out while tuning. I never owned an automatic tuner prior to this one. More GRRRRRRRR...

ON the positive side - I find the spectrum scope very handy in tuning a SSB signal. Being a little hard of hearing I often had trouble getting tuned to another station, but the scope really helps.

Maybe more later....

Ted

5704. trade

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Paul Martin <pmartin@bright.net>
Message-ID: <7dqs7h$528$1@cletus.bright.net>
Source record: 112391

I would like to trade an Icom 245 2M multimode 10W for an MFJ 6M rig. Any takers?
pmartin@bright.net

5705. Re: Commments regarding Timewave DSP add-ons

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: AC6V <ac6v@ix.netcom.com>
Message-ID: <3700F7DD.7137@ix.netcom.com>
Source record: 112392
Cross-posted to: alt.ham-radio.dxing,alt.ham-radio.hf,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.misc

Joseph A Rodgers wrote:
>
> Is anyone using a Timewave DSP unit with a late model HF rig such as the
> following:
>
> TS-850, 870
> TS-440-450
> FT-890, 990, 1000MP, 1000D
> Omni V, VI
> IC-761, 765, 781
>
> I would be interested in your comments about how well the Timewave unit
> works with the receiver audio in these rigs. Do you think that it makes your
> radio a better radio in that it is easier to use, easier to pull out weak
> signals, whatever. Do you use rig for ragchewing, DX, contesting?
>
> Was the TImewave unit worth what you paid for it?

Hi Joe -- I have the DSP 599ZX and the TS-850SAT. I use it for DXing
mostly, some contesting. It is absolutely superb for slicing up CW
signals. On SSB where there is noise and atmospherics -- it has enabled
me to pull out signals that were in the ESP category. Highly recommended
from this end. However like all things -- I suggest you borrow one and
try it out for yourself.

For example: a fellow DXer here loves his xtal filters -- I hate em --
ring ring. Not so with DSP unit -- but he hates fiddling with controls
-- so to each his own. Before I got the Time Wave -- my CW operandi was
to use CW Reverse setting on the Kenwood (with no xtal filter) -- when
the pilup was too close to the DX station (usual case).

To my ears it beats any of the built in DSP units I've heard -- but
haven't tried them all yet.

Is it worth it -- depends on if you would use it regularly -- I guess --
I do.
--
73 From Rod In San Diego

AC6V INDEX TO DX AND HAM RADIO
FEATURING 88 PAGES, 400 INDEXED TOPICS, AND 3000 LINKS
Over 330,000 visits on the counter
http://www.ac6v.com/pageas.html -- Alphabetical Index
http://www.ac6v.com/ -- Home Page

5706. FOR SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: n2ion@aol.com
Message-ID: <19990330112804.10739.00000079@ng13.aol.com>
Source record: 112393

I HAVE THE FOLLOWING ANTENNAS FOR SALE:

4-TONNA F9FT YAGIS FOR 1.2 GHz
ASKING PRICE: $100/EA OR $300 FOR ALL + SHIPPING
1-KLM 2M-22C VHF & 1 KLM 435-40CX UHF SATELLITE YAGIS
ASKING PRICE:$300 FOR PAIR WITH BOOM + SHIPPING
1-KLM 2M-22C VHF & 1-KLM 435-40CX UHF SATELLITE YAGIS
ASKING PRICE:$300 FOR PAIR WITH BOOM + SHIPPING
1-AVANTI ASTROBEAM(SOLD)
1-EASY WAY 60' 3 SECTION TOWER IN GREAT CONDITION
ASKING PRICE: $375 PICKUP ONLY IN LONG ISLAND, N.Y.

SERIOUS INQUIRIES ONLY NEED REPLY

5707. BATTERIES NEEDED

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: n2ion@aol.com
Message-ID: <19990330113022.10739.00000082@ng13.aol.com>
Source record: 112394

HI
I RECENTLY BOUGHT AN ICOM DELTA 1 TRIBAND HT, AND NEED SOME 5 WATT (ICOM BP-103) BATTERIES FOR IT.
HELP IF YOU CAN.

THANKS,
JEFF

5708. Diamond Monster 3DFX Card for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: KC4NYH <chainsaw1@mindspring.com>
Message-ID: <7dqurm$97p$1@samsara0.mindspring.com>
Source record: 112395
Cross-posted to:
alt.ads.forsale.computers,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Hello to the group,
I have a like new 12 mb Diamond Monster 3DFX (Voodoo II) card for sale.
This is a must for those gamers out there that want the best! This card sold
new for nearly $450.00, I only need to get $120.00 plus $10.00 for S/H.

PS: for those Ham Radio fans out there, I will consider a trade for a nice
looking 2 meter mobile radio with 50 watts of output.

If interested email me at:
chainsaw1@mindspring.com
My Homepage:
http://www.mindspring.net/~chainsaw1

5709. Yaesu FT 5100 problem

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: AltoPass@worldnet.att.net
Message-ID: <3700FD95.4C04@worldnet.att.net>
Source record: 112396

The controls slowly began to stop working. Now, all buttons except for
the PTT and VFO don't work. I tried resetting the CPU but no results.
I shut it off by pulling the power cord. Any sugestions on where to
start?
Thanks
Jack KB9KLX

5710. F/S IC-2KL & AT-5004

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: HRE / Coin <hamradio@wizzards.net>
Message-ID: <3700FD24.F31@wizzards.net>
Source record: 112397
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.shortwave

ICOM DELUXE SOLID STATE AMPLIFIER PACKAGE... $1450.00

IC-2KL 500 watt Solid State Linear Amp w/ power supply W/ Manual.

IC-AT-500 Fully automatic 500 watt Antenna Tuner W/ Manual.

Very Nice Condition / Works Great ! / NONSMOKER !!!
Selling for Just $1450.00 for Both Items...

Joe Reaves / N6fra
(541) 479-1212
http://www.wizzards.net/hamradio

5711. Re: F/S IC-2KL & AT-500

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: HRE / Coin <hamradio@wizzards.net>
Message-ID: <3700FD9C.72BC@wizzards.net>
Source record: 112398
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.shortwave

HRE / Coin wrote:
> Correction... AT-500
>
> ICOM DELUXE SOLID STATE AMPLIFIER PACKAGE... $1450.00
>
> IC-2KL 500 watt Solid State Linear Amp w/ power supply W/ Manual.
>
> IC-AT-500 Fully automatic 500 watt Antenna Tuner W/ Manual.
>
> Very Nice Condition / Works Great ! / NONSMOKER !!!
> Selling for Just $1450.00 for Both Items...
>
> Joe Reaves / N6fra
> (541) 479-1212
> http://www.wizzards.net/hamradio

5712. F/S Kenwood TS-450-SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: HRE / Coin <hamradio@wizzards.net>
Message-ID: <37010256.4482@wizzards.net>
Source record: 112399
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.shortwave

This is a Very Clean / Kenwood TS-450-SAT / NONSMOKER RIG !!!
General Coverage - Shortwave rcvr. AM, FM, CW, SSB
0 to 100 + watts - HF Xcvr. W/ Built in Auto Antenna Tuner !!!
All Works Great !!! Comes With,
New Hand Mic - Never used. / DC Power Cable.
No Manual / Was Lost !
Sell at Just $750.00 + UPS Shipping...
Will Sell a TS-450 Service Manual for $25.00 with the Radio...
Joe Reaves / N6fra
(5410 479-1212
http://www.wizzards.net/hamradio

5713. Re: ICOM 706 MANUAL

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990330121205.13367.00000073@ng-cd1.aol.com>
Source record: 112400

Hi . Stew here .

Did you find your iCom IC-706 Instruction manual yet ?

If not , let me know . Stew ...
rec.radio.swap

5714. HTs for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: JGeiger@mcrest.EDU
Message-ID: <41AC2A9AC384D211B8BE0008C7B121C7043DB1@MIU_NT1>
Source record: 112401

I have the following HTs for sale:

1. Icom O2at, 2 meter HT, with BP3 and BP8, some scratches on case-$110
2. Icom O4at, 440 mhz HT, with BP3 and BP8, perfect condx-$140

I also have the BC-35 quick charger, which I will include with either HT for $15.

3. Santec ST-144uP 2 meter HT, with wall charger-$55

5715. WTD: CSI info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990330121500.13367.00000075@ng-cd1.aol.com>
Source record: 112402

Need to find out if CSI . Connect Systems Inc. is still in business . Phone number ? Location ?

Thanks , Stew ...
rec.radio.swap

5716. Re: FT-100 IS HERE !!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990330121748.13367.00000076@ng-cd1.aol.com>
Source record: 112403

Hi . Stew here .

What do the "experts" say ? Where can I read about that FT-100 radio ?

How much is HRO charging for the "barebones" radio ?

Thanks , Stew ...
rec.radio.swap

5717. standard service ok

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: dkrause@citcom.net
Message-ID: <37010826.49239530@nntp.citcom.net>
Source record: 112404

I had a standard service center fix my [standard made] heath hw2m two meter tx - it took 2 days of ups to get there, and via ups tracking watched it - it got here at 2pm, and at 9pm same day had a msg saying fixed and the cost - their service is wonderful. Fixed same day... Had to do a testimonial on this, they are great....

Discover Watkins - www.qualityteam.com/reps/danielk.html

5718. Re: HELP WITH FT-980

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990330122703.13367.00000077@ng-cd1.aol.com>
Source record: 112405

Hi . Stew here .

Have you obtained a manual or schemaic for that FT-980 yet ? If not let me know , I may be able to help you .

Stew ...
rec.radio.swap

5719. YUBA tube HF mobile amp !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Phil de Cadanet <BigMobile@g4zow.freeserve.co.uk>
Message-ID: <N+Tt9VA+kLA3EwWh@g4zow.freeserve.co.uk>
Source record: 112406

I'm trying to rebuild a circa 1960 YUBA 4CX100 HF tube mobile amp and need the remote control head unit.

I would be happy to buy a complete amp if price was reasonable.

Also interested in any other QRO tube HF ham band mobile amp's you may have collecting dust, dead or alive.

W.H.Y.?

Phil
--
Phil de Cadanet

5720. Opinions on V7A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Landen Stoker <KC5QDZ@TCAC.NET>
Message-ID: <37010973.7845299E@TCAC.NET>
Source record: 112407
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I am thinking about buying a new Kenwood V7A since I can't find to catch a used one. Must be a fairly popular radio right now. Anyway, before I am willing to put down a chunk of change on one, I would like to hear the opinions of owners. What did you like , dislike about the radio. Do you have any problems with it?

Thanks
Landen
KC5QDZ@TCAC.NET

5721. Re: Commments regarding Timewave DSP add-ons

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Marv Luse <mwluse@dimensional.com>
Message-ID: <37010E92.BBBF658D@dimensional.com>
Source record: 112408
Cross-posted to: alt.ham-radio.dxing,alt.ham-radio.hf,rec.radio.amateur.dx,rec.radio.amateur.equipment

Hans K0HB wrote:

> I have a TimeWave 59+ that I have used on several radios (FT980, IC761,
> IC775DSP).
>
> The unit does several things, some things better than others. For reduction
> of noise it is absolutely phenomenal. For reduction of QRM, especially QRM
> which is stronger than the target signal, it is less effective. This stems
> from the fact that the filtering activity is post-detection, and the QRM has
> already impacted your AGC chain.
>
> On the IC775DSP the unit is of less value, simply because the 775 already
> performs these functions back in the IF stages.
>
> 73, Hans, K0HB
>

Hans,

I am curious about your opinion of the IC775DSP - is it a good rig and does it have any faults? I've been thinking about getting one for my next rig.

Thanks and 73

Marv
KC0EGB

5722. Please price some equipment for me.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: "Larry W. Nicholas" <nicholas@silcom.com>
Message-ID: <01be7ad4$e80a5800$06c847cf@default>
Source record: 112409

Could some price some amateur equipment for me. I need to sell this, as it is part of my fathers estate and I have very little knowledge of it's value.

1 Kenwood TS-140S HF Transceiver with microphone/manual
1 Astron RS-20A Power Supply
1 Hustler 6-BTV Trap Vertical Antenna
80' of coaxial cable

I have two pictures of this Transceiver, listing it's features if that will help. I can email them to you.

I believe the equipment is about 8 years old, and is in excellent condition.

Any help would be appreciated.

Thank you.

Larry Nicholas
nicholas@silcom.com

5723. Alinco DJ-G5 -SALE

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Kostas <katsandim@nao.forthnet.gr>
Message-ID: <37010857.F8304E2A@nao.forthnet.gr>
Source record: 112410

If anyone ineresting e-mail me,. I sale and it is new only 4 months
works.
Price $140+shipping

5724. What radio choose!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Kostas <katsandim@nao.forthnet.gr>
Message-ID: <3701086A.60AAEC72@nao.forthnet.gr>
Source record: 112411

I want the opinion's of all. i don't now what take.
I am 1 and half years amateur and I don't have an HF tranceiver. Only that I have it is one HT (DJ-G5). Guys big dilema for take an HF. Small? Big? With all bands? With new technology? From where to start.
I like the FT-1000MP and the TS-870 it is HF with "power"this from big, but I am 19 years old I like very the much the last technology and this two they don't have. For this reason i like the FT-847 I don't believe what can you do with all band and of course with satellite. But and here many tell's that isn't good. From this I go to FT-920 and this I like: big, with 50Mhz, and other feature's. And at the end the small FT-100?, IC-706MKIIG? ,

I don't guys, it is very, very big dillema you understand all the money is much and when you buy, you buy.

Help me tell me youw opinion's to take the last decide.

KOSTAS- SV2CVC

5725. ic-706 11g wide band tx

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: tross@clara.net
Message-ID: <7dr6bl$v27$1@nnrp1.dejanews.com>
Source record: 112412

any mods for wide band tx for the new 706. I only want wide band on hf. The diode block is different to the old 706 II

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5726. Re: My new Icom 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Gary Williams <williamsjg@erols.com>
Message-ID: <37011261.3C93B2C0@erols.com>
Source record: 112413

I must reply that I love my 756, is your life that perfect that all you have to worry about is a few "dumb" things.
Gary

Ted Scherbel wrote:

> I am the proud owner of the 756 so will add these comments for anyone
> thinking about one.
> First - it comes with the usual manual translated from Japanese which
> leaves about as many questions as it gives answers.
> My first displeasure was when I plugged into the existing IC15 power
> supply that was from my old IC730 and found the 756 did not switch
> power on the supply. GRRRRRR ... Okay so now I have to do that
> separately.
>
> Next - in the manual is a statement that if the tuner is activated
> with no antenna connected then there WILL be damage to the radio.
> Now I think this is STUPID to the limit. It would have been so easy
> to detect that situation and guard against damage. I ask you - is
> there any ham who has not now and then tried to transmit into an open
> antenna line? To aggravate this situation is the fact that the
> default condition is for the tuner to automatically activate on a
> power up. More GRRRRRRRR....
>
> Then last - when the tuner activates, it uses full RF power. I would
> have thought it would reduce the power out while tuning. I never
> owned an automatic tuner prior to this one. More GRRRRRRRR...
>
> ON the positive side - I find the spectrum scope very handy in tuning
> a SSB signal. Being a little hard of hearing I often had trouble
> getting tuned to another station, but the scope really helps.
>
> Maybe more later....
>
> Ted

5727. Re: eBay-- gotta wonder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: QESK41A@prodigy.com
Message-ID: <7dr3pc$8bpm$1@newssvr03-int.news.prodigy.com>
Source record: 112414

One does have to wonder, not about eBay, but about all of the people that list their stuff on eBay and then come here to make it public knowledge.

If a person is trying to sell their equipment, that's fine. But by listing it at eBay and then trying to lure bidders by placing ads here is just poor netiquette. If a person is looking for something, they will look on eBay themselves, we don't need useless ads tying up bandwidth.

The other thing is that eBay is a for profit company, and the sellers have to pay a fee (a percentage of the selling price I believe), to eBay for the listing. By listing an auction on the newsgroups, isn't that also advertising a for profit public company (something that is also poor netiquette)?

Ed Burke

5728. F.S.: W2ONV APHEX AUDIO SYSTEM

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: BILL SALERNO <W2ONV@WORLDNET.ATT.NET>
Message-ID: <7dr4ru$8fg$1@bgtnsc02.worldnet.att.net>
Source record: 112415

FS a complete APHEX audio system....the following (all NEW) 107 pre amp.
661 comp. 250 aural exciter type 3 109 eq....into the 104 big
bottom;;;;;;;;
call BIll Salerno at 201-368-3655 or listen to Bill on 14,178 every morning
at about 6:30 am to about 10am This is one opportunity you do not want to
pass up

><><><><Your cost complete $1,000 orignal price $2,000 ><><><><><Ist call
takes it away....you pay shipping OR come down and try it !!!!!
w2onv@worldnet.att.net

5729. Re: eBay-- gotta wonder

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: tgold@microvest.demon.co.uk
Message-ID: <19990330.1602.9901355snz@microvest.demon.co.uk>
Source record: 112416

On Saturday, in article <36FCC70C.4FF0E5E5@home.com>
rkling@home.com "Rob Kling" wrote:

> Did I mention that 1 is high and 10 is low, this is important.

No you didn't :-)

Regards,
--
Tony - G3SKR / W2TG email: tgold@panix.com

5730. [ebay] FS: Yaesu FT-23R w/ Accessories - 2 meter Handheld!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Burke Jones <burke@southwind.net>
Message-ID: <7dr7c9$9k7$1@opal.southwind.net>
Source record: 112417
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.space

Yaesu FT-23R w/ FTT-4 DTMF keypad and two battery packs. See the following link for more information and pictures!

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?viewItem&item=84778324

==========
Burke Jones
N0HYD
remove NOSPAM from e-mail address to use.

5731. Re: Commments regarding Timewave DSP add-ons

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Buggs Bunny <n3wxg@home.com>
Message-ID: <DD9M2.18325$573.7458@news.rdc1.md.home.com>
Source record: 112418
Cross-posted to: alt.ham-radio.dxing,alt.ham-radio.hf,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.misc

AC6V wrote in message <3700F7DD.7137@ix.netcom.com>...
>Joseph A Rodgers wrote:
>>
>> Is anyone using a Timewave DSP unit with a late model HF rig such as the
>> following:
>>
>> TS-850, 870
>> TS-440-450
>> FT-890, 990, 1000MP, 1000D
>> Omni V, VI
>> IC-761, 765, 781
>>
>> I would be interested in your comments about how well the Timewave unit
>> works with the receiver audio in these rigs. Do you think that it makes
your
>> radio a better radio in that it is easier to use, easier to pull out weak
>> signals, whatever. Do you use rig for ragchewing, DX, contesting?
>>
>> Was the TImewave unit worth what you paid for it?
>----
>Hi Joe -- I have the DSP 599ZX and the TS-850SAT. I use it for DXing
>mostly, some contesting. It is absolutely superb for slicing up CW
>signals. On SSB where there is noise and atmospherics -- it has enabled
>me to pull out signals that were in the ESP category. Highly recommended
>from this end. However like all things -- I suggest you borrow one and
>try it out for yourself.
>
>For example: a fellow DXer here loves his xtal filters -- I hate em --
>ring ring. Not so with DSP unit -- but he hates fiddling with controls
>-- so to each his own. Before I got the Time Wave -- my CW operandi was
>to use CW Reverse setting on the Kenwood (with no xtal filter) -- when
>the pilup was too close to the DX station (usual case).
>
>To my ears it beats any of the built in DSP units I've heard -- but
>haven't tried them all yet.
>
>Is it worth it -- depends on if you would use it regularly -- I guess --
>I do.
>--
>73 From Rod In San Diego
>----
>AC6V INDEX TO DX AND HAM RADIO
>FEATURING 88 PAGES, 400 INDEXED TOPICS, AND 3000 LINKS

> Over 330,000 visits on the counter
>http://www.ac6v.com/pageas.html -- Alphabetical Index
>http://www.ac6v.com/ -- Home Page

I have to agree. I have a DSP-599ZX and using it on the TS 850S/AT.
CW and phone is great. The only thing is you have to set the 850 for full
mute on TX. No problem

Randy
N3WXG

5732. FS: Kenwood TS-690SAT

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Robert Stuedemann <kf8ru@traverse.net>
Message-ID: <37012190.DB981763@traverse.net>
Source record: 112419
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For Sale: Kenwood TS-690SAT HF + 6 meters. Radio is in mint condition and has built in antenna tuner. Comes complete with mic, manual, power cord and factory box. $875

5733. FS: Yaesu FT-840

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Robert Stuedemann <kf8ru@traverse.net>
Message-ID: <3701226F.D5C3825B@traverse.net>
Source record: 112420
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For Sale: Yaesu FT-840 HF 10-160 meter radio. Radio has the optional FM board and is in mint condition. Comes complete with mic, manual, power cord and factory box. $585

5734. Re: My new Icom 756

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: scherbe6@airmail.net
Message-ID: <A49FE5F1AD05C457.96FFB2832F69AB30.B902DAD0CE1ABC57@library-proxy.airnews.net>
Source record: 112421

Yes Gary - I've been found out. My life is indeed nearly perfect and
I am extremely grateful and thankful.

On Tue, 30 Mar 1999 13:05:21 -0500, Gary Williams
<williamsjg@erols.com> wrote:

>I must reply that I love my 756, is your life that perfect that all you
>have to worry about is a few "dumb" things.
>Gary

5735. Antenna Height Reccommendations

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Tony Heatwole <heatwole@shell.clark.net>
Message-ID: <7dr8spbju3@clarknet.clark.net>
Source record: 112422

Hello. I have a 106ft tower and several beams that I hope to put on the tower. I'm planning to use some TIC Ring Rotors on the tower, so I can mount the antennas at any height on the tower. Please let me know if you have any good height recommendations for each of these beams. I'm interested in knowing at what heights I should mount them for best performance. Any and all help is appreciated. The antennas I plan to use are:

-2 Element 40m Beam
-5 Element 20m Beam
-5 Element 15m Beam
-5 Element 10m Beam
-3 Element 12m/17m/30m Beam
-30 Element 6m-1.2 GHz Log Periodic (Mounted Vertically)
-30 Element 6m-1.2 GHz Log Periodic (Mounted Horizontally)

Nat Heatwole
heatwole@clark.net
KB3CBW, Advanced

5736. Commments regarding IC775DSP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Hans K0HB <K0HB@arrl.org>
Message-ID: <7drd8o$5p1$1@nnrp1.dejanews.com>
Source record: 112423

Marv Luse <mwluse@dimensional.com> wrote:

>
> Hans,
>
> I am curious about your opinion of the IC775DSP - is it a good rig and does it
> have any faults? I've been thinking about getting one for my next rig.
>

In my shack the mark of a good radio is it's receiver. I live within a couple of miles of about 10 serious DXers/contesters/etc, all with grteat antenna farms and competition-grade amplifiers. In this "kilowatt alley" an average receiver just simply folds up, front-end first!

The IC-775DSP simply shrugs it all off, and pulls even the faintest signal out of the noise, even just a few hundred hertz away from a neighbors S9+60 signal. Because of the way Icom has implemented DSP in the low IF, and with the full set of monolithic filters, you can "rebuild" the receiver to literally hundreds of different configurations "on the fly", dealing with whatever hostile rf situation that comes up. You have a lot of the same capabilities to tailor your signal on the transmit side, but in my mind that is secondary to the awesome receiver.

The rig simply astounds me every time I turn it on.

73, Hans, K0HB

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5737. HARRIS MANUAL WANTED

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: nk1u@aol.com
Message-ID: <19990330145149.01354.00000126@ng-ft1.aol.com>
Source record: 112424

I am looking to buy manuals or copies for the following:

Harris 550 - HF RECEIVER
Harris RF 551A - POST SELECTOR
Harris 2602 - STATUS MONITOR
Harris Harris 00126 - PRESELECTOR

Please email at: nk1u@aol.com

thanks, Dave

5738. Re: Icom T2H mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: ME <ME@HERE.COM>
Message-ID: <7drbqpggu1@galaxy.us.dell.com>
Source record: 112425

I've been looking for this too....

Anyone have info on this radio....like does it have a high scan speed and
what scan modes?

Nick Meacher wrote in message <37007291.0@pavlof.gci.net>...
>does anyone have modifications for the T2H 2m HT?
>
>

5739. Icom T-81A mods

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Timothy <timothyckp@hotmail.com>
Message-ID: <3700AB81.5E2FBE31@hotmail.com>
Source record: 112455

Hi all Ham
Pls tell me Icom T-81A mods
Thank you very muck
de VR2CU

5740. Should I say, WHY doesn' t anyone have an ICOM 775DSP?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: diale.nospam@mindspring.com
Message-ID: <37002d07.8338613@news.mindspring.com>
Source record: 112456

Does anyone have an Icom 775DSP? I never read about them here, nor do I see them compared to anything. Never see them for sale. Never see anyone "Wanting To Buy". What's the deal with this radio?

-Ed

5741. Re: TS-850 vs FT-847

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: jdouglas@timewave.com
Message-ID: <7dpafh$uu4$1@news.minn.net>
Source record: 112457

In article <370021EA.3B2A@pulse.net>, jgerke@pulse.net wrote:
>Definitely a step down.
>
>Amrum Lakritz wrote:
>>
>> I own a TS850SAT and wonder if the FT-847 would be a step up, down, or
>> sideways. Would welcome any opinions. TNX

Depends on where you are going. I have an FT-1000D and an FT-847. For DX'ing nothing beats the receiver of a good radio. And I believe the TS-850 is in that class. Add a Timewave DSP-599zx to the TS-850 and you will have a world class HF setup.

I bought the FT-847 for its size and band coverage. It is a great satellite radio and a fair HF radio, DSP is average, but no FSK support and like all other radios no DSP support for the digital modes.

73

John Douglas
N0ISL
TimewaveTtechnology

5742. FS Nye Master code keys

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Mike Kulyk <mkulyk@att.net>
Message-ID: <01be7a4f$8a45fc40$ad16440c@default>
Source record: 112458
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

I have 2 Nye Master keys, one with a 1/4" phone jack and the other with
1/8" mini plug $40 each plus shipping

Mike WB2GLW

5743. Re: Anyone have an ICOM 775DSP?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: kb9sikk@aol.com
Message-ID: <19990329205356.01031.00002001@ng-fp1.aol.com>
Source record: 112459

I think the best rig on the market today.

73,
K-K

5744. Re: Kenwood TS-940S AM Operation

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: mailfrmpa@aol.com
Message-ID: <19990329211311.21986.00001841@ng-da1.aol.com>
Source record: 112460

The '940 cannot properly modulate at 60w, thats why the manual says to set the CAR LEVEL control for 50w. Then, you need to significantly increase the MIC gain position, so that with the meter set to read ALC, you get minimum deflection on voice peaks.

K&#65533;MB

5745. Re: Anyone have an ICOM 775DSP?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: diale.nospam@mindspring.com
Message-ID: <370134a4.10287747@news.mindspring.com>
Source record: 112461

I am certainly glad to hear that. I have been comparing this radio (775) with the Yaesu 1000 d/mp and Kenwood 950, and I can't see that they are in the same class. The ICOM is the only one of the set that can produce 200 watts full duty cycle. I just have never heard where someone had one. I have never seen one displayed at HRO or any other store for that matter. They're never discussed on newsgroups. I never hear one on the air. The only hamfest that I've seen them at is Dayton at the ICOM booth. I never understood why that was.

Of course ask someone at a dealership....fat chance you'll learn anything there.

On 30 Mar 1999 01:53:56 GMT, kb9sikk@aol.com (Kb9sikk) wrote:

>I think the best rig on the market today.
>
>73,
>K-K

5746. FS Kenwood 680S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: summitrt@aol.com
Message-ID: <19990329220253.10274.00000334@ng56.aol.com>
Source record: 112462

Like new Kenwood 680S HF plus 6 meters. With palm microphone. Non-smokers radio. $600.

5747. Re: Anyone have an ICOM 775DSP?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: diale.nospam@mindspring.com
Message-ID: <3700529f.17963751@news.mindspring.com>
Source record: 112463

But the FT1000D is only 50% duty cycle at 200 Watts, isn't it? I
believe it has to be reduced to 100 Watts before it can stay keyed
down. My FT-847 is only 50 Watts continuous duty (100 W @ 50%).

On Mon, 29 Mar 1999 19:28:33 -0800, k6hm <k6hm@wenet.net> wrote:

>Hi,
>FT1000D does 200W output, JST245,TS950SD,SDX does 150W output.
> IC775DSP is not the only one does 200W.
>de K6hm
>
>Ed (WA4RYW) wrote:
>
>> I am certainly glad to hear that. I have been comparing this radio
>> (775) with the Yaesu 1000 d/mp and Kenwood 950, and I can't see that
>> they are in the same class. The ICOM is the only one of the set that
>> can produce 200 watts full duty cycle. I just have never heard where
>> someone had one. I have never seen one displayed at HRO or any other
>> store for that matter. They're never discussed on newsgroups. I never
>> hear one on the air. The only hamfest that I've seen them at is Dayton
>> at the ICOM booth. I never understood why that was.
>>
>> Of course ask someone at a dealership....fat chance you'll learn
>> anything there.
>>
>> On 30 Mar 1999 01:53:56 GMT, kb9sikk@aol.com (Kb9sikk) wrote:
>>
>> >I think the best rig on the market today.
>> >
>> >73,
>> >K-K
>
>

5748. Ham Radio Resources

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: mikrounit@hughes.net
Message-ID: <7dpo0nmre1@nnrp1.dejanews.com>
Source record: 112464

Hello All,

I have a Ham Radio & Electronic Web Page with
tons of Resources!!!
I have info on: Satellites, Satellite Tracking, HF,
VHF, UHF, Yaesu Stuff & FT-847 page, My HF Rig reviews,
Classifieds.... Plus many other goodies!!!
Come, and check it out.... The URL is:

http://kq6mu.8m.com

Please feel free to E-mail me or sign my guestbook.
Thanks & 73,

Mike Green
mikrounit@hughes.net

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5749. FS: IC-775 DSP

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: wbclark@gate.net
Message-ID: <370a53a4.8249461@news.gate.net>
Source record: 112465

I have in Original cartons, an ICOM IC-775 DSP, with all
filters installed, > 2000 s/n, as NEW, $3300.00, shipped.
de KD6UN
Bill

5750. FS: Alpha 89 Amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: wbclark@gate.net
Message-ID: <370d5481.8470321@news.gate.net>
Source record: 112466

NIB (new in Box) never used, Alpha 89 Amplifier, w/opt.
cooling fan, $3900.00, will split shipping.
de KD6UN
Bill

5751. FS: HyGain HG-54HD Tower

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: wbclark@gate.net
Message-ID: <370e5519.8622958@news.gate.net>
Source record: 112467

HyGain HG-54HD Tower, with new factory base, thrust bearing,
rotor plate, slightly used, $1500.00, can deliver in state of Florida,
others FOB.
de KD6UN
Bill

5752. FS: ICOM SP-20 Speaker

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: wbclark@gate.net
Message-ID: <370f55a8.8765906@news.gate.net>
Source record: 112468

I have one SP-20 ICOM speaker w/audio filters, as new,
$190.00, shipped.
de KD6UN
Bill

5753. FS: Heil HM-10 DUAL I

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: wbclark@gate.net
Message-ID: <37115634.8905769@news.gate.net>
Source record: 112469

I have a Heil HM-10 DUAL I, for ICOM, w/ cables for Kenwood
and Yaesu, $135.00, shipped.
de KD6UN
Bill

5754. FS: ICOM SM-8 MICS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: wbclark@gate.net
Message-ID: <371055f3.8841020@news.gate.net>
Source record: 112470

I have 2, SM-8 ICOM mics @ $130.00 each, shipped.
de KD6UN
Bill

5755. Re: ICOM 2710 Mods.... HELP!!!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: sinybob@aol.com
Message-ID: <19990330005519.13987.00002331@ng40.aol.com>
Source record: 112471

Hi, I don't know the TX mod but I moded my IC-2710H easily w/good results. Take off the cover w/the speaker. Look on the main PCB up by the front. Mine had a white jumper labled W18. I cut it and reset the radio=full vhf/<479Mhz/800 RX. It was easy in mine. Bob, N2LMW.

5756. Commments regarding Timewave DSP add-ons

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Joseph A Rodgers <jarodger@airmail.net>
Message-ID: <2FFC2C0A0F317A70.81EE27B80C591D31.7E2B72DB8BCADB3B@library-proxy.airnews.net>
Source record: 112472
Cross-posted to: alt.ham-radio.dxing,alt.ham-radio.hf,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.misc

Is anyone using a Timewave DSP unit with a late model HF rig such as the following:

TS-850, 870
TS-440-450
FT-890, 990, 1000MP, 1000D
Omni V, VI
IC-761, 765, 781

I would be interested in your comments about how well the Timewave unit works with the receiver audio in these rigs. Do you think that it makes your radio a better radio in that it is easier to use, easier to pull out weak signals, whatever. Do you use rig for ragchewing, DX, contesting?

Was the TImewave unit worth what you paid for it?

5757. tm-733 question

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: pbandj606@aol.com
Message-ID: <19990330012939.05006.00002411@ng142.aol.com>
Source record: 112473

I recently got my hands on a Kenwood tm-733 dual band. 440 seems to be working well. The problems is that 2m reception is quite lousy compared to the tm-251 I had in my truck before (ant. & all else the same). Repeaters that used to peg my s-meter all the way to work now only do so at tops of hills. Signal reports I get back are good. Is this common for dual banders compared to monoband, or do I have internal problems? Solutions? Higher gain ant?

Thanks
Paul

5758. new amplifier

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: Rick Conners <conners@teleport.com>
Message-ID: <370088E7.502F3F4A@teleport.com>
Source record: 112474

Does any company manufacture an hf...all freq amp. which has a built in antenna tuner? I know Alpha does but the 6k price is too steep for me...

Would like 1.3 to 1.5kw output, full auto tune, including antenna and priced around $3,000.

prefer 110-120 power source but will install 220 if necessary.

tnx

5759. For Trade: New iMac Computer

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-30 00:00:00 UTC
From: William Lee <n5wrx@mindspring.nospam.com>
Message-ID: <7dqbgtnoh1@camel21.mindspring.com>
Source record: 112475

I have a new (still under warrenty) iMac computer with the optional 256 Meg memory chip installed and matching SuperDrive disk drive unit. Comes with the following software installed on the hard drive: (the CD's are available)

Adobe PhotoShop 5
Adobe Illusrtator 8
Adobe Pagemaker 6,5
Adobe ImageReady
Adobe PageMill 3.0
Extendus Plug in effects
Extendus Mask Pro
Alain Eye Candy Plug ins
Knockout
Virtiual PC
Typeadelic
Super Goo
Claris Works Office 5.0
FileMaker Pro 4.0

The value of the software far exceeds that of the computer. This computer was won as a prize and used for about 3 hours total.

Will trade it all (plus a little cash) for a HF radio like the Yaesu 920, Kenwood 950, or Icom 756.

N5WRX 205-995-7732 (days) 205-437-0137 (Evenings)

5760. Re: Heil Mike Sets

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Jeff Kilgore <kilgore@dev.tivoli.com>
Message-ID: <3702BE10.65887E13@dev.tivoli.com>
Source record: 112176

I use the Pro Set with the DX mic element (HC-4, I think) with a TS-850 and
am quite pleased with it.

73,
Jeff, KC1MK

Eric June wrote:

> Phil,
>
> I bought a Heil Pro Micro headset with the HC-4 mic element for use in
> the WPX contest last weekend (with my FT-1000D). The transmit audio
> quality is great! However, I am less than impressed with the
> headphones. The audio quality seems bandwidth limited, and I had
> trouble copying the fluttery/weak Europeans. I ended up yanking the
> headphone jack and using my desk speaker in such situations, with the
> headphones clamped to my head but not my ears. The copy was much
> better. I also tried my Yaesu headphones and the copy was fine there as
> well. I am considering removing the boom and mic from their headset and
> epoxying onto my Yaesu headphones, which would seemingly give me the
> best of both worlds. Either that, or try the full-sized Pro Set.
>
> --
> Regards,
>
> Eric June
> KU6J

5761. 10 meter info needed...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Ray <raymare@bellatlantic.net>
Message-ID: <7duj6b$b00@world6.bellatlantic.net>
Source record: 112177

```
10 meter info needed...
I am looking for a 10 meter mobile & base radio that will allow me to modify
to cover 10 & 11 meters like the Uniden 2510.
Any suggestions??
raymare@bellatlantic.net
Ray
.
```

5762. FS: Kenwood TS-120S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <3702D98E.545B@ix.netcom.com>
Source record: 112178
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Selling for a friend of mine..

Kenwood TS-120S.. Good condition.
With mic and users manual...no mobile bracket.

$275 without power cord, $300 with brand new in bag, full length
power cable.

My friend wants to but a used small rig like an IC-706 or the
like, so if anyone would consider the TS-120 and $$ in trade for
a 706 type rig, please let me know..

Thanks

Steve-WA6GSD

5763. FS: GE MVS Mobile UHF radios (470 - 512 mhz)

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <3702DA67.7485@ix.netcom.com>
Source record: 112179
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale:

GE MVS synthesized 16 channel mobile radios.

Model NPU30. Cover 470-512 mhz, 25 watts.

Radios are exceptionally clean, and come with mic, bracket and
pins/shell to make your power cable.

Units come programmed to your 16 channels/ DPL or PL requirements.
Radios are scan model.

$95 + shipping each.. Trades always considered.

Thanks

Steve - WA6GSD

5764. FS: Henry 130W mobile VHF amps

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <3702DAF5.373A@ix.netcom.com>
Source record: 112180
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale ... HEnry commercial VHF amps, model C130A30.

Amps are 20-40 watts in for maximum of 130W out.
Units require 13.6V DC at 18A for maximum output.

Supplied tuned and tested to your frequency requirements.

Cover 136 - 174 Mhz. (any 4 Mhz segment for full output)

$85 + shipping each.

THanks

Steve-WA6GSD

5765. FS: EF Johnson LMR mobile radio extension speakers

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: wa6gsd@ix.netcom.com
Message-ID: <3702DB94.45B3@ix.netcom.com>
Source record: 112181
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

For sale... EFJ LMR mobile radio external speakers.

Units are identical to the well known Motorola speakers.
They are new in the box, with mini plug molded on cable
end.Complete with mounting bracket and hardware.

Currently sold by Johnson for $45 each, dealer cost.

$20 each + shipping.

Thanks

Steve-WA6GSD

5766. Frequency Coverage of Gonset Commander?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <7dumvqfjv1@news2.bit-net.com>
Source record: 112182
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I read somewhere that the Gonset Commander
AM/CW rig will do 160-6m, but all references I
found on DejaNews seem to suggest 80-6m, the
same as the Multi-Elmac AF-68.

I do see that the newer G-76 and G-76a models
were clearly 80-6m. Can someone clarify this for me
please?

Also, what are these rigs running for used these days
and what are the potential "gotcha's", e.g. hard-to-find
tubes, chronic hard-to-replace component failures, etc?

Thanks! & 73,
~~~

\ ~ / .... DavidC K1YP@qsl.net
~~~

5767. Re: Diamond Monster 3DFX Card for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Bob <kf9yh@netnitco.net>
Message-ID: <7duo06$29i$1@hyperion.nitco.com>
Source record: 112183
Cross-posted to:
alt.ads.forsale.computers,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

MicroChip <nospam@nospam.org> wrote in message
news:3702BDC3.277D@nospam.org...
> Just curious... do those $150 cards come with the 12 meg? or just 4
> meg??

I searched pricewatch.com and found the Diamond 3DFX
12 meg VooDoo II card as low as $114.00 at this place:

http://www.addpchardware.com/shop/video.html

Now you can go check for yourself.

Not affiliated with the above vendor, I just found it
in www.pricewatch.com

Bob

5768. FT-100 Comment

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: "Tom B." <ab7tu@parg.org>
Message-ID: <3702DAAD.6F0E@parg.org>
Source record: 112184

Since I haven't read many comments here about the new rig I thought I'd add my own. Portland HRO has one set up to play with, and I have on 2 different occasions. Yaesu says the control is so intuitive that you don't need the manual. To access the munu functions and settings I needed the manual. I liked the dsp on CW. I would not need any extra filter for that mode. Didn't mess with VHF or UHF. Conclusion, I'll keep my "706", maybe upgrade to the MK-II some day. Best wishes's's's's's

Tom ar sk . .

5769. Re: Frequency Coverage of Gonset Commander?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7duos6$8sq$1@birch.prod.itd.earthlink.net>
Source record: 112185
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

According to my reference, the Commander covers 1.7 thru 54 MC continuous. The Commander II is listed as continuous coverage from 160 thru 6 meters. Maybe the exact same range, but don't know for sure. In the case of the Commander, it says that 2 coils are provided for 10 thru 80 meters. For the Commander II, it says the same, plus it says you can use an external VFO for 80 thru 10 meters. Both models use a 6146 final. No idea what other tubes are used.

K8AC

DavidC wrote in message <7dumvqfjv1@news2.bit-net.com>...
>I read somewhere that the Gonset Commander
>AM/CW rig will do 160-6m, but all references I
>found on DejaNews seem to suggest 80-6m, the
>same as the Multi-Elmac AF-68.
>
>I do see that the newer G-76 and G-76a models
>were clearly 80-6m. Can someone clarify this for me
>please?
>
>Also, what are these rigs running for used these days
>and what are the potential "gotcha's", e.g. hard-to-find
>tubes, chronic hard-to-replace component failures, etc?
>
>Thanks! & 73,
>~~~
>���
>\ ~ / .... DavidC K1YP@qsl.net
>
>

5770. Re: MRF Transistors

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Victor Panzica <vpanzica@sprintmail.com>
Message-ID: <3702EF5A.4C1C0AB5@sprintmail.com>
Source record: 112186
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap

The Motorola Web site has all specs and application notes for these transistors
and all their products.

Don't have URL but just try "Motorola Products" in your favorite search engine.

Vic WA2JIW

Paul Varian wrote:

> The MFR 477 and 497 are high power replacements for the original low power
> units. The low power versions are avaliable for about $6 each from mouser
> electronics. Also NTE offers a free download of their cross reference
> software, it list the NTE replacement for the original low power versions.
> 73's AB2ED
>
> Morris <morris@SPAMsssnet.com (remove SPAM from address)remove SPAM from
> address)> wrote in message news:922902055.942.48@news.remarQ.com...
> > Has anyone found any substitutes for the following transistors with or
> > without minor ckt changes:
> >
> > MRF-477
> > MRF-497
> > MRF-240
> > MRF-240A
> >
> > These are used in the Uniden HR2510, HR2600, Radio Shack 2 m, linears and
> > other medium powered radios for the finals. The supplies are getting low
> > and the prices are getting outrages.
> >
> > Example: the MRF-240A cost with freight from RF parts is $38.+, if you
> order
> > it from Radio Shack it is $78. + freight and tax. Two years ago I bought
> 5
> > for $50. which including the freight.
> >
> > Thanks.
> >
> >
> >
> >
> >

5771. Re: "WHAT&#65533;S THAT ROTTEN SMELL IN PHOENIX?"...We need your help!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: tcrpe <tcrpe@yahoo.com>
Message-ID: <wkCM2.3827$fb4.5887@news2.giganews.com>
Source record: 112187

It seem that you fail to understand the extra rights afforded to the
Leftists in our society based upon the sanctity of their agendae.

In this case they have the right to spam newsgroups to their hearts content,
begging for handouts. And disrupting all around them.

If you object, it is because you are against the environment, and want to
kill your neighbors children.

TR

Argus wrote in message <7dg7oq$r2s@sjx-ixn6.ix.netcom.com>...
>You are off-topic for this news group.
>Please try REC.IDIOT.TREEHUGGER
>
>
>cealone@aol.com wrote in message <25039920.0416@aol.com>...
>>"WHAT&#65533;S THAT ROTTEN SMELL IN PHOENIX?" That&#65533;s the title of a featured
story
>in TIME Magazine
>http://cgi.pathfinder.com/time/magazine/1998/dom/981123/special_report.corp
o
>rat5a.html (11/23/98 issue) and the reason TIME came to Phoenix to find out
>why a BRILLIANT grass roots group is making such a big stink about an even
>bigger one. BLATANT air pollution, toxic spills, illegal zoning, corporate
>welfare from a single huge SUMITOMO SITIX factory smack dab in the middle
of
>a residential area! Our relentless group has won every single legal battle
>against them. We are ready to go to trial for certain victory, EXCEPT, we
>just don&#65533;t have enough money! Don&#65533;t let another corporate giant get away
>with bullying another innocent neighborhood. PLEASE DONATE. We need your
>help! Any contribution over $50.00 will be returned to donor when we win
>and should we collect our legal fees.
>>
>>Please send donations to Sumitomo Legal Fund, Citizen's Environmental
>Awareness League, P.O. Box 30333, Phoenix, AZ 85046-0333. Please include
>your name and address if you want your donation returned when we collect
our
>legal fees.
>>
>>For more information about our orgainziation and our fight please visit
our
>web site at http://www.ceal.com.;g;ODd
>
>

>

5772. Re: Diamond Monster 3DFX Card for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: crusader <coco.pj@videotron.ca>
Message-ID: <s2DM2.3982$hv4.4411@weber.videotron.net>
Source record: 112188
Cross-posted to:
alt.ads.forsale.computers,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Try the Future shop at 150.00 can. funds
Crusader

5773. WTB: KENWOOD HC-10 Cpock

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Gina McBride & John Miller <mcmiller@alaska.net>
Message-ID: <370316B9.9E3B35E3@alaska.net>
Source record: 112189

I am searching for a nice Kenwood HC-10 Station
desk clock.
Please state condition and price.

73

John Miller
Anchorage, Alaska

5774. Re: Heil Mike Sets

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Phil Wheeler <w7ox@mindspring.com>
Message-ID: <37024EB0.23412D2C@mindspring.com>
Source record: 112226
Body handling: HTML body converted to readable text

Charles,

I particularly appreciate your message, since it deals with my set up exactly.

Yesterday I recieved a private email, not posted to the ngewsgroup, from another ham with the same setup. He reported problems, which I will quote below:

At Dayton '98, I purchased a TS-570s, and a Heil boom mic (now I have both
elements in boom mics), and had the 'g' mod done to the radio by Kenwood. I
used the monitor function to set up the mics and found that I was always changing settings to accomodate on the air reports. Neither mic element seemed right, and I was not able to set them up so I could ever use the processor. I have both mics and use them successfully with my trusty Icom
IC-737 and use the processor when necessary. The hand mic that came with
the Kenwood works fine, and I can switch on the processor when needed, though I usually use the monitor to check how the audio sounds on transmit.
I am using Heil's mic patch cords for both radios, but at this time, I have gone back to the hand mic for the Kenwood.

Have you experienced any of the stated issues re use with the processor?

Phil

Charles Davis wrote:
>
> In article <3701822B.1F7E3C12@mindspring.com>,
> w7ox@mindspring.com says...
> > Any opinions on the Heil Pro Set? I'm thinking of buying one plus
> > footswitch for use with my Kenwood TS-570-D(G).
> >
> > Pros and cons would be appreciated.
> >
> > Phil W7OX
> >
> I use a Heil headset, with a #5 element on my TS-570D/G. Like
> it so well, I disabled the amplifier in my D-104, and installed
> a #5 element there also. I think you'll be pleased.
> --

> Charles
> K4SWB
> <>

5775. WTB: Heathkit SA-2060 Tuner *MINT*

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: k1dpm@aol.com
Message-ID: <19990331114156.12647.00000145@ng-cr1.aol.com>
Source record: 112227

Unit must be working and MINT cosmetically. Name your price.
Dick Small
88 Hamilton St.
So. Portland, ME 04106
207-842-1402
Fax 207-799-2505
email K1DPM@aol.com
AMI MEMBER #1043
.
SEEKING MINT HEATHKIT SA 2060 Antenna Tuner. Please email with your price

5776. Re: Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: "KF4FDJ (Mike in Ft. Myers, FL)" <seven77@gate.net>
Message-ID: <37025022.C6ADD487@gate.net>
Source record: 112228
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

richcom wrote:
>
> At 11:00 AM 3/31/99 -0500, you wrote:
> MIND YOUR OWN BUSINESS
>

You tell me to mind my own business; actually, I do, but not in an inappropriate manner on the newsgroups.

Since you apparently think what you're doing is fine, I'll address the newsgroups instead:

Am I wrong? Is there anyone out there who will defend RICHCOM's shotgun posts to the newsgroups? Maybe I've lost touch with reality, and EVERYBODY who sells anything on EBAY should post a message with only a link to EBAY.

No, YOU MIND YOUR BUSINESS -- elsewhere!

> >I am not generally a grump, but your method of posting to the newsgroups
> >regarding items you are selling on EBAY is getting tiresome. If someone
> >wnats to peruse EBAY and see what's for sale, fine, but parallel
> >postings to the newsgroups is not appropriate, especially since you have
> >no description in your posts, just a link to EBAY! Based on the number
> >of items you've been selling and parallel posting here, you must be in
> >the business of selling used equipment. In such case, you are violating
> >newsgroup rules twice, once for your own gain, and the second by
> >promoting EBAY.

5777. Re: Heil Mike Sets

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: K4SWB@worldnet.att.net
Message-ID: <MPG.116c1e953bad47d6989a74@netnews.worldnet.att.net>
Source record: 112229
Body handling: HTML body converted to readable text

In article <37024EB0.23412D2C@mindspring.com>,
w7ox@mindspring.com says...
Phil Wheeler wrote:

> Have you experienced any of the stated issues re use with the
> processor?
> Phil

Hey Phil,
Quite the opposite. I have the mic gain set at 80, and the
processor set at 20. Also the mic gain with the processor set
at 80. All reports have been good, to great. There is no
distortion with the processor, I'm told. It just gets LOUD.
Although I seldom need the processor, I have no fear of
cranking everything wide open, if needed. Also, on AM, and FM,
this combo sounds really good.
I borrowed the Heil from a friend. He and everyone else liked
the way it worked on my rig so well, he gave it to me. I am
surprised at the other operators problems.
Your mileage may vary, but I'm hooked.
73,
--
Charles
K4SWB
<>

5778. ANTENNA WANTED

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: n2ion@aol.com
Message-ID: <19990331120732.01772.00000623@ng07.aol.com>
Source record: 112230

I NEED A 6M MOBILE ANTENNA.

ANYBODY HAVE ANYTHING THEY CAN PART WITH?

5779. FS: Cheap linear amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Jim Brown <jrbrown@ucsd.edu>
Message-ID: <37025844.A97A231E@ucsd.edu>
Source record: 112231

Cheap power: dentron gla-1000 ... up to 1000 w pep 80-15m. works fine I just don't use an amp. 115v ... $190.

jim - kk6fx (San Diego)
kk6fx@livinglarge.net

5780. Re: Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: davem@groucho.cs.ubc.ca
Message-ID: <7dtkqi$3lm@groucho.cs.ubc.ca>
Source record: 112232
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

kf4fdj@amsat.org writes:
>Am I wrong? Is there anyone out there who will defend RICHCOM's shotgun
>posts to the newsgroups? Maybe I've lost touch with reality, and
>EVERYBODY who sells anything on EBAY should post a message with only a
>link to EBAY.

If I wanted to look at equipment that is being auctioned on Ebay, I'd look on Ebay. But I'm not, so all these Ebay posts are just a waste of Usenet for me.

Plain "forsale" posts, even if inappropriate for the newsgroup in question, at least have some information about what is being sold and the asking price. Articles with nothing but a pointer to Ebay contain absolutely *nothing* of value or even interest.

Dave

5781. FS: New MFK 969 Versa Tuner II

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <37025B18.B971D5F3@cfu.net>
Source record: 112233
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

30/300 watt roller-inductor T-match tuner that will match almost any antenna on all bands 160 thru 6. Llighted meter reading peak and average power, SWR and reflected power. Also built-in 4:1 balun and dummy load. Connections for two coax, one single wire, and one double wire antenna, with bypass potion for each. Out of the box less than one month, unused except to test, and it works perfectly. I just don't need it badly enough to keep it. Cost $180, sell $145 + shipping. Jan N0JR

5782. Re: FS: Kenwood TS-120 Transceiver

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: futuretex@aol.com
Message-ID: <19990331123430.10588.00000368@ng133.aol.com>
Source record: 112234

do you know if their is 11 meters ?also cond?thanks.....fred

5783. Spectronics DD-1T Display Manual Needed

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Jim Allen <jim_allen@hp.com>
Message-ID: <37025C14.851@hp.com>
Source record: 112235

I'm in dire need of a copy of a manual for a Spectronics DD-1T Digital display. I've tried all of the commercial sources to no avail. Can Some kind soul out there assist? I'd be glad to pay all copy/shipping charges.

Thanks,

Jim

NU6AM

5784. Re: Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: "Tom C. Brown, Jr." <mmc@netdoor.com>
Message-ID: <S0tM2.18$UR6.30@axe.netdoor.com>
Source record: 112236
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

I agree.

Dave Martindale wrote in message <7dtkqi$3lm@groucho.cs.ubc.ca>...
>kf4fdj@amsat.org writes:

[Text removed]

>
>If I wanted to look at equipment that is being auctioned on Ebay, I'd
>look on Ebay. But I'm not, so all these Ebay posts are just a waste
>of Usenet for me.
>

[Text removed]

> Dave

5785. MRF Transistors

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Morris <morris@SPAMsssnet.com>
Message-ID: <922902055.942.48@news.remarQ.com>
Source record: 112237
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap

Has anyone found any substitutes for the following transistors with or without minor ckt changes:

MRF-477
MRF-497
MRF-240
MRF-240A

These are used in the Uniden HR2510, HR2600, Radio Shack 2 m, linears and other medium powered radios for the finals. The supplies are getting low and the prices are getting outrages.

Example: the MRF-240A cost with freight from RF parts is $38.+, if you order it from Radio Shack it is $78. + freight and tax. Two years ago I bought 5 for $50. which including the freight.

Thanks.

5786. FS: Yaesu 736R 2m/440 1250.00

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: tom <tdirose@stny.lrun.com>
Message-ID: <YatM2.349$8m5.767@newsr1.twcny.rr.com>
Source record: 112238

Hi,
I have a YAESU 736R 2m/440 box, manual, w/tek manual,
desk mike (MD-1) ,hand mike, keyer-B, tone board.
I payed $1,879.00 , less mike(MD-1),keyer-B(19.95), tone
board(FTS-8-58.00),Technical supplement. It's 5yr old, not much use. I'd
like to sell it (1200.00)
the Rotor is a (Yaesu G-800SDX) ,instruction manual, the antenna are a 13B2
(2m Cushcraft) and HY-Gain 215s (7030SAT 30EL 435 BEAM) I would sell all or
part of (but not if I don't sell the Radio) so
I'll take 1500.00 for all.
Tom
(607)724-8181

5787. Re: Opinions Wanted: FT990 v. TS850

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: user66@aol.com
Message-ID: <19990331130133.15619.00000225@ng-cf1.aol.com>
Source record: 112239

>!
>
>Opinions wanted: Yaesu FT990 versus Kenwood TS-850. Pro and con. Good and
>bad. What do ya say? Please respond here or to my e-mail:
>STEVE.W3SY@EROLS.COM
>
>

Well, you got yourself a tough choice here

they're both great rigs...

ts-850 somewhat more "digital"
lets you adjust cw pitch ,choose cw sideband
has a much more convenient choices of main knob tuning speeds (step per
revolution)

however international radio has a progressive speed tuning mod for the 990

I am not quite happy with the quality of audio coming out of the 850 regardless
of speaker
specially at higher volume

the 990 has a better audio with ext. speaker

for 10 meter fm op 850 has pl tones easily programmable and 990 does not

if you get an 850 get a DSP-100 optional add on unit specially if you operate
SSB or AM
it makes a world of difference
and can make you sound like a million dollar hi-fi broadcast quality station
with decent mike

but you have to be a control freak to learn how to adjust all the controls ....
(it's fun)

I guess what I'm saying is that a 990 is perhaps somewhat more TRADITIONAL in
its approach and maybe slightly more SOLID ...
less toyish but that's not necesarilly better...

they're both great rigs you should try'em side by side and only then make a
choice...

5788. Re: QST magazine Indexes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: nick@cs.unc.edu
Message-ID: <7dtmts$r85$1@altair.cs.unc.edu>
Source record: 112240
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipment

The rec.radio.amateur.boatanchors FAQ site has the following:
From Beveridge to Oscar
indexes to back issues of QST, 73, Ham Radio, and CQ magazines
also an index of equipment reviews - hard copy or floppy disk
versions
DiDah Publishing
PO Box 7368
Nashua, NH 03060
603-878-3628

Info on magazines, manuals, parts, web sites, etc - all kinds of
neat groovy stuff about boatanchors can be found on the FAQ site:
http://www.cs.unc.edu/~nick/rrab.faq.htm

Additions & Corrections welcomed
73 & Have Fun,
Nick KD4CPL

--
Nick England KD4CPL nick@cs.unc.edu Univ. Of North Carolina
http://www.cs.unc.edu/~nick Chapel Hill NC

5789. Re: FS: Yaesu Gear

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: ab4d@aol.com
Message-ID: <19990331131554.06274.00000264@ng-ft1.aol.com>
Source record: 112241

The 736R has been sold, I also have a Ham II Rebuilt Rotator/Control box for sale $175.00 obo, Mirage 1015G 6 meter amplifier in new condition $250.00, JPS ANC4 noise eliminatior $100.00,all items are obo, Thanks, Jim. >S: Yaesu Gear
>From: ab4d@aol.com (AB4D)
>Date: 3/30/99 7:50 AM Eastern Standard Time
>Message-id: <19990330075055.08312.00000017@ng-fx1.aol.com>
>
>Thank for reading this, I have for sale the following gear, all of it is in
>excellent condition and works perfectly, includes all documentation, original
>cartons, hand mics and cables. Non-Smoker owned.
>
>Yaesu FT-1000mp with SP-8 external speaker and MD-100 desk mike, rig was
>purchased in the spring of 1996, This rig is a 9.8 as 10 being new $2300.00
>
>Yaesu FT-736R VHF/UHF, has 6m, 2m, 1.25cm and 70cm, the rig has all options
>installed cw filter/keyer unit/ctcss encode/decode, includes SP-767 external
>speaker & MD-1 desk mic, the front panel is in new condition, the sides of
>the
>rig have some minor superficial
>scraches in the paint. $1850.00
>
>Yaesu FT-840 with FP-800 speaker/power supply and FC-10 auto tuner, this rig
>has all options installed includes YF-112A AM filter, YF-112C 500hz CW
>filter, FM-747 FM Unit and MD-100 desk mic this rig and assc. are a 9.5 out
>of
>10, $1000.00.
>
>Drake L-4 B 10 thu 80 hf amplifier includes extra set of 3-500z pulls
>untested,
>higher serial number unit (5313) perfect working condition and in beautiful
>shape the blue meter filters are still blue, an 9.0 out of 10 the front
>panel
>is a 9.8, $800.00 obo.
>
>I also have a tower and antenna package for sale, U-pick up in the Northern
>Virginia/Wash D.C. area, 40 feet of rohn 25G with house bracket, Glen Martin
>heavy duty hazer with thrust bearing, Telex 15 foot steel mast, Cushcraft X-7
>with 40 meter add on kit, Cushcraft 13B2 2 meter yagi, Cushcraft A50-5S 6m
>yagi, Yaesu G-800 SDX antenna rotator, five120 foot runs of belden cable,
>this
>whole package is about six months old except for the A50-5S which is about 3
>years old
>
>I am selling all of the gear to pursue other interest, please e-mail me if

>you
>are interested, Jim, AB4D@aol.com
>
>
>
>
>
>

5790. Pouches

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Shawn Upton <supton@eece.maine.edu>
Message-ID: <370267C6.2847@eece.maine.edu>
Source record: 112242

Wasn't there someone selling pouches for Motorola radio's in this
newsgroup a couple of days ago? I accidently erased the post. I ask,
as I'm looking for something for my HTX-202. Thanks

--
****
Shawn Upton
Electrical Engineering Student
University of Maine at Orono
webpage: http://www.eece.maine.edu/~supton/
mail: supton@eece.maine.edu
KB1CKT Tech Plus
****

5791. Re: Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Shawn Upton <supton@eece.maine.edu>
Message-ID: <37026741.500F@eece.maine.edu>
Source record: 112243
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

I find the letters in the subject line "FA" to be a nice thing for
people advertising ebay articles. If I see FA, I just unmark the post,
and that's that--no wasted time, as I don't care to use ebay (I've used
it before, but the thrill of auctioning doesn't do it for me--I'd rather
deal with the seller directly).

I've noticed that the people selling things on ebay and then posting
stuff in this newsgroup have either used FA in the subject line, or
plainly said something to the effect, for auction on ebay. So, I have
no qualms about people using this newsgroup to post stuff on ebay.

--
****
Shawn Upton
Electrical Engineering Student
University of Maine at Orono
webpage: http://www.eece.maine.edu/~supton/
mail: supton@eece.maine.edu
KB1CKT Tech Plus
****

5792. Re: Ham Radio magazine Indexes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: la8ak@online.no
Message-ID: <3701f498.206733158@news.online.no>
Source record: 112244
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipment

On Wed, 31 Mar 1999 03:36:48 GMT, Sir Robin <nexus15@flash.net> wrote:

>Bill,
>
>I have a Ham Radio index that I put together just by copying the
>appropriate December multiple year indexes. It covers all 268 issues.
>The last year was a partial and I had to copy the table of contents for
>all those issues.
>
>I don't know of a downloadable one. I've worked a little on scanning it
>and OCRing it but little luck so far. It would be a monumental typing
>task.
>
>If you would like a copy of the Ham Radio Index I can probably get it
>copied for $6 plus a $1 for shipping. It is 30 double sided
>pages......Let me know...Rick...W5RH
>
I have written an index for Radcom for the period of 1972-1990,
available as wordperfect or txt file, believe it is available at
GM4ANB

5793. Re: Alinco DJ-F1T Info?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Louis Albert <lalbert@uakron.edu>
Message-ID: <37026E1A.FDA4D8F8@uakron.edu>
Source record: 112245
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment

I hope this helps - on the S41T
http://world.std.com/~wdr/alinco.html
http://www.ifip.com/dj-s41.pdf
Lou WA8PHD
http://ifip.com/wa8phd.htm

Jeff Johns wrote:

> Does anyone have any info on a Alinco DJ-F1T or know where I can obtain any
> info on this HT? I acquired one complete with the charger, but need
> programming information and any other technical information that might be
> available. Thanks in advance for any assistance!
>
> 73 Jeff W4JEF
>
> *--------- Jeff Johns W4JEF - AMSAT# 32615 - QRP-L# 1857 ----------*
> |jeffj@scott.net w4jef@amsat.org | Reserve Patrol Captain |
> | Satellite: Mir R0MIR-1, AO-27 | Jefferson County Sheriff's Dept|
> |200LX+BayPac+FT50=Portable Packet| QTH Birmingham, AL USA |
> *---*

5794. FS: VHF MSF5000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: AL <k6djp@postoffice.pacbell.net>
Message-ID: <37026F3B.12E2097A@postoffice.pacbell.net>
Source record: 112246
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Station is in like new condition and is the fully rss programmable
model.125 watts continous duty rateing,has des-xl installed,capable of
local or tone remote control and includes a digital remote metering
panel.$2500
AL

5795. MLT 2500 Schematic?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Mike Souhrada <wb9iog@revealed.net>
Message-ID: <370264B3.1C1@revealed.net>
Source record: 112247

Still looking for one of those.
Mike

5796. Re: Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Irv Finkleman <finkirv@cadvision.com>
Message-ID: <370279BD.1AE14CC4@cadvision.com>
Source record: 112248
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Well Said!
Irv VE6BP

"KF4FDJ (Mike in Ft. Myers, FL)" wrote:

> RICHCOM,
>
> I am not generally a grump, but your method of posting to the newsgroups
> regarding items you are selling on EBAY is getting tiresome. If someone
> wnats to peruse EBAY and see what's for sale, fine, but parallel
> postings to the newsgroups is not appropriate, especially since you have
> no description in your posts, just a link to EBAY! Based on the number
> of items you've been selling and parallel posting here, you must be in
> the business of selling used equipment. In such case, you are violating
> newsgroup rules twice, once for your own gain, and the second by
> promoting EBAY.
>
> 73, Mike
>
> richcom wrote:
> >
> > Go to:
> > http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83432906
>
> --
> __\/__
> | . / ^ _ \ .
> | |\| (o)(o) |/|
> ^ --- * -----------------.OOOo--oo--oOOO.------------------- *
> ||| | | * Mike Gilchrist - KF4FDJ ..... AMSAT Area Coordinator *
> |X| | | * P.O. Box 763 .... AMSAT member #31884 *
> [X]~~~|k| * Fort Myers, FL 33902 .... ARRL member #1781549 *
> / \ |f| * http://www.gate.net/~seven77 telephone 941.772.7907 *
> | | |4| * kf4fdj@amsat.org .... EL96ap *
> | P | |f| * I.S. Professional ..... CNA .... Computer Consultant *
> | 3 |=|d| * AO10, AO27, FO20, FO29, RS13, RS15, MIR, E Layer *
> | D | |j| * Bringing Oscar demos to the Lee County Schools. *
> |_____|=| | *
> /*X*\ | | * Black holes were created when God divided by zero. *
> ________|_|_____________________________Oooo._________________________
> .oooO ( )
> ( )) /
> \ ((_/

> _)

5797. FS: VHF Gear TS-711a, Marrage G2516B amp, IC-551d & P/S, IC-251a.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: KC4NYH <chainsaw1@mindspring.com>
Message-ID: <7dtvc9$4tf$1@camel18.mindspring.com>
Source record: 112249
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

Hello folks,
I have some VHF Gear for sale, the items are as follows:

Kenwood TS-711a 2 meter all-mode AC/DC, 25 watts, mint
shape in and out.
I need $550.00

Mirage B 2516 G 2 meter 25 in 160 out FM/SSB amp. Like new in and out.
I need $200.

Icom IC-551d & matching IC PS20 DC P/S.
Radio is a 6 mtr all-mode, 80 watts out with a very hot receiver.
Power Supply is the matching P/S for the IC-551d, and is in near mint 9/10
I need $550. for all!

Icom IC-251a this rig is the 2 meter all-mode 10 watt out match to the 551d.
But this rig does need some minor VCO work to steady the SSB portion. Icom's
Sr. bench tech said "It's no problem to fix, that's a nice radio"!
I just need to get $200. for that guy.

All gear is 9+ out of 10. If you want it all I will sell it all for $1300.
Buyer pays shipping.
Thanks and 73's

5798. Re: QST magazine Indexes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: la8ak@online.no
Message-ID: <37026ec4.238014480@news.online.no>
Source record: 112250
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipment

On Tue, 30 Mar 1999 14:01:20 -0800, Phil Wheeler <w7ox@mindspring.com>
wrote:

>Try this website:
>
>http://www.tp.net/tp/users/japple/qst.htm
>
>Phil
fb, but it does not cover index for "technical correspondence", the
most valuable part of QST

73 Jan-Martin
LA8AK

5799. Sunair GSR-920 manual, copy for sale.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: fbohner@my-dejanews.com
Message-ID: <7du51s$ji3$1@nnrp1.dejanews.com>
Source record: 112251

Hello,
I have extra copys of the Sunair GSR-920
HF/SSB Receiver Operation and Maintenance
Manual that I had Copied.
The whole manual was copy at 100 percent,
including the 20 some 11 by 17 two sided
schematics.
If you are getting a GSR-920, this is the
complete manual.
I am asking $30.00 US plus 3.20 for priority
mailing.
if interested email me at
fbohner@rocketmail.com
Thanks,

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5800. Help! Need schematic for RCI-2950

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <7du1ug$9tm$1@news2.bit-net.com>
Source record: 112252
Cross-posted to:
alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

I have a RCI-2950 that I'd like to use for 10m mobile.
It has some problems (bought it that way) and I need to
troubleshoot.

I thought a couple of GIF's I downloaded would get it done
but they had been poorly scanned and are missing large
sections of circuitry.

Scanned schematics are fine, otherwise will pay reasonable
copy and postage as agreed in advance.

Thanks!
~~~

\ ~ / .... DavidC K1YP@qsl.net or 603-894-1174
~~~

5801. Ham Radio resources

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: mikrounit@hughes.net
Message-ID: <7du5j2$k1c$1@nnrp1.dejanews.com>
Source record: 112253

Hello All,

I have a Ham Radio & Electronics page
that has info on Satellites, Satellite Tracking,
Yaesu, FT-847, HF, VHF/UHF, a Ham Radio Resources Page with
tons of USEFUL links, My own HF rig reviews, plus other interesting info.
Come and check out my page, and drop a message off to my Guest Book.
The URL:

http://kq6mu.8m.com

Thanks & 73,

Mike Green KQ6MU

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5802. Re: FA: Drake TR7A W/Acc

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: John Miles <jmiles@pop.removethistomailme.net>
Message-ID: <37028B57.23AC@pop.removethistomailme.net>
Source record: 112254
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

richcom wrote:
>
> Go to:
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83432906

For-sale ads for commercial ham gear, via ebay or otherwise, are not
appropriate on rec.radio.amateur.homebrew. Based on your earlier
responses to other people ("MIND YOUR OWN BUSINESS"), this and all other
ads for unrelated equipment you post to the group will be forwarded to
your ISP's postmaster and abuse accounts.

-- jm KE5FX

Note: My E-mail address has been altered to avoid spam

5803. Re: MRF Transistors

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Paul Varian <paulvarian@hotmail.com>
Message-ID: <37029913.0@news.isdn.net>
Source record: 112255
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap

The MFR 477 and 497 are high power replacements for the original low power units. The low power versions are avaliable for about $6 each from mouser electronics. Also NTE offers a free download of their cross reference software, it list the NTE replacement for the original low power versions.
73's AB2ED

Morris <morris@SPAMsssnet.com (remove SPAM from address)remove SPAM from address)> wrote in message news:922902055.942.48@news.remarQ.com...
> Has anyone found any substitutes for the following transistors with or
> without minor ckt changes:
>
> MRF-477
> MRF-497
> MRF-240
> MRF-240A
>
> These are used in the Uniden HR2510, HR2600, Radio Shack 2 m, linears and
> other medium powered radios for the finals. The supplies are getting low
> and the prices are getting outrages.
>
> Example: the MRF-240A cost with freight from RF parts is $38.+, if you
order
> it from Radio Shack it is $78. + freight and tax. Two years ago I bought
5
> for $50. which including the freight.
>
> Thanks.
>
>
>
>
>

5804. Re: Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: King Pineapple <craigseuf@hotmail.com>
Message-ID: <01be7b86$fea03960$4d55d2d0@default>
Source record: 112256
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

I agree with you Shawn. If I see FA I just don't bother reading the post.
If you visit rec.antique.radio-phono (or whatever it's called) there's as
much stuff for sale there as there are posts about other things. I will
grant you that since this is already being posted in rec.radio.swap, it may
not be as relevant in rec.radio.shortwave, but since he is putting FA in
there I don't think it's a big deal.

Shawn Upton <supton@eece.maine.edu> wrote in article
<37026741.500F@eece.maine.edu>...
| I find the letters in the subject line "FA" to be a nice thing for
| people advertising ebay articles. If I see FA, I just unmark the post,
| and that's that--no wasted time, as I don't care to use ebay (I've used
| it before, but the thrill of auctioning doesn't do it for me--I'd rather
| deal with the seller directly).
|
| I've noticed that the people selling things on ebay and then posting
| stuff in this newsgroup have either used FA in the subject line, or
| plainly said something to the effect, for auction on ebay. So, I have
| no qualms about people using this newsgroup to post stuff on ebay.
|
| --
| **********
| Shawn Upton
| Electrical Engineering Student
| University of Maine at Orono
| webpage: http://www.eece.maine.edu/~supton/
| mail: supton@eece.maine.edu
| KB1CKT Tech Plus
| **********
|

5805. Re: FT-100 IS HERE !!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: dlr18sh@aol.com
Message-ID: <19990331165855.26021.00000555@ng96.aol.com>
Source record: 112257

you whould be lucky you didn't get one of the first ones that died out of the box. There is a FORUM that I read daily and I hear one sad story after another. All the guys still post stuff but all they can say is how happy they will be to get the radio from being repaired by Yaesu. If you are smart you will cancel your order and wait till they get the bugs out.
TIM

5806. Re: Opinions on V7A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Paul Varian <paulvarian@hotmail.com>
Message-ID: <37029a24.0@news.isdn.net>
Source record: 112258
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Great little dual bander, jut hope your into the menu interface the radio is very easy to operate but to get the real functions you need to spend time in the owners manual. I have had one for about 4 months and I greatly enjoy the seperate data port on front as well as the spectrum analyzer display. Nice radio but like all nice radios it is a bit pricey

Landen Stoker <KC5QDZ@TCAC.NET> wrote in message news:37010973.7845299E@TCAC.NET...
> I am thinking about buying a new Kenwood V7A since I can't find to catch
> a used one. Must be a fairly popular radio right now. Anyway, before I
> am willing to put down a chunk of change on one, I would like to hear
> the opinions of owners. What did you like , dislike about the radio. Do
> you have any problems with it?
>
> Thanks
> Landen
> KC5QDZ@TCAC.NET
>

5807. Re: Heil Mike Sets

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: ejune@intuitive-data.com
Message-ID: <09990231134940.OUI94.ejune@intuitive-data.com>
Source record: 112259

Phil,

I bought a Heil Pro Micro headset with the HC-4 mic element for use in the WPX contest last weekend (with my FT-1000D). The transmit audio quality is great! However, I am less than impressed with the headphones. The audio quality seems bandwidth limited, and I had trouble copying the fluttery/weak Europeans. I ended up yanking the headphone jack and using my desk speaker in such situations, with the headphones clamped to my head but not my ears. The copy was much better. I also tried my Yaesu headphones and the copy was fine there as well. I am considering removing the boom and mic from their headset and epoxying onto my Yaesu headphones, which would seemingly give me the best of both worlds. Either that, or try the full-sized Pro Set.

--
Regards,

Eric June
KU6J

5808. Keithley 610B Electrometer for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <370298F8.7F0C@ix.netcom.com>
Source record: 112260
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I have an excellent condition 610B. This is one of the most sensitive electrometers ever built. Recently calibrated by Keithley. I want $250 or best offer, trades Thank you, Chris.

5809. Capacitor Analyzer Sprague TO-6

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3702993F.60A@ix.netcom.com>
Source record: 112261
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

I have a TO-6 in excellent condition. This is the top of the line capacitor analyzer. It also has large enough transformers built it to reform electrolytics. It has an analog meter to check leakage and it is in beautiful condition. I have jpg pictures if you need to see it. This would make an excellent addition to any shack. $175+ shipping
73 Chris VE3NGW/W4 Florida

5810. WTB Icom 706 filters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <37029964.7C34@ix.netcom.com>
Source record: 112262
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment

Wanted FL-223 and FL-100 also SM-8 or SM-20 mic

5811. Re: Heil Mike Sets

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: "Tom C. Brown, Jr." <mmc@netdoor.com>
Message-ID: <umxM2.3$727.53@axe.netdoor.com>
Source record: 112263

It's top drawer. I use mine mainly with a Drake R-4C and I like it better
than any other headset I've used. I've gotten very good reports of the
HC4's ability to punch through QRM, too.

I'm about to buy another one, I think, for use with my Collins gear.

73, Tom AE5I

Phil Wheeler wrote in message <3701822B.1F7E3C12@mindspring.com>...
>Any opinions on the Heil Pro Set? I'm thinking of buying one plus
>footswitch for use with my Kenwood TS-570-D(G).
>
>Pros and cons would be appreciated.
>
>Phil W7OX

5812. Re: Heil Mike Sets

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: "Tom C. Brown, Jr." <mmc@netdoor.com>
Message-ID: <EpxM2.4$727.141@axe.netdoor.com>
Source record: 112264

Eric June wrote in message
<09990231134940.OUI94.ejune@intuitive-data.com>...
>Phil,
>
>I bought a Heil Pro Micro headset with the HC-4 mic element for use in
>the WPX contest last weekend (with my FT-1000D). The transmit audio
>quality is great! However, I am less than impressed with the
>headphones. The audio quality seems bandwidth limited, and I had

[Text removed]

Hmmm......that might be why I like `em so much for CW! :-)

73, Tom AE5I

5813. Icom 02AT & BC-35 Charger

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: dakota206@aol.com
Message-ID: <19990331173523.21605.00000469@ng-fi1.aol.com>
Source record: 112265

For Sale

Icom 02AT & charger for sale. The radio is in excellent condition. Comes with telescopic antenna. Asking $135.00 plus shipping. If interested email

dakota206@aol.com

5814. Need IC756 Help...noisy cw signal!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <3702A88D.64D79390@iglobal.net>
Source record: 112266

Hello...My friend Andy has some noisyness or something in his Icom 756 CW signal...suspect its one of the earlier ones that had a mod...can anyone tell him what to do? Your help would be appreciated!! Cant find an email address for Icom tech help either....anyone know that? Thanks 73 Murray K5MDM....please address your reply it both myself and Andy..... hitbis@rz.onet.pl .....and .....radioranch@qth.com..... .....

HitBis wrote:

> Hi Murray
>
> One week ago I was receive my IC756.You was right,its like new
> condition.Thanks again. It's very interesting rig.I was doing many qso on CW
> (it's my favorite mode)and hams from my town say that cw signal is
> particularly noisy.I was reading about it in QST and on qsl.net reflector.
> It's concern all 756 below nr 1900,I have 1744.
> It's so popular mistake Icom. Icom Service make this modifications gratis
> but we have not in Poland real Icom service. I must make good this but I
> have not any materials about it.
> Murray ,could you help me ?
> I'm looking for materials about this mods. and I need Service Manual of
> course.
> I will pay of course for this,no problem.
> Let me know what do you think about it.Thanks again and I'm waiting for
> repply.
> Best 73's
> Andy SP8BRQ
>
> P.S. Have you any CW filters for 756 ? Prefer Inrad filter.

5815. Tektronix 455 Volts/Div?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: NetONE <netone@xmission.xmission.com>
Message-ID: <7du96k$5oa$1@news.xmission.com>
Source record: 112267
Cross-posted to: sci.electronics.equipment,rec.radio.amateur.equipment

I recently purchased a used Tek 455 A2-B2 'scope. Unfortunately,
when I got it I discovered that both of the Volts/Div scales are
missing. (There are just knobs there.)

Would someone with one of these 'scopes please e-mail me with the
values that correspond to each of the 10 positions? I know they
go from 5mv to 5v, but I have no clue regarding the increments.

AI would also be interested in puchasing replacement scales, if they're
out there somewhere. I'd appreciate repair parts contacts, or I'd
love to hear from someone who has junked one of these 'scope and has
them as spare parts,

Thanks in advance,
Dave

5816. Re: Alinco DJ-F1T Info?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Greg Castiglione <GregCa@DIM.com>
Message-ID: <3702A8FF.6A35@DIM.com>
Source record: 112268
Cross-posted to: rec.radio.amateur,rec.radio.amateur.equipment

```
Louis Albert wrote:
>
> I hope this helps - on the S41T
> http://world.std.com/~wdr/alinco.html
> http://www.ifip.com/dj-s41.pdf
> Lou WA8PHD
> http://ifip.com/wa8phd.htm
>
> Jeff Johns wrote:
>
> > Does anyone have any info on a Alinco DJ-F1T or know where I can obtain any
> > info on this HT?

You sent info on the WRONG radio. --Greg--
```

5817. Linear Amp Recommendation

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Terry Crissman <tcrissman@simplynet.net>
Message-ID: <7du900$c3c$1@news-2.news.gte.net>
Source record: 112269

My FL7000 was damaged by lightning so I'd like to replace it with a similar amp and I'd like recommendations ....Anyone have an opinion about the Ameritron ALS-600 particularly? Thanks

Terry AC5AN

5818. WTB: Transverter for Yaesu 901DM

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Bill Locatis <blocatis@worldnet.att.net>
Message-ID: <7du9mk$7r8$1@bgtnsc02.worldnet.att.net>
Source record: 112270

Would like to buy working transverter for Yaesu 901DM. Contact blocatis@worldnet.att.net.

5819. FS: Kenwood TS820S

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Bobby <someone@somedomain.com>
Message-ID: <01be7bce$c0424300$85d7c2d0@p15218>
Source record: 112271
Cross-posted to:
rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap

Near mint 160-10 Meter transceiver with digital display, CW filter,
operator and service manuals. Very low hours...it still has the original
final tubes. No problems, a few documented reversable mods added from
Kenwood and QST hints and kinks. Two BNC connectors added on back to allow
external reciever. Asking $350. Local pickup in the Detroit MI area
preferred. I am the second owner (non smoker) and have had it since early
eighties.
Bob
KB8TL

5820. Re: Diamond Monster 3DFX Card for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: "Karl \\Krazyman\" Schultz <krazyman@mindspring.com>"
Message-ID: <3702B77B.19EB67E3@mindspring.com>
Source record: 112272
Cross-posted to:
alt.ads.forsale.computers,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Not only did they NEVER sell for $450, you can get them at Electronics Boutique

AND EVEN FROM DIAMOND directly and only pay $140-150. Tell ya what I'll offer
ya $75 plus shipping.....
NYLIFUN wrote:

> Those cards NEVER sold for $450. They came out at $250 or $200
>
> KC4NYH wrote in message <7dqurm$97p$1@samsara0.mindspring.com>...
> >Hello to the group,
> >I have a like new 12 mb Diamond Monster 3DFX (Voodoo II) card for sale.
> >This is a must for those gamers out there that want the best! This card
> sold
> >new for nearly $450.00, I only need to get $120.00 plus $10.00 for S/H.
> >
> >PS: for those Ham Radio fans out there, I will consider a trade for a nice
> >looking 2 meter mobile radio with 50 watts of output.
> >
> >If interested email me at:
> >chainsaw1@mindspring.com
> >My Homepage:
> >http://www.mindspring.net/~chainsaw1
> >
> >
> >
> >
> >
> >
> >

5821. radio control program in BASIC

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Bill Torrance <n7qax@vcn.com>
Message-ID: <3702BB70.27C6@vcn.com>
Source record: 112273

has any one ever heard of a radio control program written in BASIC for the Kenwood radios? TNX Bill N7QAX

5822. ADMS-1E / VX5 information

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Frank Krozel <frank@electronicinstrument.com>
Message-ID: <7dued0$a9i@sjx-ixn9.ix.netcom.com>
Source record: 112274

Just a quick note to all....
When attempting to read to or write to a VX-5, TURN OFF the Lock button!
With the LOCK ON, you cannot read to or write to the radio.
Frank KG9H

5823. Re: Diamond Monster 3DFX Card for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: MicroChip <nospam@nospam.org>
Message-ID: <3702BDC3.277D@nospam.org>
Source record: 112275
Cross-posted to:
alt.ads.forsale.computers,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Just curious... do those $150 cards come with the 12 meg? or just 4
meg??

Karl "Krazyman" Schultz wrote:
>
> Not only did they NEVER sell for $450, you can get them at Electronics Boutique
>
> AND EVEN FROM DIAMOND directly and only pay $140-150. Tell ya what I'll offer
> ya $75 plus shipping.....
> NYLIFUN wrote:
>
> > Those cards NEVER sold for $450. They came out at $250 or $200
> >
> > KC4NYH wrote in message <7dqurm$97p$1@samsara0.mindspring.com>...
> > >Hello to the group,
> > >I have a like new 12 mb Diamond Monster 3DFX (Voodoo II) card for sale.
> > >This is a must for those gamers out there that want the best! This card
> > sold
> > >new for nearly $450.00, I only need to get $120.00 plus $10.00 for S/H.
> > >
> > >PS: for those Ham Radio fans out there, I will consider a trade for a nice
> > >looking 2 meter mobile radio with 50 watts of output.
> > >
> > >If interested email me at:
> > >chainsaw1@mindspring.com
> > >My Homepage:
> > >http://www.mindspring.net/~chainsaw1
> > >
> > >
> > >
> > >
> > >
> > >
> > >

--

MicroChip Technical Services
mc at techpage.csv.cmich.edu

5824. WTB Mark-8 Computer, manuals newsletters

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: LAMP-PUBLISHING@worldnet.att.net
Message-ID: <7ds2el$f53$2@bgtnsc02.worldnet.att.net>
Source record: 112276

Hi,

Am a serious collector looking for a Mark-8 computer and related
items, any help appreciated.

thanks
steve

5825. Should I choose a TH-79A(D) or IC-W32A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: flying@videotron.ca
Message-ID: <37018df1.594947@news.videotron.ca>
Source record: 112277

Hello,

I'm looking for a high-power dual band HT. Should I choose a Kenwood TH-79A(D) or an ICOM IC-W32A?

The Kenwood TH-79A(D) is verylight weight but I don't know if the system that clip the battery to the radio is durable!? I'm aware of the existance of modification to expend the Rx frequency band. Also, the TH-79A(D) cost less.

The ICOM IC-W32A is heavy (compared to the TH-79A(D)), the system that clip the battery to the body is different (is it better?). Is there any modification to expend the Rx freq band? The IC-W32A cost more.

I'm sure that those 2 radios are comparable, but is there one that stand out from the other?

Thanks for your help :)

73

VA2SKY
Martin Boulerice
Montreal, Quebec, Canada

5826. FS ARRL Antenna Handbook

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <37019890.7609@sympatico.ca>
Source record: 112278
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

ARRL Antenna Handbook, 14th Edition, (large blue covered book) nice shape, $10.00 plus postage.

5827. Ham Radio magazine Indexes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Sir Robin <nexus15@flash.net>
Message-ID: <37019789.162@flash.net>
Source record: 112279
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipment

Bill,

I have a Ham Radio index that I put together just by copying the appropriate December multiple year indexes. It covers all 268 issues. The last year was a partial and I had to copy the table of contents for all those issues.

I don't know of a downloadable one. I've worked a little on scanning it and OCRing it but little luck so far. It would be a monumental typing task.

If you would like a copy of the Ham Radio Index I can probably get it copied for $6 plus a $1 for shipping. It is 30 double sided pages......Let me know...Rick...W5RH

>Turini wrote:
>
> Does anyone know of a source of indexes for QST, HR, and 73, CQ, etc?
> The ARRL has indexes from 1970 or so. I thought that someone was
> selling indexes going farther back. Anyone remember who?
>
> Also, I'm looking for bibliographies of articles for BAs, i.e.
> Johnson, Hammarlund, etc.
>
> Thanks
>
> Bill Turini KA4GAV/7 turinib@wdni.com
>
> Always looking for Signal/One Accessories, equipment, publications,
> advertisements, etc.

5828. FA Drake Manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <37019B3D.7CF@sympatico.ca>
Source record: 112280
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Original Drake T-4XC Transmitter manual on EBay -

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=85036828>

5829. Re: Heil Mike Sets

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: ameredith@ozemail.com.au
Message-ID: <7dsdej$22o$1@nnrp1.dejanews.com>
Source record: 112281

In article <3701822B.1F7E3C12@mindspring.com>,
w7ox@mindspring.com wrote:
> Any opinions on the Heil Pro Set? I'm thinking of buying one plus
> footswitch for use with my Kenwood TS-570-D(G).
>
> Pros and cons would be appreciated.
>
> Phil W7OX
>
Hi Phil

I have been using my Heil Pro on my FT920 for about 4 months and just spent a full weekend (20hrs) using it in the WPX contest. I found it extremely comfortable to the point I almost forgot it was there! I have had comparisons with other hand mic's etc and the Heil always gets excellent raps. I use a foot switch with it, which is a must for handsfree contesting. All up one of my better purchases :-)

Cheers....Allan VK2NNN

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5830. Still need a copy of Force12 C3S manual

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: kc5egg@ix.netcom.com
Message-ID: <7dsce1$1fr@dfw-ixnews9.ix.netcom.com>
Source record: 112282
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap

Howdy all,

During Spring cleaning the installation manual for my used Force12 C3S got lost. I was considering installing this antenna and needed the manual for set up. After receiving a rather negitive cut and paste response from Force12 I am appealing to the net community for some help. I not even sure I want this antenna after my experience with the company but if I sell it the new owner will need the same docs.

Thanks for any help.

73 Jerry KK5YY

5831. WTB: Ten Tec Paragon I or II

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Markus Thomerson <mdt@powr.net>
Message-ID: <01be7b2a$56d20580$69d7050c@mdt>
Source record: 112283
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap

Hello and thanks for reading this post. I am wanting to buy an Ten Tec Paragon I or II. The rig must be extremely clean and working perfectly. I am willing to pay the price for the right rig. Thanks, Markus

5832. EBAY- NICE HEATH STUFF, 1 unbuilt!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990331000503.18569.00000053@ng-ca1.aol.com>
Source record: 112284

Hi Guys;
I have this Nice Heathkit stuff on Ebay
1- UNBUILT HEATHKIT HD-1418 Audio Filter
2- Beautiful Heath TWOER w/mike es XTALS, working!
3- Heathkit SB-401 Transmitter, Super Clean!
Heres the URL for everything, Just check it out, Everything is in Collectable Shape!

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?MfcISAPICommand=ViewListedItems&userid=rlucch2098@aol.com&include=0&since=7&sort=2&rows=25

Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

5833. Re: Heil Mike Sets

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: kb9sikk@aol.com
Message-ID: <19990331005114.17740.00000436@ng15.aol.com>
Source record: 112285

I think you will really like it. Worked great with my TS-850.

73,
K-K

5834. Re: Manufacturer TMC ?? Looking for info

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: dslosty@pipeline.com
Message-ID: <3701d1a7.34705088@news.pipeline.com>
Source record: 112286
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

"VE7SEZ" <tkpoustie@NOSPAMbc.sympatico.ca> wrote:

>Hello all, I am looking for info on my latest great hamfest acquisition---a
>TMC Model RFE 1 2@4CX350a HF amplifier. Anybody know how to contact them? I
>would like to obtain original manuals, schematics etc. The name on the tag
>is Technical Materiel Corp. Mamaroneck NY. Any info greatly appreciated!
>
>Tim VE7SEZ

They have, gone out of business.
I've heard that there still is a service organization in the
Mamaroneck area but I don't know how to contact them.

Doug

"Use it up, wear it out. Make it do, or do without."

Remove the "_" in my return address to reply.

5835. Re: Should I choose a TH-79A(D) or IC-W32A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: kd7ctr@aol.com
Message-ID: <19990331030109.15317.00000104@ng-cc1.aol.com>
Source record: 112287

I have the Kenwood. I got it about 6months ago. I have had noproblems with the belt clip. I use the heck out of the HT. The only gripe I have about the unit is the battery life. I believe the newer ones come with a NiMH, but the one I got is a NiCad. There are many aftermarket dealers that you can get a new one from. I experience minor intermodulation when in major metro downtown areas , but not enough to call it a problem. I love the unit. Have you considered the new Kenwood TH-D7A portable? It is the same price as the 79. The difference is the 7 has a TNC and GPS capabilities. Also size is different. The 79 is slender and a little taller. The 7 is short and deep. Better hurry up and buy because Kenwood changes their prices on 01 Apr 99. The prices will go up $20 retail.
I hope my comments have helped you out. Good luck with your purchace.
73s de KD7CTR

5836. FS: Cushcraft ARX-270U "2m & 440mhz" FBG 16ft Vertical Antenna

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990331030603.17319.00000390@ng122.aol.com>
Source record: 112288

Hello,

I have a "Cushcraft ARX-270 U" dual band (2m/440mhz) antenna for sale in excellent condtion. I have moved from a country location where I needed it to a "in town" location. This antenna is a fiberglass vertical that comes in three sections. It is 16ft total length so you don't have to get it up that far to really get some gain. I used it with a Yeasu FT-50R handheld with 5 watts and was supprised just how far this antenna reaches. It has a shiny white, thick, fiberglass exterior. It has a really heavy duty, thick aluminm base with "U" brackets to connect it to a pole. It comes comes complete with easy to connect SO-239 pigtail. There are also three ariels that protude horizonally from the aluminum base... The quality of this antenna is really something, I have mixed feeling on letting it go... =)

$200.00 firm I'll pay shipping UPS COD...

73!

Jason S. Hulet/KC8FXE
314 East Bay Blvd.
Traverse City, MI 49686
Home: 616-947-5049
Work: 616-256-9829

5837. Re: RE : Chuck Lorentson TR-9130...

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: kc5cqa@devtex.net
Message-ID: <3701c7f6.41242305@news.devtex.net>
Source record: 112289

On Thu, 25 Mar 1999 17:20:16 -0800, Jordan Arndt <jordana@nucleus.com>
wrote:

>In the interest of all... Mr Lorentson kc5cqa <kc5cqa@devtex.net>,
>purchased a WORKING Kenwood TR-9130 from myself last spring on E-Bay.
>
>The unit had been used on a daily basis for several years, and had
>performed quite well. Upon receiving the unit Mr. Lorentson claimed that
>when he plugged it in, the display and memories would not hold. I then
>explained to him that the Back-up Ni-Cad battery would need to be fully
>charged before this stopped unless he removed it all together and reset
>the memories etc when he powered the rig up, or that he leave the 12VDC
>Supply on all the time.
>
>I did not hear from him agaim for about 5 months, when he informed me
>that he had not done anything with the rig and was very upset about
>having spent money on the unit. I poffered to have him return the rig
>for inspection and that I would repair any problems that were found,
>unless they were due to someone elses work. He refused to return it, and
>demanded that I refund his money and then he would return the rig. This
>I refused , as the unit was in excellent operational condition when it
>left here. It was not in 9+ condition cosmetically, and this was clearly
>stated in the E-Bay ad. I explained to him that even Kenwood or ICOM or
>any other manufacturer would only offer a repair after the lentgh of
>time that had expired. He still refused to return it. I did not hear
>anything from him for many months again , until now. He claims that he
>took the rig to a Dealer and was told the rig had suffered severe
>damage, and would be between 100 and 200.00 to repair, I AGAIN asked him
>to return it so that I could look at it. He again refused , demanding
>that I refund his money, a year after he purchased the rig. After
>suffering several insulting and threatening e-mails from him, I am
>letting you ALL know the circumstances about the transaction, at least
>from my side. He has told me that he will be e-mailing people and
>informing them of my ripping him off, but there are always 2 sides to
>every story. I am also posting this to other groups. I am sorry to have
>taken up this BW, but I feel that you all have the right to now. I have
>also retracted my offer to him of having him return the unit, as I feel
>that making the offer 3 or 4 times and being refused , even a year later
>is sufficient... WHAT do YOU think??? Please let me know... 73 de
>Jordan...

("as the unit was in excellent operational condition when it
left here.") I really like this statement! It shows a flair
Where do I begin, first yes I was wrong to ask for my money
back, because I knew by the time I got the radio, 'what' I was dealing

with, it took me 6 weeks to get the radio, he email a story about it being lost at customs, and then how he had to have it repaired in a local shop, these are his statements, look at the one above on how the unit was in
"excellent operational condition " he stated he"used it every day.,", does that fit with his statement he had have it repaired just before he sent it??? While the "radio" was taking 6 weeks to get here , I got in touch with him, and and asked for my money back, I think anyone would after that extended period, he told me he was retired and had spent the money ,(you will notice, there was NOTHING WRONG WITH THE MONEY, AND IT ARRIVED IN A WEEK) So from the gitgo, I knew I was not going to get my money back, there are three things about "all this'' that makes me angry, (one) EBay did not keep a good record of people like this,only later did I get input from others about this guy,(two) I should have never delt with someone out of the US. (three) I see he is his still working his trade.
I , didnot make this up , the radio did not work the first time I hooked it up , and I tried several of his suggestions, I then put it on the shelf, as a reminder to me that there are more dishonorable people "out there" than I like to believe.In the six weeks it took for the radio to get here, I knew just about what his word was worth. As a test of his word , I had the unit checked here in San Antionio, their words , it needs alot of work,,, from 150$ to 200$, does the estimate sound anything like """I
>explained to him that the Back-up Ni-Cad battery would need to be fully
>charged before this stopped ,"""
You can read the above statement in the first part of his comment. One thing I should say , after going thru "six weeks of wondering when that radio would arrive," I decided I would not send it back to him unless I got my money first... after all he got his money first,,, hihihihi You know this isnt all that bad when you can still laugh. If any , out there , still want deal with him. Proceed. I know when I see ""posts"" like this , I always remember the names , and then I do not get involved. So use your best decernment..I will say in closing , I have not been at this long , but you have not heard anyone say I mailed out bad goods. I am not loaded , but I would not dishonor my name for 300$. If concerned about the facts, I will email paper work , I got from Ham store... Chuck Lorentson

5838. WTB: Kenwood KPS-12

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Bill <jobes@bellatlantic.net>
Message-ID: <3701DDFE.6039@bellatlantic.net>
Source record: 112290

Interested in a Kenwood KPS-12 DC power supply or similar unit that can
draw at least 10 amps.
Please reply via email.
Bill

5839. If it looks like a duck??????

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: kc5cqa@devtex.net
Message-ID: <3701d42a.44366024@news.devtex.net>
Source record: 112291

In the interest of all... Mr Lorentson kc5cqa
<kc5cqa@devtex.net>,
>purchased a WORKING Kenwood TR-9130 from myself last spring on E-Bay.
>
>The unit had been used on a daily basis for several years, and had
>performed quite well. Upon receiving the unit Mr. Lorentson claimed that
>when he plugged it in, the display and memories would not hold. I then
>explained to him that the Back-up Ni-Cad battery would need to be fully
>charged before this stopped unless he removed it all together and reset
>the memories etc when he powered the rig up, or that he leave the 12VDC
>Supply on all the time.
>
>I did not hear from him agaim for about 5 months, when he informed me
>that he had not done anything with the rig and was very upset about
>having spent money on the unit. I poffered to have him return the rig
>for inspection and that I would repair any problems that were found,
>unless they were due to someone elses work. He refused to return it, and
>demanded that I refund his money and then he would return the rig. This
>I refused , as the unit was in excellent operational condition when it
>left here. It was not in 9+ condition cosmetically, and this was clearly
>stated in the E-Bay ad. I explained to him that even Kenwood or ICOM or
>any other manufacturer would only offer a repair after the lentgh of
>time that had expired. He still refused to return it. I did not hear
>anything from him for many months again , until now. He claims that he
>took the rig to a Dealer and was told the rig had suffered severe
>damage, and would be between 100 and 200.00 to repair, I AGAIN asked him
>to return it so that I could look at it. He again refused , demanding
>that I refund his money, a year after he purchased the rig. After
>suffering several insulting and threatening e-mails from him, I am
>letting you ALL know the circumstances about the transaction, at least
>from my side. He has told me that he will be e-mailing people and
>informing them of my ripping him off, but there are always 2 sides to
>every story. I am also posting this to other groups. I am sorry to have
>taken up this BW, but I feel that you all have the right to now. I have
>also retracted my offer to him of having him return the unit, as I feel
>that making the offer 3 or 4 times and being refused , even a year later
>is sufficient... WHAT do YOU think??? Please let me know... 73 de
>Jordan...
("as the unit was in excellent
operational condition when it
left here.")

I really like this statement! It shows a flair
Where do I begin, first, yes I was wrong to ask for my

money back, because I knew by the time I got the radio, 'what' I was dealing with, it took me 6 weeks to get the radio, he email a story about it being lost at customs, and then how he had to have it repaired in a local shop, these are his statements, look at the one above on how the unit was in
"excellent operational condition " he stated he"used it every day.,", does that fit with his statement he had have it repaired just before he sent it??? While the "radio" was taking 6 weeks to get here , I got in touch with him, and and asked for my money back, I think anyone would after that extended period, he told me he was retired and had spent the money ,(you will notice, there was NOTHING WRONG WITH THE MONEY, AND IT ARRIVED IN A WEEK) So from the gitgo, I knew I was not going to get my money back, there are three things about "all this'' that makes me angry, (one) EBay did not keep a good record of people like this,only later did I get input from others about this guy,(two) I should have never delt with someone out of the US. (three) I see he is his still working his trade.
I , didnot make this up , the radio did not work the first time I hooked it up , and I tried several of his suggestions, I then put it on the shelf, as a reminder to me that there are more dishonorable people "out there" than I like to believe.In the six weeks it took for the radio to get here, I knew just about what his word was worth. As a test of his word , I had the unit checked here in San Antionio, their words , it needs alot of work,,, from 150$ to 200$, does the estimate sound anything like """I
>explained to him that the Back-up Ni-Cad battery would need to be fully
>charged before this stopped ,"""
You can read the above statement in the first part of his comment. One thing I should say , after going thru "six weeks of wondering when that radio would arrive," I decided I would not send it back to him unless I got my money first... after all he got his money first,,, hihihihi You know this isnt all that bad when you can still laugh. If any , out there , still want deal with him. Proceed. .I will say in closing , I have not been at this long , but you have not heard anyone say I mailed out bad goods. I am not loaded , but I would not dishonor my name for 300$. If concerned about the facts, I will email paper work , I got from the Ham store... Chuck Lorentson "73"

5840. TenTec

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: nsnadel@worldnet.att.net
Message-ID: <3702e6a5.7173675@netnews.att.net>
Source record: 112292

I would appreciate any comments on the quality of TenTec tuners as compared to MFJ and Nye Viking.

Norm Nadel
K9NSN

5841. FS: Arrow Antenna 146-4S 2m, 4-element Yagi

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990331042602.19280.00000432@ng123.aol.com>
Source record: 112293

Hello,

I have a mint condition 146-4S Arrow Antenna for sale. It is a 4 solid element yagi antenna for 2 meters. It is of excellent quaility. It comes complete with a SO-239 connector for easy hook up. Just connect the coax with standard PL-259 and you are off and running!

I have moved into town and don't need this antenna any longer. It has never been up for any length of time. It has been hanging in my barn.

$35.00 I'll ship

Jason S. HuletKC8FXE
314 East Bay Blvd.
Traverse City, MI 49686

5842. FS: COMET SMA-3 2m.440/900 hand-held Antenna

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990331044016.19280.00000436@ng123.aol.com>
Source record: 112294

Hello,

I have a COMET SMA-3 Hand-held antenna. This antenna was a replacement for my Yaesu FT-50RD. I have sold my hand-held and am now selling this antenna. It is in good condition and out performs many stock antennas for hand-helds. Just read some of the postings on Dejanews. Remember this antenna fits SMA connectors...

Asking $30 I'll ship

73!

Jason S. Hulet/KC8FXE
314 East Bay Blvd.
Traverse City, MI 49686

5843. Re: QST magazine Indexes

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: dpnewkirk@home.com
Message-ID: <37020ab5.887625@news>
Source record: 112295
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipment

On Tue, 30 Mar 1999 19:22:01 GMT, turinib@wdni.com (Bill Turini)
wrote:

>Does anyone know of a source of indexes for QST, HR, and 73, CQ, etc?
>The ARRL has indexes from 1970 or so. I thought that someone was
>selling indexes going farther back. Anyone remember who?

The ARRL has a complete QST index going back to 1915. It's accessible
via the members-only portion of the ARRL website
(http://www.arrl.org/). Alternative, it can be installed in your
computer -- in segments, as you buy the corresponding CDs -- with the
QST View (QST on CD-ROM) product.

73,

Dave Newkirk, W9VES
w9ves@arrl.net

5844. Re: fed...UPS....Lets SUE EM..CLASS ACTION ANYONE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: William Lee <willee@interconnect.net>
Message-ID: <7dt3om$oj1$1@camel0.mindspring.com>
Source record: 112296

A friend once told me of a get even tactic for U.P.S. I have not attempted this but he says it works.

Get a box that has been sent to you by U.P.S. and open it from the end that has no U.P.S. information.
Put a brick in there and seal the box back up.
Address it to your buddy down thw street on the end you just opened and take it to U.P.S.
Set it in the counter with your address down and your buddies address down.
Be sure to insure it for a lot.
You have a Fifty - Fifty chanch of it being delevered back to you.
They will have no clue as to what happened to the package you sent to your buddy and assume it was lost somewhere.

5845. Re: fed...UPS....Lets SUE EM..CLASS ACTION ANYONE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: William Lee <willee@interconnect.net>
Message-ID: <7dt4qh$p58$1@camel0.mindspring.com>
Source record: 112297

Woops ... Set the box on the counter with your address down and your buddies address UP.

Of course this is fraud and is most illegal.
Talking about it is one thing....You could go to jail for actually doing it.

William Lee wrote in message <7dt3om$oj1$1@camel0.mindspring.com>...
>A friend once told me of a get even tactic for U.P.S. I have not attempted
>this but he says it works.
>
>Get a box that has been sent to you by U.P.S. and open it from the end that
>has no U.P.S. information.
>Put a brick in there and seal the box back up.
>Address it to your buddy down thw street on the end you just opened and
take
>it to U.P.S.
>Set it in the counter with your address down and your buddies address down.
>Be sure to insure it for a lot.
>You have a Fifty - Fifty chanch of it being delevered back to you.
>They will have no clue as to what happened to the package you sent to your
>buddy and assume it was lost somewhere.
>
>
>
>

5846. Need Help, Bearcat 300 Scanner

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: oldgear@aol.com
Message-ID: <19990331073856.07594.00000488@ng17.aol.com>
Source record: 112298

I have just acquired a nice Bearcat 300 scanner in need of a few repairs. It is working fine and will scan OK when you first turn it on. If you stop the scan and go to manual then try scanning again nothing happens the scan resume and hold buttons are completely unresponsive. I have read all of the repair tips posted on the NG, but found nothing to help. Does anyone have any ideas on what the problem might be? I would also like a copy of the schmetic. Please reply to my email address.

Thanks

5847. Re: When to buy?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: William Lee <willee@interconnect.net>
Message-ID: <7dt5ia$pj4$1@camel0.mindspring.com>
Source record: 112299

Kevin, Are you planning to go to Dayton?
If you are then I would wait and look for a good used radio there.
There will be a lot of reputable dealers at the Dayton Hamvention with many good used radios for sale and Sunday is the best day to get a great deal on one of them. One word of caution.... If you wait till Sunday to buy something it may be gone. Good deals go fast.
If you are dead set on a new radio then mail order is the way to go.
No sales tax!
Just shop around for the best price and then order.

kr70657@hotmail.com wrote in message <7ds1dsnnm1@nnrp1.dejanews.com>...
>I've been thinking of buying a new rig and am curious about the best time
to
>buy. I know that the AES superfest is coming up, and Dayton is not too far
>off. Should I buy now, or wait for Dayton. Are there typically good deals
>around Dayton time?
>
>I am considering the 570D, 706M2, FT847, etc.
>
>Thanks,
>
>Kevin
>N4XPP
>
>------------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5848. FS: Standard 200ch memory module

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: n0oba@aol.com
Message-ID: <19990331075053.07565.00000452@ng100.aol.com>
Source record: 112300

CMU161 200 ch memory unit. Fits radios like the C168a and the 468a etc. Also go's into some of the mobiles. $25 shipped. Scott Hilton,n0oba

5849. FS: Kenwood TM733 DualBand Mobile

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: n0oba@aol.com
Message-ID: <19990331075532.07565.00000454@ng100.aol.com>
Source record: 112301

Deluxe model that has the duplexer inside the rig. Backlit Mic and is a 8
out of a scale of 10. Have the box and manual. $280plus shipping

5850. Re: Should I choose a TH-79A(D) or IC-W32A?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <37021E77.A0600C4A@flash.net>
Source record: 112302

If you want to have to put the radio up to your ear to hear it, get the
79A
If you want a radio that will recieve up to 900 meg with a less intermod
and longer battery life and will do 5 watts out of the box, get the
W32A.
I must warn you , I am a professional, don't try to have an opinion at
home. :-)
K5JOE

Martin Boulerice, ing., pilote. wrote:
>
> Hello,
>
> I'm looking for a high-power dual band HT. Should I choose a Kenwood
> TH-79A(D) or an ICOM IC-W32A?
>
> The Kenwood TH-79A(D) is verylight weight but I don't know if the
> system that clip the battery to the radio is durable!? I'm aware of
> the existance of modification to expend the Rx frequency band. Also,
> the TH-79A(D) cost less.
>
> The ICOM IC-W32A is heavy (compared to the TH-79A(D)), the system that
> clip the battery to the body is different (is it better?). Is there
> any modification to expend the Rx freq band? The IC-W32A cost more.
>
> I'm sure that those 2 radios are comparable, but is there one that
> stand out from the other?
>
> Thanks for your help :ï¿½)
>
> 73
>
> VA2SKY
> Martin Boulerice
> Montreal, Quebec, Canada

5851. Re: Yaesu 51R 800meg Mod?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <37021F46.9BA705B@flash.net>
Source record: 112303

No problem Jim, thats what a discussion group is for. I like the 51R but
got a W32A because of the 800 meg recieve, but I would have gotten
another 51R if it could have been modded. I will send you a great mod
page if you want it.
K5JOE

Jim Gerke wrote:
>
> Well, I have egg on my face. The FT-51's display shows the 800 freq
> range but it does not actually receive there. After thinking about it, I
> seem to remember hearing that the RX circuitry needed to receive up
> there is not installed in the US version of the radio. I must have been
> thinking of the FT-530.
>
> I didn't mean to cause so much excitement!
>
> 73, Jim, K5NTX

5852. Re: Yaesu 51R 800meg Mod?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <37021FFE.438B48A9@flash.net>
Source record: 112304

No problem Jim, thats what a discussion group is for. I like the 51R but
got a W32A because of the 800 meg recieve, but I would have gotten
another 51R if it could have been modded. I will send you a great mod
page if you want it.
K5JOE

Jim Gerke wrote:
>
> Well, I have egg on my face. The FT-51's display shows the 800 freq
> range but it does not actually receive there. After thinking about it, I
> seem to remember hearing that the RX circuitry needed to receive up
> there is not installed in the US version of the radio. I must have been
> thinking of the FT-530.
>
> I didn't mean to cause so much excitement!
>
> 73, Jim, K5NTX

5853. Re: Yaesu 51R 800meg Mod?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: K5JOE <k5joe@flash.net>
Message-ID: <37022005.95DDA3D9@flash.net>
Source record: 112305

No problem Jim, thats what a discussion group is for. I like the 51R but
got a W32A because of the 800 meg recieve, but I would have gotten
another 51R if it could have been modded. I will send you a great mod
page if you want it.
K5JOE

Jim Gerke wrote:
>
> Well, I have egg on my face. The FT-51's display shows the 800 freq
> range but it does not actually receive there. After thinking about it, I
> seem to remember hearing that the RX circuitry needed to receive up
> there is not installed in the US version of the radio. I must have been
> thinking of the FT-530.
>
> I didn't mean to cause so much excitement!
>
> 73, Jim, K5NTX

5854. FS: Kenwood TL-922 HF Amp

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Ron <rons533@ibm.net>
Message-ID: <37022B21.BE3@ibm.net>
Source record: 112306

For Sale:

Kenwood TL-922 HF Amp
10-160 meters
Very good inside and out
$1000

K3SZY
rons533@ibm.net

5855. Collins 6. KC Filter

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: landaircom@aol.com
Message-ID: <19990331091643.08678.00000427@ng21.aol.com>
Source record: 112307

Made to plug in the S-line or HQ-215 $375.00 FOB NY These are very scarce

5856. Need manual for Drake TR-4

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: you@somehost.somedomain
Message-ID: <cbqM2.1$3v4.649@www.bsu.edu>
Source record: 112308

Just aquired a TR-4, but no manual. Can anyone help me out? resopnd dvanhorn@indy.net

Tnx Don Van Horn K1FZY

5857. Re: Opinions Wanted

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Marv Luse <mwluse@dimensional.com>
Message-ID: <37023198.CA041200@dimensional.com>
Source record: 112309

Hello Art, and welcome back. I would define "good value" these days as under $2000 (not like it was 18 years ago, huh?). Good candidates are the Icom 746 and Yaesu 920.

73

Marv
KC0EGB

Arthur Brown wrote:

> Thanks for stopping -- I'm getting back into radio after 18 years, and
> need advice.
>
> Need a good value transceiver for 80 - 10 meter DX, to be purchased new.
> Any thoughts?
>
> Thanks much, Art Brown KA8RVL

5858. Re: fed...UPS....Lets SUE EM..CLASS ACTION ANYONE???

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: jay@pluto.njcc.com
Message-ID: <7dtba2$7d0$1@mars.njcc.com>
Source record: 112310

William Lee (willee@interconnect.net) wrote:
: A friend once told me of a get even tactic for U.P.S. I have not attempted
: this but he says it works.

: Get a box that has been sent to you by U.P.S. and open it from the end that
: has no U.P.S. information.
: Put a brick in there and seal the box back up.
: Address it to your buddy down thw street on the end you just opened and take
: it to U.P.S.
: Set it in the counter with your address down and your buddies address down.
: Be sure to insure it for a lot.
: You have a Fifty - Fifty chanch of it being delevered back to you.
: They will have no clue as to what happened to the package you sent to your
: buddy and assume it was lost somewhere.

This works! A friend had ordered a mountain bike part and had it sent to
my house. Over a YEAR later he dragged out the box, put something in it
and shipped it to CA. It arrived back at my house. UPS could not find
what they did with it. Now before you flame me, he did NOT claim it
against UPS. We figured we'd get in lots of trouble if they eventually
found it.

-Jay

http://pluto.njcc.com/~jay

5859. Re: Coax Cable Losses

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Jeff Wittich <jwittich@nortel.com>
Message-ID: <370228C2.B38C4CCF@nortel.com>
Source record: 112311

I think this is from W3LPL:

CABLE ATTENUATION (dB per 100 ft)

1.8 3.5 7.0 14.0 21.0 28.0 50.0 144 440 1296

LDF7-50A .03 .04 .06 .08 .10 .12 .16 .27 0.5 0.9
FHJ-7 .03 .05 .07 .10 .12 .15 .20 .37 0.8 1.7
LDF5-50A .04 .06 .09 .14 .17 .19 .26 .45 0.8 1.5
FXA78-50J .06 .08 .13 .17 .23 .27 .39 .77 1.4 2.8
3/4" CATV .06 .08 .13 .17 .23 .26 .38 .62 1.7 3.0
LDF4-50A .09 .13 .17 .25 .31 .36 .48 .84 1.4 2.5
RG-17 .10 .13 .18 .27 .34 .40 .50 1.3 2.5 5.0
SLA12-50J .11 .15 .20 .28 .35 .42 .56 1.0 1.9 3.0
FXA12-50J .12 .16 .22 .33 .40 .47 .65 1.2 2.1 4.0
FXA38-50J .16 .23 .31 .45 .53 .64 .85 1.5 2.7 4.9
9913 .16 .23 .31 .45 .53 .64 .92 1.6 2.7 5.0
RG-213 .25 .37 .55 .75 1.0 1.2 1.6 2.8 5.1 10.0
RG-8X .49 .68 1.0 1.4 1.7 1.9 2.5 4.5 8.4

CABLE ATTENUATION (Ft per dB)

1.8 3.5 7.0 14.0 21.0 28.0 50.0 144 440 1296

LDF7-50A 3333 2500 1666 1250 1000 833 625 370 200 110
FHJ-7 2775 2080 1390 1040 833 667 520 310 165 92
LDF5-50A 2500 1666 1111 714 588 526 385 222 125 67
FXA78-50J 1666 1250 769 588 435 370 256 130 71 36
3/4" CATV 1666 1250 769 588 435 385 275 161 59 33
LDF4-50A 1111 769 588 400 323 266 208 119 71 40
RG-17 1000 769 556 370 294 250 200 77 40 20
SLA12-50J 909 667 500 355 285 235 175 100 53 34
FXA12-50J 834 625 455 300 250 210 150 83 48 25
FXA38-50J 625 435 320 220 190 155 115 67 37 20
9913 625 435 320 220 190 155 110 62 37 20
RG-213 400 270 180 130 100 83 62 36 20 10
RG-8X 204 147 100 71 59 53 40 22 12

FEET REQUIRED FOR 1 DB ADVANTAGE LDF5-50A VS:

1.8 3.5 7.0 14.0 21.0 28.0 50.0 144 440 1296

LDF4-50A 2000 1430 1250 910 715 625 435 250 165 100
RG-17 1666 1430 1110 770 560 475 420 120 60 30
FXA12-50J 1250 1000 770 525 435 355 255 120 75 40
9913 835 590 455 320 280 220 150 85 53 29

FEET REQUIRED FOR 1 DB ADVANTAGE LDF4-50A VS:

1.8 3.5 7.0 14.0 21.0 28.0 50.0 144 440 1296

RG-17 - - - - - - - 220 90 40
FXA12-50J - - 2000 1250 1100 835 625 250 145 65
9913 1430 1000 715 500 455 345 235 135 75 40
RG-213 910 600 285 200 150 120 85 45 20 12

Christopher A. Glaves wrote:
>
> Could someone help me out by pointing me to a table showing coax cable
> line loss values for varying type of cable and distances. I am
> particularly interested in RG-6. I know its out there somewhere but
> all my searches have yielded nothing.
>
> Thanks
>
> Chris Glaves
> cglaves@hotmail.com
> KF4UYO

5860. FS: Kenwood TH-22AT 135.00shipped!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: tomasso dirose <tdirose@stny.lrun.com>
Message-ID: <7oqM2.332$8m5.827@newsr1.twcny.rr.com>
Source record: 112312

Hi,
I have a Kenwood TH-22AT w/box manual and power cord/DC new. Use very
little ,Will sale for 135.00 .
136.000MHz. to 174.000MHz. 1year 5mo. old / battery charged 7 times.
Thank You !
TOM
(607)724-8181
Binghamton,NY

5861. Re: FT-100 IS HERE !!

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: GJUDD <GJUDD@prodigy.net>
Message-ID: <7dtc9f$512g$1@newssvr03-int.news.prodigy.com>
Source record: 112313

Wb6eys wrote in message <19990330121748.13367.00000076@ng-cd1.aol.com>...
>Hi . Stew here .
>
>
>How much is HRO charging for the "barebones" radio ?
HRO is getting $1349.95 including shipping. The Phoenix HRO had one
available on Tuesday afternoon.

5862. Re: FS: Arrow Antenna 146-4S 2m, 4-element Yagi

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Mark Sailer <msailer@msailer.rhic.bnl.gov>
Message-ID: <37022B7A.3C4482EE@msailer.rhic.bnl.gov>
Source record: 112314

JHulet wrote:

> Hello,
>
> I have a mint condition 146-4S Arrow Antenna for sale. It is a 4 solid element
> yagi antenna for 2 meters. It is of excellent quaility. It comes complete
> with a SO-239 connector for easy hook up. Just connect the coax with standard
> PL-259 and you are off and running!
>
> I have moved into town and don't need this antenna any longer. It has never
> been up for any length of time. It has been hanging in my barn.
>
> $35.00 I'll ship
>
> Jason S. HuletKC8FXE
> 314 East Bay Blvd.
> Traverse City, MI 49686

I'll take it!
How do you want me to pay?
In advance or after I receive it?

Mark Sailer
31 Eliot Drive
Lake Grove, NY 11755

--

Mark Sailer
BNL- RHIC/RCF
516-344-7448

5863. Re: FS: COMET SMA-3 2m.440/900 hand-held Antenna

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Mark Sailer <msailer@msailer.rhic.bnl.gov>
Message-ID: <37022BCE.1FF8D7B9@msailer.rhic.bnl.gov>
Source record: 112315

JHulet wrote:

> Hello,
>
> I have a COMET SMA-3 Hand-held antenna. This antenna was a replacement for my
> Yaesu FT-50RD. I have sold my hand-held and am now selling this antenna. It
> is in good condition and out performs many stock antennas for hand-helds. Just
> read some of the postings on Dejanews. Remember this antenna fits SMA
> connectors...
>
> Asking $30 I'll ship
>
> 73!
>
> Jason S. Hulet/KC8FXE
> 314 East Bay Blvd.
> Traverse City, MI 49686

Just sent you a message on the Arrow Antenna.
Could you do a deal on Both of these antennas?

Thanks

--

Mark Sailer N2JTW
BNL- RHIC/RCF
516-344-7448

5864. info:ft920 and fl7000

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Monte Keller <k9dzd@iquest.net>
Message-ID: <WyqM2.64$E4.355@news1.iquest.net>
Source record: 112316

im looking for some comments from someone thats using the yaesu ft920 and
the fl7000
thanks
monte

k9dzd@iquest.net

5865. Kenwood TH-22AT 135.00

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: tomasso dirose <tdirose@stny.lrun.com>
Message-ID: <owqM2.333$8m5.818@newsr1.twcny.rr.com>
Source record: 112317

I have a Kenwood TH-22AT for sale 135.00 shiped.
very little use, charged battery 7 times comes with DC power cord /new.
Box , manual 1 year 5 months old 136.000MHzto174.000MHz.
Tom
(607)724-8181

5866. FA: Drake TR7A W/Acc

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <37023436.312585737@207.217.77.140>
Source record: 112318
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83432906

5867. FA: Drake UV3 144/220/440 W/Acc

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <370236a2.313205508@207.217.77.140>
Source record: 112319
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83430060
Comes with remote setup as well.
Real Nice Drake!!

5868. WANTED: Kenwood S599D spkr

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: ku7s@aol.com
Message-ID: <19990331104335.12637.00000165@ng-cr1.aol.com>
Source record: 112320

Looking for a Kenwood S 599D speaker for the Twins. Must be in excellent or better condition. MINT is preferred. Thanks... ku7s@aol.com

5869. Yaesu FT-480 problems !

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Ole Eikrem <oleeikre@online.no>
Message-ID: <IErM2.203$Te3.697@news1.online.no>
Source record: 112321

Hi OM's

I have two Yaesu FT-480R with the same probleme, after power supply "spikes"
are both 2M dead.
The display shows . . . . . or 6 6 6 6 6 and no reaction on VFO tuning, no
RX TX memory or scan.

I suppose the problem is related to the CPU PD-1511, but this part cost
abt. 50 from G-land so I would like to be pretty sure that this is really
the probleme.
What is the price in US if anyone knows ??

Has anyone elese tried to fix this kind off probleme on this rig ??
And do you have a service manual that can be copied ??

Tnx fer any answer and 73's de
LA9VBA Ole

<oleeikre@online.no>

5870. FS: Motorola GP300 $275

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: CA <itam@boisarc.tamu-commerce.edu>
Message-ID: <37025557.0@news.tamu-commerce.edu>
Source record: 112322
Cross-posted to: alt.radio.scanner,rec.audio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap,rec.video.marketplace,uk.radio.amateur

Hi, I have 4 Motorola Radius GP300 hand held radios for sale. These units are 10/10. These units also also still under warranty. They are 16 ch @ 4 watts UHF. I really would love to find these radios a better home than my desk. I am asking $275 each or your best offer. I really need to sell these. If you need some good radio in like new condition please e-mail me at (cadezigns@juno.com) or phone me at 903-453-1818 and I would be glad to get you more info.

Thanks
Chris

5871. Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: "KF4FDJ (Mike in Ft. Myers, FL)" <seven77@gate.net>
Message-ID: <3702469F.413000FD@gate.net>
Source record: 112323
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

RICHCOM,

I am not generally a grump, but your method of posting to the newsgroups regarding items you are selling on EBAY is getting tiresome. If someone wnats to peruse EBAY and see what's for sale, fine, but parallel postings to the newsgroups is not appropriate, especially since you have no description in your posts, just a link to EBAY! Based on the number of items you've been selling and parallel posting here, you must be in the business of selling used equipment. In such case, you are violating newsgroup rules twice, once for your own gain, and the second by promoting EBAY.

73, Mike

richcom wrote:
>
> Go to:
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83432906

--
__\/__
| . / ^ _ \ .
| |\| (o)(o) |/|
^ --- * -----------------.OOOo--oo--oOOO.------------------- *
||| | | * Mike Gilchrist - KF4FDJ ..... AMSAT Area Coordinator *
|X| | | * P.O. Box 763 .... AMSAT member #31884 *
[X]~~~|k| * Fort Myers, FL 33902 .... ARRL member #1781549 *
/ \ |f| * http://www.gate.net/~seven77 telephone 941.772.7907 *
| | |4| * kf4fdj@amsat.org .... EL96ap *
| P | |f| * I.S. Professional ..... CNA .... Computer Consultant *
| 3 |=|d| * AO10, AO27, FO20, FO29, RS13, RS15, MIR, E Layer *
| D | |j| * Bringing Oscar demos to the Lee County Schools. *
|_____|=| | *
/*X*\ | | * Black holes were created when God divided by zero. *
________|_|_______________________________Oooo._________________________
.oooO ( )
( )) /
\ ((_/
_)

5872. Re: Heil Mike Sets

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: K4SWB@worldnet.att.net
Message-ID: <MPG.116c0cc03dd17d58989a71@netnews.worldnet.att.net>
Source record: 112324
Body handling: HTML body converted to readable text

In article <3701822B.1F7E3C12@mindspring.com>,
w7ox@mindspring.com says...
> Any opinions on the Heil Pro Set? I'm thinking of buying one plus
> footswitch for use with my Kenwood TS-570-D(G).
>
> Pros and cons would be appreciated.
>
> Phil W7OX
>
I use a Heil headset, with a #5 element on my TS-570D/G. Like
it so well, I disabled the amplifier in my D-104, and installed
a #5 element there also. I think you'll be pleased.
--
Charles
K4SWB
<>

5873. For Sale: Motorola Radius GP300 $275.

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: CA <itam@boisarc.tamu-commerce.edu>
Message-ID: <370258d6.0@news.tamu-commerce.edu>
Source record: 112325
Cross-posted to: alt.radio.scanner,rec.audio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap,rec.video.marketplace

Hi, I have 4 Motorola Radius GP300 radios for sale. These radio's are 10/10, UHF, 16 ch. and still under warranty. I am asking $275. each or YOUR VERY BEST OFFER. If you need good radios in like new condition I have them for you. If you are interested you can e-mail me directly at cadezigns@juno.com) or phone me at 903-450-7725 and I will be happy to give you any info I can.

Thanks

Chris A.

5874. Help with a dead TM2550

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: n9jvo@my-dejanews.com
Message-ID: <7drr7mier1@nnrp1.dejanews.com>
Source record: 112368

I recently purchased a Kenwood TM-2550 2 meter rig that does not seem to have any trans output. I can hear the rig on my ht but there is no reading on an external meter. It sounds like the final transistor is dead. The transistor is a Mitsubishi marked M57726. Does any one know where I can find a replacement for this transistor, or maybe a used/different one that will work? Please email me at rick.corgiat@mail.mei.com if you can help. Thanks, Rick - N9JVO

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5875. Need help with a TM-2550A

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: n9jvo@my-dejanews.com
Message-ID: <7drrljilk1@nnrp1.dejanews.com>
Source record: 112369

I recently purchased a Kenwood TM-2550 2 meter rig that does not seem to have any trans output. I can hear the rig on my ht but there is no reading on an external meter. It sounds like the final transistor is dead. The transistor is a Mitsubishi marked M57726. Does any one know where I can find a replacement for this transistor, or maybe a used/different one that will work? Please email me at rick.corgiat@mail.mei.com if you can help. Thanks, Rick - N9JVO

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5876. HT for sale

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: JGeiger@mcrest.EDU
Message-ID: <41AC2A9AC384D211B8BE0008C7B121C7043DB9@MIU_NT1>
Source record: 112370

I have an absolutely mint Cherokee AH-50 6m HT for sale. Used only once or twice. With wall charger and manual. Asking $95.

73s John NE0P
jgeiger@mcrest.edu

5877. TenTec KR-50 Keyer FS

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Ken Simpson <W8EK@usa.net>
Message-ID: <VteM2.154$Co.8665@monger.newsread.com>
Source record: 112371

For Sale:

TenTec KR-50 keyer. Dual paddles built in. 110 V AC,
or 12 V DC operation. Tension adjusts with electromagnet.
Reed relay output will key any rig. Dit and dah memories can
be turned off or on. Full iambic operation.

This one is in great shape, with manual and box.

$ 75 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-Mail to W8EK@usa.net or W8EK@fdt.net
http://www.gnv.fdt.net/~kenmar
Voice Phone (352) 732-8400

5878. 80m Rotatable Diapole Suggestions

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: Tony Heatwole <heatwole@shell.clark.net>
Message-ID: <7drrrs$cq7$6@clarknet.clark.net>
Source record: 112372

Hello. I'm interested in getting a rotatable diapole for 80m, but I can't seam to find one that's still being sold today. I was wondering if anyone had any suggestions for one. All I need is one that will handle 1500w, cover the whole band, and perhaps have a little gain to it. I would prefer a "brand name" item (like Hy-Gain, KLM, KMA, Cushcraft, etc), but let me know if you have any suggestions. Thanks a lot for reading and in advance.

Nat Heatwole
heatwole@clark.net
KB3CBW, Advanced

5879. When to buy?

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: kr70657@hotmail.com
Message-ID: <7ds1dsnnm1@nnrp1.dejanews.com>
Source record: 112373

I've been thinking of buying a new rig and am curious about the best time to buy. I know that the AES superfest is coming up, and Dayton is not too far off. Should I buy now, or wait for Dayton. Are there typically good deals around Dayton time?

I am considering the 570D, 706M2, FT847, etc.

Thanks,

Kevin
N4XPP

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

5880. WTB: MTS2000 800 MHz

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: a1emt@aol.com
Message-ID: <19990330204623.01345.00000342@ng-ft1.aol.com>
Source record: 112374

Looking for a good condition MTS2000 800 MHz portable. Interestd in any version (keypad or not) e-mail directly with details and price.

Jim

5881. Amplifier Parts

Newsgroup: rec.radio.amateur.equipment
Date: 1999-03-31 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990330205054.09593.00000328@ng31.aol.com>
Source record: 112375

List #1= 3CX3000A7 tube,
Socket, Filament transformer 7.5 volts @ 51 Amps
Plate Transformer 2.7 Amps @ 5000 volts
HV Caps, Blower, Meters, Tank Coils
Cabinet to build a large amplifier.
I will sale all parts for $1,500.00 plus shipping.